

1.3. ЦИТИРАНИЯ НА НАУЧНИ ТРУДОВЕ (БЕЗ АВТОЦИТАТИ) В НАУЧНИ ПУБЛИКАЦИИ И В ПАТЕНТИ ЗА ИЗОБРЕТЕНИЯ

Забелязаните цитирания (*без автоцитати*) на трудове на проф. д-н Георги Михов са общо 353 броя, от които 332 са в чужбина и 21 в България. Цитиранията са представени като отначало е дадена цитираната работа, а след нея – списък на трудове, в които тя е цитирана.

Забелязаните цитирания, направени през последните 5 години, са 118, от които 114 в чужбина и 4 в България.

Цитиранията в Scopus за **Mihov, G.** са 307, h-index: 7 – [1 3 Прил. 1](#)

Най-много цитираната публикация е [C.4], която има 154 цитирания (51% от всички цитирания), от 147 са в чужбина и 7 в България.

В чужбина

[C.1]. Levkov, C., **G. Michov**, R. Ivanov, I. Daskalov. [Subtraction of 50 Hz Interference from the Electrocardiogram](#). Medical & Biological Engineering & Computing 22, pp. 371-373 IFMBE July 1984. – Цитирания в [Scopus – 40](#), цитирания във [Web of Science – 29](#)

1. Christov, I.I., Dotsinsky, I.A. (1988): New approach to the digital elimination of 50 Hz interference from the electrocardiogram. Medical and Biological Engineering and Computing, 26 (4), pp. 431-434. DOI: 10.1007/BF02442305. (**WoS**), (**Scopus**)

2. Tai (1991) SLOPE - a real-time ECG data compressor. Med.&Biol. Eng.&Comp., 29 (2), pp. 175-179, DOI: 10.1007/BF02447104. (**WoS**)

3. Tai, S.C. (1992): Six-band sub-band coder on ECG waveforms. Medical and Biological Engineering and Computing, 30 (2), pp. 187-192. Cited 11 times. DOI: 10.1007/BF02446129. (**WoS**), (**Scopus**)

4. Tai, S.C. (1992): ECG data compression by corner detection. Medical and Biological Engineering and Computing, 30 (6), pp. 584-590. DOI: 10.1007/BF02446789. (**WoS**), (**Scopus**)

5. Tai, S.C. (1993): AZTDIS - a two-phase real-time ECG data compressor. Journal of Biomedical Engineering, 15 (6), pp. 510-515. DOI: 10.1016/0141-5425(93)90067-9. (**WoS**), (**Scopus**)

6. Yan, X.G. Dynamic Levkov-Christov subtraction of mains interference. (1993): Medical and Biological Engineering and Computing, 31 (6), pp. 635-638. DOI: 10.1007/BF02441814. (**WoS**), (**Scopus**)

7. Anderson, J.M., Dempsey, G.J., Wright, G.T.H. Cullen, C. Crawley, M., Mcadams, E.T., McLaughlin, J., Mackenzie, G. Adgey, A.A.J. (1994): Portable Cardiac Mapping Assessment of Acute Ischemic-Injury. Methods of Information In Medicine. 33 (1) pp. 72-75. (**WoS**)

8. Lebedeva, S.V., Lebedev, V.V. (1995): A digital filter for suppressing power line noise in electrocardiographs. Biomedical Engineering, 29 (5), pp. 252-255. DOI: 10.1007/BF00557412. (**Scopus**)

9. Sahambi, J.S., Tandon, S.N., Bhatt, R.K.P. (1997): Quantitative analysis of errors due to power-line interference and base-line drift in detection of onsets and offsets in ECG using wavelets. Medical and Biological Engineering and Computing, 35 (6), pp. 747-751. DOI: 10.1007/BF02510988. (**WoS**), (**Scopus**)

10. Yoo, S.K., Kim, N.H., Song, J.S., Lee, T.H., Kim, K.M. (1997): Simple self-tuned notch filter in a bio-potential amplifier. Medical and Biological Engineering and Computing, 35 (2), pp. 151-154. DOI: 10.1007/BF02534147. (**WoS**), (**Scopus**)

11. Benabderahman (1997) Methodes de traitement de signaux multidimensionnels appliquees a l'extraction de micro-potentiels electrocardiographiques. These presente pour obtenir le titre de Docteur, Universite Joseph Fourier - Grenoble, France.

12. Sahambi, S., N. Tandon, R. Bhatt (1997). Quantitative analysis of errors, Med.& Biol. Eng.& Comp., November, pp. 747-751.

13. Kumaravel, N., Nithiyanandam, N. (1998): Genetic-algorithm cancellation of sinusoidal powerline interference in electrocardiograms. *Medical and Biological Engineering and Computing*, 36 (2), pp. 191-196. DOI: 10.1007/BF02510742. (*WoS*), (*Scopus*)
14. Yongcheng, W., Y.Yuxing (1999). A New Digital Filter Method for Eliminating 50Hz Interference from the ECG. *Chinese Journal of Medical Instrumentation*, vol. 23, No.3, pp. 1-6.
15. Christov, I.I. (2000): Dynamic powerline interference subtraction from biosignals. *Journal of Medical Engineering and Technology*, 24 (4), pp. 169-172. DOI: 10.1080/03091900050163454. (*WoS*), (*Scopus*)
16. Lawrence, M. (2001) *Physiological Measurement*. IPEM Grade A Training Scheme, June 2001 – December 2001.
17. Gothev A. (2003): 'Spline and wavelet based techniques for signal and image processing', Ph.D. Thesis, Tampere University of Technology, Publications 429.
18. Butler, K.E., Russell, R.D. (2003): Cancellation on Multiple Harmonic Noise Series in Geophysical Records. *Geophysics*, 68 (3), pp. 1083-1090, Jan. 8, Canada. DOI: 10.1190/1.1581080. (*WoS*), (*Scopus*)
19. Mitov, I.P. (2004): A method for reduction of power line interference in the ECG. *Medical Engineering and Physics*, 26 (10), pp. 879-887. DOI: 10.1016/j.medengphy.2004.08.014. (*WoS*), (*Scopus*)
20. Sörnmo, L., Laguna, P. (2005): *Bioelectrical Signal Processing in Cardiac and Neurological Applications*. eds: Sörnmo L, Laguna P, © Elsevier Inc., 688 p. DOI: 10.1016/B978-0-12-437552-9.X5000-4 (*Scopus*)
21. Christov, I.I., Iliev, G.L. Public access defibrillation: Suppression of 16.7 Hz interference generated by the power supply of the railway systems. (2005) *BioMedical Engineering Online*, 4, art. no. 16, 8 p. DOI: 10.1186/1475-925X-4-16. (*Scopus*)
22. Dotsinsky, I. (2005): Suppression of AC railway power-line interference in ECG signals recorded by public access defibrillators. *BioMedical Engineering Online*, 4, art. no. 65, 23 p. DOI: 10.1186/1475-925X-4-65. (*Scopus*)
23. Dotsinsky, I., Stoyanov, (2005): T. Power-line interference cancellation in ECG signals. *Biomedical Instrumentation and Technology*, 39 (2), pp. 155-162. (*Scopus*)
24. Jekova, I., Krasteva, V. (2005): Subtraction of 16,7 Hz railroad net interference from the electrocardiogram: Application for automatic external defibrillators. *Physiological Measurement*, 26 (6), pp. 987-1003, DOI: 10.1088/0967-3334/26/6/009. (*WoS*), (*Scopus*)
25. Pawan M, Gaikwad K (2005) Development of a portable ECG and pulse oximeter. Synopsis Report, Department of Electronics, Shivaji University, Kolhapur, India, pp. 1-11, <http://www.rkkamat.in/pawan.pdf>,
26. Woo, J., Miller, C.A., Abbas, P.J., Hong, S.H., Kim, I.Y. (2006): Improved noise reduction in single fiber auditory neural responses using template subtraction. *Journal of Neuroscience Methods*, 155 (2), pp. 319-327, DOI: 10.1016/j.jneumeth.2006.01.015. (*WoS*), (*Scopus*)
27. Hong Wanl, Rongshen Ful, Li Shil (2006) The elimination of 50 Hz power line interference from ECG using a variable step size LMS adaptive filtering algorithm. *Life Science Journal*, 3 (4), pp. 90-93,
28. Zheng, J.W., Wu, T.H., Fan, Y., Zhang, Z.B., Zhang, Y. (2007): Handheld devices make real-time telemedicine possible and affordable. 2007 IEEE/ICME International Conference on Complex Medical Engineering, CME 2007, art. no. 4381735, pp. 265-269. DOI: 10.1109/ICCME.2007.4381735. (*WoS*), (*Scopus*)
29. Lan Rui-fen, Hu Guang-shu (2008) Design of simple integral coefficient notch filter to remove power-line interference in high sampling rate. *Space Medicine & Medical Engineering*, 21, (2), http://d.wanfangdata.com.cn/Periodical_hxyxyxgc200802017.aspx
30. Bansal, D., Khan, M., Salhan, A.K. (2009): A computer based wireless system for online acquisition, monitoring and digital processing of ECG waveforms. *Computers in Biology and Medicine*, 39 (4), pp. 361-367, DOI: 10.1016/j.combiomed.2009.01.013. (*WoS*), (*Scopus*)

31. Jatoth, R.K., Anoop, S.S.V.K.K., Prabhu, C.M. (2009): Biologically inspired evolutionary computing tools for the extraction of fetal electrocardiogram. WSEAS Transactions on Signal Processing, 5 (3), pp. 106-115. (*Scopus*)
32. Lin, W.-H., Wong, M.Y.-M., Pu, L.-N., Zhang, Y.-T. (2010): Comparison of median filter and discrete dyadic wavelet transform for noise cancellation in electrocardiogram. 2010 Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC'10, art. no. 5627195, pp. 2395-2398. DOI: 10.1109/IEMBS.2010.5627195. (*WoS*), (*Scopus*)
33. Dai Huhe, Jiang Shouda, Wei Chang'an (2010) A Novel Suppression Algorithm of Power Line Interference in ECG Signal. Proceedings - 2010 1st International Conference on Pervasive Computing, Signal Processing and Applications, PCSPA 2010, art. no. 5636083, 17-19 Sept, Harbin, China, pp. 657-660, pp. 657-660, DOI: 10.1109/PCSPA.2010.164. (*Scopus*)
<ftp://ftp.computer.org/press/outgoing/proceedings/juan/pcspa10/data/4180a657.pdf>.
34. Wu Xian-Wen, Wang Feng (2010) Digital Filter for Electrocardiogram Preprocessing Based on Microprocessor. Chinese Journal of Biomedical Engineering 19, (1),
http://d.wanfangdata.com.cn/Periodical_zgswyxgxcb-e201001005.aspx.
35. Sharmila, K., Krishna, E.H., Reddy, K.N., Reddy, K.A. (2011): Application of multiscale principal component analysis (MSPCA) for enhancement of ECG signals. Conference Record - IEEE Instrumentation and Measurement Technology Conference, art. no. 5944301, pp. 1540-1544. DOI: 10.1109/IMTC.2011.5944301. (*WoS*), (*Scopus*)
36. Kansal M, Kumar V, Arora D, Saini HS (2011) Designing & implementation of digital filter for removal of power supply noise, International Journal of Soft Computing and Engineering, 1, (4), pp. 241-246.
37. Kansal M, (2011) Implementation of IIR filter for removal of power supply noise from ECG. Int. J. of Mathematical Archive, 2, (10), pp. 1833-1840,
<http://ijma.info/index.php/ijma/article/view/609/314>
38. Ming Li (2012): Approximating Ideal Filters by Systems of Fractional Order. Computational and Mathematical Methods in Medicine, art. no. 365054, ISSN: 1748670X, 6 pages, DOI: 10.1155/2012/365054. (*WoS*), (*Scopus*)
39. Kenttä T, Tikkanen J, Wichmann V, Junttila J, Huijuri HV (2012) Automatic detection, localization and classification of early repolarization in standard 12-leads electrocardiography. European Society of Cardiology conference, 25-29 August, Munich, Germany, poster,
<http://spo.escardio.org/eslides/view.aspx?eevtid=54&fp=P3389>.
40. Amiri, M., Afzali, M., Vahdat, B.V. (2012): Comparison of different electrocardiogram signal power line denoising methods based on SNR improvement. 2012 19th Iranian Conference of Biomedical Engineering, ICBME 2012, art. no. 6519677, pp. 159-162. DOI: 10.1109/ICBME.2012.6519677. (*WoS*), (*Scopus*)
41. Liu, J., Xie, F., Zhou, Y., Zou, Q., Wu, J. (2013): A wearable health monitoring system with multi-parameters. Proceedings of the 2013 6th International Conference on Biomedical Engineering and Informatics, BMEI 2013, art. no. 6746958, pp. 332-336. DOI: 10.1109/BMEI.2013.6746958. (*WoS*), (*Scopus*)
42. Liu, J., Zhou, Y. (2013): Design of a novel portable ECG monitor for heart health. Proceedings - 6th International Symposium on Computational Intelligence and Design, ISCID 2013, 2, art. no. 6804877, pp. 257-260. DOI: 10.1109/ISCID.2013.178. (*WoS*), (*Scopus*)
43. Li, N., Hao, S., Tang, H., Jin, Y., Li, F. (2013): Calibration device for multi-parameter simulator. Proceedings of 2013 IEEE 11th International Conference on Electronic Measurement and Instruments, ICEMI 2013, 1, art. no. 6743109, 16-18 August, Harbin, China, pp. 506-509, DOI: 10.1109/ICEMI.2013.6743109. (*WoS*), (*Scopus*)
44. Manosueb, A., Koseeyaporn, J., Wardkein, P. (2014): PLI cancellation in ECG signal based on adaptive filter by using wiener-Hopf equation for providing initial condition. Computational and Mathematical Methods in Medicine, 2014, art. No. 471409, DOI: 10.1155/2014/471409. (*WoS*), (*Scopus*)

45. Connolly, A.T., Muralidharan, A., Hendrix, C., Johnson, L., Gupta, R., Stanslaski, S., Denison, T., Baker, K.B., Vitek, J.L., Johnson, M.D. (2015): Local field potential recordings in a non-human primate model of Parkinsons disease using the Aactiva PC plus S neurostimulator. Journal of Neural Engineering, 12 (6), art. No. 066012, DOI: 10.1088/1741-2560/12/6/066012, (*WoS*), (*Scopus*)

46. Bortolan, G., Christov, I., Simova, I., Dotsinsky, I. (2015): Noise processing in exercise ECG stress test for the analysis and the clinical characterization of QRS and T wave alternans. Bio-medical Signal Processing and Control, 18, pp.378-385, DOI: 10.1016/j.bspc.2015.02.003, (*WoS*), (*Scopus*)

47. Tadeáš Odstrčilík (2015) Analýza a zpracování EKG. MS thesis, Czech Technical University in Prague. 78 pages, https://dspace.cvut.cz/bitstream/handle/10467/61233/F3-DP-2015-Odstrcilik-Tadeas-odstrtad_DP_2015.pdf?sequence=1&isAllowed=y .

48. Kenttä, T., Porthan, K., Tikkanen, J.T., Väänänen, H., Oikarinen, L., Viitasalo, M., Karanko, H., Laaksonen, M., Huikuri, H.V. (2015): Sensitivity and Specificity of Automated Detection of Early Repolarization in Standard 12-Lead Electrocardiography. Annals of Noninvasive Electrocardiology, 20 (4), pp. 355-361. DOI: 10.1111/anec.12226, (*WoS*), (*Scopus*)

През последните 5 години (от 2016 г.)

49. Wang, J., Lv, Y., Dong, H., Wu, T., Bao, T., Feng, J. (2016): An improved algorithm for removing the power-line interference from ECG signals in high sampling rate. Chinese Journal of Biomedical Engineering, 35 (6), pp. 744-748. DOI: 10.3969/j.issn.0258-8021.2016.06.015. (*Scopus*)

50. Wang Jiming, Lv Yingying, Dong Han, Wu Tao, Bao Tao, Feng Jingyi (2016) An improved algorithm for removing the power-line interference from ECG signals in high sampling rate, Chinese J. of Biomedical Engineering, 35, (6), pp. 744-748, <http://cjbme.csbme.org/EN/abstract/abstract626.shtml> .

51. Huamani, R.R., Talavera, J.R., Mendoza, E.A.S., Davila, N.M., Supo, E. (2017): Implementation of a real-time 60 Hz interference cancellation algorithm for ECG signals based on ARM cortex M4 and ADS1298. Proceedings of the 2017 IEEE 24th International Congress on Electronics, Electrical Engineering and Computing, INTERCON 2017, art. No. 8079725, DOI: 10.1109/INTERCON.2017.8079725. ,(*WoS*), (*Scopus*),

52. Vranić, I., Vranić, I., Antić, B., Stojanović, G., Al-Salami, H. Influence of the main filter on QRS-amplitude and duration in human electrocardiogram(2019) Measurement Science Review, 19 (1), pp. 29-34 (*Scopus*).

53. Bhoi, A.K., Sherpa, K.S., Khandelwal, B. Comparative analysis of filters for cancellation of power-line-interference of ECG signal(2019) International Journal Bioautomation, 23 (3), pp. 259-282 (*Scopus*).

54. Li, H. A Novel Dual-Slope Based Electrocardiogram Peak Detection Method for Wearable Devices (2020) Proceedings of 2020 IEEE 3rd International Conference on Information Systems and Computer Aided Education, ICISCAE 2020, art. no. 9236911, pp. 327-331 (*Scopus*).

55. Xie, Y., Qu, Z., Lu, M., Yin, W., Xu, H., Zhu, S., Tang, J., Chen, L., Ran, Q., Zhang, Y. Novel Wearable Sensors for Biomechanical Movement Monitoring Based on Electromagnetic Sensing Techniques (2020) IEEE Sensors Journal, 20 (2), art. no. 8847612, pp. 1019-1027 (*Scopus*).

[C.3]. Mihov, G., I. Dotsinsky. T. Georgieva (2005). *Subtraction Procedure for Power-Line Interference Removing from ECG: Improvement for Non-Multiple Sampling*. Journal of Medical Engineering & Technology, 29, No 5, pp. 238-243. – Цитирания в *Scopus – 7*, цитирания във *Web of Science – 5*

56. Chawla M. P. S. (2007): ‘Parameterization and R-peak error estimations of ECG signals using independent component analysis’, Computational and Mathematical Methods in Medicine, 8, Issue 4, pp. 263 – 285.

57. Chavan, M.S., Agarwala, Ra., Uplane, M.D. (2008). Design and implementation of digital FIR equiripple notch filter on ECG signal for removal of power line interference. WSEAS Transactions on Signal Processing, 2008. (*WoS*), (*Scopus*)

58. Kaur M, Singh B (2009) Powerline interference reduction in ECG using combination of MA method and IIR notch. International Journal of Recent Trends in Engineering, 2, (6), pp. 125-129.

59. Kaur M, Arora AS (2010) Combination method for powerline interference reduction in ECG. International Journal of Computer Applications, 1, (14), pp. 12-17.

60. Shrivastavaa A, G.R. Sinha (2010) A novel approach of ECG diagnosis and prediction of critical diseases for cardiac patients. International Journal of Image Processing, 4, (5), pp. 1-5, online, <http://www.cscjournals.org/csc/manuscript/Journals/IJIP/volume4/Issue5/IJIP-252.pdf>.

61. Hu X, Xiao Z, Liu C (2010) Reduction arithmetic for power line interference from ecg based on estimating sinusoidal parameters. 3rd Int. Conf. on Biomedical Engineering and Informatics BMEI 2010, 16-18 October, Yantai, China, art. No 5640006, 2, pp. 2089-2092. (*WoS*), (*Scopus*)

62. B. Pradeep Kumar and S. Balambigai (2012). A Survey on ECG De-Noising Techniques. Bonfring International Journal of Advance Image Processing, vol. 2, Special Issue 1, Part 1, February 2012.

63. Lee DH, Rabbi A, Choi J, Fazel-Rezai R (2012): Development of a Mobile Phone Based e-Health Monitoring Application. International Journal of Advanced Computer Science and Applications, 3, No. 3, pp. 38-43, http://thesai.org/Downloads/Volume3No3/Paper7-Development_of_a_Mobile_Phone_Based_e-Health_Monitoring_Application.pdf

64. Maniruzzaman, Md., Billah, K.Md.S., Biswas, U., Gain, B. (2012). Least-mean-square algorithm based adaptive filters for removing power line interference from ECG signal. 2012 International Conference on Informatics, Electronics and Vision, ICIEV 2012, pp. 737-740 (*WoS*), (*Scopus*)

65. Țarălungă, D.-D., Ungureanu, G.-M., Gussi, I., Strungaru, R., Wolf, W. (2014). Fetal ECG extraction from abdominal signals: A review on suppression of fundamental power line interference component and its harmonics. Computational and Mathematical Methods in Medicine (Open Access), 239060, DOI: 10.1155/2014/239060. (*WoS*), (*Scopus*)

66. Wasimuddin Muhammad, Gupta Navarun (2014): Design and implementation of Least Mean Square adaptive filter on fetal electrocardiography, 1 Conference of the American Society for Engineering Education (ASEE Zone 1), 3-5 April 2014, 5 pages, Bridgeport, CT, USA, Publisher IEEE, DOI: 10.1109/ASEEZone1.2014.6820650, ISBN: 978-1-4799-5232-5. (*WoS*), (*Scopus*)
През последните 5 години (от 2016 г.)

67. Huamani, R., Talavera, J.R., Mendoza, E.A.S., Davila, N.M., Supo, E. (2017): Implementation of a Real-Time 60 Hz Interference Cancellation Algorithm for ECG Signals Based on ARM Cortex M4 and ADS1298. IEEE 24th International Conference on Electronics, Electrical Engineering and Computing (INTERCON), Aug 15-18, Cusco, Peru, art. no. 8079725, DOI: 10.1109/INTERCON.2017.8079725. (*WoS*), (*Scopus*)

68. Rizwan, A., Zoha, A., Mabrouk, I.B., Sabbour, H.M., Al-Sumaiti, A.S., Alomainy, A., Imran, M.A., Abbasi, Q.H. A Review on the State of the Art in Atrial Fibrillation Detection Enabled by Machine Learning (2021) IEEE Reviews in Biomedical Engineering, 14, art. no. 9016113, pp. 219-239 (*Scopus*)

[C.4]. Levkov, Ch., **G. Mihov**, R. Ivanov, Ivan K. Daskalov, I. Christov, I. Dotsinsky (2005). *Removal of power-line interference from the ECG: a review of the subtraction procedure*. BioMedical Engineering OnLine, 2005, 4:50. (<http://www.biomedical-engineering-online.com/content/4/1/50>).

– Цитирания в [Scopus – 119](#), цитирания във [Web of Science – 74](#)

69. Dobrev, D., T. Neycheva, N. Mudrov (2005): Simple two electrode biosignal amplifier, *Medical & Biological Engineering & Computing*, 43 (6), pp. 725-730. DOI: 10.1007/BF02430949 (*WoS*), (*Scopus*)
70. Tomoyuki Kamitani, Naohiro Toda (2006) Power-line Interference Removability of Adaptive Digital Filters. Institute of Electronics, Information and Communication Engineering, Technical Report, pp. 1-5.
71. Tomoyuki Kamitani, Naohiro Toda (2006) Alternative Noise Elimination by Adaptive Digital Filter in Biopotential Measurements. Graduate School of Information Science and Technology, Aichi Prefectural University, Technical Report, pp. 1-4.
72. Zheng JW, Zhang ZB, Wu TH, Zhang Y (2007) A wearable mobihealth care system supporting real-time diagnosis and alarm. *Medical and Biological Engineering and Computing*, 45 (9) pp. 877-885, DOI: 10.1007/s11517-007-0221-y. (*WoS*), (*Scopus*)
73. Cushion TJ (2007) Notch Filtering Electromyography Signal. Individual Research Project Report, Electronic & Computer Science, University of Southampton, pp. 1-8, <http://portfolio.ecs.soton.ac.uk/17/3/IRP.pdf>.
74. Nelson Carlos Medeiros de Vasconcellos (2007) Topografia da coerência espectral dos potenciais eletroencefalográficos relacionados a eventos musculares. Dissertação, Universidade Federal Fluminense, Niterói, Brasil, 230 pages, <http://www.ic.uff.br/PosGraduacao/Dissertacoes/386.pdf>.
75. Gonzalez-Landaeta R, Casas Ó, Pallàs-Areny R (2007) Bathroom scales as patient interfaces for home health care. 1st Int. Conf. on Advancements of Medicine and Health Care through Technology, MediTech2007, 27-29th September, Cluj-Napoca, Romania, pp. 173-176.
76. Różanowski K, Sondej T, Radomski T, Piotrowski Z (2007) Wielozadaniowy system monitorowania sygnałów fizjologicznych i środowiskowych. *Elektronika : konstrukcje, technologie, zastosowania*, 48, (9), pp. 85-91.
77. Yacoub, S., K. Raoof (2008): Power line interference rejection from surface electromyography signal using an adaptive algorithm. *ITBM-RBM*, © 2008 Elsevier Masson SAS, 29 (4), pp. 231-238, DOI:10.1016/j.rbmet.2007.09.002. (*WoS*), (*Scopus*)
78. Yacoub S, Raoof K (2008): 'Noise removal from surface respiratory EMG signal', *World Academy of Science, Engineering and Technology*, 38, pp. 643-650.
79. Yacoub S, Raoof K (2008): Noise removal from surface respiratory EMG signal, *International Journal of Computer, Information, and Systems Science, and Engineering* 2, (4), pp. 226-233.
80. Dobrev D, Neycheva T, Mudrov N (2008): Bootstrapped two-electrode biosignal amplifier, *Med. Biolog. Eng. Comput.*, 46 (6), pp. 613-619, DOI: 10.1007/s11517-008-0312-4. (*WoS*), (*Scopus*)
81. Curione M, Cammaro C, Cardarelli G, Di Bona S, Montesan T, Travasci L, Colandre M, Colott M, Ciancamerl M, Rong G (2008) QRS area monitoring during stress test: a novel index to separate normal to ischaemic patients? *Archives of Medical Science*, 4, (1), pp. 51-56. (*WoS*), (*Scopus*)
82. Dobrev D, Neycheva T, Mudrov N (2008) Digital lock-in techniques for adaptive power-line interference extraction. *Physiological Measurement*, 29 (7), pp. 803-816. DOI: 10.1007/s11517-008-0312-4. (*Scopus*)
83. Chavan MS, Agarwala RA, Uplane MD (2008) Suppression of baseline wander and power line interference in ECG using digital IIR filter. *International Journal of Circuits, Systems and Signal Processing*, 2, (2), pp. 356-365.
84. Chavan MS, Agarwala RA, Uplane MD (2008) Rectangular window for interference reduction in ECG. 7th WSEAS International Conference on Signal Processing Istanbul, Turkey, May 27-30, pp. 110-114.
85. Chavan MS, Agarwala RA, Uplane MD (2008) Suppression of noise in the ECG signal using digital IIR filter. *Proceedings of the 8th WSEAS International Conference on Multimedia systems and signal processing*, Hangzhou, China, pp. 335-343. (*WoS*)

86. Szilágyi SM, Szilágyi L, Görög LK, Luca CT, Cozma D, Ivanica G, Benyó Z (2008) An enhanced accessory pathway localization method for efficient treatment of Wolff-Parkinson-White syndrome. Progress in Pattern Recognition, Image Analysis and Applications - Lecture Notes in Computer Science, 13th Iberoamerican Congress on Progress in Pattern Recognition, Image Analysis and Applications, Havana, CUBA, Vol. 5197, pp. 269-276. (*WoS*), (*Scopus*)
87. Zhidong, Z. Chan, M. (2008) A novel cancellation method of powerline interference in ECG signal based on EMD and adaptive filter, International Conference on Communication Technology, ICCT, 10-12 November, Bangkok, Thailand, pp. 517-520. (*WoS*), (*Scopus*)
88. Jérôme Dumont (2008) Fouille de dynamiques multivariées, application à des données temporelles en cardiologie. Dissertation pour obtenir le grade de Docteur de l'université de Rennes 1, No d'ordre: 3682, 150 pages, http://hal.archives-ouvertes.fr/docs/00/36/47/20/PDF/these_jdumont.pdf
89. Lan Rui-fen, Hu Guang-shu (2008) Design of simple integral coefficient notch filter to remove power-line interference in high sampling rate. Space Medicine & Medical Engineering, 21, (2), http://d.wanfangdata.com.cn/Periodical_hxyxyxgc200802017.aspx
90. Tabakov, S., Iliev, I., Krasteva, V. (2008). Online digital filter and QRS detector applicable in low resource ECG monitoring systems. Annals of Biomedical Engineering, 36 (11), 1805-1815, DOI: 10.1007/s10439-008-9553-5. (*WoS*), (*Scopus*)
91. Pasquariello G, Cesarelli M, Bifulco P, Fratini A, La Gatta A, Romano M (2009) Characterisation of baseline oscillation in congenital nystagmus eye movement recordings. Biomedical Signal Processing and Control, 4 (2), pp. 102-107, DOI: 10.1016/j.bspc.2009.01.003 (*WoS*), (*Scopus*)
92. Querellou E, Meyran D, Petitjean F, Le Dreff P, Maurin O. (2009): Ventricular fibrillation diagnosed with trans-thoracic echocardiography. Resuscitation, 80 Issue: 10 Pages: 1211-1213, DOI: 10.1016/j.resuscitation.2009.06.033. (*WoS*), (*Scopus*)
93. Davie W. J., M. J. Fowler, E. Koumoundouros (2009). ECG interference suppressed using a harmonic generator. Australasian Physical and Engineering Sciences in Medicine, 32, (3), pp. 159-164. (*WoS*), (*Scopus*)
94. Kaur M, Singh B (2009) Powerline interference reduction in ECG using combination of MA method and IIR notch. International Journal of Recent Trends in Engineering, 2, (6), pp. 125-129.
95. Chaudhuri S, Pawar TD, Duttagupta S, (2009) Ambulation Analysis in Wearable ECG, © Springer, ISBN: 978-1-4419-0723-3, 153 pages (*WoS*), (*Scopus*)
96. Suranai Pongpon Sri (2009). An approach based on wavelet decomposition and neural network for ECG noise reduction. Thesis, Faculty of California Polytechnic State University, 189 pages, <http://digitalcommons.calpoly.edu/cgi/viewcontent.cgi?article=1104&context=theses>
97. Guanghao Shen, Erping Luo, Lihua Lu, Qiaoling Xu, Xiaoming Wu (2009) New Method of Designing Digital Notch Filter of Mains Frequency. 3rd Int. Conf. on Bioinformatics and Biomedical Engineering, 11-13 June, Beijing, China, DOI 10.1109/ICBBE.2009.5163103, CD-version, 3 pages.
98. Истомина ТВ, Кривоногов ЛЮ, Лавреев АА (2009) Информационные методы повышения надежности кардиоанализаторов на основе помехоустойчивой обработки электрокардиосигнала. Симпозиум „Надежность и качество“, стр. 76-80.
99. Hu Wei Wei, Chang-Red (2010) Frequency interference cancellation algorithm based on sinusoidal parameter estimation. Journal of Biomedical Engineering, 6, 1243-1246
100. Vale-Cardoso AS, Guimarães HN (2010). The effect of 50/60 Hz notch filter application on human and rat ECG recordings. Physiological Measurements, 31 (1), pp. 45-58. (*WoS*), (*Scopus*)
101. Husn-Hsien Chang, Moura JMF (2010) Biomedical Signal Processing. Invited chapter in: Biomedical Engineering and Design Handbook, Ed: Myer Kutz, 2nd Edition, Volume 1, McGraw Hill, Chapter 22, pp. 559-579.

102. Aschero G, Gizdulich P (2010) Denoising of surface EMG with a modified Wiener filtering approach. *Journal of Electromyography and Kinesiology* 20, (2), pp. 366-373. (*WoS*), (*Scopus*)
103. Amann A, Klotz A, Niederklapfer T, Kupferthaler A, Werther T, Granegger M, Lederer W, Baubin M, Lingnau W (2010) Reduction of CPR artifacts in the ventricular fibrillation ECG by coherent line removal. *BioMedical Engineering OnLine*, 9 (2), pp. 1-12, DOI: 10.1186/1475-925X-9-2 (*WoS*), (*Scopus*)
104. Kaur M, Arora AS (2010) Combination method for powerline interference reduction in ECG. *International Journal of Computer Applications*, 1, (14), pp. 12-17.
105. Momot A, Momot M (2010) Adaptive Time-Varying Frequency Characteristic Filtering of ECG Signal. In: *Information Technologies in Biomedicine: Advances in Soft Computing*, Eds: Pietka E, Kawa J, © Springer, 69, pp. 273-282. (*WoS*), (*Scopus*)
106. Miguel Alfonso Altuve Paredes (2010) Adaptación de un método de detección de latidos y de segmentación del electrocardiograma al neonato prematuro para caracterizar episodios de apnea-bradicardia. Assoc. Prof. promotion work, División de Ciencias y Tecnologías Administrativas e Industriales, Departamento de Tecnología Industrial, Universidad Simón Bolívar, 48 pages, http://prof.usb.ve/maltuve/pdf/trabajo_ascenso_agregado_altuve_2010.pdf
107. Hu X, Xiao Z, Liu C (2010) Reduction arithmetic for power line interference from ecg based on estimating sinusoidal parameters. 3rd Int. Conf. on Biomedical Engineering and Informatics, 16-18 October, Yantai, China, art. No 5640006, 2, pp. 2089-2092. (*WoS*), (*Scopus*)
108. Bahoura, M., Ezzaidi, H (2010) FPGA-implementation of wavelet-based denoising technique to remove power-line interference from ECG signal. *Int. Conf. on Information Technology Applications in Biomedicine*, 2-5 November, Corfu, Greece, ISBN: 978-142446560-6, DOI: 10.1109/ITAB. 5687709, 2010. (*WoS*), (*Scopus*)
109. Badreldin IS, El-Kholy DS, El-Wakil AA (2010) A modified adaptive noise canceler for electrocardiography with no power-line reference. 5th Cairo International Biomedical Engineering Conference, CIBEC 2010, 16-18 December, Cairo, Egypt, pp.13-16. (*WoS*), (*Scopus*)
110. Jeon-Hong-Gyu, Joik-Se-Ong, Gwon-Hyeok-Sung. (2010) Denoising algorithm of non-multiple powerline interference for QRS complex using subtraction method. *Int. Techn. Conf. on Circuits Systems, Computers and Communications*, 4-7 July, Pattaya, Thailand, pp. 1093-1094.
111. Lee M, Shyu K, Lee P, Huang C, Chiu Y (2011) Hardware implementation of EMD using DSP and FPGA for on-line signal processing, *IEEE Transactions on Industrial Electronics*, 58 (6), pp. 2473-2481, DOI: 10.1109/TIE.2010.2060454. (*WoS*), (*Scopus*)
112. Trigano T, Isserles U, Ritov Y (2011) Semiparametric curve alignment and shift density estimation for biological data. *IEEE Transactions in Signal Processing*, 59, (5), pp. 1970-1984. (*WoS*), (*Scopus*)
113. Anita P., Talele K.T. (2011) ECG feature extraction using wavelet based derivative approach. *Technology Systems and Management*, 145 (2), pp. 239-247. DOI: 10.1007/978-3-642-20209-4_34. (*Scopus*)
114. Chinchkhede KD, Yadav GS, Hirekhan SR, Solanke DR (2011) On the implementation of FIR filter with various windows for enhancement of ECG signal. *International Journal of Engineering Science and Technology*, 3, (3), pp. 2031-2040.
115. Lehmann C, Reinstädter J, Khawaja A (2011) Detection of power-line interferences in ECG signal using frequency-domain analysis. *Computing in Cardiology*, 38, pp. 821-824. (*WoS*), (*Scopus*)
116. Miklós SS, Szilágyi L, Görög LK, Luca CT, Cozma D, Ivanica G, Benyó Z (2011) An enhanced method for accessory pathway localization in case of Wolff-Parkinson-White syndrome. *Acta Physiologica Hungarica*, 98, (3), pp. 347-358. (*WoS*), (*Scopus*)
117. Tavares C, Martins RC, Laranjo S, Rocha I (2011) Computational tools for assessing cardiovascular variability. 1st Portuguese Meeting in Bioengineering, 1-4 March, Lisbon, Portugal, pp. 1-6, DOI: 10.1109/ENBENG.2011.6026082. (*WoS*), (*Scopus*)

118. Olli Heikkinen (2011) Development and validation of an ambulatory heart rate variability measurement system. MS thesis. Department of Applied Physics, University of Eastern Finland, Kuopio, 64 pages, http://epublications.uef.fi/pub/urn_nbn_fi_uef-20110355/urn_nbn_fi_uef-20110355.pdf
119. Jeon-Hong-Gyu, Joik-Se-Ong, Gwon-Hyeok-Sung. (2011) Adaptive subtraction method for removing variable powerline interference of ECG. J. of Korean Institute of Information and Communication Sciences, 15, (2), pp. 447-454, http://www.koreascience.or.kr/article/ArticleFullRecord.jsp?cn=HOJBC0_2011_v15n2_447
120. Naohiro Toda (2011) A Cancellation method of periodic interference in pulse-like signals using adaptive filter and its application to flash ERGs. Electronics Information and Communication Engineering, vol J94-D, (10), pp. 1685-1695, ISSN: 0915-1915.
121. Neuza Filipa Martins Nunes (2011) Algorithms for time series clustering applied to bio-medical signals. MS thesis, New University of Lisbon, 75 pages, https://run.unl.pt/bitstream/10362/5666/1/Nunes_2011.pdf
122. Szilagyi, S.M., Szilagyi, L., Gorog, L.K., Luca, C.T., Cozma, D., Ivanica, G., Benyo, Z. (2011): An enhanced method for accessory pathway localization in case of Wolff-Parkinson-White syndrome. 98 (3) pp. 347-358, DOI: 10.1556/APhysiol.98.2011.3.12. (**WoS**)
123. Johannesen L, Galeotti L (2012) Automatic ECG quality scoring methodology: mimicking human annotators. Physiological Measurement, 33 (9), pp.1479-1489, DOI: 10.1088/0967-3334/33/9/1479. (**WoS**), (**Scopus**)
124. Yu, W., Han, Q., Ma, J., Xie, P. Yu, W., Han, Q., Ma, J., Xie, P. (2012): A new method for biomedical signal processing with EMD and ICA approach. Advanced Materials Research, 546-547, pp. 548-552. DOI: 10.4028/www.scientific.net/AMR.546-547.548. (**Scopus**)
125. Zhou, Z., Yang, K. (2012) Journal of Computers (Finland), 7 (11), pp. 2821-2828. DOI: 10.4304/jcp.7.11.2821-2828. (**Scopus**)
126. Jagtap, S.K., Uplane, M.D. (2012): The impact of digital filtering to ECG analysis: Butterworth filter application. Proceedings - 2012 International Conference on Communication, Information and Computing Technology, ICCICT 2012, art. no. 6398145, DOI: 10.1109/ICCICT.2012.6398145. (**Scopus**)
127. Shen, Y.H., Zheng, J.W., Zhang, Z.B., Li, C.M. (2012): Design and Implementation of a Wearable, Multiparameter Physiological Monitoring System for the Study of Human Heat Stress, Cold Stress, and Thermal Comfort. Instrumentation Science & Technology. 40 (4), pp. 290-304 DOI: 10.1080/10739149.2012.673193. (**WoS**), (**Scopus**)
128. Wu Chung-Hao (2012). A signal processing approach to Post-ACS patients risk stratification using ECG. Thesis, Institute of Electronic Engineering, National Taiwan University, 76 pages, <http://www.airitilibrary.com/Publication/alDetailedMesh?docid=U0001-1008201210173400>
129. Albert D, Satchwell BR, Barnett KN (2012) Wireless, ultrasonic personal health monitoring system. US patent No US 8301232 B2, <http://www.google.com/patents/US8301232>
130. Hernandez, A.I., Dumont, J. Altuve, M. Beuchee, A. Carrault, G. (2012): Evolutionary Optimization of ECG Feature Extraction Methods: Applications to the Monitoring of Adult Myocardial Ischemia and Neonatal Apnea Bradycardia Events. Eds: Gacek A; Pedrycz W., pp. 237-273, Book DOI: 10.1007/978-0-85729-868-3_11. (**WoS**)
131. Haberman M.A., Spinelli E.M. (2012): A multichannel EEG acquisition scheme based on single ended amplifiers and digital DRL. IEEE Transactions on Biomedical Circuits and Systems, 6, (6), pp. 614-618, DOI: 10.1109/TBCAS.2012.2190733, (**WoS**), (**Scopus**)
132. Wei Yu, Qiang Han, Jing Jing Ma, Pei Xie (2012) A new method for biomedical signal processing with EMD and ICA approach. Advanced Materials Research, vol. 546 – 547, Electrical Insulating Materials and Electrical Engineering, pp. 548-552, ISSN: 1022-6680. (**WoS**)
133. Vale-Cardoso AS, Moreira MG, Guimarães HN (2012). An introduction to hardware and methods for biopotential measurements: A review. Recent Patents on Biomedical Engineering, 5, (2), pp. 105-113, ISSN: 1874-7647. (**WoS**), (**Scopus**)

134. Țarălungă D., Strungaru R., Ungureanu M., Wolf W. (2012): Abdominal signals: Different concepts for reliable FECG recordings. UPB Scientific Bulletin, Series C: Electrical Engineering, 74, (3), pp. 201-218, ISSN: 1454234X. (*WoS*), (*Scopus*)
135. Fasano A, Villani V (2012): Joint denoising and narrowband artifact rejection for ECG signals. Computing in Cardiology, 39, pp. 49-52, ISSN 0276-6574. (*WoS*), (*Scopus*)
136. Yi-min Hsu (2012) Research and implementation of portable wireless ECG device. MS thesis, National Taiwan University of Science and Technology, 77 pages
137. Tudosa I, Adochiei N (2012) LMS algorithm derivatives used in real-time filtering of ECG signals: A study case on performance evaluation. Int. Conf on Electrical and Power Engineering, 25-27 Oct., Iasi, Romania, pp. 565-570. (*WoS*)
138. Li, G.J., Zeng, X.P., Zhou, X.N., Zhou, Y., Liu, G.J., Zhou, X.C. (2012). Robust suppression of nonstationary power-line interference in electrocardiogram signals. Physiological Measurement, 33 (7) pp. 1151-1169, DOI: 10.1088/0967-3334/33/7/1151. (*WoS*)
139. Li, G., Zeng, X., Zhang, S., Zhou, X., Zhou, X. (2013): A robust nonstationary powerline interference suppressor for ECG signals based on masking signal-aided EMD. Information (Japan), 16 (9 B), pp. 6961-6973. DOI: 10.1088/0967-3334/33/7/1151. (*WoS*), (*Scopus*)
140. Galiana-Merino JJ, Ruiz-Fernandez D, Martinez-Espla JJ (2013) Power line interference filtering on surface electromyography based on the stationary wavelet packet transform. Computer Methods and Programs in Biomedicine, 111 (2), pp. 338-346 DOI: 10.1016/j.cmpb.2013.04.022. (*WoS*), (*Scopus*)
141. Suchetha, M., Kumaravel, N. (2013). Empirical mode decomposition-based subtraction techniques for 50 hz interference reduction from electrocardiogram. IETE Journal of Research, 59 (1), pp. 55-62, DOI: 10.4103/0377-2063.110631. (*Scopus*)
142. Suchetha, M., Kumaravel, N. (2013). Empirical mode decomposition based filtering techniques for power line interference reduction in electrocardiogram using various adaptive structures and subtraction methods. Biomedical Signal Processing and Control, 8 (6), pp. 575-585, DOI: 10.1016/j.bspc.2013.05.001. (*WoS*), (*Scopus*)
143. Bansal D (2013) Computer based model to filter real time acquired human carotid pulse. Signal Processing: An International Journal, 7, (1), pp. 42-51;
144. Bansal D (2013) Design of 50 Hz notch filter circuits for better detection of online ECG. Int. J. of Biomedical Engineering and Technology, 13, pp. 30-48. DOI: 10.1504/IJBET.2013.057712. (*WoS*), (*Scopus*)
145. Zivanovic, M., González-Izal, M. (2013). Simultaneous powerline interference and baseline wander removal from ECG and EMG signals by sinusoidal modeling. Medical Engineering and Physics, 35 (10), pp. 1431-1441, DOI: 10.1016/j.medengphy.2013.03.015. (*WoS*), (*Scopus*)
146. Lev Koyrakh (2013) System and method for filtering electrophysiological signals US patent: US 8,620,978 B2
147. Albert D, Satchwell BR, Barnett N (2013) Heart monitoring system usable with a smartphone or computer. US patent US8509882 B2 <http://www.google.com/patents/US8509882>, US9649042 B2 <https://www.google.com/patents/US9649042>
148. Vourvopoulos, A. (2013) Brain-controlled virtual environments: an evaluation study of Brain computer interfaces for serious game interaction. MS thesis, Coventry University, UK, 125 pages, <https://curve.coventry.ac.uk/open/file/0d1aa1bd-2b01-4e88-89cf-77a529fb446d/1/Vourvopoulos%202013.pdf>
149. Agustín José Calleja Gómez (2013) Detección QRS mediante filtrado digital. Slides presentation, 107 slides, <https://prezi.com/nrwfeoswzktg/deteccion-qrs-mediante-filtrado-digital/>
150. Zhou, X., Zhang, Y. (2013). A hybrid approach to the simultaneous eliminating of power-line interference and associated ringing artifacts in electrocardiograms. BioMedical Engineering Online (Open Access), 12, art. No 42, DOI: 10.1186/1475-925X-12-42. (*WoS*), (*Scopus*)
151. Hernández AI, Dumont J, Altuve M, Beuchée A., Carrault G (2014) Evolutionary optimization of ECG feature extraction methods: Applications to the monitoring of adult myocardial is-

chemia and neonatal apnea bradycardia events. Chapter 11, pp. 237-273. In: ECG signal processing, classification and interpretation: A comprehensive framework of computational intelligence, Eds: Gacek A, Pedrycz W, © Springer, 278 pages. (*WoS*), (*Scopus*)

152. Bhasin A, Jain A, Ghosh T (2014) Spectral analysis of ECG signal for detection of power line interference. Int. J. for Research in Applied Science & Engineering Technology, 2, (11), pp. 200-202, <http://www.ijraset.com/files/serve.php?FID=1265>

153. David Albert (2014) Cardiac performance monitoring system for use with mobile communications devices. US patent No US8700137 B2, <https://www.google.com/patents/US8700137>

154. Huang Yi-Hao (2014) Automated sleep stage recognition and OSA detection system. PhD thesis, Institute of Electronic Engineering, National Taiwan University, 94 pages, <http://www.airitilibrary.com/Publication/alDetailedMesh?docid=U0001-1808201413010300>

155. Kumaragamage C.L., Lithgow B.J., Moussavi Z. (2014) Development of an ultra low noise, miniature signal conditioning device for vestibular evoked response recordings, BioMedical Engineering OnLine 2014, 13:6, doi:10.1186/1475-925X-13-6 (*WoS*), (*Scopus*)

156. Taralunga D-D, Ungureanu G-M, Gussi I, Strungaru R, Wolf W. (2014): Fetal ECG extraction from abdominal signals: A review on suppression of fundamental power line interference component and its harmonics. Computational and Mathematical Methods in Medicine, pages 15, art. No 239060 DOI: 10.1155/2014/239060. (*WoS*), (*Scopus*)

157. Keshtkaran MR, Yang Z (2014). A fast, robust algorithm for power line interference cancellation in neural recording, Journal of Neural Engineering, 11 (2), 18 pages, art. No 026017 DOI: 10.1088/1741-2560/11/2/026017, (*WoS*), (*Scopus*)

158. Marzencki M, Kajbafzadeh B, Khosrow-Khavar F, Tavakolian K, Kaminska B, Menon C (2014) Diastolic timed vibrator: Noninvasive pre-hospitalization treatment of acute coronary ischemia. IEEE Transactions on Biomedical Circuits and Systems, 8, (3), pp. 313-324. (*WoS*), (*Scopus*)

159. Coventry BS, Thomas CW (2014) Time-frequency equivalence in removing sinusoidal interference from electrocardiograms. Int. J. of Biomedical Science and Engineering, 2, (4), pp. 27-32.

160. Luke Nyhof (2014) Biomedical signal filtering for noisy environments, PhD thesis, Centre for Intelligence Systems Research, Deakin University, Australia, <http://dro.deakin.edu.au/eserv/DU:30079016/nyhof-biomedicalsignal-2015A.pdf>

161. Awadhesh Pachauri (2014) Feature extraction, modeling and synthesis of ECG from arterial blood pressure and central venous pressure signals by signal processing techniques, PhD Thesis, Department of electronic and communication engineering, School of Engineering, Tezpur University, Napaam, Tezpur, Assam, India, 245 pages, <http://agnee.tezu.ernet.in:8082/jspui/handle/123456789/357>

162. Jagannath, D.J., Selvakumar, A.I. (2014): Issues and research on foetal electrocardiogram signal elicitation. Biomedical Signal Processing and Control, 10, pp. 224-244 DOI: 10.1016/j.bspc.2013.11.001. (*WoS*), (*Scopus*)

163. Țarălungă, D.-D., Ungureanu, G.-M., Gussi, I., Strungaru, R., Wolf, W. (2014). Fetal ECG extraction from abdominal signals: A review on suppression of fundamental power line interference component and its harmonics. Computational and Mathematical Methods in Medicine (Open Access), 239060, 2014. (*WoS*)

164. Mateo J, Sánchez-Morla EM, Santos JL (2015) A new method for removal of powerline interference in ECG and EEG recordings Computers & Electrical Engineering. 45, pp. 235-248, doi:10.1016/j.compeleceng.2014.12.006 (*WoS*), (*Scopus*)

165. Valchinov E, Antoniou A, Rotas K, Pallikarakis N (2015) Wearable ECG System for Health and Sports Monitoring, 4 pages, 4th International Conference on Wireless Mobile Communication and Healthcare - "Transforming Healthcare Through Innovations in Mobile and Wireless Technologies", MOBIHEALTH 2014 (*WoS*), (*Scopus*)

166. Benatti S, Milosevic B, Tomasini M, Farella E, Schonle P, Bunjaku P (2015) Multiple biopotentials acquisition system for wearable applications. Int. Conf. Biomedical Electronics and Devices, 12-15 Jan., Lisbon, Portugal, pp. 260-268. (*WoS*), (*Scopus*)

167. Taralunga DD, Gussi I, Strungaru R (2015) Fetal ECG enhancement: Adaptive power line interference cancellation based on Hilbert Huang Transform. Biomedical Signal Processing and Control, 19, pp. 77–84. DOI: 10.1016/j.bspc.2015.03.009. (*WoS*), (*Scopus*)
168. Chakchai So-In, Phaudphut C, Rujirakul K (2015) Real-time ECG noise reduction with QRS complex detection for mobile health services. Arabian Journal of Science and Engineering, 40 (9), pp. 2503-2514, DOI: 10.1007/s13369-015-1658-1. (*WoS*), (*Scopus*)
169. Akwei-Sekyere S. (2015): Powerline noise elimination in biomedical signals via blind source separation and wavelet analysis. PEERJ, Vol. 3, art. No e1086, DOI: 10.7717/peerj.10863, (*WoS*), (*Scopus*)
170. Li TJ, Li TH (2015) PLL-based adaptive power line interference canceller for ECG signal. In: Multimedia, Communication and Computing Application, ed. Ally Leung, pp. 307-310. (*Scopus*)
171. Bhoi AK, Sherpa KS, Phurailatpam D, Tamang JS (2015) Multidimensional approaches for noise cancellation of ECG signal. International Conference on Communication and Signal Processing, 2-4 April, Melmaruvathur, India, pp. 60-64. (*WoS*), (*Scopus*)
172. Dev R, Singh AK (2015) Distortion analysis of EMG signal using LabVIEW as an effective tool. Int. J. of Biomedical Engineering and Technology, 19, (2), pp. 187-204, DOI: 10.1504/IJBET.2015.072936. (*WoS*), (*Scopus*)
173. Kumar LA, Vigneswaran C (2016) Electronics in textiles and clothing: Design, products and applications. Book (415 pages), CRC Press, Taylor and Francis Group, pp 375-412 (*WoS*)
174. Fasano A, Villani V (2015) Fast and effective estimation of narrowband components for bioelectrical signals. 37th Annual International Conference of The IEEE Engineering In Medicine And Biology Society, Milan, Italy, pp. 7841-7844. (*WoS*), (*Scopus*)
175. Hurezeanu B, Tarălungă D, Strungaru R, Gussi I, Wolf V, Ungur M (2015) Robust fetal heart beat detection by applying stationary wavelet transform. Scientific Bulletin University Politehnica of Bucharest, 7, (4), pp. 273-284. (*WoS*)
176. Wang W (2015). The tracking and reconstructing for sharp spikes of biomedical signals: An exploration for applications of tracking-differentiators. 8th International Conference on Biomedical Engineering and Informatics, 14-16 Oct, Shenyang, China, pp. 245-249. (*WoS*), (*Scopus*)
177. Abdul Samad Noraini (2015) Signal interference to electroencephalogram and electrocardiogram signal. MS thesis, Universiti Teknologi Malaysia, 98 pages, <http://eprints.utm.my/50677/>
178. Tan, B., Lin, J., Li, W., Cai, K. (2015). A discriminant method of blind source separation based on FECG correlations. 5th International Conference on Information Science and Technology, ICIST 2015, pp. 269-275. (*WoS*), (*Scopus*)
179. Bhaskar PC, Uplane MD (2015) FPGA based digital FIR multilevel filtering for ECG denoising. Int. Conf. on Information Processing, 16-19 Dec., Pune, India, pp. 733-738. (*WoS*), (*Scopus*)

През последните 5 години (от 2016 г.)

180. Limaye MH, Deshmukh MV (2016) ECG noise sources and various noise removal techniques: A survey. Int. J. of Application or Innovation in Engineering & Management, 5, (2), pp. 86-92, <http://www.ijaiem.org/Volume5Issue2/IJAIEM-2016-02-25-22.pdf>
181. Aggarwal N, Singh BA (2016) Review of techniques for foetal electrocardiogram extraction. Communications on Applied Electronics, 4, (9), pp. 41-47.
182. Pereira, F., Carvalho, V., Soares, F., Machado, J., Bezerra, K., Silva, R., Matos, D. (2016): Development of a Medical Care Terminal for Efficient Monitoring of Bedridden Subjects. J. of Engineering, vol. 2016, 9 pages, art. No UNSP 3591059, DOI: 10.1155/2016/3591059 (*WoS*), (*Scopus*)
183. Galloway CDC, Albert DE (2016) Electrocardiogram signal detection. US Patent US9254095 B2, <https://www.google.com/patents/US9254095>
184. Albert DE, Wade J (2016) Systems and methods for processing and analyzing medical data. US Patent US9254092 B2, <https://www.google.com/patents/US9254092>

185. Albert DE (2016). Two electrode apparatus and methods for twelve lead ECG. US Patent US9351654 B2, <https://www.google.com/patents/US9351654>
186. Galloway CDC, Valys AV, Hughes NP, Albert DE (2016) Devices and methods for real-time denoising of electrocardiograms. US Patent US9247911 B2, <https://www.google.com/patents/US9247911>
187. Sharma T, Sharma KK (2016) Power line interference removal from ECG signals using wavelet transform based component-retrieval. Int. Conf. on Advances in Computing, Communications and Informatics, 21-24 Sept., Jaipur, India, pp. 95-101. (*WoS*), (*Scopus*)
188. Ahmed W, Khalid S (2016) ECG signal processing for recognition of cardiovascular diseases: A survey. Sixth International Conference on Innovative Computing Technology, 24-26 Aug., Dublin, Ireland, pp. 677-682. (*WoS*), (*Scopus*)
189. Wang Jiming, Lv Yingying, Dong Han, Wu Tao, Bao Tao, Feng Jingyi (2016) An improved algorithm for removing the power-line interference from ECG signals in high sampling rate, Chinese J. of Biomedical Engineering, 35, (6), pp. 744-748, (*Scopus*).
190. Daluwatte, C., Johannesen, L., Galeotti, L., Vicente, J., Strauss, D.G., Scully, C.G. (2016). Assessing ECG signal quality indices to discriminate ECGs with artefacts from pathologically different arrhythmic ECGs, Physiological Measurement, 37 (8) pp. 1370-1382, DOI: 10.1088/0967-3334/37/8/1370. (*WoS*), (*Scopus*)
191. Tomasini, M., Benatti, S., Milosevic, B., Farella, E., Benini, L. (2016) Power Line Interference Removal for High-Quality Continuous Biosignal Monitoring with Low-Power Wearable Devices. IEEE Sensors Journal, 16 (10), pp. 3887-3895, DOI: 10.1109/JSEN.2016.2536363. (*WoS*), (*Scopus*)
192. de Waal, C.G., Kraaijenga, J.V., Hutten, G.J., de Jongh, F.H., van Kaam, A.H. (2017) Breath detection by transcutaneous electromyography of the diaphragm and the Graseby capsule in preterm infants. Pediatric Pulmonology, 52 (12), pp. 1578-1582. DOI: 10.1002/ppul.23895. (*Scopus*)
193. Ravikanth, L., Jayas, D.S., White, N.D.G., Fields, P.G., Sun, D.W. (2017): Extraction of Spectral Information from Hyperspectral Data and Application of Hyperspectral Imaging for Food and Agricultural Products. 10 (1), pp. 1-33, DOI: 10.1007/s11947-016-1817-8. (*WoS*), (*Scopus*)
194. Pei, S.C., Lu, W.Y., Guo, B.Y. (2017): Pole-Zero Assignment of All-Pass-Based Notch Filters. IEEE Transactions on Circuits and Systems II-Express Briefs. 64 (4), pp. 477-481, DOI: 10.1109/TCSII.2016.2589973. (*WoS*), (*Scopus*)
195. Zivanovic M, Niegowski M, Lecumberri P, Gómez, M (2017) A low-rank matrix factorization approach for joint harmonic and baseline noise suppression in biopotential signals. Computer Methods and Programs in Biomedicine, Vol. 141, pp. 59-71, DOI: 10.1016/j.cmpb.2017.01.008 (*WoS*), (*Scopus*)
196. Spinelli E, Guerrero FN (2017) The biological amplifier. In: Further Understanding of the Human Machine: The Road to Bioengineering, Ed: Max Valentinuzzi, pp. 463-500.
197. Levin M, Bar-tal M (2017) Multi-channel ECG measurement. US patent 9591981 B2, <https://www.google.com/patents/US9591981>.
198. Essay UK (2017) Emotion recognition based on EEG signal. <http://www.essay.uk.com/free-essays/science/emotion-recognition.php>
199. Ugranli HG, Yildirim M, Kaçar F (2017) Design of low power DTMOs based FCS and its notch filter application for ECG signals. Int. J. of Computational and Experimental Science and Engineering, 3, (1), pp. 29-32, <http://dergipark.gov.tr/download/article-file/318385>
200. Yue Qiu, Feng Xiao, Haibin Shen (2017) Elimination of power line interference from ECG signals using recurrent neural networks. 39th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, South Korea, pp. 2296-2299. (*WoS*), (*Scopus*)
201. Bhoi AK, Sherpa, KS, Khandelwal B (2017) Baseline drift removal of ECG signal: Comparative analysis of filtering techniques. Biomedical Engineering: Concepts, Methodologies, Tools, and Applications, pp. 379-396. (*Scopus*)

202. Jiang, Y.B., Ji, N., Wang, H., Liu, X.Y., Geng, Y.J., Li, P. Chen, S.X., Li, G.L. (2017): Comparison of Different Shielding Methods in Acquisition of Physiological Signals. 39th Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society, 11-15 July, Jeju Island, South Korea, pp. 2325-2328. (*WoS*), (*Scopus*)
203. Kocon S, Okoniewski P, Piskorowski J (2017) Experimental results of stable time-varying multi-notch filter. 22nd International Conference on Methods and Models in Automation and Robotics, Miedzyzdroje, Poland, pp. 243-247. (*WoS*), (*Scopus*)
204. Kahankova R, Jaros R, Martinek R, Jezewski J, Wen H, Jezewski M, Kawala-Janik A (2017). Non-adaptive methods of fetal ECG signal processing. Advances in Electrical and Electronic Engineering, 15, (3), pp. 476-490, DOI: 10.15598/aeec.v15i3.2196. (*WoS*)
205. Salmanvandi M, Einalou Z (2017) Separation of twin fetal ECG from maternal ECG using empirical mode decomposition techniques. Biomedical Engineering: Applications, Basis and Communications, 29, (06), 12 pages, art. No. 1750042, DOI: 10.4015/S1016237217500429. (*WoS*), (*Scopus*)
206. Vishnu P, Ramalingam CS. (2017): On the connection between matrix notch filter and maximum likelihood estimation of sinusoidal parameters. 11th International Conference on Signal Processing and Communication Systems, Australia, pp.1-6. (*WoS*)
207. Huamani, R., Talavera, JR., Mendoza, EAS., Davila, NM., Supo, E. (2017): Implementation of a Real-Time 60 Hz Interference Cancellation Algorithm for ECG Signals Based on ARM Cortex M4 and ADS1298. IEEE 24th International Conference on Electronics, Electrical Engineering and Computing (INTERCON), Cusco, PERU. (*WoS*), (*Scopus*)
208. Asgari, S., Mehrnia, A. (2017). A novel low-complexity digital filter design for wearable ECG devices. PLOS ONE 12 (4) art. No. e0175139, DOI: 10.1371/journal.pone.0175139. (*WoS*), (*Scopus*)
209. Lacirignola, F., Pasero, E. (2017): Hardware Design of a Wearable ECG-Sensor Strategies implementation for improving CMRR and reducing noise. IEEE European Conference on Circuit Theory and Design (ECCTD), Catania, ITALY, ISBN: 978-1-5386-3974-0. (*WoS*), (*Scopus*)
210. Gupta V, Mittal M (2018) KNN and PCA classifier with Autoregressive modelling during different ECG signal interpretation. 6th International Conference on Smart Computing and Communications - Procedia Computer Science, Natl Inst Technol, Kurukshetra, INDIA, 125, pp. 18-24. (*WoS*)
211. Parente FR, Di Giovanni S, Ferri G, Stornelli V, Pennazza G, Santonico M. (2018): An analog bootstrapped biosignal read-out circuit with common-mode impedance two-electrode compensation. IEEE Sensors Journal, 18 (7), pp. 2861-2869, DOI: 10.1109/JSEN.2018.2799849. (*WoS*), (*Scopus*)
212. Jiang Y, Samuel O.W., Liu, X., Wang, X., Idowu, P.O., Li, P., Chen, F., Zhu, M., Geng, Y., Wu, F., Chen, S., Li, G. (2018). Effective biopotential signal acquisition: Comparison of different shielded drive technologies. Applied Sciences, 8, (2), art. No. 276, DOI: 10.3390/app8020276. (*Scopus*)
213. Freudzon L, Akhtar S, London MJ, Barash PG (2018) Electrocardiographic Monitoring. pp. 168-177, In: Kaplan's Essentials of Cardiac Anesthesia, Editor: Kaplan JA, second edition, 800 pages, © Elsevier.
214. Prime D, Rowlands D, O'keefe S, Dionisio S (2018) Considerations in performing and analyzing the responses of cortico-cortical evoked potentials in stereo-EEG. Epilepsia, 59, (1), pp. 16-26, DOI: 10.1111/epi.13939. (*Scopus*)
215. Yadav, O.P., Ray, S. Efficient ECG Approximation Using Chebyshev Polynomials (2018) Proceedings of the International Conference on Inventive Research in Computing Applications, ICIRCA 2018, art. no. 8597372, pp. 1110-1115. (*Scopus*)
216. García, M., Martínez-Iniesta, M., Ródenas, J., Rieta, J.J., Alcaraz, R. A novel wavelet-based filtering strategy to remove powerline interference from electrocardiograms with atrial fibrillation (2018) Physiological Measurement, 39 (11), art. no. 115006, (*Scopus*)

217. Meng, S., Du, Z., Yuan, L., Wang, S., Han, R., Wang, X. Membership function-weighted non-linear fitting method for optical-sensing modeling and reconstruction (2018) *Sensors (Switzerland)*, 18 (11), art. no. 3762, (*Scopus*)
218. Jaros, R., Martinek, R., Kahankova, R. Non-adaptive methods for fetal ECG signal processing: A review and appraisal (2018) *Sensors (Switzerland)*, 18 (11), art. no. 3648, (*Scopus*)
219. Cosoli, S., Grcic, B., de Vos, S., Hetzel, Y. Improving data quality for the australian high frequency ocean radar network through real-time and delayed-mode quality-control procedures (2018) *Remote Sensing*, 10 (9), art. no. 1476 (*Scopus*)
220. Liu, W., Fang, X., Chen, Q., Li, Y., Li, T. Reliability analysis of an integrated device of ECG, PPG and pressure pulse wave for cardiovascular disease (2018) *Microelectronics Reliability*, 87, pp. 183-187. (*Scopus*)
221. Appathurai, A., Jerusalin Carol, J., Raja, C., Kumar, S.N., Daniel, A.V., Jasmine Gnana Malar, A., Fred, A.L., Krishnamoorthy, S. A study on ECG signal characterization and practical implementation of some ECG characterization techniques (2019) *Measurement: Journal of the International Measurement Confederation*, 147, art. no. 106384 (*Scopus*)
222. Warke, N., Nair, J.M., Vaidya, P.P. Common mode voltage removal using new balancing technique for extraction of low level differential signals embedded in large common mode voltages (2019) *International Journal of Engineering and Advanced Technology*, 9 (1), pp. 5533-5538. (*Scopus*)
223. Martínez-Iniesta, M., Ródenas, J., Rieta, J.J., Alcaraz, R. The stationary wavelet transform as an efficient reductor of powerline interference for atrial bipolar electrograms in cardiac electrophysiology (2019) *Physiological Measurement*, 40 (7), art. no. 075003, (*Scopus*)
224. Okoniewski, P., Piskowski, J. Short transient parameter-varying IIR filter based on analog oscillatory system (2019) *Applied Sciences (Switzerland)*, 9 (10), art. no. 2013 (*Scopus*)
225. Hayes, M., Mitchell, B., Bonnett, B., Frampton, M., Heffernan, B. Tank-tests of a prototype electromagnetic groundwater flowmeter (2019) *I2MTC 2019 - 2019 IEEE International Instrumentation and Measurement Technology Conference, Proceedings, 2019-May*, art. no. 8827068, (*Scopus*)
226. Wu, S.-C., Chen, P.-T., Hsieh, J.-H. Spatiotemporal features of electrocardiogram for biometric recognition (2019) *Multidimensional Systems and Signal Processing*, 30 (2), pp. 989-1007., (*Scopus*)
227. Huamani, R., Talavera, J.R., Davila, N.M. Benchmarks and profiling of the WRF model within the Hydro-Meteorological Observatory of the Province of Cordoba (2019) *2018 IEEE Biennial Congress of Argentina, ARGENCON 2018*, art. no. 8646044, (*Scopus*)
228. Bhoi, A.K., Sherpa, K.S., Khandelwal, B. Comparative analysis of filters for cancellation of power-line-interference of ECG signal (2019) *International Journal Bioautomation*, 23 (3), pp. 259-282. (*Scopus*)
229. Yadav, O.P., Ray, S. Piecewise Modeling of ECG Signals Using Chebyshev Polynomials (2019) *Advances in Intelligent Systems and Computing*, 711, pp. 287-296. (*Scopus*)
230. Simao, M., Mendes, N., Gibaru, O., Neto, P. A Review on Electromyography Decoding and Pattern Recognition for Human-Machine Interaction (2019) *IEEE Access*, 7, art. no. 8672131, pp. 39564-39582.
231. Chatterjee, S., Thakur, R.S., Yadav, R.N., Gupta, L., Raghuvanshi, D.K. Review of noise removal techniques in ECG signals (2020) *IET Signal Processing*, 14 (9), pp. 569-590. (*Scopus*)
232. Izan, N.F., Salleh, S.H., Ting, C.-M., Noman, F., Sh-Hussain, H., Poznanski, R.R., Latif, A.Z.A. Clinical interpretations of the effectiveness of changes in body position during aerobic fitness after neurologic injury (2020) *Journal of Integrative Neuroscience*, 19 (3), pp. 479-487. (*Scopus*)
233. Abdollahpoor, R., Lotfivand, N. Fully Adaptive Denoising of ECG Signals Using Empirical Mode Decomposition with the Modified Indirect Subtraction and the Adaptive Window Techniques (2020) *Circuits, Systems, and Signal Processing*, 39 (8), pp. 4021-4046. (*Scopus*)

234. Srivastava, A., Yadav Cht, K.T., Tiwari, R., Venkateswaran, K. Terms and conditions Privacy policy Copyright © 2021 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V. A Brief Study on Noise Reduction Approaches Used in Electrocardiogram (2020) Proceedings of the 2nd International Conference on Inventive Research in Computing Applications, ICIRCA 2020, art. no. 9183188, pp. 1023-1027.

235. Yazdanpanah, H., Diniz, P.S.R., Lima, M.V.S. Feature Adaptive Filtering: Exploiting Hidden Sparsity (2020) IEEE Transactions on Circuits and Systems I: Regular Papers, 67 (7), art. no. 9024231, pp. 2358-2371. (*Scopus*)

236. Herraiz, A.H., Martínez-Rodrigo, A., Bertomeu-González, V., Quesada, A., Rieta, J.J., Alcaraz, R. A deep learning approach for featureless robust quality assessment of intermittent atrial fibrillation recordings from portable and wearable devices (2020) Entropy, 22 (7), art. no. 733, (*Scopus*)

237. Bui, N.T., Phan, D.T., Nguyen, T.P., Hoang, G., Choi, J., Bui, Q.C., Oh, J. Real-Time Filtering and ECG Signal Processing Based on Dual-Core Digital Signal Controller System (2020) IEEE Sensors Journal, 20 (12), art. no. 9003254, pp. 6492-6503. (*Scopus*)

238. Wang, L., Zhang, F., Lu, K., Abdulaziz, M., Li, C., Zhang, C., Chen, J., Li, Y. Nano-copper enhanced flexible device for simultaneous measurement of human respiratory and electrocardiac activities (2020) Journal of Nanobiotechnology, 18 (1), art. no. 82, (*Scopus*)

239. Hamood, S.A., Al-Hilali, A.A., Jumaa, L.F. Heart irregularities detection based ECG signals (2020) Medico-Legal Update, 20 (2), pp. 752-758. (*Scopus*)

240. Bui, N.T., Nguyen, T.M.T., Park, S., Choi, J., Vo, T.M.T., Kang, Y.-H., Kim, B.-G., Oh, J. Design of a nearly linear-phase IIR filter and JPEG compression ECG signal in real-time system (2021) Biomedical Signal Processing and Control, 67, art. no. 102431, (*Scopus*)

241. Fu, Z., Hong, S., Zhang, R., Du, S. Artificial-intelligence-enhanced mobile system for cardiovascular health management (2021) Sensors (Switzerland), 21 (3), art. no. 773, pp. 1-16. (*Scopus*)

242. Slimane, A.B., Zaid, A. Real-Time fast fourier transform-based notch filter for single-frequency noise cancellation: Application to electrocardiogram signal denoising (2021) Journal of Medical Signals and Sensors, 11 (1), pp. 52-61. (*Scopus*)

243. Rizwan, A., Zoha, A., Mabrouk, I.B., Sabbour, H.M., Al-Sumaiti, A.S., Alomainy, A., Imran, M.A., Abbasi, Q.H. A Review on the State of the Art in Atrial Fibrillation Detection Enabled by Machine Learning (2021) IEEE Reviews in Biomedical Engineering, 14, art. no. 9016113, pp. 219-239. (*Scopus*)

[C.5]. **Mihov, G.**, I. Dotsinsky (2008). *Power-line interference elimination from ECG in case of non-multiplicity between the sampling rate and the power-line frequency*. Biomedical Signal Processing & Control. 3, No 3, doi:10.1016/j.bspc.2008.04.006, ISSN 1746-8094, October, pp.334-340, 2008. – Цитирания в [Scopus – 23](#), цитирания във [Web of Science – 16](#)

244. Rahman, M.Z.U., Ahamed Shaik, R., Reddy, D.V.R.K. (2010). Baseline wander and Power line interference elimination from Cardiac signals using Error Nonlinearity LMS algorithm. International Conference on Systems in Medicine and Biology, ICSMB 2010 – Proceedings, 5735375, pp. 217-220, DOI: 10.1109/ICSMB.2010.5735375. (*WoS*), (*Scopus*)

245. Hu X, Xiao Z, Liu C (2010) Reduction arithmetic for power line interference from ecg based on estimating sinusoidal parameters. 3rd Int. Conf. on Biomedical Engineering and Informatics, 16-18 October, Yantai, China, BMEI 2010, 5, art. no. 5640006, pp. 2089-2092. DOI: 10.1109/BMEI.2010.5640006. (*WoS*), (*Scopus*)

246. Dai Huhe, Jiang Shouda, Wei Chang'an (2010) A Novel Suppression Algorithm of Power Line Interference in ECG Signal. First Int. Conf. on Pervasive Computing, Signal Processing and Applications PCSPA 2010, 17-19 Sept, Harbin, China, pp. 657-660, DOI: 10.1109/PCSPA.2010.164 (*WoS*), (*Scopus*)

<ftp://ftp.computer.org/press/outgoing/proceedings/juan/pcspa10/data/4180a657.pdf>.

247. Muhammad Zia Ur Rahman, Rafi Ahamed Shaik, DV Rama Koti Reddy (2011): Efficient sign based normalized adaptive filtering techniques for cancelation of artifacts in ECG signals: Application to wireless biotelemetry, *Signal Processing*, 91 (2), pp. 225-239, doi: 10.1016/j.sigpro.2010.07.002. (**WoS**), (**Scopus**)
248. Adochiei, N.I., David, V., Tudosa, I. (2011). Methods of electromagnetic interference reduction in electrocardiographic signal acquisition. *Environmental Engineering and Management Journal*, 10 (4), pp. 553-559. (**WoS**), (**Scopus**)
249. Zia-Ur-Rahman, M., D.V.R.K. Reddy, Y. Sangeetha. (2011). Stationary and non-stationary noise removal from cardiac signals using a Constrained Stability Least Mean Square algorithm. 2011 International Conference on Communications and Signal Processing (ICCSP). 10-12 Feb. 2011, Kerala, India, art. no. 5739366, pp. 485-488. DOI: 10.1109/ICCSP.2011.5739366. (**WoS**), (**Scopus**)
250. Hegde VN, Deekshit R, Satyanarayana PS (2011): 'Comparison of characterizing and data analysis methods for detecting abnormalities in ECG', Internet (AH-ICI), Second Asian Himalayas International Conference on Internet, 4-6 Nov2011, Kathmundu, Nepal, Print ISBN: 978-1-4577-1087-2, art. no. 6113950, pages 5, DOI: 10.1109/AHICI.2011.6113950. (**WoS**), (**Scopus**)
251. Basha NJ, Rahman MZ-U, Rao RM (2011): Noise Removal from Electrocardiogram Signals using Leaky and Normalized version of Adaptive Noise Canceller, *Int J Computer Science & Communication Networks*, 1(1), page 81-84.
<http://ijcscn.com/Documents/Volumes/vol1issue1/ijcscn2011010111.pdf>
252. Rahman MZU, Shaik RA, Reddy DVRK (2012): Efficient and simplified adaptive noise cancelers for ECG sensor based remote health monitoring, *IEEE Sensors Journal*, 12 (3), art. no. 5709965, pp. 566-573, DOI: 10.1109/JSEN.2011.2111453. (**WoS**), (**Scopus**)
253. Adochiei, N.I., Dorffner, G., David, V. (2012). Heart rate variability monitoring due to 50 Hz electromagnetic field exposure and statistical processing. *EPE 2012 - Proceedings of the 2012 International Conference and Exposition on Electrical and Power Engineering*, art. no. 6463591, pp. 610-613. DOI: 10.1109/ICEPE.2012.6463591. (**WoS**), (**Scopus**)
254. Chen, L., Zhang, L., Guo, Y. (2012). Power line interference removal method based on unifying model blind separation algorithm. *Applied Mechanics and Materials*, 201-202, pp. 454-457. DOI: 10.4028/www.scientific.net/AMM.201-202.454. (**WoS**), (**Scopus**)
255. Anitha Boge, V. Vijaya, Prof. K. Kishan Rao (2012). Clearing Artifacts using a Constrained Stability Least Mean Square Algorithm from Cardiac Signals. *International Journal of Scientific & Engineering Research*, Volume 3, Issue 11, November-2012, ISSN 2229-5518, IJSER © 2012 <http://www.ijser.org>
256. Fathima S, Yasmin GVS, Karthik M, Rahman ZU, Lay-Ekuakille A (2012): 'Efficient Artifact Elimination in Cardiac Signals using Variable Step Size Adaptive Noise Cancellers', *Journal of Measurement Technologies and Instrumentation Engineering*. 2 (1) pp. 35-51, doi:10.4018/ijmtie.2012010103
257. Rahman, M.Z.U., Karthik, G.V.S., Fathima, S.Y., Lay-Ekuakille, A. (2013). An efficient cardiac signal enhancement using time-frequency realization of leaky adaptive noise cancelers for remote health monitoring systems. *Measurement: Journal of the International Measurement Confederation*, 46 (10), pp. 3815-3835. DOI: 10.1016/j.measurement.2013.07.009. (**WoS**), (**Scopus**)
258. Karthik, G.V.S., Sugumar, S.J. (2013). High resolution cardiac signal extraction using novel adaptive noise cancellers. *Proceedings - 2013 IEEE International Multi Conference on Automation, Computing, Control, Communication and Compressed Sensing, iMac4s*, art. no. 6526474, pp. 564-568. DOI: 10.1109/iMac4s.2013.6526474. (**WoS**), (**Scopus**)
259. Gowri, T., Swomya, I., Rahman, Z.U., Dodda, R.K.R. (2014). Adaptive powerline interference removal from cardiac signals using Leaky based normalized higher order filtering techniques. *Proceedings - 1st International Conference on Artificial Intelligence, Modelling and Simulation, AIMS 2013*, art. no. 6959932, pp. 294-298. DOI: 10.1109/AIMS.2013.54. (**WoS**), (**Scopus**)

260. Sharma, A. (2014). Efficient use of bi-orthogonal wavelet transform for cardiac signals. Research Journal of Applied Sciences, 9 (7), pp. 429-435. DOI: 10.3923/rjas.2014.429.435. (WoS), (Scopus)
261. Tan, X., Chen, X., Hu, X., Ren, R., Zhou, B., Fang, Z., Xia, S. (2014). EMD-based electrocardiogram delineation for a wearable low-power ECG monitoring device. Canadian Journal of Electrical and Computer Engineering - Revue Canadienne De Genie Electrique Et Informatique, Engineering, 37 (4), art. no. 6994942, pp. 212-221. DOI: 10.1109/CJECE.2014.2316852. (WoS), (Scopus)
262. Arpit Sharma, Sandeep Toshniwal (2014). Efficient Use of Bi-Orthogonal Wavelet Transform for Cardiac Signals. International Journal of Advanced Research in Computer and Communication Engineering Vol. 3, Issue 2, February 2014, pp. 5329-5332. ISSN (Online): 2278-1021, ISSN (Print): 2319-5940.
http://www.ijarcece.com/upload/2014/february/IJARCECE1B_a_arpit_sharma_Efficient.pdf
263. Arpit Sharma, Sandeep Toshniwal, Richa Sharma (2014): Noise Reduction Technique for ECG Signals Using Adaptive Filters, International Journal of Recent Research and Review, Vol. VII, Issue 2, June 2014, ISSN 2277 8322, <http://www.ijrrr.com/papers7-2/14-Noise%20Reduction%20Technique%20for%20ECG%20Signals%20Using%20Adaptive%20Filters.pdf>
264. Monpur Ashwin, Chunduri.VMNaren Simha (2014): Performance Analysis of Different LMS Algorithms for Health Monitoring ECG Sensor International Journal of Scientific & Engineering Research, Volume 5, Issue 3, March-2014, ISSN 2229-5518
<http://www.ijser.org/researchpaper%5CPerformance-Analysis-of-Different-LMS-Algorithms.pdf>
265. Radhika P, Ashwin M, Simha (2014). CVMN: Performance Analysis of Different LMS Algorithms for Health Monitoring ECG Sensor, International Journal of Scientific and Engineering Research, pp. 1376-1382, 2014, ISSN 2229-5518 <http://www.ijser.org/researchpaper/Performance-Analysis-of-Different-LMS-Algorithms.pdf>
266. H. Naseri, M.R. Homaeinezhad (2015) Electrocardiogram signal quality assessment using an artificially reconstructed target lead, Computer Methods in Biomechanics and Biomedical Engineering, 18 (10), pp. 1126-1141, DOI:10.1080/10255842.2013.875163. (WoS), (Scopus)
267. Mugdha, A.C., Rawnaque, F.S., Ahmed, M.U. (2015). A study of recursive least squares (RLS) adaptive filter algorithm in noise removal from ECG signals, 4th International Conference on Informatics, Electronics and Vision, ICIEV 2015, art. no. 7333998, DOI: 10.1109/ICIEV.2015.7333998. (WoS), (Scopus)
268. Manivel K, Samson Ravindran R (2015): 'Noise Removal for Baseline Wander and Power Line in Electrocardiograph Signals', International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering (An ISO 3297: 2007 Certified Organization) Vol. 4, Issue 2, ISSN (Print): 2320 3765, ISSN (Online): 2278 8875
През последните 5 години (от 2016 г.)
269. Khaliq A, Waseem A, Munir MF, Ahmad R (2016): 'Comparison of adaptive noise cancelers for ECG signals in wireless biotelemetry system', International Conference on Intelligent Systems Engineering, ICISE 2016, art. no. 7475117, pp. 181-184. DOI: 10.1109/INTELSE.2016.7475117 (WoS), (Scopus)
270. Sharma, A. (2016). Efficient Use of Biorthogonal Wavelet Transform for Cardiac Signals. International. Journal of Computer Science and Network Security, Vol.16 No.2, February 2016, pp.101-104.
271. Sasikala, S., Murugesan, G. (2017): Efficient digit serial architecture for sign based least mean square adaptive filter for denoising of artefacts in ECG signals. International Journal of Bio-medical Engineering and Technology, 23 (2-4), pp. 335-344. DOI: 10.1504/IJBET.2017.082672. (Scopus)
272. Huamani, R.R., Talavera, J.R., Mendoza, E.A.S., Davila, N.M., Supo, E. (2017): Implementation of a real-time 60 Hz interference cancellation algorithm for ECG signals based on ARM

cortex M4 and ADS1298. Proceedings of the 2017 IEEE 24th International Congress on Electronics, Electrical Engineering and Computing, INTERCON 2017, art. no. 8079725, DOI: 10.1109/INTERCON.2017.8079725. (*Scopus*)

273. Bahaz, M., Benzid, R. (2018): Efficient algorithm for baseline wander and powerline noise removal from ECG signals based on discrete Fourier series. Australasian Physical and Engineering Sciences in Medicine, 41 (1), pp. 143-160. DOI: 10.1007/s13246-018-0623-1. (*Scopus*)

274. Nagal, R., Kumar, P., Bansal, P. Noise reduction from ECG signal using error normalized step size least mean square algorithm (ENSS) with wavelet transform (2019) Advances in Intelligent Systems and Computing, 731, pp. 163-171. (*Scopus*)

275. Rana, M.M., Akter, T., Abdelhadi, A. Variable Step Size-Least Mean Squared Algorithm for ECG Signal Denoising Considering Baseline Wander Noise and Cyber Attacks (2020) International Conference on Advanced Communication Technology, ICACT, 2020, art. no. 9061264, pp. 272-275. (*Scopus*)

[C.6]. Dotsinsky, I., G. Mihov (2008). *Tremor suppression in ECG*. BioMedical Engineering OnLine 2008, 7:29 doi: 10.1186/1475-925X-7-29, 2008. – Цитирания в *Scopus* – 12, цитирания във *Web of Science* – 6

276. Gowri, T., Swomya, I., Rahman, Z.U., Dodda, R.K.R. (2013) Adaptive powerline interference removal from cardiac signals using Leaky based normalized higher order filtering techniques. Proceedings - 1st International Conference on Artificial Intelligence, Modelling and Simulation, AIMS 2013, art. no. 6959932, pp. 294 - 298.

277. Bortolan, G., Christov I. (2014). Dynamic Filtration of High-Frequency Noise in ECG Signal, Computing in cardiology, 41 (January), 7043236, pp. 1089-1092. (*WoS*), (*Scopus*)

278. C.L. Kumaragamage, B.J. Lithgow, Z. Moussavi (2014) Development of an ultra low noise, miniature signal conditioning device for vestibular evoked response recordings, BioMedical Engineering OnLine 2014, 13:6, DOI:10.1186/1475-925X-13-6. (*WoS*), (*Scopus*)

През последните 5 години (от 2016 г.)

279. Zhang, Qingxue; Zhou, Dian; Zeng, Xuan. (2016). A novel machine learning-enabled framework for instantaneous heart rate monitoring from motion-artifact-corrupted electrocardiogram signals. Physiological Measurement, 37 (11), pp. 1945-1967, Nov. 2016. (*WoS*), (*Scopus*)

280. Q Zhang, D Zhou, X Zeng (2017). Highly wearable cuff-less blood pressure and heart rate monitoring with single-arm electrocardiogram and photoplethysmogram signals. BioMedical Engineering OnLine, 16 (1), art. no. 23, . DOI: 10.1186/s12938-017-0317-z. (*Scopus*) (*WoS*)

281. Christov I., Neucheva T., Schmid R., Stoyanov T., Abächerli R. (2017) Pseudo-real-time low-pass filter in ECG, self-adjustable to the frequency spectra of the waves. Med. Biol. Eng. Comput., 55 (9), pp. 1579-1588. DOI: 10.1007/s11517-017-1625-y. (*Scopus*), (*WoS*)

282. Lastre-Dominguez C, Shmaliy YS, Ibarra-Manzano O, Morales-Mendoza LJ. (2017): ‘Unbiased FIR denoising of ECG signals’, 14th International Conference on Electrical Engineering, Computing Science and Automatic Control, CCE 2017, art. no. 8108834. DOI: 10.1109/ICEEE.2017.8108834 (*Scopus*), (*WoS*)

283. Sasikala, S., Murugesan, G. (2017) Efficient digit serial architecture for sign based least mean square adaptive filter for denoising of artefacts in ECG signals. International Journal of Bio-medical Engineering and Technology, 23 (2-4) pp. 335 - 344.

284. Lastre-Dominguez, C., Shmaliy, Y.S., Ibarra-Manzano, O., Vazquez-Olguin, M., Munoz-Minjarez, J. ECG Signals Denoising in State Space using UFIR Filtering for Features Extraction (2018) 2018 15th International Conference on Electrical Engineering, Computing Science and Automatic Control, CCE 2018, art. no. 8533909, (*Scopus*),

285. Lastre-Domínguez, C., Shmaliy, Y.S., Ibarra-Manzano, O., Munoz-Minjares, J., Morales-Mendoza, L.J. Terms and conditions Privacy policy Copyright © 2021 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V. ECG Signal Denoising and Features Ex-

traction Using Unbiased FIR Smoothing (2019) BioMed Research International, 2019, art. no. 2608547, (*Scopus*),

286. Lastre-Dominguez, C., Shmaliy, Y.S., Ibarra-Manzano, O., Vazquez-Olguin, M. Denoising and features extraction of ecg signals in state space using unbiased fir smoothing (2019) IEEE Access, 7, art. no. 8873580, pp. 152166-152178. (*Scopus*),

287. Tulyakova, N., Trofymchuk, O. LOCALLY ADAPTIVE FILTERING OF NON-STATIONARY NOISE IN LONG-TERM ELECTROCARDIOGRAPHIC SIGNALS [Article@ЛОКАЛЬНО-АДАПТИВНАЯ ФИЛЬТРАЦИЯ НЕСТАЦИОНАРНОГО ШУМА В ДЛИТЕЛЬНЫХ ЭЛЕКТРОКАРДИОГРАФИЧЕСКИХ СИГНАЛАХ] (2020) Radioelectronic and Computer Systems, (4), pp. 16-33. (*Scopus*),

288. Christov, I., Gotchev, A., Bortolan, G., Neycheva, T., Raikova, R., Schmid, R. Separation of the Electromyographic from the Electrocardiographic Signals and Vice Versa. A Topical Review of the Dynamic Procedure (2020) International Journal Bioautomation, 24 (3), pp. 289-317. (*Scopus*),

289. Bentes, P.C.L., Nadal, J. A telediagnosis assistance system for multiple-lead electrocardiography (2021) Physical and Engineering Sciences in Medicine, (*Scopus*)

[C.7]. Dotsinsky, I., **G. Mihov** (2010) [*Simple approach for tremor suppression in electrocardiograms*](#), Bioautomation, 14(2), pp. 129-136. – Цитирания във [Web of Science – 4](#)

290. Shreya Das, Monisha Chakraborty (2011): 'QRS Detection Algorithm Using Savitzky-Golay Filter', Proc. of Int. Joint Colloquium on Emerging Technologies in Computer Electrical and Mechanical 2011, pp. 56-59, DOI: 02.CEM.2011.01, <http://www.searchdl.org/conference/CEM2011/550.PDF>

291. Chakraborty M, Das S (2012): Determination of Signal to Noise Ratio of Electrocardiograms Filtered by Band Pass and Savitzky-Golay Filters, Procedia Technology, 4, pp. 830 833, http://ac.els-cdn.com/S221201731200415X/1-s2.0-S221201731200415X-main.pdf?_tid=f25cd04d99a84dab9e62ce8cbe01cca3&acdnat=1340351928_333a693c0b6bca5a9579a54d83aba7b1

292. Bortolan, G., Christov, I. (2014): Dynamic Filtration of High-Frequency Noise in ECG Signal. 41st Computing in Cardiology Conference (CINC), Sep. 07-10, 2014, Cambridge, MA, Vol. 41 pp. 1089-1092. (*WoS*)

293. Hashemi, A., Rahimpour, M., Merati, M.R. (2015): Dynamic Gaussian Filter for Muscle Noise Reduction in ECG Signal. 23rd Iranian Conference on Electrical Engineering (ICEE), pp. 120-124. (*WoS*)

През последните 5 години (от 2016 г.)

294. Zhang, Q.X., Zhou, D.A., Zeng, X. (2016): A novel machine learning-enabled framework for instantaneous heart rate monitoring from motion-artifact-corrupted electrocardiogram signals. Physiological Measurement, 37 (11), pp. 1945-1967 DOI: 10.1088/0967-3334/37/11/1945. (*WoS*)

295. Q Zhang, D Zhou, X Zeng (2017). Highly wearable cuff-less blood pressure and heart rate monitoring with single-arm electrocardiogram and photoplethysmogram signals. BioMedical Engineering OnLine, 2017. (*WoS*)

296. Тулякова Н, Лопаткин Р, Трофимчук А, Стрижак А (2017) Применение локально-адаптивной мириадной фильтрации для комплексной модели одномерного сигнала. Радиоелектронні і комп'ютерні системи, 3, (83), стр. 14–25, ISSN: 1814-4225, <https://www.khai.edu/csp/nauchportal/Arhiv/REKS/2017/REKS317/Tulyakova.pdf>

[C.8]. **Mihov, G.** (2013). [*Complex filters for the subtraction procedure for power-line interference removal from ECG*](#). Int. J. Reasoning-based Intelligent Systems, Vol. 5, No. 3, ISSN: 1755-0556, pp. 146-153, 2013. – Цитирания в [Scopus – 3](#), цитирания във [Web of Science – 1](#)

297. Bhogeshwar, S.S., Soni, M.K., Bansal, D (2014). To verify and compare denoising of ECG signal using various denoising algorithms of IIR and FIR filters. International Journal of Biomedical Engineering and Technology, 6 (3), pp. 244-267, 2014. (WoS), (Scopus)

През последните 5 години (от 2016 г.)

298. Huamani, R.R., Talavera, J.R., Mendoza, E.A.S., Davila, N.M., Supo, E. (2017). Implementation of a real-time 60 Hz interference cancellation algorithm for ECG signals based on ARM cortex M4 and ADS1298. Proceedings of the 2017 IEEE 24th International Congress on Electronics, Electrical Engineering and Computing, INTERCON 2017, art. no. 8079725, . (Scopus)

299. Bhogeshwar, S.S., Soni, M.K., Bansal, D. Study of structural complexity of optimal order digital filters for de-noising ECG signal (2019) International Journal of Biomedical Engineering and Technology, 29 (2), pp. 101-133. (Scopus)

[C.9]. Panov, G., A. Popov, **G. Mihov** (2016). [A SAR ADC with current steering DAC and voltage input](#). Analog Integrated Circuits and Signal Processing 89 (2), ISSN: 09251030, pp. 411-415, 2016. IF=0.417 – Цитирания в [Scopus – 1](#)

През последните 5 години (от 2016 г.)

300. Qureshi, W.A., Bonizzoni, E., Maloberti, F. (2017). Feasibility study of an ultra high speed current-mode SAR ADC. Proceedings - 2017 1st New Generation of CAS, NGCAS 2017, art. no. 8052272, pp. 73-76. (Scopus)

[C.10]. **Mihov, G.** (2018). [Subtraction Procedure for Power-line Interference Removal from ECG signals with High Sampling Rate](#). Int. J. BIOautomation, 22 (2), ISSN: 1314-2321 (on-line) 1314-1902 (print), pp. 147-158, doi: 10.7546/ijba.2018.22.2.147-158. – Цитирания в [Scopus – 10](#)

През последните 5 години (от 2016 г.)

301. Du, D. Experimental study on neural feedback in embedded system teaching processing based on ERP signal analysis (2019) International Journal of Emerging Technologies in Learning, 14 (12), pp. 109-120. (Scopus)

302. Liu, Y., Jiang, C. Recognition of Shooter's Emotions under Stress Based on Affective Computing (2019) IEEE Access, 7, art. no. 8712452, pp. 62338-62343. (Scopus)

303. Rizwan, A., Zoha, A., Mabrouk, I.B., Sabbour, H.M., Al-Sumaiti, A.S., Alomainy, A., Imran, M.A., Abbasi, Q.H. A Review on the State of the Art in Atrial Fibrillation Detection Enabled by Machine Learning (2021) IEEE Reviews in Biomedical Engineering, 14, art. no. 9016113, pp. 219-239. (Scopus)

[Д.12]. Nenov, N., T. Rouzhekov, **G. Mihov**, E. Dimitrov (2003). [Strength Sensor for Dynamic Wheel Load Measuring of Railway Carriages](#). 26th International Spring Seminar on Electronics Technology. ISBN 0-7803-8002-9, High Tatras, Slovakia, May 8-11, pp.260-265, 2003. – Цитирания в [Scopus – 2](#),

304. Li, Y., Liu, J., Wang, K., Lin, J., Wang, C. (2011). Continuous measurement method of wheel/rail contact force based on neural network. ICTE 2011 - Proceedings of the 3rd International Conference on Transportation Engineering, 2011. (WoS), (Scopus)

305. Li, Y.-F., Liu, J.-X., Wang, K.-Y., Lin, J.-H., Wang, C.-F. (2011). Wheel/rail force continuous exporting algorithm of instrumented rail. Jiaotong Yunshu Gongcheng Xuebao/Journal of Traffic and Transportation Engineering, 11 (4), pp. 36-40, (Open Access) 2011. (WoS), (Scopus)

[Д.18]. Nenov, N., E. Dimitrov, **G. Mihov**, T. Rouzhekov (2005). [Sensor for Measuring Load on Wheels of Running Railway Vehicle](#). 28th International Spring Seminar on Electronics Technology. ISBN 0-7803-9324-4, Wiener Neustadt, Austria, May 19-22, pp. 24-28, 2005. – Цитирания в [Scopus – 2](#),

306. Li, Y.-F., Liu, J.-X., Wang, K.-Y., Lin, J.-H., Wang, C.-F. (2011): Wheel/rail force continuous exporting algorithm of instrumented rail, Jiaotong Yunshu Gongcheng Xuebao/Journal of Traffic and Transportation Engineering, 11 (4), pp. 36-40. (*Scopus*)

През последните 5 години (от 2016 г.)

307. D'Adamio, P., Escalona, J., Galardi, E., Meli, E., Pugi, L., Rindi, A. (2016): Real time modelling of a railway multibody vehicle: Application and validation on a scaled railway vehicle Civil-Comp Proceedings, 110, (*Scopus*)

[Д.20]. Nenov, N., E. Dimitrov, **G. Mihov**, T. Ruzhekov (2006). [*Electronic System of Measuring Locomotive Wheel Load and Defining Operation Necessary to Minimize Existing Differences*](#). 29th International Spring Seminar on Electronics Technology. ISBN 1-4244-0550-5, St. Marienthal, Germany, May 10-14, pp. 219-224, 2006. – Цитирания в [Scopus – 5](#), цитирания във [Web of Science – 1](#)

308. Han, K., Pan, D.-F. (2012). Hybrid modeling method for adjusting distribution of locomotive secondary spring loads. Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology), 43 (1), pp. 378-383, 2012. (*WoS*), (*Scopus*)

309. Pan, D.-F., Wang, M.-G., Zhu, Y.-N., Han, K. (2013). An optimization algorithm for locomotive secondary spring load adjustment based on artificial immune. Journal of Central South University, 2013, (*WoS*), (*Scopus*)

През последните 5 години (от 2016 г.)

310. Bao, T.-Z., Han, K., Pan, D.-F. (2018): Method for secondary spring load equalization of railway vehicles with two-stage spring suspension: Modeling and optimal regulation. Journal of Central South University, 25 (4), pp. 936-948, DOI: 10.1007/s11771-018-3795-7. (*Scopus*)

311. Xiao, Y.-Q., Pan, D.-F. The spring load adjustment method for six-axle high-power locomotives (2020) Journal of Low Frequency Noise Vibration and Active Control, 39 (3), pp. 729-748.

312. Meng, J., Meng, G., Li, D. Optimization of Wheel Weight Distribution for EMU Vehicles Based on the SA-GA Hybrid Algorithm [Article@基于SA-GA混合算法的动车组车辆轮重分配优化] (2021) Applied Mathematics and Mechanics, 42 (4), pp. 363-372. (*Scopus*)

[Д.25]. Nenov, N., E. Dimitrov, **G. Mihov**, T. Ruzhekov, P. Piskulev (2008). [*A Study on Sensors for Measuring Load of Railway Vehicle Wheels in Motion*](#). 31th International Spring Seminar on Electronics Technology. ISBN 978-1-4244-3973-7, Budapest, Hungary, May 7-11, pp. 550-555, 2008. – Цитирания в [Scopus – 9](#), цитирания във [Web of Science – 4](#)

313. Ngigi, R.W., Pislaru, C., Ball, A., Gu, F. (2012). Modern techniques for condition monitoring of railway vehicle dynamics. Journal of Physics: Conference Series, 364 (1), art. no. 012016, . DOI: 10.1088/1742-6596/364/1/012016 (*Scopus*), (*WoS*)

314. Doleček, R., Černý, O. (2013). The conception of the experimental rail vehicle. Archives of Materials Science and Engineering, Open Access, 2013. (*WoS*), (*Scopus*)

315. Doleček, R., Černý, O. (2013). Mutual influence between measuring devices and traction drives powered by battery. Proceedings of 23rd International Conference, RADIOELEKTRONIKA 2013, art. no. 6530884, pp. 31-34. DOI: 10.1109/RadioElek.2013.6530884 (*WoS*), (*Scopus*)

316. Doleček, R., Černý, O., Lenoch, V. (2014). The GPS application for the control of the rail vehicle 24th International Conference Radioelektronika, RADIOELEKTRONIKA 2014 - Proceedings, art. no. 6828409, DOI: 10.1109/Radioelek.2014.6828409. (*WoS*), (*Scopus*)

317. Doleček, R., Černý, O., Nemec, Z (2015). The sophisticated routing control of the bogie Proceedings of the Biennial Baltic Electronics Conference, BEC, 2015-November, art. no. 7320599, pp. 233-236. DOI: 10.1109/BEC.2014.7320599. (*WoS*), (*Scopus*)

318. Hodge, V.J., O'Keefe, S., Weeks, M., Moulds, A. (2015) Wireless sensor networks for condition monitoring in the railway industry: A survey. IEEE Transactions on Intelligent Transport-

tation Systems, 16 (3), art. no.6963375, pp. 1088-1106, DOI: 10.1109/TITS.2014.2366512. (*WoS*), (*Scopus*)

През последните 5 години (от 2016 г.)

319. Liu, D.R., Lu, Z.J., Cao, T.P., Li, T. (2017): A real-time posture monitoring method for rail vehicle bodies based on machine vision. *Vehicle System Dynamics*, Vol. 55 (6), pp. 853-874 DOI: 10.1080/00423114.2017.1284339. (*WoS*)

320. Bao, T.Z., Han, K., Pan, D.F. (2018): Method for secondary spring load equalization of railway vehicles with two-stage spring suspension: Modeling and optimal regulation. *Journal of Central South University*, Vol. 25 (4), pp. 936-948, DOI: 10.1007/s11771-018-3795-7. (*WoS*)

321. Tolani, M., Sunny, Singh, R.K. Energy Efficient Beacon-Enabled IEEE 802.15.4 Guaranteed Time Slot-Based Adaptive Duty Cycle Algorithm for Wireless Sensor Network (2021) *Journal of Circuits, Systems and Computers*, art. no. 2150256, (*Scopus*)

322. Nurain, N., Tairin, S., Khan, T.A., Ishraq, S., Islam, A.B.M.A.A. Power attack: An imminent security threat in real-time system for detecting missing rail blocks in developing countries (2019) *Computers and Security*, 84, pp. 35-52. (*Scopus*)

323. Chakraborty, T., Nurain, N., Tairin, S., Khan, T.A., Noor, J., Islam, M.R., Al Islam, A.B.M.A. A new network paradigm for low-cost and lightweight real-time communication between train and rail track to detect missing and faulty rail blocks (2019) *Journal of Network and Computer Applications*, 131, pp. 40-54. (*Scopus*)

[Д.31]. **Mihov, G.** (2011). *Subtraction Procedure for Removing Powerline Interference from ECG: Dynamic threshold linearity criterion for interference suppression*. The 4th International Conference on BioMedical Engineering and Informatics BMEI2011, ISBN 978-86-85195-59-4, Shanghai, China, October 15-17, 2011, pp. 865-868, 2011. – Цитирания в [Scopus – 3](#),

През последните 5 години (от 2016 г.)

324. Boehm, A., Yu, X., Leonhardt, S., Teichmann, D. (2017). Correction of the unobtrusive ECG using system identification. *Electronics (Switzerland)*, 6 (4), art. no. 94, .DOI: 10.3390/electronics6040094 (*Scopus*)

325. Liu, J., Chen, J., Jiang, H., Jia, W., Lin, Q., Wang, Z. Activity Recognition in Wearable ECG Monitoring Aided by Accelerometer Data (2018) *Proceedings - IEEE International Symposium on Circuits and Systems*, 2018-May, art. no. 8351076, (*Scopus*)

326. Gan, C., Zhong, Y., Wang, Z., Wang, H., Lu, L., Liu, H., Luo, X. Optimization Design of Submodule Cascade Sequence in Biomedical Circuits (2019) *11th International Conference on Advanced Computational Intelligence, ICACI 2019*, art. no. 8778460, pp. 244-249. (*Scopus*)

[Д.98]. Kostadinov, A., **G. Mihov** (2004). *Reconfigurability – a new feature of the hardware*. IEEE International Spring Seminar on Electronics Technology 27th. ISSE2004, ISBN 0-7803-8422-9, ISSN 0861-0797, Bankya - Sofia, May 13-16, pp.457-460, 2004. – Цитирания в [Scopus – 1](#),

327. Jones, E., Sprinkle, J. (2011): AutoVHDL: A domain-specific modeling language for the auto-generation of VHDL core wrappers. *SPLASH'11 Workshops - Compilation Proceedings of the Co-Located Workshops: DSM'11, TMC'11, AGERE'11, AOOPEs'11, NEAT'11, and VMIL'11*, pp. 71-76. (*Scopus*)

[Д.99]. **Mihov, G.**, E. Dimitrov, N. Nenov (2004). *Temperature Errors Compensation of Force Sensor for Railway Carriages Wheel Load Measuring*. IEEE International Spring Seminar on Electronics Technology 27th. ISSE 2004, ISBN 0-7803-8422-9, ISSN 0861-0797, Bankya - Sofia, May 13-16, pp.486-490, 2004. – Цитирания в [Scopus – 3](#), цитирания във [Web of Science – 29](#)

328. Moon, B.-J., Kim, D.-H., Park, C.-K. (2009). Fuzzy model-based fault detection method of EPB system for varying temperature. *Journal of Institute of Control, Robotics and Systems*, 2009. (*WoS*), (*Scopus*)

329. Moon, B.J., Jung, H.G., Lee, S.G., Kim, D.H. (2014). Parallel model based fault detection algorithm for electronic parking brake system. International Journal of Automotive Technology, 2014. (WoS), (Scopus)

През последните 5 години (от 2016 г.)

330. Gavrilencov, S.I. Method of simulating temperature effect on sensitivity of strain gauge force sensor in non-uniform temperature field (2019) AIP Conference Proceedings, 2171, art. no. 110020,

[Д.100]. Levkov, Ch., **G. Mihov**, R. Ivanov, Ivan K. Daskalov, I. Christov, I. Dotsinsky (2004). [*Subtraction Method for Powerline Interference Removing from ECG*](#). The Thirteenth International Scientific and Applied Science Conference ELECTRONICS ET2004, Book 1, ISBN 954-438-445-6, Sozopol, September 22-24, pp.3-14, 2004.

331. Verulkar NM, Zope PH, Suralkar SR (2012) Filtering techniques for reduction of power line interference in electrocardiogram signals. Int. J. of Engineering, 1, (9), pp. 1-7, ISSN: 2278-0181.

[Д.120]. Badarov, D., R. Ivanov, **G. Mihov** (2016). [*Low noise power supply for precision Analog-to-Digital Converters in battery monitoring systems*](#). IEEE XXV International Scientific Conference ELECTRONICS ET2016, Sozopol, September 12-14, 2016, ISBN 978-1-5090-2882-5, pp. 36-39, 2016. – Цитирания в [Scopus – 1](#),

332. Oruganti, S., Gilhotra, Y., Pandey, N., Pandey, R. New topologies for OTRA based programmable precision half-wave and full-wave rectifiers (2018) 2017 Recent Developments in Control, Automation and Power Engineering, RDCAPE 2017, pp. 327-331. (Scopus)

В България

[C.1]. Levkov, C., **G. Michov**, R. Ivanov, I. Daskalov. [*Subtraction of 50 Hz Interference from the Electrocardiogram*](#). Medical & Biological Engineering & Computing 22, pp. 371-373 IFMBE July 1984.

333. Пунджев, В. (1986). Алгоритъм за разпознаване на основните електрокардиографски вълни, XXI Научна сесия „Ден на радиото“, т. II, стр.165-171.

334. Доцински, И. (1986). Методи и устройства за анализ на кардиологични сигнали. Дисертация за „доктор на техническите науки“, София.

335. Пунджев, В. (1988). Автоматичен анализ на сигнала в микропроцесорни електрокардиографи. Дисертация за „доктор“ (к.т.н.).

336. Христов, И. (1988). Възприемане, обработка и регистриране на електрокардиосигнали чрез микропроцесорни устройства. Дисертация за „доктор“ (к.т.н.).

337. Доцински, И., И. Христов (1994). Един подход за получаване на многоканални електрокардиограми. Трета национална научно-приложна конференция с международно участие „Електронна техника ЕТ’94“, т. I., стр.11-15.

338. Христов, И. (2005) Премахване на смущения, разпознаване на вълни и измерване на параметри в електрокардиографски сигнали“. Дисертация за „доктор на техническите науки“.

339. Christov, I., G. Iliev (2005): Public access defibrillation: Suppression of 16.6 Hz interference generated by the power supply of the railway systems, Electrotechniques & Electronics E+E, 1-2, pp. 29-34.

[Д.2]. **Mihov, G.** (1996). [*Elimination of Mains Interference from the ECG in Non-Synchronized Sampling: A Theoretical Approach*](#). 13-th biennial international conference BIOSIGNAL'96, Analysis of biomedical Signals and images, vol.13, ISBN 80-214-0768-9, Brno, Czech Republic, pp.189-191, 1996.

340. Христов, И. (2005) Премахване на смущения, разпознаване на вълни и измерване на параметри в електрокардиографски сигнали. Дисертация за „доктор на техническите науки“. БАН, СНС по Електронна и Компютърна Техника.

[С.28]. Георгиева, Ц., **Г. Михов**, И. Доцински. (2003) [*Цифров субтракционен режекторен филтър*](#). сп. „Електротехника и Електроника“, бр. 7-9, ISSN 0861-4717, София, стр. 11-18.

341. Христов, И. (2005) Премахване на смущения, разпознаване на вълни и измерване на параметри в електрокардиографски сигнали. Дисертация за „доктор на техническите науки“. БАН, СНС по Електронна и Компютърна Техника.

[С.3]. **Mihov, G.**, I. Dotsinsky. T. Georgieva (2005). [*Subtraction Procedure for Power-Line Interference Removing from ECG: Improvement for Non-Multiple Sampling*](#). Journal of Medical Engineering & Technology, 29, No 5, pp. 238-243.

342. Christov I. (2006): 'Power-line interference elimination from ECG: dynamic evaluation of the linearity criterion', Electrotechnika & Electronica E+E, 7-8, pp. 34-39.

[С.4]. Levkov, Ch., **G. Mihov**, R. Ivanov, **Ivan K. Daskalov**, I. Christov, I. Dotsinsky (2005). [*Removal of power-line interference from the ECG: a review of the subtraction procedure*](#). BioMedical Engineering OnLine, 2005, 4:50. (<http://www.biomedical-engineering-online.com/content/4/1/50>).

343. Dobrev DP, Neycheva TD, Mudrov NT (2009) High-Q comb filter for mains interference suppression. Annual Journal of Electronics, 3, (1), pp. 47-49.

344. Dobrev DP, Neycheva TD, Mudrov NT (2009) Simple high-Q comb filter for mains interference and baseline drift suppression. Annual Journal of Electronics, 3, (1), pp. 50-52.

345. Dobrev DP, Neycheva TD (2015) Adaptive incremental estimation filter for AC noise in electrocardiograms. Annual Journal of Electronics, pp. 14-17.

346. Dobrev DP, Neycheva TD (2015) Software PLL for power-line interference synchronization: Implementation and results, Annual Journal of Electronics, 9, pp. 18-21.

През последните 5 години (от 2016 г.)

347. Simov, D. (2016): Electrocardiographic changes in certain cardiovascular physiological and pathological settings. Impact on coronary artery bypass grafting. (2016) International Journal Bioautomation, 20 (1), pp. 43-68. (**Scopus**)

348. Dobrev, D.P., Neycheva, T.D., (2016): Automatic common mode electrode-amplifier impedance balance with SPL synchronization. IEEE 25th International Scientific Conference on Electronics (ET). Sozopol, BULGARIA, WOS:000390766000019. (**WoS**), (**Scopus**)

349. Dobrev, D.P., Neycheva, T.D., (2016): Automatic current driven electrode-amplifier impedance balance with SPL synchronization. IEEE 25th International Scientific Conference on Electronics (ET). Sozopol, BULGARIA, WOS:000390766000018. (**WoS**), (**Scopus**)

[С.7]. Dotsinsky, I., **G. Mihov** (2010) [*Simple approach for tremor suppression in electrocardiograms*](#), Bioautomation, 14(2), pp. 129-136.

През последните 5 години (от 2016 г.)

350. Tulyakova N (2017) Locally-adaptive Myriad filters for processing ECG signals in real time. Int. J. of Bioautomation, 27, (1), pp. 5-18, http://biomed.bas.bg/bioautomation/2017/vol_21.1/files/21.1_01.pdf

[Д.73]. **Mihov, G.**, I. Tashev (1996). *Industrial Controller for Discrete Manufacture*. Fifth National Scientific Conference with International Participation ELECTRONICS ET'96, b. I, Sozopol, September, 27-29, pp.31-36.

351. Лесичков, И. (2001). Изследване на интерфейси между сензори и вградени микропроцесорни системи. Дисертация за „доктор“, София.

[Д.9]. **Mihov, G.**, E. Dimitrov, S. Jilov, A. Kostadinov (2002), *Composing of Different Local Area Networks for Industrial Controllers on Common Physical Layer*. XXXVII International Scientific Conference on Information, Communication and Energy Systems and Technologies Icest '2002, vol. 2, Nish, Yugoslavia, October 1-4, pp. 406-409.

352. Овчаров, С., П. Якимов (2005). Инструментален интерфейс за изграждане на индустриална мрежа. Електротехника и електроника, кн. 3-4, София, стр. 10-14.

[Д.13]. Mollov, S., **G. Mihov**, R. Ivanov, S. Jilov (2003). *Smart Bidirectional USB-to-RS485 Bridge Converter*. Sixth National Conference with International Participation ETAI'2003, Ohrid, Macedonia, pp. E42-E47.

353. Овчаров, С., П. Якимов (2005). Инструментален интерфейс за изграждане на индустриална мрежа. Електротехника и електроника Е+Е, кн. 3-4, София, стр. 10-14.

25.05.2021 г.
гр. София

Изготвил:

/ чл.-кор. Георги Михов /