

4. Документи по чл. 7 ал. 1 (г) списък на цитиранията на трудовете за участие в конкурса /без автоцитати/ в научни публикации и в патенти за изобретения у нас и в чужбина;

Справката в базата-данни SCOPUS (15.05.2024 г.), достъпна през мрежата на МУ-София и Централна медицинска библиотека, показва **2459** цитирания на трудовете, подадени за участие в конкурса, след премахване на автоцитатите, като за последните **5** години цитиранията са **934**.

Брой цитирания по години (SCOPUS)

Преди 2020	2020	2021	2022	2023	2024	2020-2024	Общо
1476	205	232	228	214	104	934	2459

- Брой цитирания в национални или международни патенти – **11**
- Брой цитирания на уебсайтове на професионални организации, държавни институции и научни дружества - **11**
- Общ брой цитирания на публикациите, представени за участие в конкурса = **2481 (934** за периода 2020-2024 г.).
- **Списък на независимите цитирания на всички статии реферирани в SCOPUS, без автоцитати.**

В представената справка номерацията на цитиранията е двойствена – кумулативна с арабски цифри и индивидуална за съответната цитирана статия, с арабски цифри, поставени в квадратни скоби.

I. Списък на цитирания на публикациите с импакт-фактор:

Публ. с IFN^o 1. Bakalova, A., Buyukliev, R., Tcholakova, I., **Momekov, G.**, Konstantinov, S., Karaivanova, M. Synthesis, physicochemical investigation and cytotoxic activity of new Pt(II) complexes with hydantoin ligands (2003) European Journal of Medicinal Chemistry, 38 (6): 627-632. (IF 1,681)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0037784048&doi=10.1016%2fS0223-5234%2803%2900080-1&partnerID=40&md5=c33fc950938d03be0dbd6ca7061cfb80>

DOI: 10.1016/S0223-5234(03)00080-1

Установени цитирания: в SCOPUS (18)

- [1] Meusel, M., M. Gütschow (2004). "Recent developments in hydantoin chemistry: A review." Organic Preparations and Procedures International 36(5): 391-443. doi:10.1080/00304940409356627
- [2] Cui, K., L. H. Wang, Y. J. Chen, S. H. Gou (2005). "Recent developments on platinum antitumor complexes." Chinese Journal of Inorganic Chemistry 21(8): 1115-1121.
- [3] Taş, M., S. Soylu, H. Bati (2006a). "Synthesis, crystal structure, spectroscopic and thermal properties of a novel mixed ligand copper(II) complex with 5,5-dimethylhydantoin and benzylamine." Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences 61(2): 133-138. doi:10.1515/znb-2006-0203
- [4] Taş, M., H. Saraçoğlu, H. Bati, N. Çalışkan, O. Büyükgüngör (2006b). "Synthesis, crystal structure and spectroscopic studies of a mixed ligand copper (II) complex: trans-bis(succinimidato)-bis(benzylamino)Cu(II)." Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences 61(8): 979-982. doi:10.1515/znb-2006-0809
- [5] Ahmedova, A., P. Marinova, G. Tyuliev, M. Mitewa (2008). "Copper complexes of two cycloalkanespiro-5-dithiohydantoins: Synthesis, oxidation states and characterization." Inorganic Chemistry Communications 11(5): 545-548. doi:10.1016/j.inoche.2008.01.023
- [6] De Oliveira, S. M., J. B. P. Da Silva, M. Z. Hernandez, M. D. C. A. De Lima, S. L. Galdino, I. D. R. Pitta (2008). "Structure, reactivity and biological properties of hydantoins." Quimica Nova 31(3): 614-622. doi:10.1590/s0100-40422008000300029
- [7] Taş, M., M. S. Soylu, O. Büyükgüngör (2008). "A mixed ligand copper(II) complex with 5,5-dimethylhydantoin and t-butylamine." Polish Journal of Chemistry 82(5): 972-980.
- [8] Zhu, X., W. Zhang, Q. You, C. Zhang, L. Zuo (2008). "Antitumor platinum (II) drugs." Progress in Chemistry 20(9): 1324-1334.
- [9] Kushev, D., V. Enchev, E. Naydenova, R. Detcheva, N. Spassovska, K. Grancharov (2009). "Synthesis, structure and cytotoxicity of platinum(IV) complexes of 3-aminocyclohexanespiro-5-hydantoin and 3-aminocycloheptanespiro-5-hydantoin." Croatica Chemica Acta 82(3): 607-612.

10. [10] Gerona-Navarro, G., R. González-Muñiz, A. Fernández-Carvajal, J. M. González-Ros, A. Ferrer-Montiel, C. Carreño, F. Albericio, M. Royo (2011). "Solid-phase synthesis of a library of amphipathic hydantoins. Discovery of new hits for TRPV1 blockade." *ACS Combinatorial Science* 13(5): 458-465. doi:10.1021/co1000986
11. [11] Řezníček, T., L. Dostál, A. Růžicka, J. Vinklár, M. Řezáčová, R. Jambor (2012). "Synthesis and cytostatic activity of Pt(II) complexes of intramolecularly coordinated phosphine and stibine ligands." *Applied Organometallic Chemistry* 26(5): 237-245. doi:10.1002/aoc.2845
12. [12] Alanazi, A. M., A. S. El-Azab, I. A. Al-Swaidan, A. R. Maarouf, E. R. El-Bendary, M. A. Abu El-Enin, A. A. M. Abdel-Aziz (2013). "Synthesis, single-crystal, in vitro antitumor evaluation and molecular docking of 3-substituted 5,5-diphenylimidazolidine-2,4-dione derivatives." *Medicinal Chemistry Research* 22(12): 6129-6142. doi:10.1007/s00044-013-0597-1
13. [13] Taş, M., S. Çamur, Z. Yolcu, O. Büyükgüngör (2013). "Synthesis, Crystal Structure, Spectroscopic and Thermal Properties of a Novel Complex of Hydantoin-5-acetic acid with Co(II)." *Journal of Inorganic and Organometallic Polymers and Materials* 23(3): 616-620. doi:10.1007/s10904-013-9822-0
14. [14] Ahmedova, A., P. Marinova, M. Marinov, N. Stoyanov (2016). "An integrated experimental and quantum chemical study on the complexation properties of (9'-fluorene)-spiro-5-hydantoin and its thioanalogue." *Journal of Molecular Structure* 1108: 602-610. doi:10.1016/j.molstruc.2015.12.018
15. [15] Sekulić, T. D., S. Keleman, K. Tot, J. Tota, N. Trišović, G. Ušćumlić (2016). "In silico study of chromatographic lipophilicity parameters of 3-(4-Substituted Benzyl)-5-Phenylhydantoins." *Combinatorial Chemistry and High Throughput Screening* 19(6): 437-443.
16. [16] Xiao, G., S. Xu, C. Xie, G. Zi, W. Ye, Z. Zhou, G. Hou, Z. Zhang (2021). "Enantioselective Synthesis of Chiral Substituted 2,4-Diketimidazolidines and 2,5-Diketopiperazines via Asymmetric Hydrogenation." *Organic Letters* 23(15): 5734-5738. doi:10.1021/acs.orglett.1c01894
17. [17] Nie, Y., J. Li, Q. Yuan, W. Zhang (2022). "Synthesis of Chiral Hydantoins and Thiazolidinediones via Iridium-Catalyzed Asymmetric Hydrogenation." *Chinese Journal of Chemistry* 40(7): 819-824. doi:10.1002/cjoc.202100809
18. [18] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IFN^o 2. Kostova, I., Manolov, I., **Momekov, G.** Cytotoxic activity of new neodymium (III) complexes of bis-coumarins (2004) *European Journal of Medicinal Chemistry*, 39 (9): 765-775. (IF 1.673)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-4444351779&doi=10.1016%2fj.ejmech.2004.06.002&partnerID=40&md5=5b39ce89fb932393625d5d9dd1ad272a>
 DOI: 10.1016/j.ejmech.2004.06.002

Установени цитирания: в SCOPUS (42); в патенти (1); общо (43)

19. [1] Creaven, B. S., D. A. Egan, K. Kavanagh, M. McCann, M. Mahon, A. Noble, B. Thati, M. Walsh (2005). "Synthesis and antimicrobial activity of copper(II) and silver(I) complexes of hydroxynitrocoumarins: X-ray crystal structures of [Cu(hnc) 2(H₂O)₂] • 2H₂O and [Ag(hnc)] (hncH = 4-hydroxy-3-nitro-2H-chromen-2-one)." *Polyhedron* 24(8): 949-957. doi:10.1016/j.poly.2005.03.006
20. [2] Bastos, C. C., R. O. Freire, G. B. Rocha, A. M. Simas (2006). "Sparkle model for AM1 calculation of neodymium(III) coordination compounds." *Journal of Photochemistry and Photobiology A: Chemistry* 177(2-3): 225-237. doi:10.1016/j.jphotochem.2005.06.002
21. [3] Creaven, B. S., D. A. Egan, K. Kavanagh, M. McCann, A. Noble, B. Thati, M. Walsh (2006). "Synthesis, characterization and antimicrobial activity of a series of substituted coumarin-3-carboxylatesilver(I) complexes." *Inorganica Chimica Acta* 359(12): 3976-3984. doi:10.1016/j.ica.2006.04.006
22. [4] Salonia, J. A., J. A. Gásquez, L. D. Martínez, S. Cerutti, M. Kaplan, R. A. Olsina (2006). "Inductively coupled plasma optical emission spectrometric determination of gadolinium in urine using flow injection on-line sorption preconcentration in a knotted reactor." *Instrumentation Science and Technology* 34(3): 305-316. doi:10.1080/10739140600605910
23. [5] Creaven, B. S., D. A. Egan, D. Karcz, K. Kavanagh, M. McCann, M. Mahon, A. Noble, B. Thati, M. Walsh (2007). "Synthesis, characterisation and antimicrobial activity of copper(II) and manganese(II) complexes of coumarin-6,7-dioxyacetic acid (cdoaH₂) and 4-methylcoumarin-6,7-dioxyacetic acid (4-Mecdoah₂): X-ray crystal structures of [Cu(cdoa)(phen)₂] • 8.8H₂O and [Cu(4-Mecdoah)(phen)₂] • 13H₂O (phen = 1,10-phenanthroline)." *Journal of Inorganic Biochemistry* 101(8): 1108-1119. doi:10.1016/j.jinorgbio.2007.04.010
24. [6] Pansuriya, P. B., M. N. Patel (2007). "Dicoumarol complexes of Cu(II), Fe(II) and Fe(III): Preparation, characterization, in-vitro antibacterial and DNA binding activity." *Applied Organometallic Chemistry* 21(9): 719-727. doi:10.1002/aoc.1246
25. [7] Mihaylov, T., N. Trendafilova, I. Georgieva (2008). "DFT-based molecular modeling and vibrational study of the La(III) complex of 3,3'-(benzylidene)bis(4-hydroxycoumarin)." *Journal of Molecular Modeling* 14(5): 353-366. doi:10.1007/s00894-008-0277-0
26. [8] Pansuriya, P. B., M. R. Chhasatia, S. H. Patel, M. N. Patel (2008a). "Synthesis, characterization, in-vitro biocidal and nuclease activity of Cu(II), Fe(II) and Fe(III) complexes." *Polish Journal of Chemistry* 82(8): 1527-1539.
27. [9] Pansuriya, P. B., M. N. Patel, M. R. Chhasatia, P. Dhandhukia, V. Thakkar (2008b). "Synthesis, characterization, in-vitro biocidal and nuclease activity of some coordination compounds." *Journal of Coordination Chemistry* 61(20): 3336-3349. doi:10.1080/00958970802047676
28. [10] Georgieva, I., N. Trendafilova, B. S. Creaven, M. Walsh, A. Noble, M. McCann (2009). "Is the C{double bond, long}O frequency shift a reliable indicator of coumarin binding to metal ions through the carbonyl oxygen?" *Chemical Physics* 365(1-2): 69-79. doi:10.1016/j.chemphys.2009.10.004
29. [11] Kharadi, G. J., K. D. Patel (2009a). "Antibacterial, spectral and thermal aspects of drug based-Cu(II) mixed ligand complexes." *Applied Organometallic Chemistry* 23(10): 391-397. doi:10.1002/aoc.1530
30. [12] Kharadi, G. J., K. D. Patel (2009b). "Synthesis, spectroscopic, thermal and biological aspect of mixed ligand copper(II) complexes." *Journal of Thermal Analysis and Calorimetry* 96(3): 1019-1028. doi:10.1007/s10973-009-0038-z
31. [13] Shi, F., A. X. Dai, S. Zhang, X. H. Zhang, S. J. Tu (2011). "Efficient microwave-assisted synthesis of novel 3-aminohexahydrocoumarin derivatives and evaluation on their cytotoxicity." *European Journal of Medicinal Chemistry* 46(3): 953-960. doi:10.1016/j.ejmech.2010.12.013
32. [14] Zhu, X. J., P. Wang, H. W. C. Leung, W. K. Wong, W. Y. Wong, D. W. J. Kwong (2011). "Synthesis, characterization, and DNA-binding and -photocleavage properties of water-soluble lanthanide porphyrinate complexes." *Chemistry - A European Journal* 17(25): 7041-7052. doi:10.1002/chem.201003342
33. [15] Drzewiecka, A., A. E. Koziol, M. T. Klepka, A. Wolska, H. Przybylska, S. B. Jimenez-Pulido, K. Ostrowska, M. Struga, J. Kossakowski, T. Lis (2012). "Synthesis and structural studies of novel Cu(II) complexes with hydroxy derivatives of benzo[b]furan and coumarin." *Polyhedron* 43(1): 71-80. doi:10.1016/j.poly.2012.05.042
34. [16] Świątek, M., A. Kufelnicki (2012). "Metal - Ligand interaction of lanthanides with coumarin derivatives. Part I. Complexation of 3-(1-aminoethylidene)-2H-chromene-2,4(3H)-dione with La(III), Ce(III), Nd(III) and Ho(III)." *Acta Polonicae Pharmaceutica - Drug Research* 69(6): 1001-1007.

35. [17] Dehari, D., M. Shehabi, S. Dehari, S. Govori (2013). "New Complexes of Co(II) and Cd(II) Using 4-Hydroxy-2-Oxo-2H Chromene-3-Carboxamide as Ligand." *Research Journal of Applied Sciences* 8(2): 112-115. doi:10.3923/rjasci.2013.112.115
36. [18] Mishra, A., S. K. Srivastava, D. Swati (2013). "Study of structure-activity relationship of enantiomeric, protonated and deprotonated forms of warfarin via vibrational spectroscopy and DFT calculations." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 113: 439-446. doi:10.1016/j.saa.2013.04.086
37. [19] Reji, T. F. A. F., A. J. Pearl, B. A. Rosy (2013). "Synthesis, characterization, cytotoxicity, DNA cleavage and antimicrobial activity of homodinuclear lanthanide complexes of phenylthioacetic acid." *Journal of Rare Earths* 31(10): 1009-1016. doi:10.1016/S1002-0721(13)60022-8
38. [20] Shiju, C., D. Arish, S. Kumaresan (2013). "Homodinuclear lanthanide complexes of phenylthiopropionic acid: Synthesis, characterization, cytotoxicity, DNA cleavage, and antimicrobial activity." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 105: 532-538. doi:10.1016/j.saa.2012.12.066
39. [21] Ziarani, G. M., A. Badiei, M. Azizi, N. Lashgari (2013). "Efficient one-pot synthesis of bis(4-hydroxycoumarin)methanes in the presence of sulfonic acid functionalized nanoporous silica (SBA-Pr-SO 3H)." *Journal of the Chinese Chemical Society* 60(5): 499-502. doi:10.1002/jccs.201200530
40. [22] Dekić, B., S. Samaržija-Jovanović, V. Jovanović, V. Dekić, N. Radulović, R. Simonović, M. Marinović-Cincović (2014). "Influence of the aryl substituent identity in 4-arylamino-3-nitrocoumarins on their thermal behavior." *Journal of Thermal Analysis and Calorimetry* 115(2): 1619-1626. doi:10.1007/s10973-013-3357-z
41. [23] Kumar Naik, K. H., S. Selvaraj, N. Naik (2014). "Metal complexes of ONO donor Schiff base ligand as a new class of bioactive compounds; Synthesis, characterization and biological evolution." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 131: 599-605. doi:10.1016/j.saa.2014.03.038
42. [24] Oruma, U. S., P. O. Ukoha, J. N. Asegbeyin (2014). "Synthesis, characterization and biological studies of S-1,3-benzothiazol-2-ylthiophene-2-carbothioate and its Ce(IV) and Nd(III) complexes." *Asian Journal of Chemistry* 26(22): 7622-7626. doi:10.14233/ajchem.2014.17102
43. [25] Nazarifar, M. R. (2015). "An efficient synthesis of α,α' -benzylidene bis(4-hydroxycoumarin) derivatives catalyzed by Ti2O3 nanoparticles." *Iranian Journal of Catalysis* 5(4): 351-355.
44. [26] Al-Majedy, Y. K., A. A. Al-Amiry, A. A. H. Kadhum, A. B. Mohamad (2016). "Efficient catalyst one-pot synthesis of 7-(Aryl)-10,10-dimethyl-10,11-dihydrochromeno[4,3-b]chromene-6,8(7H,9H)-dione derivatives complemented by antibacterial activity." *BioMed Research International* 2016. doi:10.1155/2016/5891703
45. [27] Garro, H. A., G. F. Reta, O. J. Donadel, C. R. Pungitore (2016). "Cytotoxic and antitumor activity of some coumarin derivatives." *Natural Product Communications* 11(9): 1289-1292. doi:10.1177/1934578x1601100926
46. [28] Kauthale, S. S., S. U. Tekale, K. M. Jadhav, R. P. Pawar (2016). "Ethylene glycol promoted catalyst-free pseudo three-component green synthesis of bis(coumarin)s and bis(3-methyl-1-phenyl-1H-pyrazol-5-ol)s." *Molecular Diversity* 20(3): 763-770. doi:10.1007/s11030-016-9673-z
47. [29] Marinescu, G., D. C. Culita, L. Patron, N. Stanica, S. Nita, A. M. Musuc, C. Bleotu, M. Popa, C. Kamerzan, M. C. Chifiriuc (2016). "Synthesis, characterization and evaluation of the antimicrobial and cytotoxic activity of two novel complexes of Gd(III) with piroxicam and meloxicam." *Revue Roumaine de Chimie* 61(10): 779-786.
48. [30] Sarkar, T., S. Banerjee, S. Mukherjee, A. Hussain (2016). "Mitochondrial selectivity and remarkable photocytotoxicity of a ferrocenyl neodymium(III) complex of terpyridine and curcumin in cancer cells." *Dalton Transactions* 45(15): 6424-6438. doi:10.1039/c5dt04775g
49. [31] Stojković, D. L. J., A. Bacchi, D. Capucci, M. R. Milenković, B. Čobeljčić, S. R. Trifunović, K. Anđelković, V. V. Jevtić, N. Vuković, M. Vukić, D. Sladić (2016). "Synthesis and characterization of palladium(II) complexes with glycine coumarin derivatives." *Journal of the Serbian Chemical Society* 81(12): 1383-1392. doi:10.2298/JSC160915087S
50. [32] Obasi, L. N., U. S. Oruma, I. A. Al-Swaidan, P. Ramasami, C. J. Ezeorah, A. E. Ochonogor (2017). "Synthesis, characterization and antibacterial studies of N-(benzothiazol-2-yl)-4-chlorobenzenesulphonamide and its neodymium(III) and thallium(III) complexes." *Molecules* 22(2). doi:10.3390/molecules22020153
51. [33] Ostrowska, K., D. Maciejewska, A. Drzewiecka-Antonik, M. T. Klepka, A. Wolska, Ł. Dobrzycki, A. Sztokfisz, A. Czajkowska, I. Młynarczuk-Biały (2017). "Synthesis, spectroscopic characterization, X-ray study and in vitro cytotoxicity of 5-hydroxycoumarin derivatives and their copper complexes." *Journal of Molecular Structure* 1145: 292-299. doi:10.1016/j.molstruc.2017.05.104
52. [34] Ren, Q. C., C. Gao, Z. Xu, L. S. Feng, M. L. Liu, X. Wu, F. Zhao (2018). "Bis-coumarin derivatives and their biological activities." *Current Topics in Medicinal Chemistry* 18(2): 101-113. doi:10.2174/1568026618666180221114515
53. [35] Sangeetha, R., K. Balasubramani, S. Jose Kavitha, M. Hemamalini (2018). "Crystal structure and Hirshfeld surface analysis of the 1:3 adduct of tetraaquatrinatoneodymium(III) with 3-amino-1,2,4-triazine." *Acta Crystallographica Section E: Crystallographic Communications* 74: 1309-1313. doi:10.1107/S2056989018011714
54. [36] Heras, B. L., Á. Amesty, A. Estévez-Braun, S. Hortelano (2019). "Metal complexes of natural product like-compounds with antitumor activity." *Anti-Cancer Agents in Medicinal Chemistry* 19(1): 48-65. doi:10.2174/1871520618666180420165821
55. [37] Mahmoud, M., E. Abdel-Salam, M. Abou-Elmagd, S. Sallam (2019a). "Template Synthesis, Spectral, Thermal and Glucose Sensing of Pr 3+ Complexes of Metformin Schiff-Bases." *Journal of Fluorescence* 29(2): 319-333. doi:10.1007/s10895-018-02341-5
56. [38] Mahmoud, M. A., E. T. Abdel-Salam, N. F. Abdel Aal, Z. M. Showery, S. A. Sallam (2019b). "Dy(III) complexes of metformin Schiff-bases as glucose probe: synthesis, spectral, and thermal properties." *Journal of Coordination Chemistry* 72(4): 749-769. doi:10.1080/00958972.2019.1569642
57. [39] Mahmoud, M. A., M. G. Abou-Elmagd (2020). "Template synthesis, spectral and thermal properties of Nd(III) metformin Schiff-base complexes as potential hypoglycemic agents." *Egyptian Journal of Chemistry* 63(3): 1009-1031. doi:10.21608/ejchem.2019.13640.1858
58. [40] Wang, R., B. Q. Zou, Q. P. Qin, Z. F. Wang, M. X. Tan, H. Liang (2020). "Synthesis, characterization and anticancer activity of six lanthanides(III) complexes with 5,7-dihalogenated-8-quinolinol and 2,2'-bipyridine derivatives." *Transition Metal Chemistry* 45(7): 477-483. doi:10.1007/s11243-020-00399-4
59. [41] Oruma, U. S., P. O. Ukoha, C. P. Uzoewulu, J. C. Ndefo, S. C. Ugwuoke, N. N. Ukwueze, T. E. Eze, L. C. Ekowo, F. U. Eze, U. V. Chinaegbomkpa, S. N. Okafor, C. J. Ezeorah (2021). "Synthesis, biological and in silico studies of a tripodal schiff base derived from 2,4,6-triamino-1,3,5-triazine and its trinuclear Dy(III), Er(III), and Gd(III) salen capped complexes." *Molecules* 26(14). doi:10.3390/molecules26144379
60. [42] Gkisiou, C., G. Malis, A. G. Hatzidimitriou, G. Psomas (2023). "Erbium(III) coordination compounds with substituted salicylaldehydes: Characterization and biological profile." *Journal of Inorganic Biochemistry* 242. doi:10.1016/j.jinorgbio.2023.112161
61. [43] <https://patents.google.com/patent/US20100069345A1/en>

Публ. с IFN[№] 3. Vasilev, N., **Momekov, G.**, Zaharieva, M., Konstantinov, S., Bremner, P., Heinrich, M., Ionkova, I. Cytotoxic activity of a podophyllotoxin-like lignan from *Linum tauricum* Willd (2005) *Neoplasma*, 52 (5): 425-429. (IF 0,731)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-26044455193&partnerID=40&md5=57623286cab048c52c8bfd505a413f34>

Установени цитирания: в SCOPUS (11)

62. [1] Amirghofran, Z., M. Bahmani, A. Azadmehr, K. Javidnia (2006). "Induction of apoptosis in leukemia cell lines by *Linum persicum* and *Euphorbia cheiradenia*." *Journal of Cancer Research and Clinical Oncology* 132(7): 427-432. doi:10.1007/s00432-006-0084-x
63. [2] Mohagheghzadeh, A., A. Gholami, S. Hemmati, M. R. S. Ardakani, T. J. Schmidt, A. W. Alfermann (2007). "Root cultures of *Linum* species section *Syllinum* as rich sources of 6-methoxypodophyllotoxin." *Zeitschrift für Naturforschung - Section C Journal of Biosciences* 62(1-2): 43-49. doi:10.1515/znc-2007-1-208
64. [3] Byung, H. K., S. H. Seong, W. K. Soon, Y. L. Hwa, H. Sung, I. J. Lee, Y. H. Bang, S. Song, C. K. Lee, C. Daehyun, A. Byeongwoo, S. Y. Nam, S. B. Han, Y. Kim (2008). "Diartigenin, a lignan constituent from *Arctium lappa*, down-regulated zymosan-induced transcription of inflammatory genes through suppression of DNA binding ability of nuclear factor- κ B in macrophages." *Journal of Pharmacology and Experimental Therapeutics* 327(2): 393-401. doi:10.1124/jpet.108.140145
65. [4] Lautié, E., R. Quintero, M. A. Fliniaux, M. L. Villarreal (2008). "Selection methodology with scoring system: Application to Mexican plants producing podophyllotoxin related lignans." *Journal of Ethnopharmacology* 120(3): 402-412. doi:10.1016/j.jep.2008.09.014
66. [5] Saladino, R., G. Gualandi, A. Farina, C. Crestini, L. Nencioni, A. T. Palamara (2008). "Advances and challenges in the synthesis of highly oxidised natural phenols with antiviral, antioxidant and cytotoxic activities." *Current Medicinal Chemistry* 15(15): 1500-1519. doi:10.2174/092986708784638889
67. [6] Sun, Y. J., Z. L. Li, H. Chen, X. Q. Liu, W. Zhou, H. M. Hua (2011). "Three new cytotoxic aryltetralin lignans from *Sinopodophyllum emodi*." *Bioorganic and Medicinal Chemistry Letters* 21(12): 3794-3797. doi:10.1016/j.bmcl.2011.04.036
68. [7] Brasch, G. (2013). "Phytotherapy and hormone modulation: New perspectives in complementary oncology." *Zeitschrift für Phytotherapie* 34(3): 106-111. doi:10.1055/s-0032-1331494
69. [8] Malik, S., O. Břba, J. Grúz, R. R. J. Arroo, M. Strnad (2014). "Biotechnological approaches for producing aryltetralin lignans from *Linum* species." *Phytochemistry Reviews* 13(4): 893-913. doi:10.1007/s11101-014-9345-5
70. [9] Zilla, M. K., D. Nayak, H. Amin, Y. Nalli, B. Rah, S. Chakraborty, S. Kitchlu, A. Goswami, A. Ali (2014). "4'-Demethyl-deoxypodophyllotoxin glucoside isolated from *Podophyllum hexandrum* exhibits potential anticancer activities by altering Chk-2 signaling pathway in MCF-7 breast cancer cells." *Chemico-Biological Interactions* 224: 100-107. doi:10.1016/j.cbi.2014.09.022
71. [10] Biswas, D., P. Biswas, S. Nandy, A. Mukherjee, D. K. Pandey, A. Dey (2020). "Endophytes producing podophyllotoxin from *Podophyllum* sp. and other plants: A review on isolation, extraction and bottlenecks." *South African Journal of Botany* 134: 303-313. doi:10.1016/j.sajb.2020.02.038
72. [11] Chhillar, H., P. Chopra, M. A. Ashfaq (2021). "Lignans from linseed (*Linum usitatissimum* L.) and its allied species: Retrospect, introspect and prospect." *Critical Reviews in Food Science and Nutrition* 61(16): 2719-2741. doi:10.1080/10408398.2020.1784840

Публ. с IF № 4. Kostova, I., Trendafilova, N., **Momekov, G.** Theoretical and spectroscopic evidence for coordination ability of 3,3'-benzylidenedi-4-hydroxycoumarin. New neodymium (III) complex and its cytotoxic effect (2005) *Journal of Inorganic Biochemistry*, 99 (2): 477-487. (IF 2,423)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-11144333060&doi=10.1016%2fj.jinorgbio.2004.10.022&partnerID=40&md5=c44f83a32689c2ffca33d9d395945c97)

[11144333060&doi=10.1016%2fj.jinorgbio.2004.10.022&partnerID=40&md5=c44f83a32689c2ffca33d9d395945c97](https://www.scopus.com/inward/record.uri?eid=2-s2.0-11144333060&doi=10.1016%2fj.jinorgbio.2004.10.022&partnerID=40&md5=c44f83a32689c2ffca33d9d395945c97)

DOI: 10.1016/j.jinorgbio.2004.10.022

Установени цитирания: в SCOPUS (31)

73. [1] Manolov, I., C. Maichle-Mössmer (2007). "Synthesis and structure of 3,3'-[(4-Bromophenyl)methylene]bis-[4-hydroxy-2H-1-benzopyran-2-one]." *Analytical Sciences: X-ray Structure Analysis Online* 23(4): x63-x64. doi:10.2116/analscix.23.x63
74. [2] Pansuriya, P. B., M. N. Patel (2007). "Dicoumarol complexes of Cu(II), Fe(II) and Fe(III): Preparation, characterization, in-vitro antibacterial and DNA binding activity." *Applied Organometallic Chemistry* 21(9): 719-727. doi:10.1002/aoc.1246
75. [3] Stanchev, S., C. Maichle-Mössmer, I. Manolov (2007). "Synthesis, structure and acid-base behaviour of some 4-hydroxycoumarin derivatives." *Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences* 62(5): 737-741. doi:10.1515/znb-2007-0519
76. [4] Gong, G. X., J. F. Zhou, L. T. An, X. L. Duan, S. J. Ji (2009). "Catalyst-free synthesis of α,α -bis(4-hydroxycoumarin-3-yl) toluene in aqueous media under microwave irradiation." *Synthetic Communications* 39(3): 497-505. doi:10.1080/00397910802398272
77. [5] Wu, D., D. Jia, L. Liu, A. Liu (2009). "Conformation and coordination of 1-Phenyl-3-methyl-4-benzal-5-pyrazolone thiosemicarbazone: A Density functional study." *International Journal of Quantum Chemistry* 109(6): 1341-1347. doi:10.1002/qua.21964
78. [6] Yao, J., W. Dou, W. Liu, J. Zheng (2009). "Synthesis, crystal structures and photoluminescent properties of the complexes of a new coumarin derivative with lanthanide ions." *Inorganic Chemistry Communications* 12(5): 430-432. doi:10.1016/j.inoche.2009.03.001
79. [7] Liu, A., D. Wu, D. Jia, L. Liu (2010). "Theoretical studies on geometry, solvent effect, and photochromic mechanism of two bis-Heterocyclic compounds containing pyrazolone ring." *International Journal of Quantum Chemistry* 110(7): 1360-1367. doi:10.1002/qua.22280
80. [8] Zhang, Y., L. Zhang, L. Liu, J. Guo, D. Wu, G. Xu, X. Wang, D. Jia (2010). "Anticancer activity, structure, and theoretical calculation of N-(1-phenyl-3-methyl-4-propyl-pyrazolone-5)-salicylidene hydrazone and its copper(II) complex." *Inorganica Chimica Acta* 363(2): 289-293. doi:10.1016/j.ica.2009.08.017
81. [9] Mukherjee, T., J. Costa Pessoa, A. Kumar, A. R. Sarkar (2011). "Oxidovanadium(IV) schiff base complex derived from vitamin B6: Synthesis, characterization, and insulin enhancing properties." *Inorganic Chemistry* 50(10): 4349-4361. doi:10.1021/ic102412s
82. [10] Getsova, M., V. Kircheva, J. Zaharieva, I. Manolov, H. Naruke, M. Milanova (2012). "Luminescence properties of a Nd(III) coumarin derivative complex immobilized in a poly(methylmethacrylate) matrix." *Journal of Optoelectronics and Advanced Materials* 14(7-8): 685-692.
83. [11] Świątek, M., A. Kufelnicki (2012). "Metal - Ligand interaction of lanthanides with coumarin derivatives. Part I. Complexation of 3-(1-aminoethylidene)-2H-chromene-2,4(3H)-dione with La(III), Ce(III), Nd(III) and Ho(III)." *Acta Poloniae Pharmaceutica - Drug Research* 69(6): 1001-1007.
84. [12] Liu, A., Y. Yang, D. Jia, D. Wu, L. Liu, J. Guo (2013). "Theoretical studies on the conformation and coordination of n-(1-phenyl-3-methyl-4-propenylidene-5-pyrazolone)-salicylidene." *Journal of Theoretical and Computational Chemistry* 12(5). doi:10.1142/S0219633613500363
85. [13] Wang, H. Y., D. Q. Shi (2013). "Efficient synthesis of functionalized dihydro-1 H-indol-4(5 H)-ones via one-pot three-component reaction under catalyst-free conditions." *ACS Combinatorial Science* 15(5): 261-266. doi:10.1021/co4000198
86. [14] Elenkova, D., B. Morgenstern, I. Manolov, M. Milanova (2014). "Synthesis, Crystal Structure and Physico-chemical Properties of 3,3'-[(4-hydroxyphenyl)methyl] bis-(4-hydroxy-2H-chromen-2-one)." *Acta Chimica Slovenica* 61(4): 718-728.

87. [15] Erdogdu, Y., M. Guzel, M. T. Güllüoğlu, M. Amalanathan, S. Saglam, I. Hubert Joe (2014). "Molecular structure, vibrational spectral investigation and the conformation analysis of 4-Methylesculetin molecule." *Optics and Spectroscopy (English translation of Optika i Spektroskopiya)* 116(3): 348-359. doi:10.1134/S0030400X14030059
88. [16] Qi, X., M. W. Xue, X. J. Sun, Y. Zhi, J. F. Zhou (2014). "Microwave-assisted, methanesulfonic acid-catalyzed synthesis of 3,3'-(arylmethylene)bis(4-hydroxy-2H-chromen-2-ones)." *Research on Chemical Intermediates* 40(3): 1187-1192. doi:10.1007/s11164-013-1031-5
89. [17] Wang, D., J. Wu, Z. Dong, D. Wu, Y. Wang (2015). "Efficient synthesis of 3,3'-aryl(alkyl)-bis(4-aminocoumarine) and 1,4-dihydropyridino[3,2-c][5,6-c]dicoumarines." *Chinese Journal of Organic Chemistry* 35(1): 200-206. doi:10.6023/cjoc201408031
90. [18] Elenkova, D., R. Monov, A. Tadjer, I. Manolov, M. Milanova (2016). "Synthesis and characterization of terbium(III) complexes with the biscoumarin derivative 3,3'-[(4-hydroxyphenyl)methyl]bis-(4-hydroxy-2H-chromen-2-one)." *Journal of Molecular Structure* 1106: 491-500. doi:10.1016/j.molstruc.2015.10.026
91. [19] Hu, Y., J. Li, C. W. Lv, D. Qu, Z. Hou, M. Jia, J. T. Li, Z. D. Zhang, X. X. Luo, Z. Yuan, M. K. Li (2016). "Evaluation of Antibacterial Activities of 4-Hydroxycoumarin Derivatives." *Zeitschrift für Physikalische Chemie* 230(1): 97-110. doi:10.1515/zpch-2015-0630
92. [20] Li, J., F. Sui (2016). "Crystal structure of 2-amino-7,7-dimethyl-5-oxo-4-(3-phenoxy-phenyl)-5,6,7,8-tetrahydro-4H-chromene-3-carbonitrile." *Zeitschrift für Kristallographie - New Crystal Structures* 231(3): 673-675. doi:10.1515/ncrs-2015-0082
93. [21] Meng, Q., S. Zhang (2016). "Crystal structure of 2-amino-3-cyano-7,7-dimethyl-5-oxo-4-(3,4,5-trifluorophenyl)-4H-5,6,7,8-tetrahydrobenzo[b]pyran, C18H15F3N2O2." *Zeitschrift für Kristallographie - New Crystal Structures* 231(2): 427-428. doi:10.1515/ncrs-2015-0091
94. [22] Sarkar, T., S. Banerjee, S. Mukherjee, A. Hussain (2016). "Mitochondrial selectivity and remarkable photocytotoxicity of a ferrocenyl neodymium(III) complex of terpyridine and curcumin in cancer cells." *Dalton Transactions* 45(15): 6424-6438. doi:10.1039/c5dt04775g
95. [23] Uddin, M. N., D. A. Chowdhury, N. Mase, M. F. Rashid, M. Uzzaman, A. Ahsan, N. M. Shah (2018). "Spectral and computational chemistry studies for the optimization of geometry of dioxomolybdenum(VI) complexes of some unsymmetrical Schiff bases as antimicrobial agent." *Journal of Coordination Chemistry* 71(23): 3874-3892. doi:10.1080/00958972.2018.1533125
96. [24] Gkisiou, C., G. Malis, A. G. Hatzidimitriou, G. Psomas (2023). "Erbium(III) coordination compounds with substituted salicylaldehydes: Characterization and biological profile." *Journal of Inorganic Biochemistry* 242. doi:10.1016/j.jinorgbio.2023.112161
97. [25] Jevtovic, V., M. S. O. Alhar, D. Milenković, Z. Marković, J. Dimitrić Marković, D. Dimić (2023). "Synthesis, Structural Characterization, Cytotoxicity, and Protein/DNA Binding Properties of Pyridoxylidene-Aminoguanidine-Metal (Fe, Co, Zn, Cu) Complexes." *International Journal of Molecular Sciences* 24(19). doi:10.3390/ijms241914745
98. [26] Salih, R. H. H., A. H. Hasan, N. H. Hussien, F. E. Hawaiz, T. B. Hadda, J. Jamali, F. A. Almalki, A. S. Adeyinka, L. C. C. Coetzee, A. K. Oyebamiji (2023). "Thiazole-pyrazoline hybrids as potential antimicrobial agent: Synthesis, biological evaluation, molecular docking, DFT studies and POM analysis." *Journal of Molecular Structure* 1282. doi:10.1016/j.molstruc.2023.135191
99. [27] Waziri, I., T. L. Yusuf, H. A. Zarma, S. O. Oselusi, L. C. C. Coetzee, A. S. Adeyinka (2023a). "New palladium (II) complexes from halogen substituted Schiff base ligands: Synthesis, spectroscopic, biological activity, density functional theory, and molecular docking investigations." *Inorganica Chimica Acta* 552. doi:10.1016/j.ica.2023.121505
100. [28] Waziri, I., H. M. Masena, T. L. Yusuf, L. C. Coetzee, A. S. Adeyinka, A. J. Muller (2023b). "Synthesis, characterization, biological evaluation, DFT and molecular docking studies of (Z)-2-((2-bromo-4-chlorophenyl)imino)methyl-4-chlorophenol and its Co(II), Ni(II), Cu(II), and Zn(II) complexes." *New Journal of Chemistry* 47(38): 17853-17870. doi:10.1039/d3nj02910g
101. [29] Waziri, I., M. T. Kelani, M. O. Oyediji-Amusa, A. K. Oyebamiji, L. C. C. Coetzee, A. S. Adeyinka, A. J. Muller (2023c). "Synthesis and computational investigation of N,N-dimethyl-4-[(Z)-(phenylimino)methyl]aniline derivatives: Biological and quantitative structural activity relationship studies." *Journal of Molecular Structure* 1276. doi:10.1016/j.molstruc.2022.134756
102. [30] Banna, M. H. A., M. Uzzaman, M. A. Saleh, E. Zangrando, M. B. H. Howlader, M. R. H. Ansary, R. Miyatake, M. C. Sheikh (2024). "Ni(II) complexes with in-situ generated N, O-bidentate aroylhydrazone Schiff base ligands: One-pot synthesis, characterization, crystal structure, and in-silico studies." *Journal of Molecular Structure* 1295. doi:10.1016/j.molstruc.2023.136698
103. [31] Waziri, I., M. T. Kelani, M. O. Oyediji-Amusa, A. K. Oyebamiji, L. C. C. Coetzee, A. J. Muller (2024). "Comparative investigation of derivatives of (E)-N-((E)-3-phenylallylidene)aniline: Synthesis, structural characterization, biological evaluation, density functional theory analysis, and in silico molecular docking." *Heliyon* 10(4). doi:10.1016/j.heliyon.2024.e26632

Публ. с IFN[№] 5. Kostova, I., Kostova, R., **Momekov, G.**, Trendafilova, N., Karaivanova, M. Antineoplastic activity of new lanthanide (cerium, lanthanum and neodymium) complex compounds (2005) *Journal of Trace Elements in Medicine and Biology*, 18 (3): 219-226. (IF 0,955)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-18044375554&doi=10.1016%2fj.jtemb.2005.01.002&partnerID=40&md5=360a3059494a504a59967b7ea4eba3a8>

DOI: 10.1016/j.jtemb.2005.01.002

Установени цитирания: в SCOPUS (30)

104. [1] Filipi, R., K. Nesměrák, M. Rucki, Z. Roth, I. Hanzlíková, M. Tichý (2007). "Acute toxicity of rare earth elements and their compounds." *Chemické Listy* 101(10): 793-798.
105. [2] Pansuriya, P. B., M. N. Patel (2007). "Dicoumarol complexes of Cu(II), Fe(II) and Fe(III): Preparation, characterization, in-vitro antibacterial and DNA binding activity." *Applied Organometallic Chemistry* 21(9): 719-727. doi:10.1002/aoc.1246
106. [3] Stanchev, S., C. Maichle-Mössner, I. Manolov (2007). "Synthesis, structure and acid-base behaviour of some 4-hydroxycoumarin derivatives." *Zeitschrift für Naturforschung - Section B Journal of Chemical Sciences* 62(5): 737-741. doi:10.1515/znbs-2007-0519
107. [4] Alghool, S. (2010). "Metal complexes of azo coumarin derivative: Synthesis, spectroscopic, thermal, and antimicrobial studies." *Journal of Coordination Chemistry* 63(18): 3322-3333. doi:10.1080/00958972.2010.508519
108. [5] Kharadi, G. J., K. D. Patel (2010). "Novel copper(II) heterochelate: Synthesis, structural features and fluorescence studies." *Applied Organometallic Chemistry* 24(7): 523-529. doi:10.1002/aoc.1652
109. [6] Chen, Z. F., M. X. Tan, Y. C. Liu, Y. Peng, H. H. Wang, H. G. Liu, H. Liang (2011). "Synthesis, characterization and preliminary cytotoxicity evaluation of five Lanthanide(III)-Plumbagin complexes." *Journal of Inorganic Biochemistry* 105(3): 426-434. doi:10.1016/j.jinorgbio.2010.12.003
110. [7] Huang, Z. Y., P. Luo, D. H. Chen (2011a). "Preparation and hemocompatibility of neodymium incorporated zinc oxide thin films." *Wuji Cailiao Xuebao/Journal of Inorganic Materials* 26(9): 993-997. doi:10.3724/SP.J.1077.2011.00993
111. [8] Huang, Z. Y., P. Luo, M. Chen, S. R. Pan, D. H. Chen (2011b). "Microstructure and hemocompatibility of neodymium doped zinc oxide thin films." *Materials Letters* 65(15-16): 2345-2347. doi:10.1016/j.matlet.2011.05.031

112. [9] Yang, S., L. Han, D. Wang, Y. Pan, Z. Yu, H. Ye (2011). "Solvothermal synthesis, crystal structure of a 1D coordination polymer [Er(CCA)₃(H₂O)₂]_n·2nH₂O (HCCA=coumarin-3-carboxylic acid) and the interaction between the polymer and bovine serum albumin (BSA)." *Acta Chimica Sinica* 69(19): 2319-2327.
113. [10] Zhang, J., Y. Li, X. Hao, Q. Zhang, K. Yang, L. Li, L. Ma, S. Wang, X. Li (2011). "Recent progress in therapeutic and diagnostic applications of lanthanides." *Mini-Reviews in Medicinal Chemistry* 11(8): 678-694. doi:10.2174/138955711796268804
114. [11] Li, X., Q. G. Li, H. Zhang, J. L. Hu, F. H. Yao, D. J. Yang, S. X. Xiao, L. J. Ye, Y. Huang, D. C. Guo (2012). "Synthesis and bioactive studies of complex 8-hydroxyquinolino-bis-(salicylate) yttrium (III)." *Biological Trace Element Research* 147(1-3): 366-373. doi:10.1007/s12011-011-9297-1
115. [12] Kwong, W. L., R. Wai-Yin Sun, C. N. Lok, F. M. Siu, S. Y. Wong, K. H. Low, C. M. Che (2013). "An ytterbium(III) porphyrin induces endoplasmic reticulum stress and apoptosis in cancer cells: Cytotoxicity and transcriptomics studies." *Chemical Science* 4(2): 747-754. doi:10.1039/c2sc21541a
116. [13] Syed, A., S. K. Pandey (2013). "Syntheses, characterization, and biocidal aspects of O,O'-ditolyl/ dibenzylthiophosphates of lanthanum(III) and their adducts with nitrogen and phosphorus donor bases." *Monatshefte für Chemie* 144(8): 1129-1140. doi:10.1007/s00706-013-0952-4
117. [14] Yang, L., B. Wang, J. Tan, L. Zhu (2013). "The DNA-binding and bioactivity of rare earth metal complexes." *Mini-Reviews in Medicinal Chemistry* 13(10): 1487-1500. doi:10.2174/138955711313100009
118. [15] Köse, D. A., B. Öztürk, O. Şahin, O. Büyükgüngör (2014). "Mixed ligand complexes of coumarilic acid/nicotinamide with transition metal complexes: Synthesis and structural investigation." *Journal of Thermal Analysis and Calorimetry* 115(2): 1515-1524. doi:10.1007/s10973-013-3415-6
119. [16] Liu, H., J. Wang, Z. Yang, K. Wang (2015). "Serum Proteomic Analysis Based on iTRAQ in Miners Exposed to Soil Containing Rare Earth Elements." *Biological Trace Element Research* 167(2): 200-208. doi:10.1007/s12011-015-0312-9
120. [17] Shaban, S. Y., M. A. El-Kemary, G. Samir, H. El-Baradei, R. Puchta (2015). "Norfloxacin La(III)-based complex: Synthesis, characterization, and DNA-binding studies." *Journal of Coordination Chemistry* 68(17-18): 3247-3258. doi:10.1080/00958972.2015.1065320
121. [18] Dağlı, Ö., D. A. Köse, G. A. Avcı, O. Şahin (2017). "Novel mixed-ligand complexes of coumarilic acid/N,N'-diethylnicotinamide with some transition metals: Synthesis and structural characterization." *Journal of Thermal Analysis and Calorimetry* 129(3): 1389-1402. doi:10.1007/s10973-017-6373-6
122. [19] Moradi, Z., M. Khorasani-Motlagh, M. Noroozifar (2017). "Synthesis and biological evaluation of a new dysprosium(III) complex containing 2,9-dimethyl 1,10-phenanthroline." *Journal of Biomolecular Structure and Dynamics* 35(2): 300-311. doi:10.1080/07391102.2015.1137491
123. [20] Albert manoharan, A., R. Chandramohan, R. David prabu, S. Valanarasu, V. Ganesh, M. Shkir, A. Kathalingam, S. AlFaify (2018). "Facile synthesis and characterization of undoped, Mn doped and Nd co-doped CuO nanoparticles for optoelectronic and magnetic applications." *Journal of Molecular Structure* 1171: 388-395. doi:10.1016/j.molstruc.2018.06.018
124. [21] Klepka, M. T., A. Drzewiecka-Antonik, A. Wolska, P. Rejmak, M. Struga (2018). "Structural studies of Cu(II) complexes with coumarin acid derivatives obtained using direct and electrochemical synthesis." *Chemical Physics Letters* 691: 190-195. doi:10.1016/j.cplett.2017.11.010
125. [22] Prabu, R. D., S. Valanarasu, H. A. H. Geno, A. J. Christy, K. Jayadheepan, A. Kathalingam (2018). "Effect of Neodymium doping on the structural, morphological, optical and electrical properties of copper oxide thin films." *Journal of Materials Science: Materials in Electronics* 29(13): 10921-10932. doi:10.1007/s10854-018-9170-5
126. [23] Khater, M., D. Ravishankar, F. Greco, H. M. I. Osborn (2019). "Metal complexes of flavonoids: Their synthesis, characterization and enhanced antioxidant and anticancer activities." *Future Medicinal Chemistry* 11(21): 2845-2867. doi:10.4155/fmc-2019-0237
127. [24] Ravichandiran, C., A. Sakthivelu, R. Davidprabu, K. Deva Arun Kumar, S. Valanarasu, A. Kathalingam, V. Ganesh, M. Shkir, S. AlFaify (2019a). "The effect of rare earth Nd³⁺-doping on physical characteristics of Cu₂O thin films derived by electrodeposition technique." *Thin Solid Films* 683: 82-89. doi:10.1016/j.tsf.2019.05.008
128. [25] Ravichandiran, C., A. Sakthivelu, K. Deva Arun Kumar, R. Davidprabu, S. Valanarasu, A. Kathalingam, V. Ganesh, M. Shkir, H. Algarni, S. AlFaify (2019b). "Influence of rare earth material (Sm³⁺) doping on the properties of electrodeposited Cu₂O films for optoelectronics." *Journal of Materials Science: Materials in Electronics* 30(3): 2530-2537. doi:10.1007/s10854-018-0527-6
129. [26] Geetha, V. T., G. Puthilibai, S. Induja (2020). "Influence of structural, thermoelectric power and catalytic efficiency of Nd-doped Mn₃O₄." *Asian Journal of Chemistry* 32(1): 147-152. doi:10.14233/ajchem.2020.22378
130. [27] Tăbăcaru, A., A. V. Botezatu Dediu, R. Mihaela Dinică, G. Cârâc, V. Basliu, M. Paula Cabral Campello, F. Silva, C. I. G. Pinto, J. F. Guerreiro, M. Martins, F. Mendes, F. Marques (2020). "Biological properties of a new mixed lanthanide(III) complex incorporating a dipyridinium ylide." *Inorganica Chimica Acta* 506. doi:10.1016/j.ica.2020.119517
131. [28] Tong, X., D. Zhang, J. Lin, Y. Dai, Y. Luan, Q. Sun, Z. Shi, K. Wang, Y. Gao, J. Lin, Y. Li, M. Dargusch, C. Wen (2020). "Development of biodegradable Zn-1Mg-0.1RE (RE = Er, Dy, and Ho) alloys for biomedical applications." *Acta Biomaterialia* 117: 384-399. doi:10.1016/j.actbio.2020.09.036
132. [29] Chundawat, N. S., S. Jadoun, P. Zarintaj, N. P. S. Chauhan (2021). "Lanthanide complexes as anticancer agents: A review." *Polyhedron* 207. doi:10.1016/j.poly.2021.115387
133. [30] Vinayakumar Bhat, V., P. R. Chetana (2023). Lanthanum: Complexes with Variable Coordination and Versatile Applications. In: *What to Know about Lanthanum* (Ed.): 1-34.

Публ. с IF № 6. Kostova, I., **Momekov, G.**, Zaharieva, M., Karaivanova, M. Cytotoxic activity of new lanthanum (III) complexes of bis-coumarins (2005) *European Journal of Medicinal Chemistry*, 40 (6): 542-551. (IF 2,022)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-19544375595&doi=10.1016%2fj.ejmech.2004.12.007&partnerID=40&md5=7375e6af00e7c8563d44be5e71d63b06>

DOI: 10.1016/j.ejmech.2004.12.007

Установени цитирания: в SCOPUS (95)

134. [1] Creaven, B. S., D. A. Egan, K. Kavanagh, M. McCann, A. Noble, B. Thati, M. Walsh (2006). "Synthesis, characterization and antimicrobial activity of a series of substituted coumarin-3-carboxylatosilver(I) complexes." *Inorganica Chimica Acta* 359(12): 3976-3984. doi:10.1016/j.ica.2006.04.006
135. [2] El Kharrat, S., P. Laurent, H. Blancou (2006). "Novel synthesis of 2-(trifluoromethyl)- and 2-(perfluoroalkyl)-2-hydroxy- 2H-chromenes and their regioselective reaction with silyl enol ethers." *Journal of Organic Chemistry* 71(22): 8637-8640. doi:10.1021/jo060765a
136. [3] Manolov, I., C. Maichle-Moessmer, I. Nicolova, N. Danchev (2006). "Synthesis and anticoagulant activities of substituted 2,4-diketochromans, biscoumarins, and chromanocoumarins." *Archiv der Pharmazie* 339(6): 319-326. doi:10.1002/ardp.200500149
137. [4] Zhong, X., J. Yi, J. Sun, H. L. Wei, W. S. Liu, K. B. Yu (2006). "Synthesis and crystal structure of some transition metal complexes with a novel bis-Schiff base ligand and their antitumor activities." *European Journal of Medicinal Chemistry* 41(9): 1090-1092. doi:10.1016/j.ejmech.2006.05.009

138. [5] Budzisz, E., M. Malecka, B. K. Keppler, V. B. Arion, G. Andrijewski, U. Krajewska, M. Rozalski (2007). "Synthesis, structure, protolytic properties, alkylating and cytotoxic activity of novel platinum(II) and palladium(II) complexes with pyrazole-derived ligands." *European Journal of Inorganic Chemistry* (23): 3728-3735. doi:10.1002/ejic.200700139
139. [6] Creaven, B. S., D. A. Egan, D. Karcz, K. Kavanagh, M. McCann, M. Mahon, A. Noble, B. Thati, M. Walsh (2007). "Synthesis, characterisation and antimicrobial activity of copper(II) and manganese(II) complexes of coumarin-6,7-dioxyacetic acid (cdoaH₂) and 4-methylcoumarin-6,7-dioxyacetic acid (4-MeccdoaH₂): X-ray crystal structures of [Cu(cdoa)(phen)]₂ • 8H₂O and [Cu(4-Meccdoa)(phen)]₂ • 13H₂O (phen = 1,10-phenanthroline)." *Journal of Inorganic Biochemistry* 101(8): 1108-1119. doi:10.1016/j.jinorgbio.2007.04.010
140. [7] Pansuriya, P. B., M. N. Patel (2007). "Dicoumarol complexes of Cu(II), Fe(II) and Fe(III): Preparation, characterization, in-vitro antibacterial and DNA binding activity." *Applied Organometallic Chemistry* 21(9): 719-727. doi:10.1002/aoc.1246
141. [8] Zhong, X., H. L. Wei, W. S. Liu, D. Q. Wang, X. Wang (2007). "The crystal structures of copper(II), manganese(II), and nickel(II) complexes of a (Z)-2-hydroxy-N'-(2-oxindolin-3-ylidene) benzohydrazide-potential antitumor agents." *Bioorganic and Medicinal Chemistry Letters* 17(13): 3774-3777. doi:10.1016/j.bmcl.2007.04.006
142. [9] Ammar, H., S. Abid, S. Fery-Forgues (2008). "Synthesis and spectroscopic study of new biscoumarin dyes based on 7-(4-methylcoumarinyl) diesters." *Dyes and Pigments* 78(1): 1-7. doi:10.1016/j.dyepig.2007.09.008
143. [10] Mihaylov, T., N. Trendafilova, I. Georgieva (2008). "DFT-based molecular modeling and vibrational study of the La(III) complex of 3,3'-(benzylidene)bis(4-hydroxycoumarin)." *Journal of Molecular Modeling* 14(5): 353-366. doi:10.1007/s00894-008-0277-0
144. [11] El-Husseiny, A. F. (2009). "Synthesis, characterization and biological evaluation of 4-methyl-7-(salicylideneamino)coumarin metal(II) complexes." *Polish Journal of Chemistry* 83(10): 1745-1755.
145. [12] Georgieva, I., N. Trendafilova, B. S. Creaven, M. Walsh, A. Noble, M. McCann (2009). "Is the C{double bond, long}O frequency shift a reliable indicator of coumarin binding to metal ions through the carbonyl oxygen?" *Chemical Physics* 365(1-2): 69-79. doi:10.1016/j.chemphys.2009.10.004
146. [13] Heravi, M. M., S. Sadjadi, N. M. Haj, H. A. Oskooie, F. F. Bamoharram (2009). "Role of various heteropolyacids in the reaction of 4-hydroxycoumarin, aldehydes and ethylcyanoacetate." *Catalysis Communications* 10(13): 1643-1646. doi:10.1016/j.catcom.2009.04.031
147. [14] Kapoor, S. (2009). "Lanthanum and its rapidly emerging role as an anti-carcinogenic agent." *Journal of Cellular Biochemistry* 106(2): 193. doi:10.1002/jcb.21985
148. [15] Kharadi, G. J., K. D. Patel (2009a). "Synthesis, spectroscopic, thermal and biological aspect of mixed ligand copper(II) complexes." *Journal of Thermal Analysis and Calorimetry* 96(3): 1019-1028. doi:10.1007/s10973-009-0038-z
149. [16] Kharadi, G. J., K. D. Patel (2009b). "Antibacterial, spectral and thermal aspects of drug based-Cu(II) mixed ligand complexes." *Applied Organometallic Chemistry* 23(10): 391-397. doi:10.1002/aoc.1530
150. [17] Marzano, C., M. Pellei, F. Tisato, C. Santini (2009). "Copper complexes as anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 9(2): 185-211. doi:10.2174/187152009787313837
151. [18] Refat, M. S., I. M. El-Deen, Z. M. Anwer, S. El-Ghol (2009). "Bivalent transition metal complexes of coumarin-3-yl thiosemicarbazone derivatives: Spectroscopic, antibacterial activity and thermogravimetric studies." *Journal of Molecular Structure* 920(1-3): 149-162. doi:10.1016/j.molstruc.2008.10.059
152. [19] Chen, Z. F., H. Liang (2010). "Progresses in TCM metal-based antitumor agents." *Anti-Cancer Agents in Medicinal Chemistry* 10(5): 412-423. doi:10.2174/1871520611009050412
153. [20] Heravi, M. M., F. Nahavandi, S. Sadjadi, H. A. Oskooie, F. F. Bamoharram (2010). "Efficient synthesis of bis-coumarins using silica-supported preysler nanoparticles." *Synthetic Communications* 40(4): 498-503. doi:10.1080/00397910902985556
154. [21] Shen, L., Z. Lan, X. Sun, L. Shi, Q. Liu, J. Ni (2010). "Proteomic analysis of lanthanum citrate-induced apoptosis in human cervical carcinoma SiHa cells." *BioMetals* 23(6): 1179-1189. doi:10.1007/s10534-010-9368-3
155. [22] Shyamala, B. S., P. V. Anantha Lakshmi, V. J. Tyaga Raju (2010). "Synthesis, antifeedant and insect growth-regulating activity of N-(2-nitro)benzylidene-3 aminocoumarin complexes and their physico-chemical characterization." *International Journal of Pharmacy and Pharmaceutical Sciences* 2(SUPPL. 4): 150-152.
156. [23] Boldyrev, I. A., G. P. Gaenko, E. V. Moiseeva, T. Deligeorgiev, S. Kaloyanova, N. Lesev, A. Vasilev, J. G. Molotkovsky (2011). "Europium complexes of 1,10-phenanthrolines: Their inclusion in liposomes and cytotoxicity." *Russian Journal of Bioorganic Chemistry* 37(3): 364-368. doi:10.1134/S106816201103006X
157. [24] Chen, Z., Q. Zhu, W. Su (2011). "A novel sulfonic acid functionalized ionic liquid catalyzed multicomponent synthesis of 10,11-dihydrochromeno[4,3-b]chromene-6,8(7H,9H)-dione derivatives in water." *Tetrahedron Letters* 52(20): 2601-2604. doi:10.1016/j.tetlet.2011.03.059
158. [25] Durgo, K., I. Halec, I. Šola, J. Franekić (2011). "Cytotoxic and genotoxic effects of the quercetin/lanthanum complex on human cervical carcinoma cells in vitro." *Arhiv za Higijenu Rada i Toksikologiju* 62(3): 221-227. doi:10.2478/10004-1254-62-2011-2122
159. [26] Patil, S. A., S. N. Unki, A. D. Kulkarni, V. H. Naik, P. S. Badami (2011). "Synthesis, characterization, in vitro antimicrobial and DNA cleavage studies of Co(II), Ni(II) and Cu(II) complexes with ONOO donor coumarin Schiff bases." *Journal of Molecular Structure* 985(2-3): 330-338. doi:10.1016/j.molstruc.2010.11.016
160. [27] Ahmed, N., B. V. Babu, S. Singh, P. M. Mitrasinovic (2012). "An efficient one-pot three-component synthesis of highly functionalized coumarin fused indenodihydropyridine and chromeno[4,3-b]quinoline derivatives." *Heterocycles* 85(7): 1629-1653. doi:10.3987/COM-12-12494
161. [28] Carbonaro, C. M., P. C. Ricci, M. F. Casula, G. Tocco, M. Cubeddu (2012). "Optical characterization of PEG-supported 7-hydroxy-4-methylcoumarin in distilled water solution." *Journal of Physical Chemistry A* 116(47): 11531-11535. doi:10.1021/jp3080628
162. [29] Drzewiecka, A., A. E. Koziol, M. T. Klepka, A. Wolska, H. Przybylinska, S. B. Jimenez-Pulido, K. Ostrowska, M. Struga, J. Kossakowski, T. Lis (2012). "Synthesis and structural studies of novel Cu(II) complexes with hydroxy derivatives of benzo[b]furan and coumarin." *Polyhedron* 43(1): 71-80. doi:10.1016/j.poly.2012.05.042
163. [30] Guha, S., M. Dutta, D. Das (2012). "Multipurpose applications of coumarin derivatives with special emphasis on the fluorescent probes." *Journal of the Indian Chemical Society* 89(12): 1603-1632.
164. [31] Karimi-Jaberi, Z., M. R. Nazarifar, B. Pooladian (2012). "Tris(hydrogensulfato) boron as a solid heterogeneous catalyst for the rapid synthesis of α,α' -benzylidene bis(4-hydroxycoumarin) derivatives." *Chinese Chemical Letters* 23(7): 781-784. doi:10.1016/j.cclet.2012.05.003
165. [32] Patil, S. A., S. N. Unki, P. S. Badami (2012). "In vitro antibacterial, antifungal, and dna cleavage studies of coumarin schiff bases and their metal complexes: Synthesis and spectral characterization." *Medicinal Chemistry Research* 21(12): 4017-4027. doi:10.1007/s00044-011-9932-6
166. [33] Świątek, M., A. Kufelnicki (2012). "Metal - Ligand interaction of lanthanides with coumarin derivatives. Part I. Complexation of 3-(1-aminoethylidene)-2H-chromene-2,4(3H)-dione with La(III), Ce(III), Nd(III) and Ho(III)." *Acta Poloniae Pharmaceutica - Drug Research* 69(6): 1001-1007.
167. [34] Tabatabaeian, K., H. Heidari, A. Khorshidi, M. Mamaghani, N. O. Mahmoodi (2012). "Synthesis of biscoumarin derivatives by the reaction of aldehydes and 4-hydroxycoumarin using ruthenium(III) chloride hydrate as a versatile homogeneous catalyst." *Journal of the Serbian Chemical Society* 77(4): 407-413. doi:10.2298/JSC110427189T

168. [35] Chen, Z., J. Bi, W. Su (2013). "Synthesis and antitumor activity of novel coumarin derivatives via a three-component reaction in water." *Chinese Journal of Chemistry* 31(4): 507-514. doi:10.1002/cjoc.201201130
169. [36] Dehari, D., M. Shehaby, S. Dehari, S. Govori (2013). "New Complexes of Co(II) and Cd(II) Using 4-Hydroxy-2-Oxo-2H Chromene-3-Carboxamide as Ligand." *Research Journal of Applied Sciences* 8(2): 112-115. doi:10.3923/rjasci.2013.112.115
170. [37] Dholariya, H. R., K. S. Patel, J. C. Patel, K. D. Patel (2013). "Dicoumarol complexes of Cu(II) based on 1,10-phenanthroline: Synthesis, X-ray diffraction studies, thermal behavior and biological evaluation." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 108: 319-328. doi:10.1016/j.saa.2012.09.096
171. [38] Guan, Q. L., Y. H. Xing, J. Liu, W. J. Wei, R. Zhang, X. Wang, F. Y. Bai (2013). "Application of multiple parallel perfused microbioreactors: Synthesis, characterization and cytotoxicity testing of the novel rare earth complexes with indole acid as a ligand." *Journal of Inorganic Biochemistry* 128: 57-67. doi:10.1016/j.jinorgbio.2013.07.018
172. [39] Patel, A. K., J. C. Patel, H. R. Dholariya, K. S. Patel, V. K. Patel, K. D. Patel (2013a). "Synthesis, characterization and biological evaluation: Copper(II) complexes of hydroxy coumarins with ciprofloxacin." *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 4(3): 564-579.
173. [40] Patel, K. S., J. C. Patel, H. R. Dholariya, K. D. Patel (2013b). "Synthesis, thermal, and biological studies of newly synthesized Cu(II) complexes with ciprofloxacin based on bromo-coumarins derivatives." *Synthesis and Reactivity in Inorganic, Metal-Organic and Nano-Metal Chemistry* 43(8): 1049-1058. doi:10.1080/15533174.2012.754763
174. [41] Rai, B. K., S. N. Vidyarthi, O. Prakash, A. Baluni (2013). "Antimicrobial activity of Co(II), Ni(II) and Cu(II) coordination compounds with nitrogen, oxygen containing Schiff base." *Oriental Journal of Chemistry* 29(2): 801-806. doi:10.13005/ojc/290264
175. [42] Saturnino, C., M. Bortoluzzi, M. Napoli, A. Popolo, A. Pinto, P. Longo, G. Paolucci (2013). "New insights on cytotoxic activity of group 3 and lanthanide compounds: Complexes with [N,N,N]-scorpionate ligands." *Journal of Pharmacy and Pharmacology* 65(9): 1354-1359. doi:10.1111/jphp.12112
176. [43] Yang, L., B. Wang, J. Tan, L. Zhu (2013). "The DNA-binding and bioactivity of rare earth metal complexes." *Mini-Reviews in Medicinal Chemistry* 13(10): 1487-1500. doi:10.2174/1389557511313100009
177. [44] Ziarani, G. M., A. Badiei, M. Azizi, N. Lashgari (2013). "Efficient one-pot synthesis of bis(4-hydroxycoumarin)methanes in the presence of sulfonic acid functionalized nanoporous silica (SBA-Pr-SO₃H)." *Journal of the Chinese Chemical Society* 60(5): 499-502. doi:10.1002/jccs.201200530
178. [45] Aychiluhim, T. B., V. R. Rao (2014). "Efficient, one-pot synthesis of triazolothiadiazinyl-pyrazolone and pyrazolyl-triazolothiadiazine derivatives via multicomponent reaction." *Synthetic Communications* 44(10): 1422-1429. doi:10.1080/00397911.2012.721917
179. [46] Babaei, H., N. Montazeri (2014). "Nano TiO₂: An efficient catalyst for the synthesis of biscoumarins in aqueous medium." *Oriental Journal of Chemistry* 30(2): 577-580. doi:10.13005/ojc/300223
180. [47] Butler, I. S., D. F. R. Gilson, B. J. Jean-Claude, S. I. Mostafa (2014). "Synthesis of new 4-methylesculetin complexes as anti-neoplastic agents and X-ray structure of dimeric bis-bipyridyl-bis-4-methylesculetinato zinc(II) SI: Antitumor Active Organotin Compounds." *Inorganica Chimica Acta* 423(PB): 132-143. doi:10.1016/j.ica.2014.05.048
181. [48] Dekić, B., S. Samaržija-Jovanović, V. Jovanović, V. Dekić, N. Radulović, R. Simonović, M. Marinović-Cincović (2014). "Influence of the aryl substituent identity in 4-arylamino-3-nitrocoumarins on their thermal behavior." *Journal of Thermal Analysis and Calorimetry* 115(2): 1619-1626. doi:10.1007/s10973-013-3357-z
182. [49] Georgieva, I., T. Mihaylov, N. Trendafilova (2014). "Lanthanide and transition metal complexes of bioactive coumarins: Molecular modeling and spectroscopic studies." *Journal of Inorganic Biochemistry* 135: 100-112. doi:10.1016/j.jinorgbio.2014.03.003
183. [50] Köse, D. A., B. Öztürk, O. Şahin, O. Büyükgüngör (2014). "Mixed ligand complexes of coumarilic acid/nicotinamide with transition metal complexes: Synthesis and structural investigation." *Journal of Thermal Analysis and Calorimetry* 115(2): 1515-1524. doi:10.1007/s10973-013-3415-6
184. [51] Shirini, F., M. Abedini, S. Abroon Kiaroudi (2014). "Introduction of titania sulfonic acid (TiO₂-SO₃H) as a new, efficient, and reusable heterogeneous solid acid catalyst for the synthesis of biscoumarins." *Phosphorus, Sulfur and Silicon and the Related Elements* 189(9): 1279-1288. doi:10.1080/10426507.2013.858254
185. [52] Wang, Q., Y. Huang, J. S. Zhang, X. B. Yang (2014). "Synthesis, characterization, DNA interaction, and antitumor activities of Ia (III) complex with schiff base ligand derived from kaempferol and diethylenetriamine." *Bioinorganic Chemistry and Applications* 2014. doi:10.1155/2014/354138
186. [53] Heravi, M. M., N. Ghobadi (2015). "Nano-magnetite as an eco-friendly and magnetically separable catalyst for a one-pot synthesis of pyrano [2, 3-c]pyrazoles and bis(4-hydroxycoumarin-3-yl)methane derivatives." *Scientia Iranica* 22(3): 911-918.
187. [54] Irvani, N., M. Keshavarz, M. Mousavi, M. Baghernejad (2015). "Melamine trisulfonic acid: An efficient and recyclable solid acid catalyst for the green synthesis of Biscoumarin derivatives." *Iranian Journal of Catalysis* 5(1): 65-71.
188. [55] Kaur, M., S. Kohli, S. Sandhu, Y. Bansal, G. Bansal (2015). "Coumarin: A promising scaffold for anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 15(8): 1032-1048. doi:10.2174/1871520615666150101125503
189. [56] Nikpassand, M., L. Z. Fekri, L. Karimian, M. Rassa (2015). "Synthesis of biscoumarin derivatives using nanoparticle Fe₃O₄ as an efficient reusable heterogeneous catalyst in aqueous media and their antimicrobial activity." *Current Organic Synthesis* 12(3): 358-362. doi:10.2174/1570179411666141101001949
190. [57] Shirini, F., M. Abedini, S. Zamani, H. Fallah Moafi (2015). "Introduction of W-doped ZnO nanocomposite as a new and efficient nanocatalyst for the synthesis of biscoumarins in water." *Journal of Nanostructure in Chemistry* 5(1): 123-130. doi:10.1007/s40097-014-0143-9
191. [58] Kancheva, V. D., S. E. Angelova, A. K. Slavova-Kazakova (2016). Kinetics and mechanism of inhibited lipid autoxidation in presence of 4-substituted-coumarins. In: *Lipid Peroxidation: Inhibition, Effects and Mechanisms*(Ed.): 213-247.
192. [59] Zolfigol, M. A., R. Ayazi-Nasrabadi, S. Bagheri (2016). "Synthesis of the first nanomagnetic particles with semicarbazide-based acidic ionic liquid tag: an efficient catalyst for the synthesis of 3,3'-(arylmethylene)bis(4-hydroxycoumarin) and 1-carbamato-alkyl-2-naphthol derivatives under mild and green conditions." *Applied Organometallic Chemistry* 30(7): 500-509. doi:10.1002/aoc.3461
193. [60] Aiyelabola, T., E. Akinkunmi, E. Obuotor, I. Olawuni, D. Isabirye, J. Jordaan (2017). "Synthesis Characterization and Biological Activities of Coordination Compounds of 4-Hydroxy-3-nitro-2 H-chromen-2-one and Its Aminoethanoic Acid and Pyrrolidine-2-carboxylic Acid Mixed Ligand Complexes." *Bioinorganic Chemistry and Applications* 2017. doi:10.1155/2017/6426747
194. [61] Caporale, A., G. Palma, A. Mariconda, V. Del Vecchio, D. Iacopetta, O. I. Parisi, M. S. Sinicropi, F. Puoci, C. Arra, P. Longo, C. Saturnino (2017). "Synthesis & antitumor activity of new group 3 Metalloocene complexes." *Molecules* 22(4). doi:10.3390/molecules22040526
195. [62] Dağlı, Ö., D. A. Köse, G. A. Avcı, O. Şahin (2017). "Novel mixed-ligand complexes of coumarilate/N,N'-diethylnicotinamide with some transition metals: Synthesis and structural characterization." *Journal of Thermal Analysis and Calorimetry* 129(3): 1389-1402. doi:10.1007/s10973-017-6373-6
196. [63] Hassan, N., A. Z. El-Sonbati, M. G. El-Desouky (2017). "Synthesis, characterization, molecular docking and DNA binding studies of Cu(II), Ni(II), Zn(II) and Mn(II) complexes." *Journal of Molecular Liquids* 242: 293-307. doi:10.1016/j.molliq.2017.07.019
197. [64] Kammari, K., K. Devaraya, A. Bommakanti, A. K. Kondapi (2017). "Development of pyridine dicoumarols as potent anti HIV-1 leads, targeting HIV-1 associated topoisomeraseII β kinase." *Future Medicinal Chemistry* 9(14): 1597-1609. doi:10.4155/fmc-2017-0091

198. [65] Ostrowska, K., D. Maciejewska, A. Drzewiecka-Antonik, M. T. Klepka, A. Wolska, Ł. Dobrzycki, A. Sztokfisz, A. Czajkowska, I. Młynarczuk-Biały (2017). "Synthesis, spectroscopic characterization, X-ray study and in vitro cytotoxicity of 5-hydroxycoumarin derivatives and their copper complexes." *Journal of Molecular Structure* 1145: 292-299. doi:10.1016/j.molstruc.2017.05.104
199. [66] Shirini, F., M. P. Latif (2017). "BiVO₄-NPs: an efficient nano-catalyst for the synthesis of biscoumarins, bis(indolyl)methanes and 3,4-dihydropyrimidin-2(1H)-ones (thiones) derivatives." *Journal of the Iranian Chemical Society* 14(1): 75-87. doi:10.1007/s13738-016-0959-y
200. [67] Sulaiman Al-Ayed, A. (2017). "4-Hydroxy-3-carboxycoumarin as an efficient building block for new ruthenium(II) complexes: synthesis, characterization, antibacterial, antioxidant and anti-inflammatory activities." *Applied Organometallic Chemistry* 31(5). doi:10.1002/aoc.3605
201. [68] Aly, H. M., R. H. Taha, N. M. El-Deeb, A. Alshehri (2018). "Efficient procedure with new fused pyrimidinone derivatives, Schiff base ligand and its La and Gd complexes by green chemistry." *Inorganic Chemistry Frontiers* 5(2): 454-473. doi:10.1039/c7qi00694b
202. [69] Hassan, S. S. (2018). "Antibacterial, DFT and molecular docking studies of Rh(III) complexes of Coumarinyl-Thiosemicarbazone nuclei based ligands." *Applied Organometallic Chemistry* 32(3). doi:10.1002/aoc.4170
203. [70] Klepka, M. T., A. Drzewiecka-Antonik, A. Wolska, P. Rejmak, M. Struga (2018). "Structural studies of Cu(II) complexes with coumarin acid derivatives obtained using direct and electrochemical synthesis." *Chemical Physics Letters* 691: 190-195. doi:10.1016/j.cplett.2017.11.010
204. [71] Parvanak Boroujeni, K., A. Farokhnia, M. Shahrokh, M. Mobini (2018). "Investigation of catalytic, anti-bacterial, anti-oxidant, and DNA cleavage properties of bimetallic and trimetallic magnetic nanoalloys base on copper." *Inorganic and Nano-Metal Chemistry* 48(11): 521-529. doi:10.1080/24701556.2019.1574818
205. [72] Sadjadi, S., M. M. Heravi, V. Zadsirjan, S. Y. S. Beheshtiha, R. R. Kelishadi (2018). "HPA@Methenamine-HNTs: A Novel Catalyst for Promoting One-Pot and Three-Component Synthesis of Chromenopyrimidine-2,5-Diones and Thioxochromenopyrimidin-5-ones in Aqueous Media." *ChemistrySelect* 3(43): 12031-12038. doi:10.1002/slct.201801293
206. [73] Belkhir-Talbi, D., M. Makhlofi-Chebli, S. Terrachet-Bouaziz, D. Hikem-Oukacha, N. Ghemmit, L. Ismaili, A. M.S Silva, M. Hamdi (2019). "Synthesis, characterization, theoretical studies, ADMET and drug-Likeness analysis: Electrochemical and biological activities of metal complexes of 3-(2-hydroxybenzoyl)-2H-chromen-2-one." *Journal of Molecular Structure* 1179: 495-505. doi:10.1016/j.molstruc.2018.11.035
207. [74] Hossain, M. A., C. Y. L. Low, C. M. Sheikh, J. C. Juan, H. V. Lee (2019). "Synthesis, X-ray diffraction studies, thermal behavior and catalytic investigation of Cu(II) complexes for levulinic acid-based polyol esters." *Journal of Molecular Structure* 1175: 566-576. doi:10.1016/j.molstruc.2018.08.011
208. [75] Rostami, E., S. Hamidi Zare (2019). "Double Brønsted Acidic Media Immobilized on Carbonized Sugarcane Bagasse (CSCB) as a New and Efficient Solid Acid Catalyst for the Synthesis of Coumarins, Dicomarols and Xanthenes." *ChemistrySelect* 4(45): 13295-13303. doi:10.1002/slct.201902864
209. [76] Shahraki, S., F. Shiri, M. Heidari Majd, S. Dahmardeh (2019). "Anti-cancer study and whey protein complexation of new lanthanum(III) complex with the aim of achieving bioactive anticancer metal-based drugs." *Journal of Biomolecular Structure and Dynamics* 37(8): 2072-2085. doi:10.1080/07391102.2018.1476266
210. [77] Zeynizadeh, B., S. Rahmani (2019). "Sulfonyl-bridged (copper-immobilized nickel ferrite) with activated montmorillonite, [(NiFe₂O₄@Cu)/SO₂(MMT)]: a new class of magnetically separable clay nanocomposite systems towards Hantzsch synthesis of coumarin-based 1,4-dihydropyridines." *RSC Advances* 9(14): 8002-8015. doi:10.1039/c9ra00177h
211. [78] Ikram, M., S. Rehman, A. Khan, A. Jadoon, M. O. Sinnokrot (2020). "Theoretical and structural studies of a stable dinuclear sodium complex of dicoumarol-3,3'-(pyridin-3-ylmethanediyl)bis(4-hydroxy-2H-chromen-2-one)." *Journal of Molecular Structure* 1222. doi:10.1016/j.molstruc.2020.128956
212. [79] Safaei-Ghomi, J., F. Eshteghal, H. Shahbazi-Alavi (2020). "An Efficient Synthesis of Dihydropyrano[3,2-c]chromene and Biscoumarin Derivatives Catalyzed by Ionic Liquid Immobilized on FeNi₃ Nanocatalyst." *Polycyclic Aromatic Compounds* 40(1): 13-20. doi:10.1080/10406638.2017.1348368
213. [80] Shahbazi-Alavi, H., A. Kareem Abbas, J. Safaei-Ghomi (2020). "Sonosynthesis of pyranochromenes and biscoumarins catalyzed by Co₃O₄/NiO@GQDs@SO₃H nanocomposite." *Nanocomposites* 6(2): 56-65. doi:10.1080/20550324.2020.1776492
214. [81] Tekuri, C. S., P. Singh, M. Nath (2020). "Construction of coumarin-fused pyridol[2,3-b] porphyrins through a trichloroacetic acid-accelerated domino approach." *Organic and Biomolecular Chemistry* 18(13): 2516-2523. doi:10.1039/d0ob00171f
215. [82] Zeynizadeh, B., M. Hasanpour Galehban, Z. Shokri (2020a). "The immobilized Ni(II) species on thiourea functionalized copper ferrite: a reusable nanocatalyst for synthesis of biscoumarins under solvent-free conditions." *Journal of the Iranian Chemical Society* 17(6): 1493-1505. doi:10.1007/s13738-020-01878-2
216. [83] Zeynizadeh, B., M. Sadeghbari, N. Noroozi Pesyan (2020b). "Fabrication and characterization of the immobilized Cu(II) and Ni(II) species on silica-coated copper ferrite: as novel magnetically reusable nanocatalysts toward synthesis of biscoumarins." *Journal of the Iranian Chemical Society* 17(1): 73-88. doi:10.1007/s13738-019-01750-y
217. [84] Chundawat, N. S., S. Jadoun, P. Zarrintaj, N. P. S. Chauhan (2021). "Lanthanide complexes as anticancer agents: A review." *Polyhedron* 207. doi:10.1016/j.poly.2021.115387
218. [85] El hajri, F., Z. Benzekri, S. Sibous, A. Ouasri, S. Boukhris, A. Hassikou, A. Rhandour, A. Souizi (2021). "Bis [hydrazinium (1+)] hexafluoridosilicate:(N₂H₅)₂SiF₆ novel hybrid crystal as an efficient, reusable and environmentally friendly heterogeneous catalyst for Knoevenagel condensation and synthesis of biscoumarin derivatives." *Journal of Molecular Structure* 1230. doi:10.1016/j.molstruc.2021.129890
219. [86] Gromak, N. A., F. A. Kolokolov, V. V. Dotsenko, N. A. Aksenov, I. V. Aksenova (2021). "Synthesis and Luminescent Properties of Eu³⁺ and Tb³⁺ Complexes with Coumarin-3-carboxylic Acids." *Russian Journal of General Chemistry* 91(4): 685-692. doi:10.1134/S1070363221040174
220. [87] Hallaoui, A. E., S. Chehab, T. Ghailane, B. Malek, O. Zimou, S. Boukhriss, A. Souizi, R. Ghailane (2021). "Application of Phosphate Fertilizer Modified by Zinc as a Reusable Efficient Heterogeneous Catalyst for the Synthesis of Biscoumarins and Dihydropyrano[3,2-c]Chromene-3-Carbonitriles under Green Conditions." *Polycyclic Aromatic Compounds* 41(10): 2083-2102. doi:10.1080/10406638.2019.1710853
221. [88] Malacaria, L., G. A. Corrente, E. Furia (2021). "Thermodynamic study on the dissociation and complexation of coumarinic acid with neodymium(III) and dioxouranium(VI) in aqueous media." *Applied Sciences (Switzerland)* 11(10). doi:10.3390/app11104475
222. [89] Mirjalili, B. B. F., R. Soltani, A. Bamoniri (2021). "Nano-kaolin/Ti(IV)/Fe₃O₄: a Natural Based Magnetic Nanocatalyst for the Synthesis of Coumarins." *Journal of Nanostructures* 11(2): 243-251. doi:10.22052/JNS.2021.02.005
223. [90] Sahni, T., S. Sharma, D. Verma, P. Kaur (2021). "Overview of Coumarins and its Derivatives: Synthesis and Biological Activity." *Letters in Organic Chemistry* 18(11): 880-902. doi:10.2174/1570178617999201006195742
224. [91] Ashraf, J., M. A. Riaz (2022). "Biological potential of copper complexes: a review." *Turkish Journal of Chemistry* 46(3): 595-623. doi:10.55730/1300-0527.3356
225. [92] Mohamed, E. F., S. S. Hassan (2022). "Synthesis, DFT, Antibacterial and Molecular Docking Studies of Novel La(III) Complex of Benzo-Chromen Substituted Thiosemicarbazide." *Egyptian Journal of Chemistry* 65(12): 11-19. doi:10.21608/EJCHEM.2022.131586.5798
226. [93] Soumya, F., M. Youssef, B. Hanane, C. Soukaina, B. Badr, N. Abderrazak, G. Rachida, S. Abdelaziz, G. Taoufiq (2023). "Synthesis and characterization of Bi₁₇Ba_{0.45}V₂,1-xP_xO_{31.2} composite and their application as heterogeneous catalysts in biscoumarins derivatives synthesis." *Results in Chemistry* 5. doi:10.1016/j.rechem.2022.100746

227. [94] Abdolmaleki, S., A. Aliabadi, S. Khaksar (2024). "Unveiling the promising anticancer effect of copper-based compounds: a comprehensive review." *Journal of Cancer Research and Clinical Oncology* 150(4). doi:10.1007/s00432-024-05641-5
228. [95] Yin, M., K. Yuan, Z. Lv, Y. Yuan, X. Feng, Q. Wu (2024). "Novel Lanthanum-Based Fluorescent Drug-Loaded Microspheres for Tracing and Inhibition of the HepG2 Cells Line." *Journal of Macromolecular Science, Part B: Physics*. doi:10.1080/00222348.2024.2316494

Публ. с IF № 7. **Bakalova, A., Buyukliev, R., Momekov, G., Ivanov, D., Todorov, D., Konstantinov, S., Karaivanova, M.** Synthesis, physicochemical and in vitro pharmacological investigation of new platinum (II) complexes with some cycloalkanespiro-5'-hydantoins (2005) *European Journal of Medicinal Chemistry*, 40 (6): 590-596. (IF 2,022)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-19544374877&doi=10.1016%2fj.ejmech.2005.01.009&partnerID=40&md5=5d4462754727e20e446253da36651aac>
 DOI: 10.1016/j.ejmech.2005.01.009

Установени цитирания: в SCOPUS (15)

229. [1] Akdag, A., S. D. Worley, O. Acevedo, M. L. McKee (2007). "Mechanism of 5,5-dimethylhydantoin chlorination: Monochlorination through a dichloro intermediate." *Journal of Chemical Theory and Computation* 3(6): 2282-2289. doi:10.1021/ct7001804
230. [2] Ahmedova, A., P. Marinova, G. Tyuliev, M. Mitewa (2008). "Copper complexes of two cycloalkanespiro-5-dithiohydantoins: Synthesis, oxidation states and characterization." *Inorganic Chemistry Communications* 11(5): 545-548. doi:10.1016/j.inoche.2008.01.023
231. [3] Ahmedova, A., P. Marinova, K. Paradowska, N. Stoyanov, I. Wawer, M. Mitewa (2010a). "Spectroscopic aspects of the coordination modes of 2,4-dithiohydantoins: Experimental and theoretical study on copper and nickel complexes of cyclohexanespiro-5-(2,4-dithiohydantoin)." *Inorganica Chimica Acta* 363(14): 3919-3925. doi:10.1016/j.ica.2010.07.050
232. [4] Ahmedova, A., P. Marinova, K. Paradowska, M. Marinov, I. Wawer, M. Mitewa (2010b). "Structure of 2,4-dithiohydantoin complexes with copper and nickel: Solid-state NMR as verification method." *Polyhedron* 29(6): 1639-1645. doi:10.1016/j.poly.2010.02.008
233. [5] Tabatabaei, J. M., N. Z. Shiraz, S. Shafiee, M. T. Baei (2011). "Synthesis and Spectroscopic Studies of Pt (II) and ni (II) complex Compounds with hydantoin Derivatives." *World Applied Sciences Journal* 13(2): 304-308.
234. [6] Sabounchei, S. J., P. Shahriary, Y. Gholiee, S. Salehzadeh, H. R. Khavasi, A. Chehregani (2014). "Platinum and palladium complexes with 5-methyl-5-(2-pyridyl)-2,4-imidazolidinedione: Synthesis, crystal and molecular structure, theoretical study, and pharmacological investigation." *Inorganica Chimica Acta* 409(PART B): 265-275. doi:10.1016/j.ica.2013.09.051
235. [7] Sabounchei, S. J., P. Shahriary, S. Salehzadeh, Y. Gholiee, D. Nematollahi, A. Chehregani, A. Amani, Z. Afsartala (2015). "Pd(II) and Pd(IV) complexes with 5-methyl-5-(4-pyridyl)hydantoin: Synthesis, physicochemical, theoretical, and pharmacological investigation." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 135: 1019-1031. doi:10.1016/j.saa.2014.08.002
236. [8] Ahmedova, A., P. Marinova, M. Marinov, N. Stoyanov (2016). "An integrated experimental and quantum chemical study on the complexation properties of (9'-fluorene)-spiro-5-hydantoin and its thioanalogue." *Journal of Molecular Structure* 1108: 602-610. doi:10.1016/j.molstruc.2015.12.018
237. [9] Antonov, V., M. Nedyalkova, P. Tzvetkova, A. Ahmedova (2016). "Solid State Structure Prediction Through DFT Calculations and ¹³C NMR Measurements: Case Study of Spiro-2,4-dithiohydantoins." *Zeitschrift für Physikalische Chemie* 230(5-7): 909-930. doi:10.1515/zpch-2015-0710
238. [10] Konner, L., F. Lamaty, J. Martinez, E. Colacino (2017). "Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold." *Chemical Reviews* 117(23): 13757-13809. doi:10.1021/acs.chemrev.7b00067
239. [11] Kumar, V. (2021). "Designed Synthesis of Diversely Substituted Hydantoins and Hydantoin-Based Hybrid Molecules: A Personal Account." *Synlett* 32(19): 1897-1910. doi:10.1055/a-1480-6474
240. [12] Badar, R., U. Ashiq, R. A. Jamal, P. Akhter, M. Mahroof-Tahir, S. Gul, S. T. Ali (2022). "In vitro Synthesis, Structure Elucidation, and Antioxidant Properties of Platinum(IV)-hydrazide Complexes: Molecular Modeling of Free-Hydrazides Suggested as Potent Lipoxxygenase Inhibitor." *Medicinal Chemistry* 18(1): 97-114. doi:10.2174/1573406417666210216160941
241. [13] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207
242. [14] Dewi, M. H. C., H. Syaima, S. Wahyuningsih, W. W. Lestari, S. B. Rahardjo (2023). Synthesis and characterization of complex of copper(II) with hydantoin. *Journal of Physics: Conference Series*.
243. [15] Moniriyani, F., S. Jamal Tabatabaei Rezaei, S. Javad Sabounchei (2024). "Pegylated magnetic carbon nanotubes for efficient and safe delivery of poorly water-soluble platinum anticancer drugs." *Results in Chemistry* 7. doi:10.1016/j.rechem.2023.101275

Публ. с IF № 8. **Momekov, G., Bakalova, A., Karaivanova, M.** Novel approaches towards development of non-classical platinum-based antineoplastic agents: Design of platinum complexes characterized by an alternative DNA-binding pattern and/or tumor-targeted cytotoxicity (2005) *Current Medicinal Chemistry*, 12 (19): 2177-2191. (IF 4,904)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-23844453144&doi=10.2174%2f0929867054864877&partnerID=40&md5=0c60d0a1e960b67188bce943e300b280>
 DOI: 10.2174/0929867054864877
 ISSN: 09298673

Установени цитирания: в SCOPUS (86); в патенти (4); общо 90

244. [1] Barbara, C., P. Orlandi, G. Bocci, A. Fioravanti, A. Di Paolo, G. Natale, M. Del Tacca, R. Danesi (2006). "In vitro and in vivo antitumor effects of novel, orally active bile acid-conjugated platinum complexes on rat hepatoma." *European Journal of Pharmacology* 549(1-3): 27-34. doi:10.1016/j.ejphar.2006.08.015
245. [2] Lutterman, D. A., P. K. L. Fu, C. Turro (2006). "cis-[Rh2(μ -O2CCH3)2(CH3CN)6]2+ as a photoactivated cisplatin analog." *Journal of the American Chemical Society* 128(3): 738-739. doi:10.1021/ja057620q
246. [3] Najafreh, Y., Y. Ardali-Tzaraf, J. Kasparkova, P. Heringova, D. Prilutski, L. Balter, S. Jawbry, E. Khazanov, J. M. Perez, Y. Barenholz, V. Brabec, D. Gibson (2006). "Interactions of platinum complexes containing cationic, bicyclic, nonplanar piperidinopiperidine ligands with biological nucleophiles." *Journal of Medicinal Chemistry* 49(15): 4674-4683. doi:10.1021/jm060238j
247. [4] Zhao, M., L. Bi, W. Wang, C. Wang, M. Baudy-Floc'h, J. Ju, S. Peng (2006). "Synthesis and cytotoxic activities of β -carboline amino acid ester conjugates." *Bioorganic and Medicinal Chemistry* 14(20): 6998-7010. doi:10.1016/j.bmc.2006.06.021
248. [5] Chen, X., M. Xie, W. Liu, Q. Ye, Y. Yu, S. Hou, W. Gao, Y. Liu (2007). "Synthesis and structure of platinum(II) complexes containing an asymmetric chelating diamine 2-morpholinoethylamine as the carrier." *Inorganica Chimica Acta* 360(8): 2851-2856. doi:10.1016/j.ica.2007.01.016
249. [6] Guddneppanavar, R., U. Bierbach (2007). "Adenine-N3 in the DNA minor groove - An emerging target for platinum containing anticancer pharmacophores." *Anti-Cancer Agents in Medicinal Chemistry* 7(1): 125-138. doi:10.2174/187152007779313991
250. [7] Liu, W. P., L. G. Lou, Q. S. Ye, Y. Yu, X. Z. Chen, S. Q. Hou (2007). Chemical preparation and biological evaluation of novel lipophilic platinum(II) complexes of salicylate derivatives. 31st Annual Conference of the International Precious Metals Institute 2007 and Petroleum Refining Seminar 2006.
251. [8] Wu, J., G. Cui, M. Zhao, C. Cui, S. Peng (2007). "Novel N-(3-carboxyl-9-benzylcarboline-1-yl)ethylamino acids: Synthesis, anti-proliferation activity and two-step-course of intercalation with calf thymus DNA." *Molecular BioSystems* 3(12): 855-861. doi:10.1039/b712092n
252. [9] Ye, Q. S., L. G. Lou, Z. Y. Liu, W. P. Liu, S. Q. Hou, X. Z. Chen, Y. Yu (2007a). "Synthesis, characterization and cytotoxicity of diam(m)-ineplatinum(II) complexes containing β -phenylisuccinate ligand." *Archiv der Pharmazie* 340(11): 599-602. doi:10.1002/ardp.200700114
253. [10] Ye, Q. S., L. G. Lou, W. P. Liu, Y. Yu, X. Z. Chen, S. Q. Hou, W. Q. Gao, Y. Liu (2007b). "Synthesis and in vitro cytotoxicity of novel lipophilic (diamine)platinum(II) complexes of salicylate derivatives." *Bioorganic and Medicinal Chemistry Letters* 17(8): 2146-2149. doi:10.1016/j.bmcl.2007.01.084
254. [11] Chen, X. Z., Q. S. Ye, L. G. Lou, M. J. Xie, W. P. Liu, Y. Yu, S. Q. Hou (2008). "Synthesis and cytotoxicity of platinum(II) complexes of a physiologically active carrier histamine." *Archiv der Pharmazie* 341(2): 132-136. doi:10.1002/ardp.200700155
255. [12] Kvasnica, M., M. Budesinsky, J. Swaczynova, V. Pouzar, L. Kohout (2008). "Platinum(II) complexes with steroidal esters of l-methionine and l-histidine: Synthesis, characterization and cytotoxic activity." *Bioorganic and Medicinal Chemistry* 16(7): 3704-3713. doi:10.1016/j.bmc.2008.02.003
256. [13] Liu, W., C. Qing, X. Chen, Q. Ye, Y. Yu, S. Hou (2008a). "Preparation, characterization and in vitro anticancer activity of platinum(II) complexes with N-cyclohexyl-1,3-propanediamine as the carrier." *Chemical and Pharmaceutical Bulletin* 56(5): 659-662. doi:10.1248/cpb.56.659
257. [14] Liu, W., X. Chen, M. Xie, L. Lou, Q. Ye, Y. Yu, S. Hou (2008b). "Synthesis and anticancer activity of [2-hydroxy-1,3-diaminopropane- κ N,N'] platinum(II) complexes." *Journal of Inorganic Biochemistry* 102(10): 1942-1946. doi:10.1016/j.jinorgbio.2008.07.003
258. [15] Ma, Z., J. R. Choudhury, M. W. Wright, C. S. Day, G. Saluta, G. L. Kucera, U. Bierbach (2008). "A non-cross-linking platinum-acridine agent with potent activity in non-small-cell lung cancer." *Journal of Medicinal Chemistry* 51(23): 7574-7580. doi:10.1021/jm800900g
259. [16] Tajbakhsh, M., P. J. Houghton, C. L. Morton, E. A. Kolb, R. Gorlick, J. M. Maris, S. T. Keir, J. Wu, C. P. Reynolds, M. A. Smith, R. B. Lock (2008). "Initial testing of cisplatin by the pediatric preclinical testing program." *Pediatric Blood and Cancer* 50(5): 992-1000. doi:10.1002/pbc.21263
260. [17] Tan, C., J. Liu, L. Chen, S. Shi, L. Ji (2008). "Synthesis, structural characteristics, DNA binding properties and cytotoxicity studies of a series of Ru(III) complexes." *Journal of Inorganic Biochemistry* 102(8): 1644-1653. doi:10.1016/j.jinorgbio.2008.03.005
261. [18] Ye, Q. S., L. G. Lou, W. P. Liu (2008). "Recent progress in targeting platinum-based antitumor drugs." *Chinese Pharmaceutical Journal* 43(20): 1521-1529.
262. [19] Yu, Y., L. G. Lou, W. P. Liu, H. J. Zhu, Q. S. Ye, X. Z. Chen, W. Gao, S. Q. Hou (2008). "Synthesis and anticancer activity of lipophilic platinum(II) complexes of 3,5-diisopropylsalicylate." *European Journal of Medicinal Chemistry* 43(7): 1438-1443. doi:10.1016/j.ejmech.2007.09.006
263. [20] Huang, F., M. Zhao, X. Zhang, C. Wang, K. Qian, R. Y. Kuo, S. Morris-Natschke, K. H. Lee, S. Peng (2009). "Synthesis, DNA intercalation and 3D QSAR analysis of cis-2,4,5-trisubstituted-1,3-dithiolanes as a novel class of antitumor agents." *Bioorganic and Medicinal Chemistry* 17(16): 6085-6095. doi:10.1016/j.bmc.2009.06.011
264. [21] Montaña, A. M., C. Batalla (2009). "The rational design of anticancer platinum complexes: The importance of the structure-activity relationship." *Current Medicinal Chemistry* 16(18): 2235-2260. doi:10.2174/092986709788453087
265. [22] Monti, E., M. B. Gariboldi, R. Ravizza, R. Molteni, K. Sparnacci, M. Laus, E. Gabano, M. Ravera, D. Osella (2009). "Poly(methylmetacrylate) (PMMA) core-shell nanospheres act as efficient pharmacophores for the antiproliferative [PtCl3(NH3)]- complex by forming ionic couples." *Inorganica Chimica Acta* 362(11): 4099-4109. doi:10.1016/j.ica.2009.06.001
266. [23] Rodríguez-Fernández, E., J. L. Manzano, A. Alonso, M. J. Almendral, M. Pérez-Andrés, A. Orfao, J. J. Criado (2009). "Fluorescent Cisplatin Analogues and Cytotoxic Activity." *Current Medicinal Chemistry* 16(32): 4314-4327. doi:10.2174/092986709789578169
267. [24] Wu, J., M. Zhao, K. Qian, K. H. Lee, S. Morris-Natschke, S. Peng (2009). "Novel N-(3-carboxyl-9-benzyl- β -carboline-1-yl)ethylamino acids: Synthesis, anti-tumor evaluation, intercalating determination, 3D QSAR analysis and docking investigation." *European Journal of Medicinal Chemistry* 44(10): 4153-4161. doi:10.1016/j.ejmech.2009.05.006
268. [25] Ye, Q. S., M. J. Xie, W. P. Liu, X. Z. Chen, Y. Yu, Q. W. Chang, S. Q. Hou (2009). "Synthesis, characterization and cytotoxicity of dihalogeno-platinum(II) complexes with L-histidine ligand." *Chemical and Pharmaceutical Bulletin* 57(4): 424-427. doi:10.1248/cpb.57.424
269. [26] Chakraborty, A., P. Kumar, K. Ghosh, P. Roy (2010). "Evaluation of a Schiff base copper complex compound as potent anticancer molecule with multiple targets of action." *European Journal of Pharmacology* 647(1-3): 1-12. doi:10.1016/j.ejphar.2010.08.003
270. [27] Chen, J. H., L. X. Zhou (2010). "Mechanistic study on the monofunctional binding of hydrolysis products of non-planar heterocyclic complexes trans-[PtCl2NH3(piperidine)] and trans-[PtCl2(piperidine)2] to DNA purine bases." *Jiegou Huaxue* 29(10): 1536-1546.
271. [28] Maurin, M., P. Garnuszek (2010). "Radiochemical synthesis and preliminary in vivo evaluation of new radioactive platinum complexes with carnosine." *Applied Radiation and Isotopes* 68(2): 317-324. doi:10.1016/j.apradiso.2009.10.053
272. [29] Tan, Q., J. Li, H. W. Yin, L. H. Wang, W. C. Tang, F. Zhao, X. M. Liu, H. H. Zeng (2010). "Augmented antitumor effects of combination therapy of cisplatin with ethaselen as a novel thioredoxin reductase inhibitor on human A549 cell in vivo." *Investigational New Drugs* 28(3): 205-215. doi:10.1007/s10637-009-9235-7
273. [30] Tušek-Božić, L., M. Juribašić, V. Scarcia, A. Furlani (2010). "Platinum(II) complexes of 8-quinolymethylphosphonates: Synthesis, characterization and antitumor activity." *Polyhedron* 29(12): 2527-2536. doi:10.1016/j.poly.2010.05.022
274. [31] Wu, J., C. Li, M. Zhao, W. Wang, Y. Wang, S. Peng (2010). "A class of novel carboline intercalators: Their synthesis, in vitro anti-proliferation, in vivo anti-tumor action, and 3D QSAR analysis." *Bioorganic and Medicinal Chemistry* 18(17): 6220-6229. doi:10.1016/j.bmc.2010.07.043
275. [32] Xie, M., W. Liu, L. Lou, X. Chen, Q. Ye, Y. Yu, Q. Chang, S. Hou (2010). "Unusual dimeric chemical structure for a carboplatin analogue as a potential anticancer complex." *Inorganic Chemistry* 49(13): 5792-5794. doi:10.1021/ic100638u

276. [33] Ye, Q. S., W. P. Liu, X. Z. Chen, Y. Yu, Q. W. Chang, S. Q. Hou (2010). "Synthesis and in Vitro cytotoxicity of Cis-[Pt(NH₃)(NH₂OH)Cl₂]." *Archives of Pharmacal Research* 33(6): 807-811. doi:10.1007/s12272-010-0602-x
277. [34] Gao, C., S. Gou, G. Xu (2011). "Synthesis, characterization and biological evaluation of platinum(II) complexes with a chiral N-monosubstituted 1,2-cyclohexyldiamine derivative." *Chemical and Pharmaceutical Bulletin* 59(7): 851-854. doi:10.1248/cpb.59.851
278. [35] Garner, R. N., L. E. Joyce, C. Turro (2011). "Effect of electronic structure on the photoinduced ligand exchange of Ru(II) polypyridine complexes." *Inorganic Chemistry* 50(10): 4384-4391. doi:10.1021/ic102482c
279. [36] Juribašić, M., K. Molčanov, B. Kojić-Prodić, L. Bellotto, M. Kralj, F. Zani, L. Tušek-Božić (2011). "Palladium(II) complexes of quinolinylaminophosphonates: Synthesis, structural characterization, antitumor and antimicrobial activity." *Journal of Inorganic Biochemistry* 105(6): 867-879. doi:10.1016/j.jinorgbio.2011.03.011
280. [37] Liu, L., L. Wei, Y. Yang, M. Zhao, X. Zhang, M. Zheng, Y. Wang, S. Peng (2011). "A class of novel AA-Trp-Trp-OBzl: Synthesis, in vitro anti-proliferation, in vivo anti-tumor action, and intercalation mechanism." *MedChemComm* 2(2): 126-131. doi:10.1039/c0md00208a
281. [38] Yang, S., X. Chen, P. Zhen, Q. Ye, X. Xie, W. Liu (2011). "An HPLC method for the determination of the anticancer complex 3-hydroxycarboplatin." *Acta Chromatographica* 23(4): 539-550. doi:10.1556/ACHrom.23.2011.4.1
282. [39] Zhang, X., Y. Yang, M. Zhao, L. Liu, M. Zheng, Y. Wang, J. Wu, S. Peng (2011). "A class of Trp-Trp-AA-OBzl: Synthesis, in vitro anti-proliferation/in vivo anti-tumor evaluation, intercalation-mechanism investigation and 3D QSAR analysis." *European Journal of Medicinal Chemistry* 46(8): 3410-3419. doi:10.1016/j.ejmech.2011.05.004
283. [40] Bergamo, A., C. Gaiddon, J. H. M. Schellens, J. H. Beijnen, G. Sava (2012). "Approaching tumour therapy beyond platinum drugs: Status of the art and perspectives of ruthenium drug candidates." *Journal of Inorganic Biochemistry* 106(1): 90-99. doi:10.1016/j.jinorgbio.2011.09.030
284. [41] Ding, S., X. Qiao, G. L. Kucera, U. Bierbach (2012). "Using a build-and-click approach for producing structural and functional diversity in DNA-targeted hybrid anticancer agents." *Journal of Medicinal Chemistry* 55(22): 10198-10203. doi:10.1021/jm301278c
285. [42] Dodoff, N. I., M. Lalia-Kantouri, M. Gdaniec, A. Czapik, N. G. Vassilev, L. S. Markova, M. D. Apostolova (2012). "Trans-Dichloro(η²-2-ethylene) (N-3-pyridinylmethanesulfonamide)platinum(II). Crystal structure, spectroscopic, and thermoanalytical characterization, and cytotoxicity assays." *Journal of Coordination Chemistry* 65(4): 688-704. doi:10.1080/00958972.2012.659729
286. [43] Graham, L. A., J. Suryadi, T. K. West, G. L. Kucera, U. Bierbach (2012). "Synthesis, aqueous reactivity, and biological evaluation of carboxylic acid ester-functionalized platinum-acridine hybrid anticancer agents." *Journal of Medicinal Chemistry* 55(17): 7817-7827. doi:10.1021/jm300879k
287. [44] Kvasnica, M., L. Rarova, J. Oklestkova, M. Budesinsky, L. Kohout (2012). "Synthesis and cytotoxic activities of estrone and estradiol cis-dichloroplatinum(II) complexes." *Bioorganic and Medicinal Chemistry* 20(24): 6969-6978. doi:10.1016/j.bmc.2012.10.013
288. [45] Suryadi, J., U. Bierbach (2012). "DNA metalating-intercalating hybrid agents for the treatment of chemoresistant cancers." *Chemistry - A European Journal* 18(41): 12926-12934. doi:10.1002/chem.201202050
289. [46] Xu, G., C. Gao, S. Gou, Z. Cao (2012). "Synthesis, Cytotoxicity, Induction of Apoptosis, and Interaction with DNA of Dinuclear Platinum(II) Complexes." *ChemMedChem* 7(11): 2004-2009. doi:10.1002/cmdc.201200332
290. [47] Chourasiya, R. K., A. R. Rao, R. K. Agrawal (2013). "Pharmacophore modeling and qsar analysis of novel β-carboline derivatives as antitumor agents." *Letters in Drug Design and Discovery* 10(7): 572-584. doi:10.2174/1570180811310070004
291. [48] Gao, C., F. Fei, T. Wang, B. Yang, S. Gou, J. Yang, L. Liao (2013). "Synthesis and in vitro cytotoxicity of platinum(II) complexes with chiral N-monosubstituted 1,2-cyclohexyldiamine derivatives as the carrier groups." *Journal of Coordination Chemistry* 66(6): 1068-1076. doi:10.1080/00958972.2013.775430
292. [49] Matović, Z. D., E. Mrkalić, G. Bogdanović, V. Kojić, A. Meetsma, R. Jelić (2013). "Antitumor effects of a tetradentate amido-carboxylate ligands and corresponding square-planar palladium(II) complexes toward some cancer cells. Crystal structure, DFT modeling and ligand to DNA probe Docking simulation." *Journal of Inorganic Biochemistry* 121: 134-144. doi:10.1016/j.jinorgbio.2013.01.006
293. [50] Ongoma, P. O., D. Jaganyi (2013). "Bridge-splitting reactions of platinum(II) complexes with parametalated pyridine spacer groups: A kinetic and mechanistic study." *International Journal of Chemical Kinetics* 45(10): 676-691. doi:10.1002/kin.20806
294. [51] Palmer, A. M., B. Peña, R. B. Sears, O. Chen, M. El Ojaimi, R. R. Thummel, K. R. Dunbar, C. Turro (2013). "Cytotoxicity of cyclometallated ruthenium complexes: The role of ligand exchange on the activity." *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* 371(1995). doi:10.1098/rsta.2012.0135
295. [52] Prabhakaran, R., P. Kalaivani, R. Huang, P. Poornima, V. Vijaya Padma, F. Dallemer, K. Natarajan (2013). "DNA binding, antioxidant, cytotoxicity (MTT, lactate dehydrogenase, NO), and cellular uptake studies of structurally different nickel(II) thiosemicarbazone complexes: Synthesis, spectroscopy, electrochemistry, and X-ray crystallography." *Journal of Biological Inorganic Chemistry* 18(2): 233-247. doi:10.1007/s00775-012-0969-x
296. [53] Tusek-Bozic, L. (2013). "Aminophosphonate metal complexes of biomedical potential." *Current Medicinal Chemistry* 20(16): 2096-2117. doi:10.2174/0929867311320160004
297. [54] Wang, Y., J. Hu, Y. Cai, S. Xu, B. Weng, K. Peng, X. Wei, T. Wei, H. Zhou, X. Li, G. Liang (2013). "An oxygen-chelate complex, palladium bis-acetylacetonate, induces apoptosis in H460 cells via endoplasmic reticulum stress pathway rather than interacting with DNA." *Journal of Medicinal Chemistry* 56(23): 9601-9611. doi:10.1021/jm4016312
298. [55] Zhang, C., H. Liu, Q. Yang, J. Chang, X. Sun (2013). "Synthesis and cytotoxic evaluation of novel platinum(II) complexes with C₂-asymmetric and C₂-symmetric chiral vicinal diamines." *Chinese Journal of Chemistry* 31(1): 154-158. doi:10.1002/cjoc.201201168
299. [56] Chen, H., P. Gao, M. Zhang, W. Liao, J. Zhang (2014). "Synthesis and biological evaluation of a novel class of β-carboline derivatives." *New Journal of Chemistry* 38(9): 4155-4166. doi:10.1039/c4nj00262h
300. [57] Gao, C., T. Wang, J. Chen, Y. Zhang, B. Yang, S. Gou (2014). "Preparation and in vitro cytotoxicity of oxaliplatin derivatives with chiral amino acid as the carrier group." *Journal of Coordination Chemistry* 67(13): 2195-2203. doi:10.1080/00958972.2014.945922
301. [58] Liu, W., J. Jiang, C. Xie, S. Hou, H. Quan, Q. Ye, L. Lou (2014). "Synthesis, anticancer activity and toxicity of a water-soluble 4S,5S-derivative of heptaplatin, cis-[Pt(II)((4S,5S)-4,5-bis(aminomethyl)-2-isopropyl-1,3-dioxolane)](3-hydroxyl-cyclobutane-1,1-dicarboxylate)}." *Journal of Inorganic Biochemistry* 140: 126-130. doi:10.1016/j.jinorgbio.2014.07.013
302. [59] Pages, B. J., F. Li, P. Wormell, D. L. Ang, J. K. Clegg, C. J. Kepert, L. K. Spare, S. Danchaiwijit, J. R. Aldrich-Wright (2014). "Synthesis and analysis of the anticancer activity of platinum(ii) complexes incorporating dipyridoquinoxaline variants." *Dalton Transactions* 43(41): 15566-15575. doi:10.1039/c4dt02133a
303. [60] Pickard, A. J., F. Liu, T. F. Bartenstein, L. G. Haines, K. E. Levine, G. L. Kucera, U. Bierbach (2014). "Redesigning the DNA-Targeted chromophore in platinum-acridine anticancer agents: A structure-activity relationship study." *Chemistry - A European Journal* 20(49): 16174-16187. doi:10.1002/chem.201404845
304. [61] Sabounchei, S. J., P. Shahriari, S. Salehzadeh, Y. Gholi, D. Nematollahi, A. Chehregani, A. Amani (2014). "Gold(III) complexes of 5-methyl-5-(pyridyl)-2,4-imidazolidinedione: Synthesis, physicochemical, theoretical, antibacterial, and cytotoxicity investigation." *New Journal of Chemistry* 38(3): 1199-1210. doi:10.1039/c3nj01042b
305. [62] Tan, C. P., Y. Y. Lu, L. N. Ji, Z. W. Mao (2014). "Metalloomics insights into the programmed cell death induced by metal-based anticancer compounds." *Metalloomics* 6(5): 978-995. doi:10.1039/c3mt00225j

306. [63] Ajloo, D., M. Eslami Moghadam, K. Ghadimi, M. Ghadamgahi, A. A. Saboury, A. Divsalar, M. Sheikhmohammadi, K. Yousefi (2015). "Synthesis, characterization, spectroscopy, cytotoxic activity and molecular dynamic study on the interaction of three palladium complexes of phenanthroline and glycine derivatives with calf thymus DNA." *Inorganica Chimica Acta* 430: 144-160. doi:10.1016/j.ica.2015.03.006
307. [64] Liu, F., J. Suryadi, U. Biebach (2015). "Cellular Recognition and Repair of Monofunctional-Intercalative Platinum-DNA Adducts." *Chemical Research in Toxicology* 28(11): 2170-2178. doi:10.1021/acs.chemrestox.5b00327
308. [65] Palmer, A. M., J. D. Knoll, C. Turro (2015). "Photoinduced interactions of two dirhodium complexes with d(GTCGAC)₂ probed by 2D NOESY." *Dalton Transactions* 44(8): 3640-3646. doi:10.1039/c4dt03119a
309. [66] Sabounchei, S. J., P. Shahriari, S. Salehzadeh, Y. Gholi, D. Nematollahi, A. Chehregani, A. Amani, Z. Afsartala (2015). "Pd(II) and Pd(IV) complexes with 5-methyl-5-(4-pyridyl)hydantoin: Synthesis, physicochemical, theoretical, and pharmacological investigation." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 135: 1019-1031. doi:10.1016/j.saa.2014.08.002
310. [67] Shankaraiah, N., K. P. Siraj, S. Nekkanti, V. Srinivasulu, P. Sharma, K. R. Senwar, M. Sathish, M. V. P. S. Vishnuvardhan, S. Ramakrishna, C. Jadala, N. Nagesh, A. Kamal (2015). "DNA-binding affinity and anticancer activity of β -carboline-chalcone conjugates as potential DNA intercalators: Molecular modelling and synthesis." *Bioorganic Chemistry* 59: 130-139. doi:10.1016/j.bioorg.2015.02.007
311. [68] Singh, M., P. Bhatnagar, S. Mishra, P. Kumar, Y. Shukla, K. C. Gupta (2015). "PLGA-encapsulated tea polyphenols enhance the chemotherapeutic efficacy of cisplatin against human cancer cells and mice bearing Ehrlich ascites carcinoma." *International Journal of Nanomedicine* 10: 6789-6809. doi:10.2147/IJN.S79489
312. [69] Zhang, Y., C. Gao, Y. Zhang, T. Wang, J. Chen, Y. Qian, B. Yang, S. Gou, P. Dong (2015). "Novel antitumor dinuclear platinum (II) complexes with a new chiral tetradentate ligand as the carrier group." *Applied Organometallic Chemistry* 29(7): 481-486. doi:10.1002/aoc.3323
313. [70] Shankaraiah, N., C. Jadala, S. Nekkanti, K. R. Senwar, N. Nagesh, S. Shrivastava, V. G. M. Naidu, M. Sathish, A. Kamal (2016). "Design and synthesis of C3-tethered 1,2,3-triazolo- β -carboline derivatives: Anticancer activity, DNA-binding ability, viscosity and molecular modeling studies." *Bioorganic Chemistry* 64: 42-50. doi:10.1016/j.bioorg.2015.11.005
314. [71] Chen, Z., S. Zhang, J. Zhang, Z. Zhu (2017). "Enhanced anti-cancer efficacy to cancer cells by a novel monofunctional mononuclear platinum(II) complex containing a mixed S, N, S-donor ligand." *New Journal of Chemistry* 41(14): 6760-6768. doi:10.1039/c7nj01472d
315. [72] Huang, Y., E. Kong, J. Zhan, S. Chen, C. Gan, Z. Liu, L. Pang, J. Cui (2017). "Synthesis and Cytotoxic Evaluation of Steroidal Copper (Cu (II)) Complexes." *Bioinorganic Chemistry and Applications* 2017. doi:10.1155/2017/4276919
316. [73] Liu, J., T. Wang, X. Wang, L. Luo, J. Guo, Y. Peng, Q. Xu, J. Miao, Y. Zhang, Y. Ling (2017). "Development of novel β -carboline-based hydroxamate derivatives as HDAC inhibitors with DNA damage and apoptosis inducing abilities." *MedChemComm* 8(6): 1213-1219. doi:10.1039/c6md00681g
317. [74] Renier, O., C. Deacon-Price, J. E. Peters, K. Nurekeyeva, C. Russon, S. Dyson, S. Ngubane, J. Baumgartner, P. J. Dyson, T. Riedel, H. Chiririwa, B. Blom (2017). "Synthesis and in vitro (Anticancer) evaluation of η^6 -arene ruthenium complexes bearing stannyl ligands." *Inorganics* 5(3). doi:10.3390/inorganics5030044
318. [75] Singla, P., V. Luxami, K. Paul (2017a). "Quinazolinone-benzimidazole conjugates: Synthesis, characterization, dihydrofolate reductase inhibition, DNA and protein binding properties." *Journal of Photochemistry and Photobiology B: Biology* 168: 156-164. doi:10.1016/j.jphotobiol.2017.02.009
319. [76] Singla, P., V. Luxami, R. Singh, V. Tandon, K. Paul (2017b). "Novel pyrazolo[3,4-d]pyrimidine with 4-(1H-benzimidazol-2-yl)-phenylamine as broad spectrum anticancer agents: Synthesis, cell based assay, topoisomerase inhibition, DNA intercalation and bovine serum albumin studies." *European Journal of Medicinal Chemistry* 126: 24-35. doi:10.1016/j.ejmech.2016.09.093
320. [77] Franchi, S. J. S., R. A. D. Souza, A. E. Mauro, I. Z. Carlos, L. C. D. A. Ribeiro, F. V. Rocha, A. V. D. Godoy-Netto (2018). "Synthesis, characterization and cytotoxicity evaluation of new biimidazole palladium(II) complexes with thioureas." *Acta Chimica Slovenica* 65(3): 547-553. doi:10.17344/acsi.2017.4112
321. [78] Gu, H., N. Li, J. Dai, Y. Xi, S. Wang, J. Wang (2018). "Synthesis and in vitro antitumor activity of novel bivalent β -carboline-3-carboxylic acid derivatives with DNA as a potential target." *International Journal of Molecular Sciences* 19(10). doi:10.3390/ijms19103179
322. [79] Tokala, R., S. Thatikonda, U. S. Vanteddu, S. Sana, C. Godugu, N. Shankaraiah (2018). "Design and Synthesis of DNA-Interactive β -Carboline-Oxindole Hybrids as Cytotoxic and Apoptosis-Inducing Agents." *ChemMedChem* 13(18): 1909-1922. doi:10.1002/cmdc.201800402
323. [80] Ashoo, P., R. Yousefi, S. M. Nabavizadeh, M. D. Aseman, S. Pazireh, A. Ghasemi, A. A. Saboury (2019). "Three Pt-Pt complexes with donor-acceptor feature: Anticancer activity, DNA binding studies and molecular docking simulation." *Anti-Cancer Agents in Medicinal Chemistry* 19(14): 1762-1774. doi:10.2174/1871520619666190702114211
324. [81] Selvi, G., F. A. Ozdemir, G. Aykutoglu, N. Özdemir, Z. Şerbetçi, M. Dinçer, O. Dayan (2021). "Synthesis, catalytic, cytotoxic, and antibacterial properties of new Ru(II) and Pd(II) complexes bearing bidentate Schiff base ligand." *Inorganic and Nano-Metal Chemistry* 51(12): 1697-1706. doi:10.1080/24701556.2020.1852423
325. [82] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
326. [83] Khursheed, S., M. Rafiq Wani, G. G. H. A. Shadab, S. Tabassum, F. Arjmand (2022). "Synthesis, Structure Elucidation by Multi-spectroscopic Techniques and Single-crystal X-ray Diffraction of Promising Fluoro/Bromo-substituted-chromone(bpy)copper(II) Anticancer Drug Entities." *Inorganica Chimica Acta* 538. doi:10.1016/j.ica.2022.120967
327. [84] Obreshkova, D., S. Ivanova, P. Yordanova-Laleva (2022). "Influence of chemical structure and mechanism of hydrolysis on pharmacological activity and toxicological profile of approved platinum drugs." *Pharmacia* 69(3): 645-653. doi:10.3897/pharmacia.69.e87494
328. [85] Tsvetkova, D., S. Ivanova (2022). "Application of Approved Cisplatin Derivatives in Combination Therapy against Different Cancer Diseases." *Molecules* 27(8). doi:10.3390/molecules27082466
329. [86] Papo, T., D. Jaganyi, A. Mambanda (2024). "Kinetics and mechanistic investigation of the substitution from dinuclear Pt(II) complexes bridged by N,N'-bis(2-pyridylcarboxamide)phenylenediamines." *Journal of Coordination Chemistry*. doi:10.1080/00958972.2023.2299962
330. [87] <https://patents.google.com/patent/US9090640B2/en>
331. [88] <https://patents.google.com/patent/US8906896B2/en>
332. [89] <https://patents.google.com/patent/US20100197890A1/en>
333. [90] <https://patents.google.com/patent/CN101134601A/en>

Публ. с IF № 9. Kostova, I., Manolov, I., **Momekov, G.**, Tzanova, T., Konstantinov, S., Karaivanova, M. Cytotoxic activity of new cerium (III) complexes of bis-coumarins (2005) *European Journal of Medicinal Chemistry*, 40 (12): 1246-1254. (IF 2,022) <https://www.scopus.com/inward/record.uri?eid=2-s2.0-27744533021&doi=10.1016%2Fj.ejmech.2005.07.010&partnerID=40&md5=9ffb7c609bd6ef1fd347972415cbba82>
DOI: 10.1016/j.ejmech.2005.07.010

334. [1] Martins, T. S., T. L. R. Hower, R. S. Freire (2007). "Cerium: Catalytic properties, technological and environmental applications." *Quimica Nova* 30(8): 2001-2006. doi:10.1590/s0100-40422007000800035
335. [2] Mihaylov, T., N. Trendafilova, I. Georgieva (2008). "DFT-based molecular modeling and vibrational study of the La(III) complex of 3,3'-(benzylidene)bis(4-hydroxycoumarin)." *Journal of Molecular Modeling* 14(5): 353-366. doi:10.1007/s00894-008-0277-0
336. [3] Zhang, H., T. Z. Yu, Y. L. Zhao, D. W. Fan, L. Ding, S. D. Zhang (2009). "Cytotoxic activity of some novel dicoumarin derivatives in vitro." *Chemical Research in Chinese Universities* 25(5): 644-647.
337. [4] Chen, Z. F., H. Liang (2010). "Progresses in TCM metal-based antitumor agents." *Anti-Cancer Agents in Medicinal Chemistry* 10(5): 412-423. doi:10.2174/1871520611009050412
338. [5] Riveiro, M. E., N. De Kimpe, A. Moglioni, R. Vázquez, F. Monczor, C. Shayo, C. Davio (2010). "Coumarins: Old compounds with novel promising therapeutic perspectives." *Current Medicinal Chemistry* 17(13): 1325-1338. doi:10.2174/092986710790936284
339. [6] Chen, Z. F., M. X. Tan, Y. C. Liu, Y. Peng, H. H. Wang, H. G. Liu, H. Liang (2011). "Synthesis, characterization and preliminary cytotoxicity evaluation of five Lanthanide(III)-Plumbagin complexes." *Journal of Inorganic Biochemistry* 105(3): 426-434. doi:10.1016/j.jinorgbio.2010.12.003
340. [7] Zhang, J., Y. Li, X. Hao, Q. Zhang, K. Yang, L. Li, L. Ma, S. Wang, X. Li (2011). "Recent progress in therapeutic and diagnostic applications of lanthanides." *Mini-Reviews in Medicinal Chemistry* 11(8): 678-694. doi:10.2174/138955711796268804
341. [8] Świątek, M., A. Kufelnicki (2012). "Metal - Ligand interaction of lanthanides with coumarin derivatives. Part I. Complexation of 3-(1-aminoethylidene)-2H-chromene-2,4(3H)-dione with La(III), Ce(III), Nd(III) and Ho(III)." *Acta Poloniae Pharmaceutica - Drug Research* 69(6): 1001-1007.
342. [9] Chen, Z. F., J. H. Wei, Y. C. Liu, M. Liu, Y. Q. Gu, K. B. Huang, M. Wang, H. Liang (2013). "High antitumor activity of 5,7-dihalo-8-quinolinolato cerium complexes." *European Journal of Medicinal Chemistry* 68: 454-462. doi:10.1016/j.ejmech.2013.08.007
343. [10] Mishra, A., S. K. Srivastava, D. Swati (2013). "Study of structure-activity relationship of enantiomeric, protonated and deprotonated forms of warfarin via vibrational spectroscopy and DFT calculations." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 113: 439-446. doi:10.1016/j.saa.2013.04.086
344. [11] Xia, H. T., Y. F. Liu, W. X. Ma (2013). "Study on interaction of N, N'-(2-hydroxy-3-methoxybenzyl) diamine cerium(IV) with bovine serum albumin." *Journal of Coordination Chemistry* 66(21): 3706-3721. doi:10.1080/00958972.2013.850496
345. [12] Zhang, H., M. Zhao, T. Yu, Y. Zhao, D. Fan, S. Zhang (2013). Cytotoxicity evaluation of coumarin derivatives containing 4-bromophenyl or anthracene moieties. *Research on Chemical Intermediates*.
346. [13] Ziarani, G. M., A. Badiei, M. Azizi, N. Lashgari (2013). "Efficient one-pot synthesis of bis(4-hydroxycoumarin)methanes in the presence of sulfonic acid functionalized nanoporous silica (SBA-Pr-SO 3H)." *Journal of the Chinese Chemical Society* 60(5): 499-502. doi:10.1002/jccs.201200530
347. [14] Georgieva, I., T. Mihaylov, N. Trendafilova (2014). "Lanthanide and transition metal complexes of bioactive coumarins: Molecular modeling and spectroscopic studies." *Journal of Inorganic Biochemistry* 135: 100-112. doi:10.1016/j.jinorgbio.2014.03.003
348. [15] Oruma, U. S., P. O. Ukoha, J. N. Asegbeloyin (2014). "Synthesis, characterization and biological studies of S-1,3-benzothiazol-2-ylthiophene-2-carbothioate and its Ce(IV) and Nd(III) complexes." *Asian Journal of Chemistry* 26(22): 7622-7626. doi:10.14233/ajchem.2014.17102
349. [16] Kaur, M., S. Kohli, S. Sandhu, Y. Bansal, G. Bansal (2015). "Coumarin: A promising scaffold for anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 15(8): 1032-1048. doi:10.2174/1871520615666150101125503
350. [17] Liu, H., Y. Wang, A. Sharma, R. Mao, N. Jiang, B. Dun, J. X. She (2015). "Derivatives containing both coumarin and benzimidazole potentially induce caspase-dependent apoptosis of cancer cells through inhibition of PI3K-AKT-mTOR signaling." *Anti-Cancer Drugs* 26(6): 667-677. doi:10.1097/CAD.0000000000000232
351. [18] Sang, Y. L., X. S. Lin, X. C. Li, Y. H. Liu, X. H. Zhang (2015). "Synthesis, crystal structure and antibacterial activity of a novel phenolato- and peroxo-bridged dinuclear cerium(IV) complex with tripodal Schiff bases." *Inorganic Chemistry Communications* 62: 115-118. doi:10.1016/j.inoche.2015.11.003
352. [19] Wang, Y., H. Liu, P. Lu, R. Mao, X. Xue, C. Fan, J. She (2015). "Design, Synthesis, and in Vitro Evaluation of Novel 3, 7-Disubstituted Coumarin Derivatives as Potent Anticancer Agents." *Chemical Biology and Drug Design* 86(4): 637-647. doi:10.1111/cbdd.12531
353. [20] Zhang, F., A. Ma, D. Song, J. Jiang, F. Lu, L. Zhang, D. Yang, J. Chen (2015). "Improving in-vitro biocorrosion resistance of Mg-Zn-Mn-Ca alloy in Hank's solution through addition of cerium." *Journal of Rare Earths* 33(1): 93-101. doi:10.1016/S1002-0721(14)60388-4
354. [21] Kancheva, V. D., S. E. Angelova, A. K. Slavova-Kazakova (2016). Kinetics and mechanism of inhibited lipid autooxidation in presence of 4-substituted-coumarins. In: *Lipid Peroxidation: Inhibition, Effects and Mechanisms* (Ed.): 213-247.
355. [22] Wang, L., J. He, Q. Yang, X. Lv, J. Li, D. D. Y. Chen, X. Ding, X. Huang, Q. Zhou (2017). "Abnormal pinocytosis and valence-variable behaviors of cerium suggested a cellular mechanism for plant yield reduction induced by environmental cerium." *Environmental Pollution* 230: 902-910. doi:10.1016/j.envpol.2017.07.034
356. [23] Heras, B. L., Á. Amestry, A. Estévez-Braun, S. Hortelano (2019). "Metal complexes of natural product like-compounds with antitumor activity." *Anti-Cancer Agents in Medicinal Chemistry* 19(1): 48-65. doi:10.2174/1871520618666180420165821
357. [24] Singh, A., N. Kaur, N. Garg, N. Singh (2019). "Anticancer SAR establishment and novel accruing signal transduction model of drug action using biscoumarin scaffold." *Computational Biology and Chemistry* 83. doi:10.1016/j.compbiolchem.2019.107104
358. [25] Sahni, T., S. Sharma, G. Arora, D. Verma (2020). "Synthesis, characterization and antifungal activity of a substituted coumarin and its derivatives." *Pesticide Research Journal* 32(1): 39-48. doi:10.5958/2249-524X.2020.00007.2
359. [26] Wang, R., B. Q. Zou, Q. P. Qin, Z. F. Wang, M. X. Tan, H. Liang (2020). "Synthesis, characterization and the anticancer activity of six lanthanides(III) complexes with 5,7-dihalogenated-8-quinolinol and 2,2'-bipyridine derivatives." *Transition Metal Chemistry* 45(7): 477-483. doi:10.1007/s11243-020-00399-4
360. [27] Abdel Halim, S., M. Shebl (2021). "Synthesis, spectral, structural, DFT and NLO studies of cerium(III) and thorium(IV) complexes of 1-(5-(1-(2-aminophenylimino)ethyl)-2,4-dihydroxyphenyl)ethanone." *Journal of Coordination Chemistry* 74(17-20): 2984-3001. doi:10.1080/00958972.2021.2020259
361. [28] Chundawat, N. S., S. Jadoun, P. Zarrintaj, N. P. S. Chauhan (2021). "Lanthanide complexes as anticancer agents: A review." *Polyhedron* 207. doi:10.1016/j.poly.2021.115387
362. [29] Yang, Y., Z. Zhou, Z. Z. Wei, Q. P. Qin, L. Yang, H. Liang (2021). "High anticancer activity and apoptosis- And autophagy-inducing properties of novel lanthanide(III) complexes bearing 8-hydroxyquinoline-N-oxide and 1,10-phenanthroline." *Dalton Transactions* 50(17): 5828-5834. doi:10.1039/d1dt00450f
363. [30] Abdolmaleki, S., A. Aliabadi, M. Ghadermazi (2022). "Two La(III) complexes containing pyridine-2,6-dicarboxylate as in vitro potent cytotoxic agents toward human lymphocyte cells." *Inorganica Chimica Acta* 542. doi:10.1016/j.ica.2022.121152
364. [31] Ghosh, M. K., S. K. Chandraker, S. Sikdar, C. Das, T. K. Ghorai (2022). "Molecular recognition, characterization and biological importance of tetrabutylammonium hexanilate cerium (III) complex." *Chemical Papers* 76(5): 3259-3273. doi:10.1007/s11696-022-02091-6

365. [32] Gao, J. Z., D. H. Zhao, L. Gao, X. H. Su, X. Q. He (2024). "Effects of cerium nitrate and abscisic acid treatment on alfalfa seed germination and seedling physiological characteristics." *Acta Prataculturae Sinica* 33(6): 175-186. doi:10.11686/cyxb2023281

Публ. с IFN^o 10. Kostova, I., **Momekov, G.**, Tzanova, T., Karaivanova, M. Synthesis, characterization, and cytotoxic activity of new lanthanum(III) complexes of bis-coumarins (2006) *Bioinorganic Chemistry and Applications*, 2006, art. no. 25651. (IF 0,767) <https://www.scopus.com/inward/record.uri?eid=2-s2.0-33645554138&doi=10.1155%2fBCA%2f2006%2f25651&partnerID=40&md5=51f6c5f00a3573bf34bc3133a46feb21>

DOI: 10.1155/BCA/2006/25651

Установени цитирания: в SCOPUS (42)

366. [1] Ferrari, G. V., N. B. Pappano, N. B. Debattista, M. Paulina Montaña (2008). "Potentiometric and spectrophotometric study of 3-hydroxyflavone-La(III) complexes." *Journal of Chemical and Engineering Data* 53(6): 1241-1245. doi:10.1021/jc7004598
367. [2] Gutzov, S., G. Ahmed, N. Petkova, E. Füglein, I. Petkov (2008). "Preparation and optical properties of samarium doped sol-gel materials." *Journal of Non-Crystalline Solids* 354(29): 3438-3442. doi:10.1016/j.jnoncrysol.2008.03.024
368. [3] Sturza, C. M., R. Boscencu, V. Nacea (2008). "The lanthanides: Physico-chemical properties relevant for their biomedical applications." *Farmacia* 56(3): 326-338.
369. [4] Wang, H., M. Tan, J. Zhu, Y. Pan, Z. Chen, H. Liang, H. Liu (2009). "Synthesis, cytotoxic activity, and DNA binding properties of copper (II) complexes with hesperetin, naringenin, and apigenin." *Bioinorganic Chemistry and Applications* 2009. doi:10.1155/2009/347872
370. [5] Zhu, W. Z., R. D. Hu, Q. Y. Lin, X. X. Wang, X. L. Zheng (2009). "Synthesis, DNA-binding and antiproliferative activity of N-(Nitrogen heterocyclic) norcantharidin acylamide acid." *Central European Journal of Chemistry* 7(3): 569-575. doi:10.2478/s11532-009-0058-3
371. [6] Chen, Z. F., H. Liang (2010). "Progresses in TCM metal-based antitumour agents." *Anti-Cancer Agents in Medicinal Chemistry* 10(5): 412-423. doi:10.2174/1871520611009050412
372. [7] Shen, L., Z. Lan, X. Sun, L. Shi, Q. Liu, J. Ni (2010). "Proteomic analysis of lanthanum citrate-induced apoptosis in human cervical carcinoma SiHa cells." *BioMetals* 23(6): 1179-1189. doi:10.1007/s10534-010-9368-3
373. [8] Hong, Y., S. Park, B. Y. Yoon, B. D. Choi, Y. J. Choi (2011). "Screen of functional activity of polysaccharide and glycosaminoglycan from sea hare (*Aplysia kurodai*) by cell line." *Journal of the Korean Society of Food Science and Nutrition* 40(1): 14-19. doi:10.3746/jkfn.2011.40.1.014
374. [9] Kutsenko, O. K., V. M. Trusova, G. P. Gorbenko, T. Deligeorgiev, A. Vasilev, S. Kaloianova, N. Lesev (2011). "Fluorescence study of lipid bilayer interactions of Eu(III) coordination complexes." *Journal of Fluorescence* 21(4): 1689-1695. doi:10.1007/s10895-011-0861-z
375. [10] Završnik, D., S. Muratović, D. Makuc, J. Plavec, M. Cetina, A. Nagl, E. De Clercq, J. Balzarini, M. Mintas (2011). "Benzylidene-bis-(4-hydroxycoumarin) and benzopyrano-coumarin derivatives: Synthesis, ¹H/¹³C-NMR conformational and X-ray crystal structure studies and in vitro antiviral activity evaluations." *Molecules* 16(7): 6023-6040. doi:10.3390/molecules16076023
376. [11] Citta, A., A. Folda, G. Scutari, L. Cesaro, A. Bindoli, M. P. Rigobello (2012). "Inhibition of thioredoxin reductase by lanthanum chloride." *Journal of Inorganic Biochemistry* 117: 18-24. doi:10.1016/j.jinorgbio.2012.08.014
377. [12] Alberto, A. M., P. C. Dorian (2013). "Synthesis, characterization, thermal behavior, and antifungal activity of La(III) complexes with cinnamates and 4-methoxyphenylacetate." *Journal of Rare Earths* 31(11): 1106-1113. doi:10.1016/S1002-0721(12)60412-8
378. [13] Ferrari, G. V., M. Paulina Montaña, F. C. D. Dimarco, N. B. Debattista, N. B. Pappano, W. A. Massad, N. A. García (2013). "A comparative photochemical study on the behavior of 3,3'-dihydroxyflavone and its complex with La(III) as generators and quenchers of reactive oxygen species." *Journal of Photochemistry and Photobiology B: Biology* 124: 42-49. doi:10.1016/j.jphotobiol.2013.03.011
379. [14] Yang, L., B. Wang, J. Tan, L. Zhu (2013). "The DNA-binding and bioactivity of rare earth metal complexes." *Mini-Reviews in Medicinal Chemistry* 13(10): 1487-1500. doi:10.2174/1389557511313100009
380. [15] Ziarani, G. M., A. Badiei, M. Azizi, N. Lashgari (2013). "Efficient one-pot synthesis of bis(4-hydroxycoumarin)methanes in the presence of sulfonic acid functionalized nanoporous silica (SBA-Pr-SO₃H)." *Journal of the Chinese Chemical Society* 60(5): 499-502. doi:10.1002/jccs.201200530
381. [16] Hao, Y., X. Zhang, Y. Chen (2014). "Photorelease of La³⁺ with turn-on fluorescent detection." *Journal of Photochemistry and Photobiology A: Chemistry* 289: 47-52. doi:10.1016/j.jphotochem.2014.05.007
382. [17] Yang, L., J. Tan, B. C. Wang, L. C. Zhu (2014). "Synthesis, characterization, and anti-cancer activity of emodin-Mn(II) metal complex." *Chinese Journal of Natural Medicines* 12(12): 937-942. doi:10.1016/S1875-5364(14)60137-0
383. [18] Shaban, S. Y., M. A. El-Kemary, G. Samir, H. El-Baradei, R. Puchta (2015). "Norfloxacin La(III)-based complex: Synthesis, characterization, and DNA-binding studies." *Journal of Coordination Chemistry* 68(17-18): 3247-3258. doi:10.1080/00958972.2015.1065320
384. [19] Xia, Y. L., G. B. Ge, P. Wang, S. C. Liang, Y. Q. He, J. Ning, X. K. Qian, Y. Li, L. Yang (2015). "Structural Modifications at the C-4 Position Strongly Affect the Glucuronidation of 6,7-Dihydroxycoumarins." *Drug Metabolism and Disposition* 43(4): 553-560. doi:10.1124/dmd.114.060681
385. [20] Yerrabelli, J. R., V. Chakravarthula, H. Yerrabelli, P. R. Chitneni, V. R. Batchu, J. B. Nanubolu, R. K. Krishnan (2015). "Unusual tandem ring closing metathesis-Claisen rearrangement enroute to spiro annulation of O-allyl biscoumarins." *Tetrahedron Letters* 56(17): 2180-2182. doi:10.1016/j.tetlet.2015.02.106
386. [21] Muñoz, V. A., G. V. Ferrari, M. P. Montaña, S. Miskoski, N. A. García (2016). "Effect of Cu²⁺-complexation on the scavenging ability of chrysin towards photogenerated singlet molecular oxygen (¹O₂(¹Δg)). Possible biological implications." *Journal of Photochemistry and Photobiology B: Biology* 162: 597-603. doi:10.1016/j.jphotobiol.2016.07.027
387. [22] Aiyelabola, T., E. Akinkunmi, E. Obuotor, I. Olawuni, D. Isabirye, J. Jordaan (2017). "Synthesis Characterization and Biological Activities of Coordination Compounds of 4-Hydroxy-3-nitro-2-H-chromen-2-one and Its Aminoethanoic Acid and Pyrrolidine-2-carboxylic Acid Mixed Ligand Complexes." *Bioinorganic Chemistry and Applications* 2017. doi:10.1155/2017/6426747
388. [23] Cisse, L., A. Djande, M. Capo-Chichi, F. Delattre, A. Saba, J. C. Brochon, S. Sanouski, A. Tine, J. J. Aaron (2017). "Fluorescence Quenching of Two Coumarin-3-carboxylic Acids by Trivalent Lanthanide Ions." *Journal of Fluorescence* 27(2): 619-628. doi:10.1007/s10895-016-1990-1
389. [24] Hijazi, A. K., Z. A. Taha, A. M. Ajlouni, W. M. Al-Momani, I. M. Idris, E. A. Hamra (2017). "Synthesis and biological activities of lanthanide (III) nitrate complexes with N-(2-hydroxynaphthalen-1-yl) methylene) nicotinohydrazide schiff base." *Medicinal Chemistry* 13(1): 77-84. doi:10.2174/1573406412666160225155908
390. [25] Kolita, S., L. Dutta, P. Das, P. J. Bhuyan (2017). "One-Pot Synthesis of Unsymmetrical Bis(4-Hydroxycoumarin-3-yl)methanes." *Synlett* 28(17): 2291-2294. doi:10.1055/s-0036-1589065

391. [26] Dobies Návia, M. V., D. Alves Gálico, F. Junior Caires, J. Marques Luiz, R. Spezia Nunes (2018). "Synthesis, thermal behavior, and spectroscopic study of the solid nalidixate of selected light trivalent lanthanides." *Journal of Thermal Analysis and Calorimetry* 132(3): 1717-1727. doi:10.1007/s10973-018-7042-0
392. [27] Ren, Q. C., C. Gao, Z. Xu, L. S. Feng, M. L. Liu, X. Wu, F. Zhao (2018). "Bis-coumarin derivatives and their biological activities." *Current Topics in Medicinal Chemistry* 18(2): 101-113. doi:10.2174/1568026618666180221114515
393. [28] Tite, T., A. C. Popa, L. M. Balescu, I. M. Bogdan, I. Pasuk, J. M. F. Ferreira, G. E. Stan (2018). "Cationic substitutions in hydroxyapatite: Current status of the derived biofunctional effects and their in vitro interrogation methods." *Materials* 11(11). doi:10.3390/ma11112081
394. [29] Belkhir-Talbi, D., M. Makhloufi-Chebli, S. Terrachet-Bouaziz, D. Hikem-Oukacha, N. Ghemmit, L. Ismaili, A. M. S. Silva, M. Hamdi (2019). "Synthesis, characterization, theoretical studies, ADMET and drug-Likeness analysis: Electrochemical and biological activities of metal complexes of 3-(2-hydroxybenzoyl)-2H-chromen-2-one." *Journal of Molecular Structure* 1179: 495-505. doi:10.1016/j.molstruc.2018.11.035
395. [30] Akkol, E. K., Y. Genç, B. Karpuz, E. Sobarzo-Sánchez, R. Capasso (2020). "Coumarins and coumarin-related compounds in pharmacotherapy of cancer." *Cancers* 12(7): 1-25. doi:10.3390/cancers12071959
396. [31] Hijazi, A. K., Z. A. Taha, T. S. Ababneh, H. M. Alshare, N. Al-Bataineh, W. M. Al-Momani, A. M. Ajlouni (2020). "In vitro biological, catalytic, and DFT studies of some iron(III) N-ligated complexes." *Chemical Papers* 74(5): 1561-1572. doi:10.1007/s11696-019-01009-z
397. [32] Asghar, H., H. Asghar, T. Asghar (2021). "A Review on Anti-urease Potential of Coumarins." *Current Drug Targets* 22(17): 1926-1943. doi:10.2174/1389450122666210222091412
398. [33] Yousefian, Z., P. Golkar, M. H. Mirjalili (2021). "Production Enhancement of Medicinally Active Coumarin and Phenolic Compounds in Hairy Root Cultures of *Pelargonium sidoides*: The Effect of Elicitation and Sucrose." *Journal of Plant Growth Regulation* 40(2): 628-641. doi:10.1007/s00344-020-10127-y
399. [34] Alhakimi, A. N., T. A. Almuhan, J. S. Alnawmasi, S. E. S. Saeed, E. H. L. Alhamzi (2022). "Synthesis, Spectroscopic Characterization, and Anticancer Activity of Metal Complexes with a Novel Schiff Base Ligand from β -Diketone Derivatives." *Journal of the Chemical Society of Pakistan* 44(6): 596-609. doi:10.52568/001184/JCSP/44.06.2022
400. [35] Bhat, V. V., P. R. Chetana, M. A. Dhale, S. Soman (2022). "Synthesis, characterization, in vitro biological evaluation and molecular docking studies of newly synthesized mononuclear lanthanum(III) complexes of N,N'-bis(2-aminoethyl)oxamide and phenanthroline bases." *Journal of Molecular Structure* 1270. doi:10.1016/j.molstruc.2022.133903
401. [36] Sun, Y., R. Lv, T. Wu, X. Zhang, Y. Sun, J. Yan, Z. Zhang, D. Zhao, M. Cheng (2022). "Design, synthesis, and biological evaluation of coumarin analogs as novel LSD1 inhibitors." *Archiv der Pharmazie* 355(2). doi:10.1002/ardp.202100311
402. [37] Ganguly, M., S. Agarwal (2023). Recent advances in the biomedical applications of rare earth elements. In: *Rare Earth Elements: Processing, Catalytic Applications and Environmental Impact* (Ed.): 259-288.
403. [38] Sugiyama, Y., S. Nakamura, Y. Tokuda, M. Nakano, Y. Hattori, H. Nishiguchi, Y. Toda, S. Hosogi, M. Yamashita, K. Tashiro, E. Ashihara (2023). "7,8-Dihydroxy-3-(4'-hydroxyphenyl)coumarin inhibits invasion and migration of osteosarcoma cells." *Biochemical and Biophysical Research Communications* 638: 200-209. doi:10.1016/j.bbrc.2022.11.056
404. [39] Vinayakumar Bhat, V., P. R. Chetana (2023). Lanthanum: Complexes with Variable Coordination and Versatile Applications. In: *What to Know about Lanthanum* (Ed.): 1-34.
405. [40] Pereira, A. R., A. S. Campos, M. J. Matos, E. L. Maistro (2024). "Study of the DNA damage and cell death in human peripheral blood mononuclear and HepG2/C3A cells exposed to the synthetic 3-(3-hydroxyphenyl)-7-hydroxycoumarin." *Journal of Toxicology and Environmental Health - Part A: Current Issues* 87(1): 33-46. doi:10.1080/15287394.2023.2274331
406. [41] Rohman, N., B. Ardiansah, T. Wukirsari, Z. Judeh (2024). "Recent Trends in the Synthesis and Bioactivity of Coumarin, Coumarin-Chalcone, and Coumarin-Triazole Molecular Hybrids." *Molecules* 29(5). doi:10.3390/molecules29051026
407. [42] Yavuzkanat, N., T. Şahmaran, K. Saraç (2024). "Chemical and physical analysis of synthesized coumarin compounds: Investigating responses to gamma and neutron radiations." *Radiation Physics and Chemistry* 221. doi:10.1016/j.radphyschem.2024.111732

Публ. с IFN^o 11. Manolov, I., Machulla, H.-J., **Momekov, G.** Synthesis, physicochemical characterization and preliminary pharmacological in vitro evaluation of two novel cytotoxic benzophenone-linked 3,3-dimethyltriazenes (2006) *Pharmazie*, 61 (6): 511-516. (IF 0,606)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33745593089&partnerID=40&md5=ee8dbe5506c113c47b1f0e6236a11d46>

Установени цитирания: в SCOPUS (7)

408. [1] Çikla, P., S. Rollas (2007). "Synthesis of some new triazene and diazene derivatives and in vitro evaluation of preliminary antitumor activities." *Fabad Journal of Pharmaceutical Sciences* 32(1): 33-40.
409. [2] Katritzky, A. R., L. Khelashvili, K. N. B. Le, P. P. Mohapatra, P. J. Steel (2007). "Synthesis of o-sulfamidotriazobenzenes from 1,1'-sulfonylbis(benzotriazole)." *Journal of Organic Chemistry* 72(15): 5805-5808. doi:10.1021/jo0705723
410. [3] Ünsalan, S., P. Çikla, Ş. Güniz Küçükgül, S. Rollas, F. Şahin, Ö. Faruk Bayrak (2011). "Synthesis and characterization of triazenes derived from sulfonamides." *Marmara Pharmaceutical Journal* 15(1): 11-17. doi:10.12991/201115439
411. [4] Parmar, K. A., C. R. Patel, S. A. Joshi, R. I. Patel (2013). "Synthesis, characterization and antibacterial activity of 2-(4-methyl-7-hydroxy-coumarin)-4-(cyclohexylamino)-6-(arylamino)-s-triazine." *Der Pharmacia Lettre* 5(1): 24-27.
412. [5] Kamal, A., C. R. Reddy, M. V. P. S. Vishnuvardhan, R. Mahesh, V. Lakshma Nayak, S. Prabhakar, C. S. Reddy (2014). "Synthesis and biological evaluation of cinnamido linked benzophenone hybrids as tubulin polymerization inhibitors and apoptosis inducing agents." *Bioorganic and Medicinal Chemistry Letters* 24(10): 2309-2314. doi:10.1016/j.bmcl.2014.03.076
413. [6] El-Latif Zein, M. A., A. I. El-Shenawy (2016). "An efficient synthesis of 1,2,4-triazine-6-one derivatives and their in vitro anticancer activity." *International Journal of Pharmacology* 12(3): 188-194. doi:10.3923/ijp.2016.188.194
414. [7] Ravula, P., H. B. Vamaraju, M. Paturi, S. Bodige, K. C. Gulipalli, J. N. Narendra Sharath Chandra (2018). "Design, Synthesis, and Docking Studies of Novel Dimethyl Triazene Incorporated Thiazolyl Pyrazolines for Anticancer Activity." *Journal of Heterocyclic Chemistry* 55(6): 1313-1323. doi:10.1002/jhet.3163

Публ. с IFN^o 12. Kostova, I., **Momekov, G.** New zirconium (IV) complexes of coumarins with cytotoxic activity (2006) *European Journal of Medicinal Chemistry*, 41 (6): 717-726. (IF 2,187)

415. [1] Ruiz-Marcial, C., R. R. Chilpa, E. Estrada, J. Reyes-Esparza, G. G. Fariña, L. Rodríguez-Fragoso (2007). "Antiproliferative, cytotoxic and antitumour activity of coumarins isolated from *Calophyllum brasiliense*." *Journal of Pharmacy and Pharmacology* 59(5): 719-725. doi:10.1211/jpp.59.5.0013
416. [2] Ammar, H., S. Abid, S. Fery-Forgues (2008). "Synthesis and spectroscopic study of new biscoumarin dyes based on 7-(4-methylcoumarinyl) diesters." *Dyes and Pigments* 78(1): 1-7. doi:10.1016/j.dyepig.2007.09.008
417. [3] Mihaylov, T., N. Trendafilova, I. Georgieva (2008). "DFT-based molecular modeling and vibrational study of the La(III) complex of 3,3'-(benzylidene)bis(4-hydroxycoumarin)." *Journal of Molecular Modeling* 14(5): 353-366. doi:10.1007/s00894-008-0277-0
418. [4] Pansuriya, P. B., M. R. Chhasatia, S. H. Patel, M. N. Patel (2008a). "Synthesis, characterization, in-vitro biocidal and nuclease activity of Cu(II), Fe(II) and Fe(III) complexes." *Polish Journal of Chemistry* 82(8): 1527-1539.
419. [5] Pansuriya, P. B., M. N. Patel, M. R. Chhasatia, P. Dhandhukia, V. Thakkar (2008b). "Synthesis, characterization, in-vitro biocidal and nuclease activity of some coordination compounds." *Journal of Coordination Chemistry* 61(20): 3336-3349. doi:10.1080/00958970802047676
420. [6] Goel, A., A. K. Prasad, V. S. Parmar, B. Ghosh, N. Saini (2009). "Apoptogenic effect of 7,8-diacetoxy-4-methylcoumarin and 7,8-diacetoxy-4-methylthiocoumarin in human lung adenocarcinoma cell line: Role of NF- κ B, Akt, ROS and MAP kinase pathway." *Chemico-Biological Interactions* 179(2-3): 363-374. doi:10.1016/j.cbi.2008.10.060
421. [7] Malghe, Y. S., R. C. Prabhu, R. W. Raut (2009). "Synthesis, characterization and biological activities of mixed ligand Zr(IV) complexes." *Acta Polonicae Pharmaceutica - Drug Research* 66(1): 45-50.
422. [8] Zhang, H., T. Z. Yu, Y. L. Zhao, D. W. Fan, L. Ding, S. D. Zhang (2009). "Cytotoxic activity of some novel dicoumarin derivatives in vitro." *Chemical Research in Chinese Universities* 25(5): 644-647.
423. [9] Zhenfeng, C., P. Yan, T. Mingxiong, L. Yancheng, W. Hengshan, L. Hong (2009). "Preliminary studies on the antitumor metal-based drugs basing on TCM active ingredients." *Progress in Chemistry* 21(5): 929-933.
424. [10] Chen, Z. F., H. Liang (2010). "Progresses in TCM metal-based antitumour agents." *Anti-Cancer Agents in Medicinal Chemistry* 10(5): 412-423. doi:10.2174/1871520611009050412
425. [11] Dong, F., H. Z. Liu, Y. Sun, H. Xin (2010). "Isolation and identification of bergapten in dry root of *Glehnia littoralis* and preliminary determination of its antitumor activity in vitro." *Journal of Plant Resources and Environment* 19(1): 95-96.
426. [12] Riveiro, M. E., N. De Kimpe, A. Moglioni, R. Vázquez, F. Monczor, C. Shayo, C. Davio (2010). "Coumarins: Old compounds with novel promising therapeutic perspectives." *Current Medicinal Chemistry* 17(13): 1325-1338. doi:10.2174/092986710790936284
427. [13] Shi, F., A. X. Dai, S. Zhang, X. H. Zhang, S. J. Tu (2011). "Efficient microwave-assisted synthesis of novel 3-aminohexahydrocoumarin derivatives and evaluation on their cytotoxicity." *European Journal of Medicinal Chemistry* 46(3): 953-960. doi:10.1016/j.ejmech.2010.12.013
428. [14] Ammar, H., S. Abid, Y. Le Bigot, R. El Gharbi (2012). "Novel synthesis of bis-iminocoumarins." *Synthetic Communications* 42(6): 799-810. doi:10.1080/00397911.2010.531370
429. [15] Carbonaro, C. M., P. C. Ricci, M. F. Casula, G. Tocco, M. Cubeddu (2012). "Optical characterization of PEG-supported 7-hydroxy-4-methylcoumarin in distilled water solution." *Journal of Physical Chemistry A* 116(47): 11531-11535. doi:10.1021/jp3080628
430. [16] Gu, S. J., He (2012). "Daphnoretin induces cell cycle arrest and apoptosis in human osteosarcoma (HOS) cells." *Molecules* 17(1): 598-612. doi:10.3390/molecules17010598
431. [17] Muratović, S., K. Durić, E. Veljović, A. Osmanović, D. Softić, D. Završnik (2013). "Synthesis of biscoumarin derivatives as antimicrobial agents." *Asian Journal of Pharmaceutical and Clinical Research* 6(3): 132-134.
432. [18] Jayashree, B. S., S. Nigam, A. Pai, P. V. R. Chowdary (2014). "Overview on the recently developed coumarinyl heterocycles as useful therapeutic agents." *Arabian Journal of Chemistry* 7(6): 885-899. doi:10.1016/j.arabj.2014.07.006
433. [19] Köse, D. A., B. Öztürk, O. Şahin, O. Büyükgüngör (2014). "Mixed ligand complexes of coumarilic acid/nicotinamide with transition metal complexes: Synthesis and structural investigation." *Journal of Thermal Analysis and Calorimetry* 115(2): 1515-1524. doi:10.1007/s10973-013-3415-6
434. [20] Tamames-Tabar, C., D. Cunha, E. Imbuluzqueta, F. Ragon, C. Serre, M. J. Blanco-Prieto, P. Horcajada (2014). "Cytotoxicity of nanoscaled metal-organic frameworks." *Journal of Materials Chemistry B* 2(3): 262-271. doi:10.1039/c3tb20832j
435. [21] Emami, S., S. Dadashpour (2015). "Current developments of coumarin-based anti-cancer agents in medicinal chemistry." *European Journal of Medicinal Chemistry* 102: 611-630. doi:10.1016/j.ejmech.2015.08.033
436. [22] Kaur, M., S. Kohli, S. Sandhu, Y. Bansal, G. Bansal (2015). "Coumarin: A promising scaffold for anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 15(8): 1032-1048. doi:10.2174/1871520615666150101125503
437. [23] Ramazani, A., S. Ayoubi, Y. Ahmadi, H. Ahankar, H. Aghahosseini, S. Woo Joo (2015). "β-Cyclodextrin Nanoreactor" Catalyzed Synthesis of Coumarin Derivatives from In-Situ Generated Stabilized Phosphorus Ylides in Water." *Phosphorus, Sulfur and Silicon and the Related Elements* 190(12): 2307-2314. doi:10.1080/10426507.2015.1073285
438. [24] Hasan, M. S., N. Das, Z. Al Mahmud, S. M. Abdur Rahman (2016a). "Pharmacological Evaluation of Naproxen Metal Complexes on Antinociceptive, Anxiolytic, CNS Depressant, and Hypoglycemic Properties." *Advances in Pharmacological Sciences* 2016. doi:10.1155/2016/3040724
439. [25] Hasan, M. S., R. Kayesh, F. Begum, S. M. A. Rahman (2016b). "Transition metal complexes of naproxen: Synthesis, characterization, forced degradation studies, and analytical method verification." *Journal of Analytical Methods in Chemistry* 2016. doi:10.1155/2016/3560695
440. [26] Stojković, D. L. J., A. Bacchi, D. Capucci, M. R. Milenković, B. Čobeljčić, S. R. Trifunović, K. Anđelković, V. V. Jevtić, N. Vuković, M. Vukić, D. Sladić (2016). "Synthesis and characterization of palladium(II) complexes with glycine coumarin derivatives." *Journal of the Serbian Chemical Society* 81(12): 1383-1392. doi:10.2298/JSC160915087S
441. [27] Xu, X. Y., B. Yan (2016). "Selective detection and controlled release of Aspirin over fluorescent amino-functionalized metal-organic framework in aqueous solution." *Sensors and Actuators, B: Chemical* 230: 463-469. doi:10.1016/j.snb.2016.02.101
442. [28] Zolfgol, M. A., R. Ayazi-Nasrabadi, S. Bagheri (2016). "Synthesis of the first nanomagnetic particles with semicarbazide-based acidic ionic liquid tag: an efficient catalyst for the synthesis of 3,3'-(arylmethylene)bis(4-hydroxycoumarin) and 1-carbamato-alkyl-2-naphthol derivatives under mild and green conditions." *Applied Organometallic Chemistry* 30(7): 500-509. doi:10.1002/aoc.3461
443. [29] Dağlı, Ö., D. A. Köse, G. A. Avcı, O. Şahin (2017). "Novel mixed-ligand complexes of coumarilate/N,N'-diethylnicotinamide with some transition metals: Synthesis and structural characterization." *Journal of Thermal Analysis and Calorimetry* 129(3): 1389-1402. doi:10.1007/s10973-017-6373-6
444. [30] Omar, S. N., H. Abu Ali (2017). "New complexes of Zn(II) with the anti-inflammatory non-steroidal drug, ibuprofen and nitrogen donor ligands. Synthesis, characterization and biological activity." *Journal of Coordination Chemistry* 70(14): 2436-2452. doi:10.1080/00958972.2017.1337897
445. [31] Patil, S. K., D. V. Awale, M. M. Vadiyar, S. A. Patil, S. C. Bhise, S. S. Kolekar (2017). "Simple protic ionic liquid [Et3NH][HSO4] as a proficient catalyst for facile synthesis of biscoumarins." *Research on Chemical Intermediates* 43(10): 5365-5376. doi:10.1007/s11164-017-2932-5

446. [32] Samija, M., V. Elma, O. Amar, Đ. Jasmina, N. Haris, D. Č. Huriija, Z. Davorka (2017). Antiproliferative evaluation and docking study of synthesized biscoumarin derivatives. IFMBE Proceedings.
447. [33] Abdolmaleki, S., M. Ghadermazi, M. Ashengroph, A. Saffari, S. M. Sabzkohi (2018). "Cobalt (II), zirconium(IV), calcium(II) complexes with dipicolinic acid and imidazole derivatives: X-ray studies, thermal analyses, evaluation as in vitro antibacterial and cytotoxic agents." *Inorganica Chimica Acta* 480: 70-82. doi:10.1016/j.ica.2018.04.047
448. [34] Klepka, M. T., A. Drzewiecka-Antonik, A. Wolska, P. Rejmak, M. Struga (2018). "Structural studies of Cu(II) complexes with coumarin acid derivatives obtained using direct and electrochemical synthesis." *Chemical Physics Letters* 691: 190-195. doi:10.1016/j.cplett.2017.11.010
449. [35] Kumari, R., N. Math (2018). "Synthesis and characterization of novel trimethyltin(IV) and tributyltin(IV) complexes of anticoagulant, WARFARIN: Potential DNA binding and plasmid cleaving agents." *Inorganic Chemistry Communications* 95: 40-46. doi:10.1016/j.inoche.2018.07.001
450. [36] Ren, Q. C., C. Gao, Z. Xu, L. S. Feng, M. L. Liu, X. Wu, F. Zhao (2018). "Bis-coumarin derivatives and their biological activities." *Current Topics in Medicinal Chemistry* 18(2): 101-113. doi:10.2174/1568026618666180221114515
451. [37] Esmail, S. A. A., M. Shamsi, T. Chen, W. M. Al-asbahi (2019). "Design, synthesis and characterization of tin-based cancer chemotherapy drug entity: In vitro DNA binding, cleavage, induction of cancer cell apoptosis by triggering DNA damage-mediated p53 phosphorylation and molecular docking." *Applied Organometallic Chemistry* 33(1). doi:10.1002/aoc.4651
452. [38] Heras, B. L., Á. Amesty, A. Estévez-Braun, S. Hortelano (2019). "Metal complexes of natural product like-compounds with antitumor activity." *Anti-Cancer Agents in Medicinal Chemistry* 19(1): 48-65. doi:10.2174/1871520618666180420165821
453. [39] Naik, C. G., G. M. Malik, H. M. Parekh (2019). "Novel coumarin derivatives: Synthesis, characterization and antimicrobial activity." *South African Journal of Chemistry* 72: 248-252. doi:10.17159/0379-4350/2019/V72A32
454. [40] Sharma, S., R. Kumar, P. Kumar, A. Jain, S. Saxena (2019). "New insights into the predicament of DFT assisted optimized energy, stability and distortions of optimized topologies of some novel complexes of Zirconium (IV) and enhancement of antimicrobial potential." *Applied Organometallic Chemistry* 33(10). doi:10.1002/aoc.5080
455. [41] Srivastava, A., N. Srivastava, U. Nathtripathi, A. Siddiqui (2019). "Synthesis and characterization of mixed ligand complexes of zirconium(IV) with sulphur, nitrogen and oxygen donor ligands." *Chemistry and Chemical Technology* 13(1): 23-32. doi:10.23939/chcht13.01.023
456. [42] Balcıoğlu, S., M. Olgun Karataş, B. Ateş, B. Alici, İ. Özdemir (2020). "Therapeutic potential of coumarin bearing metal complexes: Where are we headed?" *Bioorganic and Medicinal Chemistry Letters* 30(2). doi:10.1016/j.bmcl.2019.126805
457. [43] Melappa, G. (2020). "Identification of bioactive coumarin(S) from three endophytic fungal species of *Calophyllum tomentosum*." *Natural Products Journal* 10(4): 502-512. doi:10.2174/2210315509666190430145906
458. [44] Narayanan, J., J. G. Hernández, C. A. H. Aguilar, M. M. Rodríguez, S. D. G. Cerda (2020). "Glutamine chelation governs the selective inhibition of *Staphylococcus aureus* and *Salmonella typhi* growth by cis-dichloro-bis(8-quinolinolato)zirconium(IV): Theory and experiment." *European Journal of Pharmaceutical Sciences* 151. doi:10.1016/j.ejps.2020.105427
459. [45] Chavan, A. S., A. S. Kharat, M. R. Bhosle, S. T. Dhumal, R. A. Mane (2021). "CAL-B accelerated novel synthetic protocols for 3,3'-arylidenebis-4-hydroxycoumarins and dimethyl ((substituted phenyl) (phenylamino)methyl) phosphonates." *Research on Chemical Intermediates* 47(11): 4497-4512. doi:10.1007/s1164-021-04535-2
460. [46] Yadav, A., P. Patil, D. Chandam, S. Jadhav, A. Ghule, S. Hangirgekar, S. Sankpal (2021). "Fe3O4@SiO2-SO3H-DABCO: A novel magnetically retrievable bifunctional catalyst for ecofriendly synthesis of diheteroarylmethanes." *Journal of Molecular Structure* 1245. doi:10.1016/j.molstruc.2021.130960
461. [47] Alasbahi, W. M., M. Shamsi (2022). "In vitro DNA binding, pBR322 cleavage and molecular docking studies of 1,2-diaminobenzene, dichloro glycol glycinate tin(IV) and zirconium(IV) complexes." *Journal of Biomolecular Structure and Dynamics* 40(22): 11484-11494. doi:10.1080/07391102.2021.1959402
462. [48] Hasan, M. S., A. K. Liton, T. Haque, M. I. Ali, S. Akter (2022). "An experimental and DFT computational study on Methyl 3-acetyl-2-oxo-2H-chromene-6-carboxylate." *Molecular Physics* 120(14). doi:10.1080/00268976.2022.2103468
463. [49] Santhiya, A., S. Daniel (2022). "DNA binding and cleavage study of novel ruthenium (II)-polypyridine-5-(3-pyridyl)-4H-1,2,4-triazole-3-thiol complex on *Escherichia Coli* genomic DNA." *Biomedical and Biotechnology Research Journal* 6(2): 208-215. doi:10.4103/bbrj.bbrj_302_21
464. [50] Milanović, I., Z. Marković, A. Kesić, S. Jovanović Stević, B. Petrović, E. Avdović (2024). "Influence of acid-base equilibrium on interactions of some monofunctional coumarin Pd(II) complexes with biologically relevant nucleophiles-comprehensive kinetic study." *Dalton Transactions*. doi:10.1039/d4dt00789a

Публ. с IFN^o 13. Vasilev, N., Elfahmi, Bos, R., Kayser, O., **Momekov, G.**, Konstantinov, S., Ionkova, I. Production of justicidin B, a cytotoxic aryl-naphthalene lignan from genetically transformed root cultures of *Linum leonii* (2006) *Journal of Natural Products*, 69 (7): 1014-1017. (IF 2,418)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33747432610&doi=10.1021%2fnp060022k&partnerID=40&md5=0f3f46cab5209b46ff12b2f3ff072efe>

DOI: 10.1021/np060022k

Установени цитирания: в SCOPUS (34)

465. [1] Hemmati, S., T. J. Schmidt, E. Fuss (2007). "(+)-Pinoresinol/(-)-lariciresinol reductase from *Linum perenne* Himmelszelt involved in the biosynthesis of justicidin B." *FEBS Letters* 581(4): 603-610. doi:10.1016/j.febslet.2007.01.018
466. [2] Nedialkov, P. T., D. Zheleva-Dimitrova, U. Girreser, G. M. Kitanov (2007). "A new isocoumarin from *Hypericum annulatum*." *Natural Product Research* 21(12): 1056-1060. doi:10.1080/14786410701567762
467. [3] Opletal, L., H. Sovová (2008). TLC of lignans. In: *Thin Layer Chromatography in Phytochemistry* (Ed.): 425-449.
468. [4] Foley, P., N. Eghbali, P. T. Anastas (2010). "Silver-catalyzed one-pot synthesis of aryl-naphthalene lactone natural products." *Journal of Natural Products* 73(5): 811-813. doi:10.1021/np900667h
469. [5] Georgiev, M. I., J. Ludwig-Müller, T. Bley (2010). Hairy root culture: Copying nature in new bioprocesses. In: *Medicinal Plant Biotechnology* (Ed.): 156-175.
470. [6] Lautie, E., M. A. Fliniaux, M. L. Villarreal (2010). "Updated biotechnological approaches developed for 2,7'-cyclo-lignan production." *Biotechnology and Applied Biochemistry* 55(3): 139-153. doi:10.1042/BA20090253
471. [7] Locklear, T. D., Y. Huang, J. Frasier, B. J. Doyle, A. Perez, J. Gomez-Laurito, G. B. Mahady (2010). "Estrogenic and progestagenic effects of extracts of *Justicia pectoralis* Jacq., an herbal medicine from Costa Rica used for the treatment of menopause and PMS." *Maturitas* 66(3): 315-322. doi:10.1016/j.maturitas.2010.04.001

472. [8] Vassão, D. G., K. W. Kim, L. B. Davin, N. G. Lewis (2010). Lignans (neolignans) and allyl/propenyl phenols: Biogenesis, structural biology, and biological/human health considerations. In: Comprehensive Natural Products II: Chemistry and Biology (Ed.). 1: 815-928.
473. [9] Georgiev, M. I., J. Ludwig-Müller, K. Alipieva, A. Lippert (2011). "Sonication-assisted Agrobacterium rhizogenes-mediated transformation of *Verbascum xanthophoeniceum* Griseb. for bioactive metabolite accumulation." *Plant Cell Reports* 30(5): 859-866. doi:10.1007/s00299-010-0981-y
474. [10] Mondal, S., M. Maji, A. Basak (2011). "A Garratt-Braverman route to aryl naphthalene lignans." *Tetrahedron Letters* 52(11): 1183-1186. doi:10.1016/j.tetlet.2011.01.011
475. [11] Samadi, A., J. Carapetian, R. Heidari, M. Jafari, A. H. Gortapeh (2012). "Hairy root induction in *Linum mucronatum* ssp. *mucronatum*, an anti-tumor lignans producing plant." *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 40(1): 125-131. doi:10.15835/nbha4017312
476. [12] Al-Qudah, M. A. (2013). "Chemical composition and antimicrobial activity of the essential oil of *Linum pubescens* growing wild in Jordan." *Natural Product Research* 27(12): 1141-1144. doi:10.1080/14786419.2012.715291
477. [13] DellaGreca, M., S. Zuppolini, A. Zarrelli (2013). "Isolation of lignans as seed germination and plant growth inhibitors from Mediterranean plants and chemical synthesis of some analogues." *Phytochemistry Reviews* 12(4): 717-731. doi:10.1007/s11101-013-9311-7
478. [14] Kocsis, L. S., K. M. Brummond (2014). "Intramolecular dehydro-diels-alder reaction affords selective entry to aryl naphthalene or aryl dihydronaphthalene lignans." *Organic Letters* 16(16): 4158-4161. doi:10.1021/ol501853y
479. [15] Luo, J., Y. Hu, W. Kong, M. Yang (2014). "Evaluation and structure-activity relationship analysis of a new series of aryl naphthalene lignans as potential anti-tumor agents." *PLoS ONE* 9(3). doi:10.1371/journal.pone.0093516
480. [16] Malik, S., O. Bība, J. Grúz, R. R. J. Arroo, M. Strnad (2014). "Biotechnological approaches for producing aryltetralin lignans from *Linum* species." *Phytochemistry Reviews* 13(4): 893-913. doi:10.1007/s11101-014-9345-5
481. [17] Panja, A., D. R. Banerjee, A. Basak (2014). "Reversal of regioselectivity in acetylation and deacetylation of aryl-naphthalene diols and diacetates by Amano lipase." *RSC Advances* 4(97): 54235-54243. doi:10.1039/c4ra10503f
482. [18] Ren, Y., D. D. Lantvit, Y. Deng, R. Kanagasabai, J. C. Gallucci, T. N. Ninh, H. B. Chai, D. D. Soejarto, J. R. Fuchs, J. C. Yalowich, J. Yu, S. M. Swanson, A. D. Kinghorn (2014). "Potent cytotoxic aryl naphthalene lignan lactones from *Phyllanthus poilanei*." *Journal of Natural Products* 77(6): 1494-1504. doi:10.1021/np5002785
483. [19] Naresh, G., R. Kant, T. Narendar (2015). "Silver(I)-Catalyzed Regioselective Construction of Highly Substituted α -Naphthols and Its Application toward Expedient Synthesis of Lignan Natural Products." *Organic Letters* 17(14): 3446-3449. doi:10.1021/acs.orglett.5b01477
484. [20] Hemmati, S., H. Seradj (2016). "Justicidin B: A promising bioactive lignan." *Molecules* 21(7). doi:10.3390/molecules21070820
485. [21] Shu, W. M., K. L. Zheng, J. R. Ma, A. X. Wu (2016). "Transition-Metal-Free Coupling Annulation of Arynes with Ketones and Alkynoates: Assembly of Functionalized Naphthalenes." *Organic Letters* 18(15): 3762-3765. doi:10.1021/acs.orglett.6b01782
486. [22] Zhang, Z., Q. Sun, D. Xu, C. Xia, W. Sun (2016). "Direct halogenative dearomatization of 2-naphthols by NXS (X = Cl, Br) in water." *Green Chemistry* 18(20): 5485-5492. doi:10.1039/c6gc01673a
487. [23] Al-Qathama, A., S. Gibbons, J. M. Prieto (2017). "Differential modulation of Bax/Bcl-2 ratio and onset of caspase-3/7 activation induced by derivatives of Justicidin B in human melanoma cells A375." *Oncotarget* 8(56): 95999-96012. doi:10.18632/oncotarget.21625
488. [24] Lu, T., Y. T. Jiang, F. P. Ma, Z. J. Tang, L. Kuang, Y. X. Wang, B. Wang (2017). "Bromide-Mediated C-H Bond Functionalization: Intermolecular Annulation of Phenylethanone Derivatives with Alkynes for the Synthesis of 1-Naphthols." *Organic Letters* 19(23): 6344-6347. doi:10.1021/acs.orglett.7b03186
489. [25] Navarro, M., I. Moreira, E. Arnaez, S. Quesada, G. Azofeifa, F. Vargas, D. Alvarado, P. Chen (2017). "Flavonoids and ellagitannins characterization, antioxidant and cytotoxic activities of *phyllanthus acuminatus* vahl." *Plants* 6(4). doi:10.3390/plants6040062
490. [26] Bulgakov, V. P., Y. V. Vereshchagina, G. N. Veremeichik (2018). "Anticancer polyphenols from cultured plant cells: Production and new bioengineering strategies." *Current Medicinal Chemistry* 25(36): 4671-4692. doi:10.2174/0929867324666170609080357
491. [27] He, L., Y. Yang, F. Li, X. Liu, W. Pan (2020). "Mn(III)-Mediated Facile Access to Polysubstituted α -Naphthols from β -Keto Ester Derivatives and Terminal Alkynes." *Synthesis (Germany)* 52(13): 1959-1968. doi:10.1055/s-0039-1690870
492. [28] Chhillar, H., P. Chopra, M. A. Ashfaq (2021). "Lignans from linseed (*Linum usitatissimum* L.) and its allied species: Retrospect, introspect and prospect." *Critical Reviews in Food Science and Nutrition* 61(16): 2719-2741. doi:10.1080/10408398.2020.1784840
493. [29] Gabr, A. M. M., H. B. Mabrok, O. Sytar, I. Smetanska (2021). Recent advances toward development of plant cell culture process for sustainable production of lignans and their health benefits. In: *Exploring Plant Cells for the Production of Compounds of Interest* (Ed.): 249-289.
494. [30] Mascheretti, I., M. Alfieri, M. Lauria, F. Locatelli, R. Consonni, E. Cusano, R. A. Dougué Kentsop, M. Laura, G. Ottolina, F. Faoro, M. Mattana (2021). "New insight into justicidin b pathway and production in *linum austriacum*." *International Journal of Molecular Sciences* 22(5): 1-24. doi:10.3390/ijms22052507
495. [31] Yuan, J., Y. Liu, Y. Ge, S. Dong, S. Song, L. Yang, Y. Xiao, S. Zhang, L. Qu (2021). "Visible-Light-Induced Regioselective ortho-C-H Phosphorylation of β -Naphthols with Diarylphosphine Oxides." *Chinese Journal of Organic Chemistry* 41(12): 4738-4748. doi:10.6023/cjoc202110010
496. [32] Alfieri, M., I. Mascheretti, R. A. D. Kentsop, M. Mattana, M. Laura, G. Ottolina (2022). "Optimized Ultrasound-Assisted Extraction of Lignans from *Linum* Species with Green Solvents." *Molecules* 27(9). doi:10.3390/molecules27092732
497. [33] Wei, K., Y. Sun, Y. Xu, W. Hu, Y. Ma, Y. Lu, W. Chen, H. Zhang (2022). "Total synthesis of justicidin B, justicidin E, and taiwanin C: A general and flexible approach toward the synthesis of natural aryl naphthalene lactone lignans." *Frontiers in Chemistry* 10. doi:10.3389/fchem.2022.1103554
498. [34] Tajuddeen, N., S. Muyisa, J. Maneenet, H. H. Nguyen, D. Naidoo-Maharaj, V. Maharaj, S. Awale, G. Bringmann (2024). "Justicidin B and related lignans from two South African *Monsonia* species with potent activity against HeLa cervical cancer cells." *Phytochemistry Letters* 60: 234-238. doi:10.1016/j.phytol.2023.09.007

Публ. с IFN[№] 14. **Momekov, G.**, Ferdinandov, D., Bakalova, A., Zaharieva, M., Konstantinov, S., Karaivanova, M. *In vitro* toxicological evaluation of a dinuclear platinum(II) complex with acetate ligands (2006) *Archives of Toxicology*, 80 (9): 555-560. (IF 0,827)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33747058048&doi=10.1007%2fs00204-006-0078-0&partnerID=40&md5=6deb006f328d40cbb7eb9529fbb33025>

DOI: 10.1007/s00204-006-0078-0

Установени цитирания: в SCOPUS (13)

499. [1] Florea, A. M., D. Büsselberg (2011). "Cisplatin as an anti-tumor drug: Cellular mechanisms of activity, drug resistance and induced side effects." *Cancers* 3(1): 1351-1371. doi:10.3390/cancers3011351
500. [2] Xu, G., P. Jiang, S. Gou (2012). "Multinuclear anticancer platinum complexes." *Progress in Chemistry* 24(9): 1707-1719.

501. [3] Ali, A., S. Bhattacharya (2014). "DNA binders in clinical trials and chemotherapy." *Bioorganic and Medicinal Chemistry* 22(16): 4506-4521. doi:10.1016/j.bmc.2014.05.030
502. [4] Vergallo, C., M. Ahmadi, H. Mobasheri, L. Dini (2014). "Impact of inhomogeneous static magnetic field (31.7-232.0 mT) exposure on human neuroblastoma SH-SY5Y cells during cisplatin administration." *PLoS ONE* 9(11). doi:10.1371/journal.pone.0113530
503. [5] Fischer, C., K. Leithner, C. Wohlkoeig, F. Quehenberger, A. Bertsch, A. Olschewski, H. Olschewski, A. Hrzenjak (2015). "Panobinostat reduces hypoxia-induced cisplatin resistance of non-small cell lung carcinoma cells via HIF-1 α destabilization." *Molecular Cancer* 14(1). doi:10.1186/1476-4598-14-4
504. [6] Pedram, B., A. T. Moghadam, Z. Kamyabi-Moghaddam, O. Mavedati, B. A. Beigi, A. K. Sharabiyani, A. B. Dezfali, S. Khalili, A. M. Bahrami, A. Nasoori (2015). "Urinary parameters predictive and electrolyte disturbances of cisplatin-induced acute renal associated with cancer as a critical target of the chemotherapeutic agent in patients with solid tumors." *Tumor Biology* 36(6): 4495-4500. doi:10.1007/s13277-015-3091-1
505. [7] Rylova, Y. V., L. B. Buravkova, B. D. Zhivotovky (2016). "The effects of cisplatin on human adipose tissue derived mesenchymal stromal cells under different oxygen levels." *Vestnik Rossiiskoi Akademii Meditsinskikh Nauk* 71(2): 114-120. doi:10.15690/vramn614
506. [8] Thakor, F. K., K. W. Wan, P. J. Welsby, G. Welsby (2017). "Pharmacological effects of asiatic acid in glioblastoma cells under hypoxia." *Molecular and Cellular Biochemistry* 430(1-2): 179-190. doi:10.1007/s11010-017-2965-5
507. [9] Liao, C., D. Xu, X. Liu, Y. Fang, J. Yi, X. Li, B. Guo (2018). "Iridium (III) complex-loaded liposomes as a drug delivery system for lung cancer through mitochondrial dysfunction." *International Journal of Nanomedicine* 13: 4417-4431. doi:10.2147/IJN.S170035
508. [10] Seidl, C., K. Panzitt, A. Bertsch, L. Brcic, S. Schein, M. Mack, K. Leithner, F. Prinz, H. Olschewski, K. Kornmueller, A. Hrzenjak (2020). "MicroRNA-182-5p regulates hedgehog signaling pathway and chemosensitivity of cisplatin-resistant lung adenocarcinoma cells via targeting GLI2." *Cancer Letters* 469: 266-276. doi:10.1016/j.canlet.2019.10.044
509. [11] Luo, J., Y. Jin, M. Li, L. Dong (2021). "Tumor suppressor miR-613 induces cisplatin sensitivity in non-small cell lung cancer cells by targeting GJA1." *Molecular Medicine Reports* 23(5). doi:10.3892/mmr.2021.12024
510. [12] Winter, C., A. Hiester (2021). "Treatment of clinical stage I non-seminoma." *Asian Journal of Urology* 8(2): 161-169. doi:10.1016/j.ajur.2021.03.001
511. [13] Klingseisen, V., J. Slanovc, M. Regouc, A. Hrzenjak (2022). "Bisdemethoxycurcumin sensitizes the response of cisplatin resistant non-small cell lung carcinoma cell lines by activating apoptosis and autophagy." *Journal of Nutritional Biochemistry* 106. doi:10.1016/j.jnutbio.2022.109003

Публ. с IFN^o 15. **Momekov, G.**, Momekova, D. Recent developments in antitumor platinum coordination compounds (2006) *Expert Opinion on Therapeutic Patents*, 16 (10): 1383-1403. (IF 1,488)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-33750355357&doi=10.1517%2f13543776.16.10.1383&partnerID=40&md5=c69adef01979b3e744a83ad37fb6f8a9)

[33750355357&doi=10.1517%2f13543776.16.10.1383&partnerID=40&md5=c69adef01979b3e744a83ad37fb6f8a9](https://www.scopus.com/inward/record.uri?eid=2-s2.0-33750355357&doi=10.1517%2f13543776.16.10.1383&partnerID=40&md5=c69adef01979b3e744a83ad37fb6f8a9)

DOI: 10.1517/13543776.16.10.1383

Установени цитирания: в SCOPUS (23)

512. [1] Hartinger, C. G., B. K. Keppler (2007). "CE in anticancer metallodrug research - An update." *Electrophoresis* 28(19): 3436-3446. doi:10.1002/elps.200700114
513. [2] Odoko, M., N. Okabe (2007). "(Oxalato- κ O,O')(propane-1,3-diamine- κ 2N,N')-palladium(II)." *Acta Crystallographica Section E: Structure Reports Online* 63(2): m628-m630. doi:10.1107/S1600536807004187
514. [3] Wheate, N. J., R. I. Taleb, A. M. Krause-Heuer, R. L. Cook, S. Wang, V. J. Higgins, J. R. Aldrich-Wright (2007). Novel platinum(II)-based anticancer complexes and molecular hosts as their drug delivery vehicles. *Dalton Transactions*.
515. [4] Reedijk, J. (2008a). "Metal-ligand exchange kinetics in platinum and ruthenium complexes: Significance for effectiveness as anticancer drugs." *Platinum Metals Review* 52(1): 2-11. doi:10.1595/147106708X255987
516. [5] Reedijk, J. (2008b). Medicinal applications of metal complexes binding to biological macromolecules. *Macromolecular Symposia*.
517. [6] Bakalova, A., H. Varbanov, S. Stanchev, D. Ivanov, F. Jensen (2009). "DFT study of the structure and spectral behavior of new Pt(II) complexes with 5-Methyl-5(4-pyridyl)hydantoin." *International Journal of Quantum Chemistry* 109(4): 826-836. doi:10.1002/qua.21890
518. [7] Bischoff, P., A. Altmeyer, F. Dumont (2009). "Radiosensitising agents for the radiotherapy of cancer: Advances in traditional and hypoxia targeted radiosensitisers." *Expert Opinion on Therapeutic Patents* 19(5): 643-662. doi:10.1517/13543770902824172
519. [8] Gabano, E., M. Ravera, D. Osella (2009). "The drug targeting and delivery approach applied to Pt-antitumour complexes. A coordination point of view." *Current Medicinal Chemistry* 16(34): 4544-4580. doi:10.2174/092986709789760661
520. [9] Haxton, K. J., H. M. Burt (2009). "Polymeric drug delivery of platinum-based anticancer agents." *Journal of Pharmaceutical Sciences* 98(7): 2299-2316. doi:10.1002/jps.21611
521. [10] Xiaoyong, W., G. Zijian (2009). "New strategies and trends for the design of metal-based anticancer drugs." *Progress in Chemistry* 21(5): 845-855.
522. [11] Woll, K. A., E. J. Schuchardt, C. R. Willis, C. D. Ortengren, N. Hendricks, M. Johnson, E. Gaidamauskas, B. Baruah, A. G. Sostarecz, D. R. Worley, D. W. Osborne, D. C. Crans (2011). "Gel formulation containing mixed surfactant and lipids associating with carboplatin." *Chemistry and Biodiversity* 8(12): 2195-2210. doi:10.1002/cbdv.201100097
523. [12] El Kazzouli, S., N. El Brahmi, S. Mignani, M. Bousmina, M. Zablocka, J. P. Majoral (2012). "From metallodrugs to metallodendrimers for nanotherapy in oncology: A concise overview." *Current Medicinal Chemistry* 19(29): 4995-5010. doi:10.2174/0929867311209024995
524. [13] Xiaoyong, W., G. Zijian (2013). "Targeting and delivery of platinum-based anticancer drugs." *Chemical Society Reviews* 42(1): 202-224. doi:10.1039/c2cs35259a
525. [14] Lucier, B. E. G., K. E. Johnston, W. Xu, J. C. Hanson, S. D. Senanayake, S. Yao, M. W. Bourassa, M. Srebro, J. Autschbach, R. W. Schurko (2014). "Unravelling the structure of Magnus' pink salt." *Journal of the American Chemical Society* 136(4): 1333-1351. doi:10.1021/ja4076277
526. [15] Grau, J., R. F. Brissos, J. Salinas-Uber, A. B. Caballero, A. Caubet, O. Roubeau, L. Korrodi-Gregório, R. Pérez-Tomás, P. Gamez (2015). "The effect of potential supramolecular-bond promoters on the DNA-interacting abilities of copper-terpyridine compounds." *Dalton Transactions* 44(36): 16061-16072. doi:10.1039/c5dt02211h
527. [16] Pradeep, P., P. Kumar, Y. E. Choonara, V. Pillay (2017). "Targeted nanotechnologies for cancer intervention: a patent review (2010-2016)." *Expert Opinion on Therapeutic Patents* 27(9): 1005-1019. doi:10.1080/13543776.2017.1344216
528. [17] Censi, V., A. B. Caballero, M. Pérez-Hernández, V. Soto-Cerrato, L. Korrodi-Gregório, R. Pérez-Tomás, M. M. Dell'Anna, P. Mastroilli, P. Gamez (2019). "DNA-binding and in vitro cytotoxic activity of platinum(II) complexes of curcumin and caffeine." *Journal of Inorganic Biochemistry* 198. doi:10.1016/j.jinorgbio.2019.110749

529. [18] Lv, C., Y. Liu, G. Meng, J. Li, Z. Ti (2020). "A new Er(III)-based MOF showing anti-colon cancer activity by inhibiting IL-6-STAT3 signaling pathway and reducing TNF- α and IL-1 β production." *Journal of Coordination Chemistry* 73(9): 1478-1489. doi:10.1080/00958972.2020.1780216
530. [19] Zhong, Y., C. Jia, X. Zhang, X. Liao, B. Yang, Y. Cong, S. Pu, C. Gao (2020). "Targeting drug delivery system for platinum(IV)-Based antitumor complexes." *European Journal of Medicinal Chemistry* 194. doi:10.1016/j.ejmech.2020.112229
531. [20] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
532. [21] Obreshkova, D., S. Ivanova, P. Yordanova-Laleva (2022). "Influence of chemical structure and mechanism of hydrolysis on pharmacological activity and toxicological profile of approved platinum drugs." *Pharmacia* 69(3): 645-653. doi:10.3897/pharmacia.69.e87494
533. [22] Tsvetkova, D., S. Ivanova (2022). "Application of Approved Cisplatin Derivatives in Combination Therapy against Different Cancer Diseases." *Molecules* 27(8). doi:10.3390/molecules27082466
534. [23] Mian, M. R., U. Afrin, S. Takaishi, B. K. Breedlove, M. Yamashita, H. Iguchi (2023). "Hexagonal crystalline Magnus' green salt analogues prepared from hydroxy-functionalised Pt and Pd complexes." *Dalton Transactions* 52(42): 15503-15509. doi:10.1039/d3dt01700a

Публ. с IFN^o 16. Kostova, I., Trendafilova, N., Cîntă Pinzaru, S., Kiefer, W., **Momekov, G.** Spectroscopic evidence of La(III) complex of coumarin-3-carboxylic acid with cytotoxic activity (2007) *Journal of Optoelectronics and Advanced Materials*, 9 (3): 532-538. (IF 0,827)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-38549130809&partnerID=40&md5=567c348915487338e60d4718368879d5>

Установени цитирания: в SCOPUS (1)

535. [1] Gromak, N. A., F. A. Kolokolov, V. V. Dotsenko, N. A. Aksenov, I. V. Aksenova (2021). "Synthesis and Luminescent Properties of Eu³⁺ and Tb³⁺ Complexes with Coumarin-3-carboxylic Acids." *Russian Journal of General Chemistry* 91(4): 685-692. doi:10.1134/S1070363221040174

Публ. с IFN^o 17. Kostova, I., **Momekov, G.** Synthesis, characterization and cytotoxicity evaluation of new cerium(III), lanthanum(III) and neodymium(III) complexes (2007) *Applied Organometallic Chemistry*, 21 (4): 226-233. (IF 1,224)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33947535972&doi=10.1002%2faoc.1205&partnerID=40&md5=7856ed7915c636966e8936f152448158>

DOI: 10.1002/aoc.1205

Установени цитирания: в SCOPUS (12)

536. [1] Bortoluzzi, M., G. Paolucci, D. Fregona, L. D. Via, F. Enrichi (2012). "Group 3 and lanthanide triflate complexes with [N,N,O]-donor ligands: Synthesis, characterization, and cytotoxic activity." *Journal of Coordination Chemistry* 65(22): 3903-3916. doi:10.1080/00958972.2012.728591
537. [2] Alberto, A. M., P. C. Dorian (2013). "Synthesis, characterization, thermal behavior, and antifungal activity of La(III) complexes with cinnamates and 4-methoxyphenylacetate." *Journal of Rare Earths* 31(11): 1106-1113. doi:10.1016/S1002-0721(12)60412-8
538. [3] Saturnino, C., M. Bortoluzzi, M. Napoli, A. Popolo, A. Pinto, P. Longo, G. Paolucci (2013). "New insights on cytotoxic activity of group 3 and lanthanide compounds: Complexes with [N,N,N]-scorpionate ligands." *Journal of Pharmacy and Pharmacology* 65(9): 1354-1359. doi:10.1111/jphp.12112
539. [4] Aragón-Muriel, A., M. Camprubí-Robles, E. González-Rey, A. Salinas-Castillo, A. Rodríguez-Diéguez, S. Gómez-Ruiz, D. Polo-Cerón (2014). "Dual investigation of lanthanide complexes with cinnamate and phenylacetate ligands: Study of the cytotoxic properties and the catalytic oxidation of styrene." *Polyhedron* 80: 117-128. doi:10.1016/j.poly.2014.02.040
540. [5] Georgieva, I., T. Mihaylov, N. Trendafilova (2014). "Lanthanide and transition metal complexes of bioactive coumarins: Molecular modeling and spectroscopic studies." *Journal of Inorganic Biochemistry* 135: 100-112. doi:10.1016/j.jinorgbio.2014.03.003
541. [6] Sang, Y. L., X. S. Lin, X. C. Li, Y. H. Liu, X. H. Zhang (2015). "Synthesis, crystal structure and antibacterial activity of a novel phenolato- and peroxo-bridged dinuclear cerium(IV) complex with tripodal Schiff bases." *Inorganic Chemistry Communications* 62: 115-118. doi:10.1016/j.inoche.2015.11.003
542. [7] Tite, T., A. C. Popa, L. M. Balescu, I. M. Bogdan, I. Pasuk, J. M. F. Ferreira, G. E. Stan (2018). "Cationic substitutions in hydroxyapatite: Current status of the derived biofunctional effects and their in vitro interrogation methods." *Materials* 11(11). doi:10.3390/ma11112081
543. [8] Chundawat, N. S., S. Jadoun, P. Zarrintaj, N. P. S. Chauhan (2021). "Lanthanide complexes as anticancer agents: A review." *Polyhedron* 207. doi:10.1016/j.poly.2021.115387
544. [9] Gromak, N. A., F. A. Kolokolov, V. V. Dotsenko, N. A. Aksenov, I. V. Aksenova (2021). "Synthesis and Luminescent Properties of Eu³⁺ and Tb³⁺ Complexes with Coumarin-3-carboxylic Acids." *Russian Journal of General Chemistry* 91(4): 685-692. doi:10.1134/S1070363221040174
545. [10] Aragón-Muriel, A., V. Reyes-Márquez, F. Cañavera-Buevas, J. R. Parra-Unda, F. Cuenú-Cabezas, D. Polo-Cerón, R. Colorado-Peralta, G. V. Suárez-Moreno, B. A. Aguilar-Castillo, D. Morales-Morales (2022). "Pincer Complexes Derived from Tridentate Schiff Bases for Their Use as Antimicrobial Metallopharmaceuticals." *Inorganics* 10(9). doi:10.3390/inorganics10090134
546. [11] Bhat, V. V., P. R. Chetana, M. A. Dhale, S. Soman (2022). "Synthesis, characterization, in vitro biological evaluation and molecular docking studies of newly synthesized mononuclear lanthanum(III) complexes of N,N'-bis(2-aminoethyl)oxamide and phenanthroline bases." *Journal of Molecular Structure* 1270. doi:10.1016/j.molstruc.2022.133903
547. [12] Vinayakumar Bhat, V., P. R. Chetana (2023). Lanthanum: Complexes with Variable Coordination and Versatile Applications. In: *What to Know about Lanthanum* (Ed.): 1-34.

Публ. с IFN^o 18. Ivanova, Y., **Momekov, G.**, Petrov, O., Karaivanova, M., Kalcheva, V. Cytotoxic Mannich bases of 6-(3-aryl-2-propenoyl)-2(3H)-benzoxazolones (2007) *European Journal of Medicinal Chemistry*, 42 (11-12): 1382-1387. (IF 2,301)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-36248946758&doi=10.1016%2fj.ejmech.2007.02.019&partnerID=40&md5=4d261aab874ba33628ba8a360228cd49>

548. [1] Wang, H., Z. Zhang, W. Chang (2008). "A novel one-step photocatalytic synthesis of benzo[d]oxazol-2(3H)-one with C-doped TiO₂ nanoparticle." *Chemistry Letters* 37(11): 1156-1157. doi:10.1246/cl.2008.1156
549. [2] Chen, J., J. Lou, T. Liu, R. Wu, X. Dong, Q. He, B. Yang, Y. Hu (2009). "Synthesis and In-vitro antitumor activities of some mannich bases of 9-alkyl-1,2,3,4-tetrahydrocarbazole-1-ones." *Archiv der Pharmazie* 342(3): 165-172. doi:10.1002/ardp.200800179
550. [3] Dong, X., T. Liu, J. Chen, H. Ying, Y. Hu (2009). "Microwave-assisted mannich reaction of 2-hydroxy-chalcones." *Synthetic Communications* 39(4): 733-742. doi:10.1080/00397910802431107
551. [4] Asiri, A. M., S. A. Khan, M. G. Rasul (2010). "N-[(9-ethyl-9H-carbazol-3-yl)methylene]-3,4-dimethylisoxazol-5-amine." *MolBank* 2010(2): 1-3. doi:10.3390/m684
552. [5] Batovska, D. I. I. T. Todorova (2010). "Trends in utilization of the pharmacological potential of chalcones." *Current Clinical Pharmacology* 5(1): 1-29. doi:10.2174/157488410790410579
553. [6] Karaman, I., H. Gezezen, M. B. Gürdere, A. Dingil, M. Ceylan (2010). "Screening of biological activities of a series of chalcone derivatives against human pathogenic microorganisms." *Chemistry and Biodiversity* 7(2): 400-408. doi:10.1002/cbdv.200900027
554. [7] Khan, M. S., A. Husain, S. Sharma (2010). "New 4,6-diacetyl resorcinol Mannich bases: Synthesis and biological evaluation." *Acta Poloniae Pharmaceutica - Drug Research* 67(3): 261-266.
555. [8] Mojarrad, J. S., G. Zarrini, H. Nazemiye, M. R. Zavareh, Z. Khoshkam, D. Asgari (2011). "Synthesis, antimicrobial and antioxidant evaluations of allyloxy chalcone derivatives." *Pharmaceutical Sciences* 17(1): 65-73.
556. [9] Murty, M. S. R., K. R. Ram, R. V. Rao, J. S. Yadav, U. S. N. Murty, K. P. Kumar (2011a). "CsF-Celite catalyzed facile N-alkylation of 2(3H)-benzoxazolones and antimicrobial properties of 2-substituted benzoxazole and 3-substituted-2(3H)-benzoxazolone derivatives." *Medicinal Chemistry Research* 20(5): 626-636. doi:10.1007/s00044-010-9367-5
557. [10] Murty, M. S. R., K. R. Ram, R. V. Rao, J. S. Yadav, J. V. Rao, V. T. Cheriyan, R. J. Anto (2011b). "Synthesis and preliminary evaluation of 2-substituted-1,3-benzoxazole and 3-[(3-substituted)propyl]-1,3-benzoxazol-2(3H)-one derivatives as potent anticancer agents." *Medicinal Chemistry Research* 20(5): 576-586. doi:10.1007/s00044-010-9353-y
558. [11] S. Shah, N. N., H. Md. Ziauddin, M. Zameer, J. A. Dhole, T. Khan, M. A. Baseer (2011). "Synthesis and antimicrobial studies of some novel pyrrolidine chalcones." *Der Pharmacia Lettre* 3(1): 180-184.
559. [12] Aydin, A., Z. Soyer, M. Akkurt, O. Büyükgüngör (2012). "3-Anilinoethyl-5-chloro-1,3-benzoxazol-2(3H)-one." *Acta Crystallographica Section E: Structure Reports Online* 68(5): o1544-o1545. doi:10.1107/S1600536812017709
560. [13] Dhirbassi, S. D., S. R. Dighade, D. S. Khawale (2012). "Synthesis of chalcones and 3,5-diaryl-Δ²-isoxazolines." *International Journal of Chemical Sciences* 10(2): 777-782.
561. [14] Jat, L. R., R. Mishra, D. Pathak (2012). "Synthesis and anticancer activity of 4-benzylidene-2-phenyloxazol-5(4H)-one derivatives." *International Journal of Pharmacy and Pharmaceutical Sciences* 4(1): 378-380.
562. [15] Koksal, M., M. Yarim, I. Durmaz, R. Cetin-Atalay (2012). "Synthesis and cytotoxic activity of novel 3-methyl-1-[(4-substituted)piperazin-1-yl)methyl]-1H-indole derivatives." *Arzneimittel-Forschung/Drug Research* 62(8): 389-394. doi:10.1055/s-0032-1314868
563. [16] Repanas, A., A. M. Katsori, D. Hadjipavlou-Litina (2013). "Chalcones in cancer: Understanding their role in terms of QSAR. II part." *Mini-Reviews in Medicinal Chemistry* 13(7): 952-970. doi:10.2174/1389557511313070002
564. [17] Sharma, V., V. Kumar, P. Kumar (2013). "Heterocyclic chalcone analogues as potential anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 13(3): 422-432. doi:10.2174/1871520611313030006
565. [18] Soyer, Z., S. Parlar, V. Alptuzun (2013). "Synthesis and acetylcholinesterase (AChE) inhibitory activity of some N-substituted-5-chloro-2(3H)-benzoxazolone derivatives." *Marmara Pharmaceutical Journal* 17(1): 15-20. doi:10.12991/201317387
566. [19] Tang, L., W. H. Ma, Y. L. Ma, S. R. Ban, X. E. Feng, Q. S. Li (2013). "Synthesis and biological activity of 4-substituted benzoxazolone derivatives as a new class of sEH inhibitors with high anti-inflammatory activity in vivo." *Bioorganic and Medicinal Chemistry Letters* 23(8): 2380-2383. doi:10.1016/j.bmcl.2013.02.048
567. [20] Dumbravă, A., R. Olar, M. Badea, M. N. Grecu, F. Pătrascu, L. Măruțescu, N. Stănică (2014). "Synthesis and characterisation of Ni(II), Cu(II), and Zn(II) complexes with an acyclic Mannich base functionalised with thioglycolate moiety." *Journal of Thermal Analysis and Calorimetry* 115(3): 2447-2455. doi:10.1007/s10973-013-3437-0
568. [21] Soyer, Z., S. Uysal, F. A. Kose, A. Pabuccuoglu (2014). "Synthesis and antioxidant activity studies of some 5-chloro-3-substituted 2(3H)-benzoxazolone derivatives." *Asian Journal of Chemistry* 26(19): 6642-6646. doi:10.14233/ajchem.2014.17086
569. [22] Roman, G. (2015). "Mannich bases in medicinal chemistry and drug design." *European Journal of Medicinal Chemistry* 89: 743-816. doi:10.1016/j.ejmech.2014.10.076
570. [23] Vijayachandrasekar, M., M. Sivakami, S. Rajeswari (2015). "Unprecedented lewis acid catalyzed one-pot, three-component synthesis and evaluation of bioactive property of 1-(2-oxo-3-(2-phenylhydrazinyl) indolin-3-yl) pyrrolidine-2,5-dione." *International Journal of Pharmaceutical Sciences Review and Research* 35(1): 12-15.
571. [24] Yahia, W., A. K. Nacereddine, K. Seddiki, M. Liacha, J. Nippert (2015). "Experimental and theoretical investigation of the intramolecular cyclisation of N-(benzoxazolinon-6-yl) Maleimide derivatives." *Revue Roumaine de Chimie* 60(9): 853-859.
572. [25] Zheng, G., T. Chen, X. Peng, S. Long (2015). "Synthesis, Anti-Inflammatory, and Analgesic Activities of Derivatives of 4-Hydroxy-2-benzoxazolone." *Journal of Chemistry* 2015. doi:10.1155/2015/534156
573. [26] Adjeroud, Y., H. Chabane, M. Liacha (2016). "Comparative study of conventional and microwave-assisted synthesis of novel 6-(arylideneamino)benzo[d]oxazol-2(3H)-ones with potential antibacterial activity." *Revue Roumaine de Chimie* 61(2): 111-117.
574. [27] Gezezen, H., U. Tutar, M. Ceylan (2016). "Synthesis and Antimicrobial Activity of Racemic 1,5-Diols: 2-(1,3-Diaryl-3-hydroxypropyl)cyclohexan-1-ol Derivatives." *Helvetica Chimica Acta* 99(8): 608-616. doi:10.1002/hlca.201600048
575. [28] Mahdi, M. F., A. M. R. Rauf, S. S. Rzoqi (2016). "Synthesis, characterization and antimicrobial study of new nalidixic acid mannich base derivatives." *Der Pharma Chemica* 8(19): 424-432.
576. [29] Sethi, R., S. Arora, D. Saini, S. Jain (2016). "Synthesis, characterization, molecular docking studies and antimicrobial evaluation of n-benzimidazol-1-yl-methyl-benzamide derivatives." *Indian Journal of Pharmaceutical Education and Research* 50(3): 424-434. doi:10.5530/ijper.50.3.16
577. [30] Singh, R., G. Bhasin, R. Srivastava (2016). "β-Aminocarbonyl compounds: Chemistry and biological activities." *Mini-Reviews in Organic Chemistry* 13(2): 143-153. doi:10.2174/1570193X13666160225001122
578. [31] Yamali, C., H. I. Gul, H. Sakagami, C. T. Supuran (2016). "Synthesis and bioactivities of halogen bearing phenolic chalcones and their corresponding bis Mannich bases." *Journal of Enzyme Inhibition and Medicinal Chemistry* 31: 125-131. doi:10.1080/14756366.2016.1221825

579. [32] Kazi, I., S. Guha, G. Sekar (2017). "CBr₄ as a Halogen Bond Donor Catalyst for the Selective Activation of Benzaldehydes to Synthesize α,β -Unsaturated Ketones." *Organic Letters* 19(5): 1244-1247. doi:10.1021/acs.orglett.7b00348
580. [33] Seddiki, K., W. Yahia, M. Liacha, A. Defant, D. Sighe, I. Mancini (2017a). "Microwave-assisted synthesis of new imide- And formamide-derivatives of 2(3H)-benzoxazolinones and 2(3H)-benzothiazolinones." *Arkivoc* 2017(4): 315-329. doi:10.24820/ARK.5550190.P009.926
581. [34] Seddiki, K., W. Yahia, M. Liacha, A. Defant, D. Sighe, I. Mancini (2017b). "Microwave-assisted synthesis of new imide- and formamide-derivatives of 2(3H)-benzoxazolinones and 2(3H)-benzothiazolinones." *Arkivoc* 2017(4): 315-329. doi:10.3998/ark.5550190.p009.926
582. [35] Sethi, R., S. Arora, D. Saini, T. G. Singh, S. Jain (2017). "Design and synthesis of N-(benzimidazol-1-yl methyl)-benzamide derivatives as anti-inflammatory and analgesic agents." *Acta Poloniae Pharmaceutica - Drug Research* 74(5): 1413-1425.
583. [36] Aydin, A., Z. Soyer, M. Akkurt, O. Büyükgüngör (2018). "Crystal structure and theoretical study of N, N -bis[(5-chloro-2-oxo-2,3-dihydrobenzo[*d*]oxazol-3-yl)methyl]-2-phenylethanamine." *Acta Crystallographica Section E: Crystallographic Communications* 74: 757-760. doi:10.1107/S2056989018005984
584. [37] Farooq, A., M. Imran, Z. Iqbal, T. H. Bokhari, S. Latif, A. Farooq, M. Liaqat, L. Mitu (2018). "Synthesis, structural and photo-physical studies of transition metal complexes with mannich bases derived from 2-mercaptobenzimidazole." *Bulletin of the Chemical Society of Ethiopia* 32(3): 481-490. doi:10.4314/bcse.v32i3.7
585. [38] Martín-Escobano, R., E. Moreno-Viguri, M. Santivanez-Velaz, A. Martín-Montes, E. Medina-Carmona, R. Paucar, C. Marín, A. Azqueta, N. Cirauqui, A. L. Pey, S. Pérez-Silanes, M. Sánchez-Moreno (2018). "Second Generation of Mannich Base-Type Derivatives with in Vivo Activity against *Trypanosoma cruzi*." *Journal of Medicinal Chemistry* 61(13): 5643-5663. doi:10.1021/acs.jmedchem.8b00468
586. [39] Petrović, V. P., D. Simijonović, V. M. Milovanović, Z. D. Petrović (2018). "Acetophenone Mannich bases: Study of ionic liquid catalysed synthesis and antioxidative potential of products." *Royal Society Open Science* 5(11). doi:10.1098/rsos.181232
587. [40] Popiolek, Ł., A. Biernasiuk, K. Paruch, A. Malm, M. Wujec (2018). "Synthesis and in vitro antimicrobial activity screening of new pipemidic acid derivatives." *Archives of Pharmacological Research* 41(6): 633-645. doi:10.1007/s12272-018-1025-3
588. [41] Rossino, G., M. V. Raimondi, M. Rui, M. Di Giacomo, D. Rossi, S. Collina (2018). "PEG 400/cerium ammonium nitrate combined with microwave-assisted synthesis for rapid access to beta-amino ketones. an easy-to-use protocol for discovering new hit compounds." *Molecules* 23(4). doi:10.3390/molecules23040775
589. [42] Uysal, S., S. Parlar, A. H. Tarikogullari, F. Aydin Kose, V. Alptuzun, Z. Soyer (2018). "Synthesis, biological evaluation, and docking studies of some 5-chloro-2(3H)-benzoxazolone Mannich bases derivatives as cholinesterase inhibitors." *Archiv der Pharmazie* 351(3-4). doi:10.1002/ardp.201700273
590. [43] Abdel Bary, E. M., A. N. Hermal, M. A. Gouda (2019). "Synthesis, characterization, swelling-deswelling properties of novel nanoparticle-hydrogel containing core chitosan and their cyclohexanone-crosslinked counterparts." *Polymer-Plastics Technology and Materials* 58(9): 992-1004. doi:10.1080/03602559.2018.1542715
591. [44] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, S. Levent, I. Gulcin, C. T. Supuran (2019). "Synthesis, cytotoxicities, and carbonic anhydrase inhibition potential of 6-(3-aryl-2-propenoyl)-2(3H)-benzoxazolones." *Journal of Enzyme Inhibition and Medicinal Chemistry* 34(1): 1722-1729. doi:10.1080/14756366.2019.1670657
592. [45] Dorababu, A., R. R. Kamble, A. A. Kamble, M. N. Kumbar, S. J. Shaikh, S. P. Netalkar (2019). "Mannich Bases of 1,2,4-Triazolones as Potent Anti-Tubercular and Antifungal Agents." *ChemistrySelect* 4(10): 2881-2885. doi:10.1002/slct.201803933
593. [46] Han, X., B. Peng, B. B. Xiao, S. L. Cao, C. R. Yang, W. Z. Wang, F. C. Wang, H. Y. Li, X. L. Yuan, R. Shi, J. Liao, H. Wang, J. Li, X. Xu (2019). "Synthesis and evaluation of chalcone analogues containing a 4-oxoquinazolin-2-yl group as potential anti-tumor agents." *European Journal of Medicinal Chemistry* 162: 586-601. doi:10.1016/j.ejmech.2018.11.034
594. [47] Piekus-Słomka, N., R. Mikstacka, J. Ronowicz, S. Sobiak (2019). "Hybrid cis-stilbene molecules: Novel anticancer agents." *International Journal of Molecular Sciences* 20(6). doi:10.3390/ijms20061300
595. [48] Redzicka, A., Ł. Szczukowski, A. Kochel, B. Wiatrak, K. Gębczak, Ż. Czyżnikowska (2019). "COX-1/COX-2 inhibition activities and molecular docking study of newly designed and synthesized pyrrolo[3,4-*c*]pyrrole Mannich bases." *Bioorganic and Medicinal Chemistry* 27(17): 3918-3928. doi:10.1016/j.bmc.2019.07.033
596. [49] Bellamkonda, Y. N., S. P. V. Chamundeeswari (2020). "Structural, spectroscopic (NMR, FTIR, UV), Quantum chemical calculations and drug docking studies of 6-amino benzoxazol-2(3H)-one." *Chemical Data Collections* 28. doi:10.1016/j.cdc.2020.100413
597. [50] Bentoumi, H., N. Chetibi, A. Djerourou, N. E. Aouf, M. Liacha (2020). "Sonochemical synthesis of some novel 6-iminobenzoxazolinones with potential antibacterial and antifungal activities." *UPB Scientific Bulletin, Series B: Chemistry and Materials Science* 82(1): 71-84.
598. [51] Bhatt, P., A. Sen, A. Jha (2020). "Design and Ultrasound Assisted Synthesis of Novel 1,3,4-Oxadiazole Drugs for Anti-Cancer Activity." *ChemistrySelect* 5(11): 3347-3354. doi:10.1002/slct.201904412
599. [52] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, I. Gulcin (2020). "New halogenated chalcones with cytotoxic and carbonic anhydrase inhibitory properties: 6-(3-Halogenated phenyl-2-propen-1-yl)-2(3H)-benzoxazolones." *Archiv der Pharmazie* 353(6). doi:10.1002/ardp.201900384
600. [53] Erdag, E., E. Becer, Y. Mulazim, H. S. Vatansever, H. Kabadayı, B. Kesanli (2020). "Synthesis and apoptotic activities of new 2(3H)-benzoxazolone derivatives in breast cancer cells." *Anti-Cancer Agents in Medicinal Chemistry* 21(1): 84-90. doi:10.2174/1871520620666200721125820
601. [54] Nagrik, D. M., U. S. Shelke (2020). Synthesis of N-mannich bases from 3, 4-dihydropyrimidin-2(1H)-ones by using nanostructured cobalt chloride doped polyaniline composite as catalyst (PANI-Co). *Journal of Physics: Conference Series*, IOP Publishing Ltd.
602. [55] Rozmer, Z., A. Bernardes, C. N. Pérez, P. Perjési (2020). "Study on the interaction of 4-hydroxychalcones and their mannich derivatives with calf thymus dna by tlc and spectroscopic methods, a dna cleavage study." *Open Medicinal Chemistry Journal* 14: 122-131. doi:10.2174/1874104502014010122
603. [56] Yang, S. C., Y. H. Wang, Y. F. Tsai, Y. W. Chang, T. S. Wu, C. M. Ho, T. L. Hwang (2020). "A synthesized heterocyclic chalcone inhibits neutrophilic inflammation through K⁺-dependent pH regulation." *FASEB Journal* 34(5): 7127-7143. doi:10.1096/fj.201903123R
604. [57] Zirak, M., Z. Bahrami, O. Büyükgüngör, B. Eftekhari-Sis (2020). "N-(2-pyridylmethyl)-L-histidine functionalized Fe₃O₄ magnetic nanoparticles as an efficient catalyst for synthesis of β -amino ketones." *Scientia Iranica* 27(3 C): 1207-1215. doi:10.24200/SCI.2020.54123.3607
605. [58] Bilginer, S., B. Anil, M. Koca, Y. Demir, I. Gülçin (2021). "Novel Mannich bases with strong carbonic anhydrases and acetylcholinesterase inhibition effects: 3-(aminomethyl)-6-[3-[4-(trifluoromethyl)phenyl]acryloyl]-2(3H)-benzoxazolones." *Turkish Journal of Chemistry* 45(3): 805-818. doi:10.3906/kim-2101-25
606. [59] Mukherjee, S., S. Hansda, S. Nandi, T. Chakraborty, D. Samanta, K. Acharya, D. Das (2021). "Azide-mediated unusual in situ transformation of Mannich base to Schiff-Mannich base and isolation of their Cu(II) complexes: crystal structure, theoretical inspection and anticancer activities." *Dalton Transactions* 50(38): 13374-13386. doi:10.1039/d1dt01740c
607. [60] Shi, X. Y., X. H. Gao, B. Zhao, L. Tang, Q. S. Li (2021). "W3D improves LPS-induced acute lung injury in mice by regulating TLR4/MD2-NF- κ B p65 signaling pathway." *Chinese Pharmacological Bulletin* 37(5): 657-661. doi:10.3969/j.issn.1001-1978.2021.05.012

608. [61] Akkoyunlu, A., G. Dulger (2022). "Chemical Composition and In Vitro Antimicrobial, Antioxidant, and Antiproliferative Studies of the *Lamium galeobdolon* L. (L.) Essential Oil." *Russian Journal of Bioorganic Chemistry* 48(6): 1240-1246. doi:10.1134/S1068162022060048
609. [62] Badavath, V. N., A. Kumar, P. K. Samanta, S. Maji, A. Das, G. Blum, A. Jha, A. Sen (2022). "Determination of potential inhibitors based on isatin derivatives against SARS-CoV-2 main protease (mpro): a molecular docking, molecular dynamics and structure-activity relationship studies." *Journal of Biomolecular Structure and Dynamics* 40(7): 3110-3128. doi:10.1080/07391102.2020.1845800
610. [63] Bhilare, N. V., V. S. Marulkar, P. J. Shirote, S. A. Dombhe, V. J. Pise, P. L. Salve, S. M. Biradar, V. D. Yadav, P. D. Jadhav, A. A. Bodhe, S. P. Borkar, P. M. Ghadge, P. A. Shelar, A. V. Jadhav, K. C. Godse (2022). "Mannich Bases: Centrality in Cytotoxic Drug Design." *Medicinal Chemistry* 18(7): 735-756. doi:10.2174/1573406418666211220124119
611. [64] Kushwaha, N., S. Kushwaha (2022). "Synthetic approaches and biological significance of oxazolone moieties: A review." *Biointerface Research in Applied Chemistry* 12(5): 6460-6486. doi:10.33263/BRIAC125.64606486
612. [65] Wilhelm, A., S. L. Bonnet, L. Twigge, L. Rarova, T. Stenclova, H. G. Visser, M. Schutte-Smith (2022). "Synthesis, characterization and cytotoxic evaluation of chalcone derivatives." *Journal of Molecular Structure* 1251. doi:10.1016/j.molstruc.2021.132001
613. [66] Erdag, E. (2023). "Evaluation of 2(3H)-Benzoxazolone Derivatives Containing Piperidine Substituents as Cytotoxic and Apoptotic Agents: An in vitro and in silico Study." *Journal of Medicinal and Chemical Sciences* 6(3): 569-579. doi:10.26655/JMCHEMSCI.2023.3.14
614. [67] Koçak Aslan, E., B. N. Sağlık, Y. Özkay, E. Palaska (2023). "Synthesis and Biological Evaluation of Benzoxazolone-Thiosemicarbazide, 1,2,4-Triazole, 1,3,4-Thiadiazole Derivatives as Cholinesterase Inhibitors." *ChemistrySelect* 8(35). doi:10.1002/slct.202302069
615. [68] Subramanyam, S., R. Samineni, S. K. Kadi, J. P. Yanadaiah, P. Jonnalagedda, K. V. Chikkula, S. A. Gouru (2023). "Synthesis and In-vivo Bioactivity Studies of Some New Hydrazide Schiff Bases and Mannich Bases of Indole Derivatives." *Indian Journal of Heterocyclic Chemistry* 33(3): 299-309. doi:10.59467/IJHC.2023.33.299
616. [69] <https://patents.google.com/patent/CN105503745A/en>

Публ. с IFN° 19. Kostova, I., Kiefer, W., **Momekov, G.** Cytotoxic activity of Gd(III)- and Dy(III)-complexes (2007) *Archiv der Pharmazie*, 340 (12): 642-649. (IF 1,300)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-37349020054&doi=10.1002%2fardp.200700118&partnerID=40&md5=f8ff1625c3ffb91bcd8f642a3a0e8b05)

[37349020054&doi=10.1002%2fardp.200700118&partnerID=40&md5=f8ff1625c3ffb91bcd8f642a3a0e8b05](https://www.scopus.com/inward/record.uri?eid=2-s2.0-37349020054&doi=10.1002%2fardp.200700118&partnerID=40&md5=f8ff1625c3ffb91bcd8f642a3a0e8b05)

DOI: 10.1002/ardp.200700118

Установени цитирания: в SCOPUS (4)

617. [1] Eliseeva, S. V., J. C. G. Bünzli (2010). "Lanthanide luminescence for functional materials and bio-sciences." *Chemical Society Reviews* 39(1): 189-227. doi:10.1039/b905604c
618. [2] Sideratou, Z., D. Tsiourvas, T. Theodossiou, M. Fardis, C. M. Paleos (2010). "Synthesis and characterization of multifunctional hyperbranched polyesters as prospective contrast agents for targeted MRI." *Bioorganic and Medicinal Chemistry Letters* 20(14): 4177-4181. doi:10.1016/j.bmcl.2010.05.055
619. [3] Chen, Z. F., X. Y. Song, Y. Peng, X. Hong, Y. C. Liu, H. Liang (2011). "High cytotoxicity of dihalo-substituted 8-quinolinolato-lanthanides." *Dalton Transactions* 40(8): 1684-1692. doi:10.1039/c0dt01310b
620. [4] Englinger, B., C. Pirker, P. Heffeter, A. Terenzi, C. R. Kowol, B. K. Keppler, W. Berger (2019). "Metal drugs and the anticancer immune response." *Chemical Reviews* 119(2): 1519-1624. doi:10.1021/acs.chemrev.8b00396

Публ. с IFN° 21. Momekova, D., **Momekov, G.**, Rangelov, S., Lambov, N. In vitro biocompatibility study of free and liposomally-grafted copolymers bearing short blocks of aliphatic lipid-mimetic units. Cytotoxicity and hemolytic activity (2007) *Journal of Drug Delivery Science and Technology*, 17 (6): 393-397. (IF 0,671)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-37549028776&doi=10.1016%2fS1773-2247%2807%2950079-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-37549028776&doi=10.1016%2fS1773-2247%2807%2950079-1&partnerID=40&md5=e417ae5c6512483042bfd663838541bd)

[1&partnerID=40&md5=e417ae5c6512483042bfd663838541bd](https://www.scopus.com/inward/record.uri?eid=2-s2.0-37549028776&doi=10.1016%2fS1773-2247%2807%2950079-1&partnerID=40&md5=e417ae5c6512483042bfd663838541bd)

DOI: 10.1016/S1773-2247(07)50079-1

Установени цитирания: в SCOPUS (2)

621. [1] Liu, C. H., H. L. Hsu, J. P. Chen, T. Wu, Y. H. Ma (2019). "Thrombolysis induced by intravenous administration of plasminogen activator in magnetoliposomes: dual targeting by magnetic and thermal manipulation." *Nanomedicine: Nanotechnology, Biology, and Medicine* 20. doi:10.1016/j.nano.2019.03.014
622. [2] Liu, J., W. Zuo, Q. Jin, C. Liu, N. Liu, H. Tian, X. Zhu (2021). "Mn(II)-directed dual-photosensitizers co-assemblies for multimodal imaging-guided self-enhanced phototherapy." *Materials Science and Engineering C* 129. doi:10.1016/j.msec.2021.112351

Публ. с IFN° 22. Kostova, I., **Momekov, G.** New cerium(III) complexes of coumarins - Synthesis, characterization and cytotoxicity evaluation (2008) *European Journal of Medicinal Chemistry*, 43 (1): 178-188. (IF 2,882)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-38149133292&doi=10.1016%2fj.ejmech.2007.03.007&partnerID=40&md5=dfef5ea7224c5bbd827806a0f12ff83f)

[38149133292&doi=10.1016%2fj.ejmech.2007.03.007&partnerID=40&md5=dfef5ea7224c5bbd827806a0f12ff83f](https://www.scopus.com/inward/record.uri?eid=2-s2.0-38149133292&doi=10.1016%2fj.ejmech.2007.03.007&partnerID=40&md5=dfef5ea7224c5bbd827806a0f12ff83f)

DOI: 10.1016/j.ejmech.2007.03.007

Установени цитирания: в SCOPUS (56)

623. [1] Zhang, H., T. Z. Yu, Y. L. Zhao, D. W. Fan, L. Ding, S. D. Zhang (2009). "Cytotoxic activity of some novel dicoumarin derivatives in vitro." *Chemical Research in Chinese Universities* 25(5): 644-647.

624. [2] Han, G. C., Y. N. Liu (2010). "Synthesis, characterization and fluorescent properties of cerium(III) glutathione complex." *Luminescence* 25(5): 389-393. doi:10.1002/bio.1165
625. [3] Riveiro, M. E., N. De Kimpe, A. Moglioni, R. Vázquez, F. Monczor, C. Shayo, C. Davio (2010). "Coumarins: Old compounds with novel promising therapeutic perspectives." *Current Medicinal Chemistry* 17(13): 1325-1338. doi:10.2174/092986710790936284
626. [4] Boldyrev, I. A., G. P. Gaenko, E. V. Moiseeva, T. Deligeorgiev, S. Kaloyanova, N. Lesev, A. Vasilev, J. G. Molotkovsky (2011). "Europium complexes of 1,10-phenanthrolines: Their inclusion in liposomes and cytotoxicity." *Russian Journal of Bioorganic Chemistry* 37(3): 364-368. doi:10.1134/S106816201103006X
627. [5] Chen, Z. F., X. Y. Song, Y. Peng, X. Hong, Y. C. Liu, H. Liang (2011a). "High cytotoxicity of dihalo-substituted 8-quinolinolato-lanthanides." *Dalton Transactions* 40(8): 1684-1692. doi:10.1039/c0dt01310b
628. [6] Chen, Z. F., M. X. Tan, Y. C. Liu, Y. Peng, H. H. Wang, H. G. Liu, H. Liang (2011b). "Synthesis, characterization and preliminary cytotoxicity evaluation of five Lanthanide(III)-Plumbagin complexes." *Journal of Inorganic Biochemistry* 105(3): 426-434. doi:10.1016/j.jinorgbio.2010.12.003
629. [7] Gaballa, A. S., S. M. Teleb, M. S. Asker, A. A. Soliman (2011). "Spectroscopic, Thermal studies and antimicrobial activity of nitrilotriacetates, (NTA)-Ce(III) and -Ce(VI) complexes." *Asian Journal of Chemistry* 23(12): 5343-5348.
630. [8] Leão, R. A. C., P. Def. demoraes, M. C. B. C. Pedro, P. R. R. Costa (2011). "Synthesis of coumarins and neoflavones through zinc chloride catalyzed hydroarylation of acetylenic esters with phenols." *Synthesis* (22): 3692-3696. doi:10.1055/s-0031-1289576
631. [9] Montagner, C., L. A. Savi, I. T. Silva, J. M. Kratz, E. F. A. Smânia, F. D. Monache, A. Smânia Jr, C. M. O. Simões (2011). "In vitro cytotoxic screening of coumarins." *Latin American Journal of Pharmacy* 30(9): 1669-1674.
632. [10] Shi, F., A. X. Dai, S. Zhang, X. H. Zhang, S. J. Tu (2011). "Efficient microwave-assisted synthesis of novel 3-aminohexahydrocoumarin derivatives and evaluation on their cytotoxicity." *European Journal of Medicinal Chemistry* 46(3): 953-960. doi:10.1016/j.ejmech.2010.12.013
633. [11] Yang, S., L. Han, D. Wang, Y. Pan, Z. Yu, H. Ye (2011). "Solothermal synthesis, crystal structure of a 1D coordination polymer [Er(CCA)₃(H₂O)₂]_n•nH₂O (HCCA=coumarin-3-carboxylic acid) and the interaction between the polymer and bovine serum albumin (BSA)." *Acta Chimica Sinica* 69(19): 2319-2327.
634. [12] Hussein, B. H. M., H. A. Azab, M. F. El-Azab, A. I. El-Falouji (2012). "A novel anti-tumor agent, Ln(III) 2-thioacetate benzothiazole induces anti-angiogenic effect and cell death in cancer cell lines." *European Journal of Medicinal Chemistry* 51: 99-109. doi:10.1016/j.ejmech.2012.02.025
635. [13] Chen, Z. F., Y. Q. Gu, X. Y. Song, Y. C. Liu, Y. Peng, H. Liang (2013a). "Synthesis, crystal structure, cytotoxicity and DNA interaction of 5,7-dichloro-8-quinolinolato-lanthanides." *European Journal of Medicinal Chemistry* 59: 194-202. doi:10.1016/j.ejmech.2012.10.037
636. [14] Chen, Z. F., J. H. Wei, Y. C. Liu, M. Liu, Y. Q. Gu, K. B. Huang, M. Wang, H. Liang (2013b). "High antitumor activity of 5,7-dihalo-8-quinolinolato cerium complexes." *European Journal of Medicinal Chemistry* 68: 454-462. doi:10.1016/j.ejmech.2013.08.007
637. [15] Liu, Y. C., Z. F. Chen, X. Y. Song, Y. Peng, Q. P. Qin, H. Liang (2013). "Synthesis, crystal structure, cytotoxicity and DNA interaction of 5,7-dibromo-8-quinolinolato-lanthanides." *European Journal of Medicinal Chemistry* 59: 168-175. doi:10.1016/j.ejmech.2012.11.001
638. [16] Xia, H. T., Y. F. Liu, W. X. Ma (2013). "Study on interaction of N, N'-(2-hydroxy-3-methoxybenzyl) diamine cerium(IV) with bovine serum albumin." *Journal of Coordination Chemistry* 66(21): 3706-3721. doi:10.1080/00958972.2013.850496
639. [17] Zhang, H., M. Zhao, T. Yu, Y. Zhao, D. Fan, S. Zhang (2013). Cytotoxicity evaluation of coumarin derivatives containing 4-bromophenyl or anthracene moieties. Research on Chemical Intermediates.
640. [18] Georgieva, L., T. Mihaylov, N. Trendafilova (2014). "Lanthanide and transition metal complexes of bioactive coumarins: Molecular modeling and spectroscopic studies." *Journal of Inorganic Biochemistry* 135: 100-112. doi:10.1016/j.jinorgbio.2014.03.003
641. [19] Liton, M. A. K., U. Salma, A. C. Bhowmick (2014). "Cytotoxicity and 2D-QSAR study of some heterocyclic compounds." *Arabian Journal of Chemistry* 7(5): 639-646. doi:10.1016/j.arabjc.2014.01.014
642. [20] Wang, Q., Y. Huang, J. S. Zhang, X. B. Yang (2014). "Synthesis, characterization, DNA interaction, and antitumor activities of la (III) complex with schiff base ligand derived from kaempferol and diethylenetriamine." *Bioinorganic Chemistry and Applications* 2014. doi:10.1155/2014/354138
643. [21] Emami, S., S. Dadashpour (2015). "Current developments of coumarin-based anti-cancer agents in medicinal chemistry." *European Journal of Medicinal Chemistry* 102: 611-630. doi:10.1016/j.ejmech.2015.08.033
644. [22] Kaur, M., S. Kohli, S. Sandhu, Y. Bansal, G. Bansal (2015). "Coumarin: A promising scaffold for anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 15(8): 1032-1048. doi:10.2174/1871520615666150101125503
645. [23] Liu, H., Y. Wang, A. Sharma, R. Mao, N. Jiang, B. Dun, J. X. She (2015). "Derivatives containing both coumarin and benzimidazole potentially induce caspase-dependent apoptosis of cancer cells through inhibition of PI3K-AKT-mTOR signaling." *Anti-Cancer Drugs* 26(6): 667-677. doi:10.1097/CAD.0000000000000232
646. [24] Sang, Y. L., X. S. Lin, X. C. Li, Y. H. Liu, X. H. Zhang (2015). "Synthesis, crystal structure and antibacterial activity of a novel phenolato- and peroxo-bridged dinuclear cerium(IV) complex with tripodal Schiff bases." *Inorganic Chemistry Communications* 62: 115-118. doi:10.1016/j.inoche.2015.11.003
647. [25] Wang, Y., H. Liu, P. Lu, R. Mao, X. Xue, C. Fan, J. She (2015). "Design, Synthesis, and in Vitro Evaluation of Novel 3, 7-Disubstituted Coumarin Derivatives as Potent Anticancer Agents." *Chemical Biology and Drug Design* 86(4): 637-647. doi:10.1111/cbdd.12531
648. [26] Kang, X., A. He, J. Wang, R. Guo, Y. Zhai, Y. Xu, J. Wu (2016). "Investigation on the enrichment of DNA using lanthanum carbonate." *Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities* 37(1): 7-11. doi:10.7503/cjcu20150644
649. [27] Lakehal, I., F. Halaimia, S. Lakehal, A. Boukhari, A. Djerourou (2016). "New Cerium (III) Complex of Schiff Base (E)-N-Benzylidene-4-Methoxyaniline: Synthesis and Density Functional Theoretical Study of Vibrational Spectra." *Oriental Journal of Chemistry* 32(2): 903-919. doi:10.13005/ojc/320216
650. [28] Poonia, K., S. Siddiqui, M. Arshad, D. Kumar (2016). "In vitro anticancer activities of Schiff base and its lanthanum complex." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 155: 146-154. doi:10.1016/j.saa.2015.10.015
651. [29] Stojković, D. L. J., A. Bacchi, D. Capucci, M. R. Milenković, B. Čobeljčić, S. R. Trifunović, K. Anđelković, V. V. Jevtić, N. Vuković, M. Vukić, D. Sladić (2016). "Synthesis and characterization of palladium(II) complexes with glycine coumarin derivatives." *Journal of the Serbian Chemical Society* 81(12): 1383-1392. doi:10.2298/JSC160915087S
652. [30] Yang, X., Y. C. Zhang, Q. N. Zhu, M. S. Tu, F. Shi (2016). "Diastereo- and Enantioselective Construction of the Hexahydrocoumarin Scaffold via an Organocatalytic Asymmetric [3 + 3] Cyclization." *Journal of Organic Chemistry* 81(12): 5056-5065. doi:10.1021/acs.joc.6b00603
653. [31] Aly, H. M., R. H. Taha, N. M. El-Deeb, A. Alshehri (2018). "Efficient procedure with new fused pyrimidinone derivatives, Schiff base ligand and its la and Gd complexes by green chemistry." *Inorganic Chemistry Frontiers* 5(2): 454-473. doi:10.1039/c7qi00694b
654. [32] Andiappan, K., A. Sanmugam, E. Deivanayagam, K. Karuppasamy, H. S. Kim, D. Vikraman (2018). "In vitro cytotoxicity activity of novel Schiff base ligand-lanthanide complexes." *Scientific Reports* 8(1). doi:10.1038/s41598-018-21366-1
655. [33] Jiang, X. L., S. F. Wu, J. R. Wang, G. J. Mei, F. Shi (2018). "Catalytic Asymmetric [4+2] Cyclization of para-Quinone Methide Derivatives with 3-Alkyl-2-vinylindoles." *Advanced Synthesis and Catalysis* 360(21): 4225-4235. doi:10.1002/adsc.201800829
656. [34] Ren, Q. C., C. Gao, Z. Xu, L. S. Feng, M. L. Liu, X. Wu, F. Zhao (2018). "Bis-coumarin derivatives and their biological activities." *Current Topics in Medicinal Chemistry* 18(2): 101-113. doi:10.2174/1568026618666180221114515

657. [35] Wang, C. S., Y. C. Cheng, J. Zhou, G. J. Mei, S. L. Wang, F. Shi (2018). "Metal-Catalyzed Oxa-[4+2] Cyclizations of Quinone Methides with Alkynyl Benzyl Alcohols." *Journal of Organic Chemistry* 83(22): 13861-13873. doi:10.1021/acs.joc.8b02186
658. [36] Chate, A. V., B. A. Shaikh, G. M. Bondle, S. M. Sangle (2019). "Efficient atom-economic one-pot multicomponent synthesis of benzylpyrazolyl coumarins and novel pyrano[2,3-c]pyrazoles catalysed by 2-aminoethanesulfonic acid (taurine) as a bio-organic catalyst." *Synthetic Communications* 49(17): 2244-2257. doi:10.1080/00397911.2019.1619772
659. [37] Cheng, Y. C., C. S. Wang, T. Z. Li, F. Gao, Y. Jiao, F. Shi (2019). "Organocatalytic [4 + 2] cyclizations of para-quinone methide derivatives with isocyanates." *Organic and Biomolecular Chemistry* 17(27): 6662-6670. doi:10.1039/c9ob00918c
660. [38] Heras, B. L., Á. Amesty, A. Estévez-Braun, S. Hortelano (2019). "Metal complexes of natural product like-compounds with antitumor activity." *Anti-Cancer Agents in Medicinal Chemistry* 19(1): 48-65. doi:10.2174/1871520618666180420165821
661. [39] Lin, L., L. Lu, R. Du, C. Yuan, M. Zhu, X. Fu, S. Xing (2019). "A Ce(III) complex potently inhibits the activity and expression of tyrosine phosphatase SHP-2." *Dalton Transactions* 48(47): 17673-17682. doi:10.1039/c9dt03200b
662. [40] Meng, T., Q. P. Qin, Z. L. Chen, H. H. Zou, K. Wang, F. P. Liang (2019). "High in vitro and in vivo antitumor activities of Ln(III) complexes with mixed 5,7-dichloro-2-methyl-8-quinolinol and 4,4'-dimethyl-2,2'-bipyridyl chelating ligands." *European Journal of Medicinal Chemistry* 169: 103-110. doi:10.1016/j.ejmech.2019.02.066
663. [41] Qin, Q. P., Z. F. Wang, X. L. Huang, M. X. Tan, B. B. Shi, H. Liang (2019a). "High in Vitro and in Vivo Tumor-Selective Novel Ruthenium(II) Complexes with 3-(2'-Benzimidazolyl)-7-fluoro-coumarin." *ACS Medicinal Chemistry Letters* 10(6): 936-940. doi:10.1021/acsmmedchemlett.9b00098
664. [42] Qin, Q. P., Z. F. Wang, X. L. Huang, M. X. Tan, B. Q. Zou, H. Liang (2019b). "Strong in vitro and in vivo cytotoxicity of novel organoplatinum(II) complexes with quinoline-coumarin derivatives." *European Journal of Medicinal Chemistry* 184. doi:10.1016/j.ejmech.2019.111751
665. [43] Qin, Q. P., Z. F. Wang, M. X. Tan, X. L. Huang, H. H. Zou, B. Q. Zou, B. B. Shi, S. H. Zhang (2019c). "Complexes of lanthanides(III) with mixed 2,2'-bipyridyl and 5,7-dibromo-8-quinolinol chelating ligands as a new class of promising anti-cancer agents." *Metallomics* 11(5): 1005-1015. doi:10.1039/c9mt00037b
666. [44] Yuan, F. R., F. Jiang, K. W. Chen, G. J. Mei, Q. Wu, F. Shi (2019). "Phosphine-catalyzed [4 + 2] cyclization of: Para-quinone methide derivatives with allenes." *Organic and Biomolecular Chemistry* 17(9): 2361-2369. doi:10.1039/c8ob02979b
667. [45] Liu, J. H., Z. Z. Wei, L. Yang, Q. P. Qin, X. X. Liu, M. X. Tan (2020). "Synthesis, structures, and anticancer potentials of four platinum (II) complexes with benzopyran derivatives targeting mitochondria." *Inorganic Chemistry Communications* 122. doi:10.1016/j.inoche.2020.108267
668. [46] Meng, T., T. Liu, Q. P. Qin, Z. L. Chen, H. H. Zou, K. Wang, F. P. Liang (2020). "Mitochondria-localizing dicarbohydrazide Ln complexes and their mechanism of: In vitro anticancer activity." *Dalton Transactions* 49(14): 4404-4415. doi:10.1039/d0dt00210k
669. [47] Tăbăcaru, A., A. V. Botezatu Dediu, R. Mihaela Dinică, G. Cârâc, V. Basliu, M. Paula Cabral Campello, F. Silva, C. I. G. Pinto, J. F. Guerreiro, M. Martins, F. Mendes, F. Marques (2020). "Biological properties of a new mixed lanthanide(III) complex incorporating a dypiridinium ylide." *Inorganica Chimica Acta* 506. doi:10.1016/j.ica.2020.119517
670. [48] Wang, R., B. Q. Zou, Q. P. Qin, Z. F. Wang, M. X. Tan, H. Liang (2020). "Synthesis, characterization and the anticancer activity of six lanthanides(III) complexes with 5,7-dihalogenated-8-quinolinol and 2,2'-bipyridine derivatives." *Transition Metal Chemistry* 45(7): 477-483. doi:10.1007/s11243-020-00399-4
671. [49] An, X. W., Y. An, H. X. Zhang (2021). "A new co(II)-based coordination polymer: Crystal structure and treatment activity on lobar pneumonia." *Latin American Journal of Pharmacy* 40(8): 1791-1795.
672. [50] Chundawat, N. S., S. Jadoun, P. Zarrintaj, N. P. S. Chauhan (2021). "Lanthanide complexes as anticancer agents: A review." *Polyhedron* 207. doi:10.1016/j.poly.2021.115387
673. [51] Priya, P., P. Jayaseelan, S. Vedanayaki (2021). "Synthesis, spectral characterisation and pharmacological studies on Co(II), Ni(II), Cu(II) and Zn(II) bis-Schiff base complexes derived from 4-hydroxybenzohydrazide." *Indian Journal of Chemistry - Section A Inorganic, Physical, Theoretical and Analytical Chemistry* 60(7): 915-926. doi:10.56042/ijca.v60i7.46073
674. [52] Song, S. S., Y. Y. Chai, N. Li, Y. P. Han (2021). "A new co(II)-based coordination polymer: Treatment activity on hemorrhagic disease by promoting the prothrombin activity." *Latin American Journal of Pharmacy* 40(8): 1918-1922.
675. [53] Yang, Y., Z. Zhou, Z. Z. Wei, Q. P. Qin, L. Yang, H. Liang (2021). "High anticancer activity and apoptosis- And autophagy-inducing properties of novel lanthanide(III) complexes bearing 8-hydroxyquinoline-N-oxide and 1,10-phenanthroline." *Dalton Transactions* 50(17): 5828-5834. doi:10.1039/d1dt00450f
676. [54] Arciszewska, Ż., S. Gama, M. Kalinowska, G. Świdorski, R. Świsłocka, E. Gołębiewska, M. Naumowicz, M. Worobiczuk, A. Cudowski, A. Pietryczuk, C. De Stefano, D. Milea, W. Lewandowski, B. Godlewska-Żyłkiewicz (2022). "Caffeic Acid/Eu(III) Complexes: Solution Equilibrium Studies, Structure Characterization and Biological Activity." *International Journal of Molecular Sciences* 23(2). doi:10.3390/ijms23020888
677. [55] Ma, J., C. Du, Y. Zhang, J. Zhan, Y. Lai, M. Zhao (2023). "Important application value of injectable hydrogels loaded with omeprazole Schiff base complex in the treatment of pancreatitis." *Open Chemistry* 21(1). doi:10.1515/chem-2023-0147
678. [56] Milanović, I., Z. Marković, A. Kesić, S. Jovanović Stević, B. Petrović, E. Avdović (2024). "Influence of acid-base equilibrium on interactions of some monofunctional coumarin Pd(II) complexes with biologically relevant nucleophiles-comprehensive kinetic study." *Dalton Transactions*. doi:10.1039/d4dt00789a

Публ. с IFN^o 23. Stanchev, S., **Momekov, G.**, Jensen, F., Manolov, I. Synthesis, computational study and cytotoxic activity of new 4-hydroxycoumarin derivatives (2008) *European Journal of Medicinal Chemistry*, 43 (4): 694-706. (IF 2,882)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-41349091302&doi=10.1016%2fj.ejmech.2007.05.005&partnerID=40&md5=d5e65b6a7a2eeb80480042a7fc2c6093>

DOI: 10.1016/j.ejmech.2007.05.005

Установени цитирания: в SCOPUS (120)

679. [1] Musa, M. A., J. S. Cooperwood, M. O. F. Khan (2008). "A review of coumarin derivatives in pharmacotherapy of breast cancer." *Current Medicinal Chemistry* 15(26): 2664-2679. doi:10.2174/092986708786242877
680. [2] Rivera, A., J. Rios-Motta (2008). "Revised structure by computational methods for a coumarin isolated from *Zanthoxylum rhoifolium* (Rutaceae)." *Natural Product Communications* 3(3): 333-338. doi:10.1177/1934578x0800300306
681. [3] Borges, M. F. M., F. M. F. Roleira, N. J. S. P. Milhazes, E. U. Villares, L. S. Penin (2009). "Simple coumarins: Privileged scaffolds in medicinal chemistry." *Frontiers in Medicinal Chemistry* 4(1): 23-85.
682. [4] Fun, H. K., S. Chantapromma, M. Padaki, A. M. Isloor (2009a). "Ethyl 2-[(4-chloro-phen-yl)hydrazono]-3-oxobutanoate." *Acta Crystallographica Section E: Structure Reports Online* 65(5): o1029. doi:10.1107/S1600536809012951

683. [5] Fun, H. K., M. Padaki, A. M. Isloor, S. Chantrapromma (2009b). "Ethyl 2-[(3-chloro-phen-yl)hydrazono]-3-oxobutanoate." *Acta Crystallographica Section E: Structure Reports Online* 65(6): o1320-o1321. doi:10.1107/S160053680901784X
684. [6] Fun, H. K., S. R. Jebas, M. Padaki, C. Hegde, A. M. Isloor (2009c). "Ethyl 2-[(2,6-dimethylphenyl)-hydrazono]-3-oxobutanoate." *Acta Crystallographica Section E: Structure Reports Online* 65(7): o1541-o1542. doi:10.1107/S160053680902131X
685. [7] Mao, W. w., T. t. Wang, H. p. Zeng, Z. y. Wang, J. p. Chen, J. g. Shen (2009). "Synthesis and evaluation of novel substituted 5-hydroxycoumarin and pyranocoumarin derivatives exhibiting significant antiproliferative activity against breast cancer cell lines." *Bioorganic and Medicinal Chemistry Letters* 19(16): 4570-4573. doi:10.1016/j.bmcl.2009.06.098
686. [8] Musa, M. A., M. O. F. Khan, J. S. Cooperwood (2009). "Synthesis and antiproliferative activity of coumarin-estrogen conjugates against breast cancer cell lines." *Letters in Drug Design and Discovery* 6(2): 133-138. doi:10.2174/157018009787582624
687. [9] Bandgar, B. P., S. S. Gawande, R. G. Bodade, J. V. Totre, C. N. Khobragade (2010). "Synthesis and biological evaluation of simple methoxylated chalcones as anticancer, anti-inflammatory and antioxidant agents." *Bioorganic and Medicinal Chemistry* 18(3): 1364-1370. doi:10.1016/j.bmc.2009.11.066
688. [10] Blagbrough, I. S., S. A. L. Bayoumi, M. G. Rowan, J. R. Beeching (2010). "Cassava: An appraisal of its phytochemistry and its biotechnological prospects." *Phytochemistry* 71(17-18): 1940-1951. doi:10.1016/j.phytochem.2010.09.001
689. [11] Cui, H. L., K. Jiang, Y. K. Liu, W. Du, Y. C. Chen (2010). "Enantioselective direct aldol-type reaction of 4-hydroxycoumarin with ethyl trifluoropyruvate catalyzed by modified cinchona alkaloids." *Chinese Science Bulletin* 55(17): 1732-1734. doi:10.1007/s11434-010-3152-1
690. [12] Jung, J. C., S. Jang, S. Oh, O. S. Park (2010). "Simple synthesis and biological evaluation of floccoumarin and its structural isomers." *Journal of Chemical Sciences* 122(6): 833-838. doi:10.1007/s12039-010-0071-2
691. [13] Mladenović, M., N. Vuković, S. Sukdolak, S. Solujić (2010). "Design of novel 4-hydroxy-chromene-2-one derivatives as antimicrobial agents." *Molecules* 15(6): 4294-4308. doi:10.3390/molecules15064294
692. [14] Musa, M. A., V. L. D. Badisa, L. M. Latinwo, C. Waryoba, N. Ugochukwu (2010). "In vitro cytotoxicity of benzopyranone derivatives with basic side chain against human lung cell lines." *Anticancer Research* 30(11): 4613-4617.
693. [15] Bandgar, B. P., B. S. Hote, S. H. Nile (2011). "Synthesis, biological evaluation and in silico study of β -chloro vinyl chalcones as inhibitors of the TNF- α , IL-6 with anticancer and antioxidant activity." *Letters in Drug Design and Discovery* 8(8): 725-732. doi:10.2174/157018011796576051
694. [16] Chen, Z., Q. Zhu, W. Su (2011). "A novel sulfonic acid functionalized ionic liquid catalyzed multicomponent synthesis of 10,11-dihydrochromeno[4,3-b]chromene-6,8(7H,9H)-dione derivatives in water." *Tetrahedron Letters* 52(20): 2601-2604. doi:10.1016/j.tetlet.2011.03.059
695. [17] Fun, H. K., S. I. J. Asik, I. A. Razak, S. Shetty, B. Kalluraya (2011). "Ethyl 2-[2-(3-methoxyphenyl)hydrazinylidene]-3-oxobutanoate." *Acta Crystallographica Section E: Structure Reports Online* 67(10): o2809. doi:10.1107/S1600536811039444
696. [18] Joubert, J., S. V. Dyk, I. R. Green, S. F. Malan (2011). "Synthesis and evaluation of fluorescent heterocyclic amino adamantanes as multifunctional neuroprotective agents." *Bioorganic and Medicinal Chemistry* 19(13): 3935-3944. doi:10.1016/j.bmc.2011.05.034
697. [19] Jung, J. C., H. I. Moon (2011). "Larvicidal activity of 4-hydroxycoumarin derivatives against *Aedes aegypti*." *Pharmaceutical Biology* 49(2): 190-193. doi:10.3109/13880209.2010.507769
698. [20] Lanari, D., R. Ballini, A. Palmieri, F. Pizzo, L. Vaccaro (2011). "Diastereoselective three-step route to o-(6-nitrocyclohex-3-en-1-yl)phenol and tetrahydro-6h-benzo[c]chromen-6-ol derivatives from salicylaldehydes." *European Journal of Organic Chemistry* (15): 2874-2884. doi:10.1002/ejoc.201001476
699. [21] Miri, R., R. Motamedi, M. R. Rezaei, O. Firuzi, A. Javidnia, A. Shafiee (2011). "Design, synthesis and evaluation of cytotoxicity of novel chromeno[4,3-b]quinoline derivatives." *Archiv der Pharmazie* 344(2): 111-118. doi:10.1002/ardp.201000196
700. [22] Musa, M. A., A. Zhou, O. A. Sadik (2011a). "Synthesis and antiproliferative activity of new coumarin-based benzopyranone derivatives against human tumor cell lines." *Medicinal Chemistry* 7(2): 112-120. doi:10.2174/157340611794859280
701. [23] Musa, M. A., V. L. D. Badisa, L. M. Latinwo, J. Cooperwood, A. Sinclair, A. Abdullah (2011b). "Cytotoxic activity of new acetoxycoumarin derivatives in cancer cell lines." *Anticancer Research* 31(6): 2017-2022.
702. [24] Rajalakshmi, G., B. Devipriya, A. R. Parameswari, A. D. Stephen, P. Kumaradhas (2011). "Understanding the N-N bond cleavage and the electrostatic properties of isoniazid drug molecule via theoretical charge density study." *Computational and Theoretical Chemistry* 966(1-3): 259-264. doi:10.1016/j.comptc.2011.03.015
703. [25] Rodríguez, S. A., M. A. Nazareno, M. T. Baumgartner (2011). "Effect of different C3-aryl substituents on the antioxidant activity of 4-hydroxycoumarin derivatives." *Bioorganic and Medicinal Chemistry* 19(21): 6233-6238. doi:10.1016/j.bmc.2011.09.012
704. [26] Shafiee, A., R. Motamedi, O. Firuzi, S. Meili, A. R. Mehdipour, R. Miri (2011). "Synthesis and cytotoxic activity of novel benzopyrano [3,2-c]chromene-6,8-dione derivatives." *Medicinal Chemistry Research* 20(4): 466-474. doi:10.1007/s00044-010-9340-3
705. [27] Stefanou, V., D. Mantiadis, G. Melagraki, A. Afantitis, G. Athanasellis, O. Igglessi-Markopoulou, V. McKee, J. Markopoulos (2011). "Functionalized 4-hydroxy coumarins: Novel synthesis, crystal structure and DFT calculations." *Molecules* 16(1): 384-402. doi:10.3390/molecules16010384
706. [28] Zhang, F., Y. X. Wang, F. L. Yang, H. Y. Zhang, Y. F. Zhao (2011). "Efficient solvent-free Knoevenagel condensation between -diketone and aldehyde catalyzed by silica sulfuric acid." *Synthetic Communications* 41(3): 347-356. doi:10.1080/00397910903576594
707. [29] Ahmed, N., B. V. Babu, S. Singh, P. M. Mitrasinovic (2012). "An efficient one-pot three-component synthesis of highly functionalized coumarin fused indenodihydropyridine and chromeno[4,3-b]quinoline derivatives." *Heterocycles* 85(7): 1629-1653. doi:10.3987/COM-12-12494
708. [30] Benci, K., L. Mandić, T. Suhina, M. Sedić, M. Klobučar, S. K. Pavelić, K. Pavelić, K. Wittne, M. Mintas (2012). "Novel coumarin derivatives containing 1,2,4-triazole, 4,5-dicyanoimidazole and purine moieties: Synthesis and evaluation of their cytostatic activity." *Molecules* 17(9): 11010-11025. doi:10.3390/molecules170911010
709. [31] Fun, H. K., C. K. Quah, S. Shetty, B. Kalluraya (2012). "Ethyl 2-[(2,4-difluorophenyl)hydrazinylidene]-3-oxobutanoate." *Acta Crystallographica Section E: Structure Reports Online* 68(2): o422. doi:10.1107/S1600536812000803
710. [32] Greeff, J., J. Joubert, S. F. Malan, S. Van Dyk (2012). "Antioxidant properties of 4-quinolones and structurally related flavones." *Bioorganic and Medicinal Chemistry* 20(2): 809-818. doi:10.1016/j.bmc.2011.11.068
711. [33] Jung, J. C., E. Lim, Y. Lee, D. Min, J. Ricci, O. S. Park, M. Jung (2012). "Total synthesis of floccoumarin via Knoevenagel condensation and intramolecular ring cyclization: General access to natural products." *Molecules* 17(2): 2091-2102. doi:10.3390/molecules17022091
712. [34] Kuśmierczak, E., A. Siwek, U. Kosikowska, A. Malm, M. Wujec (2012). "Antibacterial characterization of 1-benzoyl-4-arylthiosemicarbazides and the study of their structure-activity relationship." *Letters in Drug Design and Discovery* 9(9): 828-832. doi:10.2174/157018012803307914
713. [35] La Pietra, V., L. Marinelli, S. Cosconati, F. S. Di Leva, E. Nuti, S. Santamaria, I. Pugliesi, M. Morelli, F. Casalini, A. Rossello, C. La Motta, S. Taliani, R. Visse, H. Nagase, F. Da Settimo, E. Novellino (2012). "Identification of novel molecular scaffolds for the design of MMP-13 inhibitors: A first round of lead optimization." *European Journal of Medicinal Chemistry* 47(1): 143-152. doi:10.1016/j.ejmech.2011.10.035
714. [36] Liang, C., H. Jiang, Z. Zhou, D. Lei, Y. Xue, Q. Yao (2012). "Ultrasound-promoted greener synthesis of novel trifurcate 3-substituted-chroman-2,4-dione derivatives and their drug-likeness evaluation." *Molecules* 17(12): 14146-14158. doi:10.3390/molecules171214146

715. [37] Makandar, S. B. N., M. Basanagouda, M. V. Kulkarni, V. P. Rasal (2012). "Synthesis, antimicrobial and DNA cleavage studies of some 4-aryloxymethylcoumarins obtained by reaction of 4-bromomethylcoumarins with bidentate nucleophiles." *Medicinal Chemistry Research* 21(9): 2603-2614. doi:10.1007/s00044-011-9785-z
716. [38] Mohamed, S. K., A. A. Abdelhamid, A. M. Maharramov, A. N. Khalilov, A. V. Gurbanov, M. A. Allahverdiev (2012). "Trizma: Efficient catalyst and reactant in Knoevenagel condensation reaction under conventional heat and microwave irradiation conditions." *Journal of Chemical and Pharmaceutical Research* 4(3): 1787-1793.
717. [39] Musa, M. A., V. L. D. Badisa, L. M. Latinwo, T. A. Patterson, M. A. Owens (2012). "Coumarin-based benzopyranone derivatives induced apoptosis in human lung (A549) cancer cells." *Anticancer Research* 32(10): 4271-4276.
718. [40] Serra, S., A. Chicca, G. Delogu, S. Vázquez-Rodríguez, L. Santana, E. Uriarte, L. Casu, J. Gertsch (2012). "Synthesis and cytotoxic activity of non-naturally substituted 4-oxycoumarin derivatives." *Bioorganic and Medicinal Chemistry Letters* 22(18): 5791-5794. doi:10.1016/j.bmcl.2012.07.099
719. [41] Shue, Y. J., S. C. Yang (2012). "Activator-free and one-pot C-allylation by simple palladium catalyst in water." *Tetrahedron Letters* 53(11): 1380-1384. doi:10.1016/j.tetlet.2012.01.022
720. [42] Chen, Z., J. Bi, W. Su (2013). "Synthesis and antitumor activity of novel coumarin derivatives via a three-component reaction in water." *Chinese Journal of Chemistry* 31(4): 507-514. doi:10.1002/cjoc.201201130
721. [43] Kuśmierz, E., A. Siwek, U. Kosikowska, A. Malm, J. Stefańska, K. Dzitko, M. Wujec (2013). "Antibacterial activity and structure-activity relationship studies of 4-aryl/alkyl-1-(diphenylacetyl)thiosemicarbazides." *Letters in Drug Design and Discovery* 10(8): 748-757. doi:10.2174/15701808113100890028
722. [44] Lin, Y., X. Sun, Q. Yuan, Y. Yan (2013). "Combinatorial biosynthesis of plant-specific coumarins in bacteria." *Metabolic Engineering* 18: 69-77. doi:10.1016/j.ymben.2013.04.004
723. [45] Onkara, P., A. Sunil Kumar, S. Kanakaraju, B. Prasanna, Y. Pydisetty, G. V. P. Chandramouli (2013). "Molecular docking studies, synthesis and anti-bacterial properties of new Mannich bases." *International Journal of Pharma and Bio Sciences* 4(2): P263-P270.
724. [46] Pham, K., Z. Zhang, S. Shen, L. Ma, L. Hu (2013). "A one-pot synthesis of isoindolin-1-imine derivatives." *Tetrahedron* 69(51): 10933-10939. doi:10.1016/j.tet.2013.10.076
725. [47] Soliman, A. Y., F. K. Mohamed, R. M. Abdel-Motaleb, R. M. Abdel-Rahman, A. M. Abdel-Mohsen, M. M. G. Fouada, A. S. Mohamed (2013). "Synthesis of new coumarin derivatives using diels-alder reaction." *Life Science Journal* 10(4): 846-850.
726. [48] Tataringa, G., C. D. Stan, A. M. Zbancioc, A. Jitareanu, C. Tuchilus (2013). "Preliminary screening of biological activities of some new schiff bases of isatins." *Farmacia* 62(1): 14-22.
727. [49] Wang, H. Y., D. Q. Shi (2013). "Efficient synthesis of functionalized dihydro-1H-indol-4(5H)-ones via one-pot three-component reaction under catalyst-free conditions." *ACS Combinatorial Science* 15(5): 261-266. doi:10.1021/co4000198
728. [50] Aychiluhim, T. B., V. R. Rao (2014). "Efficient, one-pot synthesis of triazolothiadiazinyl-pyrazolone and pyrazolyl-triazolothiadiazine derivatives via multicomponent reaction." *Synthetic Communications* 44(10): 1422-1429. doi:10.1080/00397911.2012.721917
729. [51] Chen, Z., X. Wang, W. Su (2014). "A novel and facile synthesis of N-substituted 8-hydroxybenzo[g]chromeno[4,3-b]indol-6(13H)-ones by a Nenitzescu reaction." *Letters in Organic Chemistry* 11(3): 188-193. doi:10.2174/15701786113106660079
730. [52] Ganguly, N. C., S. Roy, P. Mondal (2014). "Boric acid-catalyzed one-pot access to 7-aryl-benzopyrano[4,3-b]benzopyran-6,8-diones under aqueous micellar conditions." *Synthetic Communications* 44(3): 433-440. doi:10.1080/00397911.2013.813546
731. [53] Karamthulla, S., S. Pal, M. N. Khan, L. H. Choudhury (2014). "Synthesis of pentasubstituted pyrroles via catalyst-free multicomponent reactions." *Synlett* 25(13): 1926-1936. doi:10.1055/s-0034-1378329
732. [54] Kidwai, M., S. Kukreja, S. Rastogi, K. Singhal, N. K. Mishra (2014). "An aqua mediated facile synthesis of conformationally restricted polycyclic dihydropyridines." *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry* 53(5): 605-609.
733. [55] Motamedi, R., A. Shafiee, M. R. Rezaei, O. Firuzi, N. Edraki, R. Miri (2014). "Oxidative aromatization, cytotoxic activity evaluation and conformational study of novel 7-aryl-10,11-dihydro-7H-chromeno[4,3-b]quinoline-6,8(9H,12H)-dione derivatives." *Iranian Journal of Pharmaceutical Research* 13(1): 103-114.
734. [56] Ballazhi, L., E. Popovski, A. Jashari, F. Imeri, I. Ibrahim, B. Mikhova, K. Mladenovska (2015). "Potential antiproliferative effect of isoxazolo- and thiazolo coumarin derivatives on breast cancer mediated bone and lung metastases." *Acta Pharmaceutica* 65(1): 53-63. doi:10.1515/acph-2015-0002
735. [57] Dar, A. A., S. Hussain, D. Dutta, P. K. Iyer, A. T. Khan (2015). "One-pot synthesis of functionalized 4-hydroxy-3-thiomethylcoumarins: Detection and discrimination of Co²⁺ and Ni²⁺ ions." *RSC Advances* 5(71): 57749-57756. doi:10.1039/c5ra09152g
736. [58] Emami, S., S. Dadashpour (2015). "Current developments of coumarin-based anti-cancer agents in medicinal chemistry." *European Journal of Medicinal Chemistry* 102: 611-630. doi:10.1016/j.ejmech.2015.08.033
737. [59] Hamdi, O. A. A., E. H. Anouar, J. A. Shilpi, Z. B. K. Al Trabolsy, S. B. M. Zain, N. S. S. Zakaria, M. Zulkafeli, J. F. F. Weber, S. N. A. Malek, S. N. S. A. Rahman, K. Awang (2015). "A quantum chemical and statistical study of cytotoxic activity of compounds isolated from *Curcuma zedoaria*." *International Journal of Molecular Sciences* 16(5): 9450-9468. doi:10.3390/ijms16059450
738. [60] Ibrahim, D. M., J. Jumal, F. W. Harun (2015). "Synthesis and biological evaluation of 6-hydroxy-4-methyl-5,7-(bis-p-chlorophenylazo) coumarin." *American Journal of Applied Sciences* 13(1): 1-6. doi:10.3844/ajassp.2016.1.6
739. [61] Li, Y. J., C. Y. Wang, M. Y. Ye, G. Y. Yao, H. S. Wang (2015). "Novel coumarin-containing aminophosphonates as antitumor agent: synthesis, cytotoxicity, DNA-binding and apoptosis evaluation." *Molecules* 20(8): 14791-14809. doi:10.3390/molecules200814791
740. [62] Musa, M. A., M. Y. Joseph, L. M. Latinwo, V. Badisa, J. S. Cooperwood (2015a). "In Vitro evaluation of 3-arylcoumarin derivatives in A549 cell line." *Anticancer Research* 35(2): 653-659.
741. [63] Musa, M. A., L. M. Latinwo, C. Virgile, V. L. D. Badisa, A. J. Gbadebo (2015b). "Synthesis and in vitro evaluation of 3-(4-nitrophenyl)coumarin derivatives in tumor cell lines." *Bioorganic Chemistry* 58: 96-103. doi:10.1016/j.bioorg.2014.11.009
742. [64] Prabhakara, C. T., S. A. Patil, A. D. Kulkarni, V. H. Naik, M. Manjunatha, S. M. Kinnal, P. S. Badami (2015). "Synthesis, spectral, thermal, fluorescence, antimicrobial, anthelmintic and DNA cleavage studies of mononuclear metal chelates of bi-dentate 2H-chromene-2-one Schiff base." *Journal of Photochemistry and Photobiology B: Biology* 148: 322-332. doi:10.1016/j.jphotobiol.2015.03.033
743. [65] Sun, X., D. Zhou, P. Kandavelu, H. Zhang, Q. Yuan, B. C. Wang, J. Rose, Y. Yan (2015). "Structural insights into substrate specificity of feruloyl-CoA 6'-hydroxylase from *Arabidopsis thaliana*." *Scientific Reports* 5. doi:10.1038/srep10355
744. [66] Chen, Z. W., J. B. Hou, Z. R. Dai, X. F. Yang (2016). "A regioselective synthesis of pentacyclic compounds containing coumarin, pyrrole, indene without catalysts under microwave irradiation." *Chinese Chemical Letters* 27(10): 1622-1625. doi:10.1016/j.ccl.2016.04.009
745. [67] Ibrahim, M. E., W. S. Hamama, A. E. Metwalli, H. H. Zoorob (2016). "Chemoselective Synthesis of Enamino-Coumarin Derivatives Identified as Potent Antitumor Agents." *Journal of Heterocyclic Chemistry* 53(4): 1318-1323. doi:10.1002/jhet.2367
746. [68] Shaabani, A., S. Shaabani, M. Seyyedhamzeh, M. H. Sangachin, F. Hajishaabani (2016). "Guanidinium-based sulfonic acid: an efficient Brønsted acid organocatalyst for the synthesis of fused polycyclic dihydropyridines in water." *Research on Chemical Intermediates* 42(10): 7247-7256. doi:10.1007/s11164-016-2533-8

747. [69] Shah, N. N., S. S. Soman, P. Buch, B. Suresh (2016). "Synthesis and anticancer activity of some new 2-[(4-methoxy-2H-chromen-7-yl)-oxy]acetamide derivatives." *Der Pharma Chemica* 8(1): 397-403.
748. [70] Beheshti, A., F. Hashemi, F. Behavandi, M. Zahedi, H. Motamedi, P. Mayer (2017). "Synthesis, structural characterization, QSAR and docking studies of a new binuclear nickel (II) complex based on the flexible tetradentate N-donor ligand as a potent antibacterial and anticancer agent." *International Journal of Biological Macromolecules* 104: 1107-1123. doi:10.1016/j.ijbiomac.2017.06.098
749. [71] Kenchappa, R., Y. D. Bodke, A. Chandrashekar, M. Aruna Sindhe, S. K. Peethambar (2017). "Synthesis of coumarin derivatives containing pyrazole and indenone rings as potent antioxidant and antihyperglycemic agents." *Arabian Journal of Chemistry* 10: S3895-S3906. doi:10.1016/j.arabjc.2014.05.029
750. [72] Mourad, A. K., A. E. N. I. Essawy, H. A. A. Younus (2017). "A convenient synthesis of novel coumarin derivatives with anticipated antimicrobial activities." *Heterocycles* 94(11): 2039-2053. doi:10.3987/COM-17-13779
751. [73] Thigulla, Y., T. U. Kumar, P. Trivedi, B. Ghosh, A. Bhattacharya (2017). "One-Step Synthesis of Fused Chromeno[4,3-b]pyrrolo[3,2-h]quinolin-7(1H)-One Compounds and their Anticancer Activity Evaluation." *ChemistrySelect* 2(9): 2718-2721. doi:10.1002/slct.201700129
752. [74] Alshammari, M. B., M. H. Geesi, E. H. Anouar, R. Al-Salahi, A. I. Alharthi, Y. Elnakady, M. Marzouk (2018). "Quantum Chemical Calculations and Statistical Analysis: Structural Cytotoxicity Relationships of some Synthesized 2-thiophen-naphtho(benzo)oxazinone Derivatives." *Cell Biochemistry and Biophysics* 76(3): 377-389. doi:10.1007/s12013-018-0848-3
753. [75] Gao, Y., G. N. Zhang, X. Bai, Y. Li, Y. Wang (2018). "One-pot synthesis of 3-Functionalized 4-hydroxycoumarin under catalyst-free conditions." *Molecules* 23(1). doi:10.3390/molecules23010235
754. [76] Huang, G., M. C. Liu, Q. Q. Meng, S. S. Li (2018). "6-Substituted 1,4-Naphthoquinone Oxime Derivatives (III): Synthesis and Cytotoxic Evaluation." *Russian Journal of General Chemistry* 88(5): 1025-1035. doi:10.1134/S1070363218050316
755. [77] Lingaraju, G. S., K. S. Balaji, S. Jayarama, S. M. Anil, K. R. Kiran, M. P. Sadashiva (2018). "Synthesis of new coumarin tethered isoxazolines as potential anticancer agents." *Bioorganic and Medicinal Chemistry Letters* 28(23-24): 3606-3612. doi:10.1016/j.bmcl.2018.10.046
756. [78] Mourad, A. K., F. K. Mohamed, A. Y. Soliman (2018). "A facile synthesis of novel heterocyclic compounds with anticipated antibacterial activities based on coumarin moiety." *Heterocycles* 96(1): 50-66. doi:10.3987/COM-17-13819
757. [79] Musa, M. A., A. J. Gbadebo, L. M. Latinwo, V. L. D. Badisa (2018). "7,8-Dihydroxy-3-(4-nitrophenyl)coumarin induces cell death via reactive oxygen species-independent S-phase cell arrest." *Journal of Biochemical and Molecular Toxicology* 32(12). doi:10.1002/jbt.22203
758. [80] Naik, S. D., K. M. Hosamani, S. K. Vootla (2018). "Microwave synthesis, biological screening and computational studies of pyrimidine based novel coumarin scaffolds." *Chemical Data Collections* 15-16: 207-222. doi:10.1016/j.cdc.2018.06.002
759. [81] Perumalsamy, H., K. Sankarapandian, K. Veerappan, S. Natarajan, N. Kandaswamy, L. Thangavelu, S. R. Balusamy (2018). "In silico and in vitro analysis of coumarin derivative induced anticancer effects by undergoing intrinsic pathway mediated apoptosis in human stomach cancer." *Phytomedicine* 46: 119-130. doi:10.1016/j.phymed.2018.04.021
760. [82] Rafi, U. M., D. Mahendiran, V. G. Devi, M. Doble, A. K. Rahiman (2018). "Pyridazine-based heteroleptic copper(II) complexes as potent anticancer drugs by inducing apoptosis and S-phase arrest in breast cancer cell." *Inorganica Chimica Acta* 482: 160-169. doi:10.1016/j.ica.2018.06.007
761. [83] Sadjadi, S., M. M. Heravi, V. Zadsirjan, S. Y. S. Beheshti, R. R. Kelishadi (2018). "HPA@Methenamine-HNTs: A Novel Catalyst for Promoting One-Pot and Three-Component Synthesis of Chromenopyrimidine-2,5-Diones and Thioxochromenopyrimidin-5-ones in Aqueous Media." *ChemistrySelect* 3(43): 12031-12038. doi:10.1002/slct.201801293
762. [84] Zhang, J., W. Xue, P. Wang, T. Wang, Y. Liang, Z. Zhang (2018). "One-pot synthesis of 3-(furan-2-yl)-4-hydroxy-2H-chromen-2-ones using K10 montmorillonite clay as heterogeneous catalyst." *Tetrahedron* 74(36): 4712-4720. doi:10.1016/j.tet.2018.07.018
763. [85] Akhlaghinia, B., P. Sanati, A. Mohammadinezhad, Z. Zarei (2019). "The magnetic nanostructured natural hydroxyapatite (HAP/Fe₃O₄ NPs): an efficient, green and recyclable nanocatalyst for the synthesis of biscoumarin derivatives under solvent-free conditions." *Research on Chemical Intermediates* 45(5): 3215-3235. doi:10.1007/s11164-019-03788-2
764. [86] Chen, J., L. Wang, Y. Fan, Y. Yang, M. Xu, X. Shi (2019). "Synthesis and anticancer activity of cyclotriphosphazenes functionalized with 4-methyl-7-hydroxycoumarin." *New Journal of Chemistry* 43(46): 18316-18321. doi:10.1039/c9nj04787e
765. [87] Govindaiah, P., N. Dumala, P. Grover, M. Jaya Prakash (2019). "Synthesis and biological evaluation of novel 4,7-dihydroxycoumarin derivatives as anticancer agents." *Bioorganic and Medicinal Chemistry Letters* 29(14): 1819-1824. doi:10.1016/j.bmcl.2019.05.008
766. [88] Jayakumar, S., D. Mahendiran, A. K. Rahiman (2019). "Theoretical, antimicrobial, antioxidant, in vitro cytotoxicity, and cyclin-dependent kinase 2 inhibitor studies of metal(II) complexes with bis(imidazol-1-yl)methane-based heteroscorpionate ligands." *Journal of Coordination Chemistry* 72(12): 2015-2034. doi:10.1080/00958972.2019.1620217
767. [89] Kohzadian, A., A. Zare (2019). "Efficient and highly selective production of 10,11-dihydrochromeno[4,3-b]chromene-6,8(7H,9H)-diones using a mesoporous silica-based nanocatalyst." *Research on Chemical Intermediates* 45(11): 5473-5485. doi:10.1007/s11164-019-03913-1
768. [90] Özgür, M., M. Yılmaz, H. Nishino, E. Çınar Avar, H. Dal, A. T. Pekel, T. Hökelek (2019). "Efficient syntheses and antimicrobial activities of new thiophene containing pyranone and quinolinone derivatives using manganese(III) acetate: the effect of thiophene on ring closure-opening reactions." *New Journal of Chemistry* 43(15): 5737-5751. doi:10.1039/c9nj00054b
769. [91] Pilli, G., N. Dumala, J. S. Sreeja, R. John, S. Sengupta, P. Grover, J. Prakash M (2019). "Design, Synthesis and Pharmacological Evaluation of 4-Hydroxycoumarin Derivatives as Antiproliferative Agents." *ChemistrySelect* 4(36): 10805-10809. doi:10.1002/slct.201902089
770. [92] Velkov, Z., M. Traykov, I. Trenchev, L. Saso, A. Tadjer (2019). "Topology-Dependent Dissociation Mode of the O-H Bond in Monohydroxycoumarins." *Journal of Physical Chemistry A* 123(24): 5106-5113. doi:10.1021/acs.jpca.9b00535
771. [93] Wei, T., M. Waqas, K. Xiao, B. Yang, Y. Luo, Q. Luo, J. Zhang, M. Wang, C. Zhu, T. He, Z. Lu (2019). "Effective degradation of refractory nitrobenzene in water by the natural 4-hydroxycoumarin under solar illumination." *Chemosphere* 215: 199-205. doi:10.1016/j.chemosphere.2018.10.034
772. [94] Abuelizz, H. A., E. H. Anouar, N. S. Al-Shakli, M. Marzouk, R. Al-Salahi (2020). "Structural cytotoxicity relationship of 2-phenoxy(thiomethyl)pyridotriazolopyrimidines: Quantum chemical calculations and statistical analysis." *Open Chemistry* 18(1): 740-751. doi:10.1515/chem-2020-0138
773. [95] Akkol, E. K., Y. Genç, B. Karpuz, E. Sobarzo-Sánchez, R. Capasso (2020). "Coumarins and coumarin-related compounds in pharmacotherapy of cancer." *Cancers* 12(7): 1-25. doi:10.3390/cancers12071959
774. [96] Kaur, J., P. Fanta, N. Khurana, M. Vyas, G. L. Khatik (2020). Biomedical applications of 4-hydroxycoumarin as a fungal metabolite and its derivatives. In: *New and Future Developments in Microbial Biotechnology and Bioengineering: Recent Advances in Application of Fungi and Fungal Metabolites: Applications in Healthcare* (Ed.): 209-218.
775. [97] Obaiah, N., Y. D. Bodke, S. Telkar (2020). "Synthesis of 3-[(1H-Benzimidazol-2-ylsulfanyl)(aryl)methyl]-4-hydroxycoumarin Derivatives as Potent Bioactive Molecules." *ChemistrySelect* 5(1): 178-184. doi:10.1002/slct.201903472
776. [98] Patil, P., V. S. Betageri, S. M. Kinnal, M. S. Latha (2020). Synthesis, characterisation and biological investigation of some third-row elements with halo-substituted coumarin schiff base with N and O as donors. *IOP Conference Series: Materials Science and Engineering*.
777. [99] Şahin Gül, D., H. Ogutcu, Z. Hayvalı (2020). "Investigation of photophysical behaviours and antimicrobial activity of novel benzo-15-crown-5 substituted coumarin and chromone derivatives." *Journal of Molecular Structure* 1204. doi:10.1016/j.molstruc.2019.127569

- Публи. с IF№ 24. Bakalova, A., Varbanov, H., Buyukliev, R., **Momekov, G.**, Ferdinandov, D., Konstantinov, S., Ivanov, D. Synthesis, characterization and biological activity of Pt(II) and Pt(IV) complexes with 5-methyl-5(4-pyridyl)-2,4-imidazolidinedione (2008) European Journal of Medicinal Chemistry, 43 (5): 958-965. (IF 2,882)

803. [5] Gao, E. J., L. Lin, Y. Zhang, R. S. Wang, M. C. Zhu, S. H. Liu, T. D. Sun, W. Jiao, V. Z. Andrey (2011a). "Synthesis, characterization, and study on HeLa cells activity of a dinuclear complex [Cu₄(phen)₄(H₂O)₂](pyri)•3H₂O." *European Journal of Medicinal Chemistry* 46(6): 2546-2554. doi:10.1016/j.ejmech.2011.03.044
804. [6] Gao, E. J., Y. Zhang, L. Lin, R. S. Wang, L. Dai, Q. Liang, M. C. Zhu, M. L. Wang, L. Liu, W. X. He, Y. J. Zhang (2011b). "Mixed-ligand manganese(II)-phenolate complexes: Study of DNA cleavage, cytotoxic activity, and induction of apoptosis." *Journal of Coordination Chemistry* 64(22): 3992-4005. doi:10.1080/00958972.2011.634910
805. [7] Xu, G., Z. Yan, N. Wang, Z. Liu (2011). "Synthesis and cytotoxicity of cis-dichloroplatinum (II) complexes of (1S,3S)-1,2,3,4-tetrahydroisoquinolines." *European Journal of Medicinal Chemistry* 46(1): 356-363. doi:10.1016/j.ejmech.2010.11.025
806. [8] Zhang, K., S. Cui, J. Wang, X. Wang, R. Li (2012). "Study on antitumor activity of metal-based diketone complexes." *Medicinal Chemistry Research* 21(7): 1071-1076. doi:10.1007/s00044-011-9618-0
807. [9] Gao, E. J., L. Lin, B. Wang, M. C. Zhu, W. Jiao, T. L. Liu (2013). "Syntheses, characterizations and bioactivities on HeLa cells and KB cells of two dinuclear manganese complexes with carboxylate bridges." *Journal of Coordination Chemistry* 66(11): 1945-1958. doi:10.1080/00958972.2013.786830
808. [10] Xu, G., J. Guo, Z. Yan, N. Wang, Z. Z. Liu (2013). "Synthesis and cytotoxicity of dinuclear platinum(II) complexes of (1S, 3S)-1,2,3,4-tetrahydroisoquinolines." *Chinese Chemical Letters* 24(3): 186-188. doi:10.1016/j.ccl.2013.02.014
809. [11] De Almeida, S. M. V., F. F. De Alcantara, C. G. X. De Brito, G. C. A. De Souza, E. A. Lafayette, V. B. R. Da Silva, M. Dos Santos Carvalho, M. C. A. De Lima (2014). "Platinum hybrid coordinated compounds in cancer treatment." *Revista de Ciências Farmacéuticas Básica e Aplicada* 35(3): 337-345.
810. [12] Sabounchei, S. J., P. Shahriary, Y. Gholiee, S. Salehzadeh, H. R. Khavasi, A. Chehregani (2014a). "Platinum and palladium complexes with 5-methyl-5-(2-pyridyl)-2,4-imidazolidinedione: Synthesis, crystal and molecular structure, theoretical study, and pharmacological investigation." *Inorganica Chimica Acta* 409(PART B): 265-275. doi:10.1016/j.ica.2013.09.051
811. [13] Sabounchei, S. J., P. Shahriary, S. Salehzadeh, Y. Gholiee, D. Nematollahi, A. Chehregani, A. Amani (2014b). "Gold(III) complexes of 5-methyl-5-(pyridyl)-2,4-imidazolidinedione: Synthesis, physicochemical, theoretical, antibacterial, and cytotoxicity investigation." *New Journal of Chemistry* 38(3): 1199-1210. doi:10.1039/c3nj01042b
812. [14] Sabounchei, S. J., P. Shahriary, S. Salehzadeh, Y. Gholiee, D. Nematollahi, A. Chehregani, A. Amani, Z. Afsartala (2015). "Pd(II) and Pd(IV) complexes with 5-methyl-5-(4-pyridyl)hydantoin: Synthesis, physicochemical, theoretical, and pharmacological investigation." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 135: 1019-1031. doi:10.1016/j.saa.2014.08.002
813. [15] Azmi, M. A., K. F. Shad (2017). Role of nanostructure molecules in enhancing the bioavailability of oral drugs. In: *Nanostructures for Novel Therapy: Synthesis, Characterization and Applications* (Ed.): 375-407.
814. [16] Konner, L., F. Lamaty, J. Martinez, E. Colacino (2017). "Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold." *Chemical Reviews* 117(23): 13757-13809. doi:10.1021/acs.chemrev.7b00067
815. [17] Gagini, T., L. Colina-Vegas, W. Villarreal, L. P. Borba-Santos, C. De Souza Pereira, A. A. Batista, M. Kneip Fleury, W. De Souza, S. Rozental, L. A. S. Costa, M. Navarro (2018). "Metal-azole fungistatic drug complexes as anti-Sporothrix spp. agents." *New Journal of Chemistry* 42(16): 13641-13650. doi:10.1039/c8nj01544a
816. [18] Štarha, P., J. Vančo, Z. Trávníček (2019). "Platinum iodido complexes: A comprehensive overview of anticancer activity and mechanisms of action." *Coordination Chemistry Reviews* 380: 103-135. doi:10.1016/j.ccr.2018.09.017
817. [19] Lu, W., J. Shi, Y. Nie, L. Yang, J. Chen, F. Zhao, S. Yang, L. Xu, X. Chi (2020). "Synthesis, crystal structure, antiproliferative activity, DNA binding and density functional theory calculations of 3-(pyridin-2-yl)-8-tert-butylcoumarin and its copper(II) complex." *Applied Organometallic Chemistry* 34(10). doi:10.1002/aoc.5875
818. [20] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207
819. [21] Moniriyani, F., S. Jamal Tabatabaei Rezaei, S. Javad Sabounchei (2024). "Pegylated magnetic carbon nanotubes for efficient and safe delivery of poorly water-soluble platinum anticancer drugs." *Results in Chemistry* 7. doi:10.1016/j.rechem.2023.101275

Публ. с IF № 25. Naydenova, E.D., Todorov, P.T., Topashka-Ancheva, M.N., **Momekov, G.** Ts., Yordanova, T.Z., Konstantinov, S.M., Troev, K.D. Novel N-(phosphonomethyl) glycine derivatives: Design, characterization and biological activity (2008) *European Journal of Medicinal Chemistry*, 43 (6): 1199-1205. (IF 2,882)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-44349093643&doi=10.1016%2fj.ejmech.2007.08.010&partnerID=40&md5=320f904a7115098f827a4141e9acfc19>

DOI: 10.1016/j.ejmech.2007.08.010

Установени цитирания: в SCOPUS (25)

820. [1] Alfonsov, V. A., C. E. McKenna, E. V. Bayandina, B. A. Kashemirov, L. N. Yarmieva, L. N. Punegova, O. N. Kataeva (2008). "Stereoselective synthesis of enantiopure cyclic α -aminophosphonic acids: Direct observation of inversion at phosphorus in phosphonate ester silyldealkylation by bromotrimethylsilane." *Heteroatom Chemistry* 19(6): 575-582. doi:10.1002/hc.20480
821. [2] Metlushka, K. E., B. A. Kashemirov, V. F. Zheltukhin, D. N. Sadkova, B. Büchner, C. Hess, O. N. Kataeva, C. E. McKenna, V. A. Alfonsov (2009). "1-(α -Aminobenzyl)-2-naphthol: A new chiral auxiliary for the synthesis of enantiopure α -aminophosphonic acids." *Chemistry - A European Journal* 15(27): 6718-6722. doi:10.1002/chem.200802540
822. [3] Orsini, F., G. Sello, M. Sisti (2010). "Aminophosphonic acids and derivatives. Synthesis and biological applications." *Current Medicinal Chemistry* 17(3): 264-289. doi:10.2174/092986710790149729
823. [4] Soloshonok, V. A., A. E. Sorochinsky (2010). "Practical methods for the synthesis of symmetrically α,α -disubstituted α -amino acids." *Synthesis* (14): 2319-2344. doi:10.1055/s-0029-1220013
824. [5] Jin, C., Y. J. Liang, H. He, L. Fu (2011). "Synthesis and biological evaluation of novel phosphonates derivatives of as potential antitumor agents." *Phosphorus, Sulfur and Silicon and the Related Elements* 186(10): 2096-2103. doi:10.1080/10426507.2011.558363
825. [6] Abdel-Megeed, M. F., B. E. Badr, M. M. Azaam, G. A. El-Hiti (2012a). "Synthesis, antimicrobial and anticancer activities of a novel series of diphenyl 1-(pyridin-3-yl)ethylphosphonates." *Bioorganic and Medicinal Chemistry* 20(7): 2252-2258. doi:10.1016/j.bmc.2012.02.015
826. [7] Abdel-Megeed, M. F., B. E. Badr, M. M. Azaam, G. A. El-Hiti (2012b). "Synthesis and antimicrobial activities of a novel series of heterocyclic α -aminophosphonates." *Archiv der Pharmazie* 345(10): 784-789. doi:10.1002/ardp.201200109

827. [8] Abdel-Megeed, M. F., B. E. Badr, M. M. Azaam, G. A. El-Hiti (2012c). "Synthesis and antimicrobial activities of Diphenyl(Arylamino)(1-Phenyl-3-(Pyridin-2-Yl)-1-H-Pyrazol-4-Yl)Methylphosphonates." *Phosphorus, Sulfur and Silicon and the Related Elements* 187(12): 1462-1468. doi:10.1080/10426507.2012.690117
828. [9] Abdel-Megeed, M. F., M. M. Azaam, G. A. El-Hiti (2013). "Diphenyl (4'-(Aryldiazenyl)biphenyl-4-ylamino)(pyridin-3-yl) methylphosphonates as Azo disperse dyes for dyeing polyester fabrics." *Journal of Chemistry*. doi:10.1155/2013/308419
829. [10] Kozyra, K., M. Klimek-Ochab, M. Brzezińska-Rodak, E. Zymańczyk-Duda (2013a). "Direct determination of enantiomeric enrichment of chiral, underivatized aminophosphonic acids - Useful for enantioselective bioconversion results evaluation." *Central European Journal of Chemistry* 11(9): 1542-1547. doi:10.2478/s11532-013-0277-5
830. [11] Kozyra, K., M. Brzezińska-Rodak, M. Klimek-Ochab, E. Zymańczyk-Duda (2013b). "Biocatalyzed kinetic resolution of racemic mixtures of chiral α -aminophosphonic acids." *Journal of Molecular Catalysis B: Enzymatic* 91: 32-36. doi:10.1016/j.molcatb.2013.02.004
831. [12] Risseuw, M., M. Overhand, G. W. J. Fleet, M. I. Simone (2013). "A compendium of cyclic sugar amino acids and their carbocyclic and heterocyclic nitrogen analogues." *Amino Acids* 45(4): 613-689. doi:10.1007/s00726-013-1521-1
832. [13] Ye, M. Y., G. Y. Yao, J. C. Wei, Y. M. Pan, Z. X. Liao, H. S. Wang (2013). "Synthesis, cytotoxicity, DNA binding and apoptosis of rhein-phosphonate derivatives as antitumor agents." *International Journal of Molecular Sciences* 14(5): 9424-9439. doi:10.3390/ijms14059424
833. [14] Olszewski, T. K. (2014). "Environmentally benign syntheses of α -substituted phosphonates: Preparation of α -amino- and α -hydroxyphosphonates in water, in ionic liquids, and under solvent-free conditions." *Synthesis (Germany)* 46(4): 403-429. doi:10.1055/s-0033-1338588
834. [15] Sediek, A. A., M. S. Mudarris, A. A. Shaddy (2014). "One-pot three-component Kabachnik-Fields reaction: Synthesis of novel α -aminophosphonates containing thiazolylpyrazole moiety." *Life Science Journal* 11(5): 9-16.
835. [16] Yao, G. Y., M. Y. Ye, R. Z. Huang, Y. J. Li, Y. M. Pan, Q. Xu, Z. X. Liao, H. S. Wang (2014). "Synthesis and antitumor activities of novel rhein α -aminophosphonates conjugates." *Bioorganic and Medicinal Chemistry Letters* 24(2): 501-507. doi:10.1016/j.bmcl.2013.12.030
836. [17] Bálint, E., E. Fazekas, J. Kóti, G. Keglevich (2015). "Synthesis of N,N-Bis(dialkoxyphosphinoylmethyl)- And N,N-Bis(diphenylphosphinoylmethyl)- β - and γ -amino acid derivatives by the microwave-assisted double Kabachnik-fields reaction." *Heteroatom Chemistry* 26(1): 106-115. doi:10.1002/hc.21221
837. [18] Kenawy, E. R. S., M. M. Azaam, K. M. Saad-Allah (2015). "Synthesis and antimicrobial activity of α -aminophosphonates containing chitosan moiety." *Arabian Journal of Chemistry* 8(3): 427-432. doi:10.1016/j.arabjc.2013.12.029
838. [19] Ouazene, M., M. Kaid, H. Ilikti, D. Villemin (2016). "Solvent extraction of Samarium (III) by diaminododecylphosphonic acid followed by UV/Vis Spectroscopy using Arsenazo III." *Physics and Chemistry of Liquids* 54(4): 552-562. doi:10.1080/00319104.2015.1126837
839. [20] Wang, Q., L. Yang, H. Ding, X. Chen, H. Wang, X. Tang (2016). "Synthesis, X-ray crystal structure, DNA/protein binding and cytotoxicity studies of five α -aminophosphonate N-derivatives." *Bioorganic Chemistry* 69: 132-139. doi:10.1016/j.bioorg.2016.10.007
840. [21] Azaam, M. M., E. R. Kenawy, A. S. B. El-din, A. A. Khamis, M. A. El-Magd (2018). "Antioxidant and anticancer activities of α -aminophosphonates containing thiadiazole moiety." *Journal of Saudi Chemical Society* 22(1): 34-41. doi:10.1016/j.jscs.2017.06.002
841. [22] Packialakshmi, P., P. Gobinath, A. Daoud, S. Alarifi, N. S. Alsaari, A. Idhayadhulla, R. Surendrakumar (2021). "Synthesis and characterization of a minophosphonate containing chitosan polymer derivatives: Investigations of cytotoxic activity and in silico study of sars-cov-19." *Polymers* 13(7). doi:10.3390/polym13071046
842. [23] Radalla, A. M. (2021). "Potentiometric Investigation on Complex Formation and Stabilities of Some Divalent Metal Ions with L-Cysteine and Glycine as Ligands in Aqueous Solutions." *Journal of Solution Chemistry* 50(7): 954-967. doi:10.1007/s10953-021-01100-8
843. [24] Sharaf, A., S. S. Ragab, A. A. Elbarbary, E. Shaban, I. E. T. El Sayed (2022). "Synthesis and biological evaluation of some 3H-quinazolin-4-one derivatives." *Journal of the Iranian Chemical Society* 19(1): 291-302. doi:10.1007/s13738-021-02315-8
844. [25] Hekal, H. A., R. M. Kassab, H. A. Abd El Salam, E. Shaban, F. M. Atlam (2023). "Synthesis, Computational Studies, Molecular Docking, Anti-inflammatory and Antioxidant Activities of α -Aminophosphonates Incorporating an Azo Chromophore for Polyester Printing Application." *ChemistrySelect* 8(14). doi:10.1002/slct.202204075

Публ. с IF № 26. Kostova, I., Trendafilova, N., **Momekov, G.** Theoretical, spectral characterization and antineoplastic activity of new lanthanide complexes (2008) *Journal of Trace Elements in Medicine and Biology*, 22 (2): 100-111. (IF 1,433)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84962477111&doi=10.1016%2fj.jtemb.2007.10.005&partnerID=40&md5=7b00e784c3db1e3df96552ee09259441>

DOI: 10.1016/j.jtemb.2007.10.005

Установени цитирания: в SCOPUS (32)

845. [1] Li, Y., Z. Y. Yang, M. F. Wang (2009). "Synthesis, characterization, DNA binding properties and antioxidant activity of Ln(III) complexes with hesperetin-4-one-(benzoyl) hydrazone." *European Journal of Medicinal Chemistry* 44(11): 4585-4595. doi:10.1016/j.ejmech.2009.06.027
846. [2] Liu, B., J. Gao, J. Wang, Y. F. Wang, R. Xu, P. Hu, L. Q. Zhang, X. D. Zhang (2009). "Synthesis and structures of nine-coordinate K[Dy(Edta)(H₂O) 3] • 3.5H₂O, (NH₄)₃ [Dy(Ttha)] • 5H₂O, and eight-coordinate NH₄[Dy(Cyda)(H₂O) 2] • 4.5H₂O complexes." *Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya* 35(6): 422-428. doi:10.1134/S1070328409060062
847. [3] Qu, C., L. Yang, S. Yu, S. Wang, Y. Bai, H. Zhang (2009). "Investigation of the interactions between ginsenosides and amino acids by mass spectrometry and theoretical chemistry." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 74(2): 478-483. doi:10.1016/j.saa.2009.06.048
848. [4] Wang, Q., Z. Y. Yang, G. F. Qi, D. D. Qin (2009). "Synthesis, crystal structure, antioxidant activities and DNA-binding studies of the Ln(III) complexes with 7-methoxychromone-3-carbaldehyde-(4'-hydroxy) benzoyl hydrazone." *European Journal of Medicinal Chemistry* 44(6): 2425-2433. doi:10.1016/j.ejmech.2008.10.023
849. [5] Liu, J., N. Li, L. Ma, Y. Duan, J. Wang, X. Zhao, S. Wang, H. Wang, F. Hong (2010). "Oxidative injury in the mouse spleen caused by lanthanides." *Journal of Alloys and Compounds* 489(2): 708-713. doi:10.1016/j.jallcom.2009.09.158
850. [6] Saturnino, C., M. Napoli, G. Paolucci, M. Bortoluzzi, A. Popolo, A. Pinto, P. Longo (2010). "Synthesis and cytotoxic activities of group 3 metal complexes having monoanionic tridentate ligands." *European Journal of Medicinal Chemistry* 45(9): 4169-4174. doi:10.1016/j.ejmech.2010.06.008
851. [7] Chen, Z. F., M. X. Tan, Y. C. Liu, Y. Peng, H. H. Wang, H. G. Liu, H. Liang (2011). "Synthesis, characterization and preliminary cytotoxicity evaluation of five Lanthanide(III)-Plumbagin complexes." *Journal of Inorganic Biochemistry* 105(3): 426-434. doi:10.1016/j.jinorgbio.2010.12.003
852. [8] Fei, M., N. Li, Y. Ze, J. Liu, X. Gong, Y. Duan, X. Zhao, H. Wang, F. Hong (2011). "Oxidative stress in the liver of mice caused by intraperitoneal injection with lanthanoids." *Biological Trace Element Research* 139(1): 72-80. doi:10.1007/s12011-010-8638-9

853. [9] Khorasani-Motlagh, M., M. Noroozifar, S. Khmmarnia (2011). "Study on fluorescence and DNA-binding of praseodymium(III) complex containing 2,2'-bipyridine." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 78(1): 389-395. doi:10.1016/j.saa.2010.10.026
854. [10] Yang, S., L. Han, D. Wang, Y. Pan, Z. Yu, H. Ye (2011). "Solvothetical synthesis, crystal structure of a 1D coordination polymer [Er(CCA)3(H2O)2]n•2nH2O (HCCA=coumarin-3-carboxylic acid) and the interaction between the polymer and bovine serum albumin (BSA)." *Acta Chimica Sinica* 69(19): 2319-2327.
855. [11] Zhao, H., Z. Cheng, R. Hu, J. Chen, M. Hong, M. Zhou, X. Gong, L. Wang, F. Hong (2011). "Oxidative injury in the brain of mice caused by lanthanid." *Biological Trace Element Research* 142(2): 174-189. doi:10.1007/s12011-010-8759-1
856. [12] Bortoluzzi, M., G. Paolucci, D. Fregona, L. D. Via, F. Enrichi (2012). "Group 3 and lanthanide triflate complexes with [N,N,O]-donor ligands: Synthesis, characterization, and cytotoxic activity." *Journal of Coordination Chemistry* 65(22): 3903-3916. doi:10.1080/00958972.2012.728591
857. [13] Gállico, D. A., B. B. Holanda, G. L. Perpétuo, E. Schnitzler, O. Treu-Filho, G. Bannach (2012). "Thermal and spectroscopic studies on solid Ketoprofen of lighter trivalent lanthanides." *Journal of Thermal Analysis and Calorimetry* 108(1): 371-379. doi:10.1007/s10973-011-1866-1
858. [14] Gigante, A. C., D. J. C. Gomes, L. S. Lima, F. J. Caires, O. Treu-Filho, M. Ionashiro (2012). "Synthesis, thermal properties and spectroscopic study of solid mandelate of light trivalent lanthanides." *Thermochimica Acta* 536: 6-14. doi:10.1016/j.tca.2012.02.019
859. [15] Hussein, B. H. M., H. A. Azab, M. F. El-Azab, A. I. El-Falouji (2012). "A novel anti-tumor agent, Ln(III) 2-thioacetate benzothiazole induces anti-angiogenic effect and cell death in cancer cell lines." *European Journal of Medicinal Chemistry* 51: 99-109. doi:10.1016/j.ejmech.2012.02.025
860. [16] Li, X., Q. G. Li, H. Zhang, J. L. Hu, F. H. Yao, D. J. Yang, S. X. Xiao, L. J. Ye, Y. Huang, D. C. Guo (2012). "Synthesis and bioactive studies of complex 8-hydroxyquinolino-bis-(salicylate) yttrium (III)." *Biological Trace Element Research* 147(1-3): 366-373. doi:10.1007/s12011-011-9297-1
861. [17] Kwong, W. L., R. Wai-Yin Sun, C. N. Lok, F. M. Siu, S. Y. Wong, K. H. Low, C. M. Che (2013). "An ytterbium(III) porphyrin induces endoplasmic reticulum stress and apoptosis in cancer cells: Cytotoxicity and transcriptomics studies." *Chemical Science* 4(2): 747-754. doi:10.1039/c2sc21541a
862. [18] Saturnino, C., M. Bortoluzzi, M. Napoli, A. Popolo, A. Pinto, P. Longo, G. Paolucci (2013). "New insights on cytotoxic activity of group 3 and lanthanide compounds: Complexes with [N,N,N]-scorpionate ligands." *Journal of Pharmacy and Pharmacology* 65(9): 1354-1359. doi:10.1111/jphp.12112
863. [19] Shiju, C., D. Arish, S. Kumaresan (2013). "Homodinuclear lanthanide complexes of phenylthiopropionic acid: Synthesis, characterization, cytotoxicity, DNA cleavage, and antimicrobial activity." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 105: 532-538. doi:10.1016/j.saa.2012.12.066
864. [20] Yaiphaba, N. (2013). "Comparative 4f-4f absorption spectral study for the interactions of Pr(III) with selected urea and thiourea: Energy and electric dipole intensity parameters." *Journal of Chemical and Pharmaceutical Research* 5(10): 377-385.
865. [21] Yang, L., B. Wang, J. Tan, L. Zhu (2013). "The DNA-binding and bioactivity of rare earth metal complexes." *Mini-Reviews in Medicinal Chemistry* 13(10): 1487-1500. doi:10.2174/1389557511313100009
866. [22] Zhao, H., J. Hong, X. Yu, X. Zhao, L. Sheng, Y. Ze, X. Sang, S. Gui, Q. Sun, L. Wang, F. Hong (2013). "Oxidative stress in the kidney injury of mice following exposure to lanthanides trichloride." *Chemosphere* 93(6): 875-884. doi:10.1016/j.chemosphere.2013.05.034
867. [23] Gállico, D. A., B. B. C. Holanda, R. B. Guerra, A. O. Legendre, D. Rinaldo, O. Treu-Filho, G. Bannach (2014). "Thermal and spectroscopic studies on solid ibuprofen complexes of lighter trivalent lanthanides." *Thermochimica Acta* 575: 226-232. doi:10.1016/j.tca.2013.11.005
868. [24] Wei, J. H., Z. F. Chen, J. L. Qin, Y. C. Liu, Z. Q. Li, T. M. Khan, M. Wang, Y. H. Jiang, W. Y. Shen, H. Liang (2015). "Water-soluble oxoglucine-Y(III), Dy(III) complexes: in vitro and in vivo anticancer activities by triggering DNA damage, leading to S phase arrest and apoptosis." *Dalton Transactions* 44(25): 11408-11419. doi:10.1039/c5dt00926j
869. [25] Elenkova, D., R. Monov, A. Tadjer, I. Manolov, M. Milanova (2016). "Synthesis and characterization of terbium(III) complexes with the biscoumarin derivative 3,3'-[(4-hydroxyphenyl)methyl]bis-(4-hydroxy-2H-chromen-2-one)." *Journal of Molecular Structure* 1106: 491-500. doi:10.1016/j.molstruc.2015.10.026
870. [26] Manini, P. (2016). Rare earth elements, oxidative stress, and disease. In: *Rare Earth Elements in Human and Environmental Health: At the Crossroads Between Toxicity and Safety* (Ed.): 47-67.
871. [27] Rayaii, A., A. H. M. Viswanatha Swamy (2016). "Synthesis and evaluation of anti-inflammatory and analgesic activities of some newly synthesized metal complexes of coumarin Schiff bases." *Indian Drugs* 53(5): 22-30.
872. [28] Caporale, A., G. Palma, A. Mariconda, V. Del Vecchio, D. Iacopetta, O. I. Parisi, M. S. Sinicropi, F. Puoci, C. Arra, P. Longo, C. Saturnino (2017). "Synthesis & antitumor activity of new group 3 Metallocene complexes." *Molecules* 22(4). doi:10.3390/molecules22040526
873. [29] Victory Devi, C., N. Rajmuhon Singh (2017). "Spectrophotometric study of kinetics and associated thermodynamics for the complexation of Pr(III) with L-proline in presence of Zn(II)." *Arabian Journal of Chemistry* 10: S2124-S2131. doi:10.1016/j.arabjc.2013.07.044
874. [30] Naorem, R. S., N. P. Singh, N. M. Singh (2020). "4f-4f Spectral Analysis and Solvent Effect for the Interaction of Pr(III) with L-Tryptophan Using Different Aqueous Solvents in the Presence and Absence of Zn(II)." *Chemistry Africa* 3(1): 171-180. doi:10.1007/s42250-019-00111-9
875. [31] Elenkova, D., R. Lyapchev, J. Romanova, B. Morgenstern, Y. Dimitrova, D. Dimov, M. Tsvetkov, J. Zaharieva (2021). "Luminescent complexes of europium (III) with 2-(phenylethynyl)-1,10-phenanthroline: The role of the counterions." *Molecules* 26(23). doi:10.3390/molecules26237272
876. [32] Vinayakumar Bhat, V., P. R. Chetana (2023). Lanthanum: Complexes with Variable Coordination and Versatile Applications. In: *What to Know about Lanthanum* (Ed.): 1-34.

Публ. с IF № 27. **Momekov, G.**, Ferdinandov, D., Konstantinov, S., Arpadjan, S., Tsekova, D., Gencheva, G., Bontchev, P.R., Karaivanova, M. In vitro evaluation of a stable monomeric gold(II) complex with hematoporphyrin IX: Cytotoxicity against tumor and kidney cells, cellular accumulation, and induction of apoptosis (2008) *Bioinorganic Chemistry and Applications*, 2008, art. no. 367471. (IF 1,265)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-45349083122&doi=10.1155%2f2008%2f367471&partnerID=40&md5=d9e2dc6fa394d74c676c4a4b3c8b4f6a>

DOI: 10.1155/2008/367471

Установени цитирания: в SCOPUS (6)

-
877. [1] Kumari, N., B. K. Maurya, R. K. Koiri, S. K. Trigun, S. Saripella, M. P. Coogan, L. Mishra (2011). "Cytotoxic activity, cell imaging and photocleavage of DNA induced by a Pt(II) cyclophane bearing 1,2 diamino ethane as a terminal ligand." *MedChemComm* 2(12): 1208-1216. doi:10.1039/c1md00159k

878. [2] Leonard, K., B. Ahmmad, H. Okamura, J. Kurawaki (2011). "In situ green synthesis of biocompatible ginseng capped gold nanoparticles with remarkable stability." *Colloids and Surfaces B: Biointerfaces* 82(2): 391-396. doi:10.1016/j.colsurfb.2010.09.020
879. [3] Hassan, F., S. A. A. Mohammed, A. Philip, A. A. Hameed, E. Yousif (2016). "Gold (III) complexes as breast cancer drug." *Systematic Reviews in Pharmacy* 8(1): 76-79. doi:10.5530/srp.2017.1.13
880. [4] Kalaighana Selvi, S., J. Mahesh Kumar, R. B. Sashidhar (2017). "Anti-proliferative activity of Gum kondagogu (*Cochlospermum gossypium*)-gold nanoparticle constructs on B16F10 melanoma cells: An in vitro model." *Bioactive Carbohydrates and Dietary Fibre* 11: 38-47. doi:10.1016/j.bcdf.2017.07.002
881. [5] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
882. [6] Sarbadhikary, P., B. P. George, H. Abrahamse (2022). "Potential Application of Photosensitizers With High-Z Elements for Synergic Cancer Therapy." *Frontiers in Pharmacology* 13. doi:10.3389/fphar.2022.921729

Публ. с IFN^o 29. Krasteva, I., Platikanov, S., **Momekov, G.**, Konstantinov, S., Nikolov, S. Phytochemical analysis and in vitro cytotoxic activity of volatiles from *Astragalus corniculatus* (2008) *Natural Product Research*, 22 (11): 969-974. (IF 1,429)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-47949107821&doi=10.1080%2f14786410701650287&partnerID=40&md5=3640466e8363bf16a3cfc8b5dd81905a>

DOI: 10.1080/14786410701650287

Установени цитирания: в SCOPUS (8)

883. [1] Teyeb, H., S. Zouari, W. Douki, M. F. Najjar, M. Neffati (2010). "Essential oils of leaves, flowers and fruits of *Astragalus gombiformis* Pomel (Fabaceae)." *Acta Horticulturae* 853: 263-268. doi:10.17660/ActaHortic.2010.853.30
884. [2] Teyeb, H., S. Zouari, W. Douki, M. F. Najjar, M. Neffati (2011a). "Variation in Volatiles of *Astragalus gombiformis* Pomel." *Zeitschrift fur Naturforschung - Section C Journal of Biosciences* 66 C(1): 1-6. doi:10.1515/znc-2011-1-201
885. [3] Teyeb, H., S. Zouari, W. Douki, M. F. Najjar, M. Neffati (2011b). "Phytochemical Investigation of *Astragalus gombiformis* Pomel (Fabaceae)." *Analytical Chemistry Letters* 1(3): 246-253. doi:10.1080/22297928.2011.10648226
886. [4] Ghoneim, A. (2012). Phytochemicals and amino acids: Inducers or inhibitors of cell death? In: *Natural Compounds as Inducers of Cell Death* (Ed.). 1: 3-32.
887. [5] Teyeb, H., N. Zanina, M. Neffati, W. Douki, M. F. Najjar (2012). "Cytotoxic and antibacterial activities of leaf extracts of *astragalus gombiformis* pomel (fabaceae) growing wild in tunisia." *Turkish Journal of Biology* 36(1): 53-58. doi:10.3906/biy-1010-131
888. [6] Rajendran, S., R. Saravanan, S. Ramalingam, S. A. Shahul Hameed (2014). "Antiproliferative and antioxidant activity of gynandropsis pentaphylla linn on MCF-7 cell line." *International Journal of Pharmacy and Pharmaceutical Sciences* 6(7): 561-565.
889. [7] Guo, K., X. He, D. Lu, Y. Zhang, X. Li, Z. Yan, B. Qin (2017). "Cycloartane-type triterpenoids from *Astragalus hoantchy* French." *Natural Product Research* 31(3): 314-319. doi:10.1080/14786419.2016.1236100
890. [8] Salem, M. A., M. M. Farid, M. El-Shabrawy, R. Mohammed, S. R. Hussein, M. M. Marzouk (2020). "Spectrometric analysis, chemical constituents and cytotoxic evaluation of *Astragalus sieberi* DC. (Fabaceae)." *Scientific African* 7. doi:10.1016/j.sciaf.2019.e00221

Публ. с IFN^o 30. Petrov, O., Ivanova, Y., **Momekov, G.**, Kalcheva, V. New synthetic chalcones: Cytotoxic Mannich bases of 6-(4-chlorocinnamoyl)- 2(3H)-benzoxazolone (2008) *Letters in Drug Design and Discovery*, 5 (6): 358-361. (IF 0,786)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-51949118678&doi=10.2174%2f157018008785777342&partnerID=40&md5=1138090ae10cd46bab0d11480d9fd0bb>

DOI: 10.2174/157018008785777342

Установени цитирания: в SCOPUS (8)

891. [1] Vu, T. K., S. P. Patil, Y. J. Park, D. T. Thao (2013). "Synthesis and in vitro cytotoxic activity evaluation of novel mannich bases and modified azt derivatives possessing mannich base moieties via click chemistry." *Letters in Drug Design and Discovery* 10(7): 585-593. doi:10.2174/1570180811310070005
892. [2] Roman, G. (2015). "Mannich bases in medicinal chemistry and drug design." *European Journal of Medicinal Chemistry* 89: 743-816. doi:10.1016/j.ejmech.2014.10.076
893. [3] Seddiki, K., W. Yahia, M. Liacha, A. Defant, D. Sighel, I. Mancini (2017a). "Microwave-assisted synthesis of new imide- and formamide-derivatives of 2(3H)-benzoxazolinones and 2(3H)-benzothiazolinones." *Arkivoc* 2017(4): 315-329. doi:10.3998/ark.5550190.p009.926
894. [4] Seddiki, K., W. Yahia, M. Liacha, A. Defant, D. Sighel, I. Mancini (2017b). "Microwave-assisted synthesis of new imide- and formamide-derivatives of 2(3H)-benzoxazolinones and 2(3H)-benzothiazolinones." *Arkivoc* 2017(4): 315-329. doi:10.24820/ARK.5550190.P009.926
895. [5] Bellamkonda, Y. N., S. P. V. Chamundeeswari (2020). "Structural, spectroscopic (NMR, FTIR, UV), Quantum chemical calculations and drug docking studies of 6-amino benzoxazol-2(3H)-one." *Chemical Data Collections* 28. doi:10.1016/j.cdc.2020.100413
896. [6] Bentoumi, H., N. Chettibi, A. Djerourou, N. E. Aouf, M. Liacha (2020). "Sonochemical synthesis of some novel 6-iminobenzoxazolinones with potential antibacterial and antifungal activities." *UPB Scientific Bulletin, Series B: Chemistry and Materials Science* 82(1): 71-84.
897. [7] Erdag, E., E. Becer, Y. Mulazim, H. S. Vatansever, H. Kabaday, B. Kesanli (2020). "Synthesis and apoptotic activities of new 2(3H)-benzoxazolone derivatives in breast cancer cells." *Anti-Cancer Agents in Medicinal Chemistry* 21(1): 84-90. doi:10.2174/1871520620666200721125820
898. [8] Gorgu, O., E. Yildirim, Y. Ozkan, B. Cakir, K. Erol, T. Onkol (2020). "Microwave-assisted synthesis and pharmacological screening of some triazolothiadiazole derivatives." *Brazilian Journal of Pharmaceutical Sciences* 56. doi:10.1590/s2175-97902019000318111

Публ. с IFN^o 31. Krasteva, I., **Momekov, G.**, Zdraveva, P., Konstantinov, S., Nikolov, S. Antiproliferative effects of a flavonoid and saponins from *Astragalus hamosus* against human tumor cell lines (2008) *Pharmacognosy Magazine*, 4 (16): 269-272. (IF 0,432)

899. [1] Yang, L. P., J. G. Shen, W. C. Xu, J. Li, J. Q. Jiang (2013). "Secondary metabolites of the genus astragalus: Structure and biological-activity update." *Chemistry and Biodiversity* 10(6): 1004-1054. doi:10.1002/cbdv.201100444
900. [2] Shojaii, A., M. Motaghinejad, S. Norouzi, M. Motevalian (2015). "Evaluation of anti-inflammatory and analgesic activity of the extract and fractions of *Astragalus hamosus* in animal models." *Iranian Journal of Pharmaceutical Research* 14(1): 263-269.
901. [3] Anafi, S., A. Yaro, M. Abbas-Yakubu, A. Yakubu (2017). "Evaluation of analgesic and anti-inflammatory activities of methanol leaf extract of *croton lobatus* (Euphorbiaceae) in rodents." *Tropical Journal of Natural Product Research* 1(6): 255-258. doi:10.26538/tjnpr/v1i6.6
902. [4] Liu, P., H. Zhao, Y. Luo (2017). "Anti-aging implications of *Astragalus Membranaceus* (Huangqi): A well-known Chinese tonic." *Aging and Disease* 8(6): 868-886. doi:10.14336/AD.2017.0816
903. [5] Philip, R., K. Krishnasamy, E. Abraham (2020). "Evaluation of Analgesic Activity of Extracts of *Jasminum sessiliflorum* Vahl." *Journal of Global Pharma Technology* 12(1): 7-10.
904. [6] Salehi, B., J. N. P. Carneiro, J. E. Rocha, H. D. M. Coutinho, M. F. B. Morais Braga, J. Sharifi-Rad, P. Semwal, S. Painuli, L. M. Moujir, V. de Zarate Machado, S. Janakiram, N. V. Anil Kumar, M. Martorell, N. Cruz-Martins, M. El Beyrouthy, C. Sadaka (2021). "Astragalus species: Insights on its chemical composition toward pharmacological applications." *Phytotherapy Research* 35(5): 2445-2476. doi:10.1002/ptr.6974
905. [7] Mahmoodi, M., S. E. Barough, S. Kamian, M. Azami, M. Mehri, M. Abdi, J. Ai (2022). "Fabrication and Characterization of a Three-Dimensional Fibrin Gel Model to Evaluate Anti-Proliferative Effects of *Astragalus hamosus* Plant Extract on Breast Cancer Cells." *Asian Pacific Journal of Cancer Prevention* 23(2): 731-741. doi:10.31557/APJCP.2022.23.2.731
906. [8] Mesbahzadeh, B., M. Hassanzadeh-Taheri, K. Vazifeshenas-Darmiyan, N. Moodi, M. Hosseini (2022). "Effect of Co-administration of *Astragalus hamosus* L. ethanolic Extract and Metformin on Reproductive Parameters in Diabetic Male Rats." *Journal of Mazandaran University of Medical Sciences* 31(206): 14-29.
907. [9] Nafti, K., G. Giacinti, S. Marghali, C. D. Raynaud (2022). "Screening for *Astragalus hamosus* Triterpenoid Saponins Using HPTLC Methods: Prior Identification of Azukisaponin Isomers." *Molecules* 27(17). doi:10.3390/molecules27175376
908. [10] Şahin Yağlıoğlu, A., D. Güneş Gürbüz, M. Dölarslan, I. Demirtaş (2022). "First determination of anticancer, cytotoxic, and in silico ADME evaluation of secondary metabolites of endemic *Astragalus leucothrix* Freyn & Bornm." *Turkish Journal of Chemistry* 46(1): 169-183. doi:10.3906/kim-2104-23
909. [11] Enchev, P., Y. Zarev, H. Michler, I. Ionkova (2023). "Production of rare cycloartane saponins from *Astragalus thracicus* (Griseb) compared to *Astragalus membranaceus* (Fisch.) Bunge – native and biotechnological sources." *Pharmacia* 70(1): 73-77. doi:10.3897/pharmacia.70.e97782
910. [12] Mahmoodi, M., G. Nasiri (2024). "Comparison of the apoptotic and cytotoxic effects of *Astragalus hamosus* in the two- and three-dimensional cultures of human umbilical vein endothelial cells." *Scientific Journal of Kurdistan University of Medical Sciences* 29(1): 9-21.

Публ. с IF № 32. Kostova, I., **Momekov, G.** Synthesis, spectral and pharmacological studies on lanthanide(III) complexes of 3,5-pyrazoledicarboxylic acid (2008) *Journal of Coordination Chemistry*, 61 (23): 3776-3792. (IF 0,732)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-54349111411&doi=10.1080%2f00958970802155321&partnerID=40&md5=9e66da67d7e217eea42374824642714)

[54349111411&doi=10.1080%2f00958970802155321&partnerID=40&md5=9e66da67d7e217eea42374824642714](https://www.scopus.com/inward/record.uri?eid=2-s2.0-54349111411&doi=10.1080%2f00958970802155321&partnerID=40&md5=9e66da67d7e217eea42374824642714)

DOI: 10.1080/00958970802155321

Установени цитирания: в SCOPUS (7)

911. [1] Chen, Z. F., X. Y. Song, Y. Peng, X. Hong, Y. C. Liu, H. Liang (2011a). "High cytotoxicity of dihalo-substituted 8-quinolinolato-lanthanides." *Dalton Transactions* 40(8): 1684-1692. doi:10.1039/c0dt01310b
912. [2] Chen, Z. F., M. X. Tan, Y. C. Liu, Y. Peng, H. H. Wang, H. G. Liu, H. Liang (2011b). "Synthesis, characterization and preliminary cytotoxicity evaluation of five Lanthanide(III)-Plumbagin complexes." *Journal of Inorganic Biochemistry* 105(3): 426-434. doi:10.1016/j.jinorgbio.2010.12.003
913. [3] Hussein, B. H. M., H. A. Azab, M. F. El-Azab, A. I. El-Falouji (2012). "A novel anti-tumor agent, Ln(III) 2-thioacetate benzothiazole induces anti-angiogenic effect and cell death in cancer cell lines." *European Journal of Medicinal Chemistry* 51: 99-109. doi:10.1016/j.ejmech.2012.02.025
914. [4] Abd-Elzaher, M. M., S. A. Moustafa, H. A. Mousa, A. A. Labib, M. M. Ali (2014). "Synthesis, characterization and anticancer activity of La(III), Ce(III), Pr(III) and Gd(III) complexes of 1,1'-Bis(Z)-N-ethyldiene-5-methylthiazol-2-amine ferrocene." *Egyptian Journal of Chemistry* 57(1): 59-73.
915. [5] Logu, L., K. R. Kamatchi, H. Rajmohan, S. Manohar, R. Gurusamy, E. Deivanayagam (2015). "In vitro antimicrobial and antioxidant evaluation of rare earth metal Schiff base complexes derived from threonine." *Applied Organometallic Chemistry* 29(2): 90-95. doi:10.1002/aoc.3250
916. [6] Shiju, C., D. Arish, S. Kumaresan (2017). "Synthesis, characterization, cytotoxicity, DNA cleavage, and antimicrobial activity of lanthanide(III) complexes of a Schiff base ligand derived from glycylglycine and 4-nitrobenzaldehyde." *Arabian Journal of Chemistry* 10: S2584-S2591. doi:10.1016/j.arabjc.2013.09.036
917. [7] Nunes, D. M., L. R. Pessatto, D. Mungo, R. J. Oliveira, L. M. D. C. Pinto, M. R. da Costa Iemma, W. F. Altei, M. A. U. Martinez, A. Pereira Duarte (2020). "New complexes of usnate with lanthanides ions: La(III), Nd(III), Tb(III), Gd(III), synthesis, characterization, and investigation of cytotoxic properties in MCF-7 cells." *Inorganica Chimica Acta* 506. doi:10.1016/j.ica.2020.119546

Публ. с IF № 33. **Momekov, G.**, Ferdinandov, D., Zheleva-Dimitrova, D., Nedialkov, P., Girreser, U., Kitanov, G. Cytotoxic effects of hyperatormarin, a prenylated phloroglucinol from *Hypericum annulatum* Moris subsp. *annulatum*, in a panel of malignant cell lines (2008) *Phytomedicine*, 15 (11): 1010-1015. (IF 2,330)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-53849132343&doi=10.1016%2fj.phymed.2008.04.008&partnerID=40&md5=56fe84fa9537029bf68dbded29a5ff26)

[53849132343&doi=10.1016%2fj.phymed.2008.04.008&partnerID=40&md5=56fe84fa9537029bf68dbded29a5ff26](https://www.scopus.com/inward/record.uri?eid=2-s2.0-53849132343&doi=10.1016%2fj.phymed.2008.04.008&partnerID=40&md5=56fe84fa9537029bf68dbded29a5ff26)

DOI: 10.1016/j.phymed.2008.04.008

Установени цитирания: в SCOPUS (21)

918. [1] Schmidt, S., G. Jürgenliemk, H. Skaltsa, J. Heilmann (2012). "Phloroglucinol derivatives from *Hypericum empetrifolium* with antiproliferative activity on endothelial cells." *Phytochemistry* 77: 218-225. doi:10.1016/j.phytochem.2011.11.014

919. [2] Pinhatti, A. V., F. M. C. De Barros, C. B. De Farias, G. Schwartzmann, G. L. V. Poser, A. L. Abujamra (2013). "Antiproliferative activity of the dimeric phloroglucinol and benzophenone derivatives of *Hypericum* spp. native to southern Brazil." *Anti-Cancer Drugs* 24(7): 699-703. doi:10.1097/CAD.0b013e3283626626
920. [3] Stojanovic, G., A. Dordevic, A. Smelcerovic (2013). "Do other hypericum species have medical potential as st. john's wort (*hypericum perforatum*)?" *Current Medicinal Chemistry* 20(18): 2273-2295. doi:10.2174/0929867311320180001
921. [4] Kour, A. (2014). "Plants exhibiting potential for cancer treatment." *International Journal of Pharmaceutical Sciences Review and Research* 27(2): 23-53.
922. [5] Sun, Q., S. Schmidt, M. Tremmel, J. Heilmann, B. König (2014). "Synthesis of natural-like acylphloroglucinols with anti-proliferative, anti-oxidative and tube-formation inhibitory activity." *European Journal of Medicinal Chemistry* 85: 621-628. doi:10.1016/j.ejmech.2014.08.017
923. [6] Danova, K. (2015). Potential of the Balkan flora as a source of prospective hypericum genotypes for the conventional and biotechnological delivery of phytopharmaceuticals. In: *Hypericum: Botanical Sources, Medical Properties and Health Effects*(Ed.): 19-52.
924. [7] Mirmalek, S. A., M. A. Azizi, E. Jangholi, S. Yadollah-Damavandi, M. A. Javidi, Y. Parsa, T. Parsa, S. A. Salimi-Tabatabaee, H. Ghasemzadeh kolagar, R. Alizadeh-Navaei (2016). "Cytotoxic and apoptogenic effect of hypericin, the bioactive component of *Hypericum perforatum* on the MCF-7 human breast cancer cell line." *Cancer Cell International* 16(1). doi:10.1186/s12935-016-0279-4
925. [8] Bridi, H., G. D. C. Meirelles, G. L. von Poser (2018). "Structural diversity and biological activities of phloroglucinol derivatives from *Hypericum* species." *Phytochemistry* 155: 203-232. doi:10.1016/j.phytochem.2018.08.002
926. [9] Gamasaee, N. A., M. Radmansouri, S. Ghiasvand, F. Shahriari, H. Z. Marzouni, H. Aryan, E. Jangholi, M. A. Javidi (2018). "Hypericin induces apoptosis in MDA-MB-175-VII cells in lower dose compared to MDA-MB-231." *Archives of Iranian Medicine* 21(9): 387-392.
927. [10] Danova, K. (2020). Potential of the Balkan Flora as a Source of Prospective Hypericum Genotypes for the Conventional and Biotechnological Delivery of Phytopharmaceuticals. In: *Encyclopedia of Plant Science Volume: (12 Volume Set)*(Ed.): 2085-2118.
928. [11] Koul, B. (2020). Herbs for cancer treatment.
929. [12] Naderi, M., M. R. Cherati, A. Mohammadian, M. B. Bidhendi, S. Ghiasvand, H. Z. Marzouni, H. Aryan, E. Jangholi, M. A. Javidi (2020). "Hypericin induces apoptosis in AGS cell line with no significant effect on normal cells." *Iranian Journal of Pharmaceutical Research* 19(3): 349-357. doi:10.22037/ijpr.2019.14904.12735
930. [13] Xiao, C. Y., Q. Mu, S. Gibbons (2020). The Phytochemistry and Pharmacology of *Hypericum*. In: *Progress in the Chemistry of Organic Natural Products*(Ed.): 112: 85-182.
931. [14] Allegra, A., A. Tonacci, E. V. Spagnolo, C. Musolino, S. Gangemi (2021). "Antiproliferative effects of st. John's wort, its derivatives, and other hypericum species in hematologic malignancies." *International Journal of Molecular Sciences* 22(1): 1-16. doi:10.3390/ijms22010146
932. [15] Arani, H., M. Olya, A. Mirahmadi, H. Saleki, H. Atashi, H. Marzouni, M. Hoseinian, M. Javidi, A. Zabolian (2021). "Hypericin induces apoptosis in K562 cells via downregulation of Myc and Mdm2." *Journal of Cancer Research and Therapeutics* 17(1): 242-247. doi:10.4103/jcrt.JCRT_826_19
933. [16] Song, P., J. Hao, Y. Wang, X. Z. Yang (2021). "Polycyclic polyprenylated acylphloroglucinols from *Hypericum* species and their biological activities." *Zhongguo Zhongyao Zazhi* 46(19): 4881-4890. doi:10.19540/j.cnki.cjcmm.20210603.601
934. [17] Yalçın, S., S. Yalçinkaya, F. Ercan (2021). "Determination of Potential Drug Candidate Molecules of the *Hypericum perforatum* for COVID-19 Treatment." *Current Pharmacology Reports* 7(2): 42-48. doi:10.1007/s40495-021-00254-9
935. [18] Rezaeinejad, F., H. Bardania, F. Ghalamfarsa, S. Hasanazadeh, F. Jadidi-Niaragh, G. Ghalamfarsa (2022). "Proapoptotic effect of nanoliposomes loaded with hydroalcoholic extract of *Hypericum perforatum* L. in combination with curcumin on SW48 and SW1116 colorectal cancer cell lines." *Journal of Medicinal Plants* 21(82): 28-42. doi:10.52547/jmp.21.82.28
936. [19] Dana, S. M. M. A., M. Khoshnazar, S. P. Banyarani, F. Z. S. Mokhtari, Z. E. Mohammadie, A. Shamsekhkhan, M. Valizadeh, R. Ahangar-Sirous, Z. Rahimi, M. Poudineh, N. Deravi (2023). "Anti-cancer Potential of *Hypericum* spp. with Focus on *Hypericum Perforatum*: A Review of the Literature." *Current Traditional Medicine* 9(4): 87-104. doi:10.2174/2215083808666220822141221
937. [20] Jonuškienė, I., R. Stankevičienė, K. Kantminienė, I. Tumosiene (2023). "The Influence of Phytohormones on Antioxidative and Antibacterial Activities in Callus Cultures of *Hypericum perforatum* L." *Agriculture (Switzerland)* 13(8). doi:10.3390/agriculture13081543
938. [21] Kakouri, E., P. Trigas, D. Daferera, E. Skotti, P. A. Tarantilis, C. Kanakis (2023). "Chemical Characterization and Antioxidant Activity of Nine *Hypericum* Species from Greece." *Antioxidants* 12(4). doi:10.3390/antiox12040899

Публ. с IFN^o 35. Ivanova, Y., **Momekov, G.**, Petrov, O. Synthesis of novel substituted 1,3-diarylpropenone derivatives and their in vitro cytotoxic activity (2009) *Letters in Drug Design and Discovery*, 6 (5): 353-357. (IF 0,905)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-67650526582&doi=10.2174%2f1570180810906050353&partnerID=40&md5=3c06117e319dee5802ed136086a766ea>

DOI: 10.2174/1570180810906050353

Установени цитирания: в SCOPUS (2)

939. [1] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, S. Levent, I. Gulcin, C. T. Supuran (2019). "Synthesis, cytotoxicities, and carbonic anhydrase inhibition potential of 6-(3-aryl-2-propenoyl)-2(3H)-benzoxazolones." *Journal of Enzyme Inhibition and Medicinal Chemistry* 34(1): 1722-1729. doi:10.1080/14756366.2019.1670657
940. [2] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, I. Gulcin (2020). "New halogenated chalcones with cytotoxic and carbonic anhydrase inhibitory properties: 6-(3-Halogenated phenyl-2-propen-1-oyl)-2(3H)-benzoxazolones." *Archiv der Pharmazie* 353(6). doi:10.1002/ardp.201900384

Публ. с IFN^o 36. Bakalova, A., Varbanov, H., Buyukliev, R., **Momekov, G.**, Ivanov, D. Palladium(II) complexes with 5-methyl-5-(4-pyridyl)-2,4-imidazolidenedione: Synthesis, thermogravimetric and cytotoxic investigation (2009) *Journal of Thermal Analysis and Calorimetry*, 95 (1): 241-246. (IF 1,587)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-62349110053&doi=10.1007%2fs10973-007-8937-3&partnerID=40&md5=ed9d8254cfb30d77634d0a26cf1ade02>

DOI: 10.1007/s10973-007-8937-3

Установени цитирания: в SCOPUS (17)

941. [1] Gavazov, K., V. Lekova, B. Boyanov, A. Dimitrov (2009). Some tetrazolium salts and their ion-association complexes with the molybdenum(VI) - 4-nitrocatechol anionic chelate: DTA and TGA study. *Journal of Thermal Analysis and Calorimetry*.
942. [2] Plano, D., E. Lizarraga, M. Font, J. A. Palop, C. Sanmartín (2009). "Thermal stability and decomposition of sulphur and selenium compounds." *Journal of Thermal Analysis and Calorimetry* 98(2): 559-566. doi:10.1007/s10973-009-0291-1
943. [3] Modi, C. K., D. H. Jani (2010). "Novel Mn(III) heterochelates: Synthesis, thermal, spectroscopic, and coordination aspects." *Journal of Thermal Analysis and Calorimetry* 102(3): 1001-1010. doi:10.1007/s10973-010-0890-x
944. [4] Šumar-Ristović, M. T., D. M. Minić, D. Poleti, Z. Miodragović, D. Miodragović, K. K. Anđelković (2010). "Thermal stability and degradation of Co(II), Cd(II), and Zn(II) complexes with N-benzoyloxycarbonyl-glycinato ligand." *Journal of Thermal Analysis and Calorimetry* 102(1): 83-90. doi:10.1007/s10973-010-0748-2
945. [5] Zhou, C. H., Y. Y. Zhang, C. Y. Yan, K. Wan, L. L. Gan, Y. Shi (2010). "Recent researches in metal supramolecular complexes as anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 10(5): 371-395. doi:10.2174/1871520611009050371
946. [6] Abdel Ghani, N. T., A. M. Mansour (2011a). "Novel Pd(II) and Pt(II) complexes of N,N-donor benzimidazole ligand: Synthesis, spectral, electrochemical, DFT studies and evaluation of biological activity." *Inorganica Chimica Acta* 373(1): 249-258. doi:10.1016/j.ica.2011.04.036
947. [7] Abdel Ghani, N. T., A. M. Mansour (2011b). "Palladium(II) and platinum(II) complexes containing benzimidazole ligands: Molecular structures, vibrational frequencies and cytotoxicity." *Journal of Molecular Structure* 991(1-3): 108-126. doi:10.1016/j.molstruc.2011.02.014
948. [8] Abdel Ghani, N. T., A. M. Mansour (2012). "Novel palladium(II) and platinum(II) complexes with 1H-benzimidazol-2-ylmethyl-N-(4-bromophenyl)-amine: Structural studies and anticancer activity." *European Journal of Medicinal Chemistry* 47(1): 399-411. doi:10.1016/j.ejmech.2011.11.008
949. [9] Gaber, M., G. B. El-Hefnawy, M. A. El-Borai, N. F. Mohamed (2012). Synthesis, spectral and thermal studies of Mn(II), Co(II), Ni(II), Cu(II) and Zn(II) complex dyes based on hydroxyquinoline moiety. *Journal of Thermal Analysis and Calorimetry*.
950. [10] Li, L., S. Chakrabarty, K. Spyrou, C. K. Ober, E. P. Giannelis (2015). "Studying the Mechanism of Hybrid Nanoparticle Photoresists: Effect of Particle Size on Photopatterning." *Chemistry of Materials* 27(14): 5027-5031. doi:10.1021/acs.chemmater.5b01506
951. [11] Alam, M. N., F. Huq (2016). "Comprehensive review on tumour active palladium compounds and structure-activity relationships." *Coordination Chemistry Reviews* 316: 36-67. doi:10.1016/j.ccr.2016.02.001
952. [12] Li, L., S. Chakrabarty, J. Jiang, B. Zhang, C. Ober, E. P. Giannelis (2016). "Solubility studies of inorganic-organic hybrid nanoparticle photoresists with different surface functional groups." *Nanoscale* 8(3): 1338-1343. doi:10.1039/c5nr07334k
953. [13] Mansour, A. M., E. M. E. Bakry, N. T. Abdel-Ghani (2016). "Flubendazole Pd(II) complexes: structural studies, cytotoxicity, and quantum chemical calculations." *Journal of the Iranian Chemical Society* 13(8): 1429-1437. doi:10.1007/s13738-016-0858-2
954. [14] Oyetunji, O. A., F. M. Nareetsile, R. Gontse, L. Sheleng (2016). "Synthesis and characterization of palladium complexes of some N,N,N',N'-Tetrakis(2-pyridylmethyl)alkanediamine ligands." *Chemistry* 25(6): 862-873.
955. [15] Konnert, L., F. Lamaty, J. Martinez, E. Colacino (2017). "Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold." *Chemical Reviews* 117(23): 13757-13809. doi:10.1021/acs.chemrev.7b00067
956. [16] AbouEl-Enein, S. A., S. M. Emam, R. M. Wagdy, F. I. Abouzayed (2020). "Spectral and thermal investigation of novel biologically active (N-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)-2-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl-amino)-2-oxo-cetimide acid) ligand and its metal complexes." *Journal of Molecular Structure* 1215. doi:10.1016/j.molstruc.2020.128230
957. [17] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IFN^o 38. Kraicheva, I., Bogomilova, A., Tsacheva, I., **Momekov, G.**, Troev, K. Synthesis, NMR characterization and in vitro antitumor evaluation of new aminophosphonic acid diesters (2009) *European Journal of Medicinal Chemistry*, 44 (8): 3363-3367. (IF 3,269)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-67349121264&doi=10.1016%2fj.ejmech.2009.03.017&partnerID=40&md5=0cafc2db05a4d6ab394c318eb185c2ef>
DOI: 10.1016/j.ejmech.2009.03.017

Установени цитирания: в SCOPUS (13)

958. [1] Kurosu, H., T. Yamanobe (2012). "A specialist periodical report on nuclear magnetic resonance (2011/8) synthetic macromolecules." *Nuclear Magnetic Resonance* 41: 386-428. doi:10.1039/9781849734851-00386
959. [2] Stoikov, I. I., O. A. Mostovaya, A. A. Vavilova, J. B. Pupilamp, I. S. Antipin, A. I. Kononov (2012). Aminophosphonates: Synthesis and practical application. In: *Phosphorus: Properties, Health Effects and the Environment* (Ed.): 1-51.
960. [3] Dingels, C., H. Frey (2013). "From biocompatible to biodegradable: Poly(ethylene glycol)s with predetermined breaking points." *Advances in Polymer Science* 262: 167-190. doi:10.1007/12_2013_235
961. [4] Ali, T. E., S. M. Abdel-Kariem (2015). "Methods for the synthesis of α -heterocyclic/heteroaryl-aminophosphonic acids and their esters." *Arhivoc* 2015(6): 246-287. doi:10.3998/ark.5550190.p009.112
962. [5] Moldenhauer, F., R. Kakuchi, P. Theato (2016). "Synthesis of Polymers via Kabachnik-Fields Polycondensation." *ACS Macro Letters* 5(1): 10-13. doi:10.1021/acsmacrolett.5b00720
963. [6] Zhao, J., T. T. Liu, G. Chen (2016). "An effective β -cyclodextrin polyurethane spherical adsorbent for the chromatographic enrichment of corilagin from *Phyllanthus niruri* L. extract." *Reactive and Functional Polymers* 102: 119-129. doi:10.1016/j.reactfunctpolym.2016.03.019
964. [7] Byard, B., K. Wang, A. Morgan, V. Benin (2018). "New polyether diols as flame retardants for polyurethane: Derivatives of epoxy-functionalized phosphonates and phosphates." *Fire and Materials* 42(1): 3-17. doi:10.1002/fam.2452
965. [8] Takeuchi, I., R. Mikuni, K. Makino (2018). "Synthesis of phosphoester compounds using lactic acid for encapsulation of paclitaxel." *Anticancer Research* 38(6): 3401-3406. doi:10.21873/anticancer.12607
966. [9] Takeuchi, I., K. Makino (2019). "Biocompatibility and effectiveness of paclitaxel-encapsulated micelle using phosphoester compounds as a carrier for cancer treatment." *Colloids and Surfaces B: Biointerfaces* 177: 356-361. doi:10.1016/j.colsurfb.2019.02.017
967. [10] Tumurbaatar, O., H. Lazarova, M. Popova, V. Mitova, P. Shestakova, N. Koseva (2022). "CO₂ Adsorption on the N- and P-Modified Mesoporous Silicas." *Nanomaterials* 12(7). doi:10.3390/nano12071224
968. [11] Jia, Y. Y., M. L. Huan, W. Wang, Z. Y. Jia, Y. H. Wan, S. Y. Zhou, B. L. Zhang (2023). "Tumor microenvironment and redox dual stimuli-responsive polymeric nanoparticles for the effective cisplatin-based cancer chemotherapy." *Nanotechnology* 34(3). doi:10.1088/1361-6528/ac990e

969. [12] Lamberink-Ilupeju, J. W., M. J. Willans, J. B. Gilroy, J. J. Noël, J. M. Blacquiere, P. J. Ragogna (2023). "Multicomponent Synthesis of Poly(α -aminophosphine chalcogenide)s and Subsequent Depolymerization." *Inorganic Chemistry* 62(37): 15104-15109. doi:10.1021/acs.inorgchem.3c02039
970. [13] Namane, I., H. Berrebah, M. Berredjem, A. Bouzina, M. Laouabdia-Selami, K. Belhamzaoui (2023). "Comparative Study Between Toxic Effects Of Newly Synthesized Aminophosphates (Ap) And Glyphosate On Fresh-Water Ciliates Model: Paramecium Tetraurelia." *Vie et Milieu* 73(1-2): 25-33.

Публ. с IF № 39. Petrov, P., Georgiev, G., Momekova, D., **Momekov, G.**, Tsvetanov, C.B. UV-assisted grafting of polymers: A method towards biocompatible carbon nanotubes (2010) *Polymer*, 51 (12): 2465-247. (IF 3,828)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-77954834420&doi=10.1016%2fj.polymer.2010.04.033&partnerID=40&md5=452d6f7d2a0a8c1e5c05b6124c3a778a>

DOI: 10.1016/j.polymer.2010.04.033

Установени цитирания: (16)

971. [1] Lee, R. S., W. H. Chen, J. H. Lin (2011). "Polymer-grafted multi-walled carbon nanotubes through surface-initiated ring-opening polymerization and click reaction." *Polymer* 52(10): 2180-2188. doi:10.1016/j.polymer.2011.03.020
972. [2] Mansur, H. S., M. M. Pereira, H. S. Costa, A. A. P. Mansur (2012). "Mechanical behavior of nanostructured hybrids based on poly(vinyl alcohol)/bioactive glass reinforced with functionalized carbon nanotubes." *Journal of Nanomaterials* 2012. doi:10.1155/2012/386236
973. [3] Daraei, P., S. S. Madaeni, N. Ghaemi, H. Ahmadi Monfared, M. A. Khadivi (2013). "Fabrication of PES nanofiltration membrane by simultaneous use of multi-walled carbon nanotube and surface graft polymerization method: Comparison of MWCNT and PAA modified MWCNT." *Separation and Purification Technology* 104: 32-44. doi:10.1016/j.seppur.2012.11.004
974. [4] Li, X., J. Lan, M. Ai, Y. Guo, Q. Cai, X. Yang (2014). "Biomimetic mineralization on polymer-coated multi-walled carbon nanotubes with different surface functional groups." *Colloids and Surfaces B: Biointerfaces* 123: 753-761. doi:10.1016/j.colsurfb.2014.10.026
975. [5] Roy, S., T. Das, C. Y. Yue, X. Hu (2014a). "Improved polymer encapsulation on multiwalled carbon nanotubes by selective plasma induced controlled polymer grafting." *ACS Applied Materials and Interfaces* 6(1): 664-670. doi:10.1021/am404768v
976. [6] Roy, S., T. Das, Y. Ming, X. Chen, C. Y. Yue, X. Hu (2014b). "Specific functionalization and polymer grafting on multiwalled carbon nanotubes to fabricate advanced nylon 12 composites." *Journal of Materials Chemistry A* 2(11): 3961-3970. doi:10.1039/c3ta14528j
977. [7] Cornelsen, P. A., R. C. Quintanilha, M. Vidotti, P. A. J. Gorin, F. F. Simas-Tosin, I. C. Riegel-Vidotti (2015). "Native and structurally modified gum arabic: Exploring the effect of the gum's microstructure in obtaining electroactive nanoparticles." *Carbohydrate Polymers* 119: 35-43. doi:10.1016/j.carbpol.2014.11.020
978. [8] Das, T., S. Roy, S. Ting, L. Zhang, Y. Li, C. Y. Yue, X. Hu (2015). "A green technique to prepare uniform amine capped multi-walled carbon nanotubes to fabricate high strength, protein resistant polymer nanocomposites." *RSC Advances* 5(20): 15524-15533. doi:10.1039/c4ra11519h
979. [9] Kharitonov, A., J. Zha, M. Dubois (2015). "Tunable hydrophilicity/hydrophobicity of fluorinated carbon nanotubes via graft polymerization of gaseous monomers." *Journal of Fluorine Chemistry* 178: 279-285. doi:10.1016/j.jfluchem.2015.03.006
980. [10] Melinte, V., T. Buruiana, A. Chibac, N. Lupu, M. Grigoras, E. C. Buruiana (2015). "Preparation and properties of photopolymerized hybrid composites with covalently attached magnetite nanoparticles." *Chemical Engineering Journal* 259: 542-551. doi:10.1016/j.cej.2014.08.049
981. [11] Zha, J., N. Batisse, D. Claves, M. Dubois, L. Frezet, A. P. Kharitonov, L. N. Alekseiko (2016). "Superhydrophobicity via gas-phase monomers grafting onto carbon nanotubes." *Progress in Surface Science* 91(2): 57-71. doi:10.1016/j.progsurf.2016.03.002
982. [12] Fresco-Cala, B., E. J. Carrasco-Correa, S. Cárdenas, J. M. Herrero-Martínez (2018). "Carbon nanostructures incorporated on methacrylate monoliths for separation of small molecules by nano-liquid chromatography." *Microchemical Journal* 139: 222-229. doi:10.1016/j.microc.2018.03.003
983. [13] Huth, K., M. Glaeske, K. Achazi, G. Gordeev, S. Kumar, R. Arenal, S. K. Sharma, M. Adeli, A. Setaro, S. Reich, R. Haag (2018). "Fluorescent Polymer—Single-Walled Carbon Nanotube Complexes with Charged and Noncharged Dendronized Perylene Bisimides for Bioimaging Studies." *Small* 14(28). doi:10.1002/smll.201800796
984. [14] Oitoju, T. A., A. L. Ahmad, B. S. Ooi (2018). "Recent advances in hydrophilic modification and performance of polyethersulfone (PES) membrane via additive blending." *RSC Advances* 8(40): 22710-22728. doi:10.1039/c8ra03296c
985. [15] Kulka, M. W., C. Nie, P. Nickl, Y. Kerkhoff, A. Garg, D. Salz, J. Radnik, I. Grunwald, R. Haag (2020a). "Surface-Initiated Grafting of Dendritic Polyglycerol from Mussel-Inspired Adhesion-Layers for the Creation of Cell-Repelling Coatings." *Advanced Materials Interfaces* 7(24). doi:10.1002/admi.202000931
986. [16] Kulka, M. W., S. Smatty, F. Hehnen, T. Bierewirtz, K. Silberreis, C. Nie, Y. Kerkhoff, C. Grötzinger, S. Friedrich, L. I. Dahms, J. Dervede, I. Grunwald, M. Schirmer, U. Kertzsch, K. Affeld, R. Haag (2020b). "The Application of Dual-Layer, Mussel-Inspired, Antifouling Polyglycerol-Based Coatings in Ventricular Assist Devices." *Advanced Materials Interfaces* 7(21). doi:10.1002/admi.202000272

Публ. с IF № 40. Petrov, P., Momekova, D., Kostova, B., **Momekov, G.**, Toncheva-Moncheva, N., Tsvetanov, C.B., Lambov, N. Super-macroporous poly(ethoxytriethyleneglycol acrylate) hydrogels for sustained delivery of hydrophilic drugs. (2010) *Journal of Controlled Release*, 148 (1): e81-82. (IF 7,164)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-80052162362&doi=10.1016%2fj.jconrel.2010.07.017&partnerID=40&md5=c195c15cdd607182d457b0acd71ce958>

DOI: 10.1016/j.jconrel.2010.07.017

Установени цитирания: в SCOPUS (5)

987. [1] Sinitsyna, O. V., N. K. Davydova, V. N. Sergeev, E. E. Laukhina (2014). "Nanostructured films by the self-assembly of bioactive copolymer." *RSC Advances* 4(98): 55565-55570. doi:10.1039/c4ra11748d
988. [2] Vancollie, G., D. Frank, R. Hoogenboom (2014). "Thermoresponsive poly(oligo ethylene glycol acrylates)." *Progress in Polymer Science* 39(6): 1074-1095. doi:10.1016/j.progpolymsci.2014.02.005
989. [3] Sahn, M., L. M. Stafast, M. Dirauf, D. Bandelli, C. Weber, U. S. Schubert (2018). "LCST behavior of poly(2-ethyl-2-oxazoline) containing diblock and triblock copolymers." *European Polymer Journal* 100: 57-66. doi:10.1016/j.eurpolymj.2018.01.014

990. [4] Vancouillie, G., J. F. R. Van Guyse, L. Voorhaar, S. Maji, D. Frank, E. Holder, R. Hoogenboom (2019). "Understanding the effect of monomer structure of oligoethylene glycol acrylate copolymers on their thermoresponsive behavior for the development of polymeric sensors." *Polymer Chemistry* 10(42): 5778-5789. doi:10.1039/c9py01326a
991. [5] Haleem, A., H. J. Li, P. Y. Li, C. S. Hu, X. C. Li, J. Y. Wang, S. Q. Chen, W. D. He (2020). "Rapid UV-radiation synthesis of polyacrylate cryogel oil-sorbents with adaptable structure and performance." *Environmental Research* 187. doi:10.1016/j.envres.2020.109488

Публ. с IFN^o 41. Michailova, V., Berlinova, I., Iliev, P., Ivanov, L., Titeva, S., **Momekov, G.**, Dimitrov, I. Nanoparticles formed from PNIPAM-g-PEO copolymers in the presence of indomethacin (2010) *International Journal of Pharmaceutics*, 384 (1-2): 154-164. (IF 3,607)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-70649083165&doi=10.1016%2fj.ijpharm.2009.09.034&partnerID=40&md5=f1e03a1c5a4e06e415f28df058f98369>
DOI: 10.1016/j.ijpharm.2009.09.034

Установени цитирания: в SCOPUS (14)

992. [1] Musial, W., B. Vincent, A. Szumny, B. Vancina (2010). "Morphological characteristics of modified freeze-dried poly(N-isopropylacrylamide) microspheres studied by optical microscopy, SEM, and DLS." *Chemical Papers* 64(5): 602-612. doi:10.2478/s11696-010-0041-7
993. [2] Huang, X., Y. Xiao, M. Lang (2012). "Micelles/sodium-alginate composite gel beads: A new matrix for oral drug delivery of indomethacin." *Carbohydrate Polymers* 87(1): 790-798. doi:10.1016/j.carbpol.2011.08.067
994. [3] Mehrotra, A., J. K. Pandit (2012). "Critical process parameters evaluation of modified nanoprecipitation method on lomustine nanoparticles and cytostatic activity study on L132 human cancer cell line." *Journal of Nanomedicine and Nanotechnology* 3(7): 6. doi:10.4172/2157-7439.1000149
995. [4] Qi, C., X. Xia, W. Zhang, C. Xie, S. Cai (2012). "Indomethacin/Cu/LDPE porous composite for medicated copper intrauterine devices with controlled release performances." *Composites Science and Technology* 72(3): 428-434. doi:10.1016/j.compscitech.2011.12.004
996. [5] Kiriya, A., K. Iga, N. Shibata (2013). "Availability of polymeric nanoparticles for specific enhanced and targeted drug delivery." *Therapeutic Delivery* 4(10): 1261-1278. doi:10.4155/tde.13.84
997. [6] Suárez, P., L. Rojo, A. González-Gómez, J. S. Román (2013). "Self-assembling gradient copolymers of vinylimidazol and (acrylic)ibuprofen with anti-inflammatory and zinc chelating properties." *Macromolecular Bioscience* 13(9): 1174-1184. doi:10.1002/mabi.201300141
998. [7] Abu Amara, H. M. (2014a). "Solid lipid nanoparticles as indomethacin carriers for topical use (2): DSC analysis, drug release and rheological properties." *Jordan Journal of Pharmaceutical Sciences* 7(2): 97-119. doi:10.12816/0026797
999. [8] Abu Amara, H. M. (2014b). "Preparation, characterization and in vitro evaluation of indomethacin loaded solid lipid nanoparticles." *Jordan Journal of Pharmaceutical Sciences* 7(1): 15-36. doi:10.12816/0027180
1000. [9] Dai, X., J. An, Y. Wang, Z. Wu, Y. Zhao, Q. Guo, X. Zhang, C. Li (2015). "Antibacterial amphiphiles based on ϵ -polylysine: Synthesis, mechanism of action, and cytotoxicity." *RSC Advances* 5(85): 69325-69333. doi:10.1039/c5ra10393b
1001. [10] Maksym-Bębenek, P., D. Neugebauer (2015). "Study on Self-Assembled Well-Defined PEG Graft Copolymers as Efficient Drug-Loaded Nanoparticles for Anti-Inflammatory Therapy." *Macromolecular Bioscience* 15(11): 1616-1624. doi:10.1002/mabi.201500189
1002. [11] Sambandam, B., S. Kumar, A. Ayyaswamy, N. Yadav, B. D. Thiyagarajan (2015). "Synthesis and characterization of poly D-L lactide (PLA) nanoparticles for the delivery of quercetin." *International Journal of Pharmacy and Pharmaceutical Sciences* 7(5): 42-49.
1003. [12] Luo, H., H. Li, X. Yang, J. Li, X. Zhang, Z. Wu (2016). "A Nanoscale Polymeric Penetration Enhancer Based on Polylysine for Topical Delivery of Proteins and Peptides." *Journal of Pharmaceutical Sciences* 105(12): 3585-3593. doi:10.1016/j.xphs.2016.08.022
1004. [13] Constantin, M., S. Bucătaru, I. Stoica, G. Fundueanu (2017). "Smart nanoparticles based on pullulan-g-poly(N-isopropylacrylamide) for controlled delivery of indomethacin: Paper dedicated to the 150th anniversary of the Romanian Academy." *International Journal of Biological Macromolecules* 94: 698-708. doi:10.1016/j.ijbiomac.2016.10.064
1005. [14] Ma, S., Y. Shi, Y. Zhang, L. Zheng, Q. Zhang, X. Xu (2019). "All-Printed Substrate-Versatile Microsupercapacitors with Thermoreversible Self-Protection Behavior Based on Safe Sol-Gel Transition Electrolytes." *ACS Applied Materials and Interfaces* 11(33): 29960-29969. doi:10.1021/acsami.9b09498

Публ. с IFN^o 42. Momekova, D., **Momekov, G.**, Rangelov, S., Storm, G., Lambov, N. Physicochemical and biopharmaceutical characterization of dipalmitoyl phosphatidylcholine liposomes sterically stabilized by copolymers bearing short blocks of lipid-mimetic units (2010) *Soft Matter*, 6 (3): 591-601. (IF 4,5)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-75949101713&doi=10.1039%2fb917275k&partnerID=40&md5=6a7c61cb2e0e47fc3802abd4935018c3>
DOI: 10.1039/b917275k

Установени цитирания: в SCOPUS (11)

1006. [1] Amado, E., J. Kressler (2011). "Interactions of amphiphilic block copolymers with lipid model membranes." *Current Opinion in Colloid and Interface Science* 16(6): 491-498. doi:10.1016/j.cocis.2011.07.003
1007. [2] Ning, S., Q. Huang, X. Sun, C. Li, Y. Zhang, J. Li, Y. N. Liu (2011). "Carboxymethyl dextran-coated liposomes: Toward a robust drug delivery platform." *Soft Matter* 7(19): 9394-9401. doi:10.1039/c1sm05814b
1008. [3] Rubio, L., G. Rodríguez, C. Alonso, C. López-Iglesias, M. Cócera, L. Coderch, A. De La Maza, J. L. Parra, O. López (2011). "Structural effects of flufenamic acid in DPPC/DHPC bicellar systems." *Soft Matter* 7(18): 8488-8497. doi:10.1039/c1sm05692a
1009. [4] Gluz, E., I. Grinberg, E. Corem-Salkmon, D. Mizrahi, S. Margel (2013). "Engineering of new crosslinked near-infrared fluorescent polyethylene glycol bisphosphonate nanoparticles for bone targeting." *Journal of Polymer Science, Part A: Polymer Chemistry* 51(20): 4282-4291. doi:10.1002/pola.26858
1010. [5] Kim, J. C., Y. I. Chung, Y. H. Kim, G. Tae (2014). "The modulation of the permeability and the cellular uptake of liposome by stable anchoring of lipid-conjugated pluronic on liposome." *Journal of Biomedical Nanotechnology* 10(1): 100-108. doi:10.1166/jbn.2014.1788
1011. [6] Tao, L., A. Faig, K. E. Uhrich (2014). "Liposomal stabilization using a sugar-based, PEGylated amphiphilic macromolecule." *Journal of Colloid and Interface Science* 431: 112-116. doi:10.1016/j.jcis.2014.06.004

- 1012.[7] Pourmoazzen, Z., M. Bagheri, H. Valizadeh, S. Ghanbarzadeh, A. A. Entezami (2015). "Surface modification of liposomes." *Pharmazeutische Industrie* 77(5): 748-755.
- 1013.[8] Moretti, A., B. Zhang, B. Lee, M. Dutt, K. E. Uhrich (2017). "Degree of unsaturation and backbone orientation of amphiphilic macromolecules influence local lipid properties in large unilamellar vesicles." *Langmuir* 33(51): 14663-14673. doi:10.1021/acs.langmuir.7b03043
- 1014.[9] Nyame Mendendy Boussambe, G., R. Valentin, J. F. Fabre, L. Navailles, F. Nallet, C. Gaillard, Z. Mouloungui (2017). "Self-Assembling Behavior of Glycerol Monoundecenoate in Water." *Langmuir* 33(13): 3223-3233. doi:10.1021/acs.langmuir.6b03584
- 1015.[10] Müller, S., A. Meister, C. Otto, G. Hause, S. Drescher (2018). "Mixing behaviour of asymmetrical glycerol diether bolalipids with saturated and unsaturated phosphatidylcholines." *Biophysical Chemistry* 238: 39-48. doi:10.1016/j.bpc.2018.04.005
- 1016.[11] Müller, S., M. Kind, K. Gruhle, G. Hause, A. Meister, S. Drescher (2019). "Mixing behaviour of bilayer-forming phosphatidylcholines with single-chain alkyl-branched bolalipids: effect of lateral chain length." *Biophysical Chemistry* 244: 1-10. doi:10.1016/j.bpc.2018.10.003

Публ. с IFN^o 43. Bakalova, A., Varbanov, H., Buyukliev, R., Stanchev, S., **Momekov, G.**, Ivanov, D. Novel Pt(II) and Pt(IV) complexes with 3-amino-5-methyl-5-(4-pyridyl)-2,4-imidazolidenedione. Synthesis, physicochemical, chemometric and pharmacological investigation (2010) *Inorganica Chimica Acta*, 363 (7): 1568-1576. (IF 1,899)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-77950022875&doi=10.1016%2fj.ica.2010.01.008&partnerID=40&md5=087ea6cc293b0759613d2b976784985e)

[77950022875&doi=10.1016%2fj.ica.2010.01.008&partnerID=40&md5=087ea6cc293b0759613d2b976784985e](https://www.scopus.com/inward/record.uri?eid=2-s2.0-77950022875&doi=10.1016%2fj.ica.2010.01.008&partnerID=40&md5=087ea6cc293b0759613d2b976784985e)

DOI: 10.1016/j.ica.2010.01.008

Установени цитирания: в SCOPUS (10)

- 1017.[1] Beloglazkina, E. K., A. G. Majouga, A. V. Mironov, A. V. Yudina, O. Y. Kuznetsova, N. V. Zyk (2014). "Conversion of 2-thiohydantoins and their derivatives to the corresponding hydantoins in the processes of complexation reactions with copper(II) chloride dihydrate." *Polyhedron* 76: 45-50. doi:10.1016/j.poly.2014.03.045
- 1018.[2] Pantelić, N., B. B. Zmejkovski, T. P. Stanojković, V. V. Jevtić, G. P. Radić, S. R. Trifunović, G. N. Kaluderović, T. J. Sabo (2014). "Synthesis and high in vitro cytotoxicity of some (S,S)-ethylenediamine-N, N'-di-2-propanoate dihydrochloride esters." *Journal of the Serbian Chemical Society* 79(6): 649-658. doi:10.2298/JSC130512022P
- 1019.[3] Sabounchei, S. J., P. Shahriary, Y. Gholiee, S. Salehzadeh, H. R. Khavasi, A. Chehregani (2014). "Platinum and palladium complexes with 5-methyl-5-(2-pyridyl)-2,4-imidazolidenedione: Synthesis, crystal and molecular structure, theoretical study, and pharmacological investigation." *Inorganica Chimica Acta* 409(PART B): 265-275. doi:10.1016/j.ica.2013.09.051
- 1020.[4] Sabounchei, S. J., P. Shahriary, S. Salehzadeh, Y. Gholiee, D. Nematollahi, A. Chehregani, A. Amani, Z. Afsartala (2015). "Pd(II) and Pd(IV) complexes with 5-methyl-5-(4-pyridyl)hydantoin: Synthesis, physicochemical, theoretical, and pharmacological investigation." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 135: 1019-1031. doi:10.1016/j.saa.2014.08.002
- 1021.[5] Zmejkovski, B. B., N. Pantelić, L. Filipović, S. Arandelović, S. Radulović, T. J. Sabo, G. N. Kaluderović (2017). "In vitro anticancer evaluation of platinum(II/IV) complexes with diisomyl ester of (S,S)-ethylenediamine-N,N'-di-2-propanoic acid." *Anti-Cancer Agents in Medicinal Chemistry* 17(8): 1136-1143. doi:10.2174/1871520616666161207155634
- 1022.[6] Stanković, D., S. M. Ristić, A. A. Vukadinović, M. D. Mirković, S. S. Vladimirov, Z. Milanović, M. Radović, M. Mijović, D. M. Stanković, T. J. Sabo, S. D. Vranješ-Durić, D. Janković (2019). "Toxicity study of DE-EDCP as a potential drug for cancer therapy: Toxicity profile of DE-EDCP." *Human and Experimental Toxicology* 38(4): 466-481. doi:10.1177/0960327118819047
- 1023.[7] Štarha, P., J. Vančo, Z. Trávníček (2019). "Platinum iodido complexes: A comprehensive overview of anticancer activity and mechanisms of action." *Coordination Chemistry Reviews* 380: 103-135. doi:10.1016/j.ccr.2018.09.017
- 1024.[8] Ozdemir, O., P. Gurkan, Y. D. Simay Demir, M. Ark (2020). "Antioxidant and cytotoxic activity studies in series of higher amino acid schiff bases." *Gazi University Journal of Science* 33(3): 646-660. doi:10.35378/gujs.654598
- 1025.[9] Özdemir, Ö., P. Gürkan, Y. D. Şimay Demir, M. Ark (2020). "Novel palladium(II) complexes of N-(5-nitro-salicylidene)-Schiff bases: Synthesis, spectroscopic characterization and cytotoxicity investigation." *Journal of Molecular Structure* 1207. doi:10.1016/j.molstruc.2020.127852
- 1026.[10] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IFN^o 44. Varbanov, H., Bakalova, A., Buyukliev, R., **Momekov, G.**, Baykushev, R. Synthesis of palladium(II) complexes with 3-amino-5-methyl-5-(4-pyridyl)-hydantoin: Cytotoxic and antimicrobial investigations and comparison with their platinum analogues (2010) *Transition Metal Chemistry*, 35 (4): 457-461. (IF 1,223)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-77955851663&doi=10.1007%2fs11243-010-9349-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-77955851663&doi=10.1007%2fs11243-010-9349-y&partnerID=40&md5=ee3a707489091246854412c104cbcf99)
[y&partnerID=40&md5=ee3a707489091246854412c104cbcf99](https://www.scopus.com/inward/record.uri?eid=2-s2.0-77955851663&doi=10.1007%2fs11243-010-9349-y&partnerID=40&md5=ee3a707489091246854412c104cbcf99)

DOI: 10.1007/s11243-010-9349-y

Установени цитирания: в SCOPUS (8)

- 1027.[1] Vázquez, J., S. Berns, P. Sharma, J. Pérez, G. Hernández, A. Tovar, U. Peña, R. Gutiérrez (2011). "Synthesis, characterization and anticancer activity of new chiral Pd(II)-complexes derived from unsymmetrical α -diimine ligands." *Polyhedron* 30(15): 2514-2522. doi:10.1016/j.poly.2011.06.020
- 1028.[2] Badea, M., E. Iosub, C. M. Chifiriuc, L. Marutescu, E. E. Iorgulescu, V. Lazar, D. Marinescu, C. Bleotu, R. Olar (2013). "Thermal, spectral, electrochemical and biologic characterization of new Pd(II) complexes with ligands bearing biguanide moieties." *Journal of Thermal Analysis and Calorimetry* 111(3): 1753-1761. doi:10.1007/s10973-012-2288-4
- 1029.[3] Beloglazkina, E. K., A. G. Majouga, A. V. Mironov, A. V. Yudina, O. Y. Kuznetsova, N. V. Zyk (2014). "Conversion of 2-thiohydantoins and their derivatives to the corresponding hydantoins in the processes of complexation reactions with copper(II) chloride dihydrate." *Polyhedron* 76: 45-50. doi:10.1016/j.poly.2014.03.045
- 1030.[4] Deepthi, S. B., P. Ramesh, R. Trivedi, S. K. Buddana, R. S. Prakasham (2015). "Carbohydrate triazole tethered 2-pyridyl-benzimidazole ligands: Synthesis of their palladium (II) complexes and antimicrobial activities." *Inorganica Chimica Acta* 435: 200-205. doi:10.1016/j.ica.2015.06.027
- 1031.[5] Gutiérrez, D., S. Bernès, G. Hernández, O. Portillo, G. E. Moreno, M. Sharma, P. Sharma, R. Gutiérrez (2015). "New chiral α -ketoimine-Pd(II) complexes and their anticancer activity." *Journal of Coordination Chemistry* 68(21): 3805-3813. doi:10.1080/00958972.2015.1084618

- 1032.[6] Živanović, M. N., J. V. Košarić, B. Šmit, D. S. Šeklić, R. Z. Pavlović, S. D. Marković (2017). "Novel seleno-hydantoin palladium(II) complex - antimigratory, cytotoxic and prooxidative potential on human colon HCT-116 and breast MDA-MB-231 cancer cells." General Physiology and Biophysics 36(2): 187-196. doi:10.4149/gpb_2016036
- 1033.[7] Vatannavaz, L., S. J. Sabounchei, A. Sedghi, R. Karamian, S. H. M. Farida, N. Rahmani (2020). "New nickel, palladium and platinum complexes of hydantoin derivative: Synthesis, characterization, theoretical study and biological activity." Polyhedron 181. doi:10.1016/j.poly.2020.114478
- 1034.[8] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." Coordination Chemistry Reviews 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF № 45. Ionkova, I., **Momekov, G.**, Proksch, P. Effects of cycloartane saponins from hairy roots of *Astragalus membranaceus* Bge., on human tumor cell targets (2010) Fitoterapia, 81 (5): 447-451. (IF 1,899)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-77954216288&doi=10.1016%2fj.fitote.2009.12.007&partnerID=40&md5=10e3ef2e8bfc9fc33704cbcd06a4f2de>

DOI: 10.1016/j.fitote.2009.12.007

Установени цитирания: в SCOPUS (36), в патенти (1) – общо (37)

- 1035.[1] Ono, N. N., L. Tian (2011). "The multiplicity of hairy root cultures: Prolific possibilities." Plant Science 180(3): 439-446. doi:10.1016/j.plantsci.2010.11.012
- 1036.[2] Siwicki, D., E. Skopińska-Różewska, P. Bodera (2011). "Immunotropic and anti-tumor effects of plant adaptogens. III. Astragalus (Fabaceae)." Central-European Journal of Immunology 36(2): 104-107.
- 1037.[3] Wu, S. Q., M. L. Lian, R. Gao, S. Y. Park, X. C. Piao (2011). "Bioreactor application on adventitious root culture of Astragalus membranaceus." In Vitro Cellular and Developmental Biology - Plant 47(6): 719-724. doi:10.1007/s11627-011-9376-1
- 1038.[4] Wong, Y. H., H. Abdul Kadir (2012). "Induction of mitochondria-mediated apoptosis in ca ski human cervical cancer cells triggered by mollic acid arabinoside isolated from Leea indica." Evidence-based Complementary and Alternative Medicine 2012. doi:10.1155/2012/684740
- 1039.[5] Zuo, Z. Y., W. R. Yang, Y. Wang, Z. B. Yang, S. Z. Jiang, G. G. Zhang (2012). "Effects of astragalus membranaceus on laying performance and antioxidant status of laying hens." Journal of Applied Poultry Research 21(2): 243-250. doi:10.3382/japr.2011-00351
- 1040.[6] Lacaille-Dubois, M. A. (2013). Newest results on the chemistry and pharmacology of TCM drugs containing triterpene and steroid saponins. In: Evidence and Rational Based Research on Chinese Drugs (Ed.): 87-135.
- 1041.[7] Mo, S., H. Xiong, G. Shu, X. Yang, J. Wang, C. Zheng, W. Xiong, Z. Mei (2013). "Phaseoloideside E, a novel natural triterpenoid saponin identified from entada phaseoloides, induces apoptosis in Ec-109 esophageal cancer cells through reactive oxygen species generation." Journal of Pharmacological Sciences 122(3): 163-175. doi:10.1254/jphs.12193FP
- 1042.[8] Shah, A., C. Varma, S. Patankar, V. Kadam (2013). "Plant glycosides and aglycones displaying antiproliferative and antitumor activities - a review." Current Bioactive Compounds 9(4): 288-305. doi:10.2174/1573407209999131231095332
- 1043.[9] Yang, L. P., J. G. Shen, W. C. Xu, J. Li, J. Q. Jiang (2013). "Secondary metabolites of the genus astragalus: Structure and biological-activity update." Chemistry and Biodiversity 10(6): 1004-1054. doi:10.1002/cbdv.201100444
- 1044.[10] Alvarez, M. A. (2014). Plant biotechnology for health: From secondary metabolites to molecular farming.
- 1045.[11] Lowe, H. I. C., N. J. Toyang, C. T. Watson, K. N. N. Ayeah, J. Bryant (2014). "Antileukemic activity of Tillandsia recurvata and some of its cycloartanes." Anticancer Research 34(7): 3505-3509.
- 1046.[12] Qu, H., M. Sun, Y. Cao, L. Wang, Z. Han (2014). "Quantification and pharmacokinetics of astragaloside II in rats by rapid liquid chromatography-tandem mass spectrometry." Analytical Methods 6(17): 6815-6822. doi:10.1039/c4ay01290a
- 1047.[13] Jiao, J., Q. Y. Gai, M. Luo, X. Peng, C. J. Zhao, Y. J. Fu, W. Ma (2015a). "Direct determination of astragalosides and isoflavonoids from fresh Astragalus membranaceus hairy root cultures by high speed homogenization coupled with cavitation-accelerated extraction followed by liquid chromatography-tandem mass spectrometry." RSC Advances 5(44): 34672-34681. doi:10.1039/c5ra04291g
- 1048.[14] Jiao, J., Q. Y. Gai, Y. J. Fu, W. Ma, L. P. Yao, C. Feng, X. X. Xia (2015b). "Optimization of Astragalus membranaceus hairy roots induction and culture conditions for augmentation production of astragalosides." Plant Cell, Tissue and Organ Culture 120(3): 1117-1130. doi:10.1007/s11240-014-0668-0
- 1049.[15] Tuan, P. A., E. Chung, A. A. Thwe, X. Li, Y. B. Kim, V. A. Mariadhas, N. A. Al-Dhabi, J. H. Lee, S. U. Park (2015). "Transcriptional Profiling and Molecular Characterization of Astragalosides, Calycosin, and Calycosin-7-O-β-D-glucoside Biosynthesis in the Hairy Roots of Astragalus membranaceus in Response to Methyl Jasmonate." Journal of Agricultural and Food Chemistry 63(27): 6231-6240. doi:10.1021/acs.jafc.5b01822
- 1050.[16] Gai, Q. Y., J. Jiao, M. Luo, W. Wang, C. J. Zhao, Y. J. Fu, W. Ma (2016). "UV elicitation for promoting astragaloside production in Astragalus membranaceus hairy root cultures with transcriptional expression of biosynthetic genes." Industrial Crops and Products 84: 350-357. doi:10.1016/j.indcrop.2016.02.010
- 1051.[17] Jiao, J., Q. Y. Gai, W. Wang, M. Luo, Y. G. Zu, Y. J. Fu, W. Ma (2016). "Enhanced astragaloside production and transcriptional responses of biosynthetic genes in Astragalus membranaceus hairy root cultures by elicitation with methyl jasmonate." Biochemical Engineering Journal 105: 339-346. doi:10.1016/j.bej.2015.10.010
- 1052.[18] Jung, Y., U. Jerng, S. Lee (2016). "A systematic review of anticancer effects of Radix Astragali." Chinese Journal of Integrative Medicine 22(3): 225-236. doi:10.1007/s11655-015-2324-x
- 1053.[19] Miraj, S., S. Kiani (2016). "Astragalus membranaceus: A review study of its anti-carcinoma activities." Der Pharmacia Lettre 8(6): 59-65.
- 1054.[20] Zhai, Y., P. Li, M. Wang, M. Gong, F. Qiu (2016). "Determination of astragaloside III in rat plasma by liquid chromatography-tandem mass spectrometry and its application to a rat pharmacokinetic study." Biomedical Chromatography 30(2): 105-110. doi:10.1002/bmc.3521
- 1055.[21] Albayrak, S., O. Kaya (2018). "Antioxidant and antimicrobial activities of four Astragalus species growing wild in Turkey." Turkish Journal of Biochemistry 43(4): 425-434. doi:10.1515/tjb-2017-0241
- 1056.[22] Graziani, V., M. Scognamiglio, V. Belli, A. Esposito, B. D'Abrosca, A. Chambery, R. Russo, M. Panella, A. Russo, F. Ciardiello, T. Troiani, N. Potenza, A. Fiorentino (2018). "Metabolomic approach for a rapid identification of natural products with cytotoxic activity against human colorectal cancer cells." Scientific Reports 8(1). doi:10.1038/s41598-018-23704-9
- 1057.[23] Biswas, T., U. N. Dwivedi (2019). "Plant triterpenoid saponins: biosynthesis, in vitro production, and pharmacological relevance." Protoplasma 256(6): 1463-1486. doi:10.1007/s00709-019-01411-0
- 1058.[24] Gao, W., X. Dong, T. Wei, W. Xing (2019). "The chemical structure and bioactivity of cycloartane-type compounds." Current Organic Chemistry 23(25): 2848-2872. doi:10.2174/1385272823666191203113221

- 1059.[25] Graziani, V., M. Scognamiglio, A. Esposito, A. Fiorentino, B. D'Abrosca (2019a). "Chemical diversity and biological activities of the saponins isolated from Astragalus genus: focus on Astragaloside IV." *Phytochemistry Reviews* 18(4): 1133-1166. doi:10.1007/s11101-019-09626-y
- 1060.[26] Graziani, V., A. Esposito, M. Scognamiglio, A. Chambery, R. Russo, F. Ciardiello, T. Troiani, N. Potenza, A. Fiorentino, B. D'Abrosca (2019b). "Spectroscopic characterization and cytotoxicity assessment towards human colon cancer cell lines of acylated cycloartane glycosides from Astragalus boeoticus L." *Molecules* 24(9). doi:10.3390/molecules24091725
- 1061.[27] Ambros, E. V., O. V. Kotsupiy, T. A. Kukushkina, T. V. Zhelezniichenko, T. I. Novikova (2020). "Synthesis of biologically active compounds in hairy roots of astragalus penduliflorus lam." *Khimiya Rastitel'nogo Syr'ya*(2): 209-221. doi:10.14258/JCPRM.2020026284
- 1062.[28] Li, H., Y. Zhao, W. Yang, Z. Zhang (2020). "Characterization of astragaloside I-IV based on the separation of HPTLC from Pleurotus ostreatus cultivated with Astragalus." *Journal of Food Science* 85(10): 3183-3190. doi:10.1111/1750-3841.15398
- 1063.[29] Wang, H., R. Yuan, Q. Cao, M. Wang, D. Ren, X. Huang, M. Wu, L. Zhang, X. Zhao, X. Huo, Y. Pan, Q. Liu (2020). "Astragaloside III activates TACE/ADAM17-dependent anti-inflammatory and growth factor signaling in endothelial cells in a p38-dependent fashion." *Phytotherapy Research* 34(5): 1096-1107. doi:10.1002/ptr.6603
- 1064.[30] Sheik, A., K. Kim, G. L. Varaprasad, H. Lee, S. Kim, E. Kim, J. Y. Shin, S. Y. Oh, Y. S. Huh (2021). "The anti-cancerous activity of adaptogenic herb Astragalus membranaceus." *Phytomedicine* 91. doi:10.1016/j.phymed.2021.153698
- 1065.[31] Naik, P. M., W. N. Sudheer, S. Dubey, R. S. Ulhas, N. Praveen (2022). In Vitro Production of Saponins. In: *Nutraceuticals Production from Plant Cell Factory*(Ed.): 229-263.
- 1066.[32] Zhou, W., X. Yu, Z. Zhang, X. Wang, C. Nie, G. Zhang, N. Chen, W. Zheng (2022). "Uncovering the Key Targets and Therapeutic Mechanisms of Qizhen Capsule in Gastric Cancer through Network Pharmacology and Bioinformatic Analyses." *Computational and Mathematical Methods in Medicine* 2022. doi:10.1155/2022/1718143
- 1067.[33] Duan, F., Y. Zhu, Y. Lu, J. Xu, A. Wang (2023). "Fabrication porous adsorbents templated from aqueous foams using astragalus membranaceus and attapulgite as stabilizer for efficient removal of cationic dyes." *Journal of Environmental Sciences (China)* 127: 855-865. doi:10.1016/j.jes.2022.08.004
- 1068.[34] Kalaycı, B., N. Şimşek Özek, F. Aysin, H. Özbek, C. Kazaz, M. Önal, Z. Güvenalp (2023). "Evaluation of cytotoxic and apoptotic effects of the extracts and phenolic compounds of Astragalus globosus Vahl and Astragalus breviflorus DC." *Saudi Pharmaceutical Journal* 31(8). doi:10.1016/j.jsps.2023.06.015
- 1069.[35] Tang, Y., B. Zhang, M. Ren, R. Zhang, J. Qin, H. Zhu, Y. Guo (2023). "Evaluation of Regulatory Effect of Guiqi Yimu Oral Liquid on Rumen of Postpartum Dairy Cows Based on UPLC-MS/MS Metabolomics Technology." *Scientia Agricultura Sinica* 56(2): 368-378. doi:10.3864/j.issn.0578-1752.2023.02.013
- 1070.[36] Tran, T. N. A., F. J. Xu, J. H. Ko, D. C. Yang, Y. Wang, L. Ling, D. U. Yang, S. K. Jung (2024). "Establishing an efficient micropropagation method for *Astragalus membranaceus* (Huang Qi)." *Plant Cell, Tissue and Organ Culture* 157(2). doi:10.1007/s11240-023-02622-3
- 1071.[37] <https://patents.google.com/patent/CN101879170B/en>

Публ. с IF № 46. Ionkova, I., Antonova, I., **Momekov, G.**, Fuss, E. Production of podophyllotoxin in *Linum linearifolium* in vitro cultures (2010) *Pharmacognosy Magazine*, 6 (23): 180-185. (IF 0,432)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-78049400758&doi=10.4103%2f0973-1296.66932&partnerID=40&md5=e6b9825ec45828936bc8e0d853b7556d>

DOI: 10.4103/0973-1296.66932

Установени цитирания: в SCOPUS (11)

- 1072.[1] Prieto, J. M. (2012). Haplophyllum A. Juss, a rich source of bioactive natural principles. In: *Bioactive Compounds: Types, Biological Activities and Health Effects*(Ed.): 341-380.
- 1073.[2] Samadi, A., J. Carapetian, R. Heidari, M. Jafari, A. H. Gortapeh (2012). "Hairy root induction in Linum mucronatum ssp. mucronatum, an anti-tumor lignans producing plant." *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 40(1): 125-131. doi:10.15835/nbha4017312
- 1074.[3] Satake, H., E. Ono, J. Murata (2013). Recent advances in the metabolic engineering of lignan biosynthesis pathways for the production of transgenic plant-based foods and supplements. *Journal of Agricultural and Food Chemistry*.
- 1075.[4] Malik, S., O. Bība, J. Grúz, R. R. J. Arroo, M. Strnad (2014). "Biotechnological approaches for producing aryltetralin lignans from Linum species." *Phytochemistry Reviews* 13(4): 893-913. doi:10.1007/s11101-014-9345-5
- 1076.[5] Satake, H., T. Koyama, S. E. Bahabadi, E. Matsumoto, E. Ono, J. Murata (2015). "Essences in metabolic engineering of lignan biosynthesis." *Metabolites* 5(2): 270-290. doi:10.3390/metabo5020270
- 1077.[6] Kumari, A., D. Singh, S. Kumar (2017). "Biotechnological interventions for harnessing podophyllotoxin from plant and fungal species: current status, challenges, and opportunities for its commercialization." *Critical Reviews in Biotechnology* 37(6): 739-753. doi:10.1080/07388551.2016.1228597
- 1078.[7] Nanda, S., J. N. Mohanty, R. Mishra, R. K. Joshi (2017). Metabolic Engineering of Phenylpropanoids in Plants. In: *Reference Series in Phytochemistry*(Ed.): 485-510.
- 1079.[8] Satake, H., T. Koyama, E. Matsumoto, K. Morimoto, E. Ono, J. Murata (2017). Metabolic Engineering of Lignan Biosynthesis Pathways for the Production of Transgenic Plant-Based Foods. In: *Reference Series in Phytochemistry*(Ed.): 373-398.
- 1080.[9] Seegers, C. L. C., R. Sretioikromo, P. G. Tepper, P. Horvatovich, R. Peters, W. J. Quax (2017). "Methyl jasmonate treatment increases podophyllotoxin production in Podophyllum hexandrum roots under glasshouse conditions." *Plant and Soil* 417(1-2): 117-126. doi:10.1007/s11104-017-3245-6
- 1081.[10] Esfandiari, M., M. Sharifi, F. Mohamadyar-Toupkanlou, H. Hanaee-Ahwaz, M. Yousefzadi, A. Jafari, S. Hosseinzadeh, M. Soleimani (2018). "Optimization of cell/tissue culture of Linum persicum for production of lignans derivatives including Podophyllotoxin." *Plant Cell, Tissue and Organ Culture* 133(1): 51-61. doi:10.1007/s11240-017-1360-y
- 1082.[11] da Silva, S. T., A. D. Coelho, R. M. A. de Assis, A. A. de Carvalho, S. K. V. Bertolucci, J. E. B. P. Pinto (2022). "Influence of light quality and some growth regulators in inducing the production of Podophyllotoxin, a bioactive compound against cancer, in adventitious roots formed in the leaves of Hyptis suaveolens." *Industrial Crops and Products* 188. doi:10.1016/j.indcrop.2022.115710

Публ. с IF№ 47. Kavlakova, M., Bakalova, A., **Momekov, G.**, Ivanov, D. Pt(II) complexes of 4-amino-4H-1,2,4-triazole (2010) Journal of Coordination Chemistry, 63 (20): 3531-3540. (IF 0,825)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-77957003949&doi=10.1080%2f00958972.2010.516432&partnerID=40&md5=d5ea934d850f0f0241199da19b745d39>
DOI: 10.1080/00958972.2010.516432

Установени цитирания: в SCOPUS (8)

- 1083.[1] Chang, J. J., Y. Wang, H. Z. Zhang, C. H. Zhou, R. X. Geng, Q. G. Ji (2011). "Recent advances in researches of triazole-based supramolecular chemistry and medicinal drugs." Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities 32(9): 1970-1985.
- 1084.[2] Zhang, J. C., L. Li, L. Ma, F. Zhang, S. Wang (2011). "Synthesis, characterization, and cytotoxicity of mixed-ligand complexes of platinum(II) with 2,2'-bipyridine and 4-toluenesulfonyl-L-amino acid dianion." Journal of Coordination Chemistry 64(10): 1695-1706. doi:10.1080/00958972.2011.580433
- 1085.[3] Khisamutdinov, R. A., O. V. Shitikova, G. R. Anpilogova, L. G. Golubyatnikova, R. F. Mulagaleev, Y. I. Murinov (2015). "Palladium(II) chloro complexes with (RS)-1-(4-chlorophenyl)-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)pentan-3-ol." Russian Journal of Inorganic Chemistry 60(5): 638-646. doi:10.1134/S0036023615050101
- 1086.[4] Khisamutdinov, R. A., G. R. Anpilogova, O. V. Shitikova, Y. I. Murinov (2016). "Platinum(II) and platinum(IV) chloro complexes with (RS)-1-(4-chlorophenyl)-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)pentan-3-ol." Russian Journal of Inorganic Chemistry 61(12): 1530-1537. doi:10.1134/S0036023616120068
- 1087.[5] Erkin, A. V., V. I. Krutikov (2019). "N-(3-Sulfanylmethyl-4H-1,2,4-triazol-4-yl)-2-sulfanylacetamide Containing Terminal 2-Amino-6-methylpyrimidin-4-yl Fragments. Synthesis from 2-[(2-Amino-6-methylpyrimidin-4-yl)sulfanyl]acetohydrazide and Triethyl Orthoformate." Russian Journal of Organic Chemistry 55(3): 392-394. doi:10.1134/S1070428019030229
- 1088.[6] Štarha, P., J. Vančo, Z. Trávníček (2019). "Platinum iodido complexes: A comprehensive overview of anticancer activity and mechanisms of action." Coordination Chemistry Reviews 380: 103-135. doi:10.1016/j.ccr.2018.09.017
- 1089.[7] Nabipour, H., H. Niu, X. Wang, S. Batool, Y. Hu (2021). "Fully bio-based epoxy resin derived from vanillin with flame retardancy and degradability." Reactive and Functional Polymers 168. doi:10.1016/j.reactfunctpolym.2021.105034
- 1090.[8] Hua, Y., J. Sun, S. Jiang, X. Gu, S. Zhang (2023). "Synthesis of a DOPO Derivative to Improve the Fire Safety and Mechanical Performance of Epoxy Resin." Macromolecular Materials and Engineering 308(5). doi:10.1002/mame.202200565

Публ. с IF№ 48. Kraicheva, I., Bogomilova, A., Tsacheva, I., **Momekov, G.**, Momekova, D., Troev, K. Synthesis, NMR characterization and in vitro cytotoxicity evaluation of new poly(oxyethylene aminophosphonate)s (2010) European Journal of Medicinal Chemistry, 45 (12): 6039-6044. (IF 3,193)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-78649325727&doi=10.1016%2fj.ejmech.2010.10.002&partnerID=40&md5=3accc759ae25e1573d71df182c77d5b6>

Установени цитирания: в SCOPUS (13)

- 1091.[1] Kurosu, H., T. Yamanobe (2012). "A specialist periodical report on nuclear magnetic resonance (2011/8) synthetic macromolecules." Nuclear Magnetic Resonance 41: 386-428. doi:10.1039/9781849734851-00386
- 1092.[2] Stoikov, I. I., O. A. Mostovaya, A. A. Vavilova, J. B. Puplampu, I. S. Antipin, A. I. Kononov (2012). Aminophosphonates: Synthesis and practical application. In: Phosphorus: Properties, Health Effects and the Environment (Ed.): 1-51.
- 1093.[3] Dingels, C., H. Frey (2013). "From biocompatible to biodegradable: Poly(ethylene glycol)s with predetermined breaking points." Advances in Polymer Science 262: 167-190. doi:10.1007/12_2013_235
- 1094.[4] Ali, T. E., S. M. Abdel-Kariem (2015). "Methods for the synthesis of α -heterocyclic/heteroaryl-aminophosphonic acids and their esters." Arkivoc 2015(6): 246-287. doi:10.3998/ark.5550190.p009.112
- 1095.[5] Moldenhauer, F., R. Kakuchi, P. Theato (2016). "Synthesis of Polymers via Kabachnik-Fields Polycondensation." ACS Macro Letters 5(1): 10-13. doi:10.1021/acsmacrolett.5b00720
- 1096.[6] Zhao, J., T. T. Liu, G. Chen (2016). "An effective β -cyclodextrin polyurethane spherical adsorbent for the chromatographic enrichment of corilagin from Phyllanthus niruri L. extract." Reactive and Functional Polymers 102: 119-129. doi:10.1016/j.reactfunctpolym.2016.03.019
- 1097.[7] Byard, B., K. Wang, A. Morgan, V. Benin (2018). "New polyether diols as flame retardants for polyurethane: Derivatives of epoxy-functionalized phosphonates and phosphates." Fire and Materials 42(1): 3-17. doi:10.1002/fam.2452
- 1098.[8] Takeuchi, I., R. Mikuni, K. Makino (2018). "Synthesis of phosphoester compounds using lactic acid for encapsulation of paclitaxel." Anticancer Research 38(6): 3401-3406. doi:10.21873/anticancer.12607
- 1099.[9] Takeuchi, I., K. Makino (2019). "Biocompatibility and effectiveness of paclitaxel-encapsulated micelle using phosphoester compounds as a carrier for cancer treatment." Colloids and Surfaces B: Biointerfaces 177: 356-361. doi:10.1016/j.colsurfb.2019.02.017
- 1100.[10] Tumurbaatar, O., H. Lazarova, M. Popova, V. Mitova, P. Shestakova, N. Koseva (2022). "CO₂ Adsorption on the N- and P-Modified Mesoporous Silicas." Nanomaterials 12(7). doi:10.3390/nano12071224
- 1101.[11] Jia, Y. Y., M. L. Huan, W. Wang, Z. Y. Jia, Y. H. Wan, S. Y. Zhou, B. L. Zhang (2023). "Tumor microenvironment and redox dual stimuli-responsive polymeric nanoparticles for the effective cisplatin-based cancer chemotherapy." Nanotechnology 34(3). doi:10.1088/1361-6528/ac990e
- 1102.[12] Lamberink-Ilupeju, J. W., M. J. Willans, J. B. Gilroy, J. J. Noël, J. M. Blacquiere, P. J. Ragogna (2023). "Multicomponent Synthesis of Poly(α -aminophosphine chalcogenide)s and Subsequent Depolymerization." Inorganic Chemistry 62(37): 15104-15109. doi:10.1021/acs.inorgchem.3c02039
- 1103.[13] Namane, I., H. Berredjem, A. Bouzina, M. Laouabdia-Selami, K. Belhamzaoui (2023). "Comparative Study Between Toxic Effects Of Newly Synthesized Aminophosphates (Ap) And Glyphosate On Fresh-Water Ciliates Model; Paramecium Tetraurelia." Vie et Milieu 73(1-2): 25-33.

Публ. с IF№ 49. **Momekov, G.**, Konstantinov, S., Dineva, I., Ionkova, I. Effect of justicidin B - a potent cytotoxic and pro-apoptotic aryl naphthalene lignan on human breast cancer-derived cell lines (2011) Neoplasma, 58 (4): 320-325. (IF 1,440)

https://www.scopus.com/inward/record.uri?eid=2-s2.0-80052524124&doi=10.4149%2fneo_2011_04_320&partnerID=40&md5=e0e0f92633c691359e3e3f654ef8085e
DOI: 10.4149/neo_2011_04_320

Установени цитирания: в SCOPUS (9)

- 1104.[1] Hemmati, S., H. Seradj (2016). "Justicidin B: A promising bioactive lignan." *Molecules* 21(7). doi:10.3390/molecules21070820
- 1105.[2] Al-Qathama, A., S. Gibbons, J. M. Prieto (2017). "Differential modulation of Bax/Bcl-2 ratio and onset of caspase-3/7 activation induced by derivatives of Justicidin B in human melanoma cells A375." *Oncotarget* 8(56): 95999-96012. doi:10.18632/oncotarget.21625
- 1106.[3] Luo, J., Y. Hu, J. Qin, M. Yang (2017). "Ultra high performance liquid chromatography–electrospray ionization–tandem mass spectrometry and pharmacokinetic analysis of justicidin B and 6'-hydroxy justicidin C in rats." *Journal of Separation Science* 40(3): 604-611. doi:10.1002/jssc.201600961
- 1107.[4] Navarro, M., I. Moreira, E. Arnaez, S. Quesada, G. Azofeifa, F. Vargas, D. Alvarado, P. Chen (2017). "Flavonoids and ellagitannins characterization, antioxidant and cytotoxic activities of phyllanthus acuminatus vahl." *Plants* 6(4). doi:10.3390/plants6040062
- 1108.[5] Borges, L. D. C., R. Negrão-Neto, S. Pamplona, L. Fernandes, M. Barros, E. Fontes-Júnior, C. Maia, C. Y. Yoshioka e Silva, M. N. da Silva (2018). "Anti-inflammatory and antinociceptive studies of hydroalcoholic extract from the leaves of phyllanthus brasiliensis (Aubl.) Poir. and isolation of 5-O-β-D-Glucopyranosyljusticidin B and six other lignans." *Molecules* 23(4). doi:10.3390/molecules23040941
- 1109.[6] Duarte, S. L. F., Y. M. Nascimento, S. A. L. Madeiro, V. C. O. Costa, M. F. Agra, M. V. Sobral, R. Braz-Filho, M. G. Carvalho, J. E. Carvalho, A. L. T. G. Ruiz, L. S. Turri, M. S. Silva, J. F. Tavares (2018). "Luclarin, a new lignan from phyllanthus acuminatus." *Química Nova* 41(8): 880-883. doi:10.21577/0100-4042.20170266
- 1110.[7] Chen, W., Z. Feng, D. Hu, J. Meng (2021). "Design and synthesis of aryl-naphthalene lignan lactone derivatives as potent topoisomerase inhibitors." *Medicinal Chemistry* 17(8): 856-865. doi:10.2174/1573406416666200610190417
- 1111.[8] Chhillar, H., P. Chopra, M. A. Ashfaq (2021). "Lignans from linseed (*Linum usitatissimum* L.) and its allied species: Retrospect, introspect and prospect." *Critical Reviews in Food Science and Nutrition* 61(16): 2719-2741. doi:10.1080/10408398.2020.1784840
- 1112.[9] Dougué Kentsop, R. A., R. Consonni, M. Alfieri, M. Laura, G. Ottolina, I. Mascheretti, M. Mattana (2022). "Linum lewisii Adventitious and Hairy-Roots Cultures as Lignan Plant Factories." *Antioxidants* 11(8). doi:10.3390/antiox11081526

Публ. с IFN^o 50. Nikolova-Mladenova, B., Halachev, N., Iankova, R., **Momekov, G.**, Ivanov, D. Synthesis, characterization and cytotoxic activity of new salicylaldehyde benzoylhydrazone derivatives as potential anti-proliferative agents (2011) *Arzneimittel-Forschung/Drug Research*, 61 (12): 714-718. (IF 0,711)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84555170728&doi=10.1055%2fs-0031-1300592&partnerID=40&md5=1a5e8ae917079bc8b9b2618bf55feb9e>

DOI: 10.1055/s-0031-1300592

Установени цитирания: в SCOPUS (2)

- 1113.[1] Congiu, C., V. Onnis (2013). "Synthesis and biological evaluation of novel acylhydrazone derivatives as potential antitumor agents." *Bioorganic and Medicinal Chemistry* 21(21): 6592-6599. doi:10.1016/j.bmc.2013.08.026
- 1114.[2] Iliev, I., D. Kontrec, R. Detcheva, M. Georgieva, A. Balacheva, N. Galic, T. Pajpanova (2019). "Cancer cell growth inhibition by aroylhydrazone derivatives." *Biotechnology and Biotechnological Equipment* 33(1): 756-763. doi:10.1080/13102818.2019.1608302

Публ. с IFN^o 51. Berkov, S.H., Nikolova, M.T., Hristozova, N.I., **Momekov, G.Z.**, Ionkova, I.I., Djilianov, D.L. GC-MS profiling of bioactive extracts from *Haberlea rhodopensis*: An endemic resurrection plant (2011) *Journal of the Serbian Chemical Society*, 76 (2): 211-220. (IF 0,820)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-79952389462&doi=10.2298%2fJSC100324024B&partnerID=40&md5=92ab1671233f1d725bbd88a68d2c5764>

DOI: 10.2298/JSC100324024B

Установени цитирания: в SCOPUS (21)

- 1115.[1] Georgieva, S., B. Popov, S. Tanchev, D. Hristova (2012a). "Haberlea rhodopensis (Friv.) reduces chromosomal aberrations in whole body irradiated rabbits." *International Journal of Phytomedicine* 4(3): 395-398.
- 1116.[2] Georgieva, S., B. Popov, G. Miloshev, G. Bonev (2012b). "Cellular DNA damage and lipid peroxidation after whole body gamma irradiation and treatment with Haberlea rhodopensis extract in rabbits." *Revue de Medecine Veterinaire* 163(12): 572-576.
- 1117.[3] Georgieva, S., B. Popov, G. Bonev (2013). "Radioprotective effect of Haberlea rhodopensis (Friv.) leaf extract on γ-radiation-induced DNA damage, lipid peroxidation and antioxidant levels in rabbit blood." *Indian Journal of Experimental Biology* 51(1): 29-36.
- 1118.[4] Mihaylova, D., S. Bahchevanska, V. Toneva (2013). "Examination of the antioxidant activity of haberlea rhodopensis leaf extracts and their phenolic constituents." *Journal of Food Biochemistry* 37(3): 255-261. doi:10.1111/j.1745-4514.2011.00609.x
- 1119.[5] Popov, B., S. Georgieva, M. Oblakova, G. Bonev (2013). "Effects of haberlea rhodopensis extract on antioxidation and lipid peroxidation in rabbits after exposure to 60CO-γ-rays." *Archives of Biological Sciences* 65(1): 91-97. doi:10.2298/ABS1301091P
- 1120.[6] Denev, I., D. Stefanov, M. Gevezova, I. Kirilova, K. Georgieva, M. Kurteva, G. Panayotova (2014). Stress Tolerance in Some European Resurrection Plants (*Haberlea rhodopensis* and *Ramonda* spp.). In: *Handbook of Plant and Crop Physiology*, Third Edition (Ed.): 585-603.
- 1121.[7] Dobрева, Z. G., B. N. Popov, S. Y. Georgieva, S. A. Stanilova (2015). "Immunostimulatory activities of Haberlea rhodopensis leaf extract on the specific antibody response: protective effects against γ-radiation-induced immunosuppression." *Food and Agricultural Immunology* 26(3): 381-393. doi:10.1080/09540105.2014.922935
- 1122.[8] Mihaylova, D., A. Lante, A. Krastanov (2015a). "Total phenolic content, antioxidant and antimicrobial activity of haberlea rhodopensis extracts obtained by pressurized liquid extraction." *Acta Alimentaria* 44(3): 326-332. doi:10.1556/AALim.2014.0009
- 1123.[9] Mihaylova, D., M. Ivanova, S. Bahchevanska, A. Krastanov (2015b). "Chemical composition and antioxidant activity of ultrasound-assisted extract of the endemic plant Haberlea rhodopensis Friv." *Journal of Food Science and Technology* 52(4): 2469-2473. doi:10.1007/s13197-013-1240-3

- 1124.[10] Todorova, R., A. T. Atanasov (2016). "Haberlea rhodopensis: Pharmaceutical and medical potential as a food additive." *Natural Product Research* 30(5): 507-529. doi:10.1080/14786419.2015.1028058
- 1125.[11] Zheleva-Dimitrova, D., P. Nedialkova, U. Giresser (2016). "A validated HPLC method for simultaneous determination of caffeoyl phenylethanoid glucosides and flavone 8-C-glycosides in *Haberlea rhodopensis*." *Natural Product Communications* 11(6): 791-792.
- 1126.[12] Strehmel, N., D. Strunk, V. Strehmel (2017). "White Birch Trunk Extracts as a Source of Organic Compounds." *ChemistrySelect* 2(29): 9607-9619. doi:10.1002/slct.201700368
- 1127.[13] Penchev, G., S. Georgieva, B. Popov (2018). "Protection against radiation-induced testicular injury in rabbits by *haberlea rhodopensis* (a balkan resurrection plant) extract." *Bulgarian Journal of Veterinary Medicine* 21(3): 313-321. doi:10.15547/bjvm.1049
- 1128.[14] Georgieva, S., D. Gencheva, B. Popov, N. Grozeva, M. Zhelyazkova (2019). "Radioprotective action of resurrection plant *haberlea rhodopensis* friv. (gesneriaceae) and role of flavonoids and phenolic acids." *Bulgarian Journal of Agricultural Science* 25: 158-168.
- 1129.[15] Georgiev, Y. N., M. H. Ognyanov, P. N. Denev (2020). "The ancient Thracian endemic plant *Haberlea rhodopensis* Friv. and related species: A review." *Journal of Ethnopharmacology* 249. doi:10.1016/j.jep.2019.112359
- 1130.[16] Magalhães dos Santos, D., M. P. Sanches, C. M. Poffo, A. L. Parize, G. J. Sagrera Darelli, V. Rodrigues de Lima (2020). "Syringic and cinnamic acids antiradical/antioxidant activities as *R. ferruginea* extract components and membrane physico-chemical influence." *Journal of Molecular Structure* 1220. doi:10.1016/j.molstruc.2020.128749
- 1131.[17] Traykova, B. D., M. I. Stanilova (2020). "Soilless propagation of *haberlea rhodopensis* friv. Using different hydroponic systems and substrata." *Ecologia Balkanica* 12(1): 111-121.
- 1132.[18] Hassan, M. F., S. S. El-Badawy, M. G. Draz, E. S. Ibrahim (2021). "New acaricidal activities and chemical compositions of orange oil and extracts of (wild mint and henna) against *Tetranychus urticae* Koch (Acari: Tetranychidae)." *Archives of Phytopathology and Plant Protection* 54(19-20): 1848-1863. doi:10.1080/03235408.2021.1950508
- 1133.[19] Dimitrova, N., D. Staneva, B. Popov, A. Alexandrova, M. Georgieva, G. Miloshev (2023). "*Haberlea rhodopensis* alcohol extract normalizes stress-responsive transcription of the human TP53 gene." *Journal of Experimental Biology and Agricultural Sciences* 11(2): 405-415. doi:10.18006/2023.11(2).405.415
- 1134.[20] Staneva, D., N. Dimitrova, B. Popov, A. Alexandrova, M. Georgieva, G. Miloshev (2023). "*Haberlea rhodopensis* Extract Tunes the Cellular Response to Stress by Modulating DNA Damage, Redox Components, and Gene Expression." *International Journal of Molecular Sciences* 24(21). doi:10.3390/ijms242115964
- 1135.[21] Peeva, M. I., M. G. Georgieva, A. A. Balacheva, A. Pavlov, N. T. Tzvetkov (2024). "In Vitro Investigation of the Cytotoxic and Antiproliferative Effects of *Haberlea rhodopensis* Total Extract: A Comparative Study." *Cosmetics* 11(2). doi:10.3390/cosmetics11020046

Публ. с IF № 52. Kowalczyk, A., Stoyanova, E., Mitova, V., Shestakova, P., **Momekov, G.**, Momekova, D., Koseva, N. Star-shaped nano-conjugates of cisplatin with high drug payload (2011) *International Journal of Pharmaceutics*, 404 (1-2): 220-230. (IF 3,607)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-78650677910&doi=10.1016%2fj.ijpharm.2010.11.004&partnerID=40&md5=f9450836ad2276e194aefd1052830228>

DOI: 10.1016/j.ijpharm.2010.11.004

Установени цитирания: в SCOPUS (27)

- 1136.[1] Luo, S., M. Han, Y. Cao, C. Ling (2011). "Thermoresponsive unimolecular polymeric micelles." *Progress in Chemistry* 23(12): 2541-2549.
- 1137.[2] Bogomilova, A., M. Gnther, E. Wagner, G. Hgele, K. Troev (2012). "Synthesis and characterization of new platinum(II) phosphinate complexes." *Journal of Coordination Chemistry* 65(6): 1093-1106. doi:10.1080/00958972.2012.666797
- 1138.[3] Duan, S., S. Cai, Y. Xie, T. Bagby, S. Ren, M. L. Forrest (2012). "Synthesis and characterization of a multiarm poly(acrylic acid) star polymer for application in sustained delivery of cisplatin and a nitric oxide prodrug." *Journal of Polymer Science, Part A: Polymer Chemistry* 50(13): 2715-2724. doi:10.1002/pola.26059
- 1139.[4] Kaluerović, G. N., A. Dietrich, H. Kommera, J. Kuntsche, K. Mäder, T. Mueller, R. Paschke (2012). "Liposomes as vehicles for water insoluble platinum-based potential drug: 2-(4-(Tetrahydro-2H-pyran-2-yloxy)-undecyl)-propane-1,3-diamminedichloroplatinum(II)." *European Journal of Medicinal Chemistry* 54: 567-572. doi:10.1016/j.ejmech.2012.06.004
- 1140.[5] Liu, J., H. Duong, M. R. Whittaker, T. P. Davis, C. Boyer (2012). "Synthesis of functional core, star polymers via RAFT polymerization for drug delivery applications." *Macromolecular Rapid Communications* 33(9): 760-766. doi:10.1002/marc.201200029
- 1141.[6] Seth, R., R. K. Singh, A. Seth (2012). Cisplatin in cancer management: New approaches for bypassing nephrotoxicity. In: *Signaling, Gene Regulation and Cancer* (Ed.): 475-496.
- 1142.[7] Tran, T. H., C. T. Nguyen, D. P. Kim, Y. K. Lee, K. M. Huh (2012). "Microfluidic approach for highly efficient synthesis of heparin-based bioconjugates for drug delivery." *Lab on a Chip* 12(3): 589-594. doi:10.1039/c1lc20769e
- 1143.[8] Zhao, L., F. Xu, H. Chen, G. Tang, X. Hu (2012). "Polyethylene glycol-polyethylenimine-tetrachloroplatinum (IV): A novel conjugate with good abilities of antitumor and gene delivery." *Journal of Applied Polymer Science* 123(3): 1509-1517. doi:10.1002/app.34117
- 1144.[9] Abdel-Bar, H. M., A. Y. Abdel-Reheem, R. Osman, G. A. S. Awad, N. Mortada (2014). "Defining cisplatin incorporation properties in thermosensitive injectable biodegradable hydrogel for sustained delivery and enhanced cytotoxicity." *International Journal of Pharmaceutics* 477(1-2): 623-630. doi:10.1016/j.ijpharm.2014.11.005
- 1145.[10] Gheybi, H., H. Niknejad, A. A. Entezami (2014). "Polymer-metal complex nanoparticles-containing cisplatin and amphiphilic block copolymer for anticancer drug delivery." *Designed Monomers and Polymers* 17(4): 334-344. doi:10.1080/15685551.2013.840508
- 1146.[11] Libera, M., P. Formanek, L. Schellkopf, B. Trzebicka, A. Dworak, M. Stamm (2014). "Amphiphilic dendritic copolymers of tert-butyl-glycidylether and glycidol as a nanocontainer for an anticancer ruthenium complex." *Journal of Polymer Science, Part A: Polymer Chemistry* 52(24): 3488-3497. doi:10.1002/pola.27413
- 1147.[12] Zhang, B., L. H. Zhang (2014). "Research progress on functionalized application of star polymers." *Xiandai Huagong/Modern Chemical Industry* 34(10): 58-63.
- 1148.[13] Duro-Castano, A., J. Movellan, M. J. Vicent (2015). "Smart branched polymer drug conjugates as nano-sized drug delivery systems." *Biomaterials Science* 3(10): 1321-1334. doi:10.1039/c5bm00166h
- 1149.[14] Vergaro, V., P. Papadia, S. Leporatti, S. A. De Pascali, F. P. Fanizzi, G. Ciccarella (2015). "Synthesis of biocompatible polymeric nano-capsules based on calcium carbonate: A potential cisplatin delivery system." *Journal of Inorganic Biochemistry* 153: 284-292. doi:10.1016/j.jinorgbio.2015.10.014

- 1150.[15] Whitty, E. G., A. R. Maniego, S. A. Bentwitch, Y. Guillaneuf, M. R. Jones, M. Gaborieau, P. Castignolles (2015). "Cellular Response to Linear and Branched Poly(acrylic acid)." *Macromolecular Bioscience* 15(12): 1724-1734. doi:10.1002/mabi.201500153
- 1151.[16] Zhao, Z. F., Y. M. Wang, Y. F. Li, H. J. Wang (2016). Hyperbranched polymers: Properties, synthesis and applications. In: *Hyperbranched Polymers: Properties, Synthesis and Applications*(Ed.): 1-63.
- 1152.[17] Jiang, X. C., J. Q. Gao (2017). "Exosomes as novel bio-carriers for gene and drug delivery." *International Journal of Pharmaceutics* 521(1-2): 167-175. doi:10.1016/j.ijpharm.2017.02.038
- 1153.[18] Shen, S., Y. Wu, Y. Liu, D. Wu (2017). "High drug-loading nanomedicines: Progress, current status, and prospects." *International Journal of Nanomedicine* 12: 4085-4109. doi:10.2147/IJN.S132780
- 1154.[19] Vergaro, V., P. Papadia, P. Petrini, F. P. Fanizzi, S. A. De Pascali, F. Baldassarre, L. Pastorino, G. Ciccarella (2017). "Nanostructured polysaccharidic microcapsules for intracellular release of cisplatin." *International Journal of Biological Macromolecules* 99: 187-195. doi:10.1016/j.ijbiomac.2017.02.066
- 1155.[20] Wang, S., Y. Zhou, B. Zhuang, H. Chen, L. Wang, D. Huang, T. Zou (2017). "Synthesis, characterization and effects of arm number on properties of amphiphilic polyurethanes as drug delivery carriers." *Journal of Macromolecular Science, Part A: Pure and Applied Chemistry* 54(11): 765-771. doi:10.1080/10601325.2017.1332467
- 1156.[21] Kutsevol, N., A. Naumenko, O. Yeshchenko, Y. Harahuts, V. Pavlenko (2018). "Aggregation processes in hybrid nanosystem polymer/nanosilver/cisplatin." *Ukrainian Journal of Physics* 63(6): 513-520. doi:10.15407/ujpe63.6.513
- 1157.[22] Xiao, H., L. Yan, E. M. Dempsey, W. Song, R. Qi, W. Li, Y. Huang, X. Jing, D. Zhou, J. Ding, X. Chen (2018). "Recent progress in polymer-based platinum drug delivery systems." *Progress in Polymer Science* 87: 70-106. doi:10.1016/j.progpolymsci.2018.07.004
- 1158.[23] Vaghasiya, K., E. Ray, R. Singh, K. Jadhav, A. Sharma, R. Khan, O. P. Katara, R. K. Verma (2021). "Efficient, enzyme responsive and tumor receptor targeting gelatin nanoparticles decorated with concanavalin-A for site-specific and controlled drug delivery for cancer therapy." *Materials Science and Engineering C* 123. doi:10.1016/j.msec.2021.112027
- 1159.[24] Javia, A., J. Vanza, D. Bardoliwala, S. Ghosh, L. A. Misra, M. Patel, H. Thakkar (2022). "Polymer-drug conjugates: Design principles, emerging synthetic strategies and clinical overview." *International Journal of Pharmaceutics* 623. doi:10.1016/j.ijpharm.2022.121863
- 1160.[25] He, Q. (2023). "Advances in the Treatment of Diabetic Foot with MSC-derived Exosomes." *BIO Web of Conferences* 61. doi:10.1051/bioconf/20236101007
- 1161.[26] Sengupta, S., P. Das, S. Sharma, M. K. Shukla, R. Kumar, R. Kumar Tonk, S. Pandey, D. Kumar (2023). "Role and Application of Biocatalysts in Cancer Drug Discovery." *Catalysts* 13(2). doi:10.3390/catal13020250
- 1162.[27] Gupta, S., Y. M. Puttaiahgowda, L. Deiglmayr (2024). "Recent advances in the design and immobilization of heparin for biomedical application: A review." *International Journal of Biological Macromolecules* 264. doi:10.1016/j.ijbiomac.2024.130743

Публ. с IFN^o 53. Kostova, B., Momekova, D., Petrov, P., **Momekov, G.**, Toncheva-Moncheva, N., Tsvetanov, C.B., Lambov, N. Poly(ethoxytriethyleneglycol acrylate) cryogels as novel sustained drug release systems for oral application (2011) *Polymer*, 52 (5): 1217-1222. (IF 3,438)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-79952006288&doi=10.1016%2fj.polymer.2011.01.049&partnerID=40&md5=363eb3927d1f98499b3f857984628aa7>

DOI: 10.1016/j.polymer.2011.01.049

Установени цитирания: в SCOPUS (34); в патенти (1); общо (35)

- 1163.[1] Ranjha, N. M., J. Mudassar, Z. Z. Sheikh (2011). "Synthesis and characterization of pH-Sensitive pectin/Acrylic acid hydrogels for verapamil release study." *Iranian Polymer Journal (English Edition)* 20(2): 147-159.
- 1164.[2] Yun, J., C. Tu, D. Q. Lin, L. Xu, Y. Guo, S. Shen, S. Zhang, K. Yao, Y. X. Guan, S. J. Yao (2012). "Microchannel liquid-flow focusing and cryo-polymerization preparation of supermacroporous cryogel beads for bioseparation." *Journal of Chromatography A* 1247: 81-88. doi:10.1016/j.chroma.2012.05.075
- 1165.[3] Cursaru, B., M. Teodorescu, C. Boscornea, P. O. Stanescu, S. Stoleriu (2013). "Drug absorption and release properties of crosslinked hydrogels based on diepoxy-terminated poly(ethylene glycol)s and aliphatic polyamines - A study on the effect of the gel molecular structure." *Materials Science and Engineering C* 33(3): 1307-1314. doi:10.1016/j.msec.2012.12.030
- 1166.[4] Reichelt, S., C. Abe, S. Hainich, W. Knolle, U. Decker, A. Prager, R. Konieczny (2013). "Electron-beam derived polymeric cryogels." *Soft Matter* 9(8): 2484-2492. doi:10.1039/c2sm27517a
- 1167.[5] Yun, J., J. T. Dafoe, E. Peterson, L. Xu, S. J. Yao, A. J. Daugulis (2013). "Rapid freezing cryo-polymerization and microchannel liquid-flow focusing for cryogel beads: Adsorbent preparation and characterization of supermacroporous bead-packed bed." *Journal of Chromatography A* 1284: 148-154. doi:10.1016/j.chroma.2013.02.014
- 1168.[6] Zhan, X. Y., D. P. Lu, D. Q. Lin, S. J. Yao (2013). "Preparation and characterization of supermacroporous polyacrylamide cryogel beads for biotechnological application." *Journal of Applied Polymer Science* 130(5): 3082-3089. doi:10.1002/app.39545
- 1169.[7] Zheng, S., T. Wang, D. Liu, X. Liu, C. Wang, Z. Tong (2013). "Fast deswelling and highly extensible poly(N-isopropylacrylamide)-hectorite clay nanocomposite cryogels prepared by freezing polymerization." *Polymer* 54(7): 1846-1852. doi:10.1016/j.polymer.2013.02.008
- 1170.[8] Lozinsky, V. I. (2014). "A brief history of polymeric cryogels." *Advances in Polymer Science* 263. doi:10.1007/978-3-319-05846-7_1
- 1171.[9] Reichelt, S., J. Becher, J. Weissner, A. Prager, U. Decker, S. Möller, A. Berg, M. Schnabelrauch (2014). "Biocompatible polysaccharide-based cryogels." *Materials Science and Engineering C* 35(1): 164-170. doi:10.1016/j.msec.2013.10.034
- 1172.[10] Sahiner, N. F. Seven (2014a). "Energy and environmental usage of super porous poly(2-acrylamido-2-methyl- 1-propan sulfonic acid) cryogel support." *RSC Advances* 4(45): 23886-23897. doi:10.1039/c4ra01386g
- 1173.[11] Sahiner, N. F. Seven (2014b). "The use of superporous p(AAc (acrylic acid)) cryogels as support for Co and Ni nanoparticle preparation and as reactor in H₂ production from sodium borohydride hydrolysis." *Energy* 71: 170-179. doi:10.1016/j.energy.2014.04.031
- 1174.[12] Seven, F., N. Sahiner (2014). "Modified macroporous P(2-hydroxyethyl methacrylate) P(HEMA) cryogel composites for H₂ production from hydrolysis of NaBH₄." *Fuel Processing Technology* 128: 394-401. doi:10.1016/j.fuproc.2014.08.008
- 1175.[13] Vancouillie, G., D. Frank, R. Hoogenboom (2014). "Thermoresponsive poly(oligo ethylene glycol acrylates)." *Progress in Polymer Science* 39(6): 1074-1095. doi:10.1016/j.progpolymsci.2014.02.005
- 1176.[14] Yildiz, S., N. Aktas, N. Sahiner (2014). "Metal nanoparticle-embedded super porous poly(3-sulfopropyl methacrylate) cryogel for H₂ production from chemical hydride hydrolysis." *International Journal of Hydrogen Energy* 39(27): 14690-14700. doi:10.1016/j.ijhydene.2014.07.035

- 1177.[15] Henderson, T. M. A., K. Ladewig, D. N. Haylock, K. M. McLean, A. J. O'Connor (2015). "Formation and characterisation of a modifiable soft macro-porous hyaluronic acid cryogel platform." *Journal of Biomaterials Science, Polymer Edition* 26(13): 881-897. doi:10.1080/09205063.2015.1065597
- 1178.[16] Reichelt, S. (2015). "Introduction to macroporous cryogels." *Methods in Molecular Biology* 1286: 173-181. doi:10.1007/978-1-4939-2447-9_14
- 1179.[17] Sahiner, N., F. Seven, H. Al-Lohedan (2015). "Superporous cryogel-M (Cu, Ni, and Co) composites in catalytic reduction of toxic phenolic compounds and dyes from wastewaters." *Water, Air, and Soil Pollution* 226(4): 122. doi:10.1007/s11270-014-2247-8
- 1180.[18] Yildiz, S., M. Sahiner, N. Sahiner (2015). "Ionic liquid hydrogel templates: Bulk gel, cryogel, and microgel to be used for metal nanoparticle preparation and catalysis." *European Polymer Journal* 70: 66-78. doi:10.1016/j.eurpolymj.2015.07.005
- 1181.[19] Göçenoğlu Sarıkaya, A., B. Osman, A. Kara (2016). "Evaluation of the effectiveness of microparticle-embedded cryogel system in removal of 17 β -estradiol from aqueous solution." *Desalination and Water Treatment* 57(33): 15570-15579. doi:10.1080/19443994.2015.1075161
- 1182.[20] Reichelt, S. (2016). Electron-beam generated macroporous cryogels. *Refrigeration Science and Technology*.
- 1183.[21] Sengel, S. B., N. Sahiner (2016). "Poly(vinyl phosphonic acid) nanogels with tailored properties and their use for biomedical and environmental applications." *European Polymer Journal* 75: 264-275. doi:10.1016/j.eurpolymj.2016.01.007
- 1184.[22] Sahn, M., L. M. Stafast, M. Dirauf, D. Bandelli, C. Weber, U. S. Schubert (2018). "LCST behavior of poly(2-ethyl-2-oxazoline) containing diblock and triblock copolymers." *European Polymer Journal* 100: 57-66. doi:10.1016/j.eurpolymj.2018.01.014
- 1185.[23] Xiao, Z., Y. Tan, J. Ma, D. Wang, L. Yu, F. Yue, S. Xu, J. Huang (2018). "Fast swelling behaviors of thermosensitive poly(N-isopropylacrylamide-co-methacryloxethyltrimethyl ammonium chloride)/Na₂WO₄ cationic composite hydrogels." *Journal of Applied Polymer Science* 135(25). doi:10.1002/app.46375
- 1186.[24] Zhai, M., F. Ma, J. Li, B. Wan, N. Yu (2018). "Preparation and properties of cryogel based on poly(hydroxypropyl methacrylate)." *Journal of Biomaterials Science, Polymer Edition* 29(12): 1401-1425. doi:10.1080/09205063.2018.1464263
- 1187.[25] Bakhshpour, M., N. Idil, I. Perçin, A. Denizli (2019). "Biomedical applications of polymeric cryogels." *Applied Sciences (Switzerland)* 9(3). doi:10.3390/app9030553
- 1188.[26] Vancoillie, G., J. F. R. Van Guyse, L. Voorhaar, S. Maji, D. Frank, E. Holder, R. Hoogenboom (2019). "Understanding the effect of monomer structure of oligoethylene glycol acrylate copolymers on their thermoresponsive behavior for the development of polymeric sensors." *Polymer Chemistry* 10(42): 5778-5789. doi:10.1039/c9py01326a
- 1189.[27] Haleem, A., H. J. Li, P. Y. Li, C. S. Hu, X. C. Li, J. Y. Wang, S. Q. Chen, W. D. He (2020). "Rapid UV-radiation synthesis of polyacrylate cryogel oil-sorbents with adaptable structure and performance." *Environmental Research* 187. doi:10.1016/j.envres.2020.109488
- 1190.[28] He, Y., C. Wang, C. Wang, Y. Xiao, W. Lin (2021). "An overview on collagen and gelatin-based cryogels: Fabrication, classification, properties and biomedical applications." *Polymers* 13(14). doi:10.3390/polym13142299
- 1191.[29] Jones, L. O., L. Williams, T. Boam, M. Kalmet, C. Oguike, F. L. Hutton (2021). "Cryogels: Recent applications in 3D-bioprinting, injectable cryogels, drug delivery, and wound healing." *Beilstein Journal of Organic Chemistry* 17: 2553-2569. doi:10.3762/bjoc.17.171
- 1192.[30] Türkmen, D., M. Bakhshpour, S. Akgönüllü, S. Aşır, A. Denizli (2022). "Heavy Metal Ions Removal From Wastewater Using Cryogels: A Review." *Frontiers in Sustainability* 3. doi:10.3389/frsus.2022.765592
- 1193.[31] Ari, B., M. Sahiner, S. S. Suner, S. Demirci, N. Sahiner (2023). "Super-Macroporous Pullulan Cryogels as Controlled Active Delivery Systems with Controlled Degradability." *Micromachines* 14(7). doi:10.3390/mi14071323
- 1194.[32] Behrendt, F., Z. Cseresnyés, R. Gerst, M. Gottschaldt, M. T. Figge, U. S. Schubert (2023). "Evaluation of reproducible cryogel preparation based on automated image analysis using deep learning." *Journal of Biomedical Materials Research - Part A* 111(11): 1734-1749. doi:10.1002/jbm.a.37577
- 1195.[33] Mathew, A. A., S. Mohapatra, R. Panonnummal (2023). Pectin-based drug delivery systems for biomedical applications. In: *Natural Biopolymers in Drug Delivery and Tissue Engineering* (Ed.): 301-346.
- 1196.[34] Omidian, H., S. Dey Chowdhury, N. Babanejad (2023). "Cryogels: Advancing Biomaterials for Transformative Biomedical Applications." *Pharmaceutics* 15(7). doi:10.3390/pharmaceutics15071836
- 1197.[35] <https://patents.google.com/patent/DE102016000458A1/en>

Публ. с IFN[№] 54. Bakalova, A., Varbanov, H., Buyukliev, R., **Momekov, G.**, Ivanov, D., Doytchinova, I. Platinum complexes with 5-methyl-5-(4-pyridyl)hydantoin and its 3-methyl derivatives: Synthesis and cytotoxic activity - Quantitative structure-activity relationships (2011) *Archiv der Pharmazie*, 344 (4): 209-216. (IF 1,785)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-79953803054&doi=10.1002%2fardp.201000182&partnerID=40&md5=ce417b1695fd86c1dd0c76a044d2cf36)

[79953803054&doi=10.1002%2fardp.201000182&partnerID=40&md5=ce417b1695fd86c1dd0c76a044d2cf36](https://www.scopus.com/inward/record.uri?eid=2-s2.0-79953803054&doi=10.1002%2fardp.201000182&partnerID=40&md5=ce417b1695fd86c1dd0c76a044d2cf36)

DOI: 10.1002/ardp.201000182

Установени цитирания: в SCOPUS (10)

- 1198.[1] Beloglazkina, E. K., A. G. Majouga, A. V. Mironov, A. V. Yudina, O. Y. Kuznetsova, N. V. Zyk (2014). "Conversion of 2-thiohydantoins and their derivatives to the corresponding hydantoins in the processes of complexation reactions with copper(II) chloride dihydrate." *Polyhedron* 76: 45-50. doi:10.1016/j.poly.2014.03.045
- 1199.[2] De Almeida, S. M. V., F. F. De Alcantara, C. G. X. De Brito, G. C. A. De Souza, E. A. Lafayette, V. B. R. Da Silva, M. Dos Santos Carvalho, M. C. A. De Lima (2014). "Platinum hybrid coordinated compounds in cancer treatment." *Revista de Ciencias Farmaceuticas Basica e Aplicada* 35(3): 337-345.
- 1200.[3] Georgieva, S., P. Todorov, D. Wesselinova (2014). "Synthesis, characterization and cytotoxic activity of novel Cu(II) and Co(II) complexes with 3-amino-5, 5-dimethylhydantoin." *Comptes Rendus Chimie* 17(12): 1212-1220. doi:10.1016/j.crci.2014.01.020
- 1201.[4] Gemili, M., H. Sari, M. Ulger, E. Sahin, Y. Nural (2017). "Pt(II) and Ni(II) complexes of octahydropyrrolo[3,4-c]pyrrole N-benzoylthiourea derivatives: Synthesis, characterization, physical parameters and biological activity." *Inorganica Chimica Acta* 463: 88-96. doi:10.1016/j.ica.2017.04.026
- 1202.[5] Georgieva, S., P. Todorov, E. Naydenova (2017). "Investigation of redox mechanisms of biologically active hydantoin derivatives by different voltammetric methods." *Analytical and Bioanalytical Electrochemistry* 9(2): 214-231.
- 1203.[6] Galkina, P. A., M. A. Proskurnin (2018). "Supramolecular interaction of transition metal complexes with albumins and DNA: Spectroscopic methods of estimation of binding parameters." *Applied Organometallic Chemistry* 32(4). doi:10.1002/aoc.4150
- 1204.[7] Štarha, P., J. Vančo, Z. Trávníček (2019). "Platinum iodido complexes: A comprehensive overview of anticancer activity and mechanisms of action." *Coordination Chemistry Reviews* 380: 103-135. doi:10.1016/j.ccr.2018.09.017

- 1205.[8] Alvarado-Soto, L., R. Ramirez-Tagle (2020). "Relativistic Structure-Activity Relationship of Cisplatin(II) Complexes." *Journal of Structural Chemistry* 61(5): 688-693. doi:10.1134/S0022476620050030
- 1206.[9] Varma, R. R., J. G. Pandya, F. U. Vaidya, C. Pathak, R. A. Dabhi, M. P. Dhaduk, B. S. Bhatt, M. N. Patel (2021). "DNA interaction, anticancer, antibacterial, ROS and lipid peroxidation studies of quinoxaline based organometallic Re(I) carbonyls." *Journal of Molecular Structure* 1240. doi:10.1016/j.molstruc.2021.130529
- 1207.[10] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF № 55. Yoncheva, K., **Momekov, G.** Antiangiogenic anticancer strategy based on nanoparticulate systems (2011) *Expert Opinion on Drug Delivery*, 8 (8): 1041-1056. (IF 4,896)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-79960777945&doi=10.1517%2f17425247.2011.585155&partnerID=40&md5=9aac5682df9f43e08215a04381f56059>
 DOI: 10.1517/17425247.2011.585155

Установени цитирания: в SCOPUS (26)

- 1208.[1] Delie, F., E. Allémann, M. Cohen (2012). "Nanocarriers for ovarian cancer active drug targeting." *Journal of Drug Delivery Science and Technology* 22(5): 421-426. doi:10.1016/S1773-2247(12)50068-7
- 1209.[2] Shojaei, F. (2012). "Anti-angiogenesis therapy in cancer: Current challenges and future perspectives." *Cancer Letters* 320(2): 130-137. doi:10.1016/j.canlet.2012.03.008
- 1210.[3] Alemán, C., O. Bertran, J. Casanovas, J. Torras, G. Revilla-López, D. Zanuy (2013). Conformational Aspects and Molecular Dynamics Simulations of Peptide Hybrid Materials: From Methods and Concepts to Applications. In: *Peptide Materials: From Nanostructures to Applications* (Ed.): 65-103.
- 1211.[4] Chekhonin, V. P., S. A. Shein, A. A. Korchagina, O. I. Gurina (2013). "VEGF in tumor progression and targeted therapy." *Current Cancer Drug Targets* 13(4): 423-443. doi:10.2174/15680096113139990074
- 1212.[5] Loreto, C., R. Leonardi, G. Musumeci, G. Pannone, S. Castorina (2013). "An ex vivo study on immunohistochemical localization of MMP-7 and MMP-9 in temporomandibular joint discs with internal derangement." *European Journal of Histochemistry* 57(2): 75-79. doi:10.4081/ejh.2013.e12
- 1213.[6] Guan, Y. Y., X. Luan, J. R. Xu, Y. R. Liu, Q. Lu, C. Wang, H. J. Liu, Y. G. Gao, H. Z. Chen, C. Fang (2014). "Selective eradication of tumor vascular pericytes by peptide-conjugated nanoparticles for antiangiogenic therapy of melanoma lung metastasis." *Biomaterials* 35(9): 3060-3070. doi:10.1016/j.biomaterials.2013.12.027
- 1214.[7] Korchagina, A. A., N. V. Nukolova, S. A. Shein, T. O. Abakumova, V. P. Chekhonin (2014). Anti-VEGFR2 nanogels as a delivery system of therapeutic agents to the brain tumor cells. *NANOCON 2014 - Conference Proceedings, 6th International Conference*.
- 1215.[8] Lewi, D. S., K. A. Peters, P. M. Politi (2014). Liposomal drug carriers. In: *Drug Delivery in Oncology* (Ed.): 88-104.
- 1216.[9] Quatralé, A. E., L. Porcelli, A. Gnoni, G. Numico, A. Paradiso, A. Azzariti (2014). "New vascular disrupting agents in upper gastrointestinal malignancies." *Current Medicinal Chemistry* 21(8): 1039-1049. doi:10.2174/09298673113209990233
- 1217.[10] Troiani, T., E. Martinelli, S. Napolitano, F. Morgillo, G. Belli, L. Cioffi, F. Ciardiello (2014). "Molecular aspects of resistance to biological and non-biological drugs and strategies to overcome resistance in colorectal cancer." *Current Medicinal Chemistry* 21(14): 1639-1653. doi:10.2174/09298673113209990224
- 1218.[11] Bartzak, D., O. L. Muskens, S. Nitti, T. M. Millar, A. G. Kanaras (2015). "Nanoparticles for inhibition of in vitro tumour angiogenesis: Synergistic actions of ligand function and laser irradiation." *Biomaterials Science* 3(5): 733-741. doi:10.1039/c5bm00053j
- 1219.[12] Kanwar, J. R., K. Roy, Y. Patel, S. F. Zhou, M. R. Singh, D. Singh, M. Nasir, R. Sehgal, A. Sehgal, R. S. Singh, S. Garg, R. K. Kanwar (2015). "Multifunctional iron bound lactoferrin and nanomedicinal approaches to enhance its bioactive functions." *Molecules* 20(6): 9703-9731. doi:10.3390/molecules20069703
- 1220.[13] Pérez-Herrero, E., A. Fernández-Medarde (2015). "Advanced targeted therapies in cancer: Drug nanocarriers, the future of chemotherapy." *European Journal of Pharmaceutics and Biopharmaceutics* 93: 52-79. doi:10.1016/j.ejpb.2015.03.018
- 1221.[14] Lai, P. X., C. W. Chen, S. C. Wei, T. Y. Lin, H. J. Jian, I. P. J. Lai, J. Y. Mao, P. H. Hsu, H. J. Lin, W. S. Tzou, S. Y. Chen, S. G. Harroun, J. Y. Lai, C. C. Huang (2016). "Ultrastrong trapping of VEGF by graphene oxide: Anti-angiogenesis application." *Biomaterials* 109: 12-22. doi:10.1016/j.biomaterials.2016.09.005
- 1222.[15] Loreto, C., G. P. S. Chiarenza, G. Musumeci, P. Castrogiovanni, R. Imbesi, A. Ruggeri, L. E. Almeida, R. Leonardi (2016). "ADAM10 localization in temporomandibular joint disk with internal derangement: An ex vivo immunohistochemical study." *Acta Histochemica* 118(3): 293-298. doi:10.1016/j.acthis.2016.02.006
- 1223.[16] Mousa, S. A., T. Sudha, P. J. Davis (2016). Anti-Angiogenesis Therapy and its Combination with Chemotherapy: Impact on Primary Tumor and its Metastasis. In: *Anti-Angiogenesis Strategies in Cancer Therapies* (Ed.): 147-163.
- 1224.[17] Mukherjee, S., C. R. Patra (2016). "Therapeutic application of anti-angiogenic nanomaterials in cancers." *Nanoscale* 8(25): 12444-12470. doi:10.1039/c5nr07887c
- 1225.[18] Lin, G., S. Chen, P. Mi (2018). "Nanoparticles targeting and remodeling tumor microenvironment for cancer theranostics." *Journal of Biomedical Nanotechnology* 14(7): 1189-1207. doi:10.1166/jbn.2018.2546
- 1226.[19] Wu, J. B., Y. L. Tang, X. H. Liang (2018). "Targeting VEGF pathway to normalize the vasculature: An emerging insight in cancer therapy." *Oncotargets and Therapy* 11: 6901-6909. doi:10.2147/OTT.S172042
- 1227.[20] Conte, C., F. Moret, D. Esposito, G. Dal Poggetto, C. Avitabile, F. Ungaro, A. Romanelli, P. Laurienzo, E. Reddi, F. Quaglia (2019). "Biodegradable nanoparticles exposing a short anti-FLT1 peptide as antiangiogenic platform to complement docetaxel anticancer activity." *Materials Science and Engineering C* 102: 876-886. doi:10.1016/j.msec.2019.04.054
- 1228.[21] Xie, X., Y. Zhang, F. Li, T. Lv, Z. Li, H. Chen, L. Jia, Y. Gao (2019). "Challenges and opportunities from basic cancer biology for nanomedicine for targeted drug delivery." *Current Cancer Drug Targets* 19(4): 257-276. doi:10.2174/1568009618666180628160211
- 1229.[22] Adeel, M., F. Duzagac, V. Canzonieri, F. Rizzolio (2020). "Self-Therapeutic Nanomaterials for Cancer Therapy: A Review." *ACS Applied Nano Materials* 3(6): 4962-4971. doi:10.1021/acsanm.0c00762
- 1230.[23] Huang, D., L. Sun, L. Huang, Y. Chen (2021). "Nanodrug delivery systems modulate tumor vessels to increase the enhanced permeability and retention effect." *Journal of Personalized Medicine* 11(2): 1-26. doi:10.3390/jpm11020124
- 1231.[24] Vallinayagam, S., K. Rajendran (2021). Synthesis and application of nanomaterials for biomedical anticancer therapy. In: *Bio-manufactured Nanomaterials: Perspectives and Promotion* (Ed.): 339-373.

- 1232.[25] Khalil, A. T., M. Ovais, J. Iqbal, A. Ali, M. Ayaz, M. Abbas, I. Ahmad, H. P. Devkota (2022). "Microbes-mediated synthesis strategies of metal nanoparticles and their potential role in cancer therapeutics." *Seminars in Cancer Biology* 86: 693-705. doi:10.1016/j.semcancer.2021.06.006
- 1233.[26] Mukherjee, S., V. S. Madamsetty (2022). Current Anti-angiogenic Therapies and Their Limitations. In: *Synthesis Lectures on Biomedical Engineering* (Ed.): 11-19.

Публ. с IFN^o 56. Nedialkov, P.T., Zheleva-Dimitrova, D., **Momekov, G.**, Karlov, K., Girreser, U., Kitanov, G.M. ELEGAPHENONE and 7-epi-clusianone, the major cytotoxic constituents of *Hypericum elegans* (2011) *Natural Product Research*, 25 (18): 1743-1750. (IF 1,009)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-80155209847&doi=10.1080%2f14786419.2010.524647&partnerID=40&md5=7a14f772c803f5450bd0204041f6dcd4)

[80155209847&doi=10.1080%2f14786419.2010.524647&partnerID=40&md5=7a14f772c803f5450bd0204041f6dcd4](https://www.scopus.com/inward/record.uri?eid=2-s2.0-80155209847&doi=10.1080%2f14786419.2010.524647&partnerID=40&md5=7a14f772c803f5450bd0204041f6dcd4)

DOI: 10.1080/14786419.2010.524647

Установени цитирания: в SCOPUS (13)

- 1234.[1] Sarkisian, S. A., M. J. Janssen, H. Matta, G. E. Henry, K. L. Laplante, D. C. Rowley (2012). "Inhibition of bacterial growth and biofilm production by constituents from *Hypericum* spp." *Phytotherapy Research* 26(7): 1012-1016. doi:10.1002/ptr.3675
- 1235.[2] Stojanovic, G., A. Dordevic, A. Smelcerovic (2013). "Do other hypericum species have medical potential as St. John's wort (*Hypericum perforatum*)?" *Current Medicinal Chemistry* 20(18): 2273-2295. doi:10.2174/0929867311320180001
- 1236.[3] Fletcher, M. H., M. C. Jennings, W. M. Wuest (2014). "Draining the moat: Disrupting bacterial biofilms with natural products." *Tetrahedron* 70(37): 6373-6383. doi:10.1016/j.tet.2014.06.055
- 1237.[4] Reis, F. H. Z., G. L. Pardo-Andreu, Y. Nuñez-Figueroa, O. Cuesta-Rubio, J. Marín-Prida, S. A. Uyemura, C. Curti, L. C. Alberici (2014). "Clusianone, a naturally occurring nemorosone regioisomer, uncouples rat liver mitochondria and induces HepG2 cell death." *Chemico-Biological Interactions* 212(1): 20-29. doi:10.1016/j.cbi.2014.01.015
- 1238.[5] Ionta, M., G. A. Ferreira-Silva, E. L. Niero, E. D. Costa, A. A. Martens, W. Rosa, M. G. Soares, G. M. Machado-Santelli, J. H. G. Lago, M. H. Santos (2015). "7-Epiclusianone, a benzophenone extracted from *Garcinia brasiliensis* (Clusiaceae), induces cell cycle arrest in G1/S transition in A549 cells." *Molecules* 20(7): 12804-12816. doi:10.3390/molecules200712804
- 1239.[6] Tanaka, N., J. Kobayashi (2015). "Prenylated acylphloroglucinols and meroterpenoids from hypericum plants." *Heterocycles* 90(1): 23-40. doi:10.3987/REV-14-SR(K)1
- 1240.[7] Phang, Y., X. Wang, Y. Lu, W. Fu, C. Zheng, H. Xu (2020). "Bicyclic polyprenylated acylphloroglucinols and their derivatives: structural modification, structure-activity relationship, biological activity and mechanism of action." *European Journal of Medicinal Chemistry* 205. doi:10.1016/j.ejmech.2020.112646
- 1241.[8] Sun, M. X., X. Wang, X. X. Li, T. F. Ji, B. Liu (2021). "Chemical constituents from *Hypericum curvisepalum*." *Zhongguo Zhongyao Zazhi* 46(15): 3859-3864. doi:10.19540/j.cnki.cjcm.20210507.601
- 1242.[9] Zhang, Y., Y. Yang, Q. Chen, N. Li (2021). "Hyperprzeone A, a new benzophenone with cytotoxicity from *Hypericum przewalskii* Maxim." *Natural Product Research* 35(23): 4960-4968. doi:10.1080/14786419.2020.1756800
- 1243.[10] Caldeira, G. I., L. P. Gouveia, R. Serrano, O. D. Silva (2022). "Hypericum Genus as a Natural Source for Biologically Active Compounds." *Plants* 11(19). doi:10.3390/plants11192509
- 1244.[11] Wu, F. S., I. C. Wang, C. C. Liaw, H. Y. Huang, T. H. Chang, C. L. Chen, P. J. Sung, M. J. Cheng, C. W. Kuo, J. J. Chen (2022). "New Benzophenone and Bioactive Constituents from *Hypericum nagasawae*." *Chemistry of Natural Compounds* 58(5): 833-838. doi:10.1007/s10600-022-03810-x
- 1245.[12] Zhang, H., K. Wang, F. Chen (2023a). "Hyperipersions A-C, three new acylphloroglucinols from the branches and leaves of *Hypericum perforatum* L. with antiangiogenic activities." *Natural Product Research*. doi:10.1080/14786419.2023.2278176
- 1246.[13] Zhang, P. P., J. J. Liang, Y. L. Peng, T. T. Feng, Y. Zhou, X. Wei (2023b). "Novel benzophenone with antiradical activities from the aerial parts of *Hypericum lancasteri*." *Tetrahedron Letters* 129. doi:10.1016/j.tetlet.2023.154721

Публ. с IFN^o 57. **Momekov, G.**, Karaivanova, M., Ugrinova, I., Pasheva, E., Gencheva, G., Tsekova, D., Arpadjan, S., Bontchev, P.R. *In vitro* pharmacological study of monomeric platinum (III) hematoporphyrin IX complexes (2011) *Investigational New Drugs*, 29 (5): 742-751. (IF 3,072)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-84856067141&doi=10.1007%2fs10637-010-9412-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84856067141&doi=10.1007%2fs10637-010-9412-8&partnerID=40&md5=2f67914b18cfe240b0e8dd6803e23efe)

[8&partnerID=40&md5=2f67914b18cfe240b0e8dd6803e23efe](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84856067141&doi=10.1007%2fs10637-010-9412-8&partnerID=40&md5=2f67914b18cfe240b0e8dd6803e23efe)

DOI: 10.1007/s10637-010-9412-8

Установени цитирания: в SCOPUS (12)

- 1247.[1] Ojha, R., A. Nafady, M. J. A. Shiddiky, D. Mason, J. F. Boas, A. A. J. Torriero, A. M. Bond, G. B. Deacon, P. C. Junk (2015). "Conditions Favoring the Formation of Monomeric Pt(III) Derivatives in the Electrochemical Oxidation of trans-[PtII{(p-BrC6F4)NCH2CH2NEt2}Cl(py)]." *ChemElectroChem* 2(7): 1048-1061. doi:10.1002/celec.201402447
- 1248.[2] Ojha, R., J. F. Boas, G. B. Deacon, P. C. Junk, A. M. Bond (2016). "EPR spectroscopic characterization of a monomeric Pt(III) species produced via electrochemical oxidation of the anticancer compound trans-[PtII{(p-HC6F4)NCH2CH2NEt2}Cl(py)]." *Journal of Inorganic Biochemistry* 162: 194-200. doi:10.1016/j.jinorgbio.2016.01.015
- 1249.[3] Sarbadhikary, P., A. Dube, P. K. Gupta (2016). "Synthesis and characterization of photodynamic activity of an iodinated Chlorin: P 6 copper complex." *RSC Advances* 6(79): 75782-75792. doi:10.1039/c6ra14026b
- 1250.[4] Sarbadhikary, P., A. Dube (2017a). "Spectroscopic investigations on the binding of an iodinated chlorin: P 6-copper complex to human serum albumin." *Photochemical and Photobiological Sciences* 16(12): 1762-1770. doi:10.1039/c7pp00197e
- 1251.[5] Sarbadhikary, P., A. Dube (2017b). "Iodinated chlorin p6 copper complex induces anti-proliferative effect in oral cancer cells through elevation of intracellular reactive oxygen species." *Chemico-Biological Interactions* 277: 137-144. doi:10.1016/j.cbi.2017.09.011

- 1252.[6] Corinti, D., G. Frison, B. Chiavarino, E. Gabano, D. Osella, M. E. Crestoni, S. Fornarini (2020). "Can an Elusive Platinum(III) Oxidation State be Exposed in an Isolated Complex?" *Angewandte Chemie - International Edition* 59(36): 15595-15598. doi:10.1002/anie.202007597
- 1253.[7] Ojha, R., J. F. Boas, S. P. Best, A. J. Canty, P. C. Junk, G. B. Deacon, A. M. Bond (2021). "Electron Delocalization in Spectroelectrochemically and Computationally Characterized [Pt{(p-BrC6F4)NCH₃•C(Cl)N₂}Cl(py)]⁺ Formed by Electrochemical Oxidation of [PtII{(p-BrC6F4)NCH₃•C(Cl)N₂}Cl(py)]." *Inorganic Chemistry* 60(24): 18899-18911. doi:10.1021/acs.inorgchem.1c02682
- 1254.[8] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
- 1255.[9] Obreshkova, D., S. Ivanova, P. Yordanova-Laleva (2022). "Influence of chemical structure and mechanism of hydrolysis on pharmacological activity and toxicological profile of approved platinum drugs." *Pharmacia* 69(3): 645-653. doi:10.3897/pharmacia.69.e87494
- 1256.[10] Sarbadhikary, P., B. P. George, H. Abrahamse (2022). "Potential Application of Photosensitizers With High-Z Elements for Synergic Cancer Therapy." *Frontiers in Pharmacology* 13. doi:10.3389/fphar.2022.921729
- 1257.[11] Tsvetkova, D., S. Ivanova (2022). "Application of Approved Cisplatin Derivatives in Combination Therapy against Different Cancer Diseases." *Molecules* 27(8). doi:10.3390/molecules27082466
- 1258.[12] Akitsu, T., D. Tsvetkova, Y. Yamamoto, D. Nakane, I. Kostova (2023). "From Basics of Coordination Chemistry to Understanding Cisplatin-analogue Pt Drugs." *Current Pharmaceutical Design* 29(22): 1747-1774. doi:10.2174/1381612829666230809094251

Публ. с IF № 58. Berkov, S., Romani, S., Herrera, M., Viladomat, F., Codina, C., **Momekov, G.**, Ionkova, I., Bastida, J. Antiproliferative alkaloids from *Crinum zeylanicum* (2011) *Phytotherapy Research*, 25 (11): 1686-1692. (IF 1,746)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-80054929640&doi=10.1002%2fptr.3468&partnerID=40&md5=8d85e3eae9d375a1c7e3d0b1f8ff3508>

DOI: 10.1002/ptr.3468

Установени цитирания: в SCOPUS (26)

- 1259.[1] De Liz, R., H. Horst, M. G. Pizzolatti, T. S. Fröde, D. Girard (2012). "Activation of human neutrophils by the anti-inflammatory mediator esenbeckia leiocarpa leads to atypical apoptosis." *Mediators of Inflammation* 2012. doi:10.1155/2012/198382
- 1260.[2] He, J., W. B. Qi, J. Tian, P. R. Jiao, G. Q. Liu, C. H. Zhang, M. Liao (2012). "Amaryllidaceae alkaloids exhibit anti-influenza activity in MDCK cells, an investigation of amaryllidaceae alkaloids and mdck cells insight." *Journal of Animal and Veterinary Advances* 11(14): 2485-2492. doi:10.3923/javaa.2012.2485.2492
- 1261.[3] Katoch, D., S. Kumar, N. Kumar, B. Singh (2012). "Simultaneous quantification of Amaryllidaceae alkaloids from *Zephyranthes grandiflora* by UPLC-DAD/ESI-MS/MS." *Journal of Pharmaceutical and Biomedical Analysis* 71: 187-192. doi:10.1016/j.jpba.2012.08.001
- 1262.[4] Kuete, V., I. K. Voukeng, R. Tsobou, A. T. Mbaveng, B. Wiench, V. P. Beng, T. Efferth (2013). "Cytotoxicity of *Elaeophorbia drupifera* and other Cameroonian medicinal plants against drug sensitive and multidrug resistant cancer cells." *BMC Complementary and Alternative Medicine* 13. doi:10.1186/1472-6882-13-250
- 1263.[5] Song, D. F., Z. Q. Shi, G. Z. Xin, R. Q. Li, J. Chen, P. Li (2013). "Research advances in pharmacological effects of Amaryllidaceae alkaloids." *Chinese Journal of New Drugs* 22(13): 1519-1524.
- 1264.[6] Wansi, J. D., K. P. Devkota, E. Tshikalange, V. Kuete (2013). Alkaloids from the Medicinal Plants of Africa. In: *Medicinal Plant Research in Africa: Pharmacology and Chemistry* (Ed.): 557-605.
- 1265.[7] Zhang, Y., Z. Chen (2013). "Nonaqueous CE ESI-IT-MS analysis of Amaryllidaceae alkaloids." *Journal of Separation Science* 36(6): 1078-1084. doi:10.1002/jssc.201201083
- 1266.[8] Nair, J. J., J. Van Staden (2014). "Traditional usage, phytochemistry and pharmacology of the South African medicinal plant *Boophone disticha* (L.f.) Herb. (Amaryllidaceae)." *Journal of Ethnopharmacology* 151(1): 12-26. doi:10.1016/j.jep.2013.10.053
- 1267.[9] Kuete, V., T. Efferth (2015). "African flora has the potential to fight multidrug resistance of cancer." *BioMed Research International* 2015. doi:10.1155/2015/914813
- 1268.[10] Sun, C., W. Duan, X. Wang, Y. Geng, J. Li, D. Wang (2015). "Combinative application of ph-zone-refining counter-current chromatography and preparative HPLC for the separation of alkaloids from *lycoris radiata*." *Journal of Liquid Chromatography and Related Technologies* 38(10): 1031-1036. doi:10.1080/10826076.2014.982868
- 1269.[11] Presley, C. C., P. Krai, S. Dalal, Q. Su, M. Cassera, M. Goetz, D. G. I. Kingston (2016). "New potentially bioactive alkaloids from *Crinum erubescens*." *Bioorganic and Medicinal Chemistry* 24(21): 5418-5422. doi:10.1016/j.bmc.2016.08.058
- 1270.[12] Amaral, A. C. F., A. de Souza Ramos, J. L. Pinto Ferreira, M. A. M. da Silva, V. V. C. Nery, T. de Almeida de Souza, I. de Almeida Rodrigues, F. Rabelo Rodrigues, J. Rocha de Andrade Silva (2017). An analysis of toxic alkaloids of forensic interest via gas chromatography. In: *Gas Chromatography: Analysis, Methods and Practices* (Ed.): 1-44.
- 1271.[13] Chen, M. X., J. M. Huo, J. Hu, Z. P. Xu, X. Zhang (2018). "Amaryllidaceae alkaloids from *Crinum latifolium* with cytotoxic, antimicrobial, antioxidant, and anti-inflammatory activities." *Fitoterapia* 130: 48-53. doi:10.1016/j.fitote.2018.08.003
- 1272.[14] Cho, N., Y. Du, A. L. Valenciano, M. L. Fernández-Murga, M. Goetz, J. Clement, M. B. Cassera, D. G. I. Kingston (2018). "Antiplasmodial alkaloids from bulbs of *Amaryllis belladonna* Steud." *Bioorganic and Medicinal Chemistry Letters* 28(1): 40-42. doi:10.1016/j.bmcl.2017.11.021
- 1273.[15] Diego, V., P. Santiago, P. Gisela, G. Marlene, A. Karen, A. Susana (2018). "In vitro anti-inflammatory and cytotoxicity of *crinum x amabile* grown in Ecuador." *Asian Journal of Pharmaceutical and Clinical Research* 11(10): 99-103. doi:10.22159/ajpcr.2018.v11i10.26962
- 1274.[16] Nair, J. J., J. Van Staden (2019). "Caspase-inducing effects of lycorane and crinine alkaloids of the Amaryllidaceae." *South African Journal of Botany* 120: 33-38. doi:10.1016/j.sajb.2018.05.016
- 1275.[17] Breiterová, K., D. Koutová, J. Maříková, R. Havelek, J. Kuneš, M. Majorošová, L. Opletal, A. Hošťálková, J. Jenčo, M. Řezáčová, L. Cahliková (2020). "Amaryllidaceae alkaloids of different structural types from *Narcissus L. cv. Professor Einstein* and their cytotoxic activity." *Plants* 9(2). doi:10.3390/plants9020137
- 1276.[18] Chaichompoo, W., R. Chokchaisiri, A. Sangkaew, W. Pabuprapap, C. Yompakdee, A. Suksamrarn (2020). "Alkaloids with anti-human carbonic anhydrase isozyme II activity from the bulbs of *Crinum asiaticum L. var. asiaticum*." *Phytochemistry Letters* 37: 101-105. doi:10.1016/j.phytol.2020.03.006
- 1277.[19] Emir, A., C. Emir, B. Bozkurt, N. Ünver Somer (2020). "Gc/ms analysis of alkaloids in *galanthus fosteri baker* and determination of its anticholinesterase activity." *Turkish Journal of Pharmaceutical Sciences* 17(1): 36-42. doi:10.4274/tjps.galenos.2018.26056

- 1278.[20] Pratiwi, R. A., Y. Nurlaeni (2020). "Screening of plant collection of cibodas botanic gardens, indonesia with anticancer properties." *Biodiversitas* 21(11): 5186-5229. doi:10.13057/biodiv/d211125
- 1279.[21] Ndjenda, M. K., E. P. Nguelefack-Mbuyo, J. Hescheler, T. B. Nguelefack, F. Nguemo (2021). "Assessment of the in vitro cytotoxicity effects of the leaf methanol extract of *Crinum zeylanicum* on mouse induced pluripotent stem cells and their cardiomyocytes derivatives." *Pharmaceuticals* 14(12). doi:10.3390/ph14121208
- 1280.[22] Tian, H., Q. J. Liu, J. T. Wang, L. Zhang (2021). "Antimicrobial crinine-type alkaloids from the bulbs of *Crinum latifolium*." *Journal of Asian Natural Products Research* 23(11): 1023-1029. doi:10.1080/10286020.2020.1831479
- 1281.[23] Danquah, C. A., P. A. B. Minkah, T. A. Agana, P. Moyo, M. Ofori, P. Doe, S. Rali, I. Osei Duah Junior, K. B. Amankwah, S. O. Somuah, I. N. Nugbemado, V. J. Maharaj, S. Bhakta, S. Gibbons (2022). "The Phytochemistry and Pharmacology of *Tulbaghia*, *Allium*, *Crinum* and *Cyrtanthus*: 'Talented' Taxa from the Amaryllidaceae." *Molecules* 27(14). doi:10.3390/molecules27144475
- 1282.[24] Li, R. W., P. N. Smith, G. D. Lin (2022). Variation of biomolecules in plant species. In: *Herbal Biomolecules in Healthcare Applications* (Ed.): 81-99.
- 1283.[25] Ritomská, A., D. Koutova, J. Křoustková, K. Královce, D. Muthná, J. Kuneš, L. Nováková, R. Havelek, L. Cahlíková (2023). "Design of semisynthetic derivatives of the Amaryllidaceae alkaloid ambelline and exploration of their in vitro cytotoxic activities." *Saudi Pharmaceutical Journal* 31(8). doi:10.1016/j.jsps.2023.06.017
- 1284.[26] Kuete, V. (2024). A comprehensive review of the ethnomedicinal uses, phytochemistry, and pharmacology of potential anticancer plants of the flora of Africa. In: *Advances in Botanical Research* (Ed.).

Публ. с IFN^o 59. Dobrikov, G.M., Valcheva, V., Stoilova-Disheva, M., **Momekov, G.**, Tzvetkova, P., Chimov, A., Dimitrov, V. Synthesis and in vitro antimycobacterial activity of compounds derived from (R)- and (S)-2-amino-1-butanol - The crucial role of the configuration (2012) *European Journal of Medicinal Chemistry*, 48: 45-56. (IF 3,499)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84856011294&doi=10.1016%2fj.ejmech.2011.11.035&partnerID=40&md5=d5c32f2195f323a4e9b5268db784175c)

[84856011294&doi=10.1016%2fj.ejmech.2011.11.035&partnerID=40&md5=d5c32f2195f323a4e9b5268db784175c](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84856011294&doi=10.1016%2fj.ejmech.2011.11.035&partnerID=40&md5=d5c32f2195f323a4e9b5268db784175c)

DOI: 10.1016/j.ejmech.2011.11.035

Установени цитирания: в SCOPUS (17)

- 1285.[1] Marcinkevičiene, L., J. Stankevičiute, I. Bachmatova, R. Vidžiunaite, A. Chaleckaja, R. Meškys (2012). "Biocatalytic properties of quinoxaline alcohol dehydrogenase IIG from *Pseudomonas putida* HK5." *Chemija* 23(3): 223-232.
- 1286.[2] Mancuso, R., I. Ziccarelli, D. Armentano, N. Marino, S. V. Giofrè, B. Gabriele (2014). "Divergent palladium iodide catalyzed multicomponent carbonylative approaches to functionalized isoindolinone and isobenzofuranimine derivatives." *Journal of Organic Chemistry* 79(8): 3506-3518. doi:10.1021/jo500281h
- 1287.[3] Moreth, M., C. R. B. Gomes, M. C. S. Lourenço, R. P. Soares, M. N. Rocha, C. R. Kaiser, M. V. N. De Souza, S. M. V. N. Wardell, J. L. Wardell (2014). "Syntheses and antimycobacterial activities of [(2S,3R)-2-(amino)-4-(arenesulfonamido)-3-hydroxy-1-phenylbutane derivatives]." *Medicinal Chemistry* 10(2): 189-200. doi:10.2174/15734064113099990003
- 1288.[4] Dos Santos Fernandes, G. F., D. H. Jornada, P. C. De Souza, C. M. Chin, F. R. Pavan, J. L. Dos Santos (2015). "Current advances in antitubercular drug discovery: Potent prototypes and new targets." *Current Medicinal Chemistry* 22(27): 3133-3161. doi:10.2174/0929867322666150818103836
- 1289.[5] Facchinetti, V., M. Moreth, C. R. B. Gomes, C. Do Ó Pessoa, F. A. R. Rodrigues, B. C. Cavalcanti, A. C. A. Oliveira, T. R. Carneiro, I. L. Gama, M. V. N. De Souza (2015). "Evaluation of (2S,3R)-2-(amino)-[4-(N-benzylarenesulfonamido)-3-hydroxy-1-phenylbutane derivatives: A promising class of anticancer agents." *Medicinal Chemistry Research* 24(2): 533-542. doi:10.1007/s00044-014-1143-5
- 1290.[6] Cherkadu, V., P. K. Kalavagunta, N. Ravirala, N. S. Shivananju, B. S. Priya (2016). "Zinc Chloride Catalyzed, Dipolar Aprotic Solvent-Mediated, One-Pot Synthesis of 2-[(Benzo[d]thiazol-2-ylamino)(phenyl)methyl]phenols." *Synlett* 27(20): 2795-2798. doi:10.1055/s-0036-1588595
- 1291.[7] Duan, A. H., B. J. Wang, S. M. Xie, J. H. Zhang, L. M. Yuan (2017). "A chiral, porous, organic cage-based, enantioselective potentiometric sensor for 2-aminobutanol." *Chirality* 29(5): 172-177. doi:10.1002/chir.22684
- 1292.[8] Li, B., J. Zhang, B. B. Yang, L. Li, X. X. Yang (2017). "Ring-locking strategy facilitating determination of absolute optical purity of 2-amino-1-butanol by reverse-phase high-performance liquid chromatography." *RSC Advances* 7(72): 45714-45720. doi:10.1039/c7ra09362d
- 1293.[9] Zhao, J. W., H. L. Wu, J. D. Zhang, W. C. Gao, X. J. Fan, H. H. Chang, W. L. Wei, J. H. Xu (2018). "One pot simultaneous preparation of both enantiomer of β-amino alcohol and vicinal diol via cascade biocatalysis." *Biotechnology Letters* 40(2): 349-358. doi:10.1007/s10529-017-2471-6
- 1294.[10] De Marigorta, E. M., J. M. De Los Santos, A. M. O. De Retana, J. Vicario, F. Palacios (2019). "Multicomponent reactions (MCRs): A useful access to the synthesis of benzo-fused γ-lactams." *Beilstein Journal of Organic Chemistry* 15: 1065-1085. doi:10.3762/bjoc.15.104
- 1295.[11] Derrington, S. R., N. J. Turner, S. P. France (2019). "Carboxylic acid reductases (CARs): An industrial perspective." *Journal of Biotechnology* 304: 78-88. doi:10.1016/j.jbiotec.2019.08.010
- 1296.[12] Gaikwad, N., S. Nanduri, Y. V. Madhavi (2019). "Cinnamamide: An insight into the pharmacological advances and structure-activity relationships." *European Journal of Medicinal Chemistry* 181. doi:10.1016/j.ejmech.2019.07.064
- 1297.[13] Tolmacheva, I. A., E. V. Igosheva, O. V. Savinova, E. I. Boreko, V. F. Eremin, V. V. Grishko (2019). "Synthesis and evaluation of antiviral activities of triterpenic conjugates with 2-aminobutan-1-ol as potent microbicidal agents." *Medicinal Chemistry Research* 28(10): 1648-1660. doi:10.1007/s00044-019-02401-w
- 1298.[14] Wang, B. J., A. H. Duan, J. H. Zhang, S. M. Xie, Q. E. Cao, L. M. Yuan (2019). "An enantioselective potentiometric sensor for 2-amino-1-butanol based on chiral porous organic cage CC3-R." *Molecules* 24(3). doi:10.3390/molecules24030420
- 1299.[15] Khrapova, K. O., A. A. Telezhkin, P. A. Volkov, L. I. Larina, D. V. Pavlov, N. K. Gusarova, B. A. Trofimov (2021). "Oxidative cross-coupling of secondary phosphine chalcogenides with amino alcohols and aminophenols: aspects of the reaction chemoselectivity." *Organic and Biomolecular Chemistry* 19(23): 5098-5107. doi:10.1039/d1ob00287b
- 1300.[16] Lv, Y., C. Tang, J. Liao, S. Wu, L. Yao, H. Ruan, A. Sotto, J. Shen (2021). "Conversion of S-2-amino-1-butanol-1-tartrate to S-2-amino-1-butanol by Using Bipolar Membrane Electrodialysis for Post-treatment of Direct Enantioseparation." *ACS Sustainable Chemistry and Engineering* 9(9): 3542-3551. doi:10.1021/acssuschemeng.0c08540
- 1301.[17] Huang, J., M. Shi, H. Liang, J. Lu (2022). "An efficient O-phthalaldehyde-amine coupling reaction for the synthesis of a bottlebrush polymer under physiological conditions." *Polymer Chemistry* 13(5): 649-654. doi:10.1039/d1py01488a

Публ. с IF№ 60. Popova, M.D., Szegedi, Á., Kolev, I.N., Mihály, J., Tzankov, B.S., **Momekov, G.T.**, Lambov, N.G., Yoncheva, K.P. Carboxylic modified spherical mesoporous silicas as drug delivery carriers (2012) International Journal of Pharmaceutics, 436 (1-2): 778-785. (IF 3,458)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84865764263&doi=10.1016%2fj.ijpharm.2012.07.061&partnerID=40&md5=fad8675861f15a902020694fa17959b0>

DOI: 10.1016/j.ijpharm.2012.07.061

Установени цитирания: в SCOPUS (77)

- 1302.[1] Tang, Y.,X. Ke (2012). "Advances of mesoporous silica nanoparticles as drug delivery system." Journal of China Pharmaceutical University 43(6): 567-572.
- 1303.[2] Anghel, I., A. M. Grumezescu, A. M. Holban, I. Gheorghe, M. Vlad, G. A. Anghel, P. C. Balaure, C. M. Chifiriuc, I. M. Ciuca (2013). "Improved activity of aminoglycosides entrapped in silica networks against microbial strains isolated from otolaryngological infections." Farmacia 62(1): 69-78.
- 1304.[3] Arean, C. O., M. J. Vesga, J. B. Parra, M. R. Delgado (2013). "Effect of amine and carboxyl functionalization of sub-micrometric MCM-41 spheres on controlled release of cisplatin." Ceramics International 39(7): 7407-7414. doi:10.1016/j.ceramint.2013.02.084
- 1305.[4] Bariana, M., M. S. Aw, M. Kurkuri, D. Losic (2013). "Tuning drug loading and release properties of diatom silica microparticles by surface modifications." International Journal of Pharmaceutics 443(1-2): 230-241. doi:10.1016/j.ijpharm.2012.12.012
- 1306.[5] Zarezadeh-Mehrzi, M., A. Badiei, A. R. Mehrabadi (2013). "Ionic liquid functionalized nanoporous silica for removal of anionic dye." Journal of Molecular Liquids 180: 95-100. doi:10.1016/j.molliq.2013.01.007
- 1307.[6] Zheng, J., X. Tian, Y. Sun, D. Lu, W. Yang (2013). "PH-sensitive poly(glutamic acid) grafted mesoporous silica nanoparticles for drug delivery." International Journal of Pharmaceutics 450(1-2): 296-303. doi:10.1016/j.ijpharm.2013.04.014
- 1308.[7] Gnanamoorthy, P., S. Anandhan, V. A. Prabu (2014). "Natural nanoporous silica frustules from marine diatom as a biocarrier for drug delivery." Journal of Porous Materials 21(5): 789-796. doi:10.1007/s10934-014-9827-2
- 1309.[8] Grumezescu, A. M., C. D. Ghitulica, G. Voicu, K. S. Huang, C. H. Yang, A. Fica, B. S. Vasile, V. Grumezescu, C. Bleotu, M. C. Chifiriuc (2014). "New silica nanostructure for the improved delivery of topical antibiotics used in the treatment of staphylococcal cutaneous infections." International Journal of Pharmaceutics 463(2): 170-176. doi:10.1016/j.ijpharm.2013.07.016
- 1310.[9] Hamam, F., M. Al-Remawi (2014). "Novel delivery system of curcumin through transdermal route using sub-micronized particles composed of mesoporous silica and oleic acid." Journal of Functional Foods 8(1): 87-99. doi:10.1016/j.jff.2014.03.006
- 1311.[10] Miao, Z., H. Zhao, J. Yang, J. Zhao, H. Song, L. Chou (2014). "Facile synthesis of ordered mesoporous Cu-ZrPO with high copper contents as catalyst for liquid phase oxidation of ethylbenzene." Microporous and Mesoporous Materials 198: 271-280. doi:10.1016/j.micromeso.2014.07.048
- 1312.[11] Parfenyuk, E. V., E. S. Dolinina (2014). "Design of silica carrier for controlled release of molsidomine: Effect of preparation methods of silica matrixes and their composites with molsidomine on the drug release kinetics in vitro." European Journal of Pharmaceutics and Biopharmaceutics 88(3): 1038-1045. doi:10.1016/j.ejpb.2014.09.007
- 1313.[12] Sakai-Kato, K., M. Hidaka, K. Un, T. Kawanishi, H. Okuda (2014). "Physicochemical properties and in vitro intestinal permeability properties and intestinal cell toxicity of silica particles, performed in simulated gastrointestinal fluids." Biochimica et Biophysica Acta - General Subjects 1840(3): 1171-1180. doi:10.1016/j.bbagen.2013.12.014
- 1314.[13] Siefker, J., P. Karande, M. O. Coppens (2014). "Packaging biological cargoes in mesoporous materials: Opportunities for drug delivery." Expert Opinion on Drug Delivery 11(11): 1781-1793. doi:10.1517/17425247.2014.938636
- 1315.[14] Sinn Aw, M., M. Kurian, D. Losic (2014). "Non-eroding drug-releasing implants with ordered nanoporous and nanotubular structures: Concepts for controlling drug release." Biomaterials Science 2(1): 10-34. doi:10.1039/c3bm60196j
- 1316.[15] Titinchi, S. J. J., M. P. Singh, H. S. Abbo, I. R. Green (2014). Advanced Materials for Biomedical Application and Drug Delivery. In: Advanced Healthcare Materials (Ed.). 9781118773598: 49-85.
- 1317.[16] Zendejdel, M., G. Cruciani, F. S. Kar, A. Barati (2014). "Synthesis and study the controlled release of etonitazole from the new PEG/NaY and PEG/MCM-41 nanocomposites." Journal of Environmental Health Science and Engineering 12(1). doi:10.1186/2052-336X-12-35
- 1318.[17] Bahrami, Z., A. Badiei, G. M. Ziarani (2015a). "Carboxylic acid-functionalized SBA-15 nanorods for gemcitabine delivery." Journal of Nanoparticle Research 17(3). doi:10.1007/s11051-015-2929-1
- 1319.[18] Bahrami, Z., A. Badiei, F. Ataybi, H. R. Darabi, B. Mehravi (2015b). "Piperazine and its carboxylic acid derivatives-functionalized mesoporous silica as nanocarriers for gemcitabine: Adsorption and release study." Materials Science and Engineering C 49: 66-74. doi:10.1016/j.msec.2014.12.069
- 1320.[19] Doadrio, A. L., A. J. Salinas, J. M. Sánchez-Montero, M. Vallet-Regí (2015). "Drug release from ordered mesoporous silicas." Current Pharmaceutical Design 21(42): 6189-6213. doi:10.2174/1381612822666151106121419
- 1321.[20] Fathi Vavsari, V., G. Mohammadi Ziarani, A. Badiei (2015). "The role of SBA-15 in drug delivery." RSC Advances 5(111): 91686-91707. doi:10.1039/c5ra17780d
- 1322.[21] Javad Kalbasi, R., A. Zirakbash (2015). "Synthesis, characterization and drug release studies of poly(2-hydroxyethyl methacrylate)/KIT-5 nanocomposite as an innovative organic-inorganic hybrid carrier system." RSC Advances 5(16): 12463-12471. doi:10.1039/c4ra13930e
- 1323.[22] Kasper, J. Y., L. Feiden, M. I. Hermanns, C. Bantz, M. Maskos, R. E. Unger, C. J. Kirkpatrick (2015). "Pulmonary surfactant augments cytotoxicity of silica nanoparticles: Studies on an in vitro air-blood barrier model." Beilstein Journal of Nanotechnology 6(1): 517-528. doi:10.3762/bjnano.6.54
- 1324.[23] Lechner, C. C., C. F. W. Becker (2015). "Silaffins in silica biomineralization and biomimetic silica precipitation." Marine Drugs 13(8): 5297-5333. doi:10.3390/md13085297
- 1325.[24] Moritz, M., M. Geszke-Moritz (2015). "Mesoporous materials as multifunctional tools in biosciences: Principles and applications." Materials Science and Engineering C 49: 114-151. doi:10.1016/j.msec.2014.12.079
- 1326.[25] Patel, A., V. Brahmkhatri (2015). Behavior of unmodified MCM-41 towards controlled release of pro-drug molecule, cysteine. In: Comprehensive Guide for Mesoporous Materials, Volume 3: Properties and Development (Ed.): 271-284.
- 1327.[26] Swagatika, S., A. Dinda, S. K. Dash, U. N. Dash (2015). "Density-viscometric studies of TiO₂-MCM-41 in ethanolic nicotinamide solutions and its application in drug delivery of ibuprofen." International Journal of Pharmacy and Pharmaceutical Sciences 7(2): 571-577.
- 1328.[27] Tamanna, T., J. Bulitta, A. Yu (2015). Mesoporous silica nanoparticles as an innovation in controlled drug delivery. In: Comprehensive Guide for Mesoporous Materials, Volume 4: Application and Commercialization (Ed.): 167-195.
- 1329.[28] Ayad, M. M., N. A. Salahuddin, A. A. El-Nasr, N. L. Torad (2016). "Amine-functionalized mesoporous silica KIT-6 as a controlled release drug delivery carrier." Microporous and Mesoporous Materials 229: 166-177. doi:10.1016/j.micromeso.2016.04.029
- 1330.[29] Beltrán-Osuna, Á. A., J. E. Perilla (2016). "Colloidal and spherical mesoporous silica particles: synthesis and new technologies for delivery applications." Journal of Sol-Gel Science and Technology 77(2): 480-496. doi:10.1007/s10971-015-3874-2

- 1331.[30] Maleki, A.,M. Hamidi (2016a). Nanoarchitected Mesoporous Silica-Based Drug-Delivery Systems: Toward Perfect Nanomedicine. In: Nanoarchitectonics for Smart Delivery and Drug Targeting(Ed.): 345-377.
- 1332.[31] Maleki, A.,M. Hamidi (2016b). "Dissolution enhancement of a model poorly water-soluble drug, atorvastatin, with ordered mesoporous silica: Comparison of MSF with SBA-15 as drug carriers." *Expert Opinion on Drug Delivery* 13(2): 171-181. doi:10.1517/17425247.2015.1111335
- 1333.[32] Mathew, A., S. Parambadath, M. J. Barnabas, H. J. Song, J. S. Kim, S. S. Park, C. S. Ha (2016). "Rhodamine 6G assisted adsorption of metanil yellow over succinamic acid functionalized MCM-41." *Dyes and Pigments* 131: 177-185. doi:10.1016/j.dyepig.2016.04.007
- 1334.[33] Parambadath, S., A. Mathew, M. J. Barnabas, K. M. Rao, C. S. Ha (2016). "Periodic mesoporous organosilica (PMO) containing bridged succinamic acid groups as a nanocarrier for sulfamerazine, sulfadiazine and famotidine: Adsorption and release study." *Microporous and Mesoporous Materials* 225: 174-184. doi:10.1016/j.micromeso.2015.12.016
- 1335.[34] Patel, A.,P. Solanki (2016). "12-Tungstophosphoric acid functionalized MCM-41: synthesis, characterization and study of controlled in vitro release of l-arginine." *Journal of Porous Materials* 23(4): 1113-1123. doi:10.1007/s10934-016-0169-0
- 1336.[35] Song, W., J. Gong, Y. Wang, Y. Zhang, H. Zhang, W. Zhang, H. Zhang, X. Liu, T. Zhang, W. Yin, W. Yang (2016). "Gold nanoflowers with mesoporous silica as "nanocarriers" for drug release and photothermal therapy in the treatment of oral cancer using near-infrared (NIR) laser light." *Journal of Nanoparticle Research* 18(4). doi:10.1007/s11051-016-3377-2
- 1337.[36] Tamayo, A., R. Ruiz-Caro, A. Mazo, M. D. Veiga-Ochoa, J. Rubio (2016). "Chemical oxidation of silicon oxycarbide ceramics for advanced drug delivery systems." *Journal of Materials Science* 51(3): 1382-1391. doi:10.1007/s10853-015-9457-3
- 1338.[37] Tao, S., H. Wang, H. Wang (2016). "Preparing highly-dispersed noble metal supported mesoporous silica catalysts by reductive amphiphilic molecules." *RSC Advances* 6(113): 112193-112200. doi:10.1039/C6RA23875K
- 1339.[38] Zakeri Siavashani, A., M. Haghbin Nazarpak, F. Fayyazbakhsh, T. Toliyat, S. J. P. McInnes, M. Solati-Hashjin (2016). "Effect of amino-functionalization on insulin delivery and cell viability for two types of silica mesoporous structures." *Journal of Materials Science* 51(24): 10897-10909. doi:10.1007/s10853-016-0301-1
- 1340.[39] Beňová, E., V. Zelenák, D. Halamová, M. Almáši, V. Petruľová, M. Psotka, A. Zelenáková, M. Bačkor, V. Hornebecq (2017). "A drug delivery system based on switchable photo-controlled p-coumaric acid derivatives anchored on mesoporous silica." *Journal of Materials Chemistry B* 5(4): 817-825. doi:10.1039/c6tb02040b
- 1341.[40] Ghedini, E., C. Pizzolitto, G. Albore, F. Menegazzo, M. Signoretto, L. Operti, G. Cerrato (2017). "Sulfadiazine-based drug delivery systems prepared by an effective sol-gel process." *Journal of Sol-Gel Science and Technology* 83(3): 618-626. doi:10.1007/s10971-017-4446-4
- 1342.[41] Habibi, S., L. Hajiaghababaei, A. Badiei, M. Yadavi, S. D. Abkenar, M. R. Ganjali, G. M. Ziarani (2017). "Removal of Reactive Black 5 from water using carboxylic acid-grafted SBA-15 nanorods." *Desalination and Water Treatment* 95: 333-341. doi:10.5004/dwt.2017.21516
- 1343.[42] Latifi, L., S. Sohrabnezhad, M. Hadavi (2017). "Mesoporous silica as a support for poorly soluble drug: Influence of pH and amino group on the drug release." *Microporous and Mesoporous Materials* 250: 148-157. doi:10.1016/j.micromeso.2017.05.026
- 1344.[43] Liu, L., Z. Ding, H. Yang, J. Quan, L. Zhu, H. Nie (2017). "Novel Hybrid SiO₂/ZnS Coated CdTe/CdS Quantum Dots and Their Bioapplications." *Journal of Donghua University (English Edition)* 34(1): 131-136.
- 1345.[44] Mortazavi-Derazkola, S., M. Salavati-Niasari, H. Khojasteh, O. Amiri, S. M. Ghoreishi (2017). "Green synthesis of magnetic Fe₃O₄/SiO₂/HAP nanocomposite for atenolol delivery and in vivo toxicity study." *Journal of Cleaner Production* 168: 39-50. doi:10.1016/j.jclepro.2017.08.235
- 1346.[45] Pathan, S., P. Solanki, A. Patel (2017). "Cysteine and N-acetyl cysteine encapsulated mesoporous silica: synthesis, characterization and influence of parameters on in-vitro controlled release." *Journal of Porous Materials* 24(4): 1105-1115. doi:10.1007/s10934-016-0351-4
- 1347.[46] Rahman, M. M., M. A. B. M. Aznan, A. M. Yusof, H. Ansary, M. J. Siddiqi, S. Yusan (2017). "Synthesis and characterization of functionalized Se-MCM-41 a new drug carrier mesopore composite." *Oriental Journal of Chemistry* 33(2): 611-621. doi:10.13005/ojc/330208
- 1348.[47] Barczak, M. (2018). "Synthesis and structure of pyridine-functionalized mesoporous SBA-15 organosilicas and their application for sorption of diclofenac." *Journal of Solid State Chemistry* 258: 232-242. doi:10.1016/j.jssc.2017.10.006
- 1349.[48] Gurikov, P., I. Smirnova (2018). "Amorphization of drugs by adsorptive precipitation from supercritical solutions: A review." *Journal of Supercritical Fluids* 132: 105-125. doi:10.1016/j.supflu.2017.03.005
- 1350.[49] Latifi, L., S. Sohrabnezhad (2018). "Influence of pore size and surface area of mesoporous silica materials (MCM-41 and KIT-6) on the drug loading and release." *Journal of Sol-Gel Science and Technology* 87(3): 626-638. doi:10.1007/s10971-018-4742-7
- 1351.[50] Zelenák, V., E. Beňová, M. Almáši, D. Halamová, V. Hornebecq, V. Hronský (2018). "Photo-switchable nanoporous silica supports for controlled drug delivery." *New Journal of Chemistry* 42(16): 13263-13271. doi:10.1039/c8nj00267c
- 1352.[51] Pu, X., J. Li, P. Qiao, M. Li, H. Wang, L. L. Zong, Q. Yuan, S. F. Duan (2019). "Mesoporous silica nanoparticles as a prospective and promising approach for drug delivery and biomedical applications." *Current Cancer Drug Targets* 19(4): 285-295. doi:10.2174/1568009619666181206114904
- 1353.[52] Wang, L., K. Pan, J. Li, Y. Li, B. Zhu, Y. Wang, C. Feng, J. Han (2019). "Influence of the physicochemical characteristics of diatom frustules on hemorrhage control." *Biomaterials Science* 7(5): 1833-1841. doi:10.1039/c9bm00099b
- 1354.[53] Hamam, F., A. Nasr (2020). "Curcumin-Loaded Mesoporous Silica Particles as Wound-Healing Agent: An In vivo Study." *Saudi Journal of Medicine and Medical Sciences* 8(1): 17-24. doi:10.4103/sjms.sjms_2_19
- 1355.[54] Hannachi, Y., A. Hafidh (2020). "Preparation and characterization of novel bi-functionalized xerogel for removal of methylene blue and lead ions from aqueous solution in batch and fixed-bed modes: RSM optimization, kinetic and equilibrium studies." *Journal of Saudi Chemical Society* 24(7): 505-519. doi:10.1016/j.jscs.2020.05.002
- 1356.[55] Li, J., J. Sun, S. Bai, X. Wu (2020). "Multifunctional Mesoporous CDQs/BMMs with Strong Fluorescent Property and Sustained Drug Releasing Performance." *ChemistrySelect* 5(15): 4786-4792. doi:10.1002/slct.202000307
- 1357.[56] Taufiq, A., A. Nikmah, A. Hidayat, S. Sunaryono, N. Mufti, N. Hidayat, H. Susanto (2020). "Synthesis of magnetite/silica nanocomposites from natural sand to create a drug delivery vehicle." *Heliyon* 6(4). doi:10.1016/j.heliyon.2020.e03784
- 1358.[57] Xu, G., F. Wei, Y. Cen, X. Cheng, Q. Hu (2020). "Dual-Emissive Fluorescent Sensor Based on Functionalized Quantum Dots for the Simultaneous Determination of Nitric Oxide and Hydrogen Sulfide." *ACS Biomaterials Science and Engineering* 6(11): 6086-6094. doi:10.1021/acsbiomaterials.0c00842
- 1359.[58] Zaharudin, N. S., E. D. Mohamed Isa, H. Ahmad, M. B. Abdul Rahman, K. Jumbri (2020). "Functionalized mesoporous silica nanoparticles templated by pyridinium ionic liquid for hydrophilic and hydrophobic drug release application." *Journal of Saudi Chemical Society* 24(3): 289-302. doi:10.1016/j.jscs.2020.01.003
- 1360.[59] Akram, Z., U. Daood, S. Aati, H. Ngo, A. S. Fawzy (2021). "Formulation of pH-sensitive chlorhexidine-loaded/mesoporous silica nanoparticles modified experimental dentin adhesive." *Materials Science and Engineering C* 122. doi:10.1016/j.msec.2021.111894
- 1361.[60] Dolinina, E. S., E. Y. Akimshva, E. V. Parfenyuk (2021). "Acyclovir release from its composites with silica as a function of the silica matrix modification and the drug loading." *Mendelev Communications* 31(5): 706-708. doi:10.1016/j.mencom.2021.09.038
- 1362.[61] Galabova, B. B. (2021). "Mesoporous silica nanoparticles: Synthesis, functionalization, drug loading and release - A review." *Tropical Journal of Pharmaceutical Research* 20(5): 1091-1100. doi:10.4314/tjpr.v20i5.30

- 1363.[62] Gou, K., Y. Wang, X. Guo, Y. Wang, Y. Bian, H. Zhao, Y. Guo, Y. Pang, L. Xie, S. Li, H. Li (2021). "Carboxyl-functionalized mesoporous silica nanoparticles for the controlled delivery of poorly water-soluble non-steroidal anti-inflammatory drugs." *Acta Biomaterialia* 134: 576-592. doi:10.1016/j.actbio.2021.07.023
- 1364.[63] Hassan-Zadeh, B., R. Rahmadian, M. H. Salmani, M. J. Salmani (2021). "Functionalization of Synthesized Nanoporous Silica and Its Application in Malachite Green Removal from Contaminated Water." *Journal of Environmental Health and Sustainable Development* 6(2): 1311-1320. doi:10.18502/jehsd.v6i2.6542
- 1365.[64] Jabbari-Gargari, A., J. Moghaddas, H. Hamishehkar, H. Jafarizadeh-Malmiri (2021). "Carboxylic acid decorated silica aerogel nanostructure as drug delivery carrier." *Microporous and Mesoporous Materials* 323. doi:10.1016/j.micromeso.2021.111220
- 1366.[65] Kondrashova, N. B., A. S. Shamsutdinov, V. A. Valtisfer, V. N. Strelnikov (2021). "Surface Modification of Magnetic Mesoporous Systems with Aminopropyl Groups and Their Properties." *Journal of Inorganic and Organometallic Polymers and Materials* 31(3): 1347-1358. doi:10.1007/s10904-020-01775-4
- 1367.[66] Labban, N., H. N. Al-Otaibi, A. Binrayes, A. S. Aljamhan, A. F. Alfouzan, S. M. Al Taweel, M. K. Assery (2021). "Mesoporous nanosilica loaded with doxycycline to enhance antimicrobial property and mechanical strength at hybrid layer." *International Journal of Adhesion and Adhesives* 111. doi:10.1016/j.ijadhadh.2021.102975
- 1368.[67] Wang, L., K. Pan, L. Zhang, C. Zhou, Y. Li, B. Zhu, J. Han (2021). "Tentative identification of key factors determining the hemostatic efficiency of diatom frustule." *Biomaterials Science* 9(6): 2162-2173. doi:10.1039/d0bm02002h
- 1369.[68] Zewdu, D., A. Wondimu, H. Barabadi, M. A. Mahjoub, S. Ravikumar, P. Boomi, M. Saravanan (2021). Emerging mesoporous silica nanoparticle-mediated controlled and targeted drug delivery system: Present status and future prospects. In: *Handbook on Nanobiomaterials for Therapeutics and Diagnostic Applications*(Ed.): 457-481.
- 1370.[69] Kovachev, P. (2022). "Functionalization and Polymer Coating – Strategies to improve Drug Delivery from Mesoporous Silica Nanoparticles." *Research Journal of Pharmacy and Technology* 15(6): 2788-2792. doi:10.52711/0974-360X.2022.00466
- 1371.[70] Sharma, P., J. Prakash, T. Palai, R. Kaushal (2022). "Surface functionalization of bamboo leave mediated synthesized SiO₂ nanoparticles: Study of adsorption mechanism, isotherms and enhanced adsorption capacity for removal of Cr (VI) from aqueous solution." *Environmental Research* 214. doi:10.1016/j.envres.2022.113761
- 1372.[71] Menezes, T., S. Bouguerra, T. Andreani, R. Pereira, C. Pereira (2023). "Preparation, Characterization, and Environmental Safety Assessment of Dithiocarbamate Loaded Mesoporous Silica Nanoparticles." *Nanomaterials* 13(2). doi:10.3390/nano13020370
- 1373.[72] Rahman, M. M., H. Minami, M. K. Hossain, M. M. Rahman, S. M. Hoque, M. R. Karim, M. S. Islam Sarker, H. Ahmad (2023). "Preparation and characterization of carboxyl functional mesoporous ZnO-SiO₂ composites and in vitro sensing of glucose and vancomycin." *Sensors and Actuators B: Chemical* 393. doi:10.1016/j.snb.2023.134133
- 1374.[73] Rivas, M. V., M. J. Arenas Muñetón, A. V. Bordoní, M. V. Lombardo, C. C. Spagnuolo, A. Wolosiuk (2023). "Revisiting carboxylic group functionalization of silica sol-gel materials." *Journal of Materials Chemistry B* 11(8): 1628-1653. doi:10.1039/d2tb02279f
- 1375.[74] Shen, X., T. Mao, C. Li, F. Mao, Z. Xue, G. Xu, A. Amirfazli (2023). "Durable superhydrophobic coatings based on CNTs-SiO₂gel hybrids for anti-corrosion and thermal insulation." *Progress in Organic Coatings* 181. doi:10.1016/j.porgcoat.2023.107602
- 1376.[75] Velázquez-Herrera, F. D., A. Sampieri, G. Fetter (2023). "LDH as basicity enhancers of new mesoporous nanocomposites." *MRS Communications* 13(1): 95-101. doi:10.1557/s43579-022-00317-y
- 1377.[76] Qi, Q., Q. Shen, J. Geng, W. An, Q. Wu, N. Wang, Y. Zhang, X. Li, W. Wang, C. Yu, L. Li (2024). "Stimuli-responsive biodegradable silica nanoparticles: From native structure designs to biological applications." *Advances in Colloid and Interface Science* 324. doi:10.1016/j.cis.2024.103087
- 1378.[77] Tabassum, S., M. Saqib, M. Batool, F. Sharif, M. A. Gilani, O. Huck (2024). "Eco-friendly synthesis of mesoporous bioactive glass ceramics and functionalization for drug delivery and hard tissue engineering applications." *Biomedical Materials (Bristol)* 19(3). doi:10.1088/1748-605X/ad2c19

Публ. с IF № 61. Momekova, D., Budurova, D., Drakalska, E., Shenkov, S., **Momekov, G.**, Trzebiecka, B., Lambov, N., Tashev, E., Rangelov, S. Aggregation behavior and *in vitro* biocompatibility study of octopus-shaped macromolecules based on tert-butylcalix[4]arenes (2012) *International Journal of Pharmaceutics*, 436 (1-2): 410-417. (IF 3,458)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84865291396&doi=10.1016%2fj.ijpharm.2012.06.053&partnerID=40&md5=d2bbc64e66962c660ca4c072b2f82f1b>

DOI: 10.1016/j.ijpharm.2012.06.053

Установени цитирания: в SCOPUS (11)

- 1379.[1] Amirova, A. I., M. M. Dudkina, A. V. Tenkovtsev, A. P. Filippov (2015). "Self-assembly of star-shaped poly(2-isopropyl-2-oxazoline) in aqueous solutions." *Colloid and Polymer Science* 293(1): 239-248. doi:10.1007/s00396-014-3402-x
- 1380.[2] Schmidt, B. V. K. J. (2017). *Supramolecular (Miktoarm) Star Polymers: Self-Assembly and Applications*. In: *RSC Polymer Chemistry Series*(Ed.). 2017-January: 181-216.
- 1381.[3] Consoli, G. M. L., G. Granata, C. Geraci (2018). Calixarene-based micelles. In: *Design and Development of New Nanocarriers*(Ed.): 89-143.
- 1382.[4] Ermakova, A. M., J. E. Morozova, Y. V. Shalaeva, V. V. Syakaev, A. T. Gubaidullin, A. D. Voloshina, V. V. Zobov, I. R. Nizameev, O. B. Bazanova, I. S. Antipin, A. I. Konovalov (2018). "Nanoconjugates of a calixresorcinarene derivative with methoxy poly(ethylene glycol) fragments for drug encapsulation." *Beilstein Journal of Nanotechnology* 9(1): 2057-2070. doi:10.3762/bjnano.9.195
- 1383.[5] Pisagatti, I., L. Barbera, G. Gattuso, S. Patané, M. F. Parisi, A. Notti (2018). "Novel PEGylated calix[5]arenes as carriers for Rose Bengal." *Supramolecular Chemistry* 30(8): 658-663. doi:10.1080/10610278.2018.1455976
- 1384.[6] Zhu, Z., D. Liu, Q. Ren, Y. Tan, Y. Chen, Y. Zhang (2019). "Microcapsule dispersion of poly(calix[4]arene-piperazine) for hazardous metal cations removal from waste water." *Iranian Polymer Journal (English Edition)* 28(8): 697-706. doi:10.1007/s13726-019-00739-x
- 1385.[7] Tian, H. W., Y. C. Liu, D. S. Guo (2020). "Assembling features of calixarene-based amphiphiles and supra-amphiphiles." *Materials Chemistry Frontiers* 4(1): 46-98. doi:10.1039/c9qm00489k
- 1386.[8] Blokhin, A. N., A. B. Razina, A. E. Bursian, A. V. Tenkovtsev (2021). "Synthesis of a New Type of Star-Shaped Poly(2-alkyl-2-oxazolines) on the Basis of Sulfochlorinated Calix[8]arene." *Polymer Science - Series B* 63(1): 52-62. doi:10.1134/S1560090421010024
- 1387.[9] Kozina, N. D., A. N. Blokhin, T. U. Kirila, A. B. Razina, A. E. Bursian, M. P. Kurlykin, A. P. Filippov, A. V. Tenkovtsev (2023). "Synthesis of novel star-shaped calix[4]arene-based poly(2-oxazoline)s and study of their complexation with curcumin." *Materials Today Communications* 34. doi:10.1016/j.mtcomm.2023.105403
- 1388.[10] Blokhin, A. N., N. D. Kozina, T. Y. Kirila, A. B. Razina, A. V. Tenkovtsev (2024). "The synthesis of eight-armed star-shaped polyethylene glycol containing a calix[8]arene branching center." *Russian Chemical Bulletin* 73(4): 1065-1071. doi:10.1007/s11172-024-4221-y

- 1389.[11] Karimi, Z., B. Karami, M. Farahi, A. Mahmoudi Asl (2024). "Reinforced MOF/polymer composite based on a copper metal-organic framework supported on nanoporous hyper cross-linked polycalix[4]resorcinarene for the preparation of phthalazine and 4H-pyran heterocycles." *Materials Today Chemistry* 38. doi:10.1016/j.mtchem.2024.102085

Публ. с IF№ 62. Nedialkov, P.T., Kokanova-Nedialkova, Z., Bücherl, D., **Momekov, G.**, Heilmann, J., Nikolov, S. 30-Normedicagenic acid glycosides from *Chenopodium foliosum* (2012) *Natural Product Communications*, 7 (11): 1419-1422. (IF 0,926)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84869759978&doi=10.1177%2f1934578x1200701104&partnerID=40&md5=a83d79d4f39b292f084f9702a23ce4c2>

DOI: 10.1177/1934578x1200701104

Установени цитирания: в SCOPUS (8)

- 1390.[1] Hill, R. A., J. D. Connolly (2015). "Triterpenoids." *Natural Product Reports* 32(2): 273-327. doi:10.1039/c4np00101j
- 1391.[2] Mroczek, A. (2015). "Phytochemistry and bioactivity of triterpene saponins from Amaranthaceae family." *Phytochemistry Reviews* 14(4): 577-605. doi:10.1007/s11101-015-9394-4
- 1392.[3] Faraji, P., R. Jamei (2016). "The study of phenolic compounds antioxidant activity in methanolic and aqueous extracts of several plant species of urmia lake margin." *International Journal of Pharmacognosy and Phytochemical Research* 8(2): 289-296.
- 1393.[4] Lyu, H., X. Ma, F. Guan, Y. Chen, Q. Wang, X. Feng (2018). "30-Noroleanane triterpenoid saponins from *Salicornia europaea* Linn. and their chemotaxonomic significance." *Biochemical Systematics and Ecology* 78: 106-109. doi:10.1016/j.bse.2018.04.007
- 1394.[5] Sen, A., N. Tomer, M. I. Ali, S. Moin (2020). "A review on ethnomedicinal, phytochemical, and pharmacological importance of the chenopodium genus." *Medicinal Plants* 12(2): 192-204. doi:10.5958/0975-6892.2020.00026.X
- 1395.[6] Sarhadynejad, Z., F. Sharififar, T. Eslaminejad, Z. Sarhadinejad, A. Pourmirzaie, M. Ansari (2021). "Ethnopharmacological Studies of Medicinal Plants Used by Ethnic Groups in Bardsir Region, Kerman Province." *Traditional and Integrative Medicine* 6(4): 427-443. doi:10.18502/tim.v6i4.8276
- 1396.[7] Sandhu, P. K., E. Leonard, V. Nandula, N. Tharayil (2022). "Global Metabolome of Palmer Amaranth (*Amaranthus palmeri*) Populations Highlights the Specificity and Inducibility of Phytochemical Responses to Abiotic Stress." *Journal of Agricultural and Food Chemistry*. doi:10.1021/acs.jafc.2c07162
- 1397.[8] Yilmaz, P. K., U. Kolak (2024). The genus *Chenopodium*: Phytochemicals and biological activities. In: *Studies in Natural Products Chemistry* (Ed.). 80: 437-476.

Публ. с IF№ 63. Kavlakova, M., Bakalova, A., **Momekov, G.**, Ivanov, D. Interaction of 5-amino-1,3,4-thiadiazole-2-thiol and its violuric acid adduct with Pt(II) - Crystals structures, spectroscopic properties and cytotoxic activity (2012) *Arzneimittel-Forschung/Drug Research*, 62 (12): 599-602. (IF 0,559)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84871825978&doi=10.1055%2fs-0032-1327677&partnerID=40&md5=e53634daa5be3a43cb72e5f81fa024d5>

DOI: 10.1055/s-0032-1327677

Установени цитирания: в SCOPUS (5)

- 1398.[1] Banik, R., S. Roy, A. Bauza, A. Frontera, S. Das (2015a). "Cadmium(II) complexes containing N,N'-dimethylviolurate as ligand or counteranion: Synthesis, characterization, crystal structures and DFT study." *RSC Advances* 5(14): 10826-10836. doi:10.1039/c4ra10251g
- 1399.[2] Banik, R., S. Roy, A. Bauza, A. Frontera, A. Rodríguez-Diéguez, J. M. Salas, A. M. Kirillov, S. Chowdhury, S. K. Das, S. Das (2015b). "Supramolecular interactions through lone pair(lp)-π and hydrogen bonding in cobalt(III) and manganese(II) derivatives of N,N'-dimethylvioluric acid: A combined experimental and theoretical study." *Inorganica Chimica Acta* 435: 178-186. doi:10.1016/j.ica.2015.06.018
- 1400.[3] Bhattacharya, A., J. P. Naskar, S. Majumder, R. Ganguly, P. Mitra, S. Chowdhury (2015). "New mixed ligand oxorhenium(V) complexes of 3-thiapentane-1,5-dithiolato with 2-thiocytosine and 5-amino-1,3,4-thiadiazole-2-thiol: Experiment and theory." *Inorganica Chimica Acta* 425: 124-133. doi:10.1016/j.ica.2014.10.004
- 1401.[4] Schatz, J., K. Gogić, T. Benkert (2021). 1,3,4-Thiadiazoles. In: *Comprehensive Heterocyclic Chemistry IV* (Ed.): 407-447.
- 1402.[5] Roy, S., S. Mal, R. Banik, S. Das, L. Dlhán, J. Titiš, R. Boča, A. M. Kirillov, A. S. Novikov, P. Hazendonk, R. J. Butcher, A. Bauza, A. Frontera (2023). "Two isostructural complexes of Ni(II) and Zn(II) with violurate and pyridine: a detailed structural, theoretical, magnetic, and NMR investigation." *CrystEngComm* 25(46): 6503-6511. doi:10.1039/d3ce00871a

Публ. с IF№ 64. Momekova, D., **Momekov, G.**, Ivanova, J., Pantcheva, I., Drakalska, E., Stoyanov, N., Guenova, M., Michova, A., Balashev, K., Arpadjan, S., Mitewa, M., Rangelov, S., Lambov, N. Sterically stabilized liposomes as a platform for salinomycin metal coordination compounds: Physicochemical characterization and in vitro evaluation (2013) *Journal of Drug Delivery Science and Technology*, 23 (3): 215-223. (IF 0,734)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84879018814&doi=10.1016%2fs1773-2247%2813%2950033-5&partnerID=40&md5=a135e5b5b616225de206c0bea33afc82>

DOI: 10.1016/S1773-2247(13)50033-5

Установени цитирания: в SCOPUS (8)

- 1403.[1] Lu, J., X. Ni, Y. Cao, X. Ma, G. Cao (2014). "Vesicles formed by mixed cationic surfactants as novel pseudostationary phase in electrokinetic chromatography." *Journal of Chromatography A* 1359: 296-302. doi:10.1016/j.chroma.2014.07.016
- 1404.[2] Antoszczak, M., J. Rutkowski, A. Huczyński (2015). Structure and biological activity of polyether ionophores and their semisynthetic derivatives. In: *Bioactive Natural Products: Chemistry and Biology* (Ed.): 107-170.

- 1405.[3] Lu, J., X. Ni, Y. Cao, X. Ma, G. Cao (2015). "Electrokinetic chromatographic characterization of novel cationic surfactants vesicle as pseudostationary phase." *Electrophoresis* 36(2): 312-318. doi:10.1002/elps.201400375
- 1406.[4] Dovydenko, I. S., Y. A. Laricheva, K. V. Korchagina, A. E. Grigoryeva, E. I. Ryabchikova, N. B. Kompankov, D. P. Pischur, A. L. Gushchin, E. K. Apartsin, M. N. Sokolov (2019). "Interaction of Hydrophobic Tungsten Cluster Complexes with a Phospholipid Bilayer." *Journal of Physical Chemistry B* 123(41): 8829-8837. doi:10.1021/acs.jpcc.9b06006
- 1407.[5] Ai, T., X. Jiang, Q. Liu, L. Lv, S. Dai (2020). "Single-component and competitive adsorption of tetracycline and Zn(II) on an NH₄Cl-induced magnetic ultra-fine buckwheat peel powder biochar from water: studies on the kinetics, isotherms, and mechanism." *RSC Advances* 10(35): 20427-20437. doi:10.1039/d0ra02346a
- 1408.[6] Mozafari, M. R., S. Torkaman, F. M. Karamouzian, B. Rasti, B. Baral (2021). "Antimicrobial applications of nanoliposome encapsulated silver nanoparticles: A potential strategy to overcome bacterial resistance." *Current Nanoscience* 17(1): 26-40. doi:10.2174/1573413716999200712184148
- 1409.[7] Tefas, L. R., C. Barbălată, C. Tefas, I. Tomuță (2021). "Salinomycin-based drug delivery systems: Overcoming the hurdles in cancer therapy." *Pharmaceutics* 13(8). doi:10.3390/pharmaceutics13081120
- 1410.[8] Gokul, R. R., S. Preethi, A. B. Patil, V. Jain, R. Ajmeer (2022). "A review of advanced nanotechnologies and drug delivery systems of salinomycin and their role in triple-negative breast cancer." *International Journal of Applied Pharmaceutics* 14(4): 103-114. doi:10.22159/ijap.2022v14i4.44237

Публ. с IFN^o 65. Biljali, S., Nedialkov, P., Zheleva-Dimitrova, D., Kitanov, G., Momekova, D., **Momekov, G.** Cytotoxic effects and multidrug resistance modulation by five benzophenones and a xanthone isolated from *Hypericum annulatum* Moris subsp. *annulatum* (2013) *Biotechnology and Biotechnological Equipment*, 27 (1): 3561-3568. (IF 0,379)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84874528419&doi=10.5504%2fBBEQ.2012.0129&partnerID=40&md5=c1924dbfa02ba071aed59a9ea7d855a8)

[84874528419&doi=10.5504%2fBBEQ.2012.0129&partnerID=40&md5=c1924dbfa02ba071aed59a9ea7d855a8](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84874528419&doi=10.5504%2fBBEQ.2012.0129&partnerID=40&md5=c1924dbfa02ba071aed59a9ea7d855a8)

DOI: 10.5504/BBEQ.2012.0129

Установени цитирания: в SCOPUS (4)

- 1411.[1] Shair, O. H. M., R. M. Al-Ssum, A. A. Hatamleh (2014). "Bacterial contamination in cucumber (cucumis sativus): Evidence From Saudi Arabia." *Journal of Pure and Applied Microbiology* 8: 743-747.
- 1412.[2] Sakavitsi, M. E., M. I. Christodoulou, J. Tchountchoua, N. Fokialakis, I. K. Kokkinopoulou, E. Papageorgiou, A. Argyropoulou, L. A. Skaltsounis, M. Halabalaki, A. Scorilas (2017). "Comparative HPLC-DAD and UHPLC-ESI(-)HRMS & MS/MS profiling of *Hypericum* species and correlation with necrotic cell-death activity in human leukemic cells." *Phytochemistry Letters* 20: 481-490. doi:10.1016/j.phytol.2017.05.003
- 1413.[3] Tovilovic-Kovacevic, G., N. Zogovic, D. Krstic-Milosevic (2020). Secondary metabolites from endangered *Gentiana*, *Gentianella*, *Centaurium*, and *Swertia* species (Gentianaceae): Promising natural biotherapeutics. In: *Biodiversity and Biomedicine: Our Future* (Ed.): 335-384.
- 1414.[4] Zhang, T., V. Banderó, C. Corcoran, I. Obaidi, M. Ruether, J. O'Brien, L. O'Driscoll, N. Frankish, H. Sheridan (2023). "Design, synthesis and biological evaluation of a novel bioactive indane scaffold 2-(diphenylmethylene)-c-2,3-dihydro-1H-inden-1-one with potential anticancer activity." *European Journal of Pharmaceutical Sciences* 188. doi:10.1016/j.ejps.2023.106529

Публ. с IFN^o 66. Tzankov, B., Yoncheva, K., Popova, M., Szegedi, A., **Momekov, G.**, Mihály, J., Lambov, N. Indometacin loading and *in vitro* release properties from novel carbopol coated spherical mesoporous silica nanoparticles (2013) *Microporous and Mesoporous Materials*, 171: 131-138. (IF 3,209)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84873278937&doi=10.1016%2fj.micromeso.2012.12.037&partnerID=40&md5=bc8a35c11d9eef72405880f60086af65)

[84873278937&doi=10.1016%2fj.micromeso.2012.12.037&partnerID=40&md5=bc8a35c11d9eef72405880f60086af65](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84873278937&doi=10.1016%2fj.micromeso.2012.12.037&partnerID=40&md5=bc8a35c11d9eef72405880f60086af65)

DOI: 10.1016/j.micromeso.2012.12.037

Установени цитирания: в SCOPUS (36)

- 1415.[1] Abbaraju, P. L., A. K. Meka, S. Jambhrunkar, J. Zhang, C. Xu, A. Popat, C. Yu (2014). "Floating tablets from mesoporous silica nanoparticles." *Journal of Materials Chemistry B* 2(47): 8298-8302. doi:10.1039/c4tb01337a
- 1416.[2] Andonova, V., G. Georgiev, V. Toncheva, N. Petrova, D. Karashanova, D. Penkov, M. Kassanova (2014). "Indomethacin loading and *in vitro* release properties from vinyl acetate homo- and co-polymer nanoparticles, coated with polyzwitterion and carbopol® shells." *International Journal of Pharmacy and Pharmaceutical Sciences* 6(1): 691-699.
- 1417.[3] Han, J., J. Sun, S. Bai, H. Panzai, X. Jin, X. Wu (2015). "Graft to" Synthesis and Ibuprofen-Loading Performance of pH-Sensitive PMAA-Silica Hybrid Nanoparticles with Controlled Bimodal Mesopores." *Journal of Pharmaceutical Sciences* 104(12): 4299-4306. doi:10.1002/jps.24668
- 1418.[4] Li, J., L. Xu, B. Yang, H. Wang, Z. Bao, W. Pan, S. Li (2015). "Facile synthesis of functionalized ionic surfactant templated mesoporous silica for incorporation of poorly water-soluble drug." *International Journal of Pharmaceutics* 492(1-2): 191-198. doi:10.1016/j.ijpharm.2015.07.014
- 1419.[5] Petrovska-Jovanovska, V., N. Geskovski, M. S. Crearevska, O. Memed, G. Petrushevski, M. Chachorovska, M. Petrusevska, A. Poceva-Panovska, K. Mladenovska, S. Ugarkovic, M. Glavas-Dodov (2015). "Formulation and characterization of ORMOSIL particles loaded with budesonide for local colonic delivery." *International Journal of Pharmaceutics* 484(1-2): 75-84. doi:10.1016/j.ijpharm.2015.02.044
- 1420.[6] Saha, D., T. Moken, J. Chen, D. K. Hensley, K. Delaney, M. A. Hunt, K. Nelson, A. Spurri, L. Benham, R. Brice, M. Azoro (2015). "Micro-/mesoporous carbons for controlled release of antipyrene and indomethacin." *RSC Advances* 5(30): 23699-23707. doi:10.1039/c5ra00251f
- 1421.[7] Surassmo, S., N. Saengkrit, U. R. Ruktanonchai, K. Suktham, N. Woramongkolchai, T. Wutikhun, S. Puttipipatkachorn (2015). "Surface modification of PLGA nanoparticles by carbopol to enhance mucoadhesion and cell internalization." *Colloids and Surfaces B: Biointerfaces* 130: 229-236. doi:10.1016/j.colsurfb.2015.04.015
- 1422.[8] Braz, W. R., N. L. Rocha, E. H. De Faria, M. L. A. E. Silva, K. J. Ciuffi, D. C. Tavares, R. A. Furtado, L. A. Rocha, E. J. Nassar (2016). "Incorporation of anti-inflammatory agent into mesoporous silica." *Nanotechnology* 27(38). doi:10.1088/0957-4484/27/38/385103
- 1423.[9] Dolinina, E. S., E. V. Vorobyeva, E. V. Parfenyuk (2016). "Development of novel delivery system for warfarin based on mesoporous silica: adsorption characteristics of silica materials for the anticoagulant." *Pharmaceutical Development and Technology* 21(5): 546-553. doi:10.3109/10837450.2015.1098662

- 1424.[10] Li, J., L. Xu, N. Zheng, H. Wang, F. Lu, S. Li (2016a). "Biomimetic synthesized bimodal nanoporous silica: Bimodal mesostructure formation and application for ibuprofen delivery." *Materials Science and Engineering C* 58: 1105-1111. doi:10.1016/j.msec.2015.09.091
- 1425.[11] Li, J., L. Xu, H. Wang, B. Yang, H. Liu, W. Pan, S. Li (2016b). "Comparison of bare and amino modified mesoporous silica@poly(ethyleneimine)s xerogel as indomethacin carrier: Superiority of amino modification." *Materials Science and Engineering C* 59: 710-716. doi:10.1016/j.msec.2015.10.072
- 1426.[12] Beňová, E., V. Zelenák, D. Halamová, M. Almáši, V. Petruľová, M. Psotka, A. Zelenáková, M. Bačkor, V. Hornebecq (2017). "A drug delivery system based on switchable photo-controlled p-coumaric acid derivatives anchored on mesoporous silica." *Journal of Materials Chemistry B* 5(4): 817-825. doi:10.1039/c6tb02040b
- 1427.[13] e Oliveira, L. S., L. Marçal, L. A. Rocha, E. H. de Faria, K. J. Ciuffi, E. J. Nassar, I. C. Corrêa (2018). "Photoinitiator and anesthetic incorporation into mesoporous silica." *Powder Technology* 326: 62-68. doi:10.1016/j.powtec.2017.12.044
- 1428.[14] Habibi, M., H. R. Aghabozorg, A. Tarlani (2018). "Generation of versatile titania-silica nano-vehicles using dual templates exploiting as tunable drug releaser." *Materials Chemistry and Physics* 212: 308-317. doi:10.1016/j.matchemphys.2018.03.056
- 1429.[15] Li, J., Y. Guo, H. Li, L. Shang, S. Li (2018). "Superiority of amino-modified chiral mesoporous silica nanoparticles in delivering indometacin." *Artificial Cells, Nanomedicine and Biotechnology* 46(5): 1085-1094. doi:10.1080/21691401.2017.1360326
- 1430.[16] Long, H., W. Wang, W. Yang, Y. Wang, H. Ru (2018). "Facile and controllable preparation of different SBA-15 platelets and their regulated drug release behaviours." *Microporous and Mesoporous Materials* 263: 34-41. doi:10.1016/j.micromeso.2017.11.035
- 1431.[17] Zelenák, V., D. Halamová, M. Almáši, L. Žid, A. Zelenáková, O. Kapusta (2018a). "Ordered cubic nanoporous silica support MCM-48 for delivery of poorly soluble drug indomethacin." *Applied Surface Science* 443: 525-534. doi:10.1016/j.apsusc.2018.02.260
- 1432.[18] Zelenák, V., E. Beňová, M. Almáši, D. Halamová, V. Hornebecq, V. Hronský (2018b). "Photo-switchable nanoporous silica supports for controlled drug delivery." *New Journal of Chemistry* 42(16): 13263-13271. doi:10.1039/c8nj00267c
- 1433.[19] Zhou, J., F. Zhu, J. Li, Y. Wang (2018). "Concealed body mesoporous silica nanoparticles for orally delivering indometacin with chiral recognition function." *Materials Science and Engineering C* 90: 314-324. doi:10.1016/j.msec.2018.04.071
- 1434.[20] Ibragimova, A. R., D. R. Gabdrakhmanov, A. R. Khamatgalimov, A. F. Saifina, A. T. Gubaidullin, S. R. Egorova, A. A. Lamberov, M. P. Danilaev, L. Y. Zakharova (2019). "Nanosized carriers for hydrophobic compounds based on mesoporous silica: synthesis and adsorption properties." *Russian Chemical Bulletin* 68(7): 1358-1365. doi:10.1007/s1172-019-2562-8
- 1435.[21] Putz, A. M., L. Almáši, A. Len, C. Ianași (2019). "Functionalized silica materials synthesized via co-condensation and post-grafting methods." *Fullerenes Nanotubes and Carbon Nanostructures* 27(4): 323-332. doi:10.1080/1536383X.2019.1593154
- 1436.[22] Scott, M. C., G. D. de Souza, K. J. Ciuffi, E. H. de Faria, L. A. Rocha, E. J. Nassar (2019). "Luminescent mesoporous films containing europium III complex." *Microporous and Mesoporous Materials* 277: 179-183. doi:10.1016/j.micromeso.2018.10.032
- 1437.[23] Wang, W., X. Ren, W. Yang, C. Zhang, H. Ru (2019a). "Hierarchical mesoporous silica microspheres prepared by partitioned cooperative self-assembly process using sodium silicate as precursor and their drug release performance." *Microporous and Mesoporous Materials* 275: 50-60. doi:10.1016/j.micromeso.2018.08.017
- 1438.[24] Wang, X., C. Li, N. Fan, J. Li, H. Zhang, L. Shang, Z. He, J. Sun (2019b). "Amino functionalized chiral mesoporous silica nanoparticles for improved loading and release of poorly water-soluble drug." *Asian Journal of Pharmaceutical Sciences* 14(4): 405-412. doi:10.1016/j.ajps.2018.04.002
- 1439.[25] Zhang, W., N. Zheng, L. Chen, L. Xie, M. Cui, S. Li, L. Xu (2019). "Effect of shape on mesoporous silica nanoparticles for oral delivery of indomethacin." *Pharmaceutics* 11(1). doi:10.3390/pharmaceutics11010004
- 1440.[26] Guo, Y., L. Wu, K. Gou, Y. Wang, B. Hu, Y. Pang, S. Li, H. Li (2020). "Functional mesoporous silica nanoparticles for delivering nimesulide with chiral recognition performance." *Microporous and Mesoporous Materials* 294. doi:10.1016/j.micromeso.2019.109862
- 1441.[27] Ke, J., Y. Wang, L. Wang, B. Yang, K. Gou, Y. Qin, S. Li, H. Li (2020). "Synthesis and characterization of core-shell mesoporous silica nanoparticles with various shell thickness as indomethacin carriers: In vitro and in vivo evaluation." *Microporous and Mesoporous Materials* 297. doi:10.1016/j.micromeso.2020.110043
- 1442.[28] Lu, T., G. Li, J. Li (2020). "Biomimetic silica xerogel regulates indometacin release and oral bioavailability by virtue of chiral pores." *Microporous and Mesoporous Materials* 294. doi:10.1016/j.micromeso.2019.109834
- 1443.[29] Zhang, P., T. Lu, X. Xia, L. Wu, L. Shao, J. Zhou, J. Li (2020). "How biomimetic amino modified mesoporous silica xerogel regulates loading and in vitro sustained delivery of levorotary ofloxacin." *Materials Science and Engineering C* 107. doi:10.1016/j.msec.2019.110266
- 1444.[30] Jiang, Q., L. Wu, Y. Zheng, X. Xia, P. Zhang, T. Lu, J. Li (2021). "Biomimetic micellar mesoporous silica xerogel performs superior nitrendipine dissolution, systemic stability and cellular transmembrane transport." *Materials Science and Engineering C* 118. doi:10.1016/j.msec.2020.111372
- 1445.[31] Shi, X., P. Zhang, L. Wu, X. Zhao, J. Jiang, J. Li, B. Yang (2021). "Trypsin templated biomimetic large mesoporous silica performs favorable advantages in delivering poorly water-soluble drug." *Materials Science and Engineering: B* 271. doi:10.1016/j.mseb.2021.115252
- 1446.[32] Zhang, R., M. Hua, H. Liu, J. Li (2021). "How to design nanoporous silica nanoparticles in regulating drug delivery: Surface modification and porous control." *Materials Science and Engineering: B* 263. doi:10.1016/j.mseb.2020.114835
- 1447.[33] Kazemzadeh, P., K. Sayadi, A. Toolabi, J. Sayadi, M. Zeraati, N. P. S. Chauhan, G. Sargazi (2022). "Structure-Property Relationship for Different Mesoporous Silica Nanoparticles and its Drug Delivery Applications: A Review." *Frontiers in Chemistry* 10. doi:10.3389/fchem.2022.823785
- 1448.[34] Mirgorodskaya, A. B., M. Y. Koroleva, R. A. Kushnazarova, E. V. Mishchenko, K. A. Petrov, O. A. Lenina, A. B. Vyshtakalyuk, A. D. Voloshina, L. Y. Zakharova (2022). "Microemulsions and nanoemulsions modified with cationic surfactants for improving the solubility and therapeutic efficacy of loaded drug indomethacin." *Nanotechnology* 33(15). doi:10.1088/1361-6528/ac467d
- 1449.[35] Kanniyappan, H., J. Jose, S. Chakraborty, M. Ramasamy, V. Muthuvijayan (2023). "pH-responsive drug release from positively charged mesoporous silica nanoparticles and their potential for anticancer drug delivery." *Journal of the Australian Ceramic Society* 59(1): 207-220. doi:10.1007/s41779-022-00827-x
- 1450.[36] Mohanan, S., X. Guan, M. Liang, A. Karakoti, A. Vinu (2023). "Stimuli-Responsive Silica Silanol Conjugates: Strategic Nanoarchitectonics in Targeted Drug Delivery." *Small*. doi:10.1002/smll.202301113

Публ. с IFN^o 67. Ivanova, Y.B., **Momekov, G.T.**, Petrov, O.I. New heterocyclic chalcones. Part 6. Synthesis and cytotoxic activities of 5- or 6-(3-aryl- 2-propenoyl)-2(3H)-benzoxazolones (2013) *Heterocyclic Communications*, 19 (1): 23-28. (IF 0,727) <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84876529374&doi=10.1515%2fhc-2012-0081&partnerID=40&md5=c15e4922202f42b7f253e86fd06d7aa1>
DOI: 10.1515/hc-2012-0081

Установени цитирания: в SCOPUS (13)

- 1451.[1] Abbas, A., H. Gökce, S. Bahçeli, M. M. Naseer (2014). "Spectroscopic (FT-IR, Raman, NMR and UV-vis.) and quantum chemical investigations of (E)-3-[4-(pentyloxy)phenyl]-1-phenylprop-2-en-1-one." *Journal of Molecular Structure* 1075: 352-364. doi:10.1016/j.molstruc.2014.07.001
- 1452.[2] Łączkowski, K. Z., K. Misiura, A. Biernasiuk, A. Malm, I. Grela (2014). "Synthesis and antimicrobial activities of novel 6-(1,3-thiazol-4-yl)-1,3-benzoxazol-2(3H)-one derivatives." *Heterocyclic Communications* 20(1): 41-46. doi:10.1515/hc-2013-0147
- 1453.[3] Saczewski, J., A. Kedzia, A. Jalińska (2014). "New derivatives of 4,6-dimethylisoxazolo[3,4-b]pyridin-3(1H)-one: Synthesis, tautomerism, electronic structure and antibacterial activity." *Heterocyclic Communications* 20(4): 215-223. doi:10.1515/hc-2014-0107
- 1454.[4] Liu, T., Y. N. Wang, X. Ge (2016). "Process improvement of 5-(N,N-dibenzylglycyl)salicylamide synthesis." *Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities* 30(5): 1153-1157. doi:10.3969/j.issn.1003-9015.2016.05.024
- 1455.[5] Nikonov, A. Y., I. V. Sterkhova, I. M. Lazarev, A. I. Albanov, N. F. Lazareva (2016). "Silylated derivatives of N-(2-hydroxyphenyl)acetamide: Synthesis and structure." *Journal of Molecular Structure* 1122: 10-17. doi:10.1016/j.molstruc.2016.05.072
- 1456.[6] Lazareva, N. F., A. Y. Nikonov, N. N. Chipanina, L. P. Oznobikhina, I. V. Sterkhova, A. I. Albanov (2017). "Silylation of N-(2-hydroxyphenyl)acetamide by methyl(organyl)dichlorosilanes: Structure and properties of resulting heterocycles." *Journal of Organometallic Chemistry* 846: 88-99. doi:10.1016/j.jorgchem.2017.05.061
- 1457.[7] Thirivedhi, A., R. V. Nadh, N. Srinivasu, K. Kaushal (2018). "Novel hybrid molecules of quinazoline chalcone derivatives: Synthesis and study of In Vitro cytotoxic activities." *Letters in Drug Design and Discovery* 15(7): 757-765. doi:10.2174/1570180814666171013162148
- 1458.[8] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, S. Levent, I. Gulcin, C. T. Supuran (2019). "Synthesis, cytotoxicities, and carbonic anhydrase inhibition potential of 6-(3-aryl-2-propenyl)-2(3H)-benzoxazolones." *Journal of Enzyme Inhibition and Medicinal Chemistry* 34(1): 1722-1729. doi:10.1080/14756366.2019.1670657
- 1459.[9] Bellamkonda, Y. N., S. P. V. Chamundeeswari (2020). "Structural, spectroscopic (NMR, FTIR, UV), Quantum chemical calculations and drug docking studies of 6-amino benzoxazol-2(3H)-one." *Chemical Data Collections* 28. doi:10.1016/j.cdc.2020.100413
- 1460.[10] Bentoumi, H., N. Chettibi, A. Djerourou, N. E. Aouf, M. Liacha (2020). "Sonochemical synthesis of some novel 6-iminobenzoxazolinones with potential antibacterial and antifungal activities." *UPB Scientific Bulletin, Series B: Chemistry and Materials Science* 82(1): 71-84.
- 1461.[11] Bilginer, S., H. I. Gul, F. S. Erdal, H. Sakagami, I. Gulcin (2020). "New halogenated chalcones with cytotoxic and carbonic anhydrase inhibitory properties: 6-(3-Halogenated phenyl-2-propen-1-yl)-2(3H)-benzoxazolones." *Archiv der Pharmazie* 353(6). doi:10.1002/ardp.201900384
- 1462.[12] Erdag, E., E. Becer, Y. Mulazim, H. S. Vatansever, H. Kabadayı, B. Kesanli (2020). "Synthesis and apoptotic activities of new 2(3H)-benzoxazolone derivatives in breast cancer cells." *Anti-Cancer Agents in Medicinal Chemistry* 21(1): 84-90. doi:10.2174/1871520620666200721125820
- 1463.[13] Kurutos, A., S. Minkovska, P. T. Nedialkov, Y. V. Fedorov (2022). "Facile and environmentally benign synthetic approach to the selective mono-chlorination and mono-bromination of benzo[d]OXAZOL-2(3H)-ONES." *Journal of Heterocyclic Chemistry* 59(10): 1824-1831. doi:10.1002/jhet.4522

Публ. с IFN[№] 68. Kostova, B., Kamenska, E., **Momekov, G.**, Rachev, D., Georgiev, G., Balashev, K. Synthesis and characterization of novel drug delivery nanoparticles based on polyzwitterionic copolymers (2013) *European Polymer Journal*, 49 (3): 637-645. (IF 3,242)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84874709226&doi=10.1016%2fj.eurpolymj.2012.12.003&partnerID=40&md5=374d14993bf9e9f160f9ee1f8ec26249)

[84874709226&doi=10.1016%2fj.eurpolymj.2012.12.003&partnerID=40&md5=374d14993bf9e9f160f9ee1f8ec26249](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84874709226&doi=10.1016%2fj.eurpolymj.2012.12.003&partnerID=40&md5=374d14993bf9e9f160f9ee1f8ec26249)

DOI: 10.1016/j.eurpolymj.2012.12.003

Установени цитирания: в SCOPUS (3)

- 1464.[1] Andonova, V., P. Zagorchev, P. Katsarov, M. Kassanova (2015). "Eye drops with nanoparticles as drug delivery systems." *International Journal of Pharmacy and Pharmaceutical Sciences* 7(2): 431-435.
- 1465.[2] Amgoth, C., G. Dharmapuri, A. M. Kalle, P. Paik (2016). "Nanoporous capsules of block co-polymers of [(MeO-PEG-NH)-b-(L-GluA)]-PCL for the controlled release of anticancer drugs for therapeutic applications." *Nanotechnology* 27(12). doi:10.1088/0957-4484/27/12/125101
- 1466.[3] Pompitchanarong, C., T. Rojanarata, P. Opanasopit, P. Patrojanasophon, T. Ngawhirunpat (2018). Synthesis of N-vinylpyrrolidone/Acrylic acid nanoparticles for drug delivery: Method optimization. *MATEC Web of Conferences*.

Публ. с IFN[№] 69. Stoyanova, E., Mitova, V., Shestakova, P., Kowalczyk, A., **Momekov, G.**, Momekova, D., Marcinkowski, A., Koseva, N. Reversibly PEGylated nanocarrier for cisplatin delivery (2013) *Journal of Inorganic Biochemistry*, 120: 54-62. (IF 3,274)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84872160055&doi=10.1016%2fj.jinorgbio.2012.12.005&partnerID=40&md5=ef00fd25c70f2a9f1600fb9774885a02)

[84872160055&doi=10.1016%2fj.jinorgbio.2012.12.005&partnerID=40&md5=ef00fd25c70f2a9f1600fb9774885a02](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84872160055&doi=10.1016%2fj.jinorgbio.2012.12.005&partnerID=40&md5=ef00fd25c70f2a9f1600fb9774885a02)

DOI: 10.1016/j.jinorgbio.2012.12.005

Установени цитирания: в SCOPUS (4)

- 1467.[1] Cai, L. L., N. Qiu, M. L. Xiang, R. S. Tong, J. F. Yan, L. He, J. Y. Shi, T. Chen, J. L. Wen, W. W. Wang, L. J. Chen (2013). "Improving aqueous solubility and antitumor effects by nanosized gambogic acid-mPEG2000 micelles." *International Journal of Nanomedicine* 9(1): 243-255. doi:10.2147/IJN.S54050
- 1468.[2] Kim, J., S. Pramanick, D. Lee, H. Park, W. J. Kim (2015). "Polymeric biomaterials for the delivery of platinum-based anticancer drugs." *Biomaterials Science* 3(7): 1002-1017. doi:10.1039/c5bm00039d
- 1469.[3] Qiu, J., H. Zhang, Z. Wang, S. Liu, J. M. Regenstein (2016). "Response surface methodology for the synthesis of an Auricularia auriculajudae polysaccharides-CDDP complex." *International Journal of Biological Macromolecules* 93: 333-343. doi:10.1016/j.ijbiomac.2016.06.066
- 1470.[4] González Torres, M., J. Cerna Cortez, R. Balam Muñoz Soto, A. Ríos Perez, H. Pfeiffer, G. Leyva Gómez, J. Zúñiga Ramos, A. L. Rivera (2018). "Synthesis of gamma radiation-induced PEGylated cisplatin for cancer treatment." *RSC Advances* 8(60): 34718-34725. doi:10.1039/c8ra06296j

Публ. с IF№ 70. Tsekova, D., Gorolomova, P., Gochev, G., Skumryev, V., **Momekov, G.**, Momekova, D., Gencheva, G. Synthesis, structure and in vitro cytotoxic studies of novel paramagnetic palladium(III) complexes with hematoporphyrin IX (2013) Journal of Inorganic Biochemistry, 124: 54-62. (IF 3,274)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84876167818&doi=10.1016%2fj.jinorgbio.2013.03.012&partnerID=40&md5=f0a08f3739bdb55dcccdb4b13f30f36d3)

[84876167818&doi=10.1016%2fj.jinorgbio.2013.03.012&partnerID=40&md5=f0a08f3739bdb55dcccdb4b13f30f36d3](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84876167818&doi=10.1016%2fj.jinorgbio.2013.03.012&partnerID=40&md5=f0a08f3739bdb55dcccdb4b13f30f36d3)

DOI: 10.1016/j.jinorgbio.2013.03.012

Установени цитирания: в SCOPUS (9)

- 1471.[1] Deepthi, S. B., R. Trivedi, L. Giribabu, P. Sujitha, C. G. Kumar (2014). "Palladium(II) carbohydrate complexes of alkyl, aryl and ferrocenyl esters and their cytotoxic activities." *Inorganica Chimica Acta* 416: 164-170. doi:10.1016/j.ica.2014.03.018
- 1472.[2] de Lima, E. M., C. C. Kanunfre, L. F. de Andrade, D. Granato, N. D. Rosso (2015). "Cytotoxic effect of inositol hexaphosphate and its Ni(II) complex on human acute leukemia Jurkat T cells." *Toxicology in Vitro* 29(8): 2081-2088. doi:10.1016/j.tiv.2015.08.018
- 1473.[3] Harvey, P. D., S. Tasan, C. P. Gros, C. H. Devillers, P. Richard, P. Le Gendre, E. Bodio (2015). "Ruthenium and Osmium Complexes of Phosphine-Porphyrin Derivatives as Potential Bimetallic Theranostics: Photophysical Studies." *Organometallics* 34(7): 1218-1227. doi:10.1021/om5011808
- 1474.[4] Alam, M. N., F. Huq (2016). "Comprehensive review on tumour active palladium compounds and structure-activity relationships." *Coordination Chemistry Reviews* 316: 36-67. doi:10.1016/j.ccr.2016.02.001
- 1475.[5] Fanelli, M., M. Formica, V. Fusi, L. Giorgi, M. Micheloni, P. Paoli (2016). "New trends in platinum and palladium complexes as antineoplastic agents." *Coordination Chemistry Reviews* 310: 41-79. doi:10.1016/j.ccr.2015.11.004
- 1476.[6] Aydın, A., Ş. A. Korkmaz, V. Demir, Ş. Tekin (2017). "Anticancer and cytotoxic activities of [Cu(C₆H₁₆N₂O₂)₂][Ni(CN)₄] and [Cu(C₆H₁₆N₂O₂)Pd(CN)₄] cyanidometallate compounds on HT29, HeLa, C6 and vero cell lines." *Anti-Cancer Agents in Medicinal Chemistry* 17(6): 865-874. doi:10.2174/1871520617666170103102417
- 1477.[7] Biver, T., S. Aydinoglu, D. Greco, F. Macii (2018). "Mechanistic details on Pd(II)/5,10,15,20-tetrakis(1-methyl-4-pyridyl)porphyrin complex formation and reactivity in the presence of DNA." *Monatshefte für Chemie* 149(1): 175-183. doi:10.1007/s00706-017-2057-y
- 1478.[8] Aydın, A., Ş. A. Korkmaz (2019). "Evaluation of pharmacological activity of heterobimetallic coordination compounds containing n, n-bis (2-hydroxyethyl)-ethylenediamine on ht29, hela, c6 and vero cells." *Iranian Journal of Pharmaceutical Research* 18(4): 2011-2027. doi:10.22037/ijpr.2019.1100854
- 1479.[9] Sarbadhikary, P., B. P. George, H. Abrahamse (2022). "Potential Application of Photosensitizers With High-Z Elements for Synergic Cancer Therapy." *Frontiers in Pharmacology* 13. doi:10.3389/fphar.2022.921729

Публ. с IF№ 71. Bakalova, A., Buyukliev, R., Ivanova, Z., **Momekov, G.**, Ivanov, D. Platinum(IV) complexes with some derivatives of 5-methyl-5-(4-pyridyl) hydantoin. Synthesis, study and comparative pharmacological investigation (2013) Drug Research, 63 (8): 420-423. (IF 0,507)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-84898956287&doi=10.1055%2fs-0033-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84898956287&doi=10.1055%2fs-0033-1345109&partnerID=40&md5=4e70dfab016e27523cbe794bb06cc164)

[1345109&partnerID=40&md5=4e70dfab016e27523cbe794bb06cc164](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84898956287&doi=10.1055%2fs-0033-1345109&partnerID=40&md5=4e70dfab016e27523cbe794bb06cc164)

DOI: 10.1055/s-0033-1345109

Установени цитирания: в SCOPUS (2)

- 1480.[1] Beloglazkina, E. K., A. G. Majouga, A. V. Mironov, A. V. Yudina, O. Y. Kuznetsova, N. V. Zyk (2014). "Conversion of 2-thiohydantoins and their derivatives to the corresponding hydantoins in the processes of complexation reactions with copper(II) chloride dihydrate." *Polyhedron* 76: 45-50. doi:10.1016/j.poly.2014.03.045
- 1481.[2] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF№ 73. Stavrakov, G., Philipova, I., Valcheva, V., **Momekov, G.** Synthesis and antimycobacterial activity of novel camphane-based agents (2014) Bioorganic and Medicinal Chemistry Letters, 24 (1): 165-167. (IF 2,420)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891496334&doi=10.1016%2fj.bmcl.2013.11.050&partnerID=40&md5=4c6ec3b437d00d03ea7240dcac1a999)

[84891496334&doi=10.1016%2fj.bmcl.2013.11.050&partnerID=40&md5=4c6ec3b437d00d03ea7240dcac1a999](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891496334&doi=10.1016%2fj.bmcl.2013.11.050&partnerID=40&md5=4c6ec3b437d00d03ea7240dcac1a999)

DOI: 10.1016/j.bmcl.2013.11.050

Установени цитирания: в SCOPUS (17)

- 1482.[1] Gu, X., L. Wang, Y. F. Gao, W. Ma, Y. M. Li, P. Gong (2014). "The synthesis of enantioenriched α -hydroxy esters." *Tetrahedron Asymmetry* 25(24): 1573-1580. doi:10.1016/j.tetasy.2014.11.004
- 1483.[2] Xu, S., L. Pei, D. Li, H. Yao, H. Cai, H. Yao, X. Wu, J. Xu (2014a). "Synthesis and antimycobacterial evaluation of natural oridonin and its enmein-type derivatives." *Fitoterapia* 99(1): 300-306. doi:10.1016/j.fitote.2014.10.005
- 1484.[3] Xu, S., D. Li, L. Pei, H. Yao, C. Wang, H. Cai, H. Yao, X. Wu, J. Xu (2014b). "Design, synthesis and antimycobacterial activity evaluation of natural oridonin derivatives." *Bioorganic and Medicinal Chemistry Letters* 24(13): 2811-2814. doi:10.1016/j.bmcl.2014.04.119
- 1485.[4] Dos Santos Fernandes, G. F., D. H. Jornada, P. C. De Souza, C. M. Chin, F. R. Pavan, J. L. Dos Santos (2015). "Current advances in antitubercular drug discovery: Potent prototypes and new targets." *Current Medicinal Chemistry* 22(27): 3133-3161. doi:10.2174/0929867322666150818103836
- 1486.[5] Ganihigama, D. U., S. Sureram, S. Sangher, P. Hongmanee, T. Aree, C. Mahidol, S. Ruchirawat, P. Kittakoop (2015). "Antimycobacterial activity of natural products and synthetic agents: Pyrrolodiquinolines and vermillion as anti-tubercular leads against clinical multidrug resistant isolates of *Mycobacterium tuberculosis*." *European Journal of Medicinal Chemistry* 89: 1-12. doi:10.1016/j.ejmech.2014.10.026
- 1487.[6] Sokolova, A. S., E. A. Morozova, V. G. Vasilev, O. I. Yarovaia, T. G. Tolstikova, N. F. Salakhutdinov (2015a). "Curare-like camphor derivatives and their biological activity." *Russian Journal of Bioorganic Chemistry* 41(2): 178-185. doi:10.1134/S1068162015020156

- 1488.[7] Sokolova, A. S., O. I. Yarovaya, A. V. Shernyukov, Y. V. Gatilov, Y. V. Razumova, V. V. Zarubaev, T. S. Tretiak, A. G. Pokrovsky, O. I. Kiselev, N. F. Salakhutdinov (2015b). "Discovery of a new class of antiviral compounds: Camphor imine derivatives." *European Journal of Medicinal Chemistry* 105: 263-273. doi:10.1016/j.ejmech.2015.10.010
- 1489.[8] Stepanovs, D., D. Posevins, M. Turks (2015). "Crystal structures of two (\pm)-exo-N-isobornylacetamides." *Acta Crystallographica Section E: Crystallographic Communications* 71: 1117-1120. doi:10.1107/S2056989015015984
- 1490.[9] Grošelj, U., A. Golobič, D. Knez, M. Hrast, S. Gobec, S. Ričko, J. Svete (2016). "Synthesis and preliminary biological evaluations of (+)-isocampholenic acid-derived amides." *Molecular Diversity* 20(3): 667-676. doi:10.1007/s11030-016-9668-9
- 1491.[10] Shokova, E. A., J. K. Kim, V. V. Kovalev (2016). "Camphor and its derivatives. Unusual transformations and biological activity." *Russian Journal of Organic Chemistry* 52(4): 459-488. doi:10.1134/S1070428016040011
- 1492.[11] Guo, H., J. Li, D. Liu, W. Zhang (2017). "The Synthesis of Chiral α -Aryl α -Hydroxy Carboxylic Acids via RuPHOX-Ru Catalyzed Asymmetric Hydrogenation." *Advanced Synthesis and Catalysis* 359(20): 3665-3673. doi:10.1002/adsc.201700846
- 1493.[12] Salakhutdinov, N. F., K. P. Volcho, O. I. Yarovaya (2017). Monoterpenes as a renewable source of biologically active compounds. *Pure and Applied Chemistry*.
- 1494.[13] Sokolova, A. S., O. I. Yarovaya, D. S. Baev, A. V. Shernyukov, A. A. Shtro, V. V. Zarubaev, N. F. Salakhutdinov (2017). "Aliphatic and alicyclic camphor imines as effective inhibitors of influenza virus H1N1." *European Journal of Medicinal Chemistry* 127: 661-670. doi:10.1016/j.ejmech.2016.10.035
- 1495.[14] Artyushin, O. I., A. A. Moiseeva, V. V. Zarubaev, A. V. Slita, A. V. Galochkina, A. A. Muryleva, S. S. Borisevich, O. I. Yarovaya, N. F. Salakhutdinov, V. K. Brel (2019). "Synthesis of Camphene and Cytisine Conjugates Using Click Chemistry Methodology and Study of Their Antiviral Activity." *Chemistry and Biodiversity* 16(11). doi:10.1002/cbdv.201900340
- 1496.[15] Souza, M. R. P., N. P. Coelho, V. P. Baldin, R. B. L. Scodro, R. F. Cardoso, C. C. da Silva, F. Vandresen (2019). "Synthesis of novel (-)-Camphene-based thiosemicarbazones and evaluation of anti-Mycobacterium tuberculosis activity." *Natural Product Research* 33(23): 3372-3377. doi:10.1080/14786419.2018.1478829
- 1497.[16] Liu, Y., Z. Fu, H. Dong, J. Zhang, Y. Mao, M. Zheng, C. Liao (2023). "Asymmetric C1 Extension of Aldehydes through Biocatalytic Cascades for Stereodivergent Synthesis of Mandelic Acids." *Angewandte Chemie - International Edition* 62(20). doi:10.1002/anie.202300906
- 1498.[17] Mo, M. Y., X. J. Wang, R. Z. Shen, C. Y. Hu, X. C. Li, G. W. Li, L. T. Liu (2024). "Enantiospecific Analysis of Carboxylic Acids Using Cinchona Alkaloid Dimers as Chiral Solvating Agents." *Analytical Chemistry*. doi:10.1021/acs.analchem.4c00053

Публ. с IF№ 74. **Momekov, G.**, Yossifov, D., Guenova, M., Michova, A., Stoyanov, N., Konstantinov, S., Ionkov, T., Sacheva, P., Ionkova, I. Apoptotic mechanisms of the biotechnologically produced arylnaphtalene lignan justicidin B in the acute myeloid leukemia-derived cell line HL-60 (2014) *Pharmacological Reports*, 66 (6): 1073-1076. (IF 1,928)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84908670158&doi=10.1016%2fj.pharep.2014.07.005&partnerID=40&md5=0cad4ae02f1baf50aa8e30f840dc19b>

DOI: 10.1016/j.pharep.2014.07.005

Установени цитирания: в SCOPUS (8)

- 1499.[1] Hemmati, S., H. Seradj (2016). "Justicidin B: A promising bioactive lignan." *Molecules* 21(7). doi:10.3390/molecules21070820
- 1500.[2] Al-Qathama, A., S. Gibbons, J. M. Prieto (2017). "Differential modulation of Bax/Bcl-2 ratio and onset of caspase-3/7 activation induced by derivatives of Justicidin B in human melanoma cells A375." *Oncotarget* 8(56): 95999-96012. doi:10.18632/oncotarget.21625
- 1501.[3] Bulgakov, V. P., Y. V. Vereshchagina, G. N. Veremeichik (2018). "Anticancer polyphenols from cultured plant cells: Production and new bioengineering strategies." *Current Medicinal Chemistry* 25(36): 4671-4692. doi:10.2174/0929867324666170609080357
- 1502.[4] Luo, J., J. Qin, Y. Fu, S. Zhang, X. Zhang, M. Yang (2018). "6'-hydroxy justicidin B triggers a critical imbalance in Ca²⁺ homeostasis and mitochondrion-dependent cell death in human leukemia K562 cells." *Frontiers in Pharmacology* 9(JUN). doi:10.3389/fphar.2018.00601
- 1503.[5] Nabatanzi, A., S. M. Nkadameng, N. Lall, J. D. Kabasa, L. J. McGaw (2020). "Ethnobotany, phytochemistry and pharmacological activity of *kigelia africana* (Lam.) Benth. (Bignoniaceae)." *Plants* 9(6): 1-29. doi:10.3390/plants9060753
- 1504.[6] Mascheretti, I., M. Alfieri, M. Lauria, F. Locatelli, R. Consonni, E. Cusano, R. A. Dougué Kentsop, M. Laura, G. Ottolina, F. Faoro, M. Mattana (2021). "New insight into justicidin b pathway and production in *linum austriacum*." *International Journal of Molecular Sciences* 22(5): 1-24. doi:10.3390/ijms22052507
- 1505.[7] Egbuna, C., K. C. Patrick-Iwuanyanwu, E. N. Onyeike, J. Khan, S. Palai, S. B. Patel, V. K. Parmar, G. Kushwaha, O. Singh, J. Jeevanandam, S. Kumarasamy, C. Z. Uche, M. Narayanan, M. Rudrapal, U. Odoh, I. Chikeokwu, M. A. Găman, K. Saravanan, J. C. Ifemeje, S. M. Ezzat, M. C. Olisah, C. J. Chikwendu, K. A. Adedokun, S. O. Imodoye, I. O. Bello, H. Twinomuhwezi, C. G. Awuchi (2023). "Phytochemicals and bioactive compounds effective against acute myeloid leukemia: A systematic review." *Food Science and Nutrition* 11(7): 4191-4210. doi:10.1002/fsn3.3420
- 1506.[8] Kuete, V., I. Hashim, L. K. Omosa (2024). Cytotoxic lignans, neolignans, and stilbenes from African medicinal plants. In: *Advances in Botanical Research* (Ed.).

Публ. с IF№ 75. Mitova, V., Slavcheva, S., Shestakova, P., Momekova, D., Stoyanov, N., **Momekov, G.**, Troev, K., Koseva, N. Polyphosphoester conjugates of dinuclear platinum complex: Synthesis and evaluation of cytotoxic and the proapoptotic activity (2014) *European Journal of Medicinal Chemistry*, 72: 127-136. (IF 3,447)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891278008&doi=10.1016%2fj.ejmech.2013.11.014&partnerID=40&md5=db843b3add0c80887af76feac8f549fa>

DOI: 10.1016/j.ejmech.2013.11.014

Установени цитирания: в SCOPUS (13)

- 1507.[1] Sobkowski, M., A. Kraszewski, J. Stawinski (2014). "Recent advances in H-phosphonate chemistry. Part 1. H-phosphonate esters: Synthesis and basic reactions." *Topics in Current Chemistry* 361: 137-178. doi:10.1007/128_2014_562

- 1508.[2] Steinmann, M., J. Markwart, F. R. Wurm (2014). "Poly(alkylidene chlorophosphate)s via acyclic diene metathesis polymerization: A general platform for the postpolymerization modification of poly(phosphoester)s." *Macromolecules* 47(24): 8506-8513. doi:10.1021/ma501959h
- 1509.[3] Liu, J., W. Huang, Y. Pang, D. Yan (2015). "Hyperbranched polyphosphates: synthesis, functionalization and biomedical applications." *Chemical Society Reviews* 44(12): 3942-3953. doi:10.1039/c5cs00318k
- 1510.[4] Wang, Q. K. (2015). "Synthesis and in vitro cytotoxicity of novel dinuclear platinum(II) complexes." *Asian Journal of Chemistry* 27(5): 1692-1694. doi:10.14233/ajchem.2015.17480
- 1511.[5] Wolf, T., T. Steinbach, F. R. Wurm (2015). "A Library of Well-Defined and Water-Soluble Poly(alkyl phosphonate)s with Adjustable Hydrolysis." *Macromolecules* 48(12): 3853-3863. doi:10.1021/acs.macromol.5b00897
- 1512.[6] Sun, Y. G., Y. N. Sun, L. X. You, Y. N. Liu, F. Ding, B. Y. Ren, G. Xiong, V. Dragutan, I. Dragutan (2016). "Novel mononuclear Pt²⁺ and Pd²⁺ complexes containing (2,3-f)pyrazino(1,10)phenanthroline-2,3-dicarboxylic acid as a multi-donor ligand. Synthesis, structure, interaction with DNA, in vitro cytotoxicity, and apoptosis." *Journal of Inorganic Biochemistry* 164: 129-140. doi:10.1016/j.jinorgbio.2016.09.008
- 1513.[7] Henke, H., O. Brüggemann, I. Teasdale (2017). "Branched Macromolecular Architectures for Degradable, Multifunctional Phosphorus-Based Polymers." *Macromolecular Rapid Communications* 38(4). doi:10.1002/marc.201600644
- 1514.[8] Kritchenkov, A. S., Y. M. Stanishchevskii, Y. A. Skorik (2019). "Design and Antitumor Activity of Platinum Complexes." *Pharmaceutical Chemistry Journal* 53(1): 6-14. doi:10.1007/s11094-019-01947-8
- 1515.[9] Tambe, P., N. Sayed, K. M. Paknikar, V. Gajbhiye (2019). Poly(Phospho Ester) and Poly(Phosphazene) Nanoparticles as a Promising Tool for Anticancer Therapeutics. In: *Polymeric Nanoparticles as a Promising Tool for Anti-cancer Therapeutics* (Ed.): 123-146.
- 1516.[10] Teasdale, I. (2019). "Stimuli-Responsive Phosphorus-Based Polymers." *European Journal of Inorganic Chemistry* 2019(11): 1445-1456. doi:10.1002/ejic.201801077
- 1517.[11] Strasser, P., I. Teasdale (2020). "Main-chain phosphorus-containing polymers for therapeutic applications." *Molecules* 25(7). doi:10.3390/molecules25071716
- 1518.[12] Nifant'ev, I. E., P. V. Ivchenko (2022). "Design, Synthesis and Actual Applications of the Polymers Containing Acidic P-OH Fragments: Part 1. Polyphosphodiester." *International Journal of Molecular Sciences* 23(23). doi:10.3390/ijms232314857
- 1519.[13] Shahiwal, A., K. S. Shaikh (2024). Polymer conjugates. In: *Polymers for Pharmaceutical and Biomedical Applications: Fundamentals, Selection, and Preparation* (Ed.): 261-289.

Публ. с IF № 76. Petkova, Z., Valcheva, V., **Momekov, G.**, Petrov, P., Dimitrov, V., Doytchinova, I., Stavrakov, G., Stoyanova, M. Antimycobacterial activity of chiral aminoalcohols with camphane scaffold (2014) *European Journal of Medicinal Chemistry*, 81: 150-157. (IF 3,447)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84900845090&doi=10.1016%2fj.ejmech.2014.05.007&partnerID=40&md5=1bbdc2d79753fe1fd1d133c51cd67a52>

DOI: 10.1016/j.ejmech.2014.05.007

Установени цитирания: в SCOPUS (13)

- 1520.[1] Dos Santos Fernandes, G. F., D. H. Jornada, P. C. De Souza, C. M. Chin, F. R. Pavan, J. L. Dos Santos (2015). "Current advances in antitubercular drug discovery: Potent prototypes and new targets." *Current Medicinal Chemistry* 22(27): 3133-3161. doi:10.2174/0929867322666150818103836
- 1521.[2] Ganihigama, D. U., S. Sureram, S. Sangher, P. Hongmanee, T. Aree, C. Mahidol, S. Ruchirawat, P. Kittakoop (2015). "Antimycobacterial activity of natural products and synthetic agents: Pyrrolodiquinolines and vermillionin as anti-tubercular leads against clinical multidrug resistant isolates of *Mycobacterium tuberculosis*." *European Journal of Medicinal Chemistry* 89: 1-12. doi:10.1016/j.ejmech.2014.10.026
- 1522.[3] Van Zyl, L., J. Du Plessis, J. Viljoen (2015). "Cutaneous tuberculosis overview and current treatment regimens." *Tuberculosis* 95(6): 629-638. doi:10.1016/j.tube.2014.12.006
- 1523.[4] Shokova, E. A., J. K. Kim, V. V. Kovalev (2016). "Camphor and its derivatives. Unusual transformations and biological activity." *Russian Journal of Organic Chemistry* 52(4): 459-488. doi:10.1134/S1070428016040011
- 1524.[5] Gonce, T., I. Malík, J. Csöllei, J. Jampilek, J. Stolaríková, I. Solovic, P. Miku, S. Keltoová, P. Kollár, J. O'Mahony, A. Coffey (2017). "Synthesis and in vitro antimycobacterial activity of novel n-arylpiperazines containing an ethane-1,2-diyl connecting chain." *Molecules* 22(12). doi:10.3390/molecules22122100
- 1525.[6] Li, B., J. Zhang, B. B. Yang, L. Li, X. X. Yang (2017). "Ring-locking strategy facilitating determination of absolute optical purity of 2-amino-1-butanol by reverse-phase high-performance liquid chromatography." *RSC Advances* 7(72): 45714-45720. doi:10.1039/c7ra09362d
- 1526.[7] Sun, M., J. Chen, J. Sun, H. Lu (2017). "One case of hand infection suspected of mycobacterium tuberculosis." *Chinese Journal of Infection and Chemotherapy* 17(2): 206-208. doi:10.16718/j.1009-7708.2017.02.018
- 1527.[8] Borys, K. M., A. Matuszewska, D. Wiczorek, K. Kopczyńska, J. Lipok, I. D. Madura, A. Adamczyk-Woźniak (2019). "Synthesis and structural elucidation of novel antifungal N-(fluorophenyl)piperazinyl benzoxaboroles and their analogues." *Journal of Molecular Structure* 1181: 587-598. doi:10.1016/j.molstruc.2019.01.018
- 1528.[9] Georgiadis, M. O., V. Kourbeli, V. Ioannidou, E. Karakitsos, I. Papanastasiou, A. Tsotinis, D. Komiotis, A. Vocat, S. T. Cole, M. C. Taylor, J. M. Kelly (2019). "Synthesis of diphenoxyadamantane alkylamines with pharmacological interest." *Bioorganic and Medicinal Chemistry Letters* 29(11): 1278-1281. doi:10.1016/j.bmcl.2019.04.010
- 1529.[10] Sokolova, A. S., D. V. Baranova, O. I. Yarova, D. S. Baev, O. A. Polezhaeva, A. V. Zybina, D. N. Shcherbakov, T. G. Tolstikova, N. F. Salakhutdinov (2019). "Synthesis of (1S)-(+)-camphor-10-sulfonic acid derivatives and investigations in vitro and in silico of their antiviral activity as the inhibitors of HIV virus infections." *Russian Chemical Bulletin* 68(5): 1041-1046. doi:10.1007/s11172-019-2517-0
- 1530.[11] Costacurta, G. F., M. R. P. Souza, E. G. Sampiron, A. L. Almeida, V. P. Baldin, A. L. Ieque, N. C. S. Santos, P. H. R. Amaral, C. C. Silva, V. L. D. Siqueira, K. R. Caleffi-Ferracioli, R. F. Cardoso, F. Vandresen, R. B. L. Scodro (2020). "Synthesis and biological evaluation of 12 novel (-)-camphene-based 1,3,4-thiadiazoles against *Mycobacterium tuberculosis*." *Future Microbiology* 15(9): 723-738. doi:10.2217/fmb-2019-0258
- 1531.[12] Duan, X., L. Zhang, H. Si, J. Song, P. Wang, S. Chen, H. Luo, X. Rao, Z. Wang, S. Liao (2022). "Synthesis, Antifungal Activity, Cytotoxicity and QSAR Study of Camphor Derivatives." *Journal of Fungi* 8(8). doi:10.3390/jof8080762
- 1532.[13] Moodley, R., C. Mashaba, G. H. Rakodi, N. B. Ncube, M. V. Maphoru, M. O. Balogun, A. Jordan, D. F. Warner, R. Khan, M. Tukulula (2022). "New Quinoline-Urea-Benzothiazole Hybrids as Promising Antitubercular Agents: Synthesis, In Vitro Antitubercular Activity, Cytotoxicity Studies, and In Silico ADME Profiling." *Pharmaceuticals* 15(5). doi:10.3390/ph15050576

Публ. с IF№ 77. Nikolova, A., **Momekov, G.**, Bakalova, A., Nikolova, K., Ivanov, D. Novel Ru(III) complexes with some benzothiazole derivatives: Synthesis, physicochemical and pharmacological investigations (2014) Drug Research, 65 (6): 317-322. (IF 0,701)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84930656045&doi=10.1055%2fs-0034-1382052&partnerID=40&md5=333f460541817462830456275d79bc5e>

DOI: 10.1055/s-0034-1382052

Установени цитирания: в SCOPUS (2)

- 1533.[1] Riccardi, C., D. Musumeci, M. Trifuoggi, C. Irace, L. Paduano, D. Montesarchio (2019). "Anticancer ruthenium(III) complexes and Ru(III)-containing nanoformulations: An update on the mechanism of action and biological activity." *Pharmaceuticals* 12(4). doi:10.3390/ph12040146
- 1534.[2] Irfan, A., F. Batool, S. A. Zahra Naqvi, A. Islam, S. M. Osman, A. Nocentini, S. A. Alissa, C. T. Supuran (2020). "Benzothiazole derivatives as anticancer agents." *Journal of Enzyme Inhibition and Medicinal Chemistry* 35(1): 265-279. doi:10.1080/14756366.2019.1698036

Публ. с IF№ 78. Voynikov, Y., Valcheva, V., **Momekov, G.**, Peikov, P., Stavrakov, G. Theophylline-7-acetic acid derivatives with amino acids as anti-tuberculosis agents (2014) Bioorganic and Medicinal Chemistry Letters, 24 (14): 3043-3045. (IF 2,420)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84902551805&doi=10.1016%2fj.bmcl.2014.05.026&partnerID=40&md5=b291b2d0b5beadf637a73de2703e330f>

DOI: 10.1016/j.bmcl.2014.05.026

Установени цитирания: в SCOPUS (33); в патенти (1); общо (34)

- 1535.[1] Krasnov, V. P., A. Y. Vigorov, D. A. Gruzdev, G. L. Levit, A. M. Demin, I. A. Nizova, A. A. Tumashov, L. S. Sadretdinova, E. B. Gorbunov, V. N. Charushin (2015). "Synthesis of enantiomers of N-(2-aminopurin-6-yl)amino acids." *Russian Chemical Bulletin* 64(9): 2106-2113. doi:10.1007/s11172-015-1125-x
- 1536.[2] Krasnov, V. P., A. Y. Vigorov, V. V. Musiyak, I. A. Nizova, D. A. Gruzdev, T. V. Matveeva, G. L. Levit, M. A. Kravchenko, S. N. Skornyakov, O. B. Bekker, V. N. Danilenko, V. N. Charushin (2016). "Synthesis and antimycobacterial activity of N-(2-aminopurin-6-yl) and N-(purin-6-yl) amino acids and dipeptides." *Bioorganic and Medicinal Chemistry Letters* 26(11): 2645-2648. doi:10.1016/j.bmcl.2016.04.017
- 1537.[3] Mocanu, A. M., C. Luca, I. Sandu, S. I. Dunca (2016). "Synthesis, characterization and evaluation antimicrobial activity of some new derivatives theophylline sulfonyl phenoxyacetic acids." *Revista de Chimie* 67(3): 584-588.
- 1538.[4] Gruzdev, D. A., E. N. Chulakov, G. L. Levit, M. A. Kravchenko, V. P. Krasnov, V. N. Charushin (2017). "Synthesis and antimycobacterial activity of novel purin-6-yl and 2-aminopurin-6-yl conjugates with (S)-aspartic and (S)-glutamic acids." *Mendeleev Communications* 27(6): 547-549. doi:10.1016/j.mencom.2017.11.002
- 1539.[5] Borowiecki, P., P. Wińska, M. Bretner, M. Gizińska, M. Koronkiewicz, M. Staniszevska (2018). "Synthesis of novel proxiphylline derivatives with dual Anti-Candida albicans and anticancer activity." *European Journal of Medicinal Chemistry* 150: 307-333. doi:10.1016/j.ejmech.2018.02.077
- 1540.[6] Gruzdev, D. A., V. V. Musiyak, G. L. Levit, V. P. Krasnov, V. N. Charushin (2018). "Purine derivatives with antituberculosis activity." *Russian Chemical Reviews* 87(6): 604-618. doi:10.1070/RCR4772
- 1541.[7] Mangasuli, S. N., K. M. Hosamani, H. C. Devarajegowda, M. M. Kurjogi, S. D. Joshi (2018). "Synthesis of coumarin-theophylline hybrids as a new class of anti-tubercular and anti-microbial agents." *European Journal of Medicinal Chemistry* 146: 747-756. doi:10.1016/j.ejmech.2018.01.025
- 1542.[8] Yousaf, M., A. F. Zahoor, S. Faiz, S. Javed, M. Irfan (2018). "Recent Synthetic Approaches Towards Biologically Potent Derivatives/Analogues of Theophylline." *Journal of Heterocyclic Chemistry* 55(11): 2447-2479. doi:10.1002/jhet.3311
- 1543.[9] Zhang, H. B., Q. K. Shen, H. Wang, C. Jin, Z. S. Quan (2018a). "Synthesis and evaluation of novel arctigenin derivatives as potential anti-Toxoplasma gondii agents." *European Journal of Medicinal Chemistry* 158: 414-427. doi:10.1016/j.ejmech.2018.08.08
- 1544.[10] Zhang, H. J., G. R. Zhang, H. R. Piao, Z. S. Quan (2018b). "Synthesis and characterisation of celastrol derivatives as potential anticancer agents." *Journal of Enzyme Inhibition and Medicinal Chemistry* 33(1): 190-198. doi:10.1080/14756366.2017.1404590
- 1545.[11] Guo, H. Y., C. Jin, H. M. Zhang, Q. K. Shen, Z. S. Quan (2019). "Synthesis and Biological Evaluation of (+)-Usnic Acid Derivatives as Potential Anti-Toxoplasma gondii Agents." *Journal of Agricultural and Food Chemistry* 67(34): 9630-9642. doi:10.1021/acs.jafc.9b02173
- 1546.[12] Khanapurmath, N., M. V. Kulkarni, S. D. Joshi, G. N. Anil Kumar (2019). "A click chemistry approach for the synthesis of cyclic ureido tethered coumarinyl and 1-aza coumarinyl 1,2,3-triazoles as inhibitors of Mycobacterium tuberculosis H37Rv and their in silico studies." *Bioorganic and Medicinal Chemistry* 27(20). doi:10.1016/j.bmc.2019.115054
- 1547.[13] Musiyak, V. V., D. A. Gruzdev, M. A. Kravchenko, D. V. Vakhrusheva, G. L. Levit, V. P. Krasnov, V. N. Charushin (2019). "Synthesis and antimycobacterial activity of purine conjugates with (S)-lysine and (S)-ornithine." *Mendeleev Communications* 29(1): 11-13. doi:10.1016/j.mencom.2019.01.002
- 1548.[14] Fotopoulos, I., D. Hadjipavlou-Litina (2020). "Hybrids of coumarin derivatives as potent and multifunctional bioactive agents: A review." *Medicinal Chemistry* 16(3): 272-306. doi:10.2174/1573406415666190416121448
- 1549.[15] Gopinatha, V. K., K. Mantelingu, K. S. Rangappa (2020). "Synthesis and biological evaluation of theophylline acetohydrazide hydrazone derivatives as antituberculosis agents." *Journal of the Chinese Chemical Society* 67(8): 1453-1461. doi:10.1002/jccs.201900558
- 1550.[16] Krasnov, V. P., G. L. Levit, V. V. Musiyak, D. A. Gruzdev, V. N. Charushin (2020). "Fragment-based approach to novel bioactive purine derivatives." *Pure and Applied Chemistry* 92(8): 1277-1295. doi:10.1515/pac-2019-1214
- 1551.[17] Machníková, R., L. Janovská, L. Brulíková (2020). "Solid-phase synthetic approach towards new pyrimidines as potential antibacterial agents." *Journal of Molecular Structure* 1200. doi:10.1016/j.molstruc.2019.127101
- 1552.[18] Shahzadi, I., A. F. Zahoor, A. Rasul, N. Rasool, Z. Raza, S. Faisal, B. Parveen, S. Kamal, M. Zia-ur-Rehman, F. M. Zahid (2020). "Synthesis, anticancer, and computational studies of 1, 3, 4-oxadiazole-purine derivatives." *Journal of Heterocyclic Chemistry* 57(7): 2782-2794. doi:10.1002/jhet.3987
- 1553.[19] Singh, S., Z. Fatima, K. Ahmad, S. Hameed (2020). "Repurposing of respiratory drug theophylline against Candida albicans: mechanistic insights unveil alterations in membrane properties and metabolic fitness." *Journal of Applied Microbiology* 129(4): 860-875. doi:10.1111/jam.14669
- 1554.[20] Venkateshappa, G., P. Raghavendra Kumar (2020). "Synthesis, Characterization and Antimicrobial Activity of N-2-(4-Chlorophenyl)acetyl Derivatives of (S)-Amino Acids." *Asian Journal of Chemistry* 32(2): 381-384. doi:10.14233/ajchem.2020.22416

- 1555.[21] Borowiecki, P., M. Mlynek, M. Dranka (2021). "Chemoenzymatic synthesis of enantiomerically enriched diprophylline and xanthinol nicotinate." *Bioorganic Chemistry* 106. doi:10.1016/j.bioorg.2020.104448
- 1556.[22] Khan, F. A., R. Khanam, M. Wasim Qasim, Y. Wang, Z. H. Jiang (2021). "Improved Synthesis of D-Isoglutamine: Rapid Access to Desmuramyl Analogues of Muramyl Dipeptide for the Activation of Intracellular NOD2 Receptor and Vaccine Adjuvant Applications." *European Journal of Organic Chemistry* 2021(48): 6688-6699. doi:10.1002/ejoc.202101170
- 1557.[23] Musiyak, V. V., I. A. Nizova, E. N. Chulakov, L. S. Sadretdinova, A. A. Tumashov, G. L. Levit, V. P. Krasnov (2021). "Stereochemical aspects in the synthesis of novel N-(purin-6-yl)dipeptides as potential antimycobacterial agents." *Amino Acids* 53(3): 407-415. doi:10.1007/s00726-021-02958-0
- 1558.[24] Reddy, D. S., M. Kongot, A. Kumar (2021). "Coumarin hybrid derivatives as promising leads to treat tuberculosis: Recent developments and critical aspects of structural design to exhibit anti-tubercular activity." *Tuberculosis* 127. doi:10.1016/j.tube.2020.102050
- 1559.[25] Scimmi, C., M. Cardinali, L. Abenante, M. Amatista, F. G. Nacca, E. J. Lenardao, L. Sancineto, C. Santi (2021). "Q-Tube®-Assisted Alkylation and Arylation of Xanthenes and Other N-H-Containing Heterocycles in Water." *Chemistry (Switzerland)* 3(4): 1126-1137. doi:10.3390/chemistry3040082
- 1560.[26] Shahzadi, I., A. F. Zahoor, A. Rasul, A. Mansha, S. Ahmad, Z. Raza (2021). "Synthesis, hemolytic studies, and in silico modeling of novel acefylline-1,2,4-triazole hybrids as potential anti-cancer agents against MCF-7 and A549." *ACS Omega* 6(18): 11943-11953. doi:10.1021/acsomega.1c00424
- 1561.[27] Shang, F. F., M. Y. Wang, J. P. Ai, Q. K. Shen, H. Y. Guo, C. M. Jin, F. E. Chen, Z. S. Quan, L. Jin, C. Zhang (2021). "Synthesis and evaluation of mycophenolic acid derivatives as potential anti-Toxoplasma gondii agents." *Medicinal Chemistry Research* 30(12): 2228-2239. doi:10.1007/s00044-021-02803-9
- 1562.[28] Dorababu, A. (2022). "Pharmacological report of recently designed multifunctional coumarin and coumarin-heterocycle derivatives." *Archiv der Pharmazie* 355(2). doi:10.1002/ardp.202100345
- 1563.[29] Khan, F. A., S. Yaqoob, M. W. Qasim, S. Ali, Y. Wang, Z. H. Jiang (2022). "A Robust, Gram-Scale and High-Yield Synthesis of MDP Congeners for Activation of the NOD2 Receptor and Vaccine Adjuvantation." *Synthesis (Germany)* 56(4): 539-548. doi:10.1055/a-2004-5883
- 1564.[30] Shahzadi, I., A. F. Zahoor, B. Parveen, A. Rasul, Z. Raza, S. Ahmad, A. Irfan, G. A. El-Hiti (2022). "Acefylline Derivatives as a New Class of Anticancer Agents: Synthesis, Molecular Docking, and Anticancer, Hemolytic, and Thrombolytic Activities of Acefylline-Triazole Hybrids." *Journal of Chemistry* 2022. doi:10.1155/2022/3502872
- 1565.[31] Huang, X., Z. Liu, Z. S. Quan, H. Y. Guo, Q. K. Shen (2023). "Synthesis and structure-activity relationship studies of fusidic acid derivatives as anti-inflammatory agents for acute lung injury." *Bioorganic Chemistry* 141. doi:10.1016/j.bioorg.2023.106885
- 1566.[32] Li, L. S., L. Yang, L. Zhuang, Z. Y. Ye, W. G. Zhao, W. P. Gong (2023). "From immunology to artificial intelligence: revolutionizing latent tuberculosis infection diagnosis with machine learning." *Military Medical Research* 10(1). doi:10.1186/s40779-023-00490-8
- 1567.[33] Managutti, P. B., S. N. Mangasuli, S. S. Malaganvi (2023). "Synthesis, crystal structure, electronic structure, and anti-tubercular properties of two new coumarin derivatives bearing theophylline moiety." *Journal of Molecular Structure* 1277. doi:10.1016/j.molstruc.2022.134888
- 1568.[34] <https://patents.google.com/patent/CN114717582A/en>

Публ. с IF № 79. Drakalska, E., Momekova, D., Manolova, Y., Budurova, D., **Momekov, G.**, Genova, M., Antonov, L., Lambov, N., Rangelov, S. Hybrid liposomal PEGylated calix[4]arene systems as drug delivery platforms for curcumin (2014) *International Journal of Pharmaceutics*, 472 (1-2): 165-174. (IF 3,650)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84903128596&doi=10.1016%2fj.ijpharm.2014.06.034&partnerID=40&md5=eaa1521227e86b744ca8da7ffa823549>

DOI: 10.1016/j.ijpharm.2014.06.034

Установени цитирания: в SCOPUS (27)

- 1569.[1] Yadav, D., N. Kumar (2014). "Nanonization of curcumin by antisolvent precipitation: Process development, characterization, freeze drying and stability performance." *International Journal of Pharmaceutics* 477(1-2): 564-577. doi:10.1016/j.ijpharm.2014.10.070
- 1570.[2] Chao, M., W. Li, X. Wang (2015). "Evaluation of calixarenes as antioxidants in complex lithium grease." *Chemistry Letters* 44(3): 396-398. doi:10.1246/cl.141019
- 1571.[3] Patra, S., E. Roy, P. Karfa, S. Kumar, R. Madhuri, P. K. Sharma (2015). "Dual-responsive polymer coated superparamagnetic nanoparticle for targeted drug delivery and hyperthermia treatment." *ACS Applied Materials and Interfaces* 7(17): 9235-9246. doi:10.1021/acsami.5b01786
- 1572.[4] Zhou, Y., H. Li, Y. W. Yang (2015). "Controlled drug delivery systems based on calixarenes." *Chinese Chemical Letters* 26(7): 825-828. doi:10.1016/j.ccl.2015.01.038
- 1573.[5] Feng, R., P. Deng, Z. Song, W. Chu, W. Zhu, F. Teng, F. Zhou (2017). "Glycyrrhetic acid-modified PEG-PCL copolymeric micelles for the delivery of curcumin." *Reactive and Functional Polymers* 111: 30-37. doi:10.1016/j.reactfunctpolym.2016.12.011
- 1574.[6] Sahandi Zangabad, P., M. Karimi, F. Mehdizadeh, H. Malekzad, A. Ghasemi, S. Bahrami, H. Zare, M. Moghooei, A. Hekmatmanesh, M. R. Hamblin (2017). "Nanocaged platforms: Modification, drug delivery and nanotoxicity. Opening synthetic cages to release the tiger." *Nanoscale* 9(4): 1356-1392. doi:10.1039/c6nr07315h
- 1575.[7] Consoli, G. M. L., G. Granata, C. Geraci (2018). Calixarene-based micelles. In: *Design and Development of New Nanocarriers* (Ed.): 89-143.
- 1576.[8] Ermakova, A. M., J. E. Morozova, Y. V. Shalaeva, V. V. Syakaev, A. T. Gubaidullin, A. D. Voloshina, V. V. Zobov, I. R. Nizameev, O. B. Bazanova, I. S. Antipin, A. I. Konovalov (2018). "Nanoconjugates of a calixresorcinarene derivative with methoxy poly(ethylene glycol) fragments for drug encapsulation." *Beilstein Journal of Nanotechnology* 9(1): 2057-2070. doi:10.3762/bjnano.9.195
- 1577.[9] Pisagatti, L., L. Barbera, G. Gattuso, S. Patanè, M. F. Parisi, A. Notti (2018). "Novel PEGylated calix[5]arenes as carriers for Rose Bengal." *Supramolecular Chemistry* 30(8): 658-663. doi:10.1080/10610278.2018.1455976
- 1578.[10] Jana, S., K. K. Suryavanshi, S. Maiti, S. Jana (2019). Calixarenes containing supramolecular vehicles for drug delivery. In: *Polysaccharide Carriers for Drug Delivery* (Ed.): 477-495.
- 1579.[11] Santoso, P., C. Anwar, D. Siswanta, K. Ohto (2019). "Adsorption study of Pb(II) onto a novel calix[4]resorcinarene-chitosan hybrid." *Desalination and Water Treatment* 143: 268-273. doi:10.5004/dwt.2019.23549
- 1580.[12] Kirila, T., A. Smirnova, A. Razina, A. Tenkovtsev, A. Filippov (2020). "Synthesis and conformational characteristics of thermosensitive star-shaped six-arm polypeptoids." *Polymers* 12(4). doi:10.3390/POLYM12040800
- 1581.[13] Oguz, M., A. A. Bhatti, B. Dogan, S. Karakurt, S. Durdagi, M. Yilmaz (2020). "Formation of the inclusion complex of water soluble fluorescent calix[4]arene and naringenin: solubility, cytotoxic effect and molecular modeling studies." *Journal of Biomolecular Structure and Dynamics* 38(13): 3801-3813. doi:10.1080/07391102.2019.1668301

- 1582.[14] Zhou, Z. Y., X. Yu, H. Liu, M. Wang (2020). "Study progress of supramolecular drug delivery system loading traditional Chinese medicine/natural anti-tumor products." *Zhongguo Zhongyao Zazhi* 45(7): 1611-1619. doi:10.19540/j.cnki.cjmm.20200207.307
- 1583.[15] Guo, F., T. Xia, P. Xiao, Q. Wang, Z. Deng, W. Zhang, G. Diao (2021). "A supramolecular complex of hydrazide-pillar[5]arene and bisdemethoxycurcumin with potential anti-cancer activity." *Bioorganic Chemistry* 110. doi:10.1016/j.bioorg.2021.104764
- 1584.[16] Hansen, P. E. (2021). "Structural studies of β -diketones and their implications on biological effects." *Pharmaceutics* 14(11). doi:10.3390/ph14111189
- 1585.[17] Kirila, T., A. Smirnova, V. Aseyev, A. Tenkovtsev, H. Tenhu, A. Filippov (2021). "Self-organization in dilute aqueous solutions of thermoresponsive star-shaped six-arm poly-2-alkyl-2-oxazines and poly-2-alkyl-2-oxazolines." *Polymers* 13(9). doi:10.3390/polym13091429
- 1586.[18] Lebrón, J. A., M. López-López, C. B. García-Calderón, I. V. Rosado, F. R. Balestra, P. Huertas, R. V. Rodik, V. I. Kalchenko, E. Bernal, M. L. Moyá, P. López-Cornejo, F. J. Ostos (2021). "Multivalent calixarene-based liposomes as platforms for gene and drug delivery." *Pharmaceutics* 13(8). doi:10.3390/pharmaceutics13081250
- 1587.[19] Paliwal, R., S. R. Paliwal (2021). *Advances in Nanochemoprevention: Controlled Delivery of Phytochemical Bioactives*.
- 1588.[20] Pan, Y. C., X. Y. Hu, D. S. Guo (2021). "Biomedical Applications of Calixarenes: State of the Art and Perspectives." *Angewandte Chemie - International Edition* 60(6): 2768-2794. doi:10.1002/anie.201916380
- 1589.[21] Fahmy, S. A., E. Preis, A. A. Dayyih, M. Alawak, H. M. El-Said Azzazy, U. Bakowsky, T. Shoeib (2022). "Thermosensitive Liposomes Encapsulating Nedaplatin and Picoplatin Demonstrate Enhanced Cytotoxicity against Breast Cancer Cells." *ACS Omega* 7(46): 42115-42125. doi:10.1021/acsomega.2c04525
- 1590.[22] Mohammadi, A., H. Abdolvand, S. A. Ayati Najafabadi, F. Nejaddehbashi, S. Beigi-Boroujeni, P. Makvandi, H. Daemi (2022). "Antibacterial Host-Guest Intercalated LDH-Adorned Polyurethane for Accelerated Dermal Wound Healing." *ACS Applied Bio Materials* 5(12): 5800-5815. doi:10.1021/acsbm.2c00805
- 1591.[23] Yang, Y., S. Liu, H. Liu, Q. Li, H. Zhang, Z. Hu, X. Lu, X. Ji (2022). "Water-soluble fluorescent supramolecular polymer network with sustainable "Fluorescence on" based on AIEgen-containing host-guest interactions." *Giant* 11. doi:10.1016/j.giant.2022.100112
- 1592.[24] Zhang, W., J. Yang, X. Li, T. Chen, S. Park, M. Bae, D. Jung, L. Lin, S. H. Paek, Y. Piao (2022). "Anticancer pH-Responsive Supramolecular Vesicles Fabricated Using Water-Soluble Pillar[5]arene and Curcumin Derivative." *Materials and Design* 222. doi:10.1016/j.matdes.2022.111084
- 1593.[25] Blokhin, A. N., N. D. Kozina, A. B. Razina, A. V. Tenkovtsev (2023). "Binding of Curcumin to Star Polyoazolines in Aqueous Solutions." *Polymer Science - Series A* 65(1): 22-26. doi:10.1134/S0965545X23700657
- 1594.[26] Iranshahy, M., M. Y. Hanafi-Bojd, S. H. Aghili, M. Iranshahi, S. M. Nabavi, S. Saberi, R. Filosa, I. F. Nezhad, M. Hasanpour (2023). "Curcumin-loaded mesoporous silica nanoparticles for drug delivery: synthesis, biological assays and therapeutic potential - a review." *RSC Advances* 13(32): 22250-22267. doi:10.1039/d3ra02772d
- 1595.[27] Sentoukas, T., A. Forys, L. Otulakowski, A. Marcinkowski, S. Pispas, B. Trzebiecka (2024). "Hydroxypropyl methacrylate stars as versatile carriers of therapeutic agents." *Journal of Applied Polymer Science* 141(18). doi:10.1002/app.55305

Публ. с IF № 80. Bakalova, A., Buyukliev, R., **Momekov, G.** Palladium complexes with 3-substituted derivatives of 5-methyl-5-(4-pyridyl)hydantoins. Synthesis, study and in vitro cytotoxicity (2014) *Croatica Chemica Acta*, 87 (3): 195-199. (IF 0,728)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84919768388&doi=10.5562/2fcca2360&partnerID=40&md5=d73d9c120c716a16625bb8f587b33129)

[84919768388&doi=10.5562/2fcca2360&partnerID=40&md5=d73d9c120c716a16625bb8f587b33129](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84919768388&doi=10.5562/2fcca2360&partnerID=40&md5=d73d9c120c716a16625bb8f587b33129)

DOI: 10.5562/cca2360

Установени цитирания: в SCOPUS (4)

- 1596.[1] López-López, L. I., D. A. de Loera-Carrera, E. de Jesús Rivera-Ávalos, A. Sáenz-Galindo (2018). "Hydantoin and derivatives as framework in medicinal chemistry: Recent approaches." *Afinidad* 75(584): 279-289.
- 1597.[2] Vojtek, M., M. P. M. Marques, I. M. P. L. V. O. Ferreira, H. Mota-Filipe, C. Diniz (2019). "Anticancer activity of palladium-based complexes against triple-negative breast cancer." *Drug Discovery Today* 24(4): 1044-1058. doi:10.1016/j.drudis.2019.02.01
- 1598.[3] Ferraro, M. G., M. Piccolo, G. Misso, R. Santamaria, C. Irace (2022). "Bioactivity and Development of Small Non-Platinum Metal-Based Chemotherapeutics." *Pharmaceutics* 14(5). doi:10.3390/pharmaceutics14050954
- 1599.[4] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF № 81. Bakalova, A., Buyukliev, R., Varbanov, H., **Momekov, G.** Design, synthesis and comparative cytotoxic investigation of platinum(II) complexes with some derivatives of 5-methyl-5-(4-pyridyl)hydantoin (2014) *Inorganica Chimica Acta*, 423 (PB): 46-51. (IF 2,046)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84910119700&doi=10.1016/2fj.ica.2014.07.030&partnerID=40&md5=853d8f4d3c1d55d16f6c5896458ea1cd)

[84910119700&doi=10.1016/2fj.ica.2014.07.030&partnerID=40&md5=853d8f4d3c1d55d16f6c5896458ea1cd](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84910119700&doi=10.1016/2fj.ica.2014.07.030&partnerID=40&md5=853d8f4d3c1d55d16f6c5896458ea1cd)

DOI: 10.1016/j.ica.2014.07.030

Установени цитирания: в SCOPUS (6)

- 1600.[1] Sekulić, T. D., S. Keleman, K. Tot, J. Tota, N. Trišović, G. Ušćumlić (2016). "In silico study of chromatographic lipophilicity parameters of 3-(4-Substituted Benzyl)-5-Phenylhydantoins." *Combinatorial Chemistry and High Throughput Screening* 19(6): 437-443.
- 1601.[2] Bai, L., C. Gao, Q. Liu, C. Yu, Z. Zhang, L. Cai, B. Yang, Y. Qian, J. Yang, X. Liao (2017). "Research progress in modern structure of platinum complexes." *European Journal of Medicinal Chemistry* 140: 349-382. doi:10.1016/j.ejmech.2017.09.034
- 1602.[3] Haghdoost, M., G. Golbaghi, M. Létourneau, S. A. Patten, A. Castonguay (2017). "Lipophilicity-antiproliferative activity relationship study leads to the preparation of a ruthenium(II) arene complex with considerable in vitro cytotoxicity against cancer cells and a lower in vivo toxicity in zebrafish embryos than clinically approved cis-platin." *European Journal of Medicinal Chemistry* 132: 282-293. doi:10.1016/j.ejmech.2017.03.029
- 1603.[4] Konnert, L., F. Lamaty, J. Martinez, E. Colacino (2017). "Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold." *Chemical Reviews* 117(23): 13757-13809. doi:10.1021/acs.chemrev.7b00067

- 1604.[5] Su, W. Y., R. K. Pan, J. L. Song, G. B. Li, S. G. Liu (2019). "Synthesis, crystal structures and cytotoxic activity of two zinc(II) complexes derived from benzimidazole derivatives." *Polyhedron* 161: 268-275. doi:10.1016/j.poly.2019.01.012
- 1605.[6] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF № 82. Nedialkov, P.T., **Momekov, G.**, Kokanova-Nedialkova, Z.K., Heilmann, J. Polyprenylated phloroglucinols from *Hypericum maculatum* (2015) *Natural Product Communications*, 10 (7): 1231-1235. (IF 0,906)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84946917670&doi=10.1177%2f1934578x1501000724&partnerID=40&md5=780bdcd1f9219bb015289150281e7fb2)

[84946917670&doi=10.1177%2f1934578x1501000724&partnerID=40&md5=780bdcd1f9219bb015289150281e7fb2](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84946917670&doi=10.1177%2f1934578x1501000724&partnerID=40&md5=780bdcd1f9219bb015289150281e7fb2)

DOI: 10.1177/1934578x1501000724

Установени цитирания: в SCOPUS (5)

- 1606.[1] Gaid, M., E. Biedermann, J. Füller, P. Haas, S. Behrends, R. Krull, S. Scholl, U. Wittstock, C. Müller-Goymann, L. Beerhues (2018). "Biotechnological production of hyperforin for pharmaceutical formulation." *European Journal of Pharmaceutics and Biopharmaceutics* 126: 10-26. doi:10.1016/j.ejpb.2017.03.024
- 1607.[2] Napoli, E., L. Siracusa, G. Ruberto, A. Carrubba, S. Lazzara, A. Speciale, F. Cimino, A. Saija, M. Cristani (2018). "Phytochemical profiles, phototoxic and antioxidant properties of eleven *Hypericum* species – A comparative study." *Phytochemistry* 152: 162-173. doi:10.1016/j.phytochem.2018.05.003
- 1608.[3] Yang, X. W., R. B. Grossman, G. Xu (2018). "Research Progress of Polycyclic Polyprenylated Acylphloroglucinols." *Chemical Reviews* 118(7): 3508-3558. doi:10.1021/acs.chemrev.7b00551
- 1609.[4] Zhang, N., Z. Shi, Y. Guo, S. Xie, Y. Qiao, X. N. Li, Y. Xue, Z. Luo, H. Zhu, C. Chen, L. Hu, Y. Zhang (2019). "The absolute configurations of hyperlongenols A-C: Rare 12,13-: Seco-spirocyclic polycyclic polyprenylated acylphloroglucinols with enolizable β,β' -tricarboxyl systems from *Hypericum longistylum* Oliv." *Organic Chemistry Frontiers* 6(9): 1491-1502. doi:10.1039/c9qo00245f
- 1610.[5] Caldeira, G. I., L. P. Gouveia, R. Serrano, O. D. Silva (2022). "Hypericum Genus as a Natural Source for Biologically Active Compounds." *Plants* 11(19). doi:10.3390/plants11192509

Публ. с IF № 83. Bakalova, A., Buyukliev, R., **Momekov, G.** Synthesis, DFT calculations and cytotoxic investigation of platinum complexes with 3-thiolanespiro-5'-hydantoin and 4-thio-1H-tetrahydropyranespiro-5'-hydantoin (2015) *Journal of Molecular Structure*, 1091: 118-124. (IF 1,602)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84924797787&doi=10.1016%2fj.molstruc.2015.02.055&partnerID=40&md5=d733c1b14ddcb4517675824eea4e523d)

[84924797787&doi=10.1016%2fj.molstruc.2015.02.055&partnerID=40&md5=d733c1b14ddcb4517675824eea4e523d](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84924797787&doi=10.1016%2fj.molstruc.2015.02.055&partnerID=40&md5=d733c1b14ddcb4517675824eea4e523d)

DOI: 10.1016/j.molstruc.2015.02.055

Установени цитирания: в SCOPUS (16)

- 1611.[1] Krolenko, K. Y., O. V. Silin, S. V. Vlasov, I. O. Zhuravel, S. M. Kovalenko (2015). "An efficient synthesis of 1,3,7-triazaspiro[4.4]nonane-2,4-dione derivatives and antimicrobial activity thereof." *Chemistry of Heterocyclic Compounds* 51(5): 472-477. doi:10.1007/s10593-015-1721-6
- 1612.[2] Lorenzo, J., Á. M. Montaña (2016). "The molecular shape and the field similarities as criteria to interpret SAR studies for fragment-based design of platinum(IV) anticancer agents. Correlation of physicochemical properties with cytotoxicity." *Journal of Molecular Graphics and Modelling* 69: 39-60. doi:10.1016/j.jmgm.2016.07.010
- 1613.[3] Montaña, Á. M., J. Barcia, A. Corominas (2016a). "Synthetic methodology to prepare polysubstituted 2-aminopyrans. Synthesis of the C32-C38 subunit of immunosuppressant sanglifehrin A." *Tetrahedron* 72(32): 4798-4812. doi:10.1016/j.tet.2016.06.045
- 1614.[4] Montaña, Á. M., J. A. Barcia, P. M. Grima, G. Kociok-Köhn (2016b). "New methodology for the synthesis of tetrahydrofuro[3,2-b]furan-2(3H)-one derivatives, syntheses of natural products with biological interest." *Tetrahedron* 72(43): 6794-6806. doi:10.1016/j.tet.2016.09.004
- 1615.[5] Montaña, Á. M., A. Corominas, J. F. Chesa, F. García, M. Font-Bardia (2016c). "Regio- and Stereoselective Synthesis of Acetallic Tetrahydropyrans as Building Blocks for Natural Products Preparation, via a Tandem [4+3]-Cycloaddition/Ozonolysis Process." *European Journal of Organic Chemistry* 2016(27): 4674-4695. doi:10.1002/ejoc.201600590
- 1616.[6] Konnert, L., F. Lamaty, J. Martinez, E. Colacino (2017). "Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold." *Chemical Reviews* 117(23): 13757-13809. doi:10.1021/acs.chemrev.7b00067
- 1617.[7] Pourabdi, L., F. Osati, M. M. Mojtahedi, S. M. Abaee (2017). "A convenient one-pot synthesis of thiopyrano[4,3-b]pyran derivatives under LiOH•H₂O/EtOH/ultrasonic conditions." *Journal of Sulfur Chemistry* 38(1): 34-42. doi:10.1080/17415993.2016.1223299
- 1618.[8] Šebesta, F., J. V. Burda (2017). "Side Reactions with an Equilibrium Constraint: Detailed Mechanism of the Substitution Reaction of Tetraplatin with dGMP as a Starting Step of the Platinum(IV) Reduction Process." *Journal of Physical Chemistry B* 121(17): 4400-4413. doi:10.1021/acs.jpcc.7b01427
- 1619.[9] Montaña, Á. M., S. Ponzano, M. F. Sanasi, G. Kociok-Köhn (2018a). "Synthesis of the 10-oxabicyclo[5.2.1]decane framework present in bioactive natural products." *Organic and Biomolecular Chemistry* 16(9): 1557-1580. doi:10.1039/c8ob00194d
- 1620.[10] Montaña, Á. M., J. Lorenzo, S. Ponzano, M. F. Sanasi (2018b). "Design and synthesis of new antitumor agents with the 1,7-epoxycyclononane framework. Study of their anticancer action mechanism by a model compound." *Bioorganic and Medicinal Chemistry* 26(12): 3379-3398. doi:10.1016/j.bmc.2018.05.009
- 1621.[11] Tan, X., G. Li, Q. Wang, B. Wang, D. Li, P. G. Wang (2018). "Small Molecular Platinum(IV) Compounds as Antitumor Agents." *Progress in Chemistry* 30(6): 831-846. doi:10.7536/PC171212
- 1622.[12] El Hag, R., M. M. Abdusalam, C. Acilan, H. Kayı, Ş. Özalp-Yaman (2019). "Radical cleavage pathway and DNA docking studies of novel chemotherapeutic platinum agent of 5,6-di-2-ithienyl-2,3-dihydropyrazine." *Polyhedron* 170: 25-33. doi:10.1016/j.poly.2019.04.054
- 1623.[13] Vatannavaz, L., S. J. Sabounchei, A. Sedghi, R. Karamian, S. H. M. Farida, N. Rahmani (2020). "New nickel, palladium and platinum complexes of hydantoin derivative: Synthesis, characterization, theoretical study and biological activity." *Polyhedron* 181. doi:10.1016/j.poly.2020.114478
- 1624.[14] Kumar, V. (2021). "Designed Synthesis of Diversely Substituted Hydantoins and Hydantoin-Based Hybrid Molecules: A Personal Account." *Synlett* 32(19): 1897-1910. doi:10.1055/a-1480-6474

- 1625.[15] Vatannavaz, L., S. J. Sabounchei, A. Sedghi, R. Karamian, S. H. M. Farida, N. Rahmani (2021). "Synthesis, characterization, theoretical study and biological activity studies of the mercury (II) complexes of 5-methyl-5-(4-nitrophenyl)-hydantoin." *Journal of the Chinese Chemical Society* 68(11): 2140-2150. doi:10.1002/jccs.202100135
- 1626.[16] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207

Публ. с IF № 84. Jelezova, I., Drakalska, E., Momekova, D., Shalimova, N., **Momekov, G.**, Konstantinov, S., Rangelov, S., Pispas, S. Curcumin loaded pH-sensitive hybrid lipid/block copolymer nanosized drug delivery systems (2015) *European Journal of Pharmaceutical Sciences*, 78: 67-78. (IF 3,773)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84936970983&doi=10.1016%2fj.ejps.2015.07.005&partnerID=40&md5=3b7e9228a55614b865044326417a77a0)

[84936970983&doi=10.1016%2fj.ejps.2015.07.005&partnerID=40&md5=3b7e9228a55614b865044326417a77a0](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84936970983&doi=10.1016%2fj.ejps.2015.07.005&partnerID=40&md5=3b7e9228a55614b865044326417a77a0)

DOI: 10.1016/j.ejps.2015.07.005

Установени цитирания: в SCOPUS (36)

- 1627.[1] Mahmood, K., K. M. Zia, M. Zuber, M. Salman, M. N. Anjum (2015). "Recent developments in curcumin and curcumin based polymeric materials for biomedical applications: A review." *International Journal of Biological Macromolecules* 81: 877-890. doi:10.1016/j.ijbiomac.2015.09.026
- 1628.[2] Portincasa, P., L. Bonfrate, M. L. Scribano, A. Kohn, N. Caporaso, D. Festi, M. C. Campanale, T. Di Rienzo, M. Guarino, M. Taddia, M. V. Fogli, M. Grimaldi, A. Gasbarrini (2016). "Curcumin and fennel essential oil improve symptoms and quality of life in patients with irritable bowel syndrome." *Journal of Gastrointestinal and Liver Diseases* 25(2): 151-157.
- 1629.[3] Yan, T., D. Li, J. Li, F. Cheng, J. Cheng, Y. Huang, J. He (2016). "Effective co-delivery of doxorubicin and curcumin using a glycyrrhetic acid-modified chitosan-cystamine-poly(ϵ -caprolactone) copolymer micelle for combination cancer chemotherapy." *Colloids and Surfaces B: Biointerfaces* 145: 526-538. doi:10.1016/j.colsurfb.2016.05.070
- 1630.[4] Angelova, S., L. Antonov (2017). "Molecular Insight into Inclusion Complex Formation of Curcumin and Calix[4]arene." *ChemistrySelect* 2(30): 9658-9662. doi:10.1002/slct.201701865
- 1631.[5] Bruschi, M. L., F. B. Borghi-Pangoni, M. V. Junqueira, S. B. de Souza Ferreira, J. B. da Silva (2017). "Environmentally responsive systems for drug delivery." *Recent Patents on Drug Delivery and Formulation* 11(2): 89-100. doi:10.2174/1872211311666170328151455
- 1632.[6] Cui, T., Z. Sihao, H. Sun (2017). "Co-delivery of doxorubicin and pH-sensitive curcumin prodrug by transferrin-targeted nanoparticles for breast cancer treatment." *Oncology Reports* 37(2): 1253-1260. doi:10.3892/or.2017.5345
- 1633.[7] Dutta, B., K. C. Barick, G. Verma, V. K. Aswal, I. Freilich, D. Danino, B. G. Singh, K. I. Priyadarsini, P. A. Hassan (2017). "PEG coated vesicles from mixtures of Pluronic P123 and 1- α -phosphatidylcholine: Structure, rheology and curcumin encapsulation." *Physical Chemistry Chemical Physics* 19(39): 26821-26832. doi:10.1039/c7cp05303g
- 1634.[8] He, R. X., X. Ye, R. Li, W. Chen, T. Ge, T. Q. Huang, X. J. Nie, H. J. T. Chen, D. Y. Peng, W. D. Chen (2017). "PEGylated niosomes-mediated drug delivery systems for Paenonol: preparation, pharmacokinetics studies and synergistic anti-tumor effects with 5-FU." *Journal of Liposome Research* 27(2): 161-170. doi:10.1080/08982104.2016.1191021
- 1635.[9] Lee, Y., D. H. Thompson (2017). "Stimuli-responsive liposomes for drug delivery." *Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology* 9(5). doi:10.1002/wnan.1450
- 1636.[10] Su, Z. Q., Y. H. Liu, H. Z. Guo, C. Y. Sun, J. H. Xie, Y. C. Li, J. N. Chen, X. P. Lai, Z. R. Su, H. M. Chen (2017). "Effect-enhancing and toxicity-reducing activity of usnic acid in ascitic tumor-bearing mice treated with bleomycin." *International Immunopharmacology* 46: 146-155. doi:10.1016/j.intimp.2017.03.004
- 1637.[11] Xu, H. L., Z. L. Fan, D. L. ZhuGe, B. X. Shen, B. H. Jin, J. Xiao, C. T. Lu, Y. Z. Zhao (2017). "Therapeutic supermolecular micelles of vitamin E succinate-grafted ϵ -polylysine as potential carriers for curcumin: Enhancing tumour penetration and improving therapeutic effect on glioma." *Colloids and Surfaces B: Biointerfaces* 158: 295-307. doi:10.1016/j.colsurfb.2017.07.019
- 1638.[12] Camargo, L. E. A. D., D. Brustolin Ludwig, T. T. Tominaga, B. Carletto, G. M. Favero, R. M. Mainardes, N. M. Khalil (2018). "Bovine serum albumin nanoparticles improve the antitumor activity of curcumin in a murine melanoma model." *Journal of Microencapsulation* 35(5): 467-474. doi:10.1080/02652048.2018.1526340
- 1639.[13] Khan, S., M. Imran, T. T. Butt, S. W. Ali Shah, M. Sohail, A. Malik, S. Das, H. E. Thu, A. Adam, Z. Hussain (2018). "Curcumin based nanomedicines as efficient nanopatform for treatment of cancer: New developments in reversing cancer drug resistance, rapid internalization, and improved anticancer efficacy." *Trends in Food Science and Technology* 80: 8-22. doi:10.1016/j.tifs.2018.07.026
- 1640.[14] Li, L., J. Wang, H. Kong, Y. Zeng, G. Liu (2018). "Functional biomimetic nanoparticles for drug delivery and theranostic applications in cancer treatment." *Science and Technology of Advanced Materials* 19(1): 771-790. doi:10.1080/14686996.2018.1528850
- 1641.[15] Nandwana, V., A. Singh, M. M. You, G. Zhang, J. Higham, T. S. Zheng, Y. Li, P. V. Prasad, V. P. Dravid (2018). "Magnetic lipid nanocapsules (MLNCs): Self-assembled lipid-based nanoconstruct for non-invasive theranostic applications." *Journal of Materials Chemistry B* 6(7): 1026-1034. doi:10.1039/c7tb03160b
- 1642.[16] Silva, H. D., J. Poejo, A. C. Pinheiro, F. Donsi, A. T. Serra, C. M. M. Duarte, G. Ferrari, M. A. Cerqueira, A. A. Vicente (2018). "Evaluating the behaviour of curcumin nanoemulsions and multilayer nanoemulsions during dynamic in vitro digestion." *Journal of Functional Foods* 48: 605-613. doi:10.1016/j.jff.2018.08.002
- 1643.[17] Cao, C., Q. Wang, Y. Liu (2019). "Lung cancer combination therapy: Doxorubicin and β -elemene co-loaded, pH-sensitive nanostructured lipid carriers." *Drug Design, Development and Therapy* 13: 1087-1098. doi:10.2147/DDDT.S198003
- 1644.[18] Jana, S., K. K. Suryavanshi, S. Maiti, S. Jana (2019). Calixarenes containing supramolecular vehicles for drug delivery. In: *Polysaccharide Carriers for Drug Delivery* (Ed.): 477-495.
- 1645.[19] Liu, Y., P. Huang, X. Hou, F. Yan, Z. Jiang, J. Shi, X. Xie, J. Shen, Q. Fan, Z. Wang, N. Feng (2019). "Hybrid curcumin-phospholipid complex-near-infrared dye oral drug delivery system to inhibit lung metastasis of breast cancer." *International Journal of Nanomedicine* 14: 3311-3330. doi:10.2147/IJN.S200847
- 1646.[20] Lokova, A. Y., O. V. Zaborova (2019). "Modification of liposomes with a polycation can enhance the control of pH-induced release." *International Journal of Nanomedicine* 14: 1039-1049. doi:10.2147/IJN.S190306
- 1647.[21] Maghrebi, S., C. A. Prestidge, P. Joyce (2019). "An update on polymer-lipid hybrid systems for improving oral drug delivery." *Expert Opinion on Drug Delivery* 16(5): 507-524. doi:10.1080/17425247.2019.1605353

- 1648.[22] Silva, H. D., E. Beldiková, J. Poejo, L. Abrunhosa, A. T. Serra, C. M. M. Duarte, T. Brányik, M. A. Cerqueira, A. C. Pinheiro, A. A. Vicente (2019). "Evaluating the effect of chitosan layer on bioaccessibility and cellular uptake of curcumin nanoemulsions." *Journal of Food Engineering* 243: 89-100. doi:10.1016/j.jfoodeng.2018.09.007
- 1649.[23] de Souza Ferreira, S. B., G. Braga, É. L. D. Oliveira, H. C. Rosseto, N. Hioka, W. Caetano, M. L. Bruschi (2020). "Colloidal systems composed of poloxamer 407, different acrylic acid derivatives and curcuminoids: Optimization of preparation method, type of bioadhesive polymer and storage conditions." *Journal of Drug Delivery Science and Technology* 57. doi:10.1016/j.jddst.2020.101686
- 1650.[24] Ferreira, S. B. D. S., K. M. Slowik, L. V. D. Castro Hoshino, M. L. Baesso, C. Murdoch, H. E. Colley, M. L. Bruschi (2020). "Mucoadhesive emulgel systems containing curcumin for oral squamous cell carcinoma treatment: From pre-formulation to cytotoxicity in tissue-engineering oral mucosa." *European Journal of Pharmaceutical Sciences* 151. doi:10.1016/j.ejps.2020.105372
- 1651.[25] Hong, Y., S. Che, B. Hui, X. Wang, X. Zhang, H. Ma (2020). "Combination therapy of lung cancer using layer-by-layer cisplatin prodrug and curcumin co-encapsulated nanomedicine." *Drug Design, Development and Therapy* 14: 2263-2274. doi:10.2147/DDDT.S241291
- 1652.[26] Jiang, X., M. Lin, J. Huang, M. Mo, H. Liu, Y. Jiang, X. Cai, W. Leung, C. Xu (2020). "Smart Responsive Nanoformulation for Targeted Delivery of Active Compounds From Traditional Chinese Medicine." *Frontiers in Chemistry* 8. doi:10.3389/fchem.2020.559159
- 1653.[27] Kirila, T. U., M. P. Kurlykin, A. V. Tenkovtsev, A. P. Filippov (2020). "Synthesis of thermo- and pH-sensitive star-shaped poly(2-alkyl-2-oxazoline) and its properties in aqueous solutions with varying medium acidity." *International Journal of Polymer Analysis and Characterization*: 343-352. doi:10.1080/1023666X.2020.1788287
- 1654.[28] Li, L., X. Zhang, C. Pi, H. Yang, X. Zheng, L. Zhao, Y. Wei (2020). "Review of curcumin physicochemical targeting delivery system." *International Journal of Nanomedicine* 15: 9799-9821. doi:10.2147/IJN.S276201
- 1655.[29] Liu, Y., X. Xie, H. Chen, X. Hou, Y. He, J. Shen, J. Shi, N. Feng (2020). "Advances in next-generation lipid-polymer hybrid nanocarriers with emphasis on polymer-modified functional liposomes and cell-based-biomimetic nanocarriers for active ingredients and fractions from Chinese medicine delivery." *Nanomedicine: Nanotechnology, Biology, and Medicine* 29. doi:10.1016/j.nano.2020.102237
- 1656.[30] Atanasova, D., D. Staneva, I. Grabchev (2021). "Textile materials modified with stimuli-responsive drug carrier for skin topical and transdermal delivery." *Materials* 14(4): 1-18. doi:10.3390/ma14040930
- 1657.[31] De Leo, V., F. Milano, A. Agostiano, L. Catucci (2021). "Recent advancements in polymer/liposome assembly for drug delivery: From surface modifications to hybrid vesicles." *Polymers* 13(7). doi:10.3390/polym13071027
- 1658.[32] Mohammadzadeh, V., M. R. Zirak, S. M. Hosseini khah, H. Kamali, M. R. Jaafari (2021). "pH-sensitive nanocarriers for curcumin delivery in cancer therapy." *Journal of Drug Delivery Science and Technology* 66. doi:10.1016/j.jddst.2021.102879
- 1659.[33] Pan, Y. C., X. Y. Hu, D. S. Guo (2021). "Biomedical Applications of Calixarenes: State of the Art and Perspectives." *Angewandte Chemie - International Edition* 60(6): 2768-2794. doi:10.1002/anie.201916380
- 1660.[34] Huang, Z., G. Chen, F. Deng, Y. Li (2022). "Nanostructured Graphdiyne: Synthesis and Biomedical Applications." *International Journal of Nanomedicine* 17: 6467-6490. doi:10.2147/IJN.S383707
- 1661.[35] Kazemi-Andalib, F., M. Mohammadikish, U. Sahebi, A. Divsalar (2022). "pH-sensitive and targeted core-shell and yolk-shell microcarriers for in vitro drug delivery." *Journal of Drug Delivery Science and Technology* 75. doi:10.1016/j.jddst.2022.103633
- 1662.[36] de Souza Ferreira, S. B., R. G. Daré, B. L. Alves, L. V. de Castro Hoshino, M. L. Baesso, S. D. O. S. Laustenschlager, M. L. Bruschi (2024). "Development, in vitro and ex vivo evaluation of bioadhesive colloidal systems for curcumin skin delivery aiming the antioxidant and photoprotective activities." *Journal of Drug Delivery Science and Technology* 91. doi:10.1016/j.jddst.2023.105195

Публ. с IF№ 85. Bakalova, A., Nikolova-Mladenova, B., Buyukliev, R., Cherneva, E., **Momekov, G.**, Ivanov, D. Synthesis, DFT calculations and characterisation of new mixed Pt(II) complexes with 3-thiolanespiro-5'-hydantoin and 4-thio-1H-tetrahydropyranspiro-5'-hydantoin (2016) *Chemical Papers*, 70 (1): 93-100. (IF 1,258)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84946615615&doi=10.1515%2fchempap-2015-0194&partnerID=40&md5=0078d16094be39fa646948dc9e6820fd>

DOI: 10.1515/chempap-2015-0194

Установени цитирания: в SCOPUS (2)

- 1663.[1] Toropov, A. A., A. P. Toropova (2018). "Application of the Monte Carlo method for building up models for octanol-water partition coefficient of platinum complexes." *Chemical Physics Letters* 701: 137-146. doi:10.1016/j.cplett.2018.04.012
- 1664.[2] Lazić, A. M., L. D. Radovanović, B. Božić, B. Božić Nedeljković, V. D. Vitnik, Ž. J. Vitnik, J. R. Rogan, N. V. Valentić, G. S. Ušćumlić, N. P. Trišović (2019). "Synthesis, structural characterization, DFT calculations and antiproliferative evaluation of novel spirohydantoin derivatives containing a substituted benzyl moiety." *Journal of Molecular Structure* 1180: 48-62. doi:10.1016/j.molstruc.2018.11.071

Публ. с IF№ 86. Babikova, D., Kalinova, R., Zhelezova, I., Momekova, D., Konstantinov, S., **Momekov, G.**, Dimitrov, I. Functional block copolymer nanocarriers for anticancer drug delivery (2016) *RSC Advances*, 6 (88): 84634-84644. (IF 3,108)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84987657126&doi=10.1039%2fc6ra19236j&partnerID=40&md5=cdde559ed67eec3c0b857d9fb25f1bec>

DOI: 10.1039/c6ra19236j

Установени цитирания: в SCOPUS (6)

- 1665.[1] Dutta, B., K. C. Barick, G. Verma, V. K. Aswal, I. Freilich, D. Danino, B. G. Singh, K. I. Priyadarsini, P. A. Hassan (2017). "PEG coated vesicles from mixtures of Pluronic P123 and 1- α -phosphatidylcholine: Structure, rheology and curcumin encapsulation." *Physical Chemistry Chemical Physics* 19(39): 26821-26832. doi:10.1039/c7cp05303g
- 1666.[2] Yang, X., J. Xiong, P. Qiu, M. Chen, D. He, X. He, K. Wang, J. Tang (2017). "Synthesis of a core/satellite-like multifunctional nanocarrier for pH- and NIR-triggered intracellular chemothermal therapy and tumor imaging." *RSC Advances* 7(13): 7742-7752. doi:10.1039/c6ra27802g
- 1667.[3] Lombardo, D., M. T. Caccamo, P. Calandra (2019). Self-assembly of Amphiphilic Molecules. In: *21st Century Nanoscience - A Handbook: Design Strategies for Synthesis and Fabrication (Volume Two)*(Ed.): 11-1 and 11.

- 1668.[4] Kaur, J., M. Gulati, L. Corrie, A. Awasthi, N. K. Jha, D. K. Chellappan, G. Gupta, R. MacLoughlin, B. G. Oliver, K. Dua, S. K. Singh (2022a). "Role of nucleic acid-based polymeric micelles in treating lung diseases." *Nanomedicine* 17(25): 1951-1960. doi:10.2217/nmm-2022-0260
- 1669.[5] Kaur, J., M. Gulati, F. Zacconi, H. Dureja, R. Loebenberg, M. S. Ansari, O. AlOmeir, A. Alam, D. K. Chellappan, G. Gupta, N. K. Jha, T. J. A. Pinto, A. Morris, Y. E. Choonara, J. Adams, K. Dua, S. K. Singh (2022b). "Biomedical Applications of polymeric micelles in the treatment of diabetes mellitus: Current success and future approaches." *Expert Opinion on Drug Delivery* 19(7): 771-793. doi:10.1080/17425247.2022.2087629
- 1670.[6] Szweczyk-Lagodzińska, M., A. Plichta, M. Dębowski, S. Kowalczyk, A. Iuliano, Z. Florjańczyk (2023). "Recent Advances in the Application of ATRP in the Synthesis of Drug Delivery Systems." *Polymers* 15(5). doi:10.3390/polym15051234

Публ. с IF № 87. Ahmedova, A., Mihaylova, R., Momekova, D., Shestakova, P., Stoykova, S., Zaharieva, J., Yamashina, M., **Momekov, G.**, Akita, M., Yoshizawa, M. M₂L₄ coordination capsules with tunable anticancer activity upon guest encapsulation (2016) *Dalton Transactions*, 45 (33): 13214-13221. (IF 4,039)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84983319968&doi=10.1039/c6dt01801g&partnerID=40&md5=14b8285fe055a615ab652d946b593fe9)

[84983319968&doi=10.1039/c6dt01801g&partnerID=40&md5=14b8285fe055a615ab652d946b593fe9](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84983319968&doi=10.1039/c6dt01801g&partnerID=40&md5=14b8285fe055a615ab652d946b593fe9)

DOI: 10.1039/c6dt01801g

Установени цитирания: в SCOPUS (39)

- 1671.[1] Kaiser, F., A. Schmidt, W. Heydenreuter, P. J. Altmann, A. Casini, S. A. Sieber, F. E. Kühn (2016). "Self-Assembled Palladium and Platinum Coordination Cages: Photophysical Studies and Anticancer Activity." *European Journal of Inorganic Chemistry* 2016(33): 5189-5196. doi:10.1002/ejic.201600811
- 1672.[2] Casini, A., B. Woods, M. Wenzel (2017). "The Promise of Self-Assembled 3D Supramolecular Coordination Complexes for Biomedical Applications." *Inorganic Chemistry* 56(24): 14715-14729. doi:10.1021/acs.inorgchem.7b02599
- 1673.[3] Gupta, G., A. Das, K. C. Park, A. Tron, H. Kim, J. Mun, N. Mandal, K. W. Chi, C. Y. Lee (2017). "Self-Assembled Novel BODIPY-Based Palladium Supramolecules and Their Cellular Localization." *Inorganic Chemistry* 56(8): 4615-4621. doi:10.1021/acs.inorgchem.7b00260
- 1674.[4] Jansze, S. M., M. D. Wise, A. V. Vologzhanina, R. Scopelliti, K. Severin (2017). "PdII2L4-type coordination cages up to three nanometers in size." *Chemical Science* 8(3): 1901-1908. doi:10.1039/c6sc04732g
- 1675.[5] Kim, T. Y., L. Digal, M. G. Gardiner, N. T. Lucas, J. D. Crowley (2017). "Octahedral [Pd6L8]12+ Metallosupramolecular Cages: Synthesis, Structures and Guest-Encapsulation Studies." *Chemistry - A European Journal* 23(60): 15089-15097. doi:10.1002/chem.201702518
- 1676.[6] Kulakova, A. N., A. N. Bilyachenko, M. M. Levitsky, V. N. Khurstalev, A. A. Korlyukov, Y. V. Zubavichus, P. V. Dorovatovskii, F. Lamaty, X. Bantreil, B. Villemejeanne, J. Martinez, L. S. Shul'Pina, E. S. Shubina, E. I. Gutsul, I. A. Mikhailov, N. S. Ikonnikov, U. S. Tsareva, G. B. Shul'Pin (2017). "Si10Cu6N4 Cage Hexacoppersilsesquioxanes Containing N Ligands: Synthesis, Structure, and High Catalytic Activity in Peroxide Oxidations." *Inorganic Chemistry* 56(24): 15026-15040. doi:10.1021/acs.inorgchem.7b02320
- 1677.[7] Roy, B., A. Devaraj, R. Saha, S. Jharimune, K. W. Chi, P. S. Mukherjee (2017). "Catalytic Intramolecular Cycloaddition Reactions by Using a Discrete Molecular Architecture." *Chemistry - A European Journal* 23(62): 15704-15712. doi:10.1002/chem.201702507
- 1678.[8] Vasdev, R. A. S., D. Preston, J. D. Crowley (2017). "Multicavity Metallosupramolecular Architectures." *Chemistry - An Asian Journal* 12(19): 2513-2523. doi:10.1002/asia.201700948
- 1679.[9] Burke, B. P., W. Grantham, M. J. Burke, G. S. Nichol, D. Roberts, I. Renard, R. Hargreaves, C. Cawthorne, S. J. Archibald, P. J. Lusby (2018). "Visualizing Kinetically Robust Co III 4 L 6 Assemblies in Vivo: SPECT Imaging of the Encapsulated [99m Tc]TcO 4 - Anion." *Journal of the American Chemical Society* 140(49): 16877-16881. doi:10.1021/jacs.8b09582
- 1680.[10] Gupta, G., A. Das, J. Lee, N. Mandal, C. Y. Lee (2018). "Self-Assembled BODIPY-Based Iridium Metallarectangles: Cytotoxicity and Propensity to Bind Biomolecules." *ChemPlusChem* 83(5): 339-347. doi:10.1002/cplu.201800035
- 1681.[11] Rota Martir, D., D. B. Cordes, A. M. Z. Slawin, D. Escudero, D. Jacquemin, S. L. Warriner, E. Zysman-Colman (2018). "A luminescent [Pd4Ru8]24+ supramolecular cage." *Chemical Communications* 54(47): 6016-6019. doi:10.1039/c8cc02104j
- 1682.[12] Vasdev, R. A. S., L. F. Gaudin, D. Preston, J. P. Jogy, G. I. Giles, J. D. Crowley (2018). "Anticancer activity and cisplatin binding ability of Bis-quinoline and Bis-isoquinoline derived [Pd2L4]4+ metallosupramolecular cages." *Frontiers in Chemistry* 6(NOV). doi:10.3389/fchem.2018.00563
- 1683.[13] Pöthig, A., A. Casini (2019). "Recent developments of supramolecular metal-based structures for applications in cancer therapy and imaging." *Theranostics* 9(11): 3150-3169. doi:10.7150/thno.31828
- 1684.[14] Rota Martir, D., E. Zysman-Colman (2019). "Photoactive supramolecular cages incorporating Ru(ii) and Ir(iii) metal complexes." *Chemical Communications* 55(2): 139-158. doi:10.1039/C8CC08327D
- 1685.[15] Sen, S. K., R. Natarajan (2019). "Influence of Conformational Change and Interligand Hydrogen Bonding in a Chiral Metal-Organic Cage." *Inorganic Chemistry* 58(11): 7180-7188. doi:10.1021/acs.inorgchem.8b03610
- 1686.[16] Singh, N., S. Chan Kang, K. W. Chi (2019). CHAPTER 9: Applications of Self-assembled Metallomacrocycles I: Biological Applications. In: *Monographs in Supramolecular Chemistry* (Ed.). 2019-January: 226-250.
- 1687.[17] Steel, P. J., D. A. McMorran (2019). "Selective Anion Recognition by a Dynamic Quadruple Helicate." *Chemistry - An Asian Journal* 14(8): 1098-1101. doi:10.1002/asia.201801262
- 1688.[18] Wenzel, M. N., B. Woods, A. Casini (2019). Supramolecular Metal-based Structures for Applications in Cancer Therapy. In: *RSC Metallobiology* (Ed.). 2019-January: 217-245.
- 1689.[19] Zhu, C. Y., M. Pan, C. Y. Su (2019). "Metal-Organic Cages for Biomedical Applications." *Israel Journal of Chemistry* 59(3): 209-219. doi:10.1002/ijch.201800147
- 1690.[20] Jasiewicz, B., A. Sierakowska (2020). Caffeine and its analogs, antioxidants and applications. In: *Aging: Oxidative Stress and Dietary Antioxidants* (Ed.): 155-164.
- 1691.[21] Lewis, J. E. M., A. Tarzia, A. J. P. White, K. E. Jelfs (2020). "Conformational control of Pd2L4 assemblies with unsymmetrical ligands." *Chemical Science* 11(3): 677-683. doi:10.1039/c9sc05534g
- 1692.[22] Li, C., B. Zhang, Y. Dong, Y. Li, P. Wang, Y. Yu, L. Cheng, L. Cao (2020). "A tetraphenylethene-based Pd2L4metallacage with aggregation-induced emission and stimuli-responsive behavior." *Dalton Transactions* 49(24): 8051-8055. doi:10.1039/d0dt00469c
- 1693.[23] Lisboa, L. S., J. A. Findlay, L. J. Wright, C. G. Hartinger, J. D. Crowley (2020). "A Reduced-Symmetry Heterobimetallic [PdPtL4]4+ Cage: Assembly, Guest Binding, and Stimulus-Induced Switching." *Angewandte Chemie - International Edition* 59(27): 11101-11107. doi:10.1002/anie.202003220

- 1694.[24] McNeill, S. M., N. M. Giles, D. Preston, P. P. Jones, J. D. Crowley, G. I. Giles (2020). "Quadruply Stranded Metallo-Supramolecular Helicate [Pd2(hextrz)4]4+ Acts as a Molecular Mimic of Cytolytic Peptides." *Chemical Research in Toxicology* 33(7): 1822-1834. doi:10.1021/acs.chemrestox.0c00061
- 1695.[25] Samanta, S. K., L. Isaacs (2020). "Biomedical applications of metal organic polygons and polyhedra (MOPs)." *Coordination Chemistry Reviews* 410. doi:10.1016/j.ccr.2020.213181
- 1696.[26] Sun, Y., C. Chen, J. Liu, P. J. Stang (2020). "Recent developments in the construction and applications of platinum-based metallacycles and metallacages: Via coordination." *Chemical Society Reviews* 49(12): 3889-3919. doi:10.1039/d0cs00038h
- 1697.[27] Wang, Y. P., K. Wu, M. Pan, K. Li, J. T. Mo, X. H. Duan, H. Z. He, J. Shen, C. Y. Su (2020). "One-/Two-Photon Excited Cell Membrane Imaging and Tracking by a Photoactive Nanocage." *ACS Applied Materials and Interfaces* 12(32): 35873-35881. doi:10.1021/acsami.0c08462
- 1698.[28] Yadav, S., P. Kannan, G. Qiu (2020). "Cavity-based applications of metallo-supramolecular coordination cages (MSCCs)." *Organic Chemistry Frontiers* 7(18): 2842-2872. doi:10.1039/d0qo00681e
- 1699.[29] Lisboa, L. S., M. Riisom, R. A. S. Vasdev, S. M. F. Jamieson, L. J. Wright, C. G. Hartinger, J. D. Crowley (2021). "Cavity-Containing [Fe2L3]4+ Helicates: An Examination of Host-Guest Chemistry and Cytotoxicity." *Frontiers in Chemistry* 9. doi:10.3389/fchem.2021.697684
- 1700.[30] Lu, Z., S. Bai, Y. Shi, D. Xu, C. Chu, G. Liu (2021). "Artificial nanocage-based 3D framework platforms: From construction design to biomedical applications." *Chemical Engineering Journal* 426. doi:10.1016/j.cej.2021.131891
- 1701.[31] Tarzia, A., J. E. M. Lewis, K. E. Jelfs (2021). "High-Throughput Computational Evaluation of Low Symmetry Pd2L4 Cages to Aid in System Design**." *Angewandte Chemie - International Edition* 60(38): 20879-20887. doi:10.1002/anie.202106721
- 1702.[32] Aikman, B., R. Bonsignore, B. Woods, D. Doellerer, R. Scotti, C. Schmidt, A. A. Heidecker, A. Pöthig, E. J. Sayers, A. T. Jones, A. Casini (2022). "Highly-fluorescent BODIPY-functionalised metallacages as drug delivery systems: synthesis, characterisation and cellular accumulation studies." *Dalton Transactions*. doi:10.1039/d2dt00337f
- 1703.[33] Lisboa, L. S., M. Riisom, H. J. Dunne, D. Preston, S. M. F. Jamieson, L. J. Wright, C. G. Hartinger, J. D. Crowley (2022). "Hydrazone- and imine-containing [PdPtL4]4+ cages: a comparative study of the stability and host-guest chemistry." *Dalton Transactions* 51(48): 18438-18445. doi:10.1039/d2dt02720h
- 1704.[34] Schaapkens, X., J. N. H. Reek, T. J. Mooibroek (2022). "Selective binding of ReO4- And PtCl42- By a Pd2L4 cage in water." *Inorganic Chemistry Communications* 139. doi:10.1016/j.inoche.2022.109284
- 1705.[35] Bobylev, E. O., J. Ruijter, D. A. Poole, S. Mathew, B. de Bruin, J. N. H. Reek (2023a). "Effector Regulated Catalytic Cyclization of Alkynoic Acids Using Pt2L4 Cages." *Angewandte Chemie - International Edition* 62(16). doi:10.1002/anie.202218162
- 1706.[36] Bobylev, E. O., R. A. Knol, S. Mathew, D. A. Poole, I. Kotsogianni, N. I. Martin, B. de Bruin, A. Kros, J. N. H. Reek (2023b). "In vivo biodistribution of kinetically stable Pt2L4 nanospheres that show anti-cancer activity." *Chemical Science* 14(25): 6943-6952. doi:10.1039/d3sc01086d
- 1707.[37] Casini, A., R. A. Fischer, G. Moreno-Alcántar (2023). *Supramolecular metal-based molecules and materials for biomedical applications*. In: *Comprehensive Inorganic Chemistry III, Third Edition* (Ed.). 1-10: 714-743.
- 1708.[38] Montà-González, G., E. Ortiz-Gómez, R. López-Lima, G. Fiorini, R. Martínez-Mañez, V. Martí-Centelles (2024). "Water-Soluble Molecular Cages for Biological Applications." *Molecules* 29(7). doi:10.3390/molecules29071621
- 1709.[39] van Hilst, Q. V. C., A. C. Pearcy, D. Preston, L. J. Wright, C. G. Hartinger, H. J. L. Brooks, J. D. Crowley (2024). "A dynamic covalent approach to [PtLnL2n]2n+ cages." *Chemical Communications* 60(32): 4302-4305. doi:10.1039/d4cc00323c

Публ. с IF № 88. Grancharov, G., Gancheva, V., Kyulavska, M., Momekova, D., **Momekov, G.**, Petrov, P. Functional multilayered polymeric nanocarriers for delivery of mitochondrial targeted anticancer drug curcumin (2016) *Polymer*, 84: 27-37. (IF 3,864)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84952836844&doi=10.1016%2fj.polymer.2015.12.040&partnerID=40&md5=1ae1196b16c2f9f2b374d6d9d4b96440>

DOI: 10.1016/j.polymer.2015.12.040

Установени цитирания: в SCOPUS (12)

- 1710.[1] Battistella, C., H. A. Klok (2017). "Controlling and Monitoring Intracellular Delivery of Anticancer Polymer Nanomedicines." *Macromolecular Bioscience* 17(10). doi:10.1002/mabi.201700022
- 1711.[2] Bonadies, I., L. Maglione, V. Ambrogio, J. D. Paccet, L. F. Zerbini, L. F. Rocha e Silva, N. S. Picanço, W. P. Tadei, I. Grafova, A. Grafov, C. Carfagna (2017). "Electrospun core/shell nanofibers as designed devices for efficient Artemisinin delivery." *European Polymer Journal* 89: 211-220. doi:10.1016/j.eurpolymj.2017.02.015
- 1712.[3] Dadkhah Tehrani, A., M. Parsamanesh (2017). "Preparation, characterization and drug delivery study of a novel nanobiopolymeric multidrug delivery system." *Materials Science and Engineering C* 73: 516-524. doi:10.1016/j.msec.2016.12.103
- 1713.[4] Xu, Y., S. Wang, H. F. Chan, Y. Liu, H. Li, C. He, Z. Li, M. Chen (2017). "Triphenylphosphonium-modified poly(ethylene glycol)-poly(ϵ -caprolactone) micelles for mitochondria-targeted gambogic acid delivery." *International Journal of Pharmaceutics* 522(1-2): 21-33. doi:10.1016/j.ijpharm.2017.01.064
- 1714.[5] Goracinova, K., N. Geskovski, S. Dimchevska, X. Li, R. Gref (2018). Multifunctional core-shell polymeric and hybrid nanoparticles as anticancer nanomedicines. In: *Design of Nanostructures for Theranostics Applications* (Ed.): 109-160.
- 1715.[6] Esposito, C. L., V. G. Roullin, P. Kirilov (2019). Encapsulation of food ingredients by nanoorganogels (nanooleogels). In: *Lipid-Based Nanostructures for Food Encapsulation Purposes: Volume 2 in the Nanoencapsulation in the Food Industry series* (Ed.): 271-343.
- 1716.[7] Babić, M. M., M. Vukomanović, M. Stefanić, J. Nikodinović-Runić, S. L. Tomić (2020). "Controlled Curcumin Release from Hydrogel Scaffold Platform Based on 2-Hydroxyethyl Methacrylate/Gelatin/Alginate/Iron(III) Oxide." *Macromolecular Chemistry and Physics* 221(20). doi:10.1002/macp.202000186
- 1717.[8] Feng, Y. H., X. P. Zhang, Z. Q. Zhao, X. D. Guo (2020). "Dissipative Particle Dynamics Aided Design of Drug Delivery Systems: A Review." *Molecular Pharmaceutics* 17(6): 1778-1799. doi:10.1021/acs.molpharmaceut.0c00175
- 1718.[9] Sharma, D., B. K. Satapathy (2021). "Understanding release kinetics and collapse proof suture retention response of curcumin loaded electrospun mats based on aliphatic polyesters and their blends." *Journal of the Mechanical Behavior of Biomedical Materials* 120. doi:10.1016/j.jmbbm.2021.104556
- 1719.[10] Kalinova, R., I. Dimitrov (2022). "Triblock Copolymer Micelles with Tunable Surface Charge as Drug Nanocarriers: Synthesis and Physico-Chemical Characterization." *Nanomaterials* 12(3). doi:10.3390/nano12030434

- 1720.[11] Chountoules, M., D. Selianitis, S. Pispas, N. Pippa (2023). "Recent Advances on PEO-PCL Block and Graft Copolymers as Nanocarriers for Drug Delivery Applications." *Materials* 16(6). doi:10.3390/ma16062298
- 1721.[12] Gorachinov, F., F. Mraiche, D. A. Moustafa, O. Hishari, Y. Ismail, J. Joseph, M. S. Crcarevska, M. G. Dodov, N. Geskovski, K. Goracinova (2023). "Nanotechnology – a robust tool for fighting the challenges of drug resistance in non-small cell lung cancer." *Beilstein Journal of Nanotechnology* 14: 240-261. doi:10.3762/bjnano.14.23

Публ. с IF № 89. Ahmedova, A., Momekova, D., Yamashina, M., Shestakova, P., **Momekov, G.**, Akita, M., Yoshizawa, M. Anticancer Potencies of PtII- and PdII-linked M₂L₄ Coordination Capsules with Improved Selectivity (2016) *Chemistry - An Asian Journal*, 11 (4): 474-477. (IF 4,083)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0->

[84959510401&doi=10.1002%2fasia.201501238&partnerID=40&md5=e2015151561dca5597e294caa02e1969](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84959510401&doi=10.1002%2fasia.201501238&partnerID=40&md5=e2015151561dca5597e294caa02e1969)

DOI: 10.1002/asia.201501238

Установени цитирания: в SCOPUS (49)

- 1722.[1] Bloch, W. M., Y. Abe, J. J. Holstein, C. M. Wandtke, B. Dittrich, G. H. Clever (2016). "Geometric Complementarity in Assembly and Guest Recognition of a Bent Heteroleptic cis-[Pd2 L A2 L B2] Coordination Cage." *Journal of the American Chemical Society* 138(41): 13750-13755. doi:10.1021/jacs.6b08694
- 1723.[2] Kaiser, F., A. Schmidt, W. Heydenreuter, P. J. Altmann, A. Casini, S. A. Sieber, F. E. Kühn (2016). "Self-Assembled Palladium and Platinum Coordination Cages: Photophysical Studies and Anticancer Activity." *European Journal of Inorganic Chemistry* 2016(33): 5189-5196. doi:10.1002/ejic.201600811
- 1724.[3] Preston, D., J. E. Barnsley, K. C. Gordon, J. D. Crowley (2016a). "Controlled Formation of Heteroleptic [Pd2(La)2(Lb)2]4+ Cages." *Journal of the American Chemical Society* 138(33): 10578-10585. doi:10.1021/jacs.6b05629
- 1725.[4] Preston, D., S. M. McNeill, J. E. M. Lewis, G. I. Giles, J. D. Crowley (2016b). "Enhanced kinetic stability of [Pd2L4]4+ cages through ligand substitution." *Dalton Transactions* 45(19): 8050-8060. doi:10.1039/c6dt00133e
- 1726.[5] Schmidt, A., M. Hollering, M. Drees, A. Casini, F. E. Kühn (2016). "Supramolecular: Exo -functionalized palladium cages: Fluorescent properties and biological activity." *Dalton Transactions* 45(20): 8556-8565. doi:10.1039/c6dt00654j
- 1727.[6] Casini, A., B. Woods, M. Wenzel (2017). "The Promise of Self-Assembled 3D Supramolecular Coordination Complexes for Biomedical Applications." *Inorganic Chemistry* 56(24): 14715-14729. doi:10.1021/acs.inorgchem.7b02599
- 1728.[7] Gupta, G., A. Das, K. C. Park, A. Tron, H. Kim, J. Mun, N. Mandal, K. W. Chi, C. Y. Lee (2017). "Self-Assembled Novel BODIPY-Based Palladium Supramolecules and Their Cellular Localization." *Inorganic Chemistry* 56(8): 4615-4621. doi:10.1021/acs.inorgchem.7b00260
- 1729.[8] Jansze, S. M., M. D. Wise, A. V. Vologzhanina, R. Scopelliti, K. Severin (2017). "PdII2L4-type coordination cages up to three nanometers in size." *Chemical Science* 8(3): 1901-1908. doi:10.1039/c6sc04732g
- 1730.[9] Lai, H., X. Zhang, P. Feng, L. Xie, J. Chen, T. Chen (2017). "Enhancement of Antiangiogenic Efficacy of Iron(II) Complex by Selenium Substitution." *Chemistry - An Asian Journal* 12(9): 982-987. doi:10.1002/asia.201700272
- 1731.[10] Preston, D., J. E. M. Lewis, J. D. Crowley (2017). "Multicavity [Pd_nL₄]2n+ Cages with Controlled Segregated Binding of Different Guests." *Journal of the American Chemical Society* 139(6): 2379-2386. doi:10.1021/jacs.6b11982
- 1732.[11] Vasdev, R. A. S., D. Preston, J. D. Crowley (2017). "Multicavity Metallosupramolecular Architectures." *Chemistry - An Asian Journal* 12(19): 2513-2523. doi:10.1002/asia.201700948
- 1733.[12] Gupta, G., A. Das, J. Lee, N. Mandal, C. Y. Lee (2018). "Self-Assembled BODIPY-Based Iridium Metallarectangles: Cytotoxicity and Propensity to Bind Biomolecules." *ChemPlusChem* 83(5): 339-347. doi:10.1002/cplu.201800035
- 1734.[13] Han, J., A. F. B. Räder, F. Reichart, B. Aikman, M. N. Wenzel, B. Woods, M. Weinmüller, B. S. Ludwig, S. Stürup, G. M. M. Groothuis, H. P. Permentier, R. Bischoff, H. Kessler, P. Horvatovich, A. Casini (2018). "Bioconjugation of Supramolecular Metallacages to Integrin Ligands for Targeted Delivery of Cisplatin." *Bioconjugate Chemistry* 29(11): 3856-3865. doi:10.1021/acs.bioconjchem.8b00682
- 1735.[14] Jana, A., P. Lippmann, I. Ott, N. Das (2018). "Self-assembly of flexible [2 + 2] ionic metallamacrocycles and their cytotoxicity potency." *Inorganica Chimica Acta* 471: 223-227. doi:10.1016/j.ica.2017.11.002
- 1736.[15] Judge, N., L. Wang, Y. Y. L. Ho, Y. Wang (2018). "Molecular Engineering of Metal-Organic Cycles/Cages for Drug Delivery." *Macromolecular Research* 26(12): 1074-1084. doi:10.1007/s13233-018-6156-3
- 1737.[16] Rota Martir, D., B. Cordes, A. M. Z. Slawin, D. Escudero, D. Jacquemin, S. L. Warriner, E. Zysman-Colman (2018). "A luminescent [Pd4Ru8]24+ supramolecular cage." *Chemical Communications* 54(47): 6016-6019. doi:10.1039/c8cc02104j
- 1738.[17] Vasdev, R. A. S., L. F. Gaudin, D. Preston, J. P. Jogy, G. I. Giles, J. D. Crowley (2018). "Anticancer activity and cisplatin binding ability of Bis-quinoline and Bis-isoquinoline derived [Pd2L4]4+ metallosupramolecular cages." *Frontiers in Chemistry* 6(NOV). doi:10.3389/fchem.2018.00563
- 1739.[18] Bardhan, D., D. K. Chand (2019). "Palladium(II)-Based Self-Assembled Heteroleptic Coordination Architectures: A Growing Family." *Chemistry - A European Journal* 25(53): 12241-12269. doi:10.1002/chem.201900831
- 1740.[19] Domarco, O., C. Kieler, C. Pirker, C. Dinhof, B. Englinger, J. M. Reisecker, G. Timelthaler, M. D. García, C. Peinador, B. K. Keppler, W. Berger, A. Terenzi (2019). "Subcellular Duplex DNA and G-Quadruplex Interaction Profiling of a Hexagonal PtII Metallacycle." *Angewandte Chemie - International Edition* 58(24): 8007-8012. doi:10.1002/anie.201900934
- 1741.[20] Htan, B., D. Luo, C. Ma, J. Zhang, Q. Gan (2019). "Water Trapping of Metal-Organic Cages with Endohedral Variation." *Crystal Growth and Design* 19(5): 2862-2868. doi:10.1021/acs.cgd.9b00096
- 1742.[21] Jana, A., S. Bhowmick, S. Kumar, K. Singh, P. Garg, N. Das (2019). "Self-assembly of Pt(II) based nanoscale ionic hexagons and their anticancer potencies." *Inorganica Chimica Acta* 484: 19-26. doi:10.1016/j.ica.2018.09.009
- 1743.[22] Pöthig, A., A. Casini (2019). "Recent developments of supramolecular metal-based structures for applications in cancer therapy and imaging." *Theranostics* 9(11): 3150-3169. doi:10.7150/thno.31828
- 1744.[23] Rota Martir, D., E. Zysman-Colman (2019). "Photoactive supramolecular cages incorporating Ru(II) and Ir(III) metal complexes." *Chemical Communications* 55(2): 139-158. doi:10.1039/C8CC08327D
- 1745.[24] Sepehrpour, H., W. Fu, Y. Sun, P. J. Stang (2019). "Biomedically Relevant Self-Assembled Metallacycles and Metallacages." *Journal of the American Chemical Society* 141(36): 14005-14020. doi:10.1021/jacs.9b06222
- 1746.[25] Steel, P. J., D. A. McMorran (2019). "Selective Anion Recognition by a Dynamic Quadruple Helicate." *Chemistry - An Asian Journal* 14(8): 1098-1101. doi:10.1002/asia.201801262

- 1747.[26] Wenzel, M. N., B. Woods, A. Casini (2019). Supramolecular Metal-based Structures for Applications in Cancer Therapy. In: RSC Metallobiology (Ed.). 2019-January: 217-245.
- 1748.[27] Woods, B., M. N. Wenzel, T. Williams, S. R. Thomas, R. L. Jenkins, A. Casini (2019). "Exo-functionalized metallacages as host-guest systems for the anticancer drug cisplatin." *Frontiers in Chemistry* 7(FEB). doi:10.3389/fchem.2019.00068
- 1749.[28] Yoshizawa, M., L. Catti (2019). "Bent Anthracene Dimers as Versatile Building Blocks for Supramolecular Capsules." *Accounts of Chemical Research* 52(8): 2392-2404. doi:10.1021/acs.accounts.9b00301
- 1750.[29] Zhao, H., J. Xu, W. Huang, Y. Zhao, X. Yang (2019). "Thermosensitive Nanogels with Cross-Linked Pd(II) Ions for Improving Therapeutic Effects on Platinum-Resistant Cancers via Intratumoral Formation of Hydrogels." *Chemistry of Materials* 31(14): 5089-5103. doi:10.1021/acs.chemmater.9b00986
- 1751.[30] Zhu, C. Y., M. Pan, C. Y. Su (2019). "Metal-Organic Cages for Biomedical Applications." *Israel Journal of Chemistry* 59(3): 209-219. doi:10.1002/ijch.201800147
- 1752.[31] Lewis, J. E. M., A. Tarzia, A. J. P. White, K. E. Jelfs (2020). "Conformational control of Pd2L4 assemblies with unsymmetrical ligands." *Chemical Science* 11(3): 677-683. doi:10.1039/c9sc05534g
- 1753.[32] Lisboa, L. S., J. A. Findlay, L. J. Wright, C. G. Hartinger, J. D. Crowley (2020). "A Reduced-Symmetry Heterobimetallic [PdPtL4]4+ Cage: Assembly, Guest Binding, and Stimulus-Induced Switching." *Angewandte Chemie - International Edition* 59(27): 11101-11107. doi:10.1002/anie.202003220
- 1754.[33] McNeill, S. M., N. M. Giles, D. Preston, P. P. Jones, J. D. Crowley, G. I. Giles (2020). "Quadruply Stranded Metallo-Supramolecular Helicate [Pd2(hextrz)4]4+ Acts as a Molecular Mimic of Cytolytic Peptides." *Chemical Research in Toxicology* 33(7): 1822-1834. doi:10.1021/acs.chemrestox.0c00061
- 1755.[34] Samanta, S. K., L. Isaacs (2020). "Biomedical applications of metal organic polygons and polyhedra (MOPs)." *Coordination Chemistry Reviews* 410. doi:10.1016/j.ccr.2020.213181
- 1756.[35] Kumar, A., R. Saha, P. S. Mukherjee (2021). "Self-assembled metallasupramolecular cages towards light harvesting systems for oxidative cyclization." *Chemical Science* 12(14): 5319-5329. doi:10.1039/d1sc00097g
- 1757.[36] Lisboa, L. S., M. Riisom, R. A. S. Vasdev, S. M. F. Jamieson, L. J. Wright, C. G. Hartinger, J. D. Crowley (2021). "Cavity-Containing [Fe2L3]4+ Helicates: An Examination of Host-Guest Chemistry and Cytotoxicity." *Frontiers in Chemistry* 9. doi:10.3389/fchem.2021.697684
- 1758.[37] Tarzia, A., J. E. M. Lewis, K. E. Jelfs (2021). "High-Throughput Computational Evaluation of Low Symmetry Pd2L4 Cages to Aid in System Design." *Angewandte Chemie - International Edition* 60(38): 20879-20887. doi:10.1002/anie.202106721
- 1759.[38] Woods, B., R. D. M. Silva, C. Schmidt, D. Wragg, M. Cavaco, V. Neves, V. F. C. Ferreira, L. Gano, T. S. Morais, F. Mendes, J. D. G. Correia, A. Casini (2021). "Bioconjugate Supramolecular Pd2+ Metallacages Penetrate the Blood Brain Barrier in Vitro and in Vivo." *Bioconjugate Chemistry* 32(7): 1399-1408. doi:10.1021/acs.bioconjchem.0c00659
- 1760.[39] Kumar, A., R. Banerjee, E. Zangrando, P. S. Mukherjee (2022). "Solvent and Counteranion Assisted Dynamic Self-Assembly of Molecular Triangles and Tetrahedral Cages." *Inorganic Chemistry* 61(4): 2368-2377. doi:10.1021/acs.inorgchem.1c03797
- 1761.[40] Lisboa, L. S., M. Riisom, H. J. Dunne, D. Preston, S. M. F. Jamieson, L. J. Wright, C. G. Hartinger, J. D. Crowley (2022). "Hydrazone- and imine-containing [PdPtL4]4+ cages: a comparative study of the stability and host-guest chemistry." *Dalton Transactions* 51(48): 18438-18445. doi:10.1039/d2dt02720h
- 1762.[41] Luo, X. Y., M. Pan (2022). "Metal-organic materials with circularly polarized luminescence." *Coordination Chemistry Reviews* 468. doi:10.1016/j.ccr.2022.214640
- 1763.[42] Schaapkens, X., J. N. H. Reek, T. J. Mooibroek (2022). "Selective binding of ReO4- And PtCl42- By a Pd2L4 cage in water." *Inorganic Chemistry Communications* 139. doi:10.1016/j.inoche.2022.109284
- 1764.[43] Wang, L., Z. Geng, Y. Y. L. Ho, J. Zhou, N. Judge, Y. Li, W. Wang, J. Liu, Y. Wang (2022). "Block Co-PolyMOC Micelles and Structural Synergy as Composite Nanocarriers." *ACS Applied Materials and Interfaces* 14(27): 30546-30556. doi:10.1021/acsami.2c06205
- 1765.[44] Bobylev, E. O., R. A. Knol, S. Mathew, D. A. Poole, I. Kotsogianni, N. I. Martin, B. de Bruin, A. Kros, J. N. H. Reek (2023). "In vivo biodistribution of kinetically stable Pt2L4 nanospheres that show anti-cancer activity." *Chemical Science* 14(25): 6943-6952. doi:10.1039/d3sc01086d
- 1766.[45] Casini, A., R. A. Fischer, G. Moreno-Alcántar (2023). Supramolecular metal-based molecules and materials for biomedical applications. In: *Comprehensive Inorganic Chemistry III, Third Edition* (Ed.). 1-10: 714-743.
- 1767.[46] Ma, X. Q., H. P. Xiao, Y. Chen, Q. S. Lai, X. X. Li, S. T. Zheng (2024). "Polyoxometalate-based macrocycles and their assembly." *Coordination Chemistry Reviews* 510. doi:10.1016/j.ccr.2024.215818
- 1768.[47] Montà-González, G., E. Ortiz-Gómez, R. López-Lima, G. Fiorini, R. Martínez-Mañez, V. Martí-Centelles (2024). "Water-Soluble Molecular Cages for Biological Applications." *Molecules* 29(7). doi:10.3390/molecules29071621
- 1769.[48] Sun, D., X. Feng, X. Zhu, Y. Wang, J. Yang (2024). "Anticancer agents based on metal organic cages." *Coordination Chemistry Reviews* 500. doi:10.1016/j.ccr.2023.215546
- 1770.[49] van Hilst, Q. V. C., A. C. Percy, D. Preston, L. J. Wright, C. G. Hartinger, H. J. L. Brooks, J. D. Crowley (2024). "A dynamic covalent approach to [PtLnL2n]2n+ cages." *Chemical Communications* 60(32): 4302-4305. doi:10.1039/d4cc00323c

Публ. с IFNº 90. Georgieva, M., Kondeva-Burdina, M., Mitkov, J., Tzankova, V., **Momekov, G.**, Zlatkov, A. Determination of the antiproliferative activity of new theobromine derivatives and evaluation of their in vitro hepatotoxic effects (2016) *Anti-Cancer Agents in Medicinal Chemistry*, 16 (7): 925-932. (IF 2,598)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0->

[84973606483&doi=10.2174%2f1871520616666151116122633&partnerID=40&md5=bc028272ba7007a623aa4d7c1026f8b8](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84973606483&doi=10.2174%2f1871520616666151116122633&partnerID=40&md5=bc028272ba7007a623aa4d7c1026f8b8)

DOI: 10.2174/1871520616666151116122633

Установени цитирания: в SCOPUS (2)

- 1771.[1] Nascimento, R. D. P. D., L. M. Reguengo, A. P. D. F. Machado, M. R. Marostica Junior (2022). "The preventive and therapeutic potential of native Brazilian fruits on colorectal cancer." *Food Bioscience* 46. doi:10.1016/j.fbio.2021.101539
- 1772.[2] Aziz, M., S. A. Ejaz, N. Tamam, F. Siddique (2023). "A comprehensive computational approach for the identification of structure-based potential pharmacological candidates as selective AKR1B1 and AKR1B10 inhibitors: repurposing of purine alkaloids for the treatment of cancer." *Journal of Biomolecular Structure and Dynamics* 41(16): 7892-7912. doi:10.1080/07391102.2022.2127906

Публ. с IF№ 91. Angelova, V.T., Vassilev, N.G., Nikolova-Mladenova, B., Vitas, J., Malbaša, R., **Momekov, G.**, Djukic, M., Saso, L. Antiproliferative and antioxidative effects of novel hydrazone derivatives bearing coumarin and chromene moiety (2016) Medicinal Chemistry Research, 25 (9): 2082-2092. (IF 1,277)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-84979586929&doi=10.1007%2fs00044-016-1661-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84979586929&doi=10.1007%2fs00044-016-1661-4&partnerID=40&md5=1216b152fb856e507a4c28042de9b0de)

[4&partnerID=40&md5=1216b152fb856e507a4c28042de9b0de](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84979586929&doi=10.1007%2fs00044-016-1661-4&partnerID=40&md5=1216b152fb856e507a4c28042de9b0de)

DOI: 10.1007/s00044-016-1661-4

Установени цитирания: в SCOPUS (22)

- 1773.[1] Acar Çevik, U., B. N. Sağlık, B. Korkut, Y. Özkay, S. Ilgin (2018). "Antiproliferative, Cytotoxic, and Apoptotic Effects of New Benzimidazole Derivatives Bearing Hydrazone Moiety." Journal of Heterocyclic Chemistry 55(1): 138-148. doi:10.1002/jhet.3016
- 1774.[2] Peng, H. N., L. M. Ye, M. Zhang, Y. C. Yang, J. Zheng (2018). "Synthesis and antimicrobial activity of 3,4-dihydropyrimidin-2(1H)-one derivatives containing a hydrazone moiety." Heterocyclic Communications 24(2): 113-117. doi:10.1515/hc-2017-0227
- 1775.[3] Wei, B., J. Zhou, J. J. Xu, J. Cui, F. F. Ping, J. J. Ling, Y. J. Chen (2019). "Discovery of coumarin-derived imino sulfonates as a novel class of potential cardioprotective agents." European Journal of Medicinal Chemistry 184. doi:10.1016/j.ejmech.2019.111779
- 1776.[4] Zhang, L., Z. Xu (2019). "Coumarin-containing hybrids and their anticancer activities." European Journal of Medicinal Chemistry 181. doi:10.1016/j.ejmech.2019.111587
- 1777.[5] Dinparast, L., S. Hemmati, A. A. Alizadeh, G. Zengin, H. S. Kafil, M. B. Bahadori, S. Dastmalchi (2020). "An efficient, catalyst-free, one-pot synthesis of 4H-chromene derivatives and investigating their biological activities and mode of interactions using molecular docking studies." Journal of Molecular Structure 1203. doi:10.1016/j.molstruc.2019.127426
- 1778.[6] Duangdee, N., W. Mahavorasirikul, S. Prateptongkum (2020). "Design synthesis and anti-proliferative activity of some new coumarin substituted hydrazide-hydrazone derivatives." Journal of Chemical Sciences 132(1). doi:10.1007/s12039-020-01767-4
- 1779.[7] Maniak, H., M. Talma, M. Matyja, A. Trusek, M. Giurg (2020). "Synthesis and structure-activity relationship studies of hydrazide-hydrazones as inhibitors of laccase from *trametes versicolor*." Molecules 25(5). doi:10.3390/molecules25051255
- 1780.[8] Patrejko, P., M. Gawrońska-Grzywacz, A. Biernasiuk, A. Berecka-Rycerz, D. Natorska-Chomicka, I. Piątkowska-Chmiel, A. Gumieniczek, J. Dudka, M. Wujec (2020). "Synthesis and in vitro bioactivity study of new hydrazide-hydrazones of 5-bromo-2-iodobenzoic acid." Biomedicine and Pharmacotherapy 130. doi:10.1016/j.biopha.2020.110526
- 1781.[9] Bouhaoui, A., M. Eddahmi, M. Dib, M. Khouili, A. Aires, M. Catto, L. Bouissane (2021). "Synthesis and Biological Properties of Coumarin Derivatives. A Review." ChemistrySelect 6(24): 5848-5870. doi:10.1002/slct.202101346
- 1782.[10] Maniak, H., M. Talma, M. Giurg (2021). "Inhibitory potential of new phenolic hydrazide-hydrazones with a decoy substrate fragment towards laccase from a phytopathogenic fungus: SAR and molecular docking studies." International Journal of Molecular Sciences 22(22). doi:10.3390/ijms222212307
- 1783.[11] Song, F., X. Huo, Z. Guo (2021). "Anti-breast cancer potential of natural and synthetic coumarin derivatives." Current Topics in Medicinal Chemistry 21(18): 1692-1709. doi:10.2174/1568026621666210303145430
- 1784.[12] Gunavathi, S., R. Venkateswaramoorthi, K. Arulvani, S. Bharanidharan (2022). "Synthesis and characterisation of formohydrazide derivatives as potential antimicrobial agents: molecular docking and DFT studies." Molecular Physics 120(9). doi:10.1080/00268976.2022.2053219
- 1785.[13] Hamid, S. J., T. Salih (2022). "Design, Synthesis, and Anti-Inflammatory Activity of Some Coumarin Schiff Base Derivatives: In silico and in vitro Study." Drug Design, Development and Therapy 16: 2275-2288. doi:10.2147/DDDT.S364746
- 1786.[14] Katiyar, M. K., G. K. Dhakad, S. Arora, S. Bhagat, T. Arora, R. Kumar (2022). "Synthetic strategies and pharmacological activities of chromene and its derivatives: An overview." Journal of Molecular Structure 1263. doi:10.1016/j.molstruc.2022.133012
- 1787.[15] Khan, D., S. Sharma, P. Shukla (2022). "Microwave assisted L-proline catalyzed one-pot three-component reaction for the synthesis of 4-aminoaryl-2-phenyl-2H-3-nitrochromene hybrid via Domino Michael-Henry-Michael addition reaction." Journal of Heterocyclic Chemistry 59(6): 1064-1072. doi:10.1002/jhet.4447
- 1788.[16] Rawat, A., A. Vijaya Bhaskar Reddy (2022). "Recent advances on anticancer activity of coumarin derivatives." European Journal of Medicinal Chemistry Reports 5. doi:10.1016/j.ejmcr.2022.100038
- 1789.[17] Biliz, Y., B. Hasdemir, H. Başpınar Küçük, M. Zaim, A. M. Şentürk, A. Müdüroğlu Kırmızıbekmez, I. Kara (2023). "Novel N-Acyl Hydrazone Compounds as Promising Anticancer Agents: Synthesis and Molecular Docking Studies." ACS Omega 8(22): 20073-20084. doi:10.1021/acsomega.3c02361
- 1790.[18] Koley, M., J. Han, V. A. Soloshonok, S. Mojumder, R. Javahershenas, A. Makarem (2023). "Latest developments in coumarin-based anticancer agents: mechanism of action and structure-activity relationship studies." RSC Medicinal Chemistry 15(1): 10-54. doi:10.1039/d3md00511a
- 1791.[19] Pangal, A., K. Ahmed (2023). "Synthesis, Biological Evaluation and Molecular Docking Studies of C-3 Substituted Coumarin Analogs to Explore their Anti-Proliferative Potential." Current Trends in Biotechnology and Pharmacy 17(1): 649-659. doi:10.5530/ctbp.2023.1.6
- 1792.[20] Pouramrin, B., S. R. Seyedhosseini, M. H. Nematollahi, S. Faramarz, F. Seyedi, A. Ayati (2023). "Green Synthesis and Anticancer Evaluation of Novel Chromin Hydrazone Derivatives." Polycyclic Aromatic Compounds 43(1): 176-189. doi:10.1080/10406638.2021.2011753
- 1793.[21] Ressler, A. J., M. Frate, A. Hontoria, A. Ream, E. Timms, H. Li, L. D. Stettler, A. Bollinger, J. E. Poor, M. A. Parra, H. Ma, N. P. Seeram, S. M. Meschwitz, G. E. Henry (2023). "Synthesis, anti-ferroptosis, anti-quorum sensing, antibacterial and DNA interaction studies of chromene-hydrazone derivatives." Bioorganic and Medicinal Chemistry 90. doi:10.1016/j.bmc.2023.117369
- 1794.[22] Simijonović, D. M., D. A. Milenković, E. H. Avdović, Ž. B. Milanović, M. R. Antonijević, A. D. Amić, Z. Dolićanin, Z. S. Marković (2023). "Coumarin N-Acylhydrazone Derivatives: Green Synthesis and Antioxidant Potential—Experimental and Theoretical Study." Antioxidants 12(10). doi:10.3390/antiox12101858

Публ. с IF№ 92. Voynikov, Y., Zheleva-Dimitrova, D., Gevrenova, R., Lozanov, V., Zaharieva, M.M., Tsvetkova, I., Najdenski, H., Yagi, S., Almoulah, N.F., **Momekov, G.** Hydroxycinnamic acid amide profile of *Solanum schimperianum* Hochst by UPLC-HRMS (2016) International Journal of Mass Spectrometry, 408: 42-50. (IF 1,702)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84988565723&doi=10.1016%2fj.ijms.2016.08.008&partnerID=40&md5=fd27325a5fc8b5c63325fddd466c525f)

[84988565723&doi=10.1016%2fj.ijms.2016.08.008&partnerID=40&md5=fd27325a5fc8b5c63325fddd466c525f](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84988565723&doi=10.1016%2fj.ijms.2016.08.008&partnerID=40&md5=fd27325a5fc8b5c63325fddd466c525f)

DOI: 10.1016/j.ijms.2016.08.008

- 1795.[1] Du, N., Y. Liu, X. Zhang, J. Wang, J. Zhao, J. He, H. Zhou, L. Mei, X. Liang (2017). "Discovery of new muscarinic acetylcholine receptor antagonists from *Scopolia tangutica*." Scientific Reports 7. doi:10.1038/srep46067
- 1796.[2] Favre, L., A. Ortalo-Magné, S. Greff, T. Pérez, O. P. Thomas, J. C. Martin, G. Culioli (2017). "Discrimination of Four Marine Biofilm-Forming Bacteria by LC-MS Metabolomics and Influence of Culture Parameters." Journal of Proteome Research 16(5): 1962-1975. doi:10.1021/acs.jproteome.6b01027
- 1797.[3] Alajmi, M. F., P. Alam, M. T. Rehman, F. M. Husain, A. A. Khan, N. A. Siddiqui, A. Hussain, M. A. Kalam, M. K. Parvez (2018). "Interspecies anticancer and antimicrobial activities of genus *Solanum* and estimation of rutin by validated UPLC-PDA Method." Evidence-based Complementary and Alternative Medicine 2018. doi:10.1155/2018/6040815
- 1798.[4] Buitimea-Cantúa, N. E., J. A. Gutiérrez-Urbe, S. O. Serna-Saldívar (2018). "Phenolic-protein interactions: Effects on food properties and health benefits." Journal of Medicinal Food 21(2): 188-198. doi:10.1089/jmf.2017.0057
- 1799.[5] Li, Z., C. Zhao, X. Zhao, Y. Xia, X. Sun, W. Xie, Y. Ye, X. Lu, G. Xu (2018). "Deep Annotation of Hydroxycinnamic Acid Amides in Plants Based on Ultra-High-Performance Liquid Chromatography-High-Resolution Mass Spectrometry and Its in Silico Database." Analytical Chemistry 90(24): 14321-14330. doi:10.1021/acs.analchem.8b03654
- 1800.[6] Chen, X. H., L. J. Jiang, W. Zhang, Y. Y. Jiang, B. Liu (2019). "Identification of compounds in *Lycii Cortex* by UPLC-LTQ-Orbitrap-MS." Zhongguo Zhongyao Zazhi 44(20): 4486-4494. doi:10.19540/j.cnki.cjcmm.20190506.202
- 1801.[7] Dastmalchi, K., M. Perez Rodriguez, J. Lin, B. Yoo, R. E. Stark (2019). "Temporal resistance of potato tubers: Antibacterial assays and metabolite profiling of wound-healing tissue extracts from contrasting cultivars." Phytochemistry 159: 75-89. doi:10.1016/j.phytochem.2018.12.007
- 1802.[8] Paul, K., M. Sorrentino, L. Lucini, Y. Rouphael, M. Cardarelli, P. Bonini, M. B. Miras Moreno, H. Reynaud, R. Canaguier, M. Trifilek, K. Panzarová, G. Colla (2019). "A combined phenotypic and metabolomic approach for elucidating the biostimulant action of a plant-derived protein hydrolysate on tomato grown under limited water availability." Frontiers in Plant Science 10. doi:10.3389/fpls.2019.00493
- 1803.[9] Roumani, M., R. E. Duval, A. Ropars, A. Risler, C. Robin, R. Larbat (2020). "Phenolamides: Plant specialized metabolites with a wide range of promising pharmacological and health-promoting interests." Biomedicine and Pharmacotherapy 131. doi:10.1016/j.biopha.2020.110762
- 1804.[10] Samulski, G. B., D. C. Gontijo, N. C. Moreira, G. C. Brandão, A. Braga de Oliveira (2020). "Dereplication of *Palicourea sessilis* ethanol extracts by UPLC-DAD-ESI-MS/MS discloses the presence of hydroxycinnamic acid amides and the absence of monoterpene indole alkaloids." Biochemical Systematics and Ecology 92. doi:10.1016/j.bse.2020.104114
- 1805.[11] Wang, W., H. D. Snooks, S. Sang (2020). "The Chemistry and Health Benefits of Dietary Phenolamides." Journal of Agricultural and Food Chemistry 68(23): 6248-6267. doi:10.1021/acs.jafc.0c02605
- 1806.[12] Zhang, W., X. Sun, W. Sui, X. Jiang, S. Cang, Q. Wang, R. Liu, H. Xu, Q. Li, W. Bi, Y. Cui (2020). "Quality Control of Xiebai San Standard Decoction Assisted by Network Pharmacology Strategy." Chromatographia 83(7): 873-884. doi:10.1007/s10337-020-03897-w
- 1807.[13] Chen, C., B. Wang, J. Li, F. Xiong, G. Zhou (2022). "Multivariate Statistical Analysis of Metabolites in *Anisodus tanguticus* (Maxim.) Pascher to Determine Geographical Origins and Network Pharmacology." Frontiers in Plant Science 13. doi:10.3389/fpls.2022.927336
- 1808.[14] Zheng, B., Y. Ding, J. B. Johnson, J. Xiang, Z. Li, Y. Zhang, D. Luo (2022a). "Enrichment and bioactivities of polyphenols of crude extract by deep eutectic solvent extraction from foxtail millet bran." International Journal of Food Science and Technology 57(12): 7974-7983. doi:10.1111/ijfs.16155
- 1809.[15] Zheng, B., Y. Yuan, J. Xiang, W. Jin, J. B. Johnson, Z. Li, C. Wang, D. Luo (2022b). "Green extraction of phenolic compounds from foxtail millet bran by ultrasonic-assisted deep eutectic solvent extraction: Optimization, comparison and bioactivities." LWT 154. doi:10.1016/j.lwt.2021.112740
- 1810.[16] Fan, A., B. L. Hou, Z. Tang, T. Wang, D. Zhang, Y. Liang, Z. Wang (2023). "Liquid Chromatography-Tandem Mass Spectrometry-Based Metabolomics Analysis of Indigo Naturalis Treatment of Ulcerative Colitis in Mice." Journal of Medicinal Food 26(12): 877-889. doi:10.1089/jmf.2023.K.0132
- 1811.[17] Milutinović, M., Đ. Nakarada, J. Božunović, M. Todorović, U. Gašić, S. Živković, M. Skorić, Đ. Ivković, J. Savić, N. Devrnja, N. Aničić, T. Banjanac, M. Mojović, D. Mišić (2023). "*Solanum dulcamara* L. Berries: A Convenient Model System to Study Redox Processes in Relation to Fruit Ripening." Antioxidants 12(2). doi:10.3390/antiox12020346

Публ. с IF № 93. Mees, M., Haladjova, E., Momekova, D., **Momekov, G.**, Shestakova, P.S., Tsvetanov, C.B., Hoogenboom, R., Rangelov, S. Partially Hydrolyzed Poly(N-propyl-2-oxazoline): Synthesis, Aqueous Solution Properties, and Preparation of Gene Delivery Systems (2016) Biomacromolecules, 17 (11): 3580-3590. (IF 5,246)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84995559890&doi=10.1021%2facb.biomac.6b01088&partnerID=40&md5=75ccb4a4fba6170e7f36dfb96e1bd759>

DOI: 10.1021/acs.biomac.6b01088

Установени цитирания: в SCOPUS (18)

- 1812.[1] Sahoo, S., S. Bera, S. Maiti, D. Dhara (2017). "Temperature- and Composition-Dependent DNA Condensation by Thermosensitive Block Copolymers." ACS Omega 2(11): 7946-7958. doi:10.1021/acsomega.7b01331
- 1813.[2] Blakney, A. K., G. Yilmaz, P. F. McKay, C. R. Becer, R. J. Shattock (2018). "One Size Does Not Fit All: The Effect of Chain Length and Charge Density of Poly(ethylene imine) Based Copolymers on Delivery of pDNA, mRNA, and RepRNA Polyplexes." Biomacromolecules 19(7): 2870-2879. doi:10.1021/acs.biomac.8b00429
- 1814.[3] Hertz, D., M. N. Leiske, T. Wloka, A. Traeger, M. Hartlieb, M. M. Kessels, S. Schubert, B. Qualmann, U. S. Schubert (2018). "Comparison of random and gradient amino functionalized poly(2-oxazoline)s: Can the transfection efficiency be tuned by the macromolecular structure?" Journal of Polymer Science, Part A: Polymer Chemistry 56(12): 1210-1224. doi:10.1002/pola.29000
- 1815.[4] Lorson, T., M. M. Lübtow, E. Wegener, M. S. Haider, S. Borova, D. Nahm, R. Jordan, M. Sokolski-Papkov, A. V. Kabanov, R. Luxenhofer (2018). "Poly(2-oxazoline)s based biomaterials: A comprehensive and critical update." Biomaterials 178: 204-280. doi:10.1016/j.biomaterials.2018.05.022
- 1816.[5] Papagiannopoulos, A., E. Vlasi, S. Pispas, J. E. Houston (2018). "Association and Internal Morphology of Self-Assembled HPPHox/BSA Hybrid Nanoparticles in Aqueous Solutions." Journal of Physical Chemistry B 122(29): 7426-7435. doi:10.1021/acs.jpcc.8b04364
- 1817.[6] Oleszko-Torbus, N., B. Mendrek, A. Kowalczyk, A. Utrata-Wesołek, A. Dworak, W. Walach (2020). "Selective partial hydrolysis of 2-isopropyl-2-oxazoline copolymers towards decreasing the ability to crystallize." Materials 13(15): 1-18. doi:10.3390/ma13153403
- 1818.[7] Shan, X., A. C. Williams, V. V. Khutoryanskiy (2020). "Polymer structure and property effects on solid dispersions with haloperidol: Poly(N-vinyl pyrrolidone) and poly(2-oxazolines) studies." International Journal of Pharmaceutics 590. doi:10.1016/j.ijpharm.2020.119884

- 1819.[8] Wang, F., P. Ren, K. V. Bernaerts, Y. Fu, W. Hu, N. Zhou, T. Zhang (2020). "Thermoresponsive Poly(2-propyl-2-oxazoline) Surfaces of Glass for Nonenzymatic Cell Harvesting." *ACS Applied Bio Materials* 3(8): 5428-5437. doi:10.1021/acsabm.0c00650
- 1820.[9] Hahn, L., M. Beudert, M. Gutmann, L. Keßler, P. Stahlhut, L. Fischer, E. Karakaya, T. Lorson, I. Thievensen, R. Detsch, T. Lühmann, R. Luxenhofer (2021). "From Thermogelling Hydrogels toward Functional Bioinks: Controlled Modification and Cytocompatible Crosslinking." *Macromolecular Bioscience* 21(10). doi:10.1002/mabi.202100122
- 1821.[10] Halupczok, S., M. Pfister, A. Ringhand, C. Fetsch, A. Cubukova, A. Appelt-Menzel, R. Luxenhofer (2021). "Poly(2-ethyl-2-oxazoline)-Co-N-propylethylene imine)s by controlled partial reduction of poly(2-ethyl-2-oxazoline): Synthesis, characterization and cytotoxicity." *Polymer Chemistry* 12(5): 680-688. doi:10.1039/d0py01258k
- 1822.[11] Majerčíková, M., P. Nádaždy, D. Chorvát, L. Satrapinskyy, H. Valentová, Z. Kroneková, P. Šiffalovič, J. Kronek, A. Zahoranová (2021). "Effect of dexamethasone on thermoresponsive behavior of poly(2-oxazoline) diblock copolymers." *Polymers* 13(9). doi:10.3390/polym13091357
- 1823.[12] Zahoranová, A., R. Luxenhofer (2021). "Poly(2-oxazoline)- and Poly(2-oxazine)-Based Self-Assemblies, Polyplexes, and Drug Nanoformulations—An Update." *Advanced Healthcare Materials* 10(6). doi:10.1002/adhm.202001382
- 1824.[13] Li, Q., B. Jin, Y. Luo, X. Li (2022). "Amphiphilic Block Copolymer Micelles for Gene Delivery." *Chemical Research in Chinese Universities* 38(6): 1368-1379. doi:10.1007/s40242-022-2005-1
- 1825.[14] Mazrad, Z. A. I., M. Lai, T. P. Davis, J. A. Nicolazzo, K. J. Thurecht, M. N. Leiske, K. Kempe (2022). "Protected amine-functional initiators for the synthesis of α -amine homo- and heterotelechelic poly(2-ethyl-2-oxazoline)s." *Polymer Chemistry* 13(30): 4436-4445. doi:10.1039/d2py00649a
- 1826.[15] Soleymani Movahed, F., S. W. Foo, S. Mori, S. Ogawa, S. Saito (2022). "Phosphorus-Based Organocatalysis for the Dehydrative Cyclization of N-(2-Hydroxyethyl)amides into 2-Oxazolines." *Journal of Organic Chemistry* 87(1): 243-257. doi:10.1021/acs.joc.1c02318
- 1827.[16] Drain, B. A., R. C. Becer (2023). "Hydrolysis of hydrophobic poly(2-oxazoline)s and their subsequent modification via aza-Michael addition." *Designed Monomers and Polymers* 26(1): 214-222. doi:10.1080/15685551.2023.2267232
- 1828.[17] Yang, L., F. Wang, P. Ren, T. Zhang, Q. Zhang (2023). "Poly(2-oxazoline)s: synthesis and biomedical applications." *Macromolecular Research* 31(5): 413-426. doi:10.1007/s13233-023-00116-x
- 1829.[18] Oleszko-Torbus, N., B. Mendrek, W. Wałach, A. Fus-Kujawa, V. Mitova, N. Koseva, A. Kowalczyk (2024). "Amino-modified 2-oxazoline copolymers for complexation with DNA." *Polymer Chemistry* 156. doi:10.1039/d3py01313h

Публ. с IF № 94. Slavkova, M.Iv., Momekova, D.B., Kostova, B.D., **Momekov, G.**, Tz., Petrov, P.D. Novel dextran/ β -cyclodextrin and dextran macroporous cryogels for topical delivery of curcumin in the treatment of cutaneous T-cell lymphoma (2017) *Bulgarian Chemical Communications*, 49 (4): 792-799. (IF 0,242)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85045902074&partnerID=40&md5=fc5cc3a6a7651287a7eb1c613b0941d6>

Установени цитирания: в SCOPUS (6)

- 1830.[1] Gholibegloo, E., T. Mortezaazadeh, F. Salehian, H. Forootanfar, L. Firoozpour, A. Foroumadi, A. Ramazani, M. Khoobi (2019). "Folic acid decorated magnetic nanosponge: An efficient nanosystem for targeted curcumin delivery and magnetic resonance imaging." *Journal of Colloid and Interface Science* 556: 128-139. doi:10.1016/j.jcis.2019.08.046
- 1831.[2] Arslan, M. (2020). "In situ crosslinking system of gelatin with acrylated β -cyclodextrin towards the fabrication of hydrogels for sustained drug release." *Journal of the Turkish Chemical Society, Section A: Chemistry* 7(2): 597-608. doi:10.18596/jotcsa.717856
- 1832.[3] Vázquez, L., K. Dziza, S. L. Loo, V. Binas, S. Stefa, G. Kiriakidis, A. Athanassiou, D. Fragouli (2022). "Highly performant nanocomposite cryogels for multicomponent oily wastewater filtration." *Separation and Purification Technology* 303. doi:10.1016/j.seppur.2022.122252
- 1833.[4] Omidian, H., S. Dey Chowdhury, N. Babanejad (2023). "Cryogels: Advancing Biomaterials for Transformative Biomedical Applications." *Pharmaceutics* 15(7). doi:10.3390/pharmaceutics15071836
- 1834.[5] Shahzadi, I., M. Islam, H. Saeed, A. Haider, A. Shahzadi, H. A. Rathore, A. Ul-Hamid, H. S. M. Abd-Rabboh, M. Ikram (2023). "Synthesis of curcuma longi doped cellulose grafted hydrogel for catalysis, bactericidal and insilico molecular docking analysis." *International Journal of Biological Macromolecules* 253. doi:10.1016/j.ijbiomac.2023.126827
- 1835.[6] Sebastian, S., Y. Rohila, E. Yadav, P. Bhardwaj, Y. Sudheer Babu, M. Maruthi, A. Ansari, M. K. Gupta (2024). "Supramolecular Organo/hydrogel-Fabricated Long Alkyl Chain α -Amidoamides as a Smart Soft Material for pH-Responsive Curcumin Release." *Biomacromolecules* 25(2): 975-989. doi:10.1021/acs.biomac.3c01074

Публ. с IF № 95. Hristova-Avakumova, N., Yoncheva, K., Nikolova-Mladenova, B., Traykov, T., **Momekov, G.**, Hadjimitova, V. 3-methoxy aroylhydrazones—free radicals scavenging, anticancer and cytoprotective potency (2017) *Redox Report*, 22 (6): 408-417. (IF 1,335)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85009291831&doi=10.1080%2f13510002.2016.1276256&partnerID=40&md5=1fe99268154152fe14210f1cbc6328c1>

DOI: 10.1080/13510002.2016.1276256

Установени цитирания: в SCOPUS (9)

- 1836.[1] Iliev, I., D. Kontrec, R. Detcheva, M. Georgieva, A. Balacheva, N. Galić, T. Pajpanova (2019). "Cancer cell growth inhibition by aroylhydrazone derivatives." *Biotechnology and Biotechnological Equipment* 33(1): 756-763. doi:10.1080/13102818.2019.160830
- 1837.[2] Mitkov, J., M. Kondeva-Burdina, A. Zlatkov (2019). "Synthesis and preliminary hepatotoxicity evaluation of new caffeine-8-(2-thio)-propanoic hydrazid-hydrazone derivatives." *Pharmacia* 66(3): 99-106. doi:10.3897/pharmacia.66.e37263
- 1838.[3] Świątek, P., J. Saczko, N. Rembiałkowska, J. Kulbacka (2019). "Synthesis of new hydrazone derivatives and evaluation of their efficacy as proliferation inhibitors in human cancer cells." *Medicinal Chemistry* 15(8): 903-910. doi:10.2174/1573406415666190128100524
- 1839.[4] Zuma, N. H., J. Aucamp, D. D. N'Da (2019). "An update on derivatisation and repurposing of clinical nitrofurans drugs." *European Journal of Pharmaceutical Sciences* 140. doi:10.1016/j.ejps.2019.105092
- 1840.[5] Jayaraman, J. D., S. Sigamani, D. Arul, K. Nedunchelizan, P. Pachappan, D. Ramamurthy (2020). "Molecular characterization and antioxidant assay of pigment producing bacteria, *Sphingomonas paucimobilis* and *Microbacterium arborescens* isolated from fresh water sediments." *Natural Product Research* 34(8): 1192-1196. doi:10.1080/14786419.2018.1553171

- 1841.[6] El-Wakil, M. H., M. A. Meheissen, M. M. Abu-Serie (2021). "Nitrofurazone repurposing towards design and synthesis of novel apoptotic-dependent anticancer and antimicrobial agents: Biological evaluation, kinetic studies and molecular modeling." *Bioorganic Chemistry* 113. doi:10.1016/j.bioorg.2021.104971
- 1842.[7] Mitkov, J., M. Kondeva-Burdina, M. Georgieva, A. Zlatkov (2022). "Synthesis, in silico prediction of sites of metabolism and in-vitro hepatotoxicity evaluation of new series N'-substituted 3-(1,3,7-trimethyl-xanthin-8-ylthio) propanehydrazides." *Pharmacia* 69(2): 351-361. doi:10.3897/pharmacia.69.e83535
- 1843.[8] El-Sayed Ebead, E., A. Aboelnaga, E. Nassar, M. M. Naguib, M. F. Ismail (2023). "Ultrasonic-induced synthesis of novel diverse arylidenes via Knoevenagel condensation reaction. Antitumor, QSAR, docking and DFT assessment." *RSC Advances* 13(42): 29749-29767. doi:10.1039/d3ra05799b
- 1844.[9] Popiolek, Ł., M. Gawrońska-Grzywacz, A. Dziduch, A. Biernasiuk, I. Piątkowska-Chmiel, M. Herbet (2023). "Design, Synthesis, and In Vitro and In Vivo Bioactivity Studies of Hydrazide-Hydrazones of 2,4-Dihydroxybenzoic Acid." *International Journal of Molecular Sciences* 24(24). doi:10.3390/ijms242417481

Публ. с IF № 96. Trendafilova, I., Momekova, D., Szegedi, A., **Momekov, G.**, Zgureva, D., Boycheva, S., Popova, M. Silver and quercetin loaded nanostructured silica materials as potential dermal formulations (2017) *Bulgarian Chemical Communications*, 49: 51-58. (IF 0,242)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85047424578&partnerID=40&md5=05772a76ac62d3679ea5e124a882539d>

Установени цитирания: в SCOPUS (2)

- 1845.[1] Sohrabnezhad, S., A. Pourahmad, M. Salahshoor (2020). "Matrices based on meso antibacterial framework." *Journal of the Chinese Chemical Society* 67(9): 1579-1590. doi:10.1002/jccs.201900496
- 1846.[2] Antsiferova, A. A., M. Y. Kopaeva, V. N. Kochkin, P. K. Kashkarov, M. V. Kovalchuk (2021). "Disturbance in mammalian cognition caused by accumulation of silver in brain." *Toxics* 9(2): 1-13. doi:10.3390/toxics9020030

Публ. с IF № 97. Angelova, V. T., Valcheva, V., Pencheva, T., Voynikov, Y., Vassilev, N., Mihaylova, R., **Momekov, G.**, Shivachev, B. Synthesis, antimycobacterial activity and docking study of 2-aryl-1-benzopyrano[4,3-c]pyrazol-4(1H)-one derivatives and related hydrazide-hydrazones (2017) *Bioorganic and Medicinal Chemistry Letters*, 27 (13): 2996-3002. (IF 2,442)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85018884776&doi=10.1016%2fj.bmcl.2017.05.011&partnerID=40&md5=0aa1768bdf643edc0c5372752ef7142>

DOI: 10.1016/j.bmcl.2017.05.011

Установени цитирания: в SCOPUS (25)

- 1847.[1] Shukla, S., P. Gahlot, A. Khandekar, A. Agrawal, S. Pasricha (2017). "Exploring coumarin and chalcone analogues as potential antimycobacterial agents." *Anti-Infective Agents* 15(2): 69-86. doi:10.2174/2211352515666171120142559
- 1848.[2] Karrouchi, K., S. Radi, Y. Ramli, J. Taoufik, Y. N. Mabkhot, F. A. Al-Aizari, M. Ansar (2018). "Synthesis and pharmacological activities of Pyrazole derivatives: A review." *Molecules* 23(1). doi:10.3390/molecules23010134
- 1849.[3] Krishna Prasad, C., P. V. S. Machiraju (2018). "Synthesis and characterization of 2-phenyl-5-(1-phenyl-3-(3, 4, 5-trimethoxyphenyl)-1H-pyrazol-4-yl) - 1, 3, 4-oxadiazole scaffolds for assessing their medicinal potentials." *Indian Journal of Pharmaceutical Education and Research* 52(1): 135-145. doi:10.5530/ijper.52.1.15
- 1850.[4] Popiolek, Ł., A. Biernasiuk, A. Berecka, A. Gumieniczek, A. Malm, M. Wujec (2018). "New hydrazide-hydrazones of isonicotinic acid: synthesis, lipophilicity and in vitro antimicrobial screening." *Chemical Biology and Drug Design* 91(4): 915-923. doi:10.1111/cbdd.13158
- 1851.[5] de Almeida, P. S. V. B., T. M. Pereira, A. E. Kummerle, G. P. Guedes, H. Silva, L. L. de Oliveira, A. P. Neves (2019). "New Ru(II)-DMSO complexes containing coumarin-N-acylhydrazone hybrids: Synthesis, X-ray structures, cytotoxicity and antimicrobial activities." *Polyhedron* 171: 20-31. doi:10.1016/j.poly.2019.06.053
- 1852.[6] Abd, I. Q., H. I. Ibrahim, H. M. Jirjes, A. H. Dalaf (2020). "Synthesis and identification of new compounds have antioxidant activity beta-carotene, from natural auxin phenyl acetic acid." *Research Journal of Pharmacy and Technology* 13(1): 40-46. doi:10.5958/0974-360X.2020.00007.4
- 1853.[7] Li, M., L. P. Cheng, W. Pang, Z. J. Zhong, L. L. Guo (2020). "Design, Synthesis, and Biological Evaluation of Novel Acylhydrazone Derivatives as Potent Neuraminidase Inhibitors." *ACS Medicinal Chemistry Letters* 11(9): 1745-1750. doi:10.1021/acsmchemlett.0c00313
- 1854.[8] Yadav, S., B. Narasimhan (2020). "New insights in design and development of antitubercular drugs." *Current Bioactive Compounds* 16(1): 13-23. doi:10.2174/1573407215666190409153756
- 1855.[9] Khodadad, H., F. Hatamjafari, K. Pourshamsian, B. Sadeghi (2021). "Microwave-assisted synthesis of novel pyrazole derivatives and their biological evaluation as anti-bacterial agents." *Combinatorial Chemistry and High Throughput Screening* 24(5): 695-700. doi:10.2174/1386207323666201019152206
- 1856.[10] Patra, P. (2021). "4-Chloro-3-formylcoumarin as a multifaceted building block for the development of various bio-active substituted and fused coumarin heterocycles: A brief review." *New Journal of Chemistry* 45(32): 14269-14327. doi:10.1039/d1nj02755g
- 1857.[11] Popiolek, Ł. (2021). "Updated information on antimicrobial activity of hydrazide-hydrazones." *International Journal of Molecular Sciences* 22(17). doi:10.3390/ijms22179389
- 1858.[12] Sellitepe, H. E., J. M. Öh, İ. S. Doğan, S. Yildirim, A. B. Aksel, G. S. Jeong, A. Khames, M. A. Abdelgawad, N. Gambacorta, O. Nicolotti, B. Mathew, H. Kim (2021). "Synthesis of n'-(4-/3-/2-/non-substituted benzyldiene)4-[(4-methylphenyl)sulfonyloxy] benzohydrazides and evaluation of their inhibitory activities against monoamine oxidases and β -secretase." *Applied Sciences (Switzerland)* 11(13). doi:10.3390/app11135830
- 1859.[13] Akki, M., D. S. Reddy, K. S. Katagi, A. Kumar, H. C. Devarajegowda, S. Kumari, M. V. Babagond, S. D. Joshi (2022). "Coumarin Hydrazone Oxime Scaffolds as Potent Anti-tubercular Agents: Synthesis, X-ray crystal and Molecular Docking Studies." *ChemistrySelect* 7(46). doi:10.1002/slct.202203260
- 1860.[14] dos Santos Filho, J. M., M. V. B. de Souza Castro (2022). "Synthesis, structural characterization, and antimicrobial activity of novel ferrocene-N-acyl hydrazones designed by means of molecular simplification strategy Celebrating the 100th anniversary of the birth of Professor Paulo Freire." *Journal of Organometallic Chemistry* 979. doi:10.1016/j.jorganchem.2022.122488

- 1861.[15] Kabi, A. K., S. Sravani, R. Gujjarappa, A. Garg, N. Vodnala, U. Tyagi, D. Kaldhi, V. Singh, S. Gupta, C. C. Malakar (2022). Overview on Biological Activities of Pyrazole Derivatives. In: Materials Horizons: From Nature to Nanomaterials(Ed.): 229-306.
- 1862.[16] Ketan, V., S. Pooja, M. Puri, B. Anshul (2022). "Antituberculosis activity of pyrazoles." Research Journal of Chemistry and Environment 26(10): 184-198. doi:10.25303/2610rjce1840198
- 1863.[17] Kumar, H., K. K. Bansal, A. Goyal (2022). "An Insight into Pyrazole-containing Compounds: Synthesis and Pharmacological Activities." Anti-Infective Agents 20(5). doi:10.2174/2211352520666220307102523
- 1864.[18] Aslanhan, Ö., E. Kalay, F. S. Tokali, Z. Can, E. Şahin (2023). "Design, synthesis, antioxidant and anticholinesterase activities of novel isonicotinic hydrazide-hydrazone derivatives." Journal of Molecular Structure 1279. doi:10.1016/j.molstruc.2023.135037
- 1865.[19] Garberová, M., I. Potočník, M. Tvrdoňová, M. Bago-Pilátová, S. Bekešová, Z. Kudličková, E. Samořová, A. Kešľáková, J. Elečko, M. Vilková (2023). "Spectral, structural, and pharmacological studies of perillaldehyde and myrtenal based benzohydrazides." Journal of Molecular Structure 1271. doi:10.1016/j.molstruc.2022.134112
- 1866.[20] Kichou, N., N. Guechtouli, K. Ighilahriz, M. Teferghennit, Z. Hank (2023). Synthesis, Biological Evaluation and Theoretical Studies of Hydrazone Derivatives. Eurasia Proceedings of Science, Technology, Engineering and Mathematics.
- 1867.[21] Patra, S., P. Patra (2023). "A Brief Review on the Design, Synthesis and Biological Evaluation of Pyrazolo[c]coumarin Derivatives." Polycyclic Aromatic Compounds 44(2): 818-859. doi:10.1080/10406638.2023.2181827
- 1868.[22] Pereira, A. L., M. A. Vasconcelos, A. L. Andrade, I. M. Martins, A. K. M. Holanda, A. C. S. Gondim, D. P. S. Penha, K. L. Bruno, F. O. N. Silva, E. H. Teixeira (2023). "Antimicrobial and Antibiofilm Activity of Copper-Based Metallic Compounds Against Bacteria Related with Healthcare-Associated Infections." Current Microbiology 80(4). doi:10.1007/s00284-023-03232-0
- 1869.[23] Taferguennit, M., Z. Hank, N. Kichou (2023). Comparative Experimental and Theoretical Study on the Structure of Potassium 2,4-Hexadienoate: Structure-Activity Relationship. Eurasia Proceedings of Science, Technology, Engineering and Mathematics.
- 1870.[24] Khare, S. P., T. R. Deshmukh, J. N. Sangshetti, V. M. Khedkar, B. B. Shingate (2024). "1,2,3-Triazolyl Phenylhydrazones as Antioxidant Agents: An Ultrasound Promoted Catalyst-Free Synthesis and Molecular Docking Study." Polycyclic Aromatic Compounds. doi:10.1080/10406638.2024.2309358
- 1871.[25] Wahan, S. K., G. Bhargava, V. Chawla, P. A. Chawla (2024). "Unlocking InhA: Novel approaches to inhibit Mycobacterium tuberculosis." Bioorganic Chemistry 146. doi:10.1016/j.bioorg.2024.107250

Публ. с IF № 98. Angelova, V.T., Valcheva, V., Vassilev, N.G., Buyukliev, R., **Momekov, G.**, Dimitrov, I., Saso, L., Djukic, M., Shivachev, B. Antimycobacterial activity of novel hydrazide-hydrazone derivatives with 2H-chromene and coumarin scaffold (2017) Bioorganic and Medicinal Chemistry Letters, 27 (2): 223-227. (IF 2,442)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85006911003&doi=10.1016%2fj.bmcl.2016.11.071&partnerID=40&md5=acadfcef78a363a8499a5aad59d33cd)

[85006911003&doi=10.1016%2fj.bmcl.2016.11.071&partnerID=40&md5=acadfcef78a363a8499a5aad59d33cd](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85006911003&doi=10.1016%2fj.bmcl.2016.11.071&partnerID=40&md5=acadfcef78a363a8499a5aad59d33cd)

DOI: 10.1016/j.bmcl.2016.11.071

Установени цитирания: в SCOPUS (61)

- 1872.[1] Alsabil, K., G. Viault, S. Suor-Cherer, J. J. Helesbeux, J. Merza, V. Dumontet, L. M. Peña-Rodríguez, P. Richomme, D. Séraphin (2017). "Efficient ortho-formylation in vitamin E series, application to the semi-synthesis of natural 5- and 7-formyl- δ -tocotrienols revealing an unprecedented 5-bromo-7-formyl exchange." Tetrahedron 73(49): 6863-6870. doi:10.1016/j.tet.2017.10.039
- 1873.[2] Popiolek, L., A. Biernasiuk (2017). "New Hydrazides and Hydrazone-Hydrazones of 2,3-Dihalogen Substituted Propionic Acids: Synthesis and in vitro Antimicrobial Activity Evaluation." Chemistry and Biodiversity 14(8). doi:10.1002/cbdv.201700075
- 1874.[3] Pravardhan Reddy, E., A. Sumankumar, B. Sridhar, Y. Hemasri, Y. Jayaprakash Rao, B. V. Subba Reddy (2017). "1,5-Electrocyclization of conjugated azomethine ylides derived from 3-formyl chromene and N-alkyl amino acids/esters." Organic and Biomolecular Chemistry 15(36): 7580-7583. doi:10.1039/c7ob00705a
- 1875.[4] Shukla, S., P. Gahlot, A. Khandekar, A. Agrawal, S. Pasricha (2017). "Exploring coumarin and chalcone analogues as potential antimycobacterial agents." Anti-Infective Agents 15(2): 69-86. doi:10.2174/2211352515666171120142559
- 1876.[5] El Shehry, M. F., S. Y. Abbas, A. M. Farrag, S. I. Eissa, S. A. Fouad, Y. A. Ammar (2018). "Design, synthesis and biological evaluation of quinoxaline N-propionic and O-propionic hydrazide derivatives as antibacterial and antifungal agents." Medicinal Chemistry Research 27(10): 2287-2296. doi:10.1007/s00044-018-2235-4
- 1877.[6] Kanthecha, D. N., D. B. Raval, V. R. Thakkar, M. N. Patel (2018). "Biological significance of hetero-scaffolds based gold(III) complexes." Acta Chimica Slovenica 65(2): 333-343. doi:10.17344/acs.2017.4018
- 1878.[7] Nural, Y. (2018). "Synthesis, antimycobacterial activity, and acid dissociation constants of polyfunctionalized 3-[2-(pyrrolidin-1-yl)thiazole-5-carbonyl]-2H-chromen-2-one derivatives." Monatshefte für Chemie 149(10): 1905-1918. doi:10.1007/s00706-018-2250-7
- 1879.[8] Popiolek, L., A. Biernasiuk, A. Berecka, A. Gumieniczek, A. Malm, M. Wujec (2018). "New hydrazide-hydrazones of isonicotinic acid: synthesis, lipophilicity and in vitro antimicrobial screening." Chemical Biology and Drug Design 91(4): 915-923. doi:10.1111/cbdd.13158
- 1880.[9] Zaheer, Z., S. I. Shaikh, S. N. Mokale, D. K. Lokwani (2018). "Synthesis, biological evaluation and computational study of new quinoline hybrids as antitubercular agent." Letters in Drug Design and Discovery 15(9): 914-922. doi:10.2174/1570180814666171026155930
- 1881.[10] Acosta Quintero, L. M., A. Palma, D. Choquesillo-Lazarte, J. Cobo, C. Glidewell (2019). "Monoclinic and orthorhombic forms of (Rs)-(e)-4-[2-(4-chlorobenzylidene)hydrazinyl]-6,11-dimethyl-6,11-dihydro-5h-benzo[b]pyrimido[5,4-f]azepine: Synthesis, concomitant polymorphism and supramolecular assembly mediated by C—H...N, C—H... π (arene) and C—Cl... π (arene) interactions." Acta Crystallographica Section C: Structural Chemistry 75: 686-693. doi:10.1107/S205322961900617X
- 1882.[11] de Almeida, P. S. V. B., T. M. Pereira, A. E. Kummerle, G. P. Guedes, H. Silva, L. L. de Oliveira, A. P. Neves (2019). "New Ru(II)-DMSO complexes containing coumarin-N-acylhydrazone hybrids: Synthesis, X-ray structures, cytotoxicity and antimicrobial activities." Polyhedron 171: 20-31. doi:10.1016/j.poly.2019.06.053
- 1883.[12] El-Kazak, A. M., N. M. El-Gohary, A. S. Badran, M. A. Ibrahim (2019). "Synthesis and chemical reactivity of the novel 3-chloro-3-(4-chlorocoumarin-3-yl)prop-2-enal." Tetrahedron 75(29): 3923-3932. doi:10.1016/j.tet.2019.06.013
- 1884.[13] Gomes, L. R., J. N. Low, T. Van Mourik, L. S. Da Silveira Pinto, M. V. N. De Souza, J. L. Wardell (2019a). "Crystal structures, Hirshfeld surface analysis and a computational study of four ethyl 2-oxo-2H-chromene-3-carboxylate derivatives: A survey of organyl 2-oxo-2H-chromene-3-carboxylate structures." Zeitschrift für Kristallographie - Crystalline Materials 234(2): 85-99. doi:10.1515/zkri-2018-2117
- 1885.[14] Gomes, L. R., J. N. Low, J. L. Wardell, C. Capellini, V. R. F. Câmara, E. F. Da Silva, S. A. Carvalho (2019b). "Crystal structures and Hirshfeld surface analyses of (E)-N'-benzylidene-2-oxo-2H-chromene-3-carbohydrazone and the disordered hemi-DMSO solvate of (E)-2-oxo-N'-(3,4,5-

- trimethoxybenzylidene)-2H-chromene-3-carbohydrazide: Lattice energy and intermolecular interaction energy calculations for the former." *Acta Crystallographica Section E: Crystallographic Communications* 75: 1403-1410. doi:10.1107/S2056989019012015
- 1886.[15] Mohareb, R. M., W. W. Wardakhan, N. S. Abbas (2019). "Synthesis of tetrahydrobenzo[b]thiophene-3-carbohydrazide derivatives as potential anti-cancer agents and p38-kinase inhibitors." *Anti-Cancer Agents in Medicinal Chemistry* 19(14): 1737-1753. doi:10.2174/1871520619666190402153429
- 1887.[16] Narsimha, S., N. V. Reddy (2019). "Environmentally benign synthesis of (1-aryl-1H-1,2,3-triazol-4-yl)methyl 6-fluoro-4-oxo-4H-chromene-2-carboxylate derivatives as potent anticancer agents." *Indian Journal of Heterocyclic Chemistry* 29(4): 403-408.
- 1888.[17] Desale, V. J., S. N. Mali, H. K. Chaudhari, M. C. Mali, B. R. Thorat, R. S. Yamgar (2020). "Synthesis and anti-mycobacterium study on halo-substituted 2-aryl oxyacetohydrazones." *Current Computer-Aided Drug Design* 16(5): 618-628. doi:10.2174/1573409915666191018120611
- 1889.[18] El-Gohary, N. M., A. M. El-Kazak, M. A. Ibrahim (2020). "An efficient synthesis of novel heterocyclic systems incorporating coumarin moiety." *Journal of Heterocyclic Chemistry* 57(2): 716-723. doi:10.1002/jhet.3811
- 1890.[19] Pallapati, R. K., B. R. Mutchu, U. R. Vanga, R. Varala, H. B. Bollikolla (2020). "Synthesis, characterization and antioxidant activity of some new 3-(3-(Trifluoromethyl)phenyl)acrylic acid derived hydrazide-hydrazone scaffolds." *Asian Journal of Chemistry* 32(8): 2099-2104. doi:10.14233/ajchem.2020.22825
- 1891.[20] Thorat, B. R., D. Rani, R. S. Yamgar, S. N. Mali (2020). "Synthesis, spectroscopic, in-vitro and computational analysis of hydrazones as potential antituberculosis agents: (part-I)." *Combinatorial Chemistry and High Throughput Screening* 23(5): 392-401. doi:10.2174/1386207323999200325125858
- 1892.[21] Yadav, S. B. Narasimhan (2020). "New insights in design and development of antitubercular drugs." *Current Bioactive Compounds* 16(1): 13-23. doi:10.2174/1573407215666190409153756
- 1893.[22] B. M., Y. D. Bodke, N. O. L. T. N. N. G. S. Ma (2021). "Coumarin-Benzothiazole Based Azo Dyes: Synthesis, Characterization, Computational, Photophysical and Biological Studies." *Journal of Molecular Structure* 1246. doi:10.1016/j.molstruc.2021.131170
- 1894.[23] Ballarotto, M., M. Solinas, A. Temperini (2021). "A straightforward synthesis of functionalized 6: H -benzo [c] chromenes from 3-alkenyl chromenes by intermolecular Diels-Alder/aromatization sequence." *Organic and Biomolecular Chemistry* 19(47): 10359-10375. doi:10.1039/d1ob01967h
- 1895.[24] Capellini, C., V. R. F. Câmara, J. D. F. Villar, J. M. C. Barbosa, K. Salomão, S. L. de Castro, P. A. Sales Junior, S. M. F. Murta, T. B. Couto, M. C. S. Lourenço, J. L. Wardell, J. N. Low, E. F. da Silva, S. A. Carvalho (2021). "Synthesis, antitrypanosomal and antimycobacterial activities of coumarin n-acylhydrazonic derivatives." *Medicinal Chemistry* 17(6): 630-637. doi:10.2174/1573406416666200121105215
- 1896.[25] Desale, V. J., S. N. Mali, B. R. Thorat, R. S. Yamgar (2021). "Synthesis, admetSAR Predictions, DPPH Radical Scavenging Activity, and Potent Anti-mycobacterial Studies of Hydrazones of Substituted 4-(anilino methyl) benzohydrazides (Part 2)." *Current Computer-Aided Drug Design* 17(4): 493-503. doi:10.2174/1573409916666200615141047
- 1897.[26] Emam, A. M., A. Dahal, S. S. Singh, R. D. Tosso, S. M. Ibrahim, M. El-Sadek, S. D. Jois, R. D. Enriz, H. Kothayer (2021). "Quinazoline-tethered hydrazone: A versatile scaffold toward dual anti-TB and EGFR inhibition activities in NSCLC." *Archiv der Pharmazie* 354(12). doi:10.1002/ardp.202100281
- 1898.[27] Farjallah, A., L. R. Chiarelli, M. Forbak, G. Degiacomi, M. Danel, F. Goncalves, C. Carayon, C. Seguin, M. Fumagalli, M. Záhorská, E. Vega, S. Abid, A. Grzegorzewicz, M. Jackson, A. Peixoto, J. Korduláková, M. R. Pasca, C. Lherbet, S. Chassaing (2021). "A Coumarin-Based Analogue of Thiacezone as Dual Covalent Inhibitor and Potential Fluorescent Label of HspA in Mycobacterium tuberculosis." *ACS Infectious Diseases* 7(3): 552-565. doi:10.1021/acscinfdis.0c00325
- 1899.[28] Meenatchi, V., S. Siva, S. P. Meenakshisundaram, L. Cheng (2021). "Synthesis, crystal growth, characterization and DFT investigation of a nonlinear optically active cuminaldehyde derivative hydrazone." *Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials* 77: 249-259. doi:10.1107/S2052520621001517
- 1900.[29] Paruch, K., Ł. Popiolek, A. Biernasiuk, A. Berecka-rycerz, A. Malm, A. Gumieniczek, M. Wujec (2021). "Novel derivatives of 4-methyl-1,2,3-thiadiazole-5-carboxylic acid hydrazide: Synthesis, lipophilicity, and in vitro antimicrobial activity screening." *Applied Sciences (Switzerland)* 11(3): 1-12. doi:10.3390/app11031180
- 1901.[30] Patra, P. (2021). "4-Chloro-3-formylcoumarin as a multifaceted building block for the development of various bio-active substituted and fused coumarin heterocycles: A brief review." *New Journal of Chemistry* 45(32): 14269-14327. doi:10.1039/d1nj02755g
- 1902.[31] Popiolek, Ł. (2021). "Updated information on antimicrobial activity of hydrazide-hydrazones." *International Journal of Molecular Sciences* 22(17). doi:10.3390/ijms22179389
- 1903.[32] Reddy, D. S., M. Kongot, A. Kumar (2021). "Coumarin hybrid derivatives as promising leads to treat tuberculosis: Recent developments and critical aspects of structural design to exhibit anti-tubercular activity." *Tuberculosis* 127. doi:10.1016/j.tube.2020.102050
- 1904.[33] Samir, E. M., R. M. Mohareb (2021). "NOVEL SYNTHESIS OF PYRAN-3-HYDRAZIDE DERIVATIVES AND THEIR USES TO THE SYNTHESIS HYDRAZIDE-HYDRAZONE, PYRAZOLE AND THIAZOLE DERIVATIVES WITH ANTICANCER ACTIVITIES." *Bulletin of the Chemical Society of Ethiopia* 35(3): 573-586. doi:10.4314/bcse.v35i3.9
- 1905.[34] Sampiron, E. G., G. F. Costacurta, L. L. Calsavara, V. P. Baldin, G. V. Da Silva, V. G. Alves Olher, L. H. Ferraretto, K. R. Caleffi-Ferracioli, R. F. Cardoso, V. L. D. Siqueira, F. Vandrezen, R. B. De Lima Scodro (2021). "In Vitro and in Silico Evaluations of Anti-Mycobacterium tuberculosis Activity of Benzohydrazones Compounds." *Microbial Drug Resistance* 27(11): 1564-1577. doi:10.1089/mdr.2020.0392
- 1906.[35] Thorat, B. R., S. N. Mali, D. Rani, R. S. Yamgar (2021). "Synthesis, in silico and in vitro analysis of hydrazones as potential antituberculosis agents." *Current Computer-Aided Drug Design* 17(2): 294-306. doi:10.2174/1573409916666200302120942
- 1907.[36] Tolan, D. A., T. I. Kashar, K. Yoshizawa, A. M. El-Nahas (2021). "Synthesis, spectral characterization, density functional theory studies, and biological screening of some transition metal complexes of a novel hydrazide-hydrazone ligand of isonicotinic acid." *Applied Organometallic Chemistry* 35(6). doi:10.1002/aoc.6205
- 1908.[37] Toro, P. M., D. H. Jara, A. H. Klahn, D. Villaman, M. Fuentealba, A. Vega, N. Pizarro (2021). "Spectroscopic Study of the E/Z Photoisomerization of a New Cyrtetrenyl Acylhydrazone: A Potential Photoswitch and Photosensitizer†." *Photochemistry and Photobiology* 97(1): 61-70. doi:10.1111/php.13309
- 1909.[38] Akki, M., D. S. Reddy, K. S. Katagi, A. Kumar, H. C. Devarajegowda, S. Kumari M, V. Babagond, S. D. Joshi (2022a). "Coumarin Hydrazone Oxime Scaffolds as Potent Anti-tubercular Agents: Synthesis, X-ray crystal and Molecular Docking Studies." *ChemistrySelect* 7(46). doi:10.1002/slct.202203260
- 1910.[39] Akki, M., D. S. Reddy, K. S. Katagi, A. Kumar, H. C. Devarajegowda, S. K. M, V. Babagond, S. Mane, S. D. Joshi (2022b). "Synthesis of coumarin-thioether conjugates as potential anti-tubercular agents: Their molecular docking and X-ray crystal studies." *Journal of Molecular Structure* 1266. doi:10.1016/j.molstruc.2022.133452
- 1911.[40] Borges, E. L., H. A. Goulart, G. Perin, P. H. Schneider, G. S. Rieder, P. A. Nogara, J. B. T. da Rocha (2022). "One-Pot Synthesis and in Silico Molecular Docking Studies of Arylselanyl Hydrazides as Potential Antituberculosis Agents." *Chemistry and Biodiversity* 19(5). doi:10.1002/cbdv.202100793
- 1912.[41] Chen, C., J. Ge, L. He (2022). "Selective synthesis and reactivity expansion of α,β -unsaturated geminal diazides." *Organic Chemistry Frontiers* 9(8): 2116-2120. doi:10.1039/d2qo00008c

- 1913.[42] dos Santos Filho, J. M., M. V. B. de Souza Castro (2022). "Synthesis, structural characterization, and antimicrobial activity of novel ferrocene-N-acyl hydrazones designed by means of molecular simplification strategy Celebrating the 100th anniversary of the birth of Professor Paulo Freire." *Journal of Organometallic Chemistry* 979. doi:10.1016/j.jorgchem.2022.122488
- 1914.[43] Kurşun Aktar, B. S., Y. Sicak, G. Tatar, E. E. Oruç-Emre (2022). "Synthesis of benzoyl hydrazones having 4-hydroxy-3,5-dimethoxy phenyl ring, their biological activities, and molecular modeling studies on enzyme inhibition activities." *Turkish Journal of Chemistry* 46(1): 236-252. doi:10.3906/kim-2107-7
- 1915.[44] Loseva, O. V., I. A. Lutsenko, T. A. Rodina, Y. V. Nelyubina, A. V. Gerasimenko, O. B. Bekker, A. V. Ivanov, I. L. Eremenko (2022). "An ionic gold(III)-zinc(II) pseudo-polymeric compound of [H₃O][Au{S₂CN(CH₂)₅}₂][ZnCl₄]₂: Synthesis, supramolecular architecture and anti-tuberculosis activity." *Polyhedron* 226. doi:10.1016/j.poly.2022.116097
- 1916.[45] Mujeeb, S., K. Singh, B. Yogi, V. Ansari, S. Sinha (2022). "A Review on Coumarin Derivatives as Potent Anti-tuberculosis Agents." *Mini-Reviews in Medicinal Chemistry* 22(7): 1064-1080. doi:10.2174/1389557521666210927124511
- 1917.[46] Thorat, B. R., S. N. Mali, R. R. Wagh, R. S. Yamgar (2022). "Synthesis, Molecular docking, Antioxidant, Anti-TB, and Potent MCF-7 Anticancer Studies of Novel Aryl-carbohydrazone Analogues." *Current Computer-Aided Drug Design* 18(4): 247-257. doi:10.2174/1573409918666220610162158
- 1918.[47] Vidya, K. (2022). "Synthesis of Chromene Based 1,2,4-Oxadiazoles: In Vitro Anticancer, Molecular Docking, and ADMET Studies." *Russian Journal of General Chemistry* 92(11): 2346-2353. doi:10.1134/S1070363222110196
- 1919.[48] Aslanhan, Ö., E. Kalay, F. S. Tokalı, Z. Can, E. Şahin (2023). "Design, synthesis, antioxidant and anticholinesterase activities of novel isonicotinic hydrazone-derivative." *Journal of Molecular Structure* 1279. doi:10.1016/j.molstruc.2023.135037
- 1920.[49] Bondock, S., T. Albarqi, I. A. Shaaban, M. M. Abdou (2023). "Novel asymmetrical azines appending 1,3,4-thiadiazole sulfonamide: synthesis, molecular structure analyses, in silico ADME, and cytotoxic effect." *RSC Advances* 13(15): 10353-10366. doi:10.1039/d3ra00123g
- 1921.[50] De, S., C. Chowdhury (2023). "Iron(III)-Catalyzed Carboannulations of Homopropargylic Alcohols: A One-Pot General Synthesis of 4-(2,2-Diarylviny)quinolines and 4-(2,2-Diarylviny)-2 H-chromenes." *Journal of Organic Chemistry* 88(11): 7539-7550. doi:10.1021/acs.joc.3c00442
- 1922.[51] Desale, V. J., S. N. Mali, B. R. Thorat, R. S. Yamgar, S. V. Dharanguttkar, V. R. Dharanguttkar, S. Chitita, M. Oliveira, J. N. V. Cruz (2023). "Synthesis, Characterization, 'ADMET-SAR' Prediction, DPPH Assay, and Anti-Mycobacterium Study of 4-[(substituted benzyl) amino]benzo hydrazides and its Hydrazones as the Acyl-CoA Carboxylase, AccD5 Inhibitors." *Current Computer-Aided Drug Design* 19(4): 300-312. doi:10.2174/1573409919666221227091735
- 1923.[52] Govada, G. V., S. Rajasekhara Reddy (2023). "Synthesis and in Silico Study of Novel Benzisoxazole-Chromene Derivatives as Potent Inhibitors of Acetylcholinesterase: Metal-Free Site-Selective C–N Bond Formation via Aza-Michael Reaction." *Chemistry and Biodiversity* 20(8). doi:10.1002/cbdv.202300573
- 1924.[53] Reddy, D. S., A. Sinha, M. M. Kurjogi, H. Shanavaz, A. Kumar (2023). "Design, synthesis, molecular docking, and biological evaluation of coumarin-thymidine analogs as potent anti-TB agents." *Archiv der Pharmazie* 356(5). doi:10.1002/ardp.202200633
- 1925.[54] Ressler, A. J., M. Frate, A. Hontoria, A. Ream, E. Timms, H. Li, L. D. Stettler, A. Bollinger, J. E. Poor, M. A. Parra, H. Ma, N. P. Seeram, S. M. Meschwitz, G. E. Henry (2023). "Synthesis, anti-ferroptosis, anti-quorum sensing, antibacterial and DNA interaction studies of chromene-hydrazone derivatives." *Bioorganic and Medicinal Chemistry* 90. doi:10.1016/j.bmc.2023.117369
- 1926.[55] Saayman, M., C. Kannigadu, J. Aucamp, H. D. Janse van Rensburg, C. Joseph, A. J. Swarts, D. D. N'Da (2023). "Design, synthesis, electrochemistry and anti-trypanosomatid hit/lead identification of nitrofuranylazines." *RSC Medicinal Chemistry* 14(10): 2012-2029. doi:10.1039/d3md00220a
- 1927.[56] Tang, Y., W. Pan, Y. Yang (2023). "Silver-Catalyzed Chlorocyclization for the Synthesis of 3-Chloro-2H-chromenes." *Journal of Organic Chemistry* 88(14): 9668-9676. doi:10.1021/acs.joc.2c02864
- 1928.[57] Tatar Yilmaz, G., B. S. Kurşun Aktar, E. E. Oruç-Emre (2023). "In silico modeling of α -glucosidase, aldose reductase, and PPAR- γ with benzoyl/sulfonyl hydrazone derivatives using molecular docking, ADMET, and molecular dynamics simulations." *Journal of Research in Pharmacy* 27(4): 1567-1576. doi:10.29228/jrp.442
- 1929.[58] Zawal, A. G., M. M. Abdel-Aziz, A. A. El-Shanawani, L. M. Abdel-Aziz, M. Taha, C. Simons, S. S. Elbaramawi (2023). "Targeting Mycobacterium tuberculosis: Synthesis, in vitro and in silico evaluation of novel N1-(benzo[d]oxazol-2-yl)-N4-arylidine compounds." *Archiv der Pharmazie* 356(8). doi:10.1002/ardp.202300187
- 1930.[59] Elantabli, F. M., R. G. Mohamed, S. M. El-Medani, M. Haukka, R. M. Ramadan, M. A. Afifi (2024). "Structural investigations of new tridentate-phenylacetohydrazide Schiff base metal chelates: X-ray diffraction, Hirshfeld surface analyses, DFT, antibacterial and molecular docking studies." *Journal of Molecular Structure* 1299. doi:10.1016/j.molstruc.2023.137230
- 1931.[60] Shankar Panda, B., B. Samanta, S. S. S. S. Sudha Ambadipudi, S. Nayak, V. Lakshma Nayak, S. Ramakrishna, S. Mohapatra, P. Mohan Behera, L. Samanta (2024). "New 2H-Chromene-Based Hydrazone Derivatives as Promising Anti-Breast Cancer Agents: Efficient Synthesis, Spectral Characterization, Molecular Docking, and ADMET Studies." *ChemistrySelect* 9(15). doi:10.1002/slct.202400115
- 1932.[61] Vlad, I. M., D. C. Nuță, M. T. Căproiu, F. Dumitrașcu, E. Kapronczai, G. R. Műk, S. Avram, A. G. Niculescu, I. Zarafu, V. A. Ciorobescu, A. M. Brezeanu, C. Limban (2024). "Synthesis and Characterization of New N-acyl Hydrazone Derivatives of Carprofen as Potential Tuberculostatic Agents." *Antibiotics* 13(3). doi:10.3390/antibiotics13030212

Публ. с IF № 100. Trendafilova, I., Szegedi, A., Mihály, J., **Momekov, G.**, Lihareva, N., Popova, M. Preparation of efficient quercetin delivery system on Zn-modified mesoporous SBA-15 silica carrier (2017) *Materials Science and Engineering C*, 73: 285-292. (IF 5,080)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85007235974&doi=10.1016%2fj.msec.2016.12.063&partnerID=40&md5=edb59e2fb62c40a2904213a0552a6fab>

DOI: 10.1016/j.msec.2016.12.063

Установени цитирания: в SCOPUS (28)

- 1933.[1] Xu, Y., D. Gao, P. Feng, C. Gao, S. Peng, H. Ma, S. Yang, C. Shuai (2017). "A mesoporous silica composite scaffold: Cell behaviors, biomineralization and mechanical properties." *Applied Surface Science* 423: 314-321. doi:10.1016/j.apsusc.2017.05.236
- 1934.[2] Zhao, J., M. Zeng, K. Zheng, X. He, M. Xie, X. Fu (2017). "Preparation and characterization of thermoresponsive poly(N-isopropylacrylamide-co-acrylic acid)-grafted hollow Fe₃O₄/SiO₂ microspheres with surface holes for BSA release." *Materials* 10(4). doi:10.3390/ma10040411
- 1935.[3] Lutoshkin, M. A., A. I. Petrov, A. S. Kazachenko, B. N. Kuznetsov, V. A. Levdansky (2018). "Complexation of rare earth metals by quercetin and quercetin-5'-sulfonic acid in acidic aqueous solution." *Main Group Chemistry* 17(1): 17-25. doi:10.3233/MGC-180253

- 1936.[4] Porcu, E. P., M. Cossu, G. Rassu, P. Giunchedi, G. Cerri, J. Pourová, I. Najmanová, T. Migkos, V. Pilařová, L. Nováková, P. Mladěnka, E. Gavini (2018). "Aqueous injection of quercetin: An approach for confirmation of its direct in vivo cardiovascular effects." *International Journal of Pharmaceutics* 541(1-2): 224-233. doi:10.1016/j.ijpharm.2018.02.036
- 1937.[5] Costa, B. E. B., F. C. Rangel, R. S. da Cruz (2019). "Esterification of oleic acid using mesoporous aluminosilicate modified with zirconium oxide." *Revista Materia* 24(1). doi:10.1590/s1517-707620190001.0660
- 1938.[6] Xu, L., H. L. Li, L. P. Wang (2019). "PH-sensitive, polymer functionalized, nonporous silica nanoparticles for quercetin controlled release." *Polymers* 11(12). doi:10.3390/polym11122026
- 1939.[7] Alban, L., W. F. Monteiro, F. M. Diz, G. M. Miranda, C. M. Scheid, E. R. Zotti, F. B. Morrone, R. Ligabue (2020). "New quercetin-coated titanate nanotubes and their radiosensitization effect on human bladder cancer." *Materials Science and Engineering C* 110. doi:10.1016/j.msec.2020.110662
- 1940.[8] Qiu, S., H. Zhou, Z. Shen, L. Hao, H. Chen, X. Zhou (2020). "Synthesis, characterization, and comparison of antibacterial effects and elucidating the mechanism of ZnO, CuO and CuZnO nanoparticles supported on mesoporous silica SBA-3." *RSC Advances* 10(5): 2767-2785. doi:10.1039/c9ra09829a
- 1941.[9] Quang Tran, H., M. Bhawe, A. Yu (2020). "Current Advances of Hollow Capsules as Controlled Drug Delivery Systems." *ChemistrySelect* 5(19): 5537-5551. doi:10.1002/slct.201904598
- 1942.[10] Zhang, J., K. Cheng, H. Li, F. Yin, Q. Wang, L. Cui, S. Yang, J. Nie, D. Zhou, B. Zhu (2020). "Efficient Synthesis of Structured Phospholipids Containing Short-Chain Fatty Acids over a Sulfonated Zn-SBA-15 Catalyst." *Journal of Agricultural and Food Chemistry* 68(44): 12444-12453. doi:10.1021/acs.jafc.0c05213
- 1943.[11] Nematollahi, E., M. Pourmadadi, F. Yazdian, H. Fatoorehchi, H. Rashedi, M. N. Nigjeh (2021). "Synthesis and characterization of chitosan/polyvinylpyrrolidone coated nanoporous γ -Alumina as a pH-sensitive carrier for controlled release of quercetin." *International Journal of Biological Macromolecules* 183: 600-613. doi:10.1016/j.ijbiomac.2021.04.160
- 1944.[12] Akbarzadeh, I., A. Saremi Poor, M. Khodarahmi, M. Abdihaji, A. Moammeri, S. Jafari, Z. Salehi Moghaddam, M. Seif, M. Moghtaderi, Z. A. Lalami, M. Heydari, H. Adelnia, B. Farasati Far (2022). "Gingerol/letrozole-loaded mesoporous silica nanoparticles for breast cancer therapy: In-silico and in-vitro studies." *Microporous and Mesoporous Materials* 337. doi:10.1016/j.micromeso.2022.111919
- 1945.[13] Alizadeh, S. R., M. A. Ebrahimzadeh (2022). "O-Glycoside quercetin derivatives: Biological activities, mechanisms of action, and structure-activity relationship for drug design, a review." *Phytotherapy Research* 36(2): 778-807. doi:10.1002/ptr.7352
- 1946.[14] Carucci, C., G. Sechi, M. Piludu, M. Monduzzi, A. Salis (2022). "A drug delivery system based on poly-L-lysine grafted mesoporous silica nanoparticles for quercetin release." *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 648. doi:10.1016/j.colsurfa.2022.129343
- 1947.[15] Gao, W., B. Zhao, X. Fan, L. Liu, B. He, Y. Li, B. Li (2022). "Production of Iso-octanoic Acid Via Efficiently Synergetic Catalysis of Zn-Modified ZSM-5/HMS." *Catalysis Letters* 152(5): 1461-1475. doi:10.1007/s10562-021-03743-0
- 1948.[16] Hu, H., J. Cui, D. Liu, J. Song, N. Zhang, X. Fan, Z. Zhao, L. Kong, X. Xiao, Z. Xie (2022). "Influence of Different Transition Metal Decoration on the Propane Dehydrogenation Performance over Pt/M-DMSN Catalysts." *Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities* 43(4). doi:10.7503/cjcu20210815
- 1949.[17] Morante-Zarcelero, S., A. Endrino, N. Casado, D. Pérez-Quintanilla, I. Sierra (2022). "Evaluation of mesostructured silica materials with different structures and morphologies as carriers for quercetin and naringin encapsulation." *Journal of Porous Materials* 29(1): 33-48. doi:10.1007/s10934-021-01144-7
- 1950.[18] Sadeghi, A., M. Faeli, M. Tajbakhsh, A. Abri, M. Golpour (2022). "Synthesis and characterization of amino sulfonic acid functionalized graphene oxide as a potential carrier for quercetin." *Turkish Journal of Chemistry* 46(4): 987-998. doi:10.55730/1300-0527.3409
- 1951.[19] Zhang, W., J. Lyu, W. Chen, P. Wang (2022). "Preparation of Functionalized SBA-15 Mesoporous Silica and Its Application in Drug Delivery System." *Cailiao Daobao/Materials Reports* 36(18). doi:10.11896/cldb.20080069
- 1952.[20] Ziarani, G. M., M. Khademi, F. Mohajer, A. Badii (2022). "The Application of Modified SBA-15 as a Chemosensor." *Current Nanomaterials* 7(1): 4-24. doi:10.2174/2405461506666210420132630
- 1953.[21] Heng, X., Y. Pan, X. Chen, L. Pu, J. Lu, K. Li, K. Tang (2023). "Long-Term and Stable Dental Therapies via an In Situ Spontaneous Medicine Delivery System." *ACS Omega* 8(26): 23936-23944. doi:10.1021/acsomega.3c02428
- 1954.[22] Nakamura, M., D. Urakawa, Z. He, I. Akagi, D. X. Hou, K. Sakao (2023). "Apoptosis Induction in HepG2 and HCT116 Cells by a Novel Quercetin-Zinc (II) Complex: Enhanced Absorption of Quercetin and Zinc (II)." *International Journal of Molecular Sciences* 24(24). doi:10.3390/ijms242417457
- 1955.[23] Rananaware, P., V. P. Brahmakhatia, D. Dasgupta, A. Patel (2023). "Functionalized mesoporous silica for drug delivery of poorly soluble polyphenols: Synthesis, characterization, and antimicrobial action." *Journal of Solid State Chemistry* 326. doi:10.1016/j.jssc.2023.124214
- 1956.[24] Azizah, Y. N., T. Rudiana (2024). "Synthesis of Zn/SBA-15 from Rice Husk Ash Using Sonochemical Methods as a Quercetin Drug Delivery Matrix." *Science and Technology Indonesia* 9(2): 480-486. doi:10.26554/sti.2024.9.2.480-486
- 1957.[25] Khalbas, A. H., T. M. Albayati, N. M. C. Saady, S. Zendejboudi, I. K. Salih, M. L. Tofah (2024). "Insights into drug loading techniques with mesoporous silica nanoparticles: Optimization of operating conditions and assessment of drug stability." *Journal of Drug Delivery Science and Technology* 96. doi:10.1016/j.jddst.2024.105698
- 1958.[26] Matadamas-Ortiz, A., J. F. Pérez-Robles, R. Reynoso-Camacho, S. L. Amaya-Llano, A. Amaro-Reyes, P. Di Pierro, C. Regalado-González (2024). "Effect of Amine, Carboxyl, or Thiol Functionalization of Mesoporous Silica Particles on Their Efficiency as a Quercetin Delivery System in Simulated Gastrointestinal Conditions." *Foods* 13(8). doi:10.3390/foods13081208
- 1959.[27] Montiel Schneider, M. G., M. J. Martín, N. Cuello, M. F. Favatela, C. Gentili, V. Elias, G. Eimer, V. Lassalle (2024). "Morin loaded mesoporous molecular sieves as novel devices to the potential treatment of tumor pathologies." *Journal of Biomaterials Applications* 38(9): 1000-1009. doi:10.1177/08853282241238408
- 1960.[28] Zhao, Z., J. Wang, H. Yuan, J. Xu, H. Gao, Y. Nie (2024). "Preparation of Antibacterial Biobased Fibers by Triaxial Microfluidic Spinning Technology Using Ionic Liquids as the Solvents." *ACS Applied Materials and Interfaces* 16(14): 18063-18074. doi:10.1021/acsaami.4c01357

Публ. с IFN[№] 101. Zheleva-Dimitrova, D., Gevrenova, R., Zaharieva, M. M., Najdenski, H., Ruseva, S., Lozanov, V., Balabanova, V., Yagi, S., **Momekov, G.**, Mitev, V. HPLC-UV and LC-MS Analyses of Acylquinic Acids in *Geigeria alata* (DC) Oliv. & Hiern. and their Contribution to Antioxidant and Antimicrobial Capacity (2017) *Phytochemical Analysis*, 28 (3): 176-184. (IF 2,337)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85006267615&doi=10.1002/2fpc.2658&partnerID=40&md5=7b45efd8d78c8a72c9d43ae72285d1d1>

DOI: 10.1002/pca.2658

Установени цитирания: в SCOPUS (22)

- 1961.[1] Elbashir, S. M. I., H. P. Devkota, M. Wada, N. Kishimoto, M. Moriuchi, T. Shuto, S. Misumi, H. Kai, T. Watanabe (2018). "Free radical scavenging, α -glucosidase inhibitory and lipase inhibitory activities of eighteen Sudanese medicinal plants." BMC Complementary and Alternative Medicine 18(1). doi:10.1186/s12906-018-2346-y
- 1962.[2] Ganzera, M., S. Sturm (2018). "Recent advances on HPLC/MS in medicinal plant analysis—An update covering 2011–2016." Journal of Pharmaceutical and Biomedical Analysis 147: 211–233. doi:10.1016/j.jpba.2017.07.038
- 1963.[3] Milutinović, V., M. Niketić, L. Ušjak, D. Nikolić, A. Krunic, C. Zidorn, S. Petrović (2018). "Methanol Extracts of 28 Hieracium Species from the Balkan Peninsula – Comparative LC–MS Analysis, Chemosystematic Evaluation of their Flavonoid and Phenolic Acid Profiles and Antioxidant Potentials." Phytochemical Analysis 29(1): 30–47. doi:10.1002/pca.2712
- 1964.[4] Singla, R., V. Jaitak (2018). Recent advances in plant metabolites analysis, isolation, and characterization. In: Recent Trends and Techniques in Plant Metabolic Engineering (Ed.): 75–115.
- 1965.[5] Kleczek, N., B. Michalak, J. Malarz, A. K. Kiss, A. Stojakowska (2019). "Carpesium divaricatum Sieb. & Zucc. Revisited: Newly identified constituents from aerial parts of the plant and their possible contribution to the biological activity of the plant." Molecules 24(8). doi:10.3390/molecules24081614
- 1966.[6] Pereira, I. D. S. P., M. R. G. Vega, M. D. S. Mathias, A. C. Ramos, R. R. D. Oliveira, M. M. Paes, M. M. Kanashiro (2019). "Phytochemical and biological studies on Piptocarpha axillaris (Less.) Baker (Asteraceae)." Biochemical Systematics and Ecology 85: 24–30. doi:10.1016/j.bse.2019.05.001
- 1967.[7] Xu, Z., K. Li, T. Pan, J. Liu, B. Li, C. Li, S. Wang, Y. Diao, X. Liu (2019). "Lonicerin, an anti-*algE* flavonoid against *Pseudomonas aeruginosa* virulence screened from Shuanghuanglian formula by molecule docking based strategy." Journal of Ethnopharmacology 239. doi:10.1016/j.jep.2019.111909
- 1968.[8] Bernard, G., H. A. Dos Santos, A. Etienne, J. Samaillie, C. Neut, S. Sahpaz, J. L. Hilbert, D. Gagneul, N. Jullian, A. Tahrioui, S. Chevalier, C. Rivière, C. Rambaud (2020). "MeJA elicitation of chicory hairy roots promotes efficient increase of 3,5-diCQA accumulation, a potent antioxidant and antibacterial molecule." Antibiotics 9(10): 1–20. doi:10.3390/antibiotics9100659
- 1969.[9] Fadul, E., A. Nizamani, S. Rasheed, A. Adhikari, S. Yousuf, S. Parveen, N. Gören, H. A. Alhazmi, M. I. Choudhary, A. Khalid (2020). "Anti-glycating and anti-oxidant compounds from traditionally used anti-diabetic plant *Geigeria alata* (DC) Oliv. & Hiern." Natural Product Research 34(17): 2456–2464. doi:10.1080/14786419.2018.1542388
- 1970.[10] Zhu, R., B. Chen, Q. Zhang (2020). "Comparison of the chemical components and preparation methods of bamboo juice made from *Phyllostachys heterocycla* cv. *Pubescens* and *Phyllostachys glauca* McClure." Food and Fermentation Industries 46(6): 205–211. doi:10.13995/j.cnki.11-1802/ts.022777
- 1971.[11] Alcázar Magaña, A., N. Kamimura, A. Soumyanath, J. F. Stevens, C. S. Maier (2021). "Caffeoylquinic acids: chemistry, biosynthesis, occurrence, analytical challenges, and bioactivity." Plant Journal 107(5): 1299–1319. doi:10.1111/tpj.15390
- 1972.[12] Varvouni, E. F., K. Graikou, O. Gortzi, A. Cheilari, N. Aliagannis, I. Chinou (2021). "Chemical and biological evaluation of the oil and seedcake from seeds of a greek foodstuff cultivar as potential functional vegetable oil. Comparison with sesame, flaxseed and extra virgin olive oils." Foods 10(11). doi:10.3390/foods10112665
- 1973.[13] Nowak, J., A. K. Kiss, C. Wambebe, E. Katuura, L. Kuźma (2022). "Phytochemical Analysis of Polyphenols in Leaf Extract from *Vernonia amygdalina* Delile Plant Growing in Uganda." Applied Sciences (Switzerland) 12(2). doi:10.3390/app12020912
- 1974.[14] Birsá, M. L., L. G. Sarbu (2023). "Health Benefits of Key Constituents in *Cichorium intybus* L." Nutrients 15(6). doi:10.3390/nu15061322
- 1975.[15] Lee, C. D., H. Cho, J. Shim, G. H. Tran, H. D. Lee, K. H. Ahn, E. Yoo, M. J. Chung, S. Lee (2023). "Characteristics of Phenolic Compounds in *Peucedanum japonicum* According to Various Stem and Seed Colors." Molecules 28(17). doi:10.3390/molecules28176266
- 1976.[16] Li, K., Q. Yao, M. Zhang, Q. Li, L. Guo, J. Li, J. Yang, W. Cai (2023). "Exploring the effective components and potential mechanisms of Zukamu granules against acute upper respiratory tract infections by UHPLC–Q-Exactive Orbitrap–MS and network pharmacology analysis." Arabian Journal of Chemistry 16(8). doi:10.1016/j.arabjc.2023.104875
- 1977.[17] Liu, Y., C. Wang, J. Wu, L. Tan, P. Gao, S. Wu, D. Tang, Q. Wang, C. Wang, P. Li, J. Liu (2023). "Study on the Comprehensive Phytochemicals and the Anti-Ulcerative Colitis Effect of *Saussurea pulchella*." Molecules 28(4). doi:10.3390/molecules28041526
- 1978.[18] Osman, W., M. A. Maaz, A. Ali, E. Fadul, A. H. Arbab, M. Y. Al-Nour, A. Ashour, A. E. Sherif, H. S. Abulkhair, S. R. M. Ibrahim, K. F. Ghazawi, G. A. Mohamed, M. S. Mohamed (2023). "Geigeria Alata- A Potential Source for Anti-Alzheimer's Constituents: In Vitro And Computational Investigations." Indonesian Journal of Pharmacy 34(4): 603–616. doi:10.22146/ijp.7967
- 1979.[19] Quinty, V., R. Nasreddine, C. Colas, A. Launay, R. Nehmé, A. El-Khiraoui, C. Piot, M. Draye, E. Destandau, D. Da Silva, G. Chatel (2023). "Antioxidant and anti-lipase capacities from the extracts obtained from two invasive plants: *Ambrosia artemisiifolia* and *Solidago canadensis*." Food Bioscience 55. doi:10.1016/j.fbio.2023.103069
- 1980.[20] Yagi, S., A. Yagi (2023). "Medicinal Plants used Traditionally in Sudan to Treat Viral Infections Related to the Signs and Symptoms of COVID-19: A Systematic Review." Current Traditional Medicine 9(6). doi:10.2174/2215083809666230206114117
- 1981.[21] Islam, S., Z. Adam, J. H. Akanda (2024). "Quinic and caffeic acids derivatives: Affecting antioxidant capacities and phenolics contents of certain therapeutic and specialty crops employing water and ethanolic extracts." Food Chemistry Advances 4. doi:10.1016/j.focha.2024.100693
- 1982.[22] Kaushal, S., V. Kaur, H. Panwar, P. Sharma, R. Jangra (2024). "Isolation of quinic acid from dropped *Citrus reticulata* Blanco fruits: its derivatization, antibacterial potential, docking studies, and ADMET profiling." Frontiers in Chemistry 12. doi:10.3389/fchem.2024.1372560

Публ. с IF № 102. Nikolova-Mladenova, B., **Momekov, G.**, Ivanov, D., Bakalova, A. Design and drug-like properties of new 5-methoxysalicylaldehyde based hydrazones with anti-breast cancer activity (2017) Journal of Applied Biomedicine, 15 (3): 233–240. (IF 1,783)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85018454399&doi=10.1016%2Fj.jab.2017.04.004&partnerID=40&md5=c276e497c85c2856239a1055a7df3d50>

DOI: 10.1016/j.jab.2017.04.004

Установени цитирания: в SCOPUS (13)

- 1983.[1] Cherneva, E., T. Kolev (2017a). "Prolinamide containing diamides of squaric acid - Synthesis and structural characterization." Pharmacia 65(2): 3–11.
- 1984.[2] Cherneva, E., T. Kolev (2017b). "Syntheses, structure and physico-chemical properties of mono-squaramides." Pharmacia 64(3): 3–12.
- 1985.[3] Iliev, I., D. Kontrec, R. Detcheva, M. Georgieva, A. Balacheva, N. Galić, T. Pajpanova (2019). "Cancer cell growth inhibition by aroylhydrazone derivatives." Biotechnology and Biotechnological Equipment 33(1): 756–763. doi:10.1080/13102818.2019.1608302

- 1986.[4] Patrejko, P., M. Gawrońska-Grzywacz, A. Biernasiuk, A. Berecka-Rycerz, D. Natorka-Chomicka, I. Piątkowska-Chmiel, A. Gumieniczek, J. Dudka, M. Wujec (2020). "Synthesis and in vitro bioactivity study of new hydrazide-hydrazones of 5-bromo-2-iodobenzoic acid." *Biomedicine and Pharmacotherapy* 130. doi:10.1016/j.biopha.2020.110526
- 1987.[5] Popiołek, Ł., B. Rysz, A. Biernasiuk, M. Wujec (2020a). "Synthesis of promising antimicrobial agents: hydrazide-hydrazones of 5-nitrofur-2-carboxylic acid." *Chemical Biology and Drug Design* 95(2): 260-269. doi:10.1111/cbdd.13639
- 1988.[6] Popiołek, Ł., M. Gawrońska-Grzywacz, A. Berecka-Rycerz, K. Paruch, I. Piątkowska-Chmiel, D. Natorka-Chomicka, M. Herbet, A. Gumieniczek, J. Dudka, M. Wujec (2020b). "New benzenesulphonohydrazide derivatives as potential antitumour agents." *Oncology Letters* 20(5). doi:10.3892/ol.2020.12047
- 1989.[7] Mourad, A. A. E., Y. W. Rizzk, I. Zaki, F. Z. Mohammed, M. El Behery (2021). "Synthesis and cytotoxicity screening of some synthesized hybrid nitrogen molecules as anticancer agents." *Journal of Molecular Structure* 1242. doi:10.1016/j.molstruc.2021.130722
- 1990.[8] Adjissi, L., N. Chafai, K. Benbouguerra, I. Kirouani, A. Hellal, H. Layaida, M. Elkolli, C. Bensouici, S. Chafaa (2022). "Synthesis, characterization, DFT, antioxidant, antibacterial, pharmacokinetics and inhibition of SARS-CoV-2 main protease of some heterocyclic hydrazones." *Journal of Molecular Structure* 1270. doi:10.1016/j.molstruc.2022.134005
- 1991.[9] Aydın, E., A. M. Şentürk, H. B. Küçük, M. Güzel (2022). "Cytotoxic Activity and Docking Studies of 2-arenoxybenzaldehyde N-acyl Hydrazone and 1,3,4-Oxadiazole Derivatives against Various Cancer Cell Lines." *Molecules* 27(21). doi:10.3390/molecules27217309
- 1992.[10] Muralidharan, S., A. Antony Joseph Velanganni, K. Shanmugam (2022). "Inhibition of Breast Cancer Proteins by the Flavonoid Naringenin and its Derivative: A Molecular Docking Study." *Journal of Natural Remedies* 22(1): 51-64. doi:10.18311/jnr/2022/28194
- 1993.[11] Biliz, Y., B. Hasdemir, H. Başpınar Küçük, M. Zaim, A. M. Şentürk, A. Müdüroğlu Kırmızıbekmez, I. Kara (2023). "Novel N-Acyl Hydrazone Compounds as Promising Anticancer Agents: Synthesis and Molecular Docking Studies." *ACS Omega* 8(22): 20073-20084. doi:10.1021/acsomega.3c02361
- 1994.[12] Popiołek, Ł., M. Gawrońska-Grzywacz, A. Dziduch, A. Biernasiuk, I. Piątkowska-Chmiel, M. Herbet (2023). "Design, Synthesis, and In Vitro and In Vivo Bioactivity Studies of Hydrazide-Hydrazones of 2,4-Dihydroxybenzoic Acid." *International Journal of Molecular Sciences* 24(24). doi:10.3390/ijms242417481
- 1995.[13] Al-Hussain, S. A., T. A. Farghaly, M. H. Ibrahim, M. A. Al-sheikh, M. E. A. Zaki, Z. A. Muhammad, R. M. Kassab (2024). "The anti-breast cancer activity of indenol[1,2-b]pyridin-5-one and their hydrazonal precursors endowed with anti-CDK-2 enzyme activity." *Journal of Molecular Structure* 1295. doi:10.1016/j.molstruc.2023.136692

Публ. с IF№ 103. Stoyanova, E., Petrov, P., Karadjova, I., **Momekov, G.**, Koseva, N. Cisplatin delivery vehicles based on stabilized polymeric aggregates comprising poly(acrylic acid) chains (2017) *Polymer Journal*, 49 (8): 607-615. (IF 2,170)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85026885167&doi=10.1038%2Fpj.2017.29&partnerID=40&md5=e3e4b30ba8e513c8ebe9b13714ee7d72>

DOI: 10.1038/pj.2017.29

Установени цитирания: в SCOPUS (4)

- 1996.[1] Cocetta, V., E. Ragazzi, M. Montopoli (2019). "Mitochondrial involvement in cisplatin resistance." *International Journal of Molecular Sciences* 20(14). doi:10.3390/ijms20143384
- 1997.[2] Jermy, B. R., M. Alomari, V. Ravinayagam, S. A. Almoftly, S. Akhtar, J. F. Borgio, S. AbdulAzeez (2019). "SPIONs/3D SiSBA-16 based Multifunctional Nanoformulation for target specific cisplatin release in colon and cervical cancer cell lines." *Scientific Reports* 9(1). doi:10.1038/s41598-019-51051-w
- 1998.[3] Riccardi, C., D. Musumeci, M. Trifuoggi, C. Irace, L. Paduano, D. Montesarchio (2019). "Anticancer ruthenium(III) complexes and Ru(III)-containing nanoformulations: An update on the mechanism of action and biological activity." *Pharmaceuticals* 12(4). doi:10.3390/ph12040146
- 1999.[4] Nguyen, N. H., L. H. Dang, P. Doan, C. K. Huynh, C. K. Nguyen, B. T. Nguyen, N. T. Nguyen, N. Q. Tran (2021). "Polyacrylic-conjugated polyamidoamine G4.0 dendrimer as a potential nanocarrier for effective delivery of cisplatin." *Bulletin of Materials Science* 44(2). doi:10.1007/s12034-021-02382-w

Публ. с IF№ 104. Gromadzki, D., Tzankova, V., Kondeva, M., Gorinova, C., Rychter, P., Libera, M., **Momekov, G.**, Marić, M., Momekova, D. Amphiphilic core-shell nanoparticles with dimer fatty acid-based aliphatic polyester core and zwitterionic poly(sulfobetaine) shell for controlled delivery of curcumin (2017) *International Journal of Polymeric Materials and Polymeric Biomaterials*, 66 (18): 915-925. (IF 2,263)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85023185571&doi=10.1080%2F00914037.2016.1278217&partnerID=40&md5=99d1bc4dda8ffe5cfb3b754d9535c30a>

DOI: 10.1080/00914037.2016.1278217

Установени цитирания: в SCOPUS (7)

- 2000.[1] Asabuwa Ngwabebhoh, F., S. Ilkar Erdagi, U. Yildiz (2018). "Pickering emulsions stabilized nanocellulosic-based nanoparticles for coumarin and curcumin nanoencapsulations: In vitro release, anticancer and antimicrobial activities." *Carbohydrate Polymers* 201: 317-328. doi:10.1016/j.carbpol.2018.08.079
- 2001.[2] Nasef, S. M., T. M. M.G. A. Mahmoud (2018). "Characterization and in vitro drug release properties of core-shell hydrogel prepared by gamma irradiation." *International Journal of Polymeric Materials and Polymeric Biomaterials* 67(11): 670-676. doi:10.1080/00914037.2017.1362642
- 2002.[3] Osorio, M., E. Martinez, T. Naranjo, C. Castro (2020). "Recent advances in polymer nanomaterials for drug delivery of adjuvants in colorectal cancer treatment: A scientific-technological analysis and review." *Molecules* 25(10). doi:10.3390/molecules25102270
- 2003.[4] Gagliardi, M., M. Cecchini (2022). Bio-inspired nanoparticles as drug delivery vectors. In: *Nanoparticle Therapeutics: Production Technologies, Types of Nanoparticles, and Regulatory Aspects*(Ed.): 499-528.
- 2004.[5] Sogut, E., A. C. Seydim (2022). "Starch and whey protein isolate films including an aroma compound stabilized by nanocellulose." *Anais da Academia Brasileira de Ciencias* 94(3). doi:10.1590/0001-376520220211232

- 2005.[6] Zhou, D., L. W. Zhu, B. H. Wu, Z. K. Xu, L. S. Wan (2022). "End-functionalized polymers by controlled/living radical polymerizations: Synthesis and applications." *Polymer Chemistry* 13(3): 300-358. doi:10.1039/d1py01252e
- 2006.[7] Li, Z., W. Hu, J. Dong, F. Azi, X. Xu, C. Tu, S. Tang, M. Dong (2023). "The use of bacterial cellulose from kombucha to produce curcumin loaded Pickering emulsion with improved stability and antioxidant properties." *Food Science and Human Wellness* 12(2): 669-679. doi:10.1016/j.fshw.2022.07.069

Публ. с IFN^o 105. Kraicheva, I., **Momekov, G.**, Mihaylova, R., Topashka-Ancheva, M., Tsacheva, I., Stoineva, I., Vodenicharova, E., Nedialkov, P. Synthesis of two novel homologous polyphosphoesters containing aminophosphonate units and cytotoxicity of some low-molecular and polymeric aminophosphonate derivatives (2018) *Advances in Materials Science and Engineering*, 2018, art. no. 9565401. (IF 1,399)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85052682891&doi=10.1155%2f2018%2f9565401&partnerID=40&md5=1ddafea03c7ac91f9b5ba83bd53879a1>
 DOI: 10.1155/2018/9565401

Установени цитирания: в SCOPUS (1)

- 2007.[1] Koleva, V., I. Yotova, A. Dragoeva, D. Enchev (2021). "Synthesis, cytotoxicity, and promising anticancer potential of novel β -amino- and β -iminophosphonates." *Journal of Applied Pharmaceutical Science* 11(7): 080-088. doi:10.7324/JAPS.2021.110708

Публ. с IFN^o 106. Nedialkov, P.T., Ilieva, Y., **Momekov, G.**, Kokanova-Nedialkova, Z. Cytotoxic prenylated acylphloroglucinols from *Hypericum annulatum* (2018) *Fitoterapia*, 127: 375-382. (IF 2,431)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85045337471&doi=10.1016%2fj.fitote.2018.03.011&partnerID=40&md5=7f7a897b2de9b5700d301a99bd4e81c0>
 DOI: 10.1016/j.fitote.2018.03.011

Установени цитирания: в SCOPUS (5)

- 2008.[1] Liu, Y. Y., Z. Ao, Q. Q. Xu, D. R. Zhu, C. Chen, X. B. Wang, J. G. Luo, L. Y. Kong (2019). "Hyperpatulols A–I, spirocyclic acylphloroglucinol derivatives with anti-migration activities from the flowers of *Hypericum patulum*." *Bioorganic Chemistry* 87: 409-416. doi:10.1016/j.bioorg.2019.03.025
- 2009.[2] Marrelli, M., G. Statti, F. Conforti (2020). "Hypericum spp.: An update on the biological activities and metabolic profiles." *Mini-Reviews in Medicinal Chemistry* 20(1): 66-87. doi:10.2174/1389557519666190926120211
- 2010.[3] Duan, Y., P. Bu, S. Xie, Y. Guo, Z. Shi, C. Qi, Y. Zhang (2021). "(\pm)-hyperzewalsins A–D, four pairs of nor-monocyclic polyprenylated acylphloroglucinols with immunosuppressive activity from *hypericum przewalskii* maxim." *Phytochemistry* 187. doi:10.1016/j.phytochem.2021.112779
- 2011.[4] Caldeira, G. I., L. P. Gouveia, R. Serrano, O. D. Silva (2022). "Hypericum Genus as a Natural Source for Biologically Active Compounds." *Plants* 11(19). doi:10.3390/plants11192509
- 2012.[5] Guefack, M. G. F., V. Kuete (2024). Ethnomedicinal uses, phytochemistry, and antiproliferative potential of *Hypericum roeperianum*. In: *Advances in Botanical Research* (Ed.).

Публ. с IFN^o 107. Popova, M., Trendafilova, I., Szegedi, Á., Momekova, D., Mihály, J., **Momekov, G.**, Kiss, L.F., Lázár, K., Koseva, N. Novel SO₃H functionalized magnetic nanoporous silica/polymer nanocomposite as a carrier in a dual-drug delivery system for anticancer therapy (2018) *Microporous and Mesoporous Materials*, 263: 96-105. (IF 4,182)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85037982656&doi=10.1016%2fj.micromeso.2017.12.005&partnerID=40&md5=617f581987d16dd224e36cde89e636cd>
 DOI: 10.1016/j.micromeso.2017.12.005

Установени цитирания: в SCOPUS (14)

- 2013.[1] Saravanakumar, K., D. M. Ali, K. Kathiresan, M. H. Wang (2018). "Antimicrobial, anticancer drug carrying properties of biopolymers-based nanocomposites-a mini review." *Current Pharmaceutical Design* 24(32): 3859-3866. doi:10.2174/1381612825666181120161300
- 2014.[2] Almásy, L., A. M. Putz, Q. Tian, G. P. Kopitsa, T. V. Khamova, R. Barabás, M. Rigó, A. Bóta, A. Wacha, M. Mirica, B. Tăranu, C. Savii (2019). "Hybrid mesoporous silica with controlled drug release." *Journal of the Serbian Chemical Society* 84(9): 1027-1039. doi:10.2298/JSC181109009A
- 2015.[3] Castillo, R. R., M. Vallet-Regí (2019). "Functional mesoporous silica nanocomposites: Biomedical applications and biosafety." *International Journal of Molecular Sciences* 20(4). doi:10.3390/ijms20040929
- 2016.[4] Huang, H., Y. Feng, J. Qu (2020). "Preparation and performance of silica-di-block polymer hybrids for BSA-resistance coatings." *Materials* 13(16). doi:10.3390/MA13163478
- 2017.[5] Wu, J., Z. Lin, X. Weng, G. Owens, Z. Chen (2020). "Removal mechanism of mitoxantrone by a green synthesized hybrid reduced graphene oxide @ iron nanoparticles." *Chemosphere* 246. doi:10.1016/j.chemosphere.2019.125700
- 2018.[6] Kuang, Y., J. Zhai, Q. Xiao, S. Zhao, C. Li (2021). "Polysaccharide/mesoporous silica nanoparticle-based drug delivery systems: A review." *International Journal of Biological Macromolecules* 193: 457-473. doi:10.1016/j.ijbiomac.2021.10.142
- 2019.[7] Manescu, V., G. Paltanea, I. Antoniac, M. Vasilescu (2021). "Magnetic nanoparticles used in oncology." *Materials* 14(20). doi:10.3390/ma14205948
- 2020.[8] Mohebbi, S., M. Shariatpour, B. Shafie, M. M. Amini (2021). "Encapsulation of tamoxifen citrate in functionalized mesoporous silica and investigation of its release." *Journal of Drug Delivery Science and Technology* 62. doi:10.1016/j.jddst.2021.102406
- 2021.[9] Chaitra, K., K. Ravi Singh, M. S. Raghu, M. P. Sadashiva, K. N. Prashanth (2022). "Mucic acid cross-linked chitosan nanoparticles as a dual drug delivery system for treatment of colorectal cancer- insilico and invitro studies." *Chemical Data Collections* 41. doi:10.1016/j.cdc.2022.100928

- 2022.[10] Fatimah, I., G. Fadillah, G. Purwianondo, I. Sahroni, D. Purwaningsih, H. Riantana, A. N. Avif, S. Sagadevan (2022). "Magnetic-silica nanocomposites and the functionalized forms for environment and medical applications: A review." *Inorganic Chemistry Communications* 137. doi:10.1016/j.inoche.2022.109213
- 2023.[11] Lawson, S., A. A. Rownaghi, F. Rezaei (2022). "Combined Ibuprofen and Curcumin Delivery Using Mg-MOF-74 as a Single Nanocarrier." *ACS Applied Bio Materials* 5(1): 265-271. doi:10.1021/acsabm.1c01067
- 2024.[12] Pooremaeil, M., H. Namazi (2022). Chitosan Based Nanocomposites for Drug Delivery Application. In: *Materials Horizons: From Nature to Nanomaterials* (Ed.): 135-201.
- 2025.[13] Khizar, S., E. Elkalla, N. Zine, N. Jaffrezic-Renault, A. Errachid, A. Elaissari (2023). "Magnetic nanoparticles: multifunctional tool for cancer therapy." *Expert Opinion on Drug Delivery* 20(2): 189-204. doi:10.1080/17425247.2023.2166484
- 2026.[14] Al-Hussainawy, M. K., L. S. Jasim Al-Hayder (2024). "Drug carriers in the delivery and release of hydroxychloroquine by biopolymer." *Chemical Papers*. doi:10.1007/s11696-024-03463-w

Публ. с IFN^o 108. **Momekov, G.**, Ugrinova, I., Pasheva, E., Tsekova, D., Gencheva, G. Cellular pharmacology of palladium(III) hematoporphyrin IX complexes: Solution stability, antineoplastic and apoptogenic activity, DNA binding, and processing of DNA-adducts (2018) *International Journal of Molecular Sciences*, 19 (8), art. no. 2451. (IF 4,183)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85052154668&doi=10.3390%2fijms19082451&partnerID=40&md5=63b97230153ecd571ea5611d46f6f37>

DOI: 10.3390/ijms19082451

Установени цитирания: в SCOPUS (4)

- 2027.[1] Banti, C. N., S. K. Hadjikakou (2018). "Preface to "A commemorative issue in honour of professor Nick Hadjiladis: Metal complex interactions with nucleic acids and/or DNA"." *International Journal of Molecular Sciences* 19(12). doi:10.3390/ijms19123815
- 2028.[2] Gabriel, P., F. G. Maranhã, E. Nordlander, A. Neves, H. Terenzi (2022). "A heterotrinnuclear bioinspired coordination complex capable of binding to DNA and emulation of nuclease activity." *Journal of Inorganic Biochemistry* 226. doi:10.1016/j.jinorgbio.2021.111631
- 2029.[3] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
- 2030.[4] Nie, Y., Z. Dai, G. Zhao, J. Jiang, X. Xu, M. Ying, Y. Wang, Z. Hu, H. Xu (2022). "Comparative Studies on DNA-Binding Mechanisms between Enantiomers of a Polypyridyl Ruthenium(II) Complex." *Journal of Physical Chemistry B* 126(26): 4787-4798. doi:10.1021/acs.jpcc.2c02104

Публ. с IFN^o 109. Popova, M., Trendafilova, I., Tsacheva, I., Mitova, V., Kyulavska, M., Koseva, N., Mihály, J., Momekova, D., **Momekov, G.**, Aleksandrov, H.A., Marinova, S.G., Petkov, P.S., Vayssilov, G.N., Szegedi, A. Amino-modified KIT-6 mesoporous silica/polymer composites for quercetin delivery: Experimental and theoretical approaches (2018) *Microporous and Mesoporous Materials*, 270: 40-47. (IF 4,182)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85046655452&doi=10.1016%2fj.micromeso.2018.05.002&partnerID=40&md5=5451f69e5c2b51eb7d294ce8731677f5>

DOI: 10.1016/j.micromeso.2018.05.002

Установени цитирания: в SCOPUS (21)

- 2031.[1] Bai, R., X. Zhang, H. Yong, X. Wang, Y. Liu, J. Liu (2019). "Development and characterization of antioxidant active packaging and intelligent Al3+-sensing films based on carboxymethyl chitosan and quercetin." *International Journal of Biological Macromolecules* 126: 1074-1084. doi:10.1016/j.ijbiomac.2018.12.264
- 2032.[2] Xu, L., H. L. Li, L. P. Wang (2019). "PH-sensitive, polymer functionalized, nonporous silica nanoparticles for quercetin controlled release." *Polymers* 11(12). doi:10.3390/polym11122026
- 2033.[3] Zhai, Q. Z., X. D. Li (2019). "Immobilization and sustained release of cefalexin on MCF nano-mesoporous material." *Journal of Dispersion Science and Technology* 40(11): 1675-1685. doi:10.1080/01932691.2019.1615936
- 2034.[4] Janfada, A., A. Asefnejad, M. T. Khorasani, M. D. Joupari (2020). "Reinforcement of electrospun polycaprolacton scaffold using KIT-6 to improve mechanical and biological performance." *Polymer Testing* 84. doi:10.1016/j.polymertesting.2020.106391
- 2035.[5] Zhang, M., J. Mei, S. Lv, J. Lai, X. Zheng, J. Yang, S. Cui (2020). "Simultaneous extraction of permethrin diastereomers and deltamethrin in environmental water samples based on aperture regulated magnetic mesoporous silica." *New Journal of Chemistry* 44(37): 16152-16162. doi:10.1039/d0nj01634a
- 2036.[6] Chaudhary, V., S. Sharma (2021). "Ethylbenzene oxidation over KIT-6 mesoporous silica-based hybrid supported catalysts." *Journal of Polymer Research* 28(12). doi:10.1007/s10965-021-02825-2
- 2037.[7] Kuang, Y., J. Zhai, Q. Xiao, S. Zhao, C. Li (2021). "Polysaccharide/mesoporous silica nanoparticle-based drug delivery systems: A review." *International Journal of Biological Macromolecules* 193: 457-473. doi:10.1016/j.ijbiomac.2021.10.142
- 2038.[8] Saha, S., P. Roy, J. Chakraborty (2021). Mesoporous silica-biopolymer-based systems in drug delivery applications. In: *Tailor-Made and Functionalized Biopolymer Systems: For Drug Delivery and Biomedical Applications* (Ed.): 313-347.
- 2039.[9] Su, H. L., L. Xu, X. J. Hu, F. F. Chen, G. Li, Z. K. Yang, L. P. Wang, H. L. Li (2021). "Polymer grafted mesoporous SBA-15 material synthesized via metal-free ATRP as pH-sensitive drug carrier for quercetin." *European Polymer Journal* 148. doi:10.1016/j.eurpolymj.2021.110354
- 2040.[10] Wang, L., M. Liu, F. Yang, T. Wu, W. Rao, Y. Liu, C. Wei, C. Yu (2021). "Comparative Study on the Structure, Mechanical, Thermal, and Tribological Properties of PF Composites Reinforced by Different Kinds of Mesoporous Silicas." *Journal of Inorganic and Organometallic Polymers and Materials* 31(7): 2939-2948. doi:10.1007/s10904-021-01934-1
- 2041.[11] Garfias, A. F. P., K. V. Jardim, L. I. Ruiz-Ortega, B. Y. Garcia, S. N. Bão, A. L. Parize, M. H. Sousa, C. M. Beltrán (2022). "Synthesis, characterization, and cytotoxicity assay of γ -Fe₂O₃ nanoparticles coated with quercetin-loaded polyelectrolyte multilayers." *Colloid and Polymer Science* 300(12): 1327-1341. doi:10.1007/s00396-022-05023-8

- 2042.[12] Han, R., F. Wang, C. Zhao, M. Zhang, S. Cui, J. Yang (2022). "Magnetic solid-phase extraction of pyrethroid and neonicotinoid insecticides separately in environmental water samples based on alkaline or acidic group-functionalized mesoporous silica." *Analyst* 147(9): 1995-2007. doi:10.1039/d2an00088a
- 2043.[13] Uchoa, A. F. J., C. P. do Valle, D. R. Moreira, M. Bañobre-López, J. Gallo, F. S. Dias, M. W. Anderson, N. M. P. S. Ricardo (2022). "Synthesis of a KIT-6 mesoporous sulfonic acid catalyst to produce biodiesel from cashew nut oil." *Brazilian Journal of Chemical Engineering* 39(4): 1001-1011. doi:10.1007/s43153-021-00216-0
- 2044.[14] Vélez-Peña, E., R. Morales, C. Reyes-Escobar, C. C. Torres, M. Avello, K. P. Marrugo, J. Manzo-Merino, J. B. Alderete, C. H. Campos (2022). "Mesoporous mixed oxides prepared by hard template methodology as novel drug delivery carriers for methotrexate." *Journal of Drug Delivery Science and Technology* 73. doi:10.1016/j.jddst.2022.103483
- 2045.[15] Chang, R. M., Y. Y. Zhang, A. J. Kang, G. B. Zhang, Y. P. Yu, J. Z. Ren, A. J. Chen, Y. Li (2023). "Study on release and antioxidant activity of quercetin after loaded by hot alkali hydrolysis modified uio-66 material." *Yaoxue Xuebao* 58(9): 2802-2810.
- 2046.[16] Elmowafy, M., N. K. Alruwaili, N. Ahmad, A. M. Kassem, M. F. Ibrahim (2023). "Quercetin-Loaded Mesoporous Silica Nanoparticle-Based Lyophilized Tablets for Enhanced Physicochemical Features and Dissolution Rate: Formulation, Optimization, and In Vitro Evaluation." *AAPS PharmSciTech* 24(1). doi:10.1208/s12249-022-02464-w
- 2047.[17] Gupta, A., A. M. Choudhury, J. Meena, S. Bauri, P. Maiti (2023). "Ordered Mesoporous Silica Delivering siRNA as Cancer Nanotherapeutics: A Comprehensive Review." *ACS Biomaterials Science and Engineering*. doi:10.1021/acsbomaterials.3c01749
- 2048.[18] Kumari, S., M. Ahuja, S. Duhan (2024). "Controlling release and cytotoxicity with berberine-loaded KIT-6." *Materials Research Innovations*. doi:10.1080/14328917.2024.2341489
- 2049.[19] Matadamas-Ortiz, A., J. F. Pérez-Robles, R. Reynoso-Camacho, S. L. Amaya-Llano, A. Amaro-Reyes, P. Di Pierro, C. Regalado-González (2024). "Effect of Amine, Carboxyl, or Thiol Functionalization of Mesoporous Silica Particles on Their Efficiency as a Quercetin Delivery System in Simulated Gastrointestinal Conditions." *Foods* 13(8). doi:10.3390/foods13081208
- 2050.[20] Mirzaei, M., S. Y. Ebrahimipour, M. Mohamadi, T. Shamspur (2024). "Targeted Drug Delivery of Quercetin to Breast Cancer Cells Using a Modified SBA-15 Mesoporous Nanostructure." *Journal of Cluster Science*. doi:10.1007/s10876-024-02582-4
- 2051.[21] Venkatachalam, D., Y. Govindaraj, M. Prabhakar, A. Ganapathi, M. Sakairi, M. Rohwerder, L. Neelakantan (2024). "Smart release of turmeric as a potential corrosion inhibitor from a pH-responsive polymer encapsulated highly ordered mesoporous silica containers." *Surfaces and Interfaces* 45. doi:10.1016/j.surf.2024.103883

Публ. с IF № 110. Momekova, D., Ugrinova, I., Slavkova, M., **Momekov, G.**, Grancharov, G., Gancheva, V., Petrov, P.D. Superior proapoptotic activity of curcumin-loaded mixed block copolymer micelles with mitochondrial targeting properties (2018) *Biomaterials Science*, 6 (12): 3309-3317. (IF 6,183)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85056732122&doi=10.1039%2Fc8bm00644j&partnerID=40&md5=e74c766bb080440e3bfd7820b0f55720>

DOI: 10.1039/c8bm00644j

Установени цитирания: в SCOPUS (13)

- 2052.[1] Biasutto, L., A. Mattarei, M. La Spina, M. Azzolini, S. Parrasia, I. Szabò, M. Zoratti (2019). "Strategies to target bioactive molecules to subcellular compartments. Focus on natural compounds." *European Journal of Medicinal Chemistry* 181. doi:10.1016/j.ejmech.2019.07.060
- 2053.[2] Rocha-Ferreira, E., C. Sisa, S. Bright, T. Fautz, M. Harris, I. Contreras Riquelme, C. Agwu, T. Kurulday, B. Mistry, D. Hill, S. Lange, M. Hristova (2019). "Curcumin: Novel Treatment in Neonatal Hypoxic-Ischemic Brain Injury." *Frontiers in Physiology* 10. doi:10.3389/fphys.2019.01351
- 2054.[3] Zhong, X. C., W. H. Xu, Z. T. Wang, W. W. Guo, J. J. Chen, N. N. Guo, T. T. Wang, M. T. Lin, Z. T. Zhang, Y. Y. Lu, Q. Y. Yang, M. Han, D. H. Xu, J. Q. Gao (2019). "Doxorubicin derivative loaded acetal-PEG-PCCL micelles for overcoming multidrug resistance in MCF-7/ADR cells." *Drug Development and Industrial Pharmacy* 45(9): 1556-1564. doi:10.1080/03639045.2019.1640721
- 2055.[4] Musib, D., M. Pal, M. K. Raza, M. Roy (2020). "Photo-physical, theoretical and photo-cytotoxic evaluation of a new class of lanthanide(iii)-curcumin/diketone complexes for PDT application." *Dalton Transactions* 49(31): 10786-10798. doi:10.1039/d0dt02082f
- 2056.[5] Liew, S. S., X. Qin, J. Zhou, L. Li, W. Huang, S. Q. Yao (2021). "Smart Design of Nanomaterials for Mitochondria-Targeted Nanotherapeutics." *Angewandte Chemie - International Edition* 60(5): 2232-2256. doi:10.1002/anie.201915826
- 2057.[6] Mazumdar, S., D. Chitkara, A. Mittal (2021). "Exploration and insights into the cellular internalization and intracellular fate of amphiphilic polymeric nanocarriers." *Acta Pharmaceutica Sinica B* 11(4): 903-924. doi:10.1016/j.apsb.2021.02.019
- 2058.[7] Pontes-Quero, G. M., L. Benito-Garzón, J. Pérez Cano, M. R. Aguilar, B. Vázquez-Lasa (2021). "Amphiphilic polymeric nanoparticles encapsulating curcumin: Antioxidant, anti-inflammatory and biocompatibility studies." *Materials Science and Engineering C* 121. doi:10.1016/j.msec.2020.111793
- 2059.[8] Wongrakpanich, A., J. Suksiriworapong, S. M. Geary, P. Sawangchan, J. Intra, U. Ruktanonchai, A. K. Salem (2021). Nanotechnology, mitochondria, and cancer: Mitochondria-targeting particles for biomedical applications. In: *Mitochondrial Dysfunction and Nanotherapeutics: Aging, Diseases, and Nanotechnology-Related Strategies in Mitochondrial Medicine* (Ed.): 291-310.
- 2060.[9] Abuwatfa, W. H., N. M. AlSawaf, G. A. Hussein (2022). Block copolymer micelles as long-circulating drug delivery vehicles. In: *Polymeric Micelles for Drug Delivery* (Ed.): 531-560.
- 2061.[10] Cai, Y., J. Qi, Y. Lu, H. He, W. Wu (2022). "The in vivo fate of polymeric micelles." *Advanced Drug Delivery Reviews* 188. doi:10.1016/j.addr.2022.114463
- 2062.[11] Ma, T., R. Chen, N. Lv, Y. Li, Z. R. Yang, H. Qin, Z. Li, H. Jiang, J. Zhu (2022). "Morphological Transformation and In Situ Polymerization of Caspase-3 Responsive Diacetylene-Containing Lipidated Peptide Amphiphile for Self-Amplified Cooperative Antitumor Therapy." *Small* 18(48). doi:10.1002/smll.202204759
- 2063.[12] Sripethong, S., F. N. Eze, W. Sajomsang, C. Ovatlarnporn (2023). "Development of pH-Responsive N-benzyl-N-O-succinyl Chitosan Micelles Loaded with a Curcumin Analog (Cyqualone) for Treatment of Colon Cancer." *Molecules* 28(6). doi:10.3390/molecules28062693
- 2064.[13] Suvama, V., N. Sawant, N. Desai (2024). "Curcumin-conjugated Nanoparticles: An Approach to Target Mitochondria." *Natural Products Journal* 14(1): 105-117. doi:10.2174/2210315513666230515143651

Публ. с IF№ 111. Andonova, L., Valkova, I., Zheleva-Dimitrova, D., Georgieva, M., **Momekov, G.**, Zlatkov, A. Synthesis of new N1 arylpiperazine substituted xanthine derivatives and evaluation of their antioxidant and cytotoxic effects (2019) *Anti-Cancer Agents in Medicinal Chemistry*, 19 (4): 528-537. (IF 2,049)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069514043&doi=10.2174%2f1871520619666190121155651&partnerID=40&md5=c9586636c1a81d285a9b4f1935fb34e0>

DOI: 10.2174/1871520619666190121155651

Установени цитирания: в SCOPUS (3)

- 2065.[1] Pospisilova, S., I. Malik, J. Curillova, H. Michnova, L. Cerna, T. Padrtova, J. Hosek, D. Pecher, A. Cizek, J. Jampilek (2020). "Insight into antimicrobial activity of substituted phenylcarbamoyloxypiperazinylpropanols." *Bioorganic Chemistry* 102. doi:10.1016/j.bioorg.2020.104060
- 2066.[2] Kapri, A., S. Pant, N. Gupta, S. Nain (2022). "Recent Advances in the Biological Significance of Xanthine and its Derivatives: A Review." *Pharmaceutical Chemistry Journal* 56(4): 461-474. doi:10.1007/s11094-022-02661-8
- 2067.[3] Campos, H. M., R. M. Pereira, P. Y. de Oliveira Ferreira, N. Uchenna, C. R. Branco da Silva, L. Pruccoli, G. Sanz, M. F. Rodrigues, B. G. Vaz, B. G. Rivello, A. L. Batista da Rocha, F. S. de Carvalho, G. D. A. R. Oliveira, L. M. Lião, R. D. C. Georg, J. A. Leite, F. C. A. dos Santos, E. A. Costa, R. Menegatti, A. Tarozzi, P. C. Ghedini (2024). "A novel arylpiperazine derivative (LQFM181) protects against neurotoxicity induced by 3-nitropropionic acid in in vitro and in vivo models." *Chemico-Biological Interactions* 395. doi:10.1016/j.cbi.2024.111026

Публ. с IF№ 112. Marinov, M.N., Naydenova, E.D., **Momekov, G.T.**, Prodanova, R.Y., Markova, N.V., Voynikov, Y.T., Stoyanov, N.M. Synthesis, characterization, quantum-chemical calculations and cytotoxic activity of 1,8-naphthalimide derivatives with non-protein amino acids (2019) *Anti-Cancer Agents in Medicinal Chemistry*, 19 (10): 1276-1284. (IF 2,049)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075114203&doi=10.2174%2f1871520619666190307115231&partnerID=40&md5=47c2041d21263aacd10dd8f0297c0ea1>

DOI: 10.2174/1871520619666190307115231

Установени цитирания: в SCOPUS (2)

- 2068.[1] Totawar, P. R., R. Varala, V. Kotra, J. S. Pulle (2023). "Synthesis of phthalimide and naphthalimide derived Biginelli compounds and evaluation of their anti-inflammatory and anti-oxidant activities." *Current Chemistry Letters* 12(2): 249-256. doi:10.5267/j.ccl.2023.1.004
- 2069.[2] Bagherzadeh, N., A. Reza Sardarian (2024). "Green approach to new library of 1,8-naphthalimide fluorophores employing C-C and C-N cross coupling reactions by novel, durable, and reusable magnetic nanocatalyst bearing nickel (0) complex of 1,10-phenanthroline." *Journal of Photochemistry and Photobiology A: Chemistry* 449. doi:10.1016/j.jphotochem.2023.115345

Публ. с IF№ 113. Angelova, V.T., Pencheva, T., Vassilev, N., Simeonova, R., **Momekov, G.**, Valcheva, V. New indole and indazole derivatives as potential antimycobacterial agents (2019) *Medicinal Chemistry Research*, 28 (4): 485-497. (IF 1,783)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061282820&doi=10.1007%2fs00044-019-02293-w&partnerID=40&md5=069fbde116835b910a02a6cacf2758a>

DOI: 10.1007/s00044-019-02293-w

Установени цитирания: в SCOPUS (19)

- 2070.[1] Rao Saketi, J. M., S. N. M. Boddapati, M. Raghuram, S. F. Adil, M. R. Shaik, O. Alduhaish, M. R. H. Siddiqui, H. B. Bollikolla (2020). "Pd(PPh₃)₄ catalyzed synthesis of indazole derivatives as potent anticancer drug." *Applied Sciences (Switzerland)* 10(11). doi:10.3390/app10113792
- 2071.[2] Popiolek, L. (2021). "Updated information on antimicrobial activity of hydrazide-hydrazones." *International Journal of Molecular Sciences* 22(17). doi:10.3390/ijms22179389
- 2072.[3] Reddy, G. S., M. Pal (2021). "Indole derivatives as anti-tubercular agents: An overview on their synthesis and biological activities." *Current Medicinal Chemistry* 28(22): 4531-4568. doi:10.2174/0929867327666200918144709
- 2073.[4] Shang, C., Y. Hou, T. Meng, M. Shi, G. Cui (2021). "The anticancer activity of indazole compounds: A mini review." *Current Topics in Medicinal Chemistry* 21(5): 363-376. doi:10.2174/1568026620999201124154231
- 2074.[5] Başpınar Küçük, H., A. Alhonaish, T. Yıldız, M. Güzel (2022). "An efficient approach to access 2,5-disubstituted 1,3,4-oxadiazoles by oxidation of 2-arenoxybenzaldehyde N-acyl hydrazones with molecular iodine." *ChemistrySelect* 7(26). doi:10.1002/slct.202201391
- 2075.[6] Bhakhar, K. A., D. K. Sureja, T. M. Dhameliya (2022). "Synthetic account of indoles in search of potential anti-mycobacterial agents: A review and future insights." *Journal of Molecular Structure* 1248. doi:10.1016/j.molstruc.2021.131522
- 2076.[7] Boujut, M., A. Chevalier, D. Schapman, M. Bénard, L. Galas, T. Gallavardin, X. Franck (2022). "Indazole versus indole-based cationic merocyanines with red shifted in-cellulo emission for selective mitochondria imaging." *Dyes and Pigments* 198. doi:10.1016/j.dyepig.2021.109988
- 2077.[8] Chabukswar, A. R., R. B. Nanaware, S. Jagdale, S. B. Nanaware, J. Sangshetti (2022). "Molecular Docking Studies and in silico ADMET Screening of Indazole Scaffolds as VEGFR and Enoyl-ACP (CoA) Reductase Inhibitors." *Asian Journal of Chemistry* 34(9): 2311-2317. doi:10.14233/ajchem.2022.23815
- 2078.[9] Desai, N., D. Jadeja, H. Mehta, A. Khasiya, K. Shah, U. Pandit (2022). Synthesis and Biological Importance of Pyrazole, Pyrazoline, and Indazole as Antibacterial, Antifungal, Antitubercular, Anticancer, and Anti-inflammatory Agents. In: *N-Heterocycles: Synthesis and Biological Evaluation* (Ed.): 143-189.
- 2079.[10] Dhameliya, T. M., K. A. Bhakhar, N. D. Gajjar, K. A. Patel, A. A. Devani, R. V. Hirani (2022). "Recent advancements and developments in search of anti-tuberculosis agents: A quinquennial update and future directions." *Journal of Molecular Structure* 1248. doi:10.1016/j.molstruc.2021.131473
- 2080.[11] Marinescu, M., C. V. Popa (2022). "Pyridine Compounds with Antimicrobial and Antiviral Activities." *International Journal of Molecular Sciences* 23(10). doi:10.3390/ijms23105659

- 2081.[12] Dunga, A. K., T. R. Allaka, A. Shaik, R. Nemuri, A. K. Thandlam, S. K. Nechipadappu, P. Pothana, P. V. N. N. Kishore (2023). "Synthesis of Novel Antimicrobial Indazole-Linked 1,2,4-Triazolylthiadiazole and 4-Thiazolidinone Derivatives and Study of Their Molecular Modelling." *Russian Journal of General Chemistry* 93(4): 949-961. doi:10.1134/S1070363223040242
- 2082.[13] Singh, Y., K. S. Sanjay, P. Kumar, S. Singh, S. Thareja (2023). "Molecular dynamics and 3D-QSAR studies on indazole derivatives as HIF-1 α inhibitors." *Journal of Biomolecular Structure and Dynamics* 41(8): 3524-3541. doi:10.1080/07391102.2022.2051745
- 2083.[14] Teraiya, N., K. Agrawal, T. M. Patel, A. Patel, S. Patel, U. Shah, S. Shah, K. Rathod, K. Patel (2023). "A Review of the Therapeutic Importance of Indole Scaffold in Drug Discovery." *Current Drug Discovery Technologies* 20(6): 9-37. doi:10.2174/1570163820666230505120553
- 2084.[15] Arepally, S., J. K. Park (2024). "Synthesis and Utilization of 1H-Indazole N-Oxides in the Production of C3-Functionalized 1H-Indazoles." *Synthesis (Germany)*. doi:10.1055/a-2317-6730
- 2085.[16] Gandham, S. K., A. A. Kudale, T. R. Allaka, K. Chepuri, A. Jha (2024). "New indazole-1,2,3-triazoles as potent antimicrobial agents: Design, synthesis, molecular modeling and in silico ADME profiles." *Journal of Molecular Structure* 1295. doi:10.1016/j.molstruc.2023.136714
- 2086.[17] Khamitova, A., D. Berillo, A. Lozynskyi, Y. Konechnyi, D. Mural, V. Georgiyants, R. Lesyk (2024). "Thiadiazole and Thiazole Derivatives as Potential Antimicrobial Agents." *Mini-Reviews in Medicinal Chemistry* 24(5): 531-545. doi:10.2174/1389557523666230713115947
- 2087.[18] Parveen, H., M. Y. Wani, S. Mukhtar, A. Ahmad (2024). "Synthesis, in vitro and in silico screening of novel ferrocenyl substituted cyclohexenone and indazole derivatives as effective antimycobacterial agents." *Journal of Molecular Structure* 1311. doi:10.1016/j.molstruc.2024.138472
- 2088.[19] Salimath, S. V., M. Pathak (2024). "1-Benzyl-1H-indazol-3-ol Copper(II) Derivatives as Anticancer Agents: In-vitro Interaction with DNA/BSA, DFT, Molecular Docking and Cytotoxicity on MCF7 Cells." *ChemistrySelect* 9(7). doi:10.1002/slct.202304565

Публ. с IF № 114. Babikova, D., Kalinova, R., Momekova, D., Ugrinova, I., **Momekov, G.**, Dimitrov, I. Multifunctional Polymer Nanocarrier for Efficient Targeted Cellular and Subcellular Anticancer Drug Delivery (2019) *ACS Biomaterials Science and Engineering*, 5 (5): 2271-2283. (IF 4,152)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064828543&doi=10.1021%2facsbmaterials.9b00192&partnerID=40&md5=a2f448c2b5255fe15091cd3f31dadcb)

[85064828543&doi=10.1021%2facsbmaterials.9b00192&partnerID=40&md5=a2f448c2b5255fe15091cd3f31dadcb](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064828543&doi=10.1021%2facsbmaterials.9b00192&partnerID=40&md5=a2f448c2b5255fe15091cd3f31dadcb)

DOI: 10.1021/acsbmaterials.9b00192

Установени цитирания: в SCOPUS (19)

- 2089.[1] Liu, Z., Q. Wu, J. He, F. Vriesekoop, H. Liang (2019). "Crystal-Seeded Growth of pH-Responsive Metal-Organic Frameworks for Enhancing Encapsulation, Stability, and Bioactivity of Hydrophobicity Compounds." *ACS Biomaterials Science and Engineering* 5(12): 6581-6589. doi:10.1021/acsbmaterials.9b01070
- 2090.[2] Jazani, A. M., J. K. Oh (2020). "Development and disassembly of single and multiple acid-cleavable block copolymer nanoassemblies for drug delivery." *Polymer Chemistry* 11(17): 2934-2954. doi:10.1039/d0py00234h
- 2091.[3] Jiang, Y. Y., F. L. Yuan, J. W. Li, H. E. Wu, M. Y. Wei, C. L. Shao, M. Liu, G. H. Wang (2020). "Targeting Delivery Nanocarriers for (+)-Terrein to Enhance Its Anticancer Effects." *ACS Omega* 5(44): 28889-28896. doi:10.1021/acsomega.0c04571
- 2092.[4] Kumar, A., A. Ahmad, A. Vyawahare, R. Khan (2020). "Membrane Trafficking and Subcellular Drug Targeting Pathways." *Frontiers in Pharmacology* 11. doi:10.3389/fphar.2020.00629
- 2093.[5] Tao, Y., K. Cai, S. Liu, Y. Zhang, Z. Chi, J. Xu (2020). "Pseudo target release behavior of simvastatin through pH-responsive polymer based on dynamic imine bonds: Promotes rapid proliferation of osteoblasts." *Materials Science and Engineering C* 113. doi:10.1016/j.msec.2020.110979
- 2094.[6] Corsaro, C., G. Neri, A. M. Mezzasalma, E. Fazio (2021). "Weibull modeling of controlled drug release from Ag-PMA nanosystems." *Polymers* 13(17). doi:10.3390/polym13172897
- 2095.[7] Hu, X., A. M. Jazani, J. K. Oh (2021). "Recent advances in development of imine-based acid-degradable polymeric nanoassemblies for intracellular drug delivery." *Polymer* 230. doi:10.1016/j.polymer.2021.124024
- 2096.[8] Kunday, H., N. C. Süer, A. Baylr, B. Aksu, A. Hatipoğlu, M. M. Güncü, İ. Acaroğlu Degitz, M. Gallei, T. Eren (2021). "Design of Aromatic Ring-Based Polyphosphonium Salts Synthesized via ROMP and the Investigation into Their Antibacterial and Hemolytic Activities." *ACS Applied Polymer Materials* 3(12): 6524-6538. doi:10.1021/acsapm.1c01234
- 2097.[9] Pontes-Quero, G. M., L. Benito-Garzon, J. Pérez Cano, M. R. Aguilar, B. Vázquez-Lasa (2021). "Amphiphilic polymeric nanoparticles encapsulating curcumin: Antioxidant, anti-inflammatory and biocompatibility studies." *Materials Science and Engineering C* 121. doi:10.1016/j.msec.2020.111793
- 2098.[10] Ren, D., T. Xiao, J. Lou, R. Ren, Y. Ye, L. M. Zhu (2021). "Construction of Nano-Carriers Coated with Platelet Membrane and Its Application in Targeted Therapy of Inflammation." *Nano* 16(11). doi:10.1142/S1793292021501289
- 2099.[11] Zohreh, N., Z. Rastegaran, S. H. Hosseini, M. Akhlaghi, C. Istrate, C. Busuioc (2021). "pH-triggered intracellular release of doxorubicin by a poly(glycidyl methacrylate)-based double-shell magnetic nanocarrier." *Materials Science and Engineering C* 118. doi:10.1016/j.msec.2020.111498
- 2100.[12] Guo, W., W. Liu, P. Wan, H. Wang, C. Xiao, L. Chen, X. Chen (2022). "Cationic Amphiphilic Dendrons with Anticancer Activity." *ACS Biomaterials Science and Engineering* 8(5): 2121-2130. doi:10.1021/acsbmaterials.2c00181
- 2101.[13] Li, N., L. Chen, Z. Luo, G. Nie, P. Zhang, S. He, J. Peng (2022). "Dual-Targeting of Doxorubicin and Chlorine e6 Co-Delivery Based on Small-Size Nanocomposite for the Synergetic Imaging and Therapy." *Journal of Cluster Science* 33(4): 1793-1807. doi:10.1007/s10876-021-02098-1
- 2102.[14] Pedroza, G. A., L. H. G. M. C. Macêdo, R. de Oliveira, N. N. Silveira, R. P. Orenha, R. L. T. Parreira, R. A. dos Santos, Y. Molard, M. Amela-Cortes, E. F. Molina (2022). "Cost-efficient polyurea carrier for precise control of an anti-inflammatory drug loading and release." *Journal of Drug Delivery Science and Technology* 76. doi:10.1016/j.jddst.2022.103744
- 2103.[15] Chen, Z., X. Wang, N. Zhao, H. Chen, G. Guo (2023). "Advancements in pH-responsive nanocarriers: enhancing drug delivery for tumor therapy." *Expert Opinion on Drug Delivery* 20(11): 1623-1642. doi:10.1080/17425247.2023.2292678
- 2104.[16] Rad, M. E., C. Soyulukan, P. K. Kulabhusan, B. N. Günaydin, M. Yüce (2023). "Material and Design Toolkit for Drug Delivery: State of the Art, Trends, and Challenges." *ACS Applied Materials and Interfaces* 15(48): 55201-55231. doi:10.1021/acsmi.3c10065
- 2105.[17] Szewczyk-Lagodzińska, M., A. Plichta, M. Dębowski, S. Kowalczyk, A. Iuliano, Z. Florjańczyk (2023). "Recent Advances in the Application of ATRP in the Synthesis of Drug Delivery Systems." *Polymers* 15(5). doi:10.3390/polym15051234
- 2106.[18] Zhang, C., Z. Tian, R. Chen, F. Rowan, K. Qiu, Y. Sun, J. L. Guan, J. Diao (2023). "Advanced imaging techniques for tracking drug dynamics at the subcellular level." *Advanced Drug Delivery Reviews* 199. doi:10.1016/j.addr.2023.114978
- 2107.[19] Andrade-Gagnon, B., S. N. Casillas-Popova, A. M. Jazani, J. K. Oh (2024). "Design, Synthesis, and Acid-Responsive Disassembly of Shell-Sheddable Block Copolymer Labeled with Benzaldehyde Acetal Junction." *Macromolecular Rapid Communications*. doi:10.1002/marc.202400097

Публ. с IF№ 115. Kokanova-Nedialkova, Z., Nedialkov, P.T., **Momekov, G.** Saponins from the roots of *Chenopodium bonus-henricus* L. (2019) Natural Product Research, 33 (14): 2024-2031. (IF 2,158)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85048189045&doi=10.1080%2f14786419.2018.1483928&partnerID=40&md5=a201bbdab73748ea7fd1ab1ef5853b64)

[85048189045&doi=10.1080%2f14786419.2018.1483928&partnerID=40&md5=a201bbdab73748ea7fd1ab1ef5853b64](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85048189045&doi=10.1080%2f14786419.2018.1483928&partnerID=40&md5=a201bbdab73748ea7fd1ab1ef5853b64)

DOI: 10.1080/14786419.2018.1483928

Установени цитирания: в SCOPUS (8)

- 2108.[1] Tatia, R., C. Zalaru, O. Craciunescu, L. Moldovan, A. Oancea, I. Calinescu (2019). "Optimization of triterpene saponins mixture with antiproliferative activity." Applied Sciences (Switzerland) 9(23). doi:10.3390/app9235160
- 2109.[2] Sen, A., N. Tomer, M. I. Ali, S. Moin (2020). "A review on ethnomedicinal, phytochemical, and pharmacological importance of the chenopodium genus." Medicinal Plants 12(2): 192-204. doi:10.5958/0975-6892.2020.00026.X
- 2110.[3] Liangzi, F., Z. Qinfang, H. Jun (2021). "Research on saponin active compounds of Tuchao Baibiandouren for the treatment of type-2 diabetes based on UHPLC-Q-Exactive Orbitrap MS and network pharmacology." Digital Chinese Medicine 4(1): 19-31. doi:10.1016/j.dcm.2021.03.003
- 2111.[4] Boneva, V. S., N. T. Petkova (2022). "Studies on the Bulgarian members of the family Chenopodiaceae s. stricto: a review." BioRisk 18: 17-34. doi:10.3897/biorisk.18.78548
- 2112.[5] Chaudhary, J., A. Jain, R. Dahiya (2022). "Saponins in Management of Hepatic Disorders: A Review." Natural Products Journal 12(3): 2-12. doi:10.2174/2210315511666210908154746
- 2113.[6] Cisneros-Yupanqui, M., R. Pedreschi, A. Aguilar-Galvez, R. Chirinos, D. Campos (2022). "Fractionation and separation of peptides with antioxidant and angiotensin-i converting enzyme inhibitory activities from a quinoa (*Chenopodium quinoa* Willd.) protein hydrolysate." Journal of Microbiology, Biotechnology and Food Sciences 12(1). doi:10.55251/jmbfs.2686
- 2114.[7] Fouedjou, R. T., B. K. Ponou, R. B. Teponno, M. Melzig, C. Tanaka, T. Miyamoto, L. A. Tapondjou (2022). "Two new triterpenoid saponins: telephiifoliosides A and B from the roots of *Corrigiola litoralis* subsp. *telephiifolia* (Pourr.) Briq." Natural Product Research 36(19): 4949-4956. doi:10.1080/14786419.2021.1914030
- 2115.[8] Yilmaz, P. K., U. Kolak (2024). The genus *Chenopodium*: Phytochemicals and biological activities. In: Studies in Natural Products Chemistry (Ed.). 80: 437-476.

Публ. с IF№ 116. Popova, M., Mihaylova, R., **Momekov, G.**, Momekova, D., Lazarova, H., Trendafilova, I., Mitova, V., Koseva, N., Mihályi, J., Shestakova, P., St. Petkov, P., Aleksandrov, H.A., Vayssilov, G.N., Konstantinov, S., Szegedi, Á. Verapamil delivery systems on the basis of mesoporous ZSM-5/KIT-6 and ZSM-5/SBA-15 polymer nanocomposites as a potential tool to overcome MDR in cancer cells (2019) European Journal of Pharmaceutics and Biopharmaceutics, 142: 460-472. (IF 4,604)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069662263&doi=10.1016%2fj.ejpb.2019.07.021&partnerID=40&md5=d9ebcdf4d817b8edb076e6c41ade7e4d)

[85069662263&doi=10.1016%2fj.ejpb.2019.07.021&partnerID=40&md5=d9ebcdf4d817b8edb076e6c41ade7e4d](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069662263&doi=10.1016%2fj.ejpb.2019.07.021&partnerID=40&md5=d9ebcdf4d817b8edb076e6c41ade7e4d)

DOI: 10.1016/j.ejpb.2019.07.021

Установени цитирания: в SCOPUS (10)

- 2116.[1] Chi, H., J. Wan, Y. Ma, Y. Wang, M. Huang, X. Li, M. Pu (2020). "ZSM-5-(C@Fe) activated peroxymonosulfate for effectively degrading ciprofloxacin: In-depth analysis of degradation mode and degradation path." Journal of Hazardous Materials 398. doi:10.1016/j.jhazmat.2020.123024
- 2117.[2] Khodadadi Yazdi, M., P. Zarrintaj, H. Hosseiniamolli, A. H. Mashhadzadeh, M. R. Saeb, J. D. Ramsey, M. R. Ganjali, M. Mozafari (2020). "Zeolites for theranostic applications." Journal of Materials Chemistry B 8(28): 5992-6012. doi:10.1039/d0tb00719f
- 2118.[3] Li, Y., J. Wei, L. Geng, D. Mei, L. Liao (2021). "A Novel TEPA-Load or PEI-Load Beta/KIT-6 Composite and their Application to CO₂ Adsorption." Nano 16(3). doi:10.1142/S1793292021500338
- 2119.[4] Zhang, Y., X. Zeng, H. Wang, R. Fan, Y. Hu, X. Hu, J. Li (2021). "Dasatinib self-assembled nanoparticles decorated with hyaluronic acid for targeted treatment of tumors to overcome multidrug resistance." Drug Delivery 28(1): 670-679. doi:10.1080/10717544.2021.1905751
- 2120.[5] Damiri, F., H. Gaiji, I. I. Muhamad, N. A. M. Lazim, D. Kaur, M. Berrada (2022). Design and fabrication of polymer nanocomposite sensors. In: Polymeric Nanocomposite Materials for Sensor Applications (Ed.): 87-120.
- 2121.[6] Brazovskaya, E. Y., O. Y. Golubeva (2023). "Preparation of Magnetic Zeolites for Medicinal Purposes." Petroleum Chemistry 63(7): 820-828. doi:10.1134/S0965544123050055
- 2122.[7] de Almeida Roque, A., J. Z. da Luz, M. T. K. Santurio, F. F. Neto, C. A. de Oliveira Ribeiro (2023). "Complex mixtures of pesticides and metabolites modulate the malignant phenotype of murine melanoma B16-F1 cells." Environmental Science and Pollution Research 30(16): 47366-47380. doi:10.1007/s11356-023-25603-7
- 2123.[8] Souza, I. M. S., F. García-Villén, C. Viseras, S. B. C. Perger (2023). "Zeolites as Ingredients of Medicinal Products." Pharmaceutics 15(5). doi:10.3390/pharmaceutics15051352
- 2124.[9] Sun, X., P. Zhao, J. Lin, K. Chen, J. Shen (2023). "Recent advances in access to overcome cancer drug resistance by nanocarrier drug delivery system." Cancer Drug Resistance 6(2): 390-415. doi:10.20517/cdr.2023.16
- 2125.[10] Ma, X., L. Geng, Y. Li, J. Wei, L. Liao, D. Wang (2024). "Composite Molecular Sieve ZSM-5/MCM-48-Based Impregnation Modification for Efficient Adsorption of CO₂." Nano. doi:10.1142/S1793292024500140

Публ. с IF№ 117. Nedialkov, P.T., Ilieva, Y., Zheleva-Dimitrova, D., Kokanova-Nedialkova, Z., **Momekov, G.** Three new prenyloxy chromanones from aerial parts of *Hypericum aucheri* (2019) Fitoterapia, 139, art. no. 104421. (IF 2,527)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074948873&doi=10.1016%2fj.fitote.2019.104421&partnerID=40&md5=b2237c8839400f9253775795f567f576)

[85074948873&doi=10.1016%2fj.fitote.2019.104421&partnerID=40&md5=b2237c8839400f9253775795f567f576](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074948873&doi=10.1016%2fj.fitote.2019.104421&partnerID=40&md5=b2237c8839400f9253775795f567f576)

DOI: 10.1016/j.fitote.2019.104421

Установени цитирания: в SCOPUS (1)

2126.[1] Caldeira, G. I., L. P. Gouveia, R. Serrano, O. D. Silva (2022). "Hypericum Genus as a Natural Source for Biologically Active Compounds." *Plants* 11(19). doi:10.3390/plants11192509

Публ. с IF № 118. Mihaylova, R., Ahmedova, A., Momekova, D., **Momekov, G.**, Danchev, N. Delineation of proapoptotic signaling of anthracene-shelled M2L4 metallacapsules and their synergistic activity with curcumin in cisplatin-sensitive and resistant tumor cell lines (2019) *Investigational New Drugs*, 37 (6): 1117-1126. (IF 3,525)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061177308&doi=10.1007%2fs10637-019-00738-y&partnerID=40&md5=a579195da18332f36321491dc7001138>

DOI: 10.1007/s10637-019-00738-y

Установени цитирания: в SCOPUS (2)

- 2127.[1] Abadi, A. J., S. Mirzaei, M. K. Mahabady, F. Hashemi, A. Zabolian, F. Hashemi, P. Raee, S. Aghamiri, M. Ashrafizadeh, A. R. Aref, M. R. Hamblin, K. Hushmandi, A. Zarrabi, G. Sethi (2022). "Curcumin and its derivatives in cancer therapy: Potentiating antitumor activity of cisplatin and reducing side effects." *Phytotherapy Research* 36(1): 189-213. doi:10.1002/ptr.7305
- 2128.[2] Ghanbari, B., L. Asadi Mofarrah, J. K. Clegg (2023). "Selective Supramolecular Recognition of Nitroaromatics by a Fluorescent Metal-Organic Cage Based on a Pyridine-Decorated Dibenzo-diaza-Crown Macrocyclic Co(II) Complex." *Inorganic Chemistry* 62(19): 7434-7445. doi:10.1021/acs.inorgchem.3c00693

Публ. с IF № 119. **Momekov, G.**, Momekova, D. Ivermectin as a potential COVID-19 treatment from the pharmacokinetic point of view: antiviral levels are not likely attainable with known dosing regimens (2020) *Biotechnology and Biotechnological Equipment*, 34 (1): 469-474. (IF 1,186)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85087082917&doi=10.1080%2f13102818.2020.1775118&partnerID=40&md5=57f19224f3c189082d9cf36e12c43c0b>

DOI: 10.1080/13102818.2020.1775118

Установени цитирания: в SCOPUS (71); на уебсайтове на професионални организации, държавни институции и научни дружества (11); общо 82.

- 2129.[1] Camprubí, D., A. Almuedo-Riera, H. I. Martí-Soler, A. Soriano, J. C. Hurtado, C. Subirà, B. Grau-Pujol, A. Krolewiecki, J. Muñoz (2020). "Lack of efficacy of standard doses of ivermectin in severe COVID-19 patients." *PLoS ONE* 15(11 November). doi:10.1371/journal.pone.0242184
- 2130.[2] Mahalmani, V. M., A. Semwal, H. Kaur, S. Kaur, A. Prakash, B. Medhi (2020). "Pattern of clinical research in the era of COVID-19 pandemic: A new learning experience for the present as well as future." *Indian Journal of Pharmacology* 52(4): 249-253. doi:10.4103/ijp.IJP_669_20
- 2131.[3] Mudatsir, M., A. Yufika, F. Nainu, A. Frediansyah, D. Megawati, A. Pranata, W. Mahdani, I. Ichsan, K. Dhama, H. Harapan (2020). "Antiviral activity of ivermectin against SARS-CoV-2: An old-fashioned dog with a new trick—A literature review." *Scientia Pharmaceutica* 88(3): 1-8. doi:10.3390/scipharm88030036
- 2132.[4] Pandey, S., S. K. Pathak, A. Pandey, A. A. Salunke, J. Chawla, A. Sharma, S. Sharma, P. Thivari, H. V. K. Ratna (2020). "Ivermectin in COVID-19: What do we know?" *Diabetes and Metabolic Syndrome: Clinical Research and Reviews* 14(6): 1921-1922. doi:10.1016/j.dsx.2020.09.027
- 2133.[5] Tchetchoua, D. N., A. T. Tankeu, D. L. W. Angong, B. B. Agoons, N. Y. Y. Nguemngang, H. C. N. Djeunga, J. Kamgno (2020). "Unexpected low burden of coronavirus disease 2019 (Covid-19) in sub-saharan africa region despite disastrous predictions: Reasons and perspectives." *Pan African Medical Journal* 37. doi:10.11604/PAMJ.2020.37.352.25254
- 2134.[6] Valle, C., B. Martin, F. Touret, A. Shannon, B. Canard, J. C. Guillemot, B. Coutard, E. Decroly (2020). "Drugs against SARS-CoV-2: What do we know about their mode of action?" *Reviews in Medical Virology* 30(6): 1-10. doi:10.1002/rmv.2143
- 2135.[7] Zhand, S., M. S. Jazi, S. Mohammadi, R. T. Rasekhi, G. Rostamian, M. R. Kalani, A. Rostamian, J. George, M. W. Douglas (2020). "Covid-19: The immune responses and clinical therapy candidates." *International Journal of Molecular Sciences* 21(15): 1-34. doi:10.3390/ijms21155559
- 2136.[8] Abd-El Salam, S., R. A. Noor, R. Badawi, M. Khalaf, E. S. Esmail, S. Soliman, M. S. Abd El Ghafar, M. Elbahnasawy, E. F. Moustafa, S. M. Hassany, M. A. Medhat, H. K. A. Ramadan, M. A. S. Eldeen, M. Alborae, A. Cordie, G. Esmat (2021). "Clinical study evaluating the efficacy of ivermectin in COVID-19 treatment: A randomized controlled study." *Journal of Medical Virology* 93(10): 5833-5838. doi:10.1002/jmv.27122
- 2137.[9] Alexandrova, R., P. Beykov, D. Vassilev, M. Jukić, Č. Podlipnik (2021). "The virus that shook the world: questions and answers about SARS-CoV-2 and COVID-19." *Biotechnology and Biotechnological Equipment* 35(1): 74-102. doi:10.1080/13102818.2020.1847683
- 2138.[10] Bagchi, C., B. Majumder (2021). "Chemoprophylaxis in covid-19 — where do we stand today?" *Journal of the Indian Medical Association* 119(5): 31-35.
- 2139.[11] Bonam, S. R., N. G. Kotla, R. A. Bohara, Y. Rochev, T. J. Webster, J. Bayry (2021). "Potential immuno-nanomedicine strategies to fight COVID-19 like pulmonary infections." *Nano Today* 36. doi:10.1016/j.nantod.2020.101051
- 2140.[12] Bousquet-Mélou, A., A. Lespine, J. F. Sutra, I. Bargues, P. L. Toutain (2021). "A Large Impact of Obesity on the Disposition of Ivermectin, Moxidectin and Eprinomectin in a Canine Model: Relevance for COVID-19 Patients." *Frontiers in Pharmacology* 12. doi:10.3389/fphar.2021.666348
- 2141.[13] Chakraborty, C., A. R. Sharma, M. Bhattacharya, G. Agoramoorthy, S. S. Lee (2021). "The Drug Repurposing for COVID-19 Clinical Trials Provide Very Effective Therapeutic Combinations: Lessons Learned From Major Clinical Studies." *Frontiers in Pharmacology* 12. doi:10.3389/fphar.2021.704205
- 2142.[14] Do Nascimento, V. F., T. Y. Hattori, A. C. P. Terças, T. T. M. B. Lellis (2021). "Mapping of electronic searches for the most popular drugs in the COVID-19 pandemic in Brazil." *Revista Cubana de Información en Ciencias de la Salud* 32(3).
- 2143.[15] Fahmy, M. E. A., A. A. Abdelaal, S. I. Hassan, M. A. Shalaby, M. A. M. Ismail, R. A. Khairy, M. A. Badawi, A. A. Afife, H. O. Fadl (2021). "Antiparasitic and immunomodulating effects of nitazoxanide, ivermectin and selenium on cryptosporidium infection in diabetic mice." *Revista Brasileira de Parasitologia Veterinária* 30(4). doi:10.1590/S1984-29612021087
- 2144.[16] Farag, E. A., M. M. Islam, K. Enan, A. R. M. El-Hussein, D. Bansal, M. Haroun (2021). "SARS-CoV-2 at the human-animal interphase: A review." *Heliyon* 7(12). doi:10.1016/j.heliyon.2021.e08496

- 2145.[17] González-Paz, L., M. L. Hurtado-León, C. Lössada, F. V. Fernández-Materán, J. Vera-Villalobos, M. Loroño, J. L. Paz, L. Jeffreys, Y. J. Alvarado (2021). "Comparative study of the interaction of ivermectin with proteins of interest associated with SARS-CoV-2: A computational and biophysical approach." *Biophysical Chemistry* 278. doi:10.1016/j.bpc.2021.106677
- 2146.[18] Gupta, Y., D. Maciorowski, S. E. Zak, K. A. Jones, R. S. Kathayat, S. A. Azizi, R. Mathur, C. M. Pearce, D. J. Ilc, H. Husein, A. S. Herbert, A. Bharti, B. Rathi, R. Durvasula, D. P. Becker, B. C. Dickinson, J. M. Dye, P. Kempaiah (2021). "Bisindolylmaleimide IX: A novel anti-SARS-CoV2 agent targeting viral main protease 3CLpro demonstrated by virtual screening pipeline and in-vitro validation assays." *Methods* 195: 57-71. doi:10.1016/j.ymeth.2021.01.003
- 2147.[19] Hakim, A., M. M. Hasan, M. Hasan, S. M. Lokman, K. F. Azim, T. Raihan, P. A. Chowdhury, A. K. Azad (2021). "Major Insights in Dynamics of Host Response to SARS-CoV-2: Impacts and Challenges." *Frontiers in Microbiology* 12. doi:10.3389/fmicb.2021.637554
- 2148.[20] Inchingolo, A. D., A. M. Inchingolo, I. R. Bordea, G. Malcangi, E. Xhajanka, A. Scarano, F. Lorusso, M. Farronato, G. M. Tartaglia, C. G. Isacco, G. Marinelli, M. T. D'oria, D. Hazballa, L. Santacroce, A. Ballini, M. Contaldo, F. Inchingolo, G. Dipalma (2021a). "Sars-cov-2 disease adjuvant therapies and supplements breakthrough for the infection prevention." *Microorganisms* 9(3): 1-28. doi:10.3390/microorganisms9030525
- 2149.[21] Inchingolo, A. D., G. Dipalma, A. M. Inchingolo, G. Malcangi, L. Santacroce, M. T. D'oria, C. G. Isacco, I. R. Bordea, S. Candrea, A. Scarano, B. Morandi, M. D. Fabbro, M. Farronato, G. M. Tartaglia, M. G. Balzanelli, A. Ballini, L. Nucci, F. Lorusso, S. Taschieri, F. Inchingolo (2021b). "The 15-months clinical experience of sars-cov-2: A literature review of therapies and adjuvants." *Antioxidants* 10(6). doi:10.3390/antiox10060881
- 2150.[22] Kaur, H., N. Shekhar, S. Sharma, P. Sarma, A. Prakash, B. Medhi (2021). "Ivermectin as a potential drug for treatment of COVID-19: an in-syn review with clinical and computational attributes." *Pharmacological Reports* 73(3): 736-749. doi:10.1007/s43440-020-00195-y
- 2151.[23] López-Medina, E., P. López, I. C. Hurtado, D. M. Dávalos, O. Ramirez, E. Martínez, J. A. Díazgranados, J. M. Oñate, H. Chavarriaga, S. Herrera, B. Parra, G. Libreros, R. Jaramillo, A. C. Avendaño, D. F. Toro, M. Torres, M. C. Lesmes, C. A. Rios, I. Caicedo (2021). "Effect of Ivermectin on Time to Resolution of Symptoms among Adults with Mild COVID-19: A Randomized Clinical Trial." *JAMA - Journal of the American Medical Association* 325(14): 1426-1435. doi:10.1001/jama.2021.3071
- 2152.[24] M. Mansour, S., R. N. Shamma, K. A. Ahmed, N. A. Sabry, G. Esmat, A. A. Mahmoud, A. Maged (2021). "Safety of inhaled ivermectin as a repurposed direct drug for treatment of COVID-19: A preclinical tolerance study." *International Immunopharmacology* 99. doi:10.1016/j.intimp.2021.108004
- 2153.[25] Manchanda, K., J. Singh, R. Bhagat, I. K. Tiwana, H. Singh (2021). "Safety of pharmacological options for the management of COVID-19 in pregnant women: An Indian perspective." *International Journal of Risk and Safety in Medicine* 32(1): 3-17. doi:10.3233/JRS-200060
- 2154.[26] Mittal, N., R. Mittal (2021). "Inhaled route and anti-inflammatory action of ivermectin: Do they hold promise in fighting against COVID-19?" *Medical Hypotheses* 146. doi:10.1016/j.mehy.2020.110364
- 2155.[27] Ortega-Peña, M. R. González-Cuevas (2021). "Familiar Dermatologic Drugs as Therapies for COVID-19." *Actas Dermo-Sifiliograficas* 112(2): 118-126. doi:10.1016/j.ad.2020.09.004
- 2156.[28] Rando, H. M., N. Wellhausen, S. Ghosh, A. J. Lee, A. A. Dattoli, F. Hu, J. B. Byrd, D. N. Rafizadeh, R. Lordan, Y. Qi, Y. Sun, C. Brueffer, J. M. Field, M. B. Guebila, N. M. Jadavji, A. N. Skelly, B. Ramsundar, J. Wang, R. R. Goel, Y. Park, S. M. Boca, A. Gitter, C. S. Greene (2021). "Identification and development of therapeutics for COVID-19." *mSystems* 6(6). doi:10.1128/mSystems.00233-21
- 2157.[29] Sallard, E., D. Belhadi, F. X. Lescure, Y. Yazdanpanah, N. Peiffer-Smadja (2021). "Clinical trial protocols of repurposed prophylaxis for COVID-19: A review." *Infectious Diseases Now* 51(1): 7-13. doi:10.1016/j.medmal.2020.09.013
- 2158.[30] Shende, P., B. Khanolkar, R. S. Gaud (2021). "Drug repurposing: new strategies for addressing COVID-19 outbreak." *Expert Review of Anti-Infective Therapy* 19(6): 689-706. doi:10.1080/14787210.2021.1851195
- 2159.[31] Siedner, M. J. (2021). "Ivermectin for the Treatment of COVID-19 Disease: Too Good to Pass Up or Too Good to Be True?" *Open Forum Infectious Diseases* 8(11). doi:10.1093/ofid/ofab318
- 2160.[32] Şimşek Yavuz, S., İ. Komşuoğlu Çelikyurt (2021). "An update of anti-viral treatment of COVID-19." *Turkish Journal of Medical Sciences* 51: 3372-3390. doi:10.3906/sag-2106-250
- 2161.[33] Sourimant, J., M. Aggarwal, R. K. Plempner (2021). "Progress and pitfalls of a year of drug repurposing screens against COVID-19." *Current Opinion in Virology* 49: 183-193. doi:10.1016/j.coviro.2021.06.004
- 2162.[34] Tinkov, O. V., V. Y. Grigorev, L. D. Grigoreva (2021). "QSAR analysis of the acute toxicity of avermectins towards *Tetrahymena pyriformis*." *SAR and QSAR in Environmental Research* 32(7): 541-571. doi:10.1080/1062936X.2021.1932583
- 2163.[35] Ulsan Bağcı, Ö. (2021). "Impact of the COVID-19 Duration on Neglected Parasitic Diseases." *Türkiye Parazitoloji Dergisi* 45(4): 317-325. doi:10.4274/tpd.galenos.2021.25744
- 2164.[36] van Eijk, L. E., M. Binkhorst, A. R. Bourgonje, A. K. Offringa, D. J. Mulder, E. M. Bos, N. Kolundzic, A. E. Abdulle, P. H. J. van der Voort, M. G. M. Olde Rikkert, J. G. van der Hoeven, W. F. A. den Dunnen, J. L. Hillebrands, H. van Goor (2021). "COVID-19: immunopathology, pathophysiological mechanisms, and treatment options." *Journal of Pathology* 254(4): 307-331. doi:10.1002/path.5642
- 2165.[37] Vassileva, S., V. Mateeva, K. Drenovska (2021). "Drug repurposing of dermatologic medications to treat coronavirus disease 2019: Science or fiction?" *Clinics in Dermatology* 39(3): 430-445. doi:10.1016/j.clindermatol.2021.01.020
- 2166.[38] Verma, A. K., A. K. Pandey, A. Singh, J. Bajpai, S. Kant, D. K. Bajaj (2021). "Assessing Knowledge, Attitude, and Practices towards Ivermectin Pre-exposure Prophylaxis for COVID-19 among Health Care Workers." *Indian Journal of Community Health* 33(3): 430-434. doi:10.47203/IJCH.2021.V33I03.004
- 2167.[39] Ying, H., M. Ebrahimi, M. Keivan, S. E. Khoshnam, S. Salahi, M. Farzaneh (2021). "miRNAs; a novel strategy for the treatment of COVID-19." *Cell Biology International* 45(10): 2045-2053. doi:10.1002/cbin.11653
- 2168.[40] Zaheer, T., K. Pal, R. Z. Abbas, M. D. P. R. Torres (2021). "COVID-19 and Ivermectin: Potential threats associated with human use." *Journal of Molecular Structure* 1243. doi:10.1016/j.molstruc.2021.130808
- 2169.[41] Abbas, K. U., S. Muhammad, S. F. Ding (2022). "The Effect of Ivermectin on Reducing Viral Symptoms in Patients with Mild COVID-19." *Indian Journal of Pharmaceutical Sciences* 84: 87-91. doi:10.36468/pharmaceutical-sciences.spl.416
- 2170.[42] Aminpour, M., M. Cannariato, J. Preto, M. E. Safaei-ardabili, A. Moracchiato, D. Doria, F. Donato, E. A. Zizzi, M. A. Deriu, D. E. Scheim, A. D. Santin, J. A. Tuszyński (2022). "In Silico Analysis of the Multi-Targeted Mode of Action of Ivermectin and Related Compounds." *Computation* 10(4). doi:10.3390/computation10040051
- 2171.[43] Ashour, N. A., A. A. Elmaaty, A. A. Sarhan, E. B. Elkaeed, A. M. Moussa, I. A. Erfan, A. A. Al-Karmalawy (2022). "A Systematic Review of the Global Intervention for SARS-CoV-2 Combating: From Drugs Repurposing to Molnupiravir Approval." *Drug Design, Development and Therapy* 16: 685-715. doi:10.2147/DDDT.S354841
- 2172.[44] El-Ashkar, A. M., S. Mahmoud, H. Sabry, N. Guirguis, W. El Komi, E. Ali, T. Abu Shousha, H. F. Abdelmksoud (2022). "Nitazoxanide, Ivermectin, and Artemether effects against cryptosporidiosis in diabetic mice: parasitological, histopathological, and chemical studies." *Journal of Parasitic Diseases* 46(4): 1070-1079. doi:10.1007/s12639-022-01527-w

- 2173.[45] Gonzalez, J. L. B., M. G. Gámez, E. A. M. Enciso, R. J. E. Maldonado, D. H. Palacios, S. D. Campos, I. O. Robles, M. J. M. Guzmán, A. L. G. Díaz, C. M. G. Peña, L. M. Medina, V. A. M. Colin, J. M. A. Guerra (2022). "Efficacy and Safety of Ivermectin and Hydroxychloroquine in Patients with Severe COVID-19: A Randomized Controlled Trial." *Infectious Disease Reports* 14(2): 160-168. doi:10.3390/IDR14020020
- 2174.[46] Ho, W. S., R. Zhang, Y. L. Tan, C. L. L. Chai (2022). "COVID-19 and the promise of small molecule therapeutics: Are there lessons to be learnt?" *Pharmacological Research* 179. doi:10.1016/j.phrs.2022.106201
- 2175.[47] Kumar, N. D., B. M. ter Ellen, E. M. Bouma, B. Troost, D. P. I. van de Pol, H. H. van der Ende-Metselaar, D. van Gosliga, L. Apperloo, O. A. Carpij, M. van den Berge, M. C. Nawijn, Y. Stienstra, I. A. Rodenhuis-Zybert, J. M. Smit (2022). "Moxidectin and Ivermectin Inhibit SARS-CoV-2 Replication in Vero E6 Cells but Not in Human Primary Bronchial Epithelial Cells." *Antimicrobial Agents and Chemotherapy* 66(1). doi:10.1128/AAC.01543-21
- 2176.[48] Lim, S. C. L., C. P. Hor, K. H. Tay, A. M. Jelani, W. H. Tan, H. B. Ker, T. S. Chow, M. Zaid, W. K. Cheah, H. H. Lim, K. E. Khalid, J. T. Cheng, H. M. Unit, N. An, A. B. Nasruddin, L. L. Low, S. W. R. Khoo, J. H. Loh, N. Z. Zaidan, S. A. Wahab, L. H. Song, H. M. Koh, T. L. King, N. M. Lai, S. K. Chidambaram, K. M. Peariasamy, W. Y. Hwong, E. V. Low, M. D. Pathmanathan, M. L. Hamzah, Y. C. Chan, J. Y. H. Voo, C. F. Yap, Y. Q. Chan, L. K. Vun, K. K. K. Kong, Y. F. Lim, Y. J. Teoh, A. R. Abdullah, A. Ramadas, C. L. Leong, N. H. Wahab, N. Ismail, I. Ismail, T. M. Lee, P. J. Khoo, S. H. Phua, P. P. Gopalakrishnan, S. Jaya Selan, I. Ampalakan, J. F. Khuan, W. N. F. Abdul Rashid, S. S. Zakaria, K. Gemini, H. Burahan, T. S. Santokh Singh, N. Jaafar, N. A. Mohd Shukri, S. Izhar Hisham, S. H. Teow, C. Y. Lim, S. Rajantran, S. I. A. Kamaruddin, I. I. Izhar, N. S. Mohd Mustapha, Z. Mohamad, S. R. N. Abu Salim, D. F. Othman Andu, N. Kamarudin, K. K. Sarban Singh, E. P. Tay, S. H. H. Md Tahir, S. Vijayasingham, Y. Z. Kum, P. A. Natarajan, Y. H. Soh, S. O. F. Syed Alwi, H. Murugan, C. H. Chuah, S. W. Tan, K. N. Leong, P. S. Wong, W. T. T. Chen, R. S. Ng, Y. L. Lim, F. N. Bidin, M. L. Chin, H. L. Guan, M. H. Mohamad Rasli, R. Abdullah, M. A. Jamaludin, N. Mohd Shohaime, S. Mohd Mansor, R. Rasliza, L. Mohamed Nor, K. M. Thong, B. Muniandy, P. V. T. Saw, K. S. Thong, K. C. Wong, V. R. N. Muthi, Q. I. Ahmad Shanizza, L. Jeevaraj, E. L. Chew, P. C. Huang, J. Retnasamy, P. R. Devesahayam, M. S. Lim, T. T. Viswanathan, M. S. Mahamad Azazis, G. Domnic, M. F. Tengku, J. Q. Y. Wong, X. H. Choo, A. N. Prabhakaran, N. S. Zaharudin, A. U. Abu Bakar Sayuti, N. Abdul Wahid, N. H. Saat, N. H. Othman, A. Ahmad Zubaidi, N. M. S. Abdul Mutalib, V. D. Lekh Raj Sharma, D. Gunaraj, M. N. Hanafi, N. A. Embok Ungah, M. A. Mohd Zahari, C. L. Chaw, J. Arokisamy, P. A. Mohd Hassan, A. J. Ayub, A. N. Zainal Abidin, K. S. Choong, L. R. Teoh, H. Y. Kang, K. Krishnan, P. Purusothman, M. I. Zainol, M. M. Tew, M. F. Bahrudin, K. C. Lim, S. Mohd Nadzir, L. Narayanan, A. N. Shamsuddin, K. T. Tan, S. Kamaludeen, N. M. Ibrahim, P. K. A. Sim, I. Aminuddin, R. N. Raja Nahar Putra, L. Y. Yah, B. S. Liew, T. Ravi, S. N. A. Syed Badaruddin, N. S. Mah Hassan, Z. Roslan, R. Nadarajan, J. G. Ang, M. Arumugam, K. W. Chua, C. G. S. Ooi, S. H. Lee, W. T. Ooi, X. Y. Tang, K. Perumalu, M. H. Razali, M. S. A. Murat, N. S. Hamdan, M. S. Hamidi, A. Anuar, W. C. Ang, C. K. Wong, I. L. Mushaddik, S. H. Mohamed, R. A. R. Raja Lope Ahmad, W. M. K. Wan Zainudin, A. F. Mohd Zin, S. K. Teoh, M. Y. Yusoff, S. N. Abdul Rani, M. Ab Rahman, M. A. Mohd Noor, T. N. Tuan Mat, M. K. Othman, M. Sayed Sahul Hamid Gani, C. Z. Ngua, A. K. W. Chang, Z. H. Wong, A. T. Y. Ko, S. F. Thung, X. T. Tiong, H. H. Chua, K. S. Goh, S. Muthusamy, W. Y. Loo, T. Supramaniam, R. Lingam, L. Chandra Kumar, S. T. Chun, D. R. Selvarajah, D. Mohan Raja, O. L. Low, P. Supparmaniam, H. Ad Suhadak, B. C. Beh, Y. L. Lee, C. L. Ooi, K. N. Ishak, R. Harun, S. L. Lee, K. S. Lee, J. K. Ow, N. Kaisbain, C. J. W. Leong, Y. L. Chee, K. L. Teh, K. V. Chan, K. T. Lee, E. J. Wong, I. Ismail, M. A. Mohd Suan, A. L. Mohamed Yusoff, T. M. F. Tuan Ismail, K. A. Ibrahim, N. N. Sidek, N. Seman (2022). "Efficacy of Ivermectin Treatment on Disease Progression Among Adults With Mild to Moderate COVID-19 and Comorbidities The I-TECH Randomized Clinical Trial." *JAMA Internal Medicine* 182(4): 426-435. doi:10.1001/jamainternmed.2022.0189
- 2177.[49] Lorente, V. P. F., G. Voigt, C. E. du Plessis, K. Balme, C. J. Marks, E. H. Decloedt, C. Stephen, H. Reuter, R. van Rensburg (2022). "Ivermectin exposures reported to the Poisons Information Helpline in South Africa during the COVID-19 pandemic." *South African Medical Journal* 112(8): 522-525. doi:10.7196/SAMJ.2022.v112i8.16473
- 2178.[50] Mohapatra, S., P. Ananda, S. Tripathy (2022). "Pharmacological consideration of COVID-19 infection and vaccines in pregnancy." *Journal of the Chinese Medical Association* 85(5): 537-542. doi:10.1097/JCMA.0000000000000712
- 2179.[51] Mule, S., A. Singh, K. Greish, A. Sahebkar, P. Kesharwani, R. Shukla (2022). "Drug repurposing strategies and key challenges for COVID-19 management." *Journal of Drug Targeting* 30(4): 413-429. doi:10.1080/1061186X.2021.2013852
- 2180.[52] Nainwal, L. M. (2022). FDA Coronavirus Treatment Acceleration Program: approved drugs and those in clinical trials. In: *Coronavirus Drug Discovery: Volume 1: SARS-CoV-2 (COVID-19) Prevention, Diagnosis, and Treatment* (Ed.): 249-264.
- 2181.[53] Nimitvilai, S., Y. Suputtamongkol, U. Poolvivatchaikarn, D. Rassamekulthana, N. Rongkiettechakorn, A. Mungaomklang, S. Assanasen, E. Wongsawat, C. Boonarkart, W. Sawaengdee (2022). "A randomized controlled trial of combined ivermectin and zinc sulfate versus combined hydroxychloroquine, darunavir/ritonavir, and zinc sulfate among adult patients with asymptomatic or mild coronavirus-19 infection." *Journal of Global Infectious Diseases* 14(2): 69-74. doi:10.4103/jgid.jgid_281_21
- 2182.[54] Patel, J. (2022). Pharmacological Management. In: *Principles in Nursing Practice in the Era of COVID-19* (Ed.): 67-96.
- 2183.[55] Ravichandran, R., S. K. Mohan, S. K. Sukumaran, D. Kamaraj, S. S. Daivasuga, S. O. A. S. Ravi, S. Vijayaraghavalu, R. K. Kumar (2022). "An open label randomized clinical trial of Indomethacin for mild and moderate hospitalised Covid-19 patients." *Scientific Reports* 12(1). doi:10.1038/s41598-022-10370-1
- 2184.[56] Shahall, A., V. Akbari, R. Soltani, S. S. Badri, R. A. Ardeshtir (2022). "Drug repositioning approach to target viral and host cells in terms of COVID-19 treatment: A review of in vivo experiments and clinical studies." *Journal of Experimental and Clinical Medicine (Turkey)* 39(4): 1255-1269. doi:10.52142/omujecm.39.4.56
- 2185.[57] Sharun, K., R. Tiwari, M. I. Yattoo, S. Natesan, D. Megawati, K. P. Singh, I. Michalak, K. Dhama (2022). "A comprehensive review on pharmacologic agents, immunotherapies and supportive therapeutics for COVID-19." *Narra J* 2(3). doi:10.52225/narra.v2i3.92
- 2186.[58] Shirazi, F. M., R. Mirzaei, S. Nakhaee, A. Nejatian, S. Ghafari, O. Mehrpour (2022). "Repurposing the drug, ivermectin, in COVID-19: toxicological points of view." *European Journal of Medical Research* 27(1). doi:10.1186/s40001-022-00645-8
- 2187.[59] Ünlü, B., R. Simsek, S. B. E. Köse, A. Yirtin, P. Erkekoglu (2022). "Neurological Effects of SARS-CoV-2 and Neurotoxicity of Antiviral Drugs Against COVID-19." *Mini-Reviews in Medicinal Chemistry* 22(2): 213-231. doi:10.2174/1389557521666210629100630
- 2188.[60] Zaid, A. N., M. Hawash, D. Saleh, D. Basil, D. Ibraheem, R. Suwan, A. Darawsheh, Y. Hajjousef (2022). "A review of possible therapeutic agents for COVID-19 pandemic." *Palestinian Medical and Pharmaceutical Journal* 7(2).
- 2189.[61] Bello, S. O., M. B. Bello, A. Yunusa, A. Ahmed Adamu, A. Shuaibu, E. U. Igumbor, Z. G. Habib, M. A. Popoola, C. L. Ochu, A. Yahaya Bello, Y. Y. Deeni, I. Okoye (2023). "Erythromycin, retapamulin, pyridoxine, folic acid, and ivermectin inhibit cytopathic effect, papain-like protease, and MPRO enzymes of SARS-CoV-2." *Frontiers in Cellular and Infection Microbiology* 13. doi:10.3389/fcimb.2023.1273982
- 2190.[62] Duverger, E., G. Herlem, F. Picaud (2023). "Nanovectorization of Ivermectin to avoid overdose of drugs." *Journal of Biomolecular Structure and Dynamics* 41(10): 4272-4285. doi:10.1080/07391102.2022.2066020
- 2191.[63] Kasho, A. K. A., J. S. Nahand, A. Salmaninejad, H. Mirzaei, M. Moghoofei, A. Bazmani, P. S. Aghbash, R. Rasizadeh, N. Farsad-Akhtar, H. B. Baghi (2023). "PBMIC MicroRNAs: Promising Biomarkers for the Differential Diagnosis of COVID-19 Patients with Abnormal Coagulation Indices." *Current Microbiology* 80(8). doi:10.1007/s00284-023-03365-2
- 2192.[64] Kawoosa, S., R. Bashir, S. Nazir, Z. U. K. Rather, G. N. Yattoo, N. A. Khan (2023). Antiviral Uses of Ivermectin. In: *Chemistry and Biological Activities of Ivermectin* (Ed.): 231-246.

- 2193.[65] Madhav, H., M. Rehan, N. Hoda, E. Jameel (2023). Ivermectin as a Repurposed Drug for COVID-19. In: Chemistry and Biological Activities of Ivermectin (Ed.): 47-68.
- 2194.[66] Mitev, V. (2023). "Comparison of treatment of COVID-19 with inhaled bromhexine, higher doses of colchicine and hycromone with WHO-recommended paxlovid, molnupiravir, remdesivir, anti-IL-6 receptor antibodies and baricitinib." Pharmacia 70(4): 1177-1193. doi:10.3897/pharmacia.70.e112550
- 2195.[67] Rasizadeh, R., P. S. Aghbash, J. S. Nahand, T. Entezari-Maleki, H. B. Baghi (2023). "SARS-CoV-2-associated organs failure and inflammation: a focus on the role of cellular and viral microRNAs." Virology Journal 20(1). doi:10.1186/s12985-023-02152-6
- 2196.[68] Srivastava, S., I. Garg, Y. Singh, R. Meena, N. Ghosh, B. Kumari, V. Kumar, M. R. Eslavath, S. Singh, V. Dogra, M. Bargotya, S. Bhattar, U. Gupta, S. Jain, J. Hussain, R. Varshney, L. Ganju (2023). "Evaluation of altered miRNA expression pattern to predict COVID-19 severity." Heliyon 9(2). doi:10.1016/j.heliyon.2023.e13388
- 2197.[69] Vaz, E. S., S. V. Vassiliades, J. Giarolla, M. C. Polli, R. Parise-Filho (2023). "Drug repositioning in the COVID-19 pandemic: fundamentals, synthetic routes, and overview of clinical studies." European Journal of Clinical Pharmacology 79(6): 723-751. doi:10.1007/s00228-023-03486-4
- 2198.[70] Wada, T., M. Hibino, H. Aono, S. Kyoda, Y. Iwade, E. Shishido, K. Ikeda, N. Kinoshita, Y. Matsuda, S. Otani, R. Kameda, K. Matoba, M. Nonaka, M. Maeda, Y. Kumagai, J. Ako, M. Shichiri, K. Naoki, M. Katagiri, M. Takaso, M. Iwamura, K. Katayama, T. Miyatsuka, Y. Orihashi, K. Yamaoka (2023). "Efficacy and safety of single-dose ivermectin in mild-to-moderate COVID-19: the double-blind, randomized, placebo-controlled CORVETTE-01 trial." Frontiers in Medicine 10. doi:10.3389/fmed.2023.1139046
- 2199.[71] Boretti, A., B. K. Banik (2024). "More Widespread use of Ivermectin for the Treatment of COVID-19 Infection could have Saved Many." Current Organocatalysis 11(2): 89-94. doi:10.2174/2213337210666230809141610
- 2200.[72] Cennimo, D.J. in: Bronze, M.S. (Ch. Ed.) Medscape Drugs & Diseases > Infectious Diseases Coronavirus Disease 2019 (COVID-19) Treatment & Management. Updated: May 01, 2024. <https://emedicine.medscape.com/article/2500114-treatment>
- 2201.[73] Therapeutics: Ivermectin. Brigham and Women's Hospital COVID-19 Clinical Guidelines. <https://bwh.covidprotocols.org/protocols/therapeutics/#ivermectin>
- 2202.[74] Potential medicines to treat COVID-19 (5 June 2020). Australian Commission on Safety and Quality in Health Care. <https://www.safetyandquality.gov.au/sites/default/files/2020-06/Potential%20medicines%20to%20treat%20COVID-19%20%285%20June%202020%29.pdf>
- 2203.[75] Carta aberta às autoridades públicas de Santa Catarina, aos profissionais de saúde e à população catarinense sobre suposto "tratamento precoce" da Covid-19. Departamento de Saúde Pública – UFSC Programa de Pós-graduação em Saúde Coletiva – UFSC Associação Brasileira de Saúde Coletiva – Abrasco Sociedade Brasileira de Bioética – Regional Santa Catarina. https://noticias.paginas.ufsc.br/files/2020/07/CARTA_ABERTA-COVID-19.pdf
- 2204.[76] Carta aberta de docentes de cursos de farmácia à população, profissionais de saúde e comunidade acadêmica sobre a ivermectina e outros medicamentos no contexto da Covid-19. http://www.ces.ufcg.edu.br/portal/phocadownload/userupload/Ciencias_Farmaceuticas_Ivermectina.pdf
- 2205.[77] Nota Técnica do Conselho Regional de Farmácia de São Paulo (CRF-SP) sobre o uso de ivermectina no tratamento de covid-19. <http://www.crfsp.org.br/noticias/11380-crf-sp-emite-nota-sobre-o-uso-de-ivermectina-no-tratamento-de-covid-19.html>
- 2206.[78] Ao Excelentíssimo Senhor Nestor Baptista Conselheiro Presidente Tribunal de Contas do Estado do Paraná. <https://apublica.org/wp-content/uploads/2020/10/oficio-os-paranagua-tce-e-mp.pdf>
- 2207.[79] Reporte Breve N° 17; Version 3: Uso de ivermectina para el tratamiento de pacientes adultos con COVID-19 Seguro Social De Salud – Essalud, IETSI. http://www.essalud.gob.pe/ietesi/pdfs/covid_19/RB_17_v3_ivermectina_17jun2020.pdf
- 2208.[80] Ficha técnica de IVERMECTINA. Red Argentina de Centros de Información de Medicamentos (RACIM). <http://cime.fcq.unc.edu.ar/wp-content/uploads/sites/15/2020/10/RACIM-Ivermectina-ficha-t%C3%A9cnica-v.16-10-20.pdf>
- 2209.[81] Recomendaciones de diagnóstico y manejo farmacológico en pacientes pediátricos con infección por SARS-CoV-2 (COVID-19) (Version 3; 12/10/2020) Sociedades Chilenas de Infectología, Rama de intensivos pediátricos SOCHIPE y Sociedad Neumología pediátrica. http://www.sochinf.cl/portal/templates/sochinf2008/documentos/2020/Recomendaciones_manejo_terapeutico_COVID_ninos_Antimicrobianos_SOCHI_NF_otros.pdf
- 2210.[82] COVID-19 Scientific Advisory Group; Rapid Evidence Report <https://www.albertahealthservices.ca/assets/info/ppih/if-ppih-covid-19-sag-ivermectin-in-treatment-and-prevention-rapid-review.pdf>

Публ. с IFN° 120. Kirilov, B., Zhelyazkova, M., Petkova-Gueorguieva, E., **Momekov, G.** Regulation and marketing of cannabidiol-containing products in European countries. Pharmacists' knowledge in Bulgaria (2020) Biotechnology and Biotechnological Equipment, 34 (1): 1158-1165. (IF 1,186)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85091719372&doi=10.1080%2f13102818.2020.1824620&partnerID=40&md5=b4e16c514617df6819f3265a70dd2688>

DOI: 10.1080/13102818.2020.1824620

Установени цитирания: в SCOPUS (2)

2211.[1] Saar, R., S. Dodd (2023). Small Animal Microbiomes and Nutrition.

2212.[2] Vida, R. G., L. V. Strauss, Bajtel, Á, T. Kiss, D. Csopor, A. Fittler (2023). "Safety and risks of CBD oils purchased online: unveiling uncertain quality and vague health claims." Frontiers in Pharmacology 14. doi:10.3389/fphar.2023.1273540

Публ. с IFN° 121. Petrov, O.I., Ivanova, Y.B., Gerova, M.S., **Momekov, G.T.** Synthesis and cytotoxicity of new Mannich bases of 6-[3-(3,4,5-trimethoxyphenyl)-2-propenyl]-2(3h)-benzoxazolone (2020) Letters in Drug Design and Discovery, 17 (4): 511-516. (IF 1,169)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85083267310&doi=10.2174%2f1570180816666190730164952&partnerID=40&md5=b4e2e5f1f2317377e4305bf75c89b8dc>

- 2213.[1] Bilginer, S., B. Anil, M. Koca, Y. Demir, I. Gülçin (2021). "Novel Mannich bases with strong carbonic anhydrases and acetylcholinesterase inhibition effects: 3-(aminomethyl)-6-{3-[4-(trifluoromethyl)phenyl]acryloyl}-2(3H)-benzoxazolones." *Turkish Journal of Chemistry* 45(3): 805-818. doi:10.3906/kim-2101-25
- 2214.[2] Leite, F. F., N. F. de Sousa, B. H. M. de Oliveira, G. D. Duarte, M. D. L. Ferreira, M. T. Scotti, J. M. B. Filho, L. C. Rodrigues, R. O. de Moura, F. J. B. Mendonça-Junior, L. Scotti (2023). "Anticancer Activity of Chalcones and Its Derivatives: Review and In Silico Studies." *Molecules* 28(10). doi:10.3390/molecules28104009

Публ. с IFN^o 122. Kochmarov, V., Marinov, L., Kozuharova, E., Hristova-Avakumova, N., Hadjimitova, V., Traykov, T., Biljali, S., Nuhiu, N., Benbassat, N., **Momekov, G.** Exploration of collagenase, cyclooxygenases, angiogenesis and free radical processes as the putative pharmacological targets of *Arum maculatum* L. (2020) *Biotechnology and Biotechnological Equipment*, 34 (1): 126-134. (IF 1,186)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85079346131&doi=10.1080%2f13102818.2020.1722239&partnerID=40&md5=fa153520b087ca6d42506b089ef08cf9)

[85079346131&doi=10.1080%2f13102818.2020.1722239&partnerID=40&md5=fa153520b087ca6d42506b089ef08cf9](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85079346131&doi=10.1080%2f13102818.2020.1722239&partnerID=40&md5=fa153520b087ca6d42506b089ef08cf9)

DOI: 10.1080/13102818.2020.1722239

Установени цитирания: в SCOPUS (3)

- 2215.[1] Rabizadeh, F., M. S. Mirian, R. Doosti, R. Kiani-Anbouhi, E. Eftekhari (2022). "Phytochemical Classification of Medicinal Plants Used in the Treatment of Kidney Disease Based on Traditional Persian Medicine." *Evidence-based Complementary and Alternative Medicine* 2022. doi:10.1155/2022/8022599
- 2216.[2] Ergene, B., M. Karaaslan (2023). "Food, medicine or a poisonous plant: *Arum maculatum* L." *Journal of Research in Pharmacy* 27(2): 493-507. doi:10.29228/jrp.332
- 2217.[3] Hussain, F. H. S., S. Majedi, T. A. Faraj, M. Ozdemir, J. Ahamad, T. H. Karim, K. D. Issa, M. Q. Mustafa (2024). "Documentation of Ethnomedicinal Uses of Wild Plants Growing in Kodo Mountain by Kurdish Tribe of Iraq." *Journal of the Chemical Society of Pakistan* 46(2): 168-184.

Публ. с IFN^o 123. Trendafilova, I., Mihály, J., Momekova, D., Chimshirova, R., Lazarova, H., **Momekov, G.**, Popova, M. Antioxidant activity and modified release profiles of morin and hesperetin flavonoids loaded in Mg- or Ag-modified SBA-16 carriers (2020) *Materials Today Communications*, 24, art. no. 101198. (IF 2,678)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85084855985&doi=10.1016%2fj.mtcomm.2020.101198&partnerID=40&md5=ede3363549ec6e1d5d5c673352cfd4fd)

[85084855985&doi=10.1016%2fj.mtcomm.2020.101198&partnerID=40&md5=ede3363549ec6e1d5d5c673352cfd4fd](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85084855985&doi=10.1016%2fj.mtcomm.2020.101198&partnerID=40&md5=ede3363549ec6e1d5d5c673352cfd4fd)

DOI: 10.1016/j.mtcomm.2020.101198

Установени цитирания: в SCOPUS (15)

- 2218.[1] Kucukler, S., C. Caglayan, E. Darendelioglu, F. M. Kandemir (2020). "Morin attenuates acrylamide-induced testicular toxicity in rats by regulating the NF- κ B, Bax/Bcl-2 and PI3K/Akt/mTOR signaling pathways." *Life Sciences* 261. doi:10.1016/j.lfs.2020.118301
- 2219.[2] Thakur, K., Y. Y. Zhu, J. Y. Feng, J. G. Zhang, F. Hu, C. Prasad, Z. J. Wei (2020). "Morin as an imminent functional food ingredient: An update on its enhanced efficacy in the treatment and prevention of metabolic syndromes." *Food and Function* 11(10): 8424-8443. doi:10.1039/d0fo01444c
- 2220.[3] Isa, E. D. M., H. Ahmad, M. B. A. Rahman, M. R. Gill (2021). "Progress in mesoporous silica nanoparticles as drug delivery agents for cancer treatment." *Pharmaceutics* 13(2): 1-33. doi:10.3390/pharmaceutics13020152
- 2221.[4] Al Zarzour, R. H., E. E. Kamarulzaman, F. G. Saqallah, F. Zakaria, M. Asif, K. N. Abdul Razak (2022). "Medicinal plants' proposed nanocomposites for the management of endocrine disorders." *Heliyon* 8(9). doi:10.1016/j.heliyon.2022.e10665
- 2222.[5] Kerry, R. G., P. Mohapatra, A. B. Jena, B. Panigrahi, K. C. Pradhan, B. R. Khatua, S. Mahari, S. Pal, V. Perikala, B. Kisan, M. D. Lugos, A. K. Mondru, S. K. Sahoo, D. Mandal, S. Majhi, J. K. Patra (2022). "Biosynthesis of Rutin Trihydrate Loaded Silica Nanoparticles and Investigation of Its Antioxidant, Antidiabetic and Cytotoxic Potentials." *Journal of Inorganic and Organometallic Polymers and Materials* 32(6): 2065-2081. doi:10.1007/s10904-022-02269-1
- 2223.[6] Wdowiak, K., J. Walkowiak, R. Pietrzak, A. Bazan-Woźniak, J. Cielecka-Piontek (2022). "Bioavailability of Hesperidin and Its Aglycone Hesperetin—Compounds Found in Citrus Fruits as A Parameter Conditioning the Pro-Health Potential (Neuroprotective and Antidiabetic Activity)—Mini-Review." *Nutrients* 14(13). doi:10.3390/nu14132647
- 2224.[7] Yesildag, K., R. Ero, A. Genc, T. Dogan, E. Satici (2022). "Evaluation of the protective effects of morin against acrylamide-induced lung toxicity by biomarkers of oxidative stress, inflammation, apoptosis, and autophagy." *Journal of Food Biochemistry* 46(7). doi:10.1111/jfbc.14111
- 2225.[8] Ying, L., H. Shunwu (2022). "Study on MoO₃/SBA-16 catalyzed transesterification to synthesize diphenyl carbonate." *Turkish Journal of Chemistry* 46(6): 1930-1945. doi:10.55730/1300-0527.3492
- 2226.[9] Zhang, W., Y. Luo, Z. Xie, C. Kong, Z. Na (2022). "Extraction and detection of morin from *Sanghuangporus lonicericola* by magnetic molecularly imprinted polymers coupled with HPLC analysis." *Journal of Food Science* 87(4): 1575-1585. doi:10.1111/1750-3841.16110
- 2227.[10] Zhou, Z. G., D. D. Li, Y. Chen, X. Chen, R. J. Man (2022). "Discussion on the Structural Modification and Anti-tumor Activity of Flavonoids." *Current Topics in Medicinal Chemistry* 22(7): 561-577. doi:10.2174/1568026622666220308162049
- 2228.[11] Bouyahya, A., D. Taha, T. Benali, G. Zengin, N. El Omari, N. El Hachlafi, A. Khalid, A. N. Abdalla, C. Ardianto, C. S. Tan, L. C. Ming, N. Sahib (2023). "Natural sources, biological effects, and pharmacological properties of cynaroside." *Biomedicine and Pharmacotherapy* 161. doi:10.1016/j.biopha.2023.114337
- 2229.[12] Cunha, C., D. Marinheiro, B. J. M. L. Ferreira, H. Oliveira, A. L. Daniel-da-Silva (2023). "Morin Hydrate Encapsulation and Release from Mesoporous Silica Nanoparticles for Melanoma Therapy." *Molecules* 28(12). doi:10.3390/molecules28124776
- 2230.[13] Wdowiak, K., A. Miklaszewski, R. Pietrzak, J. Cielecka-Piontek (2023). "Amorphous System of Hesperetin and Piperine—Improvement of Apparent Solubility, Permeability, and Biological Activities." *International Journal of Molecular Sciences* 24(5). doi:10.3390/ijms24054859

- 2231.[14] Yao, Z., W. Gong, C. Li, Z. Deng, Y. Jin, X. Meng (2023). "Sustained antioxidant properties of epigallocatechin gallate loaded halloysite for PLA as potentially durable materials." *Journal of Applied Polymer Science* 140(5). doi:10.1002/app.53411
- 2232.[15] Montiel Schneider, M. G., M. J. Martín, N. Cuello, M. F. Favatela, C. Gentili, V. Elias, G. Eimer, V. Lassalle (2024). "Morin loaded mesoporous molecular sieves as novel devices to the potential treatment of tumor pathologies." *Journal of Biomaterials Applications* 38(9): 1000-1009. doi:10.1177/08853282241238408

Публ. с IF № 124. Popova, M., Koseva, N., Trendafilova, I., Lazarova, H., Mitova, V., Mihály, J., Momekova, D., **Momekov, G.**, Koleva, I.Z., Aleksandrov, H.A., Vayssilov, G.N., Szegedi, Á. Tamoxifen Delivery System Based on PEGylated Magnetic MCM-41 Silica (2020) *Molecules* (Basel, Switzerland), 25 (21). (IF 3,267)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85095801275&doi=10.3390%2fmolecules25215129&partnerID=40&md5=20ab1466f42ca6472859ab830a5be7ae>
DOI: 10.3390/molecules25215129

Установени цитирания: в SCOPUS (7)

- 2233.[1] Alhusban, A. A., S. Albustanji, L. A. Hamadneh, A. I. Shallan (2021). "High performance liquid chromatography–tandem mass spectrometry method for correlating the metabolic changes of lactate, pyruvate and L-Glutamine with induced tamoxifen resistant MCF-7 cell line potential molecular changes." *Molecules* 26(16). doi:10.3390/molecules26164824
- 2234.[2] Mohebbi, S., M. Shariatipour, B. Shafie, M. M. Amini (2021). "Encapsulation of tamoxifen citrate in functionalized mesoporous silica and investigation of its release." *Journal of Drug Delivery Science and Technology* 62. doi:10.1016/j.jddst.2021.102406
- 2235.[3] Hussein, H. A., M. S. Nazir, N. Azra, Z. Qamar, A. Seeni, T. A. D. A. A. Tengku Din, M. A. Abdullah (2022). "Novel Drug and Gene Delivery System and Imaging Agent Based on Marine Diatom Biosilica Nanoparticles." *Marine Drugs* 20(8). doi:10.3390/md20080480
- 2236.[4] Suyanta, S., M. Mudasar, W. Nugroho, K. Fajariatri (2022). "Externally Silylated RH-MCM-48 from Rice Husk Silica with Superparamagnetic Iron Oxide for Multifunctional Applications." *Asian Journal of Chemistry* 34(8): 1997-2007. doi:10.14233/ajchem.2022.23486
- 2237.[5] Vellingiri, S., C. Rejeeth, N. B. Varukattu, A. Sharma, R. S. Kumar, A. I. Almansour, N. Arumugam, S. Afewerki, S. Kannan (2022). "In vivo delivery of nuclear targeted drugs for lung cancer using novel synthesis and functionalization of iron oxide nanocrystals." *New Journal of Chemistry* 46(26): 12488-12499. doi:10.1039/d1nj05867c
- 2238.[6] Sobczak-Kupiec, A., S. Kudłacik-Kramarczyk, A. Drabczyk, K. Cylka, B. Tyliczszak (2023). "Studies on PVP-Based Hydrogel Polymers as Dressing Materials with Prolonged Anticancer Drug Delivery Function." *Materials* 16(6). doi:10.3390/ma16062468
- 2239.[7] Esmaili, Y., A. Dabiri, F. Mashayekhi, I. Rahimmanesh, E. Bidram, S. Karbasi, M. Rafienia, S. H. Javanmard, Y. N. Ertas, A. Zarrabi, L. Shariati (2024). "Smart co-delivery of plasmid DNA and doxorubicin using MCM-chitosan-PEG polymerization functionalized with MUC-1 aptamer against breast cancer." *Biomedicine and Pharmacotherapy* 173. doi:10.1016/j.biopha.2024.116465

Публ. с IF № 125. Szegedi, Á., Trendafilova, I., Mihály, J., Lázár, K., Németh, P., **Momekov, G.**, Momekova, D., Marinov, L., Nikolova, I., Popova, M. New insight on prednisolone polymorphs in mesoporous silica/maghemite nanocomposites (2020) *Journal of Drug Delivery Science and Technology*, 60, art. no. 102092. (IF 2,734)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85092191323&doi=10.1016%2fj.jddst.2020.102092&partnerID=40&md5=054ad8cb9c359408c31b84c140db89ff>
DOI: 10.1016/j.jddst.2020.102092

Установени цитирания: в SCOPUS (2)

- 2240.[1] Manescu, V., G. Paltanea, I. Antoniac, M. Vasilescu (2021). "Magnetic nanoparticles used in oncology." *Materials* 14(20). doi:10.3390/ma14205948
- 2241.[2] Stanicki, D., T. Vangijzegem, I. Ternad, S. Laurent (2022). "An update on the applications and characteristics of magnetic iron oxide nanoparticles for drug delivery." *Expert Opinion on Drug Delivery* 19(3): 321-335. doi:10.1080/17425247.2022.2047020

Публ. с IF № 126. Ahmedova, A., Mihaylova, R., Stoykova, S., Mihaylova, V., Paunova-Krasteva, T., Mihaylov, L., Stoitsova, S., Nihtianova, D., **Momekov, G.**, Momekova, D., Yoshizawa, M. Enhanced cellular uptake of platinum by a tetracationic Pt(II) nanocapsule and its implications to cancer treatment (2020) *European Journal of Pharmaceutical Sciences*, 155, art. no. 105545. (IF 3,616)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85090947248&doi=10.1016%2fj.ejps.2020.105545&partnerID=40&md5=7b2a7d55856689645622cdf5aa435b7b>
DOI: 10.1016/j.ejps.2020.105545

Установени цитирания: в SCOPUS (2)

- 2242.[1] Lisboa, L. S., M. Riisom, R. A. S. Vasdev, S. M. F. Jamieson, L. J. Wright, C. G. Hartinger, J. D. Crowley (2021). "Cavity-Containing [Fe2L3]4+ Helicates: An Examination of Host-Guest Chemistry and Cytotoxicity." *Frontiers in Chemistry* 9. doi:10.3389/fchem.2021.697684
- 2243.[2] Zhang, P., D. Chen, L. Li, K. Sun (2022). "Charge reversal nano-systems for tumor therapy." *Journal of Nanobiotechnology* 20(1). doi:10.1186/s12951-021-01221-8

Публ. с IF № 127. Angelova, V.T., Pencheva, T., Buyukliev, R., Yovkova, E.K., Valkova, I., **Momekov, G.**, Vulcheva, V. Antimycobacterial Activity, In Silico ADME Evaluation, and Docking Study of Novel Thiazolidinedione and Imidazolidinone Conjugates (2021) *Russian Journal of Bioorganic Chemistry*, 47 (1): 122-133. (IF 0,682)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85103351992&doi=10.1134%2fS1068162021010027&partnerID=40&md5=0329ece29a41f76d55d5bd5ec4ba2da4>

DOI: 10.1134/S1068162021010027

Установени цитирания: в SCOPUS (3)

- 2244.[1] Reddy, G. S., A. V. Rao, M. Keshavulu, I. V. K. Viswanath, E. Laxminarayana (2022). "Design, Synthesis, and Biological Evaluation of Fluoroquinolones Linked to 4-Thiazolidinone Moieties as Potent Antimicrobial Agents: Docking Analysis." *Russian Journal of General Chemistry* 92(9): 1749-1760. doi:10.1134/S1070363222090171
- 2245.[2] Canales, C. S. C., A. R. Pavan, J. L. dos Santos, F. R. Pavan (2024). "In silico drug design strategies for discovering novel tuberculosis therapeutics." *Expert Opinion on Drug Discovery* 19(4): 471-491. doi:10.1080/17460441.2024.2319042
- 2246.[3] Ramakrishna, B., B. Karthik, B. A. Kumar, T. K. Kumar (2024). "Synthesis of Some New Coumarin-thiazolidine-2,4-dione-1,2,3-triazole Hybrids as Tubulin Targeting Anti-Lung Cancer Agents." *Russian Journal of Bioorganic Chemistry* 50(2): 282-292. doi:10.1134/S1068162024020109

Публ. с IF № 129. Zhelyazkova, M., Hristova-Avakumova, N., Todorov, L., **Momekov, G.** In vitro anticancer activity and oxidative molecular damage by cannabidiol administered alone and in combination with epirubicin (2021) *Biotechnology and Biotechnological Equipment*, 35 (1), pp. 1613-1622. (IF 1.762)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85119265673&doi=10.1080%2f13102818.2021.1996270&partnerID=40&md5=a79e7ef6cde2044a22eadb28a5c3ec36>

DOI: 10.1080/13102818.2021.1996270

Установени цитирания: в SCOPUS (2)

- 2247.[1] Li, H., Q. Zhao, S. Chang, L. Wang, B. Zhao (2023). "Phytochemical analysis and bioactivity of different ethanolic extracts from cannabidiol full-spectrum oil." *Journal of Molecular Liquids* 372. doi:10.1016/j.molliq.2022.121173
- 2248.[2] Liu, Z. H., J. L. Wang, Y. N. Zhao, J. Li, Z. C. Shi, D. Wang, M. Zhao, S. J. Zhang (2023). "A new dihydrostilbene from aerial part of Cannabis sativa." *Zhongguo Zhongyao Zazhi* 48(4): 985-992. doi:10.19540/j.cnki.cjcmm.20220406.201

Публ. с IF № 130. Berkov, S., Pechlivanova, D., Denev, R., Nikolova, M., Georgieva, L., Sidjimova, B., Bakalov, D., Tafradjiiska, R., Stoynev, A., **Momekov, G.**, Bastida, J. GC-MS analysis of Amaryllidaceae and Sceletium-type alkaloids in bioactive fractions from Narcissus cv. Hawera (2021) *Rapid Communications in Mass Spectrometry*, 35 (14), art. no. e9116. (IF 2.586)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85107771880&doi=10.1002%2frcm.9116&partnerID=40&md5=5cf5ccc9350be96caac9392c54375dfa>

DOI: 10.1002/rcm.9116

Установени цитирания: в SCOPUS (3)

- 2249.[1] Yin, J., R. Lin, M. Wu, H. Ding, L. Han, W. Yang, X. Song, W. Li, H. Qu, H. Yu, Z. Li (2021). "Strategy for the multi-component characterization and quality evaluation of volatile organic components in Kaixin San by correlating the analysis by headspace gas chromatography/ion mobility spectrometry and headspace gas chromatography/mass spectrometry." *Rapid Communications in Mass Spectrometry* 35(21). doi:10.1002/rcm.9174
- 2250.[2] Paiva, M. J. M., G. N. L. Nascimento, I. A. M. Damasceno, T. T. Santos, D. Silveira (2023). "Pharmacological and toxicological effects of Amaryllidaceae." *Brazilian Journal of Biology* 83. doi:10.1590/1519-6984.277092
- 2251.[3] Leite, E. L. L., A. Sheila de Queiroz Souza, P. Riceli Vasconcelos Ribeiro, R. de Cássia Alves Pereira, N. Florêncio Martins, M. Kueirislene Amâncio Ferreira, J. E. Silva Alencar de Menezes, H. Silva dos Santos, O. Deusdênia Loiola Pessoa, K. Marques Canuto (2024). "Molecular Docking and GC/MS-Based Approach for Identification of Anxiolytic Alkaloids from Griffinia (Amaryllidaceae) Species in a Zebrafish Model." *Chemistry and Biodiversity* 21(3). doi:10.1002/cbdv.202302122

Публ. с IF № 131. Momekova, D., Danov, Y., **Momekov, G.**, Ivanov, E., Petrov, P. Polysaccharide cryogels containing β -cyclodextrin for the delivery of cannabidiol (2021) *Pharmaceutics*, 13 (11), art. no. 1774. (IF 6.525)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85117944959&doi=10.3390%2fpharmaceutics13111774&partnerID=40&md5=80d10abf088fc4a54556e8feab99bcc7>

DOI: 10.3390/pharmaceutics13111774

Установени цитирания: в SCOPUS (10)

- 2252.[1] Ari, B., S. Demirci, R. S. Ayyala, B. Salih, N. Sahiner (2022). "Superporous poly(β -Cyclodextrin) cryogels as promising materials for simultaneous delivery of both hydrophilic and hydrophobic drugs." *European Polymer Journal* 176. doi:10.1016/j.eurpolymj.2022.111399
- 2253.[2] Mahmoudinoozdeh, H., S. R. Telukutla, S. K. Bhangu, A. Bachari, F. Cavalieri, N. Mantri (2022). "The Transdermal Delivery of Therapeutic Cannabinoids." *Pharmaceutics* 14(2). doi:10.3390/pharmaceutics14020438
- 2254.[3] Tannous, M., S. Lucia Appleton, G. Hoti, F. Caldera, M. Argenziano, Y. K. Monfared, A. Matencio, F. Trotta, R. Cavalli (2022). "Dextrin-Based Nanohydrogels for Rokitamycin Prolonged Topical Delivery." *Gels* 8(8). doi:10.3390/gels8080490
- 2255.[4] Assadpour, E., A. Rezaei, S. S. Das, B. V. Krishna Rao, S. K. Singh, M. S. Kharazmi, N. K. Jha, S. K. Jha, M. A. Prieto, S. M. Jafari (2023). "Cannabidiol-Loaded Nanocarriers and Their Therapeutic Applications." *Pharmaceutics* 16(4). doi:10.3390/ph16040487

- 2256.[5] Ferreira, B. P., G. Costa, F. Mascarenhas-Melo, P. C. Pires, F. Heidarizadeh, P. S. Giram, P. G. Mazzola, C. Cabral, F. Veiga, A. C. Paiva-Santos (2023). "Skin applications of cannabidiol: sources, effects, delivery systems, marketed formulations and safety." *Phytochemistry Reviews* 22(3): 781-828. doi:10.1007/s11101-023-09860-5
- 2257.[6] Omidian, H., S. Dey Chowdhury, N. Babanejad (2023). "Cryogels: Advancing Biomaterials for Transformative Biomedical Applications." *Pharmaceutics* 15(7). doi:10.3390/pharmaceutics15071836
- 2258.[7] Yang, T. X., H. Li, Y. Zhu, Y. Gao, H. N. Lv, S. H. Zha, X. L. Sun, Q. S. Zhao (2023). "Preparation and characterisation of wheat starch-based aerogels for procyanidin encapsulation to enhance stability." *New Journal of Chemistry* 48(1): 79-88. doi:10.1039/d3nj03311b
- 2259.[8] Zagni, C., A. Coco, T. Mecca, G. Curcuruto, V. Patamia, K. Mangano, A. Rescifina, S. C. Carroccio (2023). "Sponge-like macroporous cyclodextrin-based cryogels for controlled drug delivery." *Materials Chemistry Frontiers* 7(13): 2693-2705. doi:10.1039/d3qm00139c
- 2260.[9] David, C., J. F. de Souza, A. F. Silva, G. Grazioli, A. S. Barboza, R. G. Lund, A. R. Fajardo, R. R. Moraes (2024). "Cannabidiol-loaded microparticles embedded in a porous hydrogel matrix for biomedical applications." *Journal of Materials Science: Materials in Medicine* 35(1). doi:10.1007/s10856-023-06773-9
- 2261.[10] Yilmaz, A. S., N. Sahiner (2024). "Super porous α -, β -, γ -cyclodextrin cryogels with high active agent loading and controllable release profiles." *Journal of Applied Polymer Science* 141(3). doi:10.1002/app.54822

Публ. с IFN^o 132. Budurova, D., Momekova, D., **Momekov, G.**, Shestakova, P., Penchev, H., Rangelov, S. Peg-modified tert-octylcalix[8]arenes as drug delivery nanocarriers of silibinin (2021) *Pharmaceutics*, 13 (12), art. no. 2025. (IF 6.525)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85120818288&doi=10.3390%2fpharmaceutics13122025&partnerID=40&md5=5e3c3b00d82f4c7b05bdacd8b5ccdeb2)

[85120818288&doi=10.3390%2fpharmaceutics13122025&partnerID=40&md5=5e3c3b00d82f4c7b05bdacd8b5ccdeb2](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85120818288&doi=10.3390%2fpharmaceutics13122025&partnerID=40&md5=5e3c3b00d82f4c7b05bdacd8b5ccdeb2)

DOI: 10.3390/pharmaceutics13122025

Установени цитирания: в SCOPUS (3)

- 2262.[1] Fernandes, A. I., A. F. Jozala (2022). "Polymers Enhancing Bioavailability in Drug Delivery." *Pharmaceutics* 14(10). doi:10.3390/pharmaceutics14102199
- 2263.[2] Huang, Q., Z. Cai, R. Chen, W. Li, W. Zhang, Y. Zhao, K. Jin, Y. Li, T. Sun, W. Liu (2023). "Separation performance of the calix[8]arene functionalized with polyethylene glycol units for capillary gas chromatography." *Analytical Sciences* 39(6): 989-998. doi:10.1007/s44211-023-00307-7
- 2264.[3] Nisa, K., I. A. Lone, W. Arif, P. Singh, S. U. Rehman, R. Kumar (2023). "Applications of supramolecular assemblies in drug delivery and photodynamic therapy." *RSC Medicinal Chemistry* 14(12): 2438-2458. doi:10.1039/d3md00396e

Публ. с IFN^o 133. Ahmedova, A., Pavlović, G., Marinov, M., Marinova, P., **Momekov, G.**, Paradowska, K., Yordanova, S., Stoyanov, S., Vassilev, N., Stoyanov, N. Synthesis and anticancer activity of Pt(II) complexes of spiro-5-substituted 2,4-dithiohydantoins (2021) *Inorganica Chimica Acta*, 528, art. no. 120605. (IF 3.118)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85115123559&doi=10.1016%2fj.ica.2021.120605&partnerID=40&md5=b8811f9740d89ad622122d7273b4055a)

[85115123559&doi=10.1016%2fj.ica.2021.120605&partnerID=40&md5=b8811f9740d89ad622122d7273b4055a](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85115123559&doi=10.1016%2fj.ica.2021.120605&partnerID=40&md5=b8811f9740d89ad622122d7273b4055a)

DOI: 10.1016/j.ica.2021.120605

Установени цитирания: в SCOPUS (5)

- 2265.[1] Bhaduri, R., A. Pan, S. Kumar Tarai, S. Mandal, A. Bagchi, A. Biswas, S. Ch. Moi (2022). "In vitro anticancer activity of Pd(II) complexes with pyridine scaffold: Their bioactivity, role in cell cycle arrest, and computational study." *Journal of Molecular Liquids* 367. doi:10.1016/j.molliq.2022.120540
- 2266.[2] Zeng, W., X. Wang, Y. Li, X. Li, Y. Zhang (2022). "Structural, spectroscopic and computational studies of two new spirocompounds containing 2,3,4-trimethoxybenzyl group." *Journal of Molecular Structure* 1269. doi:10.1016/j.molstruc.2022.133806
- 2267.[3] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207
- 2268.[4] Pan, A., S. Kumar Tarai, R. Bhaduri, S. Mandal, S. Chandra Moi (2023). "Pd(II) based anticancer drug candidates with 1,2-Aminoethyl piperidine scaffold and sulfur donor ancillary: Their in vitro bio-activity, molecular docking and DFT study." *Journal of Molecular Liquids* 386. doi:10.1016/j.molliq.2023.122421
- 2269.[5] Toumi, A., F. I. A. Abdella, S. Boudriga, T. Y. A. Alanazi, A. K. Alshamari, A. A. Alrashdi, A. Dbeibia, K. Hamden, I. Daoud, M. Knorr, J. L. Kirchhoff, C. Strohmman (2023). "Synthesis of Tetracyclic Spirooxindolepyrrolidine-Engrafted Hydantoin Scaffolds: Crystallographic Analysis, Molecular Docking Studies and Evaluation of Their Antimicrobial, Anti-Inflammatory and Analgesic Activities." *Molecules* 28(21). doi:10.3390/molecules28217443

Публ. с IFN^o 135. Gugleva, V., Michailova, V., Mihaylova, R., **Momekov, G.**, Zaharieva, M.M., Najdenski, H., Petrov, P., Rangelov, S., Forys, A., Trzebicka, B., Momekova, D. Formulation and Evaluation of Hybrid Niosomal In Situ Gel for Intravesical Co-Delivery of Curcumin and Gentamicin Sulfate (2022) *Pharmaceutics*, 14 (4), art. no. 747. (IF 5.4)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85128318306&doi=10.3390%2fpharmaceutics14040747&partnerID=40&md5=168cd914b9be85756f9ff50c3d038256)

[85128318306&doi=10.3390%2fpharmaceutics14040747&partnerID=40&md5=168cd914b9be85756f9ff50c3d038256](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85128318306&doi=10.3390%2fpharmaceutics14040747&partnerID=40&md5=168cd914b9be85756f9ff50c3d038256)

DOI: 10.3390/pharmaceutics14040747

Установени цитирания: в SCOPUS (14)

- 2270.[1] Fahmy, S. A., A. Ramzy, A. M. Sawy, M. Nabil, M. Z. Gad, M. El-Shazly, M. A. M. Aboul-Soud, H. M. E. S. Azzazy (2022). "Ozonated Olive Oil: Enhanced Cutaneous Delivery via Niosomal Nanovesicles for Melanoma Treatment." *Antioxidants* 11(7). doi:10.3390/antiox11071318

- 2271.[2] Pourmadadi, M., P. Abbasi, M. M. Eshaghi, A. Bakhshi, A. L. Ezra Manicum, A. Rahdar, S. Pandey, S. Jadoun, A. M. Díez-Pascual (2022). "Curcumin delivery and co-delivery based on nanomaterials as an effective approach for cancer therapy." *Journal of Drug Delivery Science and Technology* 78. doi:10.1016/j.jddst.2022.103982
- 2272.[3] Yasamineh, S., P. Yasamineh, H. Ghafouri Kalajahi, O. Gholizadeh, Z. Yekanipour, H. Afkhami, M. Eslami, A. Hossein Kheirkhah, M. Taghizadeh, Y. Yazdani, M. Dadashpour (2022). "A state-of-the-art review on the recent advances of niosomes as a targeted drug delivery system." *International Journal of Pharmaceutics* 624. doi:10.1016/j.ijpharm.2022.121878
- 2273.[4] Al-Zuhairy, S. A. S., H. S. El-Sawy, M. A. El-Nabarawi, M. H. Teaima (2023). "FOCUS ON NIOSOMAL-BASED DRUG DELIVERY SYSTEMS FOR NASAL ROUTE: APPLICATIONS AND CHALLENGES." *International Journal of Applied Pharmaceutics* 15(1): 36-43. doi:10.22159/ijap.2023v15i1.46280
- 2274.[5] Eldehna, W. M., M. A. El Hassab, N. A. Abdelshafi, R. A. Eissa, N. H. Diab, E. H. Mohamed, M. A. Oraby, S. T. Al-Rashood, R. G. Eissa, Z. M. Elsayed, A. Nocentini, C. T. Supuran, M. Elsabahy, N. G. Eissa (2023). "Development of potent nanosized carbonic anhydrase inhibitor for targeted therapy of hypoxic solid tumors." *International Journal of Pharmaceutics* 631. doi:10.1016/j.ijpharm.2022.122537
- 2275.[6] Fahmy, S. A., S. Nasr, A. Ramzy, A. S. Dawood, A. Abdelnaser, H. M. E. Azzazy (2023). "Cytotoxic and Antioxidative Effects of Geranium Oil and Ascorbic Acid Coloaded in Niosomes against MCF-7 Breast Cancer Cells." *ACS Omega* 8(25): 22774-22782. doi:10.1021/acsomega.3c01681
- 2276.[7] Fernandes, S. C. M., G. Aguirre (2023). "Biopolymer Micro/Nanogel Particles as Smart Drug Delivery and Theranostic Systems." *Pharmaceutics* 15(8). doi:10.3390/pharmaceutics15082060
- 2277.[8] Gopalakrishna, P. K., R. A. Jayaramu, S. S. Boregowda, S. Eshwar, N. V. Suresh, A. S. Abu Lila, A. Moin, H. F. Alotaibi, A. J. Obaidullah, E. S. Khafagy (2023). "Piperine-Loaded In Situ Gel: Formulation, In Vitro Characterization, and Clinical Evaluation against Periodontitis." *Gels* 9(7). doi:10.3390/gels9070577
- 2278.[9] Hemmati, J., Z. Chegini, M. R. Arabestani (2023). "Niosomal-Based Drug Delivery Platforms: A Promising Therapeutic Approach to Fight *Staphylococcus aureus* Drug Resistance." *Journal of Nanomaterials* 2023. doi:10.1155/2023/5298565
- 2279.[10] Ibrahim, B., R. Shamma, A. Salama, H. Refai (2023). "Magnetic targeting of lornoxicam/SPION bilosomes loaded in a thermosensitive in situ hydrogel system for the management of osteoarthritis: Optimization, in vitro, ex vivo, and in vivo studies in rat model via modulation of RANKL/OPG." *Drug Delivery and Translational Research*. doi:10.1007/s13346-023-01503-8
- 2280.[11] Omidian, H., R. L. Wilson, S. D. Chowdhury (2023). "Enhancing Therapeutic Efficacy of Curcumin: Advances in Delivery Systems and Clinical Applications." *Gels* 9(8). doi:10.3390/gels9080596
- 2281.[12] Rajak, P., E. Patra, A. Karmakar, B. Bhuyan (2023). "Xanthium strumarium L. Extract Loaded Phyto-Niosome Gel: Development and In Vitro Assessment for the Treatment of Tinea corporis." *Biointerface Research in Applied Chemistry* 13(3). doi:10.33263/BRIAC133.273
- 2282.[13] Roostaei, M., A. Derakhshani, H. Mirhosseini, E. Banaei Mofakham, S. Fathi-Karkan, S. Mirinejad, S. Sargazi, M. Barani (2023). "Composition, preparation methods, and applications of nanoniosomes as codelivery systems: a review of emerging therapies with emphasis on cancer." *Nanoscale* 16(6): 2713-2746. doi:10.1039/d3nr03495j
- 2283.[14] Uboldi, M., C. Perrotta, C. Moscheni, S. Zecchini, A. Napoli, C. Castiglioni, A. Gazzaniga, A. Melocchi, L. Zema (2023). "Insights into the Safety and Versatility of 4D Printed Intravesical Drug Delivery Systems." *Pharmaceutics* 15(3). doi:10.3390/pharmaceutics15030757

Публ. с IFN^o 136. Nikolova-Mladenova, B., Angelova, S., **Momekov, G.** Gallium (III) Complexes with 5-Bromosalicylaldehyde Benzoylhydrazones: In Silico Studies and In Vitro Cytotoxic Activity (2022) *Molecules*, 27 (17), art. no. 5493. (IF 4.6)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85137548106&doi=10.3390%2fmolecules27175493&partnerID=40&md5=d1012b45ccfa4a605ba76aa6b7c219e6>

DOI: 10.3390/molecules27175493

Установени цитирания: в SCOPUS (3)

- 2284.[1] Klarić, D., M. Pocrnić, D. Lež, S. Polović, D. Kontrec, I. Kosalec, A. Budimir, N. Galić (2022). "Search for new antimicrobials: spectroscopic, spectrometric, and in vitro antimicrobial activity investigation of Ga(III) and Fe(III) complexes with aroylhydrazones." *Journal of Biological Inorganic Chemistry* 27(8): 715-729. doi:10.1007/s00775-022-01967-y
- 2285.[2] Pereira, R. L. S., A. C. J. de Araújo, P. R. Freitas, I. M. Araújo, S. A. Gonçalves, S. B. S. Gusmão, R. R. Peña-Garcia, Y. G. Dávila, B. C. Viana, J. H. da Silva, I. R. A. de Menezes, H. D. M. Coutinho, A. M. R. Teixeira (2023). "Effect of gallium and strontium salts on the characteristics and biological applications of Sr and Ga-modified titanate nanotubes." *Results in Chemistry* 6. doi:10.1016/j.rechem.2023.101162
- 2286.[3] Widjajana, M. S., S. H. Chiu, Y. Chi, M. Baharfar, J. Zheng, M. B. Ghasemian, S. K. Bhattacharyya, J. Tang, M. A. Rahim, K. Kalantar-Zadeh (2023). "A liquid metal-based process for tuning the thermoelectric properties of bismuth indium systems." *Journal of Materials Chemistry C* 11(30): 10299-10309. doi:10.1039/d3tc01922e

Публ. с IFN^o 137. Iwanov, I., Rossi, A., Montesi, M., Doytchinova, I., Sargsyan, A., **Momekov, G.**, Panseri, S., Naydenova, E. Peptide-based targeted cancer therapeutics: Design, synthesis and biological evaluation (2022) *European Journal of Pharmaceutical Sciences*, 176, art. no. 106249. (IF 4,6)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85135501697&doi=10.1016%2fj.ejps.2022.106249&partnerID=40&md5=b4a018a9526c7ce1d708461f8ea28b50>

DOI: 10.1016/j.ejps.2022.106249

Установени цитирания: в SCOPUS (2)

- 2287.[1] Çalışkan, E., A. Kaplan, G. Şekerci, İ. Çapan, S. Tekin, S. Erkan, K. Koran, S. Sandal, A. O. Görgülü (2023). "Synthesis, docking studies, in vitro cytotoxicity evaluation and DNA damage mechanism of new tyrosine-based tripeptides." *Journal of Biochemical and Molecular Toxicology* 37(8). doi:10.1002/jbt.23388
- 2288.[2] Reimets, N., K. Ausmees, S. Vija, A. Trummal, M. Uudsemaa, I. Reile (2023). "Parahydrogen hyperpolarized NMR detection of underivatized short oligopeptides." *Analyst* 148(21): 5407-5415. doi:10.1039/d3an01345f

Публ. с IF№ 138. Velcheva, V., Hegetschweiler, K., **Momekov, G.**, Ivanova, S., Ugrinov, A., Morgenstern, B., Gencheva, G. Platinum(IV) Complexes of the 1,3,5-Triamino Analogue of the Biomolecule Cis-Inositol Designed as Innovative Antineoplastic Drug Candidates (2022) *Pharmaceutics*, 14 (10), art. no. 2057. (IF 5,4)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85140980126&doi=10.3390%2fpharmaceutics14102057&partnerID=40&md5=267d0df345ab377311d56068597b0c01>
DOI: 10.3390/pharmaceutics14102057

Установени цитирания: в SCOPUS (2)

- 2289.[1] Liu, G., Z. G. Chen, L. R. Yang, Y. X. Rong, Q. Wang, L. Li, Q. W. Lu, M. D. Jiang, H. Y. Qi (2023). "Z-ligustilide preferentially caused mitochondrial dysfunction in AML HL-60 cells by activating nuclear receptors NUR77 and NOR1." *Chinese Medicine (United Kingdom)* 18(1). doi:10.1186/s13020-023-00808-7
- 2290.[2] Zhang, J., K. Tang, R. Fang, J. Liu, M. Liu, J. Ma, H. Wang, M. Ding, X. Wang, Y. Song, D. Yang (2023). "Nanotechnological strategies to increase the oxygen content of the tumor." *Frontiers in Pharmacology* 14. doi:10.3389/fphar.2023.1140362

Публ. с IF№ 140. Gevrenova, R., Balabanova, V., Zheleva-Dimitrova, D., **Momekov, G.** The most promising Southeastern European Tanacetum species: a review of chemical composition and biological studies (2023) *Pharmacia*, 70 (4), pp. 1067-1081. (IF 1,1)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85175080552&doi=10.3897%2fpharmacia.70.e110748&partnerID=40&md5=3061a52987ecc7c269f6fa351ee33abc>
DOI: 10.3897/pharmacia.70.e110748

Установени цитирания: в SCOPUS (1)

- 2291.[1] Lechkova, B., N. Benbassat, D. Karcheva-Bahchevanska, K. Ivanov, L. Peychev, Z. Peychev, S. Dyankov, Y. Georgieva-Dimova, K. Kraev, S. Ivanova (2024). "A Comparison between Bulgarian Tanacetum parthenium Essential Oil from Two Different Locations." *Molecules* 29(9). doi:10.3390/molecules29091969

Публ. с IF№ 142. Argirova, M., Guncheva, M., **Momekov, G.**, Cherneva, E., Mihaylova, R., Rangelov, M., Todorova, N., Denev, P., Anichina, K., Mavrova, A., Yancheva, D. Modulation Effect on Tubulin Polymerization, Cytotoxicity and Antioxidant Activity of 1H-Benzimidazole-2-Yl Hydrazones (2023) *Molecules*, 28 (1), art. no. 291. (IF 4,6)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85145698991&doi=10.3390%2fmolecules28010291&partnerID=40&md5=5d3db4587641e034de5c4b56037234d5>
DOI: 10.3390/molecules28010291

Установени цитирания: в SCOPUS (1)

- 2292.[1] Şenkardeş, S., İ. Atlıhan, E. Çayır, P. Mega Tiber, O. Orun, Ş. Nigiz, C. Özkul, M. G. Gündüz, Ş. G. Küçükgülzel (2023). "Synthesis and Evaluation of Novel Metacetamol Derivatives with Hydrazone Moiety as Anticancer and Antimicrobial Agents." *Chemistry and Biodiversity* 20(8). doi:10.1002/cbdv.202300766

Публ. с IF№ 143. Georgieva, M., Tzankova, D., Mateev, E., Angelov, B., Kondeva-Burdina, M., **Momekov, G.**, Tzankova, V., Zlatkov, A. *In silico* and *In vitro* Determination of Antiproliferative Activity of Series N-Pyrrolyl Hydrazide-Hydrazones and Evaluation of their Effects on Isolated Rat Mycosomes and Hepatocytes (2023) *Anti-Cancer Agents in Medicinal Chemistry*, 23 (3), pp. 346-359. (IF 2,8)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85140978340&doi=10.2174%2f1871520622666220701114306&partnerID=40&md5=e8d805b2601f5addc742863f4eebf1a7>
DOI: 10.2174/1871520622666220701114306

Установени цитирания: в SCOPUS (2)

- 2293.[1] Koopaei, N. N., M. Shademani, N. S. Yazdi, R. Tahmasvand, M. Dehbid, M. N. Koopaei, H. Azizian, Z. Mousavi, A. Almasirad, M. Salimi (2023). "Design and synthesis of novel ureido and thioureido conjugated hydrazone derivatives with potent anticancer activity." *BMC Chemistry* 16(1). doi:10.1186/s13065-022-00873-3
- 2294.[2] Carradori, S. (2024). "PREFACE." *Anti-Cancer Agents in Medicinal Chemistry* 24(1): 1-2. doi:10.2174/187152062401231207144307

Публ. с IF№ 144. Philipova, I., Mihaylova, R., **Momekov, G.**, Angelova, R., Stavrov, G. Ferrocene modified analogues of imatinib and nilotinib as potent anti-cancer agents (2023) *RSC Medicinal Chemistry*, 14 (5), pp. 880-889. (IF 4,1)
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85151872719&doi=10.1039%2fd3md00030c&partnerID=40&md5=5320e7c4460dc169c7631b0c2dce37d8>
DOI: 10.1039/d3md00030c

- 2295.[1] Stremiski, Y., M. Bachvarova, S. Statkova-Abeghe, P. Angelov, I. Ivanov, A. Ahmedova, A. Dołęga (2023). "Synthesis and crystal structure of ferrocenyl benzothiazole derivatives." *Journal of Organometallic Chemistry* 1001. doi:10.1016/j.jorgchem.2023.122871

Публ. с IFN^o 145. Nikolova-Mladenova, B., **Momekov, G.**, Zhivkova, Z., Doytchinova, I. Design, Synthesis and Cytotoxic Activity of Novel Salicylaldehyde Hydrazones against Leukemia and Breast Cancer (2023) *International Journal of Molecular Sciences*, 24 (8), art. no. 7352. (IF 5,6)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85158055332&doi=10.3390%2fijms24087352&partnerID=40&md5=913e00f8808211f129125640e691b0ab)

[85158055332&doi=10.3390%2fijms24087352&partnerID=40&md5=913e00f8808211f129125640e691b0ab](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85158055332&doi=10.3390%2fijms24087352&partnerID=40&md5=913e00f8808211f129125640e691b0ab)

DOI: 10.3390/ijms24087352

Установени цитирания: в SCOPUS (1)

- 2296.[1] Ugrappa, S., N. K. Fuloria, P. Lalitha, M. Ravichandran, S. N. F. M. Noor, M. Solyappan, G. H. Khor, M. A. Sa'ad, A. Jain, Y. S. Wu, V. Balakrishnan, D. Thangeswaran, D. Jagadeesan, S. Fuloria (2023). "Synthesis, Characterization and in vitro Anticancer Activity of New Quinoline Analogues against Oral Squamous Cell Carcinoma." *Asian Journal of Chemistry* 35(10): 2468-2474. doi:10.14233/ajchem.2023.28057

Публ. с IFN^o 147. Tsacheva, I., Todorova, Z., Momekova, D., **Momekov, G.**, Koseva, N. Pharmacological Activities of Schiff Bases and Their Derivatives with Low and High Molecular Phosphonates (2023) *Pharmaceuticals*, 16 (7), art. no. 938. (IF 4,6)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85166355516&doi=10.3390%2fph16070938&partnerID=40&md5=065b1ceb13cf88815e47643aaf688515)

[85166355516&doi=10.3390%2fph16070938&partnerID=40&md5=065b1ceb13cf88815e47643aaf688515](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85166355516&doi=10.3390%2fph16070938&partnerID=40&md5=065b1ceb13cf88815e47643aaf688515)

DOI: 10.3390/ph16070938

Установени цитирания: в SCOPUS (13)

- 2297.[1] Musikavanhu, B., Y. Liang, Z. Xue, L. Feng, L. Zhao (2023). "Strategies for Improving Selectivity and Sensitivity of Schiff Base Fluorescent Chemosensors for Toxic and Heavy Metals." *Molecules* 28(19). doi:10.3390/molecules28196960
- 2298.[2] Anane, J., E. Owusu, G. Rivera, D. Bandyopadhyay (2024). "Iron-Imine Cocktail in Drug Development: A Contemporary Update." *International Journal of Molecular Sciences* 25(4). doi:10.3390/ijms25042263
- 2299.[3] Assiri, M. A., T. E. Ali, A. K. Alsolimani, A. A. Shati, M. Y. Alfaifi, S. E. I. Elbehairi (2024). "Ultrasound-assisted synthesis of novel Schiff bases from 3-(2-oxo-2H-chromen-3-yl)-1-(4-phenylthiazol-2-yl)-1H-pyrazole-4-carboxaldehyde and their cytotoxicity, apoptosis, cell cycle, molecular docking, and ADMET profiling." *Synthetic Communications*. doi:10.1080/00397911.2024.2347501
- 2300.[4] Bader, A. T., N. A. R. Al-Qasbi, A. M. N. Khaleel (2024). "Synthesis and Characterization of CuO and NiO Nanoparticles Derived from Schiff Base Complexes." *Science and Technology Indonesia* 9(1): 103-112. doi:10.26554/sti.2024.9.1.103-112
- 2301.[5] Doddagaddavalli, M. A., M. Madar, J. Seetharamappa (2024). "Fluorescent Schiff Bases with Phenothiazine and Coumarin Moieties: Synthesis, Characterization, Photophysical, Electrochemical, Computational and Biological Studies." *Journal of Fluorescence*. doi:10.1007/s10895-024-03705-w
- 2302.[6] Ejidike, I. P., A. Direm, C. Parlak, M. O. Bamigboye, O. Oluade, J. B. Adetunji, A. Ata, M. O. Eze, J. W. Hollett, H. S. Clayton (2024). "Cadmium oxide nanoparticles from new organometallic Cd(II)-Schiff base complex and in vitro biological potentials: dual *S. aureus* and *E. coli* DNA gyrase inhibition by the precursors via in silico binding modes' study." *Research on Chemical Intermediates*. doi:10.1007/s11164-024-05291-9
- 2303.[7] Kamali, S., S. Amani (2024). "Azo-imine based Nickel(II), Copper(II), and Zinc(II) complexes: Synthesis, physicochemical and spectral investigations, quantum chemical calculations, molecular docking studies, and antibacterial investigations." *Inorganica Chimica Acta* 563. doi:10.1016/j.ica.2023.121904
- 2304.[8] Kumar Mahto, K., K. Ahmad (2024). "Nickel(II) and Palladium(II) complexes with imine-based tridentate ligand: Synthesis, spectral characterization, Antimicrobial, cytotoxicity and DFT studies." *Polyhedron* 257. doi:10.1016/j.poly.2024.117001
- 2305.[9] Lawan, S. Y., M. B. Mshelia, G. A. Mala, W. O. Olaide, S. A. Musa, A. A. Ahmed, H. B. Yesufu, I. Waziri (2024). "Antioxidant Activity and DFT Calculations of Metal Complexes Derived from a Schiff Base Ligand: Synthesis, Characterization, and Biological Evaluation." *ChemistrySelect* 9(13). doi:10.1002/slct.202400676
- 2306.[10] Muzammil, N. N., M. T. M. Ali, A. M. Tajuddin (2024). "Synthesis and characterization of palladium(II) schiff base complexes derived from phenylamines and their catalytic activity for stille reaction." *Malaysian Journal of Analytical Sciences* 28(2): 335-347.
- 2307.[11] Thakur, S., A. Jaryal, A. Bhalla (2024). "Recent advances in biological and medicinal profile of schiff bases and their metal complexes: An updated version (2018-2023)." *Results in Chemistry* 7. doi:10.1016/j.rechem.2024.101350
- 2308.[12] Vlasenko, V. G., A. S. Burlov, S. A. Nikolaevskii, A. A. Shiryayeva, S. A. Mashchenko, M. A. Kiskin (2024). "Synthesis, Structure, and Properties of 4-Methyl-N-[2-(Pentafluorophenyliminomethyl)Phenyl]Methyl-Benzene-sulfamide and the Copper(II) Complex Based on It." *Journal of Structural Chemistry* 65(2): 256-266. doi:10.1134/S0022476624020045
- 2309.[13] Zhang, W., H. Wang, C. Ding, Y. Lei, C. Yin, R. Wang, Q. Yang, T. Wu, M. Zhang (2024). "Bioactivity and computational studies on the induction of urease inhibition by three Cu(II) complexes with a fluorinated Schiff base and different secondary ligands." *Inorganic Chemistry Communications* 159. doi:10.1016/j.inoche.2023.111780

Публ. с IFN^o 148. Anichina, K., Georgiev, N., Lumov, N., Vuchev, D., Popova-Daskalova, G., **Momekov, G.**, Cherneva, E., Mihaylova, R., Mavrova, A., Atanasova-Vladimirova, S., Piroeva, I., Yancheva, D. Fused Triazinobenzimidazoles Bearing Heterocyclic Moiety: Synthesis, Structure Investigations, and In Silico and In Vitro Biological Activity (2023) *Molecules*, 28 (13), art. no. 5034. (IF 4,6)

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85164846034&doi=10.3390%2fmolecules28135034&partnerID=40&md5=959e0bea8bfe06440760e662726630c3)

[85164846034&doi=10.3390%2fmolecules28135034&partnerID=40&md5=959e0bea8bfe06440760e662726630c3](https://www.scopus.com/inward/record.uri?eid=2-s2.0-85164846034&doi=10.3390%2fmolecules28135034&partnerID=40&md5=959e0bea8bfe06440760e662726630c3)

- 2310.[1] El Alami, A., H. Sdassi, S. Bouzikri (2024). "Review of synthesis process of benzimidazole-heterocycle hybrid compounds." *Synthetic Communications* 54(8): 613-635. doi:10.1080/00397911.2024.2316718

Публ. с IF№ 149. Gevrenova, R., Kostadinova, I., Stefanova, A., Balabanova, V., Zengin, G., Zheleva-Dimitrova, D., **Momekov, G.** Phytochemical Profiling, Antioxidant and Cognitive-Enhancing Effect of *Helichrysum italicum* ssp. *italicum* (Roth) G. Don (Asteraceae) (2023) *Plants*, 12 (15), art. no. 2755. (IF 4,5)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85167685150&doi=10.3390%2fplants12152755&partnerID=40&md5=388c67973c85a2f4d34b62164f583477>

DOI: 10.3390/plants12152755

Установени цитирания: в SCOPUS (2)

- 2311.[1] Serra, D., G. Garroni, S. Cruciani, D. Coradduzza, A. Pashchenko, E. Amler, G. Pintore, R. Satta, M. A. Montesu, Y. Kohl, C. Ventura, M. Maioli (2024). "Electrospun Nanofibers Encapsulated with Natural Products: A Novel Strategy to Counteract Skin Aging." *International Journal of Molecular Sciences* 25(3). doi:10.3390/ijms25031908
- 2312.[2] Yücel Yücel, Y., H. Servi, K. Polatoğlu, A. Nalbantsoy (2024). "Anthemis tricolor Containing Unusual Totarol with Cytotoxic and Acetylcholinesterase-Inhibitory Activity." *Chemistry and Biodiversity* 21(2). doi:10.1002/cbdv.202300913

Публ. с IF№ 150. Dimitrov, G., Valkov, T., Batselova, H., Kounchev, O., **Momekov, G.**, Argirova, R. Nationwide analysis of the impact of COVID-19 in patients with a cardiovascular, oncological or chronic pulmonary disease in the context of an Eastern European country with a low vaccination rate, Bulgaria: March 2020-April 2022 (2023) *BMJ Open*, 13 (8), art. no. e068431. (IF 2,9)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85166433424&doi=10.1136%2fbmjopen-2022-068431&partnerID=40&md5=1cb43c638f9e1a32a33563641b2669d6>

DOI: 10.1136/bmjopen-2022-068431

Установени цитирания: в SCOPUS (1)

- 2313.[1] Shivarov, V., D. Grigorova, A. Yordanov (2023). "Relative Risk of Death in Bulgarian Cancer Patients during the Initial Waves of the COVID-19 Pandemic." *Healthcare (Switzerland)* 11(18). doi:10.3390/healthcare11182594

Публ. с IF№ 151. Mihaylova, R., Gevrenova, R., Stefanova, A., Zheleva-Dimitrova, D., Balabanova, V., Zengin, G., Simeonova, R., **Momekov, G.** The Phytochemical Profiling, In Vitro Antioxidant, and Hepatoprotective Activity of Prenanthes purpurea L. and Caffeoylquinic Acids in Diclofenac-Induced Hepatotoxicity on HEP-G2 Cells (2023) *International Journal of Molecular Sciences*, 24 (18), art. no. 14148. (IF 5,6)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85172806396&doi=10.3390%2fijms241814148&partnerID=40&md5=0e5cb2c68bc45aaeb12392fdb49666b>

DOI: 10.3390/ijms241814148

Установени цитирания: в SCOPUS (1)

- 2314.[1] Sun, J., K. Zhang, Y. Yin, Y. Qi, S. Li, H. Sun, M. Luo, Y. Sun, Z. Yu, J. Yang, J. Wu, L. Chen, W. Xu, L. Dong (2023). "Arecoline-Induced Hepatotoxicity in Rats: Screening of Abnormal Metabolic Markers and Potential Mechanisms." *Toxics* 11(12). doi:10.3390/toxics11120984

Публ. с IF№ 152. Ahmedova, A., Mihaylova, R., Stoykova, S., Mihaylova, V., Burdzhiev, N., Elincheva, V., **Momekov, G.**, Momekova, D. Pyrenebutyrate Pt(IV) Complexes with Nanomolar Anticancer Activity (2023) *Pharmaceutics*, 15 (9), art. no. 2310. (IF 5,4)

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85172444518&doi=10.3390%2fpharmaceutics15092310&partnerID=40&md5=b00e91d9afbbe453d93675ee0ae755b1>

DOI: 10.3390/pharmaceutics15092310

Установени цитирания: в SCOPUS (2)

- 2315.[1] Ran, L., J. Xiao, W. Zhang, M. Wang, H. Xin, H. Li, H. Hao, M. Wang, X. Wang, G. Tian, G. Zhang (2024). "Tumor microenvironment-activated hollow vanadium-based nanoplatfor platform for precise therapy of lung cancer through synergistically reversing cisplatin resistance." *Chemical Engineering Journal* 484. doi:10.1016/j.cej.2024.149448

- 2316.[2] Vadakkedathu Palakkeezhillam, V. N., J. Haribabu, V. S. Kumar, J. F. Santibanez, V. Manakkadan, P. Rasin, M. Garg, N. Bhuvanesh, A. Sreekanth (2024). "Unraveling the Anticancer Efficacy and Biomolecular Properties of Ru(II)-Arene Complexes of Pyrene-Based Thiosemicarbazone Ligands: A Comprehensive In Silico/In Vitro Exploration." *Organometallics* 43(3): 242-260. doi:10.1021/acs.organomet.3c00394

II. Списък на цитирания на публикациите в периодични научни издания, реферирани и индексирани в SCOPUS, с импакт-ранг, но без импакт фактор

Публ.реф.без IF№ 1. **Momekov, G.**, Nedialkov, P.T., Kitanov, G.M., Zh. Zheleva-Dimitrova, D., Tzanova, T., Girreser, U., Karaivanova, M. Cytoprotective effects of 5 benzophenones and a xanthone from *Hypericum annulatum* in models of epirubicin-induced cytotoxicity: SAR-analysis and mechanistic investigations (2006) *Medicinal Chemistry*, 2 (4): 377-384.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33746173692&doi=10.2174%2F15734060677724103&partnerID=40&md5=87ec7a2a2cfcea9829cda61994a0c7f>

DOI: 10.2174/15734060677724103

Установени цитирания: в SCOPUS (10)

- 2317.[1] Radulović, N., A. Đorđević, R. Palić, B. Zlatković (2010). "Essential oil composition of hypericum annulatum moris (hypericaceae) from serbia." *Journal of Essential Oil Research* 22(6): 619-624. doi:10.1080/10412905.2010.9700416
- 2318.[2] Dordević, A. S., J. S. Lazarević, V. D. Mitić, R. M. Palić, G. S. Stojanović (2013). "Antimicrobial activity of Hypericum annulatum moris and Hypericum elegans stephan ex willd. essential oils from Serbia." *Chemical Industry and Chemical Engineering Quarterly* 19(1): 7-11. doi:10.2298/CICEQ120111036D
- 2319.[3] Rouis, Z., N. Abid, M. Aouni, L. Faiella, F. Dal Piaz, N. De Tommasi, A. Braca (2013). "Benzophenone glycosides from Hypericum humifusum ssp. austral." *Journal of Natural Products* 76(5): 979-982. doi:10.1021/np400134z
- 2320.[4] Stojanovic, G., A. Dordevic, A. Smelcerovic (2013). "Do other hypericum species have medical potential as st. john's wort (hypericum perforatum)?" *Current Medicinal Chemistry* 20(18): 2273-2295. doi:10.2174/0929867311320180001
- 2321.[5] Danova, K. (2015). Potential of the Balkan flora as a source of prospective hypericum genotypes for the conventional and biotechnological delivery of phytopharmaceuticals. In: *Hypericum: Botanical Sources, Medical Properties and Health Effects*(Ed.): 19-52.
- 2322.[6] Tzeli, D., P. Kozielewicz, M. Zervou, C. Potamitis, K. Kokkoto, B. Rak, A. Petrou, E. Tsolaki, A. Gavalas, A. Geronikaki, I. D. Petsalakis, P. G. Tsoungas (2016). "2, 2'-Dihydroxybenzophenones and Derivatives. Efficient Synthesis and Structure Endoscopy by DFT and NMR. Credentials as Potent Antiinflammatory Agents." *ChemistrySelect* 1(10): 2426-2438. doi:10.1002/slct.201600396
- 2323.[7] Tzeli, D., P. G. Tsoungas, I. D. Petsalakis, P. Kozielewicz (2017). "Intramolecular single H bonding vs bifurcation in tuning the conformation of 2,2'-dihydroxybenzophenone and its derivatives: a DFT insight." *Structural Chemistry* 28(4): 925-943. doi:10.1007/s11224-016-0895-6
- 2324.[8] Bridi, H., G. D. C. Meirelles, G. L. von Poser (2018). "Structural diversity and biological activities of phloroglucinol derivatives from Hypericum species." *Phytochemistry* 155: 203-232. doi:10.1016/j.phytochem.2018.08.002
- 2325.[9] Karim, N., L. Chanudom, J. Tangpong (2019). "Cytoprotective and anti-genotoxic effects of xanthone derivatives from garcinia mangostana against H2O2 induced pbmc cell and blood leukocytes damage of normal and type 2 diabetes volunteers." *Walailak Journal of Science and Technology* 16(3): 143-153.
- 2326.[10] Danova, K. (2020). Potential of the Balkan Flora as a Source of Prospective Hypericum Genotypes for the Conventional and Biotechnological Delivery of Phytopharmaceuticals. In: *Encyclopedia of Plant Science Volume: (12 Volume Set)*(Ed.): 2085-2118.

Публ.реф.без IF№ 2. **Momekov, G.**, Deligeorgiev, T., Vasilev, A., Peneva, K., Konstantinov, S., Karaivanova, M. Evaluation of the cytotoxic and pro-apoptotic activities of Eu(III) complexes with appended DNA intercalators in a panel of human malignant cell lines (2006) *Medicinal Chemistry*, 2 (5): 439-445.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33748668802&doi=10.2174%2F157340606778250234&partnerID=40&md5=a7331fab07bd2452eebea99788493c15>

DOI: 10.2174/157340606778250234

Установени цитирания: в SCOPUS (10), в патенти (1) – общо (11)

- 2327.[1] Feng, C., Q. Gan, X. Liu, H. He (2012). "Synthesis, antitumor and apoptosis inducing activities of novel 5-fluorouracil derivatives of rare earth (Sm, Eu) substituted polyoxometalates." *Chinese Journal of Chemistry* 30(7): 1589-1593. doi:10.1002/cjoc.201100744
- 2328.[2] Wurtzler, E. M., D. Wendell (2014). "A streptavidin-SOG chimera for all-optical immunoassays." *Biomacromolecules* 15(1): 228-233. doi:10.1021/bm401511a
- 2329.[3] Jahani, S., M. Khorasani-Motlagh, M. Noroozifar (2016). "DNA interaction of europium(III) complex containing 2,2'-bipyridine and its antimicrobial activity." *Journal of Biomolecular Structure and Dynamics* 34(3): 612-624. doi:10.1080/07391102.2015.1048481
- 2330.[4] Taha, M., I. Khan, J. A. P. Coutinho (2016a). "Coordination abilities of Good's buffer ionic liquids toward europium(III) ion in aqueous solution." *Journal of Chemical Thermodynamics* 94: 152-159. doi:10.1016/j.jct.2015.11.003
- 2331.[5] Taha, M., I. Khan, J. A. P. Coutinho (2016b). "Complexation and molecular modeling studies of europium(III)-gallic acid-amino acid complexes." *Journal of Inorganic Biochemistry* 157: 25-33. doi:10.1016/j.jinorgbio.2016.01.017
- 2332.[6] Leśniewska, B., A. W. Coleman, F. Perret, K. Suwińska (2019). "Tuning Solid-State Calix[n]arene Supramolecular Assemblies Using Phenanthroline as the Guest Molecule." *Crystal Growth and Design* 19(3): 1695-1708. doi:10.1021/acs.cgd.8b01629

- 2333.[7] Moradi, Z., M. Khorasani-Motlagh, A. R. Rezvani, M. Noroozifar (2019). "Electronic and fluorescent studies on the interaction of DNA and BSA with a new ternary praseodymium complex containing 2,9-dimethyl 1,10-phenanthroline and antibacterial activities testing." *Journal of Biomolecular Structure and Dynamics* 37(9): 2283-2295. doi:10.1080/07391102.2018.1479657
- 2334.[8] Hong, D., H. M. Zhao (2020). "Eu(III)-coordination polymer: inhibitory activity on cervical cancer via inducing ROS mediated apoptosis." *Drug Development and Industrial Pharmacy* 46(12): 1919-1926. doi:10.1080/03639045.2020.1826508
- 2335.[9] Munteanu, A. C., M. G. Musat, M. Mihaila, M. Badea, R. Olar, G. M. Nitulescu, F. Ş. Rădulescu, L. I. Brasoveanu, V. Uivarosi (2021). "New heteroleptic lanthanide complexes as multimodal drugs: Cytotoxicity studies, apoptosis, cell cycle analysis, DNA interactions, and protein binding." *Applied Organometallic Chemistry* 35(1). doi:10.1002/aoc.6062
- 2336.[10] Trusova, V. M., U. K. Tarabara, O. A. Zhytniakivska, K. O. Vus, G. P. Gorbenko (2021). "Probing the interactions of novel europium coordination complexes with serum albumin." *Luminescence* 36(3): 795-801. doi:10.1002/bio.4006
- 2337.[11] <https://patents.google.com/patent/WO2008063662A2/en>

Публ.реф.без IF№ 3. Nikolov, S., **Momekov, G.**, Kitanov, G., Ionkova, I., Krasteva, I., Toshkova, R., Konstantinov, S., Nedialkov, P., Karaivanova, M. Exploitation of the Bulgarian flora's biodiversity as a source of immunomodulatory and/or antineoplastic agents: Current challenges and perspectives (2007) *Biotechnology and Biotechnological Equipment*, 21 (4): 471-477.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-37749007122&doi=10.1080%2f13102818.2007.10817497&partnerID=40&md5=02396ccfe352cbedb6e0fc79b6c525b7>

DOI: 10.1080/13102818.2007.10817497

Установени цитирания: в SCOPUS (2)

- 2338.[1] Yousefzadi, M., M. Sharifi, M. Behmanesh, E. Moyano, M. Bonfill, R. M. Cusido, J. Palazon (2010). "Podophyllotoxin: Current approaches to its biotechnological production and future challenges." *Engineering in Life Sciences* 10(4): 281-292. doi:10.1002/elsc.201000027
- 2339.[2] Hemmati, S., H. Seradj (2016). "Justicidin B: A promising bioactive lignan." *Molecules* 21(7). doi:10.3390/molecules21070820

Публ.реф.без IF№ 4. **Momekov, G.**, Konstantinov, S., Topashka-Ancheva, M., Bakalova, A., Arpadjan, S., Karaivanova, M. Cellular pharmacology, antineoplastic activity and low *in vivo* toxicity of a carboxylato-bridged platinum(II) complex bis(acetato)diammine-bis-μ-acetato diplatinum (II) dihydrate (2007) *Medicinal Chemistry*, 3 (2): 157-165.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-34248640565&doi=10.2174%2f157340607780059486&partnerID=40&md5=ca99db73dc400f02a79f3d63ddbfa90d>

DOI: 10.2174/157340607780059486

Установени цитирания: в SCOPUS (1)

- 2340.[1] Servais, H., A. Ortiz, O. Devuyt, S. Denamur, P. M. Tulkens, M. P. Mingot-Leclercq (2008). "Renal cell apoptosis induced by nephrotoxic drugs: Cellular and molecular mechanisms and potential approaches to modulation." *Apoptosis* 13(1): 11-32. doi:10.1007/s10495-007-0151-z

Публ.реф.без IF№ 5. Kostova, I., **Momekov, G.**, Stancheva, P. New samarium(III), gadolinium(III), and dysprosium(III) complexes of coumarin-3-carboxylic acid as antiproliferative agents (2007) *Metal-Based Drugs*, 2007, art. no. 15925.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-33947121652&doi=10.1155%2f2007%2f15925&partnerID=40&md5=b6ceeece534a50d8541be678354d3274>

DOI: 10.1155/2007/15925

Установени цитирания: в SCOPUS (54)

- 2341.[1] Gutzov, S., G. Ahmed, N. Petkova, E. Füglein, I. Petkov (2008). "Preparation and optical properties of samarium doped sol-gel materials." *Journal of Non-Crystalline Solids* 354(29): 3438-3442. doi:10.1016/j.jnoncrysol.2008.03.024
- 2342.[2] Lis, S., K. Staninski, T. Grzyb (2008). "Electrochemiluminescence study of europium (III) complex with coumarin3-carboxylic acid." *International Journal of Photoenergy* 2008. doi:10.1155/2008/131702
- 2343.[3] Michalska, M., W. Pająk, J. Kołodziejaska, A. Łazarek, J. Nawrot-Modranka (2008). "Influence of phosphorohydrazone derivatives of benzopyrones on polymerization and viscosity of fibrin." *Acta Biochimica Polonica* 55(3): 613-617. doi:10.18388/abp.2008_3068
- 2344.[4] Witte, F., N. Hort, C. Vogt, S. Cohen, K. U. Kainer, R. Willumeit, F. Feyerabend (2008). "Degradable biomaterials based on magnesium corrosion." *Current Opinion in Solid State and Materials Science* 12(5-6): 63-72. doi:10.1016/j.cossms.2009.04.001
- 2345.[5] Ahmed, G., I. Petkov, S. Gutzov (2009). "Preparation and optical properties of sol-gel materials doped with coumarin molecules." *Journal of Inclusion Phenomena and Macrocyclic Chemistry* 64(1-2): 143-148. doi:10.1007/s10847-009-9546-5
- 2346.[6] Grazul, M., E. Budzisz (2009). "Biological activity of metal ions complexes of chromones, coumarins and flavones." *Coordination Chemistry Reviews* 253(21-22): 2588-2598. doi:10.1016/j.ccr.2009.06.015
- 2347.[7] Kumar, S., M. Milanese, L. Marchese, E. Boccaleri (2009). "Synthesis and characterization of host-guest materials obtained by inserting coumarin into hydrotalcite layers for LED applications." *Physica Status Solidi (A) Applications and Materials Science* 206(9): 2171-2176. doi:10.1002/pssa.200881794
- 2348.[8] Wataha, J. C., D. T. Hobbs, P. E. Lockwood, R. R. Davis, M. C. Elvington, J. B. Lewis, R. L. W. Messer (2009). "Peroxytitanates for biodelivery of metals." *Journal of Biomedical Materials Research - Part B Applied Biomaterials* 91(2): 489-496. doi:10.1002/jbm.b.31402

- 2349.[9] Feyerabend, F., J. Fischer, J. Holtz, F. Witte, R. Willumeit, H. Drücker, C. Vogt, N. Hort (2010). "Evaluation of short-term effects of rare earth and other elements used in magnesium alloys on primary cells and cell lines." *Acta Biomaterialia* 6(5): 1834-1842. doi:10.1016/j.actbio.2009.09.024
- 2350.[10] Hort, N., Y. Huang, D. Fechner, M. Störmer, C. Blawert, F. Witte, C. Vogt, H. Drücker, R. Willumeit, K. U. Kainer, F. Feyerabend (2010). "Magnesium alloys as implant materials-Principles of property design for Mg-RE alloys." *Acta Biomaterialia* 6(5): 1714-1725. doi:10.1016/j.actbio.2009.09.010
- 2351.[11] Li, Q., H. Zhang, X. Li, B. Wang, J. Hu, F. Yao, D. Yang, S. Xiao, L. Ye (2011). "Synthesis of thioproline salicylic acid samarium complex and microcalorimetric study on effects of the complex on the growth metabolism of *S. pombe* cells." *Chinese Journal of Chemistry* 29(11): 2285-2292. doi:10.1002/cjoc.201180393
- 2352.[12] Maigali, S. S., M. A. Abd-El-Maksoud, F. M. Soliman (2011). "Chemistry of phosphorus ylides. Part 33. Synthesis and antitumor activities of some new chromenone derivatives." *Archiv der Pharmazie* 344(7): 442-450. doi:10.1002/ardp.201000341
- 2353.[13] Yang, S., L. Han, D. Wang, Y. Pan, Z. Yu, H. Ye (2011). "Solvothetical synthesis, crystal structure of a 1D coordination polymer $[\text{Er}(\text{CCA})_3(\text{H}_2\text{O})_2]n \cdot 2n\text{H}_2\text{O}$ (CCA=coumarin-3-carboxylic acid) and the interaction between the polymer and bovine serum albumin (BSA)." *Acta Chimica Sinica* 69(19): 2319-2327.
- 2354.[14] Świątek, M., A. Kufelnicki (2012). "Metal - Ligand interaction of lanthanides with coumarin derivatives. Part I. Complexation of 3-(1-aminoethylidene)-2H-chromene-2,4(3H)-dione with La(III), Ce(III), Nd(III) and Ho(III)." *Acta Polonicae Pharmaceutica - Drug Research* 69(6): 1001-1007.
- 2355.[15] Tablet, C., I. Matei, E. Pincu, V. Meltzer, M. Hillebrand (2012). "Spectroscopic and thermodynamic studies of 7-diethylamino-coumarin-3-carboxylic acid in interaction with β - And 2-hydroxypropyl- β - cyclodextrins." *Journal of Molecular Liquids* 168: 47-53. doi:10.1016/j.molliq.2012.01.016
- 2356.[16] Parvis, M., F. Ferraris, S. Grassini, E. Angelini, D. Fulginiti (2013). Biodegradable metallic materials: A measuring approach to predict the corrosion rate. Conference Record - IEEE Instrumentation and Measurement Technology Conference.
- 2357.[17] Yang, L., B. Wang, J. Tan, L. Zhu (2013). "The DNA-binding and bioactivity of rare earth metal complexes." *Mini-Reviews in Medicinal Chemistry* 13(10): 1487-1500. doi:10.2174/1389557511313100009
- 2358.[18] Georgieva, I., T. Mihaylov, N. Trendafilova (2014). "Lanthanide and transition metal complexes of bioactive coumarins: Molecular modeling and spectroscopic studies." *Journal of Inorganic Biochemistry* 135: 100-112. doi:10.1016/j.jinorgbio.2014.03.003
- 2359.[19] Grassini, S., E. Angelini, M. Parvis, S. Corbellini, M. Ishtaiwi (2014). Electrochemical characterization of magnesium bioabsorbable implants. IEEE MeMeA 2014 - IEEE International Symposium on Medical Measurements and Applications, Proceedings.
- 2360.[20] Liu, D., Y. Ding, T. Guo, X. Qin, C. Guo, S. Yu, S. Lin (2014). "Influence of fine-grain and solid-solution strengthening on mechanical properties and in vitro degradation of WE43 alloy." *Biomedical Materials (Bristol)* 9(1). doi:10.1088/1748-6041/9/1/015014
- 2361.[21] Seitz, J. M., R. Eifler, F. W. Bach, H. J. Maier (2014). "Magnesium degradation products: Effects on tissue and human metabolism." *Journal of Biomedical Materials Research - Part A* 102(10): 3744-3753. doi:10.1002/jbm.a.35023
- 2362.[22] Angelini, E., B. De Benedetti, D. Fulginiti, S. Grassini, F. Ferraris, M. Parvis (2015). Development and characterization of porous magnesium bioresorbable implants. 2015 IEEE International Symposium on Medical Measurements and Applications, MeMeA 2015 - Proceedings.
- 2363.[23] Durisin, M. (2015). Bioabsorbable behaviour of magnesium alloys - an in vivo approach. In: *Surface Modification of Magnesium and its Alloys for Biomedical Applications* (Ed.). 1: 123-178.
- 2364.[24] Kaur, M., S. Kohli, S. Sandhu, Y. Bansal, G. Bansal (2015). "Coumarin: A promising scaffold for anticancer agents." *Anti-Cancer Agents in Medicinal Chemistry* 15(8): 1032-1048. doi:10.2174/1871520615666150101125503
- 2365.[25] Shi, L. L., Y. Huang, L. Yang, F. Feyerabend, C. Mendis, R. Willumeit, K. Ulrich Kainer, N. Hort (2015). "Mechanical properties and corrosion behavior of Mg-Gd-Ca-Zr alloys for medical applications." *Journal of the Mechanical Behavior of Biomedical Materials* 47: 38-48. doi:10.1016/j.jmbbm.2015.03.003
- 2366.[26] Agha, N. A., R. Willumeit-Römer, D. Laipple, B. Luthringer, F. Feyerabend (2016). "The degradation interface of magnesium based alloys in direct contact with human primary osteoblast cells." *PLoS ONE* 11(6). doi:10.1371/journal.pone.0157874
- 2367.[27] Durisin, M., J. M. Seitz, J. Reifenrath, C. M. Weber, R. Eifler, H. J. Maier, T. Lenarz, C. Klose (2016). "A novel biodegradable frontal sinus stent (MgNd2): a long-term animal study." *European Archives of Oto-Rhino-Laryngology* 273(6): 1455-1467. doi:10.1007/s00405-015-3774-7
- 2368.[28] Hussein, B. H. M., G. M. Khairy, R. M. Kamel (2016). "Fluorescence sensing of phosdrin pesticide by the luminescent Eu(III)- and Tb(III)-bis(coumarin-3-carboxylic acid) probes." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 158: 34-42. doi:10.1016/j.saa.2016.01.008
- 2369.[29] Riri, M., M. Hor, F. Serdaoui, M. Hlaibi (2016). "Complexation of trivalent lanthanide cations by different chelation sites of malic and tartaric acid (composition, stability and probable structure)." *Arabian Journal of Chemistry* 9: S1478-S1486. doi:10.1016/j.arabjc.2012.03.012
- 2370.[30] Aiyelabola, T., E. Akinkunmi, E. Obuotor, I. Olawuni, D. Isabirye, J. Jordaan (2017). "Synthesis Characterization and Biological Activities of Coordination Compounds of 4-Hydroxy-3-nitro-2 H-chromen-2-one and Its Aminoethanoic Acid and Pyrrolidine-2-carboxylic Acid Mixed Ligand Complexes." *Bioinorganic Chemistry and Applications* 2017. doi:10.1155/2017/6426747
- 2371.[31] Durisin, M., J. Reifenrath, C. M. Weber, R. Eifler, H. J. Maier, T. Lenarz, J. M. Seitz (2017). "Biodegradable nasal stents (MgF2-coated Mg-2 wt %Nd alloy)—A long-term in vivo study." *Journal of Biomedical Materials Research - Part B Applied Biomaterials* 105(2): 350-365. doi:10.1002/jbm.b.33559
- 2372.[32] Jasmawati, N., S. J. Fatihhi, A. M. S. Putra, A. Syahrom, M. N. Harun, A. Öchsner, M. R. Abdul Kadir (2017). "Mg-based porous metals as cancellous bone analogous material: A review." *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications* 231(6): 544-556. doi:10.1177/1464420715624449
- 2373.[33] Myrissa, A., S. Braeuer, E. Martinelli, R. Willumeit-Römer, W. Goessler, A. M. Weinberg (2017). "Gadolinium accumulation in organs of Sprague-Dawley® rats after implantation of a biodegradable magnesium-gadolinium alloy." *Acta Biomaterialia* 48: 521-529. doi:10.1016/j.actbio.2016.11.024
- 2374.[34] Yao, H., J. B. Wen, Y. Xiong, Y. Lu, M. Huttula (2018). "Microstructure evolution in Mg-Zn-Zr-Gd biodegradable alloy: The decisive bridge between extrusion temperature and performance." *Frontiers in Chemistry* 6(MAR). doi:10.3389/fchem.2018.00071
- 2375.[35] Belkhir-Talbi, D., M. Makhloufi-Chebli, S. Terrachet-Bouaziz, D. Hikem-Oukacha, N. Ghemmit, L. Ismaili, A. M. S. Silva, M. Hamdi (2019). "Synthesis, characterization, theoretical studies, ADMET and drug-Likeness analysis: Electrochemical and biological activities of metal complexes of 3-(2-hydroxybenzoyl)-2H-chromen-2-one." *Journal of Molecular Structure* 1179: 495-505. doi:10.1016/j.molstruc.2018.11.035
- 2376.[36] Englinger, B., C. Pirker, P. Heffeter, A. Terenzi, C. R. Kowol, B. K. Keppler, W. Berger (2019). "Metal drugs and the anticancer immune response." *Chemical Reviews* 119(2): 1519-1624. doi:10.1021/acs.chemrev.8b00396
- 2377.[37] Heras, B. L., Á. Amesty, A. Estévez-Braun, S. Hortelano (2019). "Metal complexes of natural product like-compounds with antitumor activity." *Anti-Cancer Agents in Medicinal Chemistry* 19(1): 48-65. doi:10.2174/1871520618666180420165821
- 2378.[38] Awang, M., A. A. Khalili, S. R. Pedapati (2020). "A review: Thin protective coating for wear protection in high-temperature application." *Metals* 10(1). doi:10.3390/met10010042

- 2379.[39] Georgieva, I., T. Zahariev, A. J. A. Aquino, N. Trendafilova, H. Lischka (2020). "Energy transfer mechanism in luminescence Eu(III) and Tb(III) complexes of coumarin-3-carboxylic acid: A theoretical study." *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* 240. doi:10.1016/j.saa.2020.118591
- 2380.[40] Kannan, S. R., Nallaiyan (2020). "Anticancer Activity of Samarium-Coated Magnesium Implants for Immunocompromised Patients." *ACS Applied Bio Materials* 3(7): 4408-4416. doi:10.1021/acsabm.0c00400
- 2381.[41] Liu, J., C. Lu, K. Yin, W. Zhuang (2020a). "Study on the microstructure and properties of ZnMgBaGd biomedical zinc alloy." *Gongneng Cailiao/Journal of Functional Materials* 51(10): 10145-10151. doi:10.3969/j.issn.1001-9731.2020.10.022
- 2382.[42] Liu, J., D. Bian, Y. Zheng, X. Chu, Y. Lin, M. Wang, Z. Lin, M. Li, Y. Zhang, S. Guan (2020b). "Comparative in vitro study on binary Mg-RE (Sc, Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb and Lu) alloy systems." *Acta Biomaterialia* 102: 508-528. doi:10.1016/j.actbio.2019.11.013
- 2383.[43] Nabeel, A. I. (2020). "Samarium enriches antitumor activity of ZnO nanoparticles via downregulation of CXCR4 receptor and cytochrome P450." *Tumor Biology* 42(3). doi:10.1177/1010428320909999
- 2384.[44] Omar, Z. T., S. Jadhav, M. Mohsin, A. S. Faizaa, M. Rai (2020). "Complexation Study of Synthesized Pharmacological Organic Ligands with Samarium." *Russian Journal of Inorganic Chemistry* 65(14): 2046-2052. doi:10.1134/S0036023620140053
- 2385.[45] Xiao, W., F. Liu, G. P. Yan, W. G. Shi, K. L. Peng, X. Q. Yang, X. J. Li, H. C. Yu, Z. Y. Shi, H. H. Zeng (2020). "Yttrium vanadates based ratiometric fluorescence probe for alkaline phosphatase activity sensing." *Colloids and Surfaces B: Biointerfaces* 185. doi:10.1016/j.colsurfb.2019.110618
- 2386.[46] Dvorský, D., J. Kubásek, M. Roudnická, F. Průša, D. Nečas, P. Minárik, J. Stráská, D. Vojtěch (2021). "The effect of powder size on the mechanical and corrosion properties and the ignition temperature of WE43 alloy prepared by spark plasma sintering." *Journal of Magnesium and Alloys* 9(4): 1349-1362. doi:10.1016/j.jma.2020.12.012
- 2387.[47] Gromak, N. A., F. A. Kolokolov, V. V. Dotsenko, N. A. Aksenov, I. V. Aksanova (2021). "Synthesis and Luminescent Properties of Eu³⁺ and Tb³⁺ Complexes with Coumarin-3-carboxylic Acids." *Russian Journal of General Chemistry* 91(4): 685-692. doi:10.1134/S1070363221040174
- 2388.[48] Zeng, H. H., K. Yu, J. Huang, F. Liu, Z. Y. Zhang, S. P. Chen, F. Zhang, S. P. Guan, L. Qiu (2021). "Ratiometric fluorescence detection of sulfide ions based on lanthanide coordination polymer using guanosine diphosphate as ligand." *Colloids and Surfaces B: Biointerfaces* 204. doi:10.1016/j.colsurfb.2021.111796
- 2389.[49] Andrew, C., C. Murugesan, M. Jayakumar (2022). "Electrochemical Behavior of Sm(III) and Electrodeposition of Samarium from 1-Butyl-1-Methylpyrrolidinium Dicyanamide Ionic Liquid." *Journal of the Electrochemical Society* 169(2). doi:10.1149/1945-7111/ac4f76
- 2390.[50] Omer, Z. T., M. Rai, P. Chavan, R. Pathrikar, S. Jadhav (2022). "Design and Development of Complexation of Ce³⁺ Metal Ions with Synthesized INZ Incorporated Bio-active Schiff Bases." *Letters in Applied NanoBioScience* 11(4): 3989-4006. doi:10.33263/LIANBS114.39894006
- 2391.[51] Sarioğlu, A. O., D. T. Kahraman, A. Köse, M. Sönmez (2022). "Synthesis, characterization, photoluminescence properties and cytotoxic activities of Sm(III) complexes of β -diketones." *Journal of Molecular Structure* 1260. doi:10.1016/j.molstruc.2022.132786
- 2392.[52] Shahbaz, M., U. A. Khan, M. Iqbal Chaudhary, S. Yousuf (2022). "A new bioactive cocrystal of coumarin-3-carboxylic acid and thiourea: detailed structural features and biological activity studies." *Acta Crystallographica Section C: Structural Chemistry* 78: 192-200. doi:10.1107/S205322962200081X
- 2393.[53] Martynenko, N. S., D. R. Temralieva, E. A. Lukyanova, O. V. Rybalchenko, G. V. Rybalchenko, A. I. Ogarkov, I. E. Tarytina, V. S. Yusupov, S. V. Dobatkin (2023). "Effect of Rotary Swaging on the Structure and Mechanical and Corrosion Properties of an Mg–1.1% Zn–1.7% Dy Alloy." *Russian Metallurgy (Metally)* 2023(5): 620-628. doi:10.1134/S0036029523050075
- 2394.[54] Sairam, Y. N. V., T. S. Cherukuri, H. P. Kurra (2023). "A short review on magnesium alloys in multiple domains." *Sigma Journal of Engineering and Natural Sciences* 41(5): 1062-1069. doi:10.14744/sigma.2023.00120

Публ. реф. без IF № 6. Gencheva, G., Tsekova, D., Gochev, G., **Momekov, G.**, Tyuliev, G., Skumryev, V., Karaivanova, M., Bontchev, P. R. Synthesis, structural characterization, and cytotoxic activity of novel paramagnetic platinum hematoporphyrin IX complexes: Potent antitumor agents (2007) *Metal-Based Drugs*, 2007, art. no. 67376.

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-34548562080&doi=10.1155%2F2007%2F67376&partnerID=40&md5=0056c6fd4af3401fcff2491e1a2d1dac)

[34548562080&doi=10.1155%2F2007%2F67376&partnerID=40&md5=0056c6fd4af3401fcff2491e1a2d1dac](https://www.scopus.com/inward/record.uri?eid=2-s2.0-34548562080&doi=10.1155%2F2007%2F67376&partnerID=40&md5=0056c6fd4af3401fcff2491e1a2d1dac)

DOI: 10.1155/2007/67376

Установени цитирания: в SCOPUS (5)

- 2395.[1] de Rosa, A., D. Naviglio, A. Di Luccia (2011). "Advances in photodynamic therapy of cancer." *Current Cancer Therapy Reviews* 7(3): 234-247. doi:10.2174/157339411796234889
- 2396.[2] Klaus, D. R., M. Keene, S. Silchenko, M. Berezin, N. Gerasimchuk (2015). "1D polymeric platinum cyanoximate: A strategy toward luminescence in the near-infrared region beyond 1000 nm." *Inorganic Chemistry* 54(4): 1890-1900. doi:10.1021/ic502805h
- 2397.[3] Ojha, R., J. F. Boas, S. P. Best, A. J. Canty, P. C. Junk, G. B. Deacon, A. M. Bond (2021). "Electron Delocalization in Spectroelectrochemically and Computationally Characterized [Pt{(p-BrC₆F₄)NCH₂•C(Cl)Net₂)Cl(py)}]+ Formed by Electrochemical Oxidation of [PtIII{(p-BrC₆F₄)NCH₂•C(Cl)Net₂)Cl(py)}]." *Inorganic Chemistry* 60(24): 18899-18911. doi:10.1021/acs.inorgchem.1c02682
- 2398.[4] Ivanova, S. (2022). "Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs." *Pharmacia* 69(1). doi:10.3897/PHARMACIA.69.E78813
- 2399.[5] Saha, P., M. Hegde, K. Chakraborty, A. Singha, N. Mukerjee, D. Ghosh, A. B. Kunnumakkara, M. S. Khan, M. I. Ahmad, A. Ghosh, A. Kumer, S. K. Sil (2024). "Targeted inhibition of colorectal cancer proliferation: The dual-modulatory role of 2,4-DTBP on anti-apoptotic Bcl-2 and Survivin proteins." *Journal of Cellular and Molecular Medicine* 28(7). doi:10.1111/jcmm.18150

Публ. реф. без IF № 7. Danchev, N., Nikolova, I., **Momekov, G.** A new era in anticancer therapy/imatinib—a new era in anticancer therapy (2008) *Biotechnology and Biotechnological Equipment*, 22 (3): 769-770.

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-51849121042&doi=10.1080%2F13102818.2008.10817549&partnerID=40&md5=baba42232319f5f1841ee5e3a3535fb6)

[51849121042&doi=10.1080%2F13102818.2008.10817549&partnerID=40&md5=baba42232319f5f1841ee5e3a3535fb6](https://www.scopus.com/inward/record.uri?eid=2-s2.0-51849121042&doi=10.1080%2F13102818.2008.10817549&partnerID=40&md5=baba42232319f5f1841ee5e3a3535fb6)

DOI: 10.1080/13102818.2008.10817549

Установени цитирания: в SCOPUS (5)

- 2400.[1] Anjali Devi, N., M. A. Hadi, P. Rajitha, J. V. C. Sharma, A. Srinivasa Rao (2013). "Formulation and evaluation of floating controlled release tablets of Imatinib mesylate using hydrophilic matrix system." *International Journal of Pharmacy and Pharmaceutical Sciences* 5(1): 271-277.
- 2401.[2] Famurewa, A. C., O. G. Ufebe, C. A. Egedigwe, O. E. Nwankwo, G. S. Obaje (2017). "Virgin coconut oil supplementation attenuates acute chemotherapy hepatotoxicity induced by anticancer drug methotrexate via inhibition of oxidative stress in rats." *Biomedicine and Pharmacotherapy* 87: 437-442. doi:10.1016/j.biopha.2016.12.123
- 2402.[3] Choi, H., A. Moon (2018). "Crosstalk between cancer cells and endothelial cells: implications for tumor progression and intervention." *Archives of Pharmacological Research* 41(7): 711-724. doi:10.1007/s12272-018-1051-1
- 2403.[4] Molaahmadi, M. R., J. Varshosaz, S. Taymouri, V. Akbari (2019). "Lipid nanocapsules for imatinib delivery: Design, optimization and evaluation of anticancer activity against melanoma cell line." *Iranian Journal of Pharmaceutical Research* 18(4): 1676-1693. doi:10.22037/ijpr.2019.1100870
- 2404.[5] Abdel-Aziz, A. A. M., A. S. El-Azab, N. A. AlSaif, A. J. Obaidullah, A. M. Al-Obaid, I. A. Al-Suwaidan (2021). "Synthesis, potential antitumor activity, cell cycle analysis, and multitarget mechanisms of novel hydrazones incorporating a 4-methylsulfonylbenzene scaffold: a molecular docking study." *Journal of Enzyme Inhibition and Medicinal Chemistry* 36(1): 1521-1539. doi:10.1080/14756366.2021.1924698

Публ.реф.без IF № 8. Nikolova-Mladenova, B., **Momekov, G.**, Ivanov, D. Synthesis and physicochemical characterization of new salicylaldehyde benzoyl hydrazone derivative with high cytotoxic activity (2011) *Pharmacia*, 58 (1-4): 41-44.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891525300&partnerID=40&md5=54faab6b2081deb1b697ae99dd782bce>

Установени цитирания: в SCOPUS (1)

- 2405.[1] Iliev, I., D. Kontrec, R. Detcheva, M. Georgieva, A. Balacheva, N. Galić, T. Pajpanova (2019). "Cancer cell growth inhibition by aroylhydrazone derivatives." *Biotechnology and Biotechnological Equipment* 33(1): 756-763. doi:10.1080/13102818.2019.1608302

Публ.реф.без IF № 11. Valcheva-Kuzmanova, S.V., Beronova, A.B., **Momekov, G.** T. Protective effect of *Aronia melanocarpa* fruit juice in a model of cisplatin-induced cytotoxicity in vitro. (2013) *Folia medica*, 55 (3-4): 76-79.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84899485317&doi=10.2478%2ffolmed-2013-0031&partnerID=40&md5=cb55ab956f6d727a51c115493cbe1398>

DOI: 10.2478/folmed-2013-0031

Установени цитирания: в SCOPUS (11)

- 2406.[1] Wajid, N., R. Naseem, S. S. Anwar, S. J. Awan, M. Ali, S. Javed, F. Ali (2015). "The effect of gestational diabetes on proliferation capacity and viability of human umbilical cord-derived stromal cells." *Cell and Tissue Banking* 16(3): 389-397. doi:10.1007/s10561-014-9483-4
- 2407.[2] Borowska, S., M. M. Brzóska (2016). "Chokeberries (*Aronia melanocarpa*) and Their Products as a Possible Means for the Prevention and Treatment of Noncommunicable Diseases and Unfavorable Health Effects Due to Exposure to Xenobiotics." *Comprehensive Reviews in Food Science and Food Safety* 15(6): 982-1017. doi:10.1111/1541-4337.12221
- 2408.[3] Ganguly, D., C. K. Jain, R. Chandra Santra, S. Roychoudhury, H. K. Majumder, S. Das (2016). "The biological in vitro effect and selectivity shown by a CoII complex of 2-(2-hydroxyphenylazo)-indole-3'-acetic acid on three distinctly different cancer cells." *RSC Advances* 6(115): 114906-114915. doi:10.1039/c6ra23163b
- 2409.[4] Wajid, N., M. Ali, S. Javed, F. Ali, S. S. Anwar (2016). "Chronic myeloid leukemia blood inflicted injury in cord derived Wharton's jelly mesenchymal stem cells." *Journal of the College of Physicians and Surgeons Pakistan* 26(5): 361-365.
- 2410.[5] Wajid, N., M. Azam, S. Khalid, F. Ali, A. Qazi, M. H. Qazi (2017). "Improvement in therapeutic ability of Wharton's jelly derived mesenchymal stem cells with vitamin E in breast cancer." *Journal of the College of Physicians and Surgeons Pakistan* 27(12): 754-758.
- 2411.[6] Sidor, A., A. Gramza-Michałowska (2019). "Black Chokeberry *Aronia melanocarpa* L.—A Qualitative Composition, Phenolic Profile and Antioxidant Potential." *Molecules* 24(20). doi:10.3390/molecules24203710
- 2412.[7] Sidor, A., A. Drożdżyńska, A. Gramza-Michałowska (2019). "Black chokeberry (*Aronia melanocarpa*) and its products as potential health-promoting factors - An overview." *Trends in Food Science and Technology* 89: 45-60. doi:10.1016/j.tifs.2019.05.006
- 2413.[8] Buda, V., A. M. Brezoiu, D. Berger, I. Z. Pavel, D. Muntean, D. Minda, C. A. Dehelean, C. Soica, Z. Diaconeasa, R. Folescu, C. Danciu (2020). "Biological evaluation of black chokeberry extract free and embedded in two mesoporous silica-type matrices." *Pharmaceutics* 12(9): 1-22. doi:10.3390/pharmaceutics12090838
- 2414.[9] Bushmeleva, K., A. Vyshtakalyuk, D. Terenzhev, T. Belov, A. Parfenov, N. Sharonova, E. Nikitin, V. Zobov (2021). "Radical scavenging actions and immunomodulatory activity of *Aronia melanocarpa* propylene glycol extracts." *Plants* 10(11). doi:10.3390/plants10112458
- 2415.[10] Navrátilová, A., M. Kovár, J. Kopčėková, J. Mrázová, A. Trakovicá, M. Požgajová (2023). "Protective effect of *Aronia melanocarpa* juice against acrylamide-induced cellular toxicity." *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes* 58(2): 139-149. doi:10.1080/03601234.2023.2172287
- 2416.[11] Paunović, S. M., P. Mašković, M. Milinković, M. Pešaković, Ž. Karaklajić-Stajić (2023). "Response of Soil Characteristics and Biochemical Composition of Chokeberry (*Aronia melanocarpa* L.) Fruits to Two Cultivation Systems." *Journal of Agricultural Science and Technology* 25(6): 1431-1442.

Публ.реф.без IF № 13. Mitova, V., Bogomiloval, A., Shestakova, P., **Momekov, G.**, Momekova, D., Abbas, R.K., Koseva, N. Synthesis of a new polynuclear platinum (II) complex and its prodrug forms. Evaluation of their cytotoxic properties (2013) *Journal of Chemical Technology and Metallurgy*, 48 (1): 17-27.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84877815390&partnerID=40&md5=d9384d8fa5d53303044027e2015498e8>

Установени цитирания: в SCOPUS (1)

- 2417.[1] D'Errico, S., G. Oliviero, N. Borbone, V. Piccialli, B. Pinto, F. De Falco, M. C. Maiuri, R. Carnuccio, V. Costantino, F. Nici, G. Piccialli (2014). "Synthesis and pharmacological evaluation of modified adenosines joined to mono-functional platinum moieties." *Molecules* 19(7): 9339-9353. doi:10.3390/molecules19079339

Публ.реф.без IF№ 14. **Momekov, G.**, Benbassat, N. Pharmacological properties of hawthorn leaf and flower as a cardiovascular agent (2013) *Pharmacia*, 60 (1): 24-36.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84888406156&partnerID=40&md5=c73edbc184e42397d786f4d964b0c0d>

Установени цитирания: в SCOPUS (3)

- 2418.[1] Abuashwashi, M. A., O. M. Palomino, M. P. Gómez-Serranillos (2016). "Geographic origin influences the phenolic composition and antioxidant potential of wild *Crataegus monogyna* from Spain." *Pharmaceutical Biology* 54(11): 2708-2713. doi:10.1080/13880209.2016.1179769
- 2419.[2] Zeiner, M., I. J. Cindrić, D. M. Konanov, G. Stingeder (2017). "Differences in bioaccumulation of essential and toxic elements by white and red hawthorn." *Current Analytical Chemistry* 13(4): 299-304. doi:10.2174/1573411012666161017121755
- 2420.[3] Orhan, I. E. (2018). "Phytochemical and pharmacological activity profile of *Crataegus oxyacantha* L. (hawthorn) - A cardiotonic herb." *Current Medicinal Chemistry* 25(37): 4854-4865. doi:10.2174/0929867323666160919095519

Публ.реф.без IF№ 16. **Bakalova, A.**, Buyukliev, R., **Momekov, G.**, Ivanov, D. Syntesis and cytotoxic activity of new platinum and palladium complexes with 3-amino- α -tetralonespiro-5'-hydantoin (2013) *Journal of Chemical Technology and Metallurgy*, 48 (6): 631-636.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84890209287&partnerID=40&md5=fa901d5e9d01dd79b8f99eaf80ca2aa0>

Установени цитирания: в SCOPUS (9)

- 2421.[1] Arora, S., S. Agarwal, S. Singhal (2014). "Anticancer activities of thiosemicarbazides/thiosemicarbazones: A review." *International Journal of Pharmacy and Pharmaceutical Sciences* 6(9): 34-41.
- 2422.[2] Alam, M. N., F. Huq (2016). "Comprehensive review on tumour active palladium compounds and structure-activity relationships." *Coordination Chemistry Reviews* 316: 36-67. doi:10.1016/j.ccr.2016.02.001
- 2423.[3] Marinova, P., M. Marinov, D. Georgiev, M. Becheva, P. Penchev, N. Stoyanov (2019). "Synthesis and antimicrobial study of new Pt(IV) and Ru(III) complexes of fluorenylspirohydantoins." *Revue Roumaine de Chimie* 64(7): 595-601. doi:10.33224/rrech/2019.64.7.06
- 2424.[4] Molaei, H., M. Moghadam, V. Mirkhani, S. Tangestaninejad, I. Mohammadpoor-Baltork, A. A. Kajani, R. Kia (2019). "Synthesis of chiral palladium oxazolidine and imine complexes: Investigation the oxazolidine-imine conversion by DFT method." *Polyhedron* 160: 130-138. doi:10.1016/j.poly.2018.11.037
- 2425.[5] Odularu, A. T., P. A. Ajibade, J. Z. Mbese, O. O. Oyediji (2019). "Developments in Platinum-Group Metals as Dual Antibacterial and Anticancer Agents." *Journal of Chemistry* 2019. doi:10.1155/2019/5459461
- 2426.[6] Altun, Ö., M. Ö. Koçer (2020). "Pt(II) complex of Schiff base derived from L-phenylalanine and furfuraldehyde in the presence of 8-hydroxyquinoline: Structural analysis, composition of complex and biological activity." *Comptes Rendus Chimie* 23(2): 127-142. doi:10.5802/CRCHIM.9
- 2427.[7] Vatannavaz, L., S. J. Sabounchei, A. Sedghi, R. Karamian, S. H. M. Farida, N. Rahmani (2020). "New nickel, palladium and platinum complexes of hydantoin derivative: Synthesis, characterization, theoretical study and biological activity." *Polyhedron* 181. doi:10.1016/j.poly.2020.114478
- 2428.[8] Akpan, E. D., O. Dagdag, E. E. Ebenso (2023). "Progress on the coordination chemistry and application of hydantoins and its derivatives as anticorrosive materials for steel: A review." *Coordination Chemistry Reviews* 489. doi:10.1016/j.ccr.2023.215207
- 2429.[9] Ghorbani, S., D. Habibi, S. Heydari, H. Ebrahimiasl (2024). "Carbon quantum dots-based palladium complex: A versatile nano-catalyst for the green synthesis of pyrazoles." *Journal of Molecular Structure* 1307. doi:10.1016/j.molstruc.2024.137892

Публ.реф.без IF№ 18. **Angelova, V.T.**, **Momekov, G.T.** Tlc-antiproliferative effects of a series of synthetic 4-aminocoumarins in a panel of human tumor cell lines (2014) *Pharmacia*, 61 (2): 7-11.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84923335477&partnerID=40&md5=146e3ffd4981a76042e7b8612772d3b2>

Установени цитирания: в SCOPUS (1)

- 2430.[1] Sadeghpour, M., A. Olyaei, A. Adl (2021). "4-Aminocoumarin derivatives: synthesis and applications." *New Journal of Chemistry* 45(13): 5744-5763. doi:10.1039/d1nj00614b

Публ.реф.без IF№ 19. **Voynikov, Y.**, **Momekov, G.**, Peikov, Pl., Stavrakov, G. Cytotoxicity assay on several theophylline-7-acetic acid amides with amino acids (2014) *Pharmacia*, 61 (2): 12-16.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84923365762&partnerID=40&md5=dab08d4a46b1494d3427c9652a0ce491>

Установени цитирания: в SCOPUS (5)

- 2431.[1] Abou-Zied, H. A., B. G. M. Youssif, M. F. A. Mohamed, A. M. Hayallah, M. Abdel-Aziz (2019). "EGFR inhibitors and apoptotic inducers: Design, synthesis, anticancer activity and docking studies of novel xanthine derivatives carrying chalcone moiety as hybrid molecules." *Bioorganic Chemistry* 89. doi:10.1016/j.bioorg.2019.102997

- 2432.[2] Hisham, M., B. G. M. Youssif, E. E. A. Osman, A. M. Hayallah, M. Abdel-Aziz (2019). "Synthesis and biological evaluation of novel xanthine derivatives as potential apoptotic antitumor agents." *European Journal of Medicinal Chemistry* 176: 117-128. doi:10.1016/j.ejmech.2019.05.015
- 2433.[3] Shahzadi, I., A. F. Zahoor, A. Rasul, N. Rasool, Z. Raza, S. Faisal, B. Parveen, S. Kamal, M. Zia-ur-Rehman, F. M. Zahid (2020). "Synthesis, anticancer, and computational studies of 1, 3, 4-oxadiazole-purine derivatives." *Journal of Heterocyclic Chemistry* 57(7): 2782-2794. doi:10.1002/jhet.3987
- 2434.[4] Shahzadi, I., A. F. Zahoor, A. Rasul, A. Mansha, S. Ahmad, Z. Raza (2021). "Synthesis, hemolytic studies, and in silico modeling of novel acefylline-1,2,4-triazole hybrids as potential anti-cancer agents against MCF-7 and A549." *ACS Omega* 6(18): 11943-11953. doi:10.1021/acsomega.1c00424
- 2435.[5] Liao, Y., J. Ye, L. Xie, L. Mao, J. Wei, C. Liu, J. Liang, J. Zhou, M. Yuan, Z. Qin (2024). "Carrier-free Nanodrug for the Chemical-Photodynamic Synergistic Treatment of Lung Cancer." *ACS Applied Nano Materials* 7(5): 5628-5636. doi:10.1021/acsnanm.4c00659

Публ. реф. без IF № 21. **Momekov, G.**, Ferdinandov, D., Voynikov, Y., Stavrakov, G., Peykov, P. Pyrazinamide - pharmaceutical, biochemical and pharmacological properties and reappraisal of its role in the chemotherapy of tuberculosis (2014) *Pharmacia*, 61 (1): 38-67.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84901483703&partnerID=40&md5=3629c64ccfddcb6231bf94d08d7ff5fc>

Установени цитирания: в SCOPUS (3)

- 2436.[1] Adeleke, O. A., N. O. Monama, P. C. Tsai, H. M. Sithole, B. B. Michniak-Kohn (2016). "Combined Atomistic Molecular Calculations and Experimental Investigations for the Architecture, Screening, Optimization, and Characterization of Pyrazinamide Containing Oral Film Formulations for Tuberculosis Management." *Molecular Pharmaceutics* 13(2): 456-471. doi:10.1021/acs.molpharmaceut.5b00698
- 2437.[2] Głębocka, A., E. D. Raczynska, A. Chylewska, M. Makowski (2016). "Experimental (FT-IR) and theoretical (DFT) studies on prototropy and H-bond formation for pyrazine-2-amidoxime." *Journal of Physical Organic Chemistry* 29(7): 326-335. doi:10.1002/poc.3538
- 2438.[3] Sibeko, M. A., V. C. Agbakoba, J. Nkomo, S. P. Hlangothi (2020). The Chemistry and Pharmacology of Antibiotics Used in the Treatment of Multidrug-Resistant Tuberculosis. In: *Antibiotic Materials in Healthcare* (Ed.): 249-259.

Публ. реф. без IF № 22. Momekova, D., **Momekov, G.**, Lambov, N. Nano-sized drug delivery platforms for taxane antineoplastic agents (2015) *Pharmacia*, 62 (1): 52-64.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84939154695&partnerID=40&md5=a0e92fa3e4b3d96590d82cb25f06ded9>

Установени цитирания: в SCOPUS (1)

- 2439.[1] Chang, S., D. Qin, R. Yan, M. Zhang, B. Sui, H. Xu, Z. Zheng, X. Hou, Y. Wang, C. Qi (2021). "Temperature and pH Dual Responsive Nanogels of Modified Sodium Alginate and NIPAM for Berberine Loading and Release." *ACS Omega* 6(2): 1119-1128. doi:10.1021/acsomega.0c03965

Публ. реф. без IF № 23. **Momekov, G.**, Momekova, D., Stavrakov, G., Voynikov, Y., Peikov, P. Para-aminosalicylic acid - biopharmaceutical, pharmacological, and clinical features and resurgence as an anti-tuberculous agent (2015) *Pharmacia*, 62 (1): 25-51.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84939178392&partnerID=40&md5=aa2ffc525fc7a768b9b48fae1d0f9706>

Установени цитирания: в SCOPUS (4)

- 2440.[1] Adams, K. T., P. R. Donald, A. A. Abulfathi, A. H. Diacon, M. A. Stander, H. Reuter (2020). "Pharmacokinetics of Para-Aminosalicylic Acid and Its 2 Major Metabolites: A Potential Relationship to the Development of Gastrointestinal Intolerance." *Journal of Clinical Pharmacology* 60(4): 489-494. doi:10.1002/jcph.1542
- 2441.[2] Jelińska, A., M. Zajac, A. Dadej, S. Tomczak, M. Geszke-Moritz, I. Muszalska-Kolos (2020). "Tuberculosis-present medication and therapeutic prospects." *Current Medicinal Chemistry* 27(4): 630-656. doi:10.2174/0929867325666181120100025
- 2442.[3] Parvez, M. M., S. Kalkisim, P. T. T. Nguyen, J. A. Jung, J. K. Park, J. L. Ghim, E. Y. Kim, Y. S. Cho, M. O. Babaoglu, J. G. Shin (2022). "Para-aminosalicylic acid significantly reduced tenofovir exposure in human subjects: Mismatched findings from in vitro to in vivo translational research." *British Journal of Clinical Pharmacology* 88(3): 1159-1169. doi:10.1111/bcp.15056
- 2443.[4] Qahtan, M. Q. M., E. A. Bakhite, J. Kumari, A. M. Sayed, M. Kandeel, D. Sriram, H. H. M. Abdu-Allah (2023). "Synthesis, biological evaluation and molecular docking study of some new 4-aminosalicylic acid derivatives as anti-inflammatory and antimycobacterial agents." *Bioorganic Chemistry* 132. doi:10.1016/j.bioorg.2023.106344

Публ. реф. без IF № 25. Ivanova, Ts., Haladjova, E., Mees, M., Momekova, D., Rangelov, S., **Momekov, G.**, Hoogenboom, R. Characterization of polymer vector systems based on partially hydrolyzed polyoxazoline for gene transfection (2016) *Pharmacia*, 63 (2): 3-8.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85009106554&partnerID=40&md5=4481269d8472b265875470d145987040>

Установени цитирания: в SCOPUS (9)

- 2444.[1] Lorson, T., M. M. Lübtow, E. Wegener, M. S. Haider, S. Borova, D. Nahm, R. Jordan, M. Sokolski-Papkov, A. V. Kabanov, R. Luxenhofer (2018). "Poly(2-oxazoline)s based biomaterials: A comprehensive and critical update." *Biomaterials* 178: 204-280. doi:10.1016/j.biomaterials.2018.05.022
- 2445.[2] Papagiannopoulos, A., E. Vlasi, S. Pispas, J. E. Houston (2018). "Association and Internal Morphology of Self-Assembled HPPHox/BSA Hybrid Nanoparticles in Aqueous Solutions." *Journal of Physical Chemistry B* 122(29): 7426-7435. doi:10.1021/acs.jpcc.8b04364

- 2446.[3] Deng, Y., H. Yuan, W. Yuan (2019). "Hypoxia-responsive micelles self-assembled from amphiphilic block copolymers for the controlled release of anticancer drugs." *Journal of Materials Chemistry B* 7(2): 286-295. doi:10.1039/C8TB02505C
- 2447.[4] Lipowska-Kur, D., Ł. Otulakowski, B. Trzebicka, A. Utrata-Wesołek, A. Dworak (2020). "Thermoresponsive nanogels of modified poly(di(ethylene glycol) methyl ether methacrylate)-co-(2-aminoethyl methacrylate)s." *Polymers* 12(8). doi:10.3390/POLYM12081645
- 2448.[5] Skandalis, A., V. Chrysostomou, T. Sentoukas, M. Kafetzis, D. Giaouzi, A. Chroni, E. Vlassi, S. Pispas (2020). Dynamic light scattering studies on self-assembling copolymer nanostructures. In: *Research Advances in Dynamic Light Scattering* (Ed.): 101-140.
- 2449.[6] Mazrad, Z. A. I., M. Lai, T. P. Davis, J. A. Nicolazzo, K. J. Thurecht, M. N. Leiske, K. Kempe (2022). "Protected amine-functional initiators for the synthesis of α -amine homo- and heterotelechelic poly(2-ethyl-2-oxazoline)s." *Polymer Chemistry* 13(30): 4436-4445. doi:10.1039/d2py00649a
- 2450.[7] Nemati Mahand, S., S. Aliakbarzadeh, A. Moghaddam, A. Salehi Moghaddam, B. Kruppke, M. Nasrollahzadeh, H. A. Khonakdar (2022). "Polyoxazoline: A review article from polymerization to smart behaviors and biomedical applications." *European Polymer Journal* 178. doi:10.1016/j.eurpolymj.2022.111484
- 2451.[8] Tortajada, L., C. Felip-León, M. J. Vicent (2022). "Polymer-based non-viral vectors for gene therapy in the skin." *Polymer Chemistry* 13(6): 718-735. doi:10.1039/d1py01485d
- 2452.[9] Oleszko-Torbus, N., B. Mendrek, W. Wałach, A. Fus-Kujawa, V. Mitova, N. Koseva, A. Kowalczyk (2024). "Amino-modified 2-oxazoline copolymers for complexation with DNA." *Polymer Chemistry* 156. doi:10.1039/d3py01313h

Публ. реф. без IF № 27. Ilieva, Y., Kokanova-Nedialkova, Z., Nedialkov, P., **Momekov, G.** In silico ADME and drug-likeness evaluation of a series of cytotoxic polyprenylated acylphloroglucinols, isolated from *Hypericum annulatum* Morris subsp. *annulatum* (2018) *Bulgarian Chemical Communications*, 50: 193-199.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060023847&partnerID=40&md5=3338e0ba83a80e35f554d01a5613b89c>
Установени цитирания: в SCOPUS (8)

- 2453.[1] Maliehe, T. S., P. H. Tsilo, J. S. Shandu (2020). "Computational evaluation of ADMET properties and bioactive score of compounds from *encephalartos ferox*." *Pharmacognosy Journal* 12(6): 1357-1362. doi:10.5530/PJ.2020.12.187
- 2454.[2] Chiong, S. W., C. H. Ng, K. Shaari (2021). "In silico studies on diacyl derivatives of phloroglucinol to enhance pharmacodynamic and pharmacokinetic profiles of 2,4,6-trihydroxy-3-geranyl-acetophenone." *International Journal of Applied Pharmaceutics* 13(2): 173-179. doi:10.22159/ijap.2021v13i2.40784
- 2455.[3] Hammoudi, N. E. H., W. Sobhi, A. Attoui, T. Lemaoui, A. Erto, Y. Benguerba (2021). "In silico drug discovery of Acetylcholinesterase and Butyrylcholinesterase enzymes inhibitors based on Quantitative Structure-Activity Relationship (QSAR) and drug-likeness evaluation." *Journal of Molecular Structure* 1229. doi:10.1016/j.molstruc.2020.129845
- 2456.[4] Hlapisi, N., T. S. Maliehe, O. S. Oluwafemi, S. P. Songca, L. Linganisio, T. E. Motaung (2021). "Antibacterial activities of cationic porphyrins and porphyrin encapsulated gold nanorods on bacterial cell lines." *Pharmacognosy Journal* 13(5): 1086-1096. doi:10.5530/pj.2021.13.141
- 2457.[5] Vázquez, A. F., A. Reyes Muñoz, J. Duitama, A. González Barrios (2021). "Discovery of new potential CDK2/VEGFR2 type II inhibitors by fragmentation and virtual screening of natural products." *Journal of Biomolecular Structure and Dynamics* 39(9): 3285-3299. doi:10.1080/07391102.2020.1763839
- 2458.[6] Kumari, P., B. Pradhan, M. Koromina, G. P. Patrinos, K. V. Steen (2022). "Discovery of new drug indications for COVID-19: A drug repurposing approach." *PLoS ONE* 17(5 May). doi:10.1371/journal.pone.0267095
- 2459.[7] Mahmud, S., G. K. Paul, S. Biswas, T. Kazi, S. Mahbub, M. A. Mita, S. Afrose, A. Islam, S. Ahaduzzaman, R. Hasan, S. S. Shimu, M. M. Promi, M. N. Shehab, E. Rahman, K. M. Sujon, W. Alom, A. Modak, S. Zaman, S. Uddin, T. B. Emran, S. Islam, A. Saleh (2022). "phytochemdb: a platform for virtual screening and computer-aided drug designing." *Database* 2022(2022). doi:10.1093/database/baac002
- 2460.[8] Sheela, S. F. S., K. A. Kumar, N. Raman (2024). "New homoleptic imine derivative of lawsone and its metal complexes: Preparation, characterization, in vitro and in silico biological investigation." *Applied Organometallic Chemistry* 38(2). doi:10.1002/aoc.7332

Публ. реф. без IF № 28. Nikolova-Mladenova, B. I., **Momekov, G.** Ts. Synthesis, characterization and *in vitro* cytotoxic activity of zinc(II), cobalt(II) and nickel(II) complexes with tridentate ONO Schiff base 3-methoxysalicylaldehyde benzoylhydrazone (2019) *Bulgarian Chemical Communications*, 49: 83-88.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85053825344&partnerID=40&md5=290d566a5e056521b693d36a85c4348b>
Установени цитирания: в SCOPUS (3)

- 2461.[1] Fekri, R., M. Salehi, A. Asadi, M. Kubicki (2019). "Synthesis, characterization, anticancer and antibacterial evaluation of Schiff base ligands derived from hydrazone and their transition metal complexes." *Inorganica Chimica Acta* 484: 245-254. doi:10.1016/j.ica.2018.09.022
- 2462.[2] Aliabadi, A., M. Zangeneh, Z. Izadi, M. Badzohre, M. Ghadermazi, D. Marabello, F. Bagheri, A. Farokhi, E. Motieyan, S. Abdolmaleki (2022). "Green synthesis, X-ray crystal structure, evaluation as *in vitro* cytotoxic and antibacterial agents of a new Zn(II) complex containing dipicolinic acid." *Journal of Molecular Structure* 1247. doi:10.1016/j.molstruc.2021.131327
- 2463.[3] Parvarinezhad, S., M. Salehi, M. Kubicki, R. Eshaghi Malekshah (2022). "Experimental and theoretical studies of new Co(III) complexes of hydrazide derivatives proposed as multi-target inhibitors of SARS-CoV-2." *Applied Organometallic Chemistry* 36(10). doi:10.1002/aoc.6836

Публ. реф. без IF № 29. Zhelyazkova, M., Kirilov, B., **Momekov, G.** The pharmacological basis for application of cannabidiol in cancer chemotherapy (2020) *Pharmacia*, 67 (4): 239-252.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85101409042&doi=10.3897%2fpharmacia.67.e51304&partnerID=40&md5=a9202f2d6759b216eff210547b401858>
 DOI: 10.3897/pharmacia.67.e51304
Установени цитирания: в SCOPUS (9); в патенти (1); общо (10)

- 2464.[1] Doherty, G. J.,B. H. R. de Paula (2021). "Cannabinoids in glioblastoma multiforme—hype or hope?" British Journal of Cancer 124(8): 1341-1343. doi:10.1038/s41416-021-01265-5
- 2465.[2] Kumar, P., D. K. Mahato, M. Kamle, R. Borah, B. Sharma, S. Pandhi, V. Tripathi, H. S. Yadav, S. Devi, U. Patil, J. Xiao, A. K. Mishra (2021). "Pharmacological properties, therapeutic potential, and legal status of Cannabis sativa L.: An overview." Phytotherapy Research 35(11): 6010-6029. doi:10.1002/ptr.7213
- 2466.[3] Anceschi, L., A. Codeluppi, V. Brighenti, R. Tassinari, V. Taglioli, L. Marchetti, L. Roncati, A. Alessandrini, L. Corsi, F. Pellati (2022). "Chemical characterization of non-psychoactive Cannabis sativa L. extracts, in vitro antiproliferative activity and induction of apoptosis in chronic myelogenous leukaemia cancer cells." Phytotherapy Research 36(2): 914-927. doi:10.1002/ptr.7357
- 2467.[4] Razlog, R., C. A. Kruger, H. Abrahamse (2022). "Enhancement of Conventional and Photodynamic Therapy for Treatment of Cervical Cancer with Cannabidiol." Integrative Cancer Therapies 21. doi:10.1177/15347354221092706
- 2468.[5] Esfandiary, F., A. Rajabzadeh, M. Mojarad, A. Delavar, M. Soukhtanloo (2023). "Cannabis sativa ethanolic extract demonstrated significant anti-tumor effects associated with elevated expression of AXIN1 protein in glioblastoma U87-MG cell line." Gene Reports 30. doi:10.1016/j.genrep.2022.101715
- 2469.[6] Fordjour, E., C. F. Manful, A. A. Sey, R. Javed, T. H. Pham, R. Thomas, M. Cheema (2023). "Cannabis: a multifaceted plant with endless potentials." Frontiers in Pharmacology 14. doi:10.3389/fphar.2023.1200269
- 2470.[7] Razlog, R., C. A. Kruger, H. Abrahamse (2023). "Cytotoxic Effects of Combinative ZnPcS4 Photosensitizer Photodynamic Therapy (PDT) and Cannabidiol (CBD) on a Cervical Cancer Cell Line." International Journal of Molecular Sciences 24(7). doi:10.3390/ijms24076151
- 2471.[8] Tong, Z., L. Esser, P. Galetti, D. Rudd, C. D. Easton, A. Nilghaz, B. Peng, D. Zhu, H. Thissen, J. H. Martin, N. H. Voelcker (2023). "Fluoropolymer Functionalization of Organ-on-Chip Platform Increases Detection Sensitivity for Cannabinoids." Biosensors 13(8). doi:10.3390/bios13080779
- 2472.[9] Steczkowski, M., K. McClellan, R. Jessup, D. Kurouski (2024). "Raman-based diagnostics of drought, heat and light-induced stresses in three different varieties of hemp." Planta 259(1). doi:10.1007/s00425-023-04299-6
- 2473.[10] <https://patents.google.com/patent/WO2023161921A2/en>

Публ.реф.без IF№ 30. Kozuharova, E., Naychov, Z., Kochmarov, V., Benbassat, N., Gibernau, M., **Momekov, G.** The potential of *Arum spp.* as a cure for hemorrhoids: chemistry, bioactivities, and application (2020) Advances in Traditional Medicine, 20 (2): 133-141.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85083824654&doi=10.1007%2fs13596-020-00425-x&partnerID=40&md5=471f13519d3344924e50f315295be864>

DOI: 10.1007/s13596-020-00425-x

Установени цитирания: в SCOPUS (6)

- 2474.[1] Soleimanipour, S., M. Kian, S. Hamedeyazdan, N. Movahhedini, F. Ghaderi, H. Soraya (2021). "The effects of hydroalcoholic extract of *Arum orientale* on CLP-induced sepsis in rats." Pharmaceutical Sciences 27(2): 162-169. doi:10.34172/PS.2020.69
- 2475.[2] Doğan, G. T., R. A. Kepekçi, N. Bostancıerli, M. Tarakçıoğlu (2023). "Protective effect of *Arum maculatum* against dextran sulfate sodium induced colitis in rats." Biotechnic and Histochemistry 98(7): 456-465. doi:10.1080/10520295.2023.2225226
- 2476.[3] Ergene, B., M. Karaaslan (2023). "Food, medicine or a poisonous plant: *Arum maculatum* L." Journal of Research in Pharmacy 27(2): 493-507. doi:10.29228/jrp.332
- 2477.[4] Pisanti, S., T. Mencherini, T. Esposito, V. D'Amato, T. Re, M. Bifulco, R. Aquino (2023). "The medieval skincare routine according to the formulations of Madistra Trotula and the Medical School of Salerno and its reflection on cosmetology of the third millennium." Journal of Cosmetic Dermatology 22(2): 542-554. doi:10.1111/jocd.15234
- 2478.[5] Şener, S. Ö., K. Çoşkunçelebi, S. Terzioğlu, A. Nalçaoğlu, T. P. Gençkaya, U. Özgen, M. Yüzbaşıoğlu Baran (2023). "A comprehensive ethnobotanical survey of medicinal plants for 80 villages in Trabzon (Türkiye)." Turkish Journal of Botany 47(6): 464-510. doi:10.55730/1300-008X.2780
- 2479.[6] Ozkan, G., F. B. Sakarya, A. Akdas, M. N. Atalar, C. Aydoğan, B. Yurt, E. Capanoglu (2024). "Comprehensive LC-MS/MS phenolic profiling of *Arum elongatum* plant and bioaccessibility of phenolics in their infusions." eFood 5(1). doi:10.1002/efd2.124

Публ.реф.без IF№ 31. Popova, P., Zarev, Y., Mihaylova, R., **Momekov, G.**, Ionkova, I. Antiproliferative activity of extract from in vitro callus cultures of *Astragalus vesicarius* ssp. *carniolicus* (A. Kern.) Chater (2021) Pharmacia, 68 (1): 217-221.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85101652885&doi=10.3897%2fpharmacia.68.e63421&partnerID=40&md5=fc2fe844fd0085c2e1637729da298e27>

DOI: 10.3897/pharmacia.68.e63421

Установени цитирания: в SCOPUS (2)

- 2480.[1] Malla, A., B. Shanmugaraj, A. Sharma, S. Ramalingam (2021). "Production of genistein in amaranthus tricolor var. Tristis and spinacia oleracea by expression of glycine max isoflavone synthase." Plants 10(11). doi:10.3390/plants10112311
- 2481.[2] Sahin Yaglioglu, A., R. Erenler, E. N. Gecer, N. Genc (2022). "Biosynthesis of Silver Nanoparticles Using *Astragalus flavescens* Leaf: Identification, Antioxidant Activity, and Catalytic Degradation of Methylene Blue." Journal of Inorganic and Organometallic Polymers and Materials 32(10): 3700-3707. doi:10.1007/s10904-022-02362-5

Приложение

Н-индекс на публикациите по конкурса;

По данни на SCOPUS (Elsevier) и Web of Science (Clarivate) h-индексът на представените публикации е 30 (след приспадане на автоцитиранията).

Факсимилета от уеб страниците, показващи наукометричните данни.

Brought to you by Medical University Sofia



Scopus

[Search](#) [Sources](#)

This author profile is generated by Scopus. [Learn more](#)

Momekov, Georgi

[Medical University of Sofia, Sofia, Bulgaria](#)

[7801433744](#)



<https://orcid.org/0000-0003-2841-7089>

[View more](#)

3,305

Citations by 2,659 documents

202

Documents

33

h-index [View *h-graph*](#)

[View all metrics](#)

[Set alert](#)

[Save to list](#)

[Edit profile](#)

[More](#)


Analyze documents published between: [2002](#) to [2025](#)

☒ Exclude self citations ☐ Exclude citations from books [Update Graph](#)


This author's *h-index*

30

The *h-index* is based upon the number of documents and number of citations.




Document & citation trends



[Analyze author output](#)

[Citation overview](#)

<https://www.scopus.com/hirsch/author.uri?accessor=authorProfile&auIdList=7801433744&origin=AuthorProfile>



<https://www.webofscience.com/wos/author/record/108222>