

Списък на избраните научни трудове

на проф. дхн Людмил Антонов

в хронологичен ред

1. (C.1.)* Quantitative analysis of azo-quinonehydrazone tautomeric equilibrium. S.Stoyanov & L.Antonov; *Dyes and Pigments*, **10**, 33-45 (1988)
2. (C.2.) Thione-thiol tautomerism and stability of 2- and 4-mercaptopyridines and 2-mercaptopyrimidine. S.Stoyanov, I.Petkov, L.Antonov, T.Stoyanova, P.Karagiannidis & P.Aslanidis; *Canadian Journal of Chemistry*, **68**, 1482-1489 (1990)
3. (C.3.) Analysis of the overlapping bands in UV-Vis absorption spectroscopy. L.Antonov & S.Stoyanov; *Applied Spectroscopy*, **47**, 1030-1035 (1993)
4. (C.4.) Approach for increased information from the second-derivative spectra in UV-Vis absorption spectroscopy. L.Antonov & S.Stoyanov; *Applied Spectroscopy*, **47**, 1712-1715 (1993)
5. (C.5.) Spectrophotometric investigation of the complex formation between aza-15-crown-5 containing chromoionophores and alkali and alkaline earth metal ions in acetonitrile. L.Antonov & N.Mateeva; *Talanta*, **41**, 1489-1492 (1994)
6. (C.6.) Quantitative analysis of tautomeric equilibrium in 1-phenylazo-4-naphthols - a new approach. S.Stoyanov, L.Antonov, B.Soloveytchik & V.Petrova; *Dyes & Pigments*, **26**, 149-158 (1994)
7. (C.7.) Structure investigations of N-acylated amines by means of UV-Vis spectroscopy. S.Stoyanov, A.Dobrev & L.Antonov; *Monatshefte fuer Chemie*, **125**, 259-266 (1994)
8. (C.8.) Spectroscopic study on the complexation of an aza-15-crown-5 containing chromofluoroionophore with Ba²⁺ and Ca²⁺ cations. N.Mateeva, V.Enchev, L.Antonov, T.Deligeorgiev & M.Mitewa; *Journal of Inclusion Phenomena*, **20**, 323-333 (1994)
9. (C.9.) Resolution of overlapping UV-Vis absorption bands - quantitative analysis of tautomeric equilibria. L.Antonov & S.Stoyanov; *Analytica Chimica Acta*, **314**, 225-232 (1995)
10. (C.10.) Tautomeric equilibrium in 1-phenylazo-2-naphthol - a quantitative study. L.Antonov, S.Stoyanov & T.Stoyanova; *Dyes & Pigments*, **27**, 133-142 (1995)
11. (C.11.) Spectrophotometric investigation on the complex formation of an aza-15-crown-5 containing styryl dyes with Ba²⁺ and Ca²⁺ cations. M.Mitewa, N.Mateeva, L.Antonov & T.Deligeorgiev; *Dyes & Pigments*, **27**, 219-225 (1995)
12. (C.13.) Azo-quinonehydrazone tautomerism in 2-phenylazo-1-naphthol. L.Antonov & S.Stoyanov; *Dyes & Pigments*, **28**, 31-39 (1995)
13. (C.14.) Noise reduction in second derivative UV-Vis spectroscopy. L.Antonov & S.Stoyanov; *Spectroscopy Letters*, **29**, 231-239 (1996); **29**, 967 (1996)
14. (C.15.) Step by step filter - an approach for noise reduction in the derivative UV-Vis spectra. L.Antonov & S.Stoyanov; *Analytica Chimica Acta*, **324**, 77-83 (1996)
15. (C.16.) Spectral properties of aza-15-crown-5 containing styryl dyes in solution. L.Antonov, N.Mateeva, M.Mitewa & S.Stoyanov; *Dyes & Pigments*, **30**, 235-243 (1996)

* Номериране, използвано в Списъка на научни трудове и в Списъка на цитирания на научните трудове.

16. (C.17.) Ammonium-azonium tautomerism in some N,N-dialkylaminoazodyes: Part 1 - General considerations. T.Stoyanova, S.Stoyanov, L.Antonov & V.Petrova; *Dyes & Pigments*, **31**, 1-12 (1996)
17. (C.18.) Ammonium-azonium tautomerism in some N,N-dialkylaminoazodyes: Part 2 - Compounds containing more than two protonation sites. S.Stoyanov, L.Antonov, T.Stoyanova & V.Petrova; *Dyes & Pigments*, **32**, 171-185 (1996)
18. (C.19.) Resolution of overlapping bands - an idea for quantitative analysis of undefined mixtures. L.Antonov & D.Nedeltcheva; *Analytical Letters*, **29**, 2055-2069 (1996)
19. (C.20.) Application of the first derivative spectra method for investigation of the complexation of some aza-15-crown-5 containing chromoionophores with Sr²⁺. N.Mateeva, L.Antonov, M.Mitewa & S.Miteva; *Talanta*, **43**, 275-279 (1996)
20. (C.23.) Fourth derivative spectroscopy - a critical view. L.Antonov; *Analytica Chimica Acta*, **349**, 295-301 (1997)
21. (B.1.) Drawbacks of the present standards for processing absorption spectra recorded linearly as a function of wavelength. L.Antonov; *Trends in Analytical Chemistry*, **16**, 536-543 (1997)
22. (C.25.) Aggregation and tautomeric properties of C.I. Acid Red 138. T.Iijima, E.Jojima, L.Antonov, S.Stoyanov & T.Stoyanova; *Dyes & Pigments*, **37**, 81-92 (1998)
23. (C.26.) Theoretical investigations on the tautomerism of 1-Phenylazo-4-naphthol and its isomers. L.Antonov, S.Kawauchi, M.Satoh & J.Komiyama; *Dyes & Pigments*, **38**, 157-164 (1998)
24. (C.27.) *Ab Initio* modeling the solvent influence on the azo-hydrazone tautomerism. L.Antonov, S.Kawauchi, M.Satoh & J.Komiyama; *Dyes & Pigments*, **40**, 163-170 (1999)
25. (C.28.) UV-Vis spectroscopic and chemometric study on the aggregation of ionic dyes in water. L.Antonov, G.Gergov, V.Petrov, M.Kubista & J.Nygren; *Talanta*, **49**, 99-106 (1999)
26. (B.2.) Resolution of overlapping UV-Vis absorption bands and quantitative analysis. L.Antonov & D.Nedeltcheva; *Chemical Society Reviews*, **29**, 217-227 (2000)
27. (C.29.) Step-by-step filter based program for calculations of highly informative derivatives curves. V.Petrov, L.Antonov, H.Ehara & N.Harada; *Computers and Chemistry*, **24**, 561-569 (2000)
28. (C.30.) Tautomerism of 2-hydroxynaphthaldehyde Schiff bases. L.Antonov, W.M.F.Fabian, D.Nedeltcheva & F.S.Kamounah; *Journal of The Chemical Society Perkin Transactions 2*, 1173-1179 (2000)
29. (C.32.) Complexation properties of Schiff bases containing N-phenylaza-15-crown-5 moiety. L.Antonov, M.Vladimirova, E.Stanoeva, W.M.F.Fabian, L.Ballester & M.Mitewa; *Journal of Inclusion Phenomena*, **40**, 23-28 (2001)
30. (C.33.) Temperature dependent absorption spectroscopy of some tautomeric azodyes and Schiff bases. H.Joshi, F.S.Kamounah, G.van der Zwan, C.Gooijer & L.Antonov; *Journal of The Chemical Society Perkin Transactions 2*, 2303-2308 (2001)
31. (C.34.) Excited state intramolecular proton transfer in some tautomeric azodyes and Schiff bases containing an intramolecular hydrogen bond. H.Joshi, F.S.Kamounah, C.Gooijer, G.van der Zwan & L.Antonov; *Journal of Photochemistry and Photobiology A*, **152**, 183-191 (2002)
32. (C.35.) Quantitative analysis of undefined mixtures – “Fishing net” algorithm. L.Antonov & V.Petrov; *Analytical and Bioanalytical Chemistry*, **374**, 1312-1317 (2002)

33. (C.36.) Estimation of two-photon absorption characteristics by a global fitting procedure. L.Antonov, K.Kamada & K.Ohta; *Applied Spectroscopy*, **56**, 1508-1511 (2002)
34. (C.37.) A systematic femtosecond study on the two-photon absorbing D- π -A molecules - π -bridge nitrogen insertion and strength of the donor and acceptor groups. L.Antonov, K.Kamada, K.Ohta & F.S.Kamounah; *Physical Chemistry Chemical Physics*, **5**, 1193-1197 (2003)
35. (C.38.) Complexation and redox processes during the course of AuCl₄-bilirubin interaction in aqueous-basic and methanolic media. N.Mincheva, L.Antonov, M.Mitewa, G.Ponticelli & M.T.Cocco; *Transition Metal Chemistry*, **28**, 316-322 (2003)
36. (C.39.) Tautomerism in hydroxynaphthaldehyde anils and azo analogues: a combined experimental and computational study. W.M.F.Fabian, L.Antonov, D.Nedeltcheva, F.S.Kamounah & P.J.Taylor; *Journal of Physical Chemistry A*, **108**, 7603-7612 (2004)
37. (C.41.) Tautomerism in some aromatic Schiff bases and related azo-compounds: a linear solvation energy relationship study. L.Antonov, W.M.F.Fabian & P.J.Taylor; *Journal of Physical Organic Chemistry*, **18**, 1169-1175 (2005)
38. (C.42.) Variable-Temperature X-ray Crystallographic and DFT Computational Study of the N-H...O/N...H-O Tautomeric Competition in 1-(Arylazo)-2-naphthols. Outline of a Transition-State Hydrogen-Bond Theory. P.Gilli, V.Bertolasi, L.Pretto, L.Antonov & G.Gilli; *Journal of The American Chemical Society*, **127**, 4943-4953 (2005)
39. (C.43.) Gradual change of one- and two-photon absorption properties in solution – protonation of 4-N,N-dimethylamino-4'-aminoazobenzene. L.Antonov, K.Kamada, D.Nedeltcheva, K.Ohta & F.S.Kamounah; *Journal of Photochemistry and Photobiology A*, **181**, 274-282 (2006)
40. (C.44.) Integrated approach to the study of the tautomerism of 1-Phenyliminomethyl-naphthalene-4-ol. F.S.Kamounah, L.Antonov, V.Petrov & G. van der Zwan; *Journal of Physical Organic Chemistry*, **20**, 313-320 (2007)
41. (C.45.) Theoretical study of the two-photon absorption properties of several asymmetrically substituted stilbenoid molecules. K.Ohta, L.Antonov, S.Yamada & K.Kamada; *Journal of Chemical Physics*, **127**, 084504-1-12 (2007)
42. (C.46.) Two-Photon Absorption Properties of Dehydrobenzo[12]annulenes and Hexakis(phenylethynyl)benzenes: Effect of Edge-Linkage. K.Kamada, L.Antonov, S.Yamada, K.Ohta, T.Yoshimura, K.Tahara, A.Inaba, M.Sonoda & Y.Tobe; *ChemPhysChem*, **8**, 2671-2677 (2007)
43. (B.3.) Chemometric models for quantitative analysis of tautomeric Schiff bases and azodyes. D.Nedeltcheva, L.Antonov, A.Lycka, B.Damyanova & S.Popov; *Current Organic Chemistry*, **13**, 217-240 (2009)
44. (C.48.) Two-Photon Absorption Properties of Azulenyl Compounds Having a Conjugated Ketone Backbone. S.Hirakawa, J.Kawamata, Y.Suzuki, S.Tani, T.Murafuji, K.Kasatani, L.Antonov, K.Kamada & K.Ohta; *Journal of Physical Chemistry*, **112A**, 5198-5207 (2008)
45. (C.49.) Relative strength of the intramolecular hydrogen bonding in 1-phenylazo-naphthalene-2-ol and 1-phenyliminomethyl-naphthalene-2-ol. D.Nedeltcheva & L.Antonov; *Journal of Physical Organic Chemistry*, **22**, 274-281 (2009)
46. (C.50.) Solid state tautomerism in 2-((phenylimino)methyl)-naphthalene-1-ol. D.Nedeltcheva, F.S.Kamounah, L.Mirolo, K.M.Fromm & L.Antonov; *Dyes and Pigments*, **83**, 121-126 (2009)

47. (C.51.) Exploiting the tautomerism for switching/signaling purposes. L.Antonov, V.Deneva, S.Simeonov, V.Kurteva, D.Nedeltcheva & J.Wirz; *Angewandte Chemie International Edition*, **48**, 7875-7878 (2009)[†]
48. (C.52.) Tautocrowns: azacrown moiety conjugated to a tautomeric Schiff base. V.Deneva, N.Burdzhiev, E.Stanoeva & L.Antonov; *Spectroscopy Letters*, **43**, 22-27 (2010)
49. (C.53.) Tautocrowns: a concept for a sensing molecule with an active side-arm. L.Antonov, V.Kurteva, S.Simeonov, V.Deneva, A.Crochet & K.M.Fromm; *Tetrahedron*, **66**, 4292-4297 (2010)
50. (C.54.) Solvent effects on the second-order nonlinear optical responses in the keto-enol equilibrium of a 2-hydroxy-1-naphthaldehyde derivative. E.Bogdan, A.Plaquet, L.Antonov, V.Rodriguez, L.Ducasse, B.Champagne & F.Castet; *Journal of Physical Chemistry*, **114C**, 12760-12768 (2010)
51. (C.55.) Gas phase study of molecular switches based on tautomeric proton transfer. D.Nedeltcheva, V.Kurteva & L.Antonov; *European Journal of Mass Spectrometry*, **17**, 47-56 (2011)
52. (C.56.) Aggregation of 2-aminobenzimidazole – a combined experimental and theoretical investigation. S.Angelova, M.Spasoova, V.Deneva, M.Rogojerov & L.Antonov; *ChemPhysChem*, **12**, 1747-1755 (2011)[‡]
53. (C.58.) Tautomerism in 1-phenylazo-4-naphthols: experimental results vs quantum-chemical predictions. L.Antonov, V.Kurteva, A.Crochet, L.Mirola, K.Fromm & S.Angelova; *Dyes and Pigments*, **92**, 714-723 (2012)
54. (C.59.) Switching azonaphthols containing a side chain with limited flexibility. Part 1. Synthesis and tautomeric properties. V.Kurteva, L.Antonov, D.Nedeltcheva, A.Crochet, K.Fromm, R.Nikolova, B.Shivachev & M.Nikiforova; *Dyes and Pigments*, **92**, 1266-1277 (2012)
55. (C.60.) β -Galactosyl Yariv reagent binds to the β -1,3-Galactan of arabinogalactan proteins. K.Kitazawa, T.Tryfona, Y.Yoshimi, Y.Hayashi, S.Kawauchi, L.Antonov, H.Tanaka, T.Takahashi, S.Kaneko, P.Dupree, Y.Tsumuraya & T.Kotake; *Plant Physiology*, **161**, 1117-1126 (2013)
56. (C.61.) Description of the tautomerism in some azonaphthols. S.Kawauchi & L.Antonov, *Journal of Physical Organic Chemistry*, **26**, 643-652 (2013)
57. (C.62.) Controlled shift in the tautomeric equilibrium of 4-((phenylimino)methyl)naphthalen-1-ol. V.Deneva, Y.Manolova, L.Lubenov, V.Kurteva, F.S.Kamounah, R.Nikolova, B.Shivachev, L.Antonov, *Journal of Molecular Structure*, **1036**, 267-273 (2013)
58. (C.63.) Tautomerism of 4,4'-dihydroxy-1,1'-naphthalaldazine studied by experimental and theoretical methods. A.Ahmedova, S.Simeonov, V.Kurteva & L.Antonov, *Chemistry Central Journal*, **7**, art. 29 (2013)
59. (C.65.) Controlled tautomerism – switching caused by an “underground” anionic effect. L.Antonov, V.Deneva, V.Kurteva, D.Nedeltcheva, A.Crochet & K.M.Fromm; *RSC Advances*, **3**, 25410-25416 (2013)[§]

[†] Най-добра научна публикация на ИОХЦФ-БАН за 2009г.

[‡] Най-добра научна публикация на ИОХЦФ-БАН за 2011г.

[§] Най-добра научна публикация на ИОХЦФ-БАН за 2013г.

60. (A.3.) Tautomerism: Introduction, history, and recent developments in experimental and theoretical methods. P.J.Taylor, G. van der Zwan & L.Antonov; in *Tautomerism – Methods and Theories*, L.Antonov (Editor), Wiley-VCH, 1-24 (2014)
61. (A.4.) Absorption UV-Vis spectroscopy and chemometrics: from qualitative conclusions to quantitative analysis. L.Antonov; in *Tautomerism – Methods and Theories*, L.Antonov (Editor), Wiley-VCH, 25-47 (2014)
62. (C.66.) Phenol–Quinone Tautomerism in (Arylazo)naphthols and the Analogous Schiff Bases: Benchmark Calculations. S.T.Ali, L.Antonov & W.M.F.Fabian; *Journal of Physical Chemistry*, **118A**, 778-789 (2014)
63. (C.67.) 1,1',1''-(2,4,6-Trihydroxybenzene-1,3,5-triyl)triethanone tautomerism revisited. P.E.Hansen, F.S.Kamounah, D.Zhiryakova, Y.Manolova & L.Antonov; *Tetrahedron Letters*, **55**, 354-357 (2014)
64. (C.68.) Hybrid liposomal polyoxyethylated calyx[4]arene system as a drug delivery platform for curcumin. E.Drakalska, D.Momekova, Y.Manolova, D.Budurova, G.Momekov, M.Genova, L.Antonov, N.Lambov & S.Rangelov; *International Journal of Pharmaceutics*, **472**, 165-174 (2014)
65. (C.69.) The effect of water on the curcumin tautomerism: a quantitative approach. Y.Manolova, V.Deneva, L.Antonov, E.Drakalska, D.Momekova & N.Lambov; *Spectrochimica Acta*, **132A**, 815-820 (2014)
66. (C.70.) Prediction of the color of dyes by using time-dependent density functional theory. S.Kawauchi, L.Antonov & Y.Okuno; *Bulgarian Chemical Communications*, **46**, 228-237 (2014)
67. (C.72.) Controlled tautomeric switching in azonaphthols tuned by substituents in the phenyl ring. L.Antonov, V.Deneva, S.Simeonov, V.Kurteva, A.Crochet, K.M.Fromm, B.Shivachev, R.Nikolova, M.Savarese & C.Adamo; *ChemPhysChem*, **16**, 649-657 (2015)
68. (C.73.) Computational insights on the excited state proton transfer reactions in azo and azomethine dyes. M.Savarese, É.Brémond, L.Antonov, I.Ciofini & C.Adamo; *ChemPhysChem*, **16**, 3966-3973 (2015)
69. (C.74.) 4-Hydroxy-1-naphthaldehydes: proton transfer or deprotonation. Y.Manolova, V.Kurteva, L.Antonov, H.Marciniak, S.Lochbrunner, A.Crochet, K.M.Fromm, F.S.Kamounah & P.E.Hansen; *Physical Chemistry Chemical Physics*, **17**, 10238-10249 (2015)
70. (C.75.) Tautomeric transformations of piroxicam in solution: a combined experimental and theoretical study. D.Ivanova, V.Deneva, D.Nedeltcheva, F.S.Kamounah, G.Gergov, P.E.Hansen, S.Kawauchi & L.Antonov, *RSC Advances*, **5**, 31852-31860 (2015)
71. (C.76.) Comment on “Spectroscopic studies of keto–enol tautomeric equilibrium of azo dyes” by M. A. Rauf, S. Hisaindee and N. Saleh, *RSC Adv.*, 2015, **5**, 18097. L.Antonov, P.E.Hansen & G. van der Zwan; *RSC Advances*, **5**, 67165-67167 (2015)
72. (C.78.) 10-Hydroxybenzo[h]quinoline: switching between single- and double-well proton transfer through structural modifications. S.Hristova, G.Dobrikov, F.S.Kamounah, S.Kawauchi, P.E.Hansen, V.Deneva, D.Nedeltcheva & L.Antonov; *RSC Advances*, **5**, 102495-102507 (2015)
73. (D.1.) Azonaphthol tautomerism and controlled switching: Is it possible? L.Antonov; *American Institute of Physics Conference Proceedings*, **1642**, 449-452 (2015)

74. (C.79.) A simple approach to multifunctionalized N1-alkylated 7-amino-6-azaoxindole derivatives using their in situ stabilized tautomer form. N.T.Tzvetkov, B.Neumann, H.-G.Stammler & L.Antonov; *Tetrahedron*, **72**, 6455-6466 (2016)
75. (A.6.) Triage for tautomers: the choice between experiment and computation. P.J.Taylor & L.Antonov; in *Tautomerism – Concepts and Applications in Science and Technology*, L.Antonov (Editor), Wiley-VCH, 11-34 (2016)
76. (A.7.) The Fault Line in Prototropic Tautomerism. P.J.Taylor & L.Antonov; in *Tautomerism – Concepts and Applications in Science and Technology*, L.Antonov (Editor), Wiley-VCH, 95-112 (2016)
77. (A.8.) Controlled Tautomerism: Is It Possible? D.Nedeltcheva & L.Antonov; in *Tautomerism – Concepts and Applications in Science and Technology*, L.Antonov (Editor), Wiley-VCH, 273-294 (2016)
78. (C.80.) Insight into the aroma profile of Bulgarian tobacco absolute oil. D.Nedeltcheva-Antonova, D.Ivanova, L.Antonov & I.Abe; *Industrial Crops and Products*, **94**, 226-232 (2016)
79. (C.81.) 4-Carboxyl-2,6-dinitrophenylazohydroxynaphthalenes tautomerism theoretically re-explained. Y.Manolova, D.Nedeltcheva & L.Antonov; *Dyes and Pigments*, **136**, 663-668 (2017)
80. (C.82.) 4-Carboxyl-2,6-dinitrophenylazohydroxynaphthalenes tautomerism NMR re-explained and other methods verified. S.Hristova, S.Angelova, P.E.Hansen & L.Antonov; *Dyes and Pigments*, **142**, 226-229 (2017)
81. (C.83.) Crystal structures, binding interactions, and ADME evaluation of brain penetrant N-substituted indazole-5-carboxamides as subnanomolar, selective monoamine oxidase B and dual MAO-A/B inhibitors. N.T.Tzvetkov, H.-G.Stammler, B.Neumann, S.Hristova, L.Antonov & M.Gastreich; *European Journal of Medicinal Chemistry*, **127**, 470-492 (2017)
82. (C.84.) The effect of path length on the measurement accuracies of wine chemical parameters by UV, visible and near infrared spectroscopy. N.Molla, I.Bakardzhiyski, Y.Manolova, V.Bambalov, D.Cozzolino & L.Antonov; *Food Analytical Methods*, **10**, 1156-1163 (2017)
83. (C.85.) An alternative for the calculation of derivative spectra in the near-infrared spectroscopy. L.Antonov; *Journal of Near Infrared Spectroscopy*, **25**, 145-148 (2017)
84. (C.86.) Molecular insight into inclusion complex formation of curcumin and calix[4]arene. S.Angelova & L.Antonov; *ChemistrySelect*, **2**, 9653-9662 (2017)
85. (C.87.) The possible tautomerism of the potential rotary switch 2-(2-(2-Hydroxy-4-nitrophenyl)hydrazono)-1-phenylbutane-1,3-dione. S.Hristova, F.S.Kamounah, N.Molla, P.E.Hansen, D.Nedeltcheva & L.Antonov; *Dyes and Pigments*, **144**, 249-261 (2017)
86. (C.88.) Chemical profiling of Bulgarian rose absolute (*Rosa damascena* Mill.) using gas chromatography–mass spectrometry and trimethylsilyl derivatives. D.Nedeltcheva-Antonova, P.Ctoicheva & L.Antonov; *Industrial Crops and Products*, **108**, 36-43 (2017)
87. (C.89.) Subnanomolar indazole-5-carboxamide inhibitors of monoamine oxidase B (MAO-B) continued: indications of iron binding, experimental evidence for optimised solubility and brain penetration. N.T.Tzvetkov & L.Antonov; *Journal of Enzyme Inhibition and Medicinal Chemistry*, **32**, 960-967 (2017)

88. (C.90.) Tautomerism of N-(3,4-dichlorophenyl)-1H-indazole-5-carboxamide - a new selective, highly potent and reversible MAO-B inhibitor. N.T.Tzvetkov, H.-G.Stammler & L.Antonov; *Journal of Molecular Structure*, **1149**, 273-281 (2017)
89. (C.91.) Solvent Control of the Intramolecular Proton Transfer: Is 4-Hydroxy-3-(piperidin-1-ylmethyl)-1-naphthaldehyde a proton crane? Y.Manolova, H.Marciniak, S.Tschierlei, F.Fennel, F.S.Kamounah, S.Lochbrunner & L.Antonov; *Physical Chemistry Chemical Physics*, **19**, 7316-7325 (2017)
90. (C.92.) Dynamics of Excited State Proton Transfer in Nitro Substituted 10-Hydroxybenzo[h]quinolines. H.Marciniak, S.Hristova, V.Deneva, F.S.Kamounah, P.E.Hansen, S.Lochbrunner & L.Antonov; *Physical Chemistry Chemical Physics*, **19**, 26621-26629 (2017) **PCCP Hot Articles Thematic Collection**
91. (C.94.) A concept for stimulated proton transfer in 1-(phenyldiazenyl)naphthalen-2-ols. S.Hristova, V.Deneva, M.Pittelkow, A.Crochet, F.S.Kamounah, K.M.Fromm, P.E.Hansen & L.Antonov; *Dyes and Pigments*, **156**, 91-99 (2018)
92. (C.95.) Comment on "Learning To Read Spectra: Teaching Decomposition with Excel in a Scientific Writing Course". L.Antonov; *Journal of Chemical Education*, **95**, 1679-1681 (2018)
93. (C.96.) (Pyrrolo-pyridin-5-yl)benzamides: BBB permeable monoamine oxidase B inhibitors with neuroprotective effect on cortical neurons. N.T.Tzvetkov, H.-G.Stammle, S.Hristova, A.G.Atanasov & L.Antonov; *European Journal of Medicinal Chemistry*, **162**, 793-809 (2019)
94. (C.97.) Quantitative Characterization of Arnicae flos by RP-HPLC-UV and NIR Spectroscopy. D.Ivanova, V.Deneva, D.Zheleva-Dimitrova, V.Balabanova-Bozushka, D.Nedeltcheva, R.Gevrenova & L.Antonov; *Foods*, **8**, art. 9 (2019)
95. (C.98.) DFT study of hydrazone-based molecular switches: the effect of different stators on the on/off state distribution. S.Angelova, V.Paskaleva, N.Kochev & L.Antonov; *Molecular Physics*, **117**, 1604-1612 (2019)
96. (C.99.) Attaching tweezers like ionophore to a proton crane: theoretical design of new tautomeric sensors. V.Deneva & L.Antonov; *Molecular Physics*, **117**, 1613-1620 (2019)
97. (C.100.) Tautomerism in azo dyes: border cases of azo and hydrazo tautomers as possible NMR reference compounds. V.Deneva, A.Lyčka, S.Hristova, A.Crochet, K.M.Fromm & L.Antonov; *Dyes and Pigments*, **165**, 157-163 (2019)
98. (C.101.) Isomerization and aggregation of 2-(2-(2-hydroxy-4-nitrophenyl) hydrazono)-1-phenylbutane-1,3-dione: Recent evidences from theory and experiment. S.Hristova, F.S.Kamounah, A.Crochet, P.E.Hansen, K.M.Fromm, D.Nedeltcheva & L.Antonov; *Journal of Molecular Liquids*, **283**, 242-248 (2019)
99. (C.102.) Tautomerism in azo and azomethyne dyes: When and if theory meets experiment. L.Antonov; *Molecules*, **24**, art. 2252 (2019)
100. (C.103.) Interplay between Conformational and Solvent Effects in UV-Visible Absorption Spectra: Curcumin Tautomers as Case Study. A.Puglisi, T.Giovannini, L.Antonov & C.Cappelli; *Physical Chemistry Chemical Physics*, **21**, 15504-15514 (2019)
101. (C.104.) Carboxamides vs. methanimines: Crystal structures, binding interactions, photophysical studies, and biological evaluation of (indazole-5-yl)methanimines as monoamine oxidase B and acetylcholinesterase inhibitors. N.T.Tzvetkov, H.-G.Stammler, M.Georgieva, D.Russo, N.Faraone, A.Balacheva, S.Hristova,

- A.G.Atanasov L.Milella, L.Antonov & M.Gastereich; *European Journal of Medicinal Chemistry*, **179**, 404-422 (2019)
102. (C.105.) Tautomerism as primary signaling mechanism in metal sensing: the case of amide group. V.Deneva, G.Dobrikov, A.Crochet, D.Nedeltcheva, K.M.Fromm & L.Antonov; *Beilstein Journal of Organic Chemistry*, **15**, 1898-1906 (2019)
 103. (C.106.) Using Raman Spectroscopy as a Fast Tool to Classify and Analyze Bulgarian Wines - A Feasibility Study. V.Deneva, I.Bakardzhiyski, K.Bambalov, D.Antonova, D.Tsobanova, V.Bambalov, D.Cozzolino & L.Antonov; *Molecules*, **25**, art. 170 (2020)
 104. (C.107.) Tautomerism and Self-Association in the Solution of New Pinene-Bipyridine and Pinene-Phenanthroline Derivatives. A.B.Solea, I.Cornu, V.Deneva, A.Crochet, K.M.Fromm, L.Antonov, C.Allemand & O.Mamula; *Molecules*, **25**, art. 298 (2020)
 105. (C.109.) Chercher de l'eau: The switching mechanism of the rotary switch ethyl-2-(2-(quinolin-8-yl)hydrazono)-2-(pyridin-2-yl)acetate. V.Deneva, N.G.Vassilev, S.Hristova, D.Yordanov, Y.Hayashi, S.Kawauchi, F.Fennel, T.Völzer, S.Lochbrunner & L.Antonov; *Computational Materials Science*, **177**, art. 109570 (2020)
 106. (C.110.) Indirect solvent assisted tautomerism in 4-substituted phthalimide 2-hydroxy-Schiff bases. D.Yordanov, V.Deneva, A.Georgiev, A.Crochet, K.M. Fromm & L.Antonov; *Spectrochimica Acta*, **237A**, art. 118416 (2020)
 107. (C.111.) Tautomerism in 8-(phenyldiazenyl)quinolin-5-ol: An attempt for pH activated rotary switch. J.Lađarević, D.Mijin & L.Antonov; *Dyes and Pigments*, **182**, art. 108628 (2020)
 108. (C.112.) Favipiravir tautomerism: a theoretical insight. L.Antonov; *Theoretical Chemistry Accounts*, **139**, art. 145 (2020)
 109. (C.113.) 8-(Pyridin-2-yl)quinolin-7-ol as a platform for conjugated proton cranes: A DFT structural design. A.Georgiev & L.Antonov; *Micromachines*, **11**, art. 901 (2020)
 110. (D.3.) OH Group Effect in the Stator of β -Diketones Arylhydrazone Rotary Switches. S.Hristova, F.S.Kamounah, A.Crochet, N.Vassilev, K.M.Fromm & L.Antonov; *Chemistry (MDPI)*, **2**, 374–389 (2020)
 111. (C.114.) Chemical profile and sensory evaluation of Bulgarian rose (*Rosa damascena* Mill.) aroma products, isolated by different techniques. D.Antonova, Y.Medarska, A.Stoyanova, N.Nenov, A.Slavov & L.Antonov; *Journal of Essential Oil Research*, **33**, 171-181 (2021)
 112. (C.115.) 4-OH coumarin based rotary switches: Tautomeric state and effect of the stator. D.Yordanov, V.Deneva, A.Georgiev, N.Vassilev, M.Vala, I.Zhivkov & L.Antonov; *Dyes and Pigments*, **184**, art. 108861 (2021)
 113. (B.4.) Excited-state intramolecular proton transfer: s short introductory review. H.C.Joshi & L.Antonov; *Molecules*, **26**, art. 1475 (2021)
 114. (C.117.) A single isomer rotary switch demonstrating anti-Kasha behaviour: Does acidity function matter? A.Georgiev, D.Yordanov, N.Vassilev, V.Deneva, D.Nedeltcheva, I.Angelov & L.Antonov; *Physical Chemistry Chemical Physics*, **23**, 13760–13767 (2021)
 115. (C.118.) Acylhydrazone Sub-Units as a Proton Cargo Delivery System in 7-Hydroxyquinoline. K.Nakashima, A.Petek, Y.Hori, A.Georgiev, S.Hirashima, Y.Matsushima, D.Yordanov, T.Miura & L.Antonov; *Chemistry – A European Journal*, **27**, 11559-11566 (2021)

116. (C.119.) Subcritical Extracts from Major Species of Oil-Bearing Roses - A Comparative Chemical Profiling. A.Dobrev, D.Nedeltcheva-Antonova, N.Nenov, K.Getchovska & L.Antonov; *Molecules*, **26**, art. 4991 (2021)
117. (C.120.) 7-OH quinoline Schiff bases: are they the long awaited tautomeric bistable switches? A.Georgiev, D.Yordanov, N.Ivanova, V.Deneva, N.Vassilev, F.S.Kamounah, M.Pittelkow, A.Crochet, K.M.Fromm & L.Antonov; *Dyes and Pigments*, **195**, art. 109739 (2021)
118. (D.4.) Unusual Para-Substituent Effects on the Intramolecular Hydrogen Bond in Hydrazone-Based Switches: Insights from Chemical Landscape Analysis and DFT Calculations. V.Paskaleva, S.Dobrev, N.Kochev, S.Angelova & L.Antonov; *Physchem*, **1**, 189–201 (2021)
119. (C.121.) Acid Dissociation Constants of the Benzimidazole Unit in the Polybenzimidazole Chain: Configuration Effects. L.Antonov, S.Kawauchi & K.Shirata; *Molecules*, **27**, art. 1064 (2022)
120. (C.122.) Benzothiazol picolin/isonicotinamides molecular switches: Expectations and reality. A.Georgiev, V.Deneva, D.Yordanov, T.Völzer, S.Wolter, F.Fennel, S.Lochbrunner & L.Antonov; *Journal of Molecular Liquids*, **356**, art. 118968 (2022)
121. (C.123.) Solvent-Triggered Long-Range Proton Transport in 7-Hydroxyquinoline Using a Sulfonamide Transporter Group. K.Nakashima, A.Georgiev, D.Yordanov, Y.Matsushima, S. Hirashima, T.Miura & L.Antonov; *Journal of Organic Chemistry*, **87**, 6794–6806 (2022)
122. (C.124.) Exploring the Chemical Composition of Bulgarian Lavender Absolute (*Lavandula angustifolia* Mill.) by GC/MS and GC-FID. D.Nedeltcheva-Antonova, K.Gechovska, S.Bozhanov & L.Antonov; *Plants*, **11**, art. 3150 (2022)
123. (C.125.) Long-Range Proton Transfer in 7-Hydroxy-Quinoline-Based Azomethine Dyes: A Hidden Reason for the Low Efficiency. M.F.Rode, D.Nedeltcheva-Antonova & L.Antonov; *Molecules*, **27**, art. 8225 (2022)
124. (C.127.) Favipiravir—Tautomeric and Complexation Properties in Solution. V.Deneva, S.Slavova, A.Kumanova, N.Vassilev, D.Nedeltcheva-Antonova & L.Antonov; *Pharmaceuticals*, **16**, art. 45 (2023)
125. (C.128.) Neurotensin(8–13) analogs as dual NTS1 and NTS2 receptor ligands with enhanced effects on a mouse model of Parkinson's disease. T.Kühl, M.G.Georgieva, H.Hübner, M.Lazarova, M.Vogel, B.Haas, M.I.Peeva, A.A.Balacheva, I.P.Bogdanov, L.Milella, M.Ponticelli, T.Garev, I.Faraone, R.Detcheva, B.Minchev, P.Petkova-Kirova, L.Tancheva, R.Kalfin, A.G.Atanasov, L.Antonov, T.I.Pajpanova, K.Kirilov, M.Gastreich, P.Gmeiner, D.Imhof & N.T.Tzvetkov; *European Journal of Medicinal Chemistry*, **254**, art. 115386 (2023)
126. (B.5.) Effects and Influence of External Electric Fields on the Equilibrium Properties of Tautomeric Molecules. I.Angelov, L.Zaharieva & L.Antonov; *Molecules*, **28**, art. 695 (2023)
127. (C.129.) Favipiravir vs. Deferiprone: Tautomeric, photophysical, in vitro biological studies, and binding interactions with SARS-Cov-2-MPro/ACE2. N.T.Tzvetkov, M.I.Peeva, M.G.Georgieva, V.Deneva, A.A.Balacheva, I.P.Bogdanov, M.Ponticelli, L.Milella, K.Kirilov, M.Matin, H.-G.Stammler, A.G.Atanasov & L.Antonov; *Current Research in Biotechnology*, **7**, art. 100176 (2024)
128. (C.130.) Theoretical understanding of the long-range proton transfer mechanism in 7-hydroxy quinoline-based molecular switches: Varma's proton crane and its

- analogues. S.Slavova & L.Antonov; *Journal of Physical Chemistry A*, **128**, 1280-1287 (2024)
129. (C.131.) Azaindolizine proton cranes attached to 7-hydroxyquinoline and 3-hydroxypyridine: a comparative theoretical study. S.Slavova & L.Antonov; *Physical Chemistry Chemical Physics*, **26**, 7177-7189 (2024)
 130. (C.132.) Reversible Switching Based on Truly Intramolecular Long-Range Proton Transfer - Turning the Theoretical Concept into Experimental Reality. C.Rehagen, M.A.A.Cordero, F.S.Kamounah, V.Deneva, I.Angelov, M.Krupp, S.W.Svenningsen, M.Pittelkow, S.Lochbrunner & L.Antonov; *Journal of The American Chemical Society*, **146**, 2043–2053 (2024)
 131. (C.133.) A correction of the neglected tautomerism in the spectra prediction of o-methoxyaniline terminated monoazonaphthols: DFT and ¹⁵N NMR study. L.Antonov & A.Lycka; *Journal of Molecular Liquids*, 406, art. 125134 (2024)
 132. (D.5) Ground-State Tautomerism and Excited-State Proton Transfer in 7-Hydroxy-4-methyl-8-((phenylimino)methyl)-2H-chromen-2-one as a Potential Proton Crane. D.Nedeltcheva & L.Antonov; *Physchem*, **4**, 91-105 (2024)