

Проф. дн Виолета Борисова Великова
Конкурс за член-кореспонденти на БАН

СПИСЪК НА ЗАБЕЛЯЗАНИТЕ ЦИТАТИ ПО НАУЧНИТЕ ТРУДОВЕ

Общ брой цитати към 18.05. 2024	9206
от тях:	
в обзори статии	348
в книги	416
в чуждестранни издания	9166
в български издания	40
в чуждестранни дисертации	245
в български дисертации	5

h-индекс – 32

32-те статии с повече от 32 цитата			
№ статия – бр. цитати	№ статия – бр. цитати	№ статия – бр. цитати	№ статия – бр. цитати
№ 16 - 3885	№ 45 - 121	№ 75 - 71	№ 24 - 47
№ 21 - 1033	№ 29 - 105	№ 19 - 68	№ 55 - 46
№ 18 - 742	№ 57 - 96	№ 30 - 67	№ 40 - 43
№ 114 - 327	№ 62 - 89	№ 49 - 60	№ 13 - 42
№ 119 - 319	№ 25- 85	№ 41 - 51	№ 8 - 42
№ 27 - 214	№ 44 - 83	№ 38 - 51	№ 120 - 38
№ 39 - 207	№ 20 - 74	№ 52 - 50	№ 54 - 36
№ 32 - 142	№ 47 - 74	№ 43 - 49	№ 17 - 35

- **(WoS/Scopus)** след съответния цитат означава че цитиращата публикация се реферира във Web of Science или в Scopus

Виолета Борисова Великова - “Влияние на изкуствен киселинен дъжд върху функционалната активност на фотосинтетичния апарат и възможности за преодоляване на неблагоприятното му въздействие с помощта на полиамини”. Докт. Дисертация, 1998 год.

1. Десислава Тодорова – Естествено стареене при *Arabidopsis thaliana* L. Heynh., Докт. дисертация, 2002

Иванова А, В Великова - Биоиндикация на стрес при *B. pendula* Roth. в условията на антропогенно замърсяване на София. Физиология на растенията XVI 3: 76-82. 1990

2. Fuksman IL, Shulyakovskaya TA, Kanyuchkova GK - The effects of heavy metals on scotch pine seedlings. *Russian Journal of Ecology* 29 (4): 241-244, 1998 (WoS/Scopus)
3. Marakaev OA, Smirnova NS, Zagoskina NV - Technogenic stress and its effect on deciduous trees (an example from parks in Yaroslavl). *Russian Journal of Ecology* 37 (6): 373-377, 2006 (WoS/Scopus)

Todorov D, Alexieva V, Karanov E, Velichkov D, Velikova V - Effect of certain dicarboxylic acid monoesters on growth, chlorophyll content, chlorophyllase and peroxidase activities, and gas-exchange of young maize plants. *Journal of Plant Growth Regulation* 11, 233-238, 1992

4. Drazkiewicz M - Chlorophyll - occurrence, functions, mechanism of action, effects of external and internal factors. *Photosynthetica* 30 (3): 321-331, 1994 (WoS/Scopus)
5. Devi SR, Pellissier F, Prasad MNV - Allelochemicals. In: *Plant Ecophysiology* (MNV Prasad, ed). ISBN 0-471-13157-1 John Wiley & Sons, Ins. 1997, pp. 253-304 (book)
6. Genkov T, Tsoneva P, Ivanova I - Effect of cytokinins on photosynthetic pigments and chlorophyllase activity in *in vitro* cultures of axillary buds of *Dianthus caryophyllus* L. *Journal of Plant Growth Regulation* 16: 169-172, 1997 (WoS/Scopus)
7. Тодор Николаев Генков - Влияние на аденинови и фенилкарбамидни цитокинини върху микроклоналното размножаване на *Dianthus caryophyllus* L. (Докт. дисертация, 1998)
8. Hegedüs A, Erdei S, Barnabás B, Horváth G - Does aluminium - stress impair the photosynthetic activity in wheat? In: *Proc. of the XIth International Congress on Photosynthesis*, Budapest, Hungary, August 17-22, 1998, (G. Garab, ed), Kluwer Academic publishers, 2701-2704, 1998 (book)
9. Flors V, Miralles C, Cerezo M, Gonzalez-Bosch C, Garcia-Agustin P - Effect of a novel chemical mixture on senescence processes and plant-fungus interaction in solanaceae plants. *Journal of Agricultural and Food Chemistry* 49 (5): 2569-2575, 2001 (WoS/Scopus)
10. Flors V, Miralles C, Gonzalez-Bosch C, Carda M, Garcia-Agustin P - Three novel synthetic amides of adipic acid protect *Capsicum annuum* plants against the necrotrophic pathogen *Alternaria solani*. *Physiological and Molecular Plant Pathology* 63 (3): 151-158, 2003 (WoS/Scopus)
11. Flors V, Miralles MC, Gonzalez-Bosch C, Carda M, Garcia-Agustin P - Induction of protection against the necrotrophic pathogens *Phytophthora citrophthora* and *Alternaria solani* in *Lycopersicon esculentum* Mill. by a novel synthetic glycoside combined with amines. *Planta* 216 (6): 929-938, 2003 (WoS/Scopus)
12. Wang TW, Lu L, Zhang CG, Taylor C, Thompson JE - Pleiotropic effects of suppressing deoxyhypusine synthase expression in *Arabidopsis thaliana*. *Plant Molecular Biology* 52(6): 1223-1235, 2003 (WoS/Scopus)
13. Flors V, Miralles MC, Varas E, Company P, Gonzalez-Bosch C, Garcia-Agustin P - Effect of analogues of plant growth regulators on *in vitro* growth of eukaryotic plant pathogens. *Plant Pathology* 53 (1): 58-64, 2004 (WoS/Scopus)
14. Gopi R, Sridharan R, Somasundaram R, Alagu lakshmanan GM, Panneerselvam R - Growth and photosynthetic characteristics as affected by triazoles in *Amorphophallus campanulatus*. *Gen Appl Plant Physiology* 31 (3-4): 171-180, 2005
15. Gopi R, Jaleel C.A., Azooz M.M., Panneerselvam R. - Photosynthetic Alterations in *Amorphophallus campanulatus* with Triazoles Drenching. *Global Journal of Molecular Sciences* 4 (1): 15-18, 2009
16. Babu TM, Reddy AS, Basha PA, Naik ST. Transpiration and photosynthesis as affected by triazoles in mulberry (*Morus alba* L.). *Indian Journal of Advances in Chemical Science* 2 (4), 271-274, 2014
17. Iqbal M, Iqbal R, Bilal M, Akram M, Baloch IB, Baloch MK. Antimicrobial activities of monoesters of succinic acid. *Asian Journal of Chemistry* 26(23): 8025-8028 2014. <https://doi.org/10.14233/ajchem.2014.16959>. (WoS/Scopus)
18. Iqbal, M; Baloch, IB; Baloch, MK - Evaluation of antifungal and antibacterial activities of monoesters of succinic anhydride. *Bulletin of the chemical society of ethiopia* 28 (1), 131-136, 2014 (WoS/Scopus)
19. Soto Urano ÁH. La citocinina BAP en la producción, senescencia y degradación *in vitro* de *Lolium perenne* L. **Thesis**. Institución de Enseñanza e Investigación en Ciencias Agrícolas, Montecillo, Texcoco, Estado de México. 2014.
20. Lu Y, Li X, Wang W, Li S, Zhang Y. Xuan L, Tian P. Impacts of itaconic acid on the physiological traits of crop seedlings. *Zemdirbyste-Agriculture* 108(2), 171-124, 2021. http://www.zemdirbyste-agriculture.lt/wp-content/uploads/2021/05/108_2_str15.pdf. (WoS/Scopus)
21. Gutiérrez-Gamboa G, Guerrero-Méndez M, Araya-Alman M, Verdugo-Vásquez N, Valdés-Gómez H, Acevedo-Opazo C. Sunscreen based on dicarboxylic acid salts applications to blueberries (*Vaccinium corymbosum* L.) plants: Effects on water stress tolerance and productivity. *Horticulturae* 8(2): 95, 2022. <https://doi.org/10.3390/horticulturae8020095>. (WoS/Scopus)

Angelov M, Tsonev T, Dobrinova K, Velikova V, Stoyanova T - Changes in some photosynthetic parameters in pea plants after treatment with cobalt. *Photosynthetica* 28 (2): 289-295, 1993

22. Nagoor S, Vyas AV - Physiological and biochemical responses of cereal seedlings to graded levels of heavy metals. III. Effects of copper on protein metabolism in wheat seedlings. *Journal of Environmental Biology*, 20 (2): 125-129, 1999 (WoS/Scopus)
23. Romanowska E - Charrep10. Gas exchange functions in heavy metal stressed plants, pp. 257-286, In: M.N.V. Prasad, K. Strzalka, (eds.) *Physiology and Biochemistry of Metal Toxicity and Tolerance in Plants*. Kluwer Academic Publishers, Dodrecht, The Netherlands, 2002 (book)
24. Joshi MK, Mohanty P - Heavy Metal Ion Toxicity in Plants. In: *Chlorophyll a Fluorescence: A Signature of Photosynthesis* (p. 652 e citata, Chapter 25), (Papageorgiou GC and Govindjee, eds). ISBN 1-4020-3217-X (HB) Springer, P.O. Box 17,3300 AA Dordrecht, The Netherlands, 2004 (book)

25. Rancelis V, Cesniene T, Zvingila D, Barysas D, Balciuniene L, Dapkuniene S - Polymorphism of response to cobalt excess in individual *Vicia faba* plants. *Environmental and Experimental Botany* 55 (3): 221-234, **2006 (WoS/Scopus)**
26. Gad N, Kandil H - The influence of cobalt on sugar beet (*Beta vulgaris* L.) production. *International Journal of Academic Research* 1 (2), 52-58, **2009**
27. Gad N, Ismail AE - Suppressive effect of cobalt on sugar beet infested with meloidogyne arenaria grown in newly reclaimed sand soils and its role in sugar beet production and quality. *Journal of Applied Sciences Research* 7(11): 1583-1590, **2011 (WoS/Scopus)**
28. Gad N, El-Moez A, Kandil H - Barley response to salt stress at varied levels of cobalt I. Growth and mineral composition. *Journal of Applied Sciences Research* 7 (11): 1454-1459, **2011 (WoS/Scopus)**
29. Gad N, El-Moez A, Kandil H - Barley response to salt stress at varied levels of cobalt II. Some physiological and chemical characteristics. *Journal of Applied Sciences Research* 7 (11): 1447-1453, **2011 (WoS/Scopus)**
30. Gad N, Kandil H - Maximizing the tolerance of wheat plants to soil salinity using cobalt. 1- Growth and mineral composition. *Journal of Applied Sciences Research* 7 (11): 1569-1574, **2011 (WoS/Scopus)**
31. Gad N, Kandil H - Maximizing the tolerance of wheat plants to soil salinity using cobalt. 2- Some physiological and chemical characteristics. *Journal of Applied Sciences Research* 7 (11): 1551-1557, **2011 (WoS/Scopus)**
32. Gad N, H Kandil - Influence of cobalt nutrition on coriander (*Coriandrum sativum* L.) Herbs yield quantity and quality. *Journal of Applied Sciences Research* 8 (10): 5184-5189, **2012 (WoS/Scopus)**
33. Saied K.M. Abd El-Naby, Gad N. - Effect of cobalt as postharvest treatment on fruit quality of fresh zaghoul and samani dates, *World Applied Sciences Journal* 31 (7), 1321-1332, **2014**
34. Gad N, El-Metwally IM. Chemical and physiological response of maize to salinity using cobalt supplement, *International Journal of ChemTech Research*, 8, 10, 45-52, **2015**
35. Emam HE, Ali EAM, Al-Ansary AMF, Nadia Gad, Abdel-Hameed M, Rizkalla AA. Improving salt stress tolerance of pineapple cv. Queen using cobalt in vitro. *Annual Research & Review in Biology* 22(3): 1-12, **2018**; Article no.ARRB.38621. <https://DOI.org/10.9734/ARRB/2018/38621>. **(WoS/Scopus)**
36. Gad N, Abdel-Moez MR, Ali MF, Abou-Hussein SD. Increasing salt tolerance in cucumber by using cobalt. *Middle East Journal of Applied Sciences* 8(2): 345-54, **2018**.
37. Ширвани ТС, Самедова АД, Аннагиева МА, Бабаева ГХ, Рустамова НМ. Влияние кобальта на ростовые параметры и водный статус растений тыквы в условиях засоления. Новые и нетрадиционные растения и перспективы их использования 13, 218-222, **2018** https://elibrary.ru/query_results.asp
38. Gad N, Abdel-Moez MR, Fekry Ali ME. Maximization of drought tolerance of bean plants using cobalt supplementation. *Plant Archives* 19(2): 2282-2287, **2019**. <http://www.plantarchives.org/specialissue.html>. **(WoS/Scopus)**
39. Gad N, El-Mettwally IM, Solieman NY. Response of faba bean (*Vicia faba* L.) productivity to cobalt. *Journal of Positive School Psychology* 6(2), 6261-6271. **2022**. <https://journalppw.com/index.php/jpsp/article/view/7056/4607>. **(WoS/Scopus)**
40. Gad N, Solieman NY. Influenced of cobalt on lentil (*Lens culinari*) productivity. *Journal of Positive School Psychology* 6(2), 6250-6260, **2022**. <https://journalppw.com/index.php/jpsp/article/view/7055/4606>.

[Uzunova A, Velikova V - Influence of Cu²⁺ on the photosynthesis and the structure of photo-synthetic apparatus in pea \(*Pisum sativum*, var. Ran\). *Compt. rend. Acad. bulg. Sci.* 48 \(5\): 107-110, **1995**](#)

41. Pasichnaya Ye A - Toxicity of copper for hydrophytes: Accumulation, effects on photosynthesis, respiration and pigment system ([a review](#)). *Hydrobiological Journal* 38 (4): 103-118, **2002 (WoS/Scopus)**

[Yordanov I, Georgieva K, Tsonev T, Velikova V - Effect of cold hardening on some photosynthetic characteristics of pea plants. *Bulgarian Journal of Plant Physiology* 22 \(1-2\): 13-21, **1996**](#)

42. Biarnes V - Ch.10, Interactions genotype x milieu pour le rendement et la teneur en protéines, pp. 245-277, In: (Eds. : Nathalie Munier-Jolain, Benoît Carrouée). *Agrophysiologie du pois protéagineux*, pp. 284, **2005**
43. Maqbool A, Shafiq S, Lake L - Radiant frost tolerance in pulse crops - [a review](#). *Euphytica* 172 (1): 1-12, **2010 (WoS/Scopus)**
44. Mikić A, Mihailović V, Čupina B, Dordević V, Milić D, Duc G, Stoddard FL, Lejeune-Hénaut I, Marget P, Hanocq E - Achievements in breeding autumn-sown annual legumes for temperate regions with emphasis on the continental Balkans. *Euphytica* 180 (1): 57-67, **2011 (WoS/Scopus)**
45. Humplík JF, Lazár D, Fürst T, Husíčková A, Hýbl M, Spíchal L. Automated integrative high-throughput phenotyping of plant shoots: a case study of the cold-tolerance of pea (*Pisum sativum* L.), *Plant Methods*, 11, 20, 1-11, **2015 (WoS/Scopus)**

[Velikova V, Yordanov I - Changes in prompt chlorophyll fluorescence and oxygen evolution after bean plant treatment by artificial acid rain. *Bulgarian Journal of Plant Physiology* 22 \(3-4\): 14-24, **1996**](#)

46. Polishchuk OV, Vodka MV, Belyavskaya N, Khomochkin AP, Zolotareva EK - The effect of acid rain on ultrastructure and functional parameters of photosynthetic apparatus in pea leaves. *Cell and Tissue Biology* 10 (3): 250-257, **2016**, <https://DOI.org/10.1134/S1990519X16030093> **(WoS/Scopus)**

47. Полищук ОВ, Водка МВ, Белявская НА, Хомочкин АП, Золотарева ЕК. Влияние кислотных дождей на ультраструктуру и функциональные характеристики фотосинтетического аппарата листьев гороха, *Цитология*, 58, 1, 52-59, **2016**

[Yordanov I, Tsonev T, Georgieva K, Merakchiiska-Nikolova M, Velikova V, Kruleva L - Influence of carbamide cytokinin 4-PU30 on the photosynthesis of bean plants endured midl high temperature stress. *Compt. rend. Acad. bulg. Sci.* 50 \(5\): 99-102, 1997](#)

48. Аймен Котб Метуали – Ефект на растежните регулатори ВАР и 4-PU30 върху фотосинтетичната дейност на *Phaseolus vulgaris* L. при засушаване (*Докт. Дисертация*) **1997**

49. Shishanu GV, Titova NV – Peach trees response to cytokinin action. In: *Abstracts of 12th FESPP Congress*, 21-25 August 2000. *Plant Physiology and Biochemistry* 38-Suppl., p.260, **2000**

[Yordanov I, Tsonev T, Goltsev V, Kruleva L, Velikova V - Interactive effect of water deficit and high temperature on photosynthesis in sunflower and maize plants. 1. Changes in the parameters of chlorophyll fluorescence induction kinetics and fluorescence quenching. *Photosynthetica* 33\(3-4\): 391-402, 1997](#)

50. Serret MD, Trillas MI, Araus JL - The effect of in vitro culture conditions on the pattern of photoinhibition during acclimation of gardenia plantlets to ex vitro conditions. *Photosynthetica* 39 (1): 67-73, **2001 (WoS/Scopus)**

51. Serret MD, Trillas MI, Matas J, Araus JL - The effect of photoautotrophy on photosynthesis and photoinhibition of gardenia plantlets during micropropagation. *Photosynthetica* 39 (2): 245-255, **2001 (WoS/Scopus)**

52. Huang B, Jiang Y – Physiological and biochemical responses of plants to drought and heat stress. In: *Crop Improvement: Challenges in the Twenty-First Century*. (Manjit S. Kang, ed). ISBN 1-56022-904-7 Food Products Press NY **2002**, p. 287-314 (**book**)

53. Atteya AM - Alteration of water relations and yield of corn genotypes in response to drought stress. *Bulg J Plant Physiol* 29(1-2): 63–76, **2003**

54. Ribeiro RV, Machado EC, Oliveira RF, Pimentel C - High temperature effects on the response of photosynthesis to light in sweet orange plants infected with *Xylella fastidiosa*. *Braslian Journal of Plant Physiology* 15(2):89-97, **2003**

55. Ламбрев ПХ - Приложение на бързата и забавената хлорофилна флуоресценция за анализ действието на фотосинтетични хербициди в интактни листа и тилакоидни мембрани от грах. Дис. Софийски Университет, **2004**, София. (**Дисертация**)

56. Dimitrova I, Petkova V, Antonova G, Yankova V, Masheva S, Neykov S - Investigation on *Brassica oleracea* L. genotypes in view of breeding for pest and disease resistance. I. Anatomical and physiological studies on *Brassica oleracea* var. *Capitata* L., *Proceedings of the Balkan Scientific Conference of Biology* in Plovdiv (Bulgaria) From 19th till 21st of May 2005 (Eds B. Gruev, M. Nikolova and A. Donev), 266–276, **2005**

57. Souza GM, Ribeiro RV, de Oliveira RF, Machado EC - Network connectance and autonomy analyses of the photosynthetic apparatus in tropical tree species from different successional groups under contrasting irradiance conditions. *Revista Brasil. Bot.* 28(1), 47-59, **2005**

58. Hassan IA - Effects of water stress and high temperature on gas exchange and chlorophyll fluorescence in *Triticum aestivum* L. *Photosynthetica* 44 (2): 312-315, **2006 (WoS/Scopus)**

59. Ranjbar A - Using chlorophyll fluorescence to study photosynthetic activities in sweet almond (*Prunus dulcis* Mill.) in response to salinity stress. *Acta Horticulturae* 726, 343-349, **2006 (WoS/Scopus)**

60. Ranjbarfordoei A, Samson R, Van Damme P - Chlorophyll fluorescence performance of sweet almond [*Prunus dulcis* (Miller) D. Webb] in response to salinity stress induced by NaCl. *Photosynthetica* 44 (4): 513-522, **2006 (WoS/Scopus)**

61. Ferreira LCS, Bressan-Smith R, Elias TF, Silva FF, Viana LH, Oliveira JG - Short-term responses of photosynthetic membrane lipids and photochemical efficiency in plants of *Phaseolus vulgaris* and *Vigna unguiculata* submitted to high irradiance. *Photosynthetica* 45 (1): 23-29, **2007 (WoS/Scopus)**

62. Hura T, Grzesiak S, Hura K, Thiemt E, Tokarz K, Wędzony M - Physiological and biochemical tools useful in drought-tolerance detection in genotypes of winter triticale: accumulation of ferulic acid correlates with drought tolerance. *Annals of Botany* 100(4): 767-775, **2007 (WoS/Scopus)**

63. Hura T, Hura K, Grzesiak M, Rzepka A - Effect of long-term drought stress on leaf gas exchange and fluorescence parameters in C3 and C4 plants. *Acta Physiologiae Plantarum* 29 (2): 103-113, **2007 (WoS/Scopus)**

64. Ierna A - Characterization of potato genotypes by during plant aging in a Mediterranean chlorophyll fluorescence environment. *Photosynthetica* 45 (4): 568-575, **2007 (WoS/Scopus)**

65. Petkova V, Denev ID, Cholakov D; Porjazov I - Field screening for heat tolerant common bean cultivars (*Phaseolus vulgaris* L.) by measuring of chlorophyll fluorescence induction parameters. *Scientia Horticulturae* 111 (2): 101-106, **2007 (WoS/Scopus)**

66. Berova M, Stoeva N, Zlatev Z, Ganeva D - Physiological response of some tomato genotypes (*Lycopersicon esculentum* L.) to high temperature stress. *Journal of Central European Agriculture* 9 (4): 723-732, **2008**

67. Chagas RM, Silveira JAG, Ribeiro RV, Vitorello VA, Carrer H - Photochemical damage and comparative performance of superoxide dismutase and ascorbate peroxidase in sugarcane leaves exposed to paraquat-induced oxidative stress. *Pesticide Biochemistry and Physiology* 90 (3): 181-188, **2008 (WoS/Scopus)**
68. Ribeiro RV, Santos MG, Machado EC, Oliveira RF - Photochemical heat-shock response in common bean leaves as affected by previous water deficit. *Russian Journal of Plant Physiology* 55 (3): 350-358, **2008 (WoS/Scopus)**
69. Петкова В, Николова В, Топалова Е, Стоева В – Влияние на високата температура върху ефективността на фотосинтетичния апарат и жизнеността на прашеца при градински грах (*Pisum sativum* L.). Параметри на хлорофилната флуоресценция при различни температурни режими. *Растениевъдни науки* 45: 56-60, **2008**
70. Petkova V, Nikolova V, Kalapchieva SH, Stoeva V, Topalova E, Angelova S - Physiological response and pollen viability of *Pisum sativum* genotypes under high temperature influence. *Acta Horticulturae* 830, 665-672, **2009 (WoS/Scopus)**
71. Souza BD, Rodrigues BM, Endres L, Santos MG - Ecophysiology parameters of four Brazilian Atlantic Forest species under shade and drought stress. *Acta Physiol Plant* 32: 729-737, **2010 (WoS/Scopus)**
72. Roseli ANM, Ying TFUI, Ramlan MF - Morphological and physiological response of *Syzygium myrtifolium* (Roxb.) Walp. to Paclobutrazol. *Sains Malaysiana* 41(10):1187-1192, **2012**
73. Парахин НВ, Петрова СН – Фотофизические реакции листьев люпина узколистного при формировании растительно-микробных симбиозов. Научно – производственный журнал „Зернобобовые и крупяные культуры” 1:15-19, **2012**
74. Abdrabbo MA, Hashem FA, Elsayed ML, Farag AA, Abul-Soud MA, Hamada MM, Refaie KM - Evaluation of CSM-Ceres-Maize model for simulating maize production in Northern Delta of Egypt. *Life Science Journal*. 10 (4): 3179-3192, **2013**
75. Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG - Photosynthesis in Nature: A New Look, In: *Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments* (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione), pp 561-686, **2013 (book)**
76. Jagadish KSV, Kadam NN, Xiao G, Melgar RJ, Bahuguna RN, Quinones C, Tamilselvan A, Prasad PVV. Agronomic and physiological responses to high temperature, drought, and elevated CO₂ interactions in cereals. *Advances in Agronomy* 127, 111-156, **2014 (WoS/Scopus)**
77. Khayyat M, Tehranifar A, Davarynejad GH, Sayyari-Zahan MH - Vegetative growth, compatible solute accumulation, ion partitioning and chlorophyll fluorescence of ‘Malas-e-Saveh’ and ‘Shishe-Kab’ pomegranates in response to salinity stress. *Photosynthetica* 52, 301-312, **2014** <http://dx.doi.org/10.1007/s11099-014-0034-9> **(WoS/Scopus)**
78. Chowdhury JA, Karim MA, Khaliq QA, Solaiman ARM, Ahmed JU. Genotypic variations in growth, yield and yield components of soybean genotypes under drought stress conditions, *Bangladesh J. Agril. Res.* 40, 4, 537-550, **2015**
79. Hassan IA, Abou Zeid HM, Taia W, Haiba NS, Zahran A, Badr RH, El Dakak RA, Shalaby EA. Fertilization regimes under hot conditions alter photosynthetic response of bean plants. *Photosynthetica*. 53 (1), 157-160, **2015 (WoS/Scopus)**
80. Ribeiro RV, dos Santos MG, Pimentel C, Machado EC, de Oliveira RF. Can the critical temperature for photochemical damage in common bean plants be changed after a drought event? *Bragantia* 74(4):374-368, **2015**. <http://dx.doi.org/10.1590/1678-4499.0141>, **(WoS/Scopus)**
81. Головина ЕВ, Зотиков ВИ, Гришечкин ВВ. Водный режим сортов сои северного экотипа и продуктивность. Научно–производственный журнал «Зерно бобовые и крупяные культуры», 2 (14), 37-42, **2015**
82. Arroyo-Herrera A, Figueroa-Yáñez L, Castaño E, Santamaría J, Pereira-Santana A, Espadas-Alcocer J, Sánchez-Teyer F, Espadas-Gil F, David Alcaraz L, López-Gómez R, Sánchez-Calderón L, Carlos Rodríguez-Zapata L. A novel Dreb2-type gene from *Carica papaya* confers tolerance under abiotic stress, *Plant Cell, Tissue and Organ Culture* 125, 119-133, **2016 (WoS/Scopus)**
83. Кодун-Иванова МА. Показатели водного стресса микрклонально размноженных растений осины *Populus tremula* при их выращивании в условиях ex vitro, *Труды БГТУ*, сер.1, No 2, 146–155, **2017**
84. Aucique-Perez CE, Daza ES, Ávila-Diazgranados RA, Romero HM. Chlorophyll a fluorescence and leaf temperature are early indicators of oil palm diseases. *Scientia Agricola* 77(2), e20180106, **2020**. DOI: <http://dx.doi.org/10.1590/1678-992X-2018-0106>, **(WoS/Scopus)**
85. Головина ЕВ. Исследование засухоустойчивости и водного обмена сортов сои северного экотипа. *Зернобобовые и крупяные культуры* 1(33): 45-48, **2020**. <https://cyberleninka.ru/article/n/issledovanie-zasuhostoychivosti-i-vodnogo-obmena-sortov-soi-severnogo-ekotipa>
86. Rebi A, Ashfaq S, Raza A, Hafeez-U-Rehman, Nazar S, Warraich IA, Siddiq S, Arif M, Raza N, Pervez A, Ibrar M, Ahmad, Kausar R, Naz A. Effect of drought on morpho-physiological responses of plant and select the best cultivar with maximum drought tolerance potential. *Natural Volatiles & Essential Oils* 8(5): 13445-13456, **2021**.
87. Brewer K, Clulow A, Sibanda M, Gokool S, Odindi J, Mutanga O, Naiken V, Chimonyo VGP, Mabhaudhi T. Estimation of maize foliar temperature and stomatal conductance as indicators of water stress based on optical and thermal imagery acquired using an unmanned aerial vehicle (UAV) platform. *Drones* 6, 169, **2022**. <https://doi.org/10.3390/drones6070169>. **(WoS/Scopus)**
88. Oliveira GC, Broetto SG, Pereira OJ, da Silva Penha J, Lopes NGM, Silva DM. Effects of different levels of

metal exposure and precipitation regimes on chlorophyll a fluorescence parameters in a coastal Brazilian restinga species. *Journal of Photochemistry and Photobiology* v. 12, art. 100153, **2022**. <https://doi.org/10.1016/j.jpap.2022.100153>. (WoS/Scopus)

89. Suárez JC, Vanegas JI, Contreras AT, Anzola JA, Urban MO, Beebe SE, Rao IM. Chlorophyll fluorescence imaging as a tool for evaluating disease resistance of common bean lines in the Western Amazon Region of Colombia. *Plants* 11(10):1371, **2022**. <https://doi.org/10.3390/plants11101371>. (WoS/Scopus)

90. Suárez JC, Vanegas JI, Anzola JA, Contreras AT, Urban MO, Beebe SE, Rao IM. Impact of Web Blight on photosynthetic performance of an elite common bean line in the Western Amazon Region of Colombia. *Plants* 11, 3238, **2022**. <https://doi.org/10.3390/plants11233238>. (WoS/Scopus)

91. Negrini A, da Silva RF, Da Ros CO, Welter PD, da Silva AP, Boeno D, Andreazza R. Copper bioconcentration and bioaccumulation in different eucalyptus species and their impact on plant physiology. *Journal of Plant Nutrition* 47(3):413-422, **2024**. <https://doi.org/10.1080/01904167.2023.2278653>. (WoS/Scopus)

Velikova V, Yordanov I, Kurteva M, Tsonev T - Effects of simulated acid rain on the photosynthetic characteristics of *Phaseolus vulgaris* L. *Photosynthetica* 34 (4): 523-535, 1997

92. Schreuder MDJ, Brewer CA - Effects of short-term, high exposure to chlorine gas on morphology and physiology of *Pinus ponderosa* and *Pseudotsuga menziesii*. *Annals of Botany* 88 (2): 187-195, **2001** (WoS/Scopus)

93. Schreuder MDJ, Brewer CA - Persistent effects of short-term, high exposure to chlorine gas on physiology and growth of *Pinus ponderosa* and *Pseudotsuga menziesii*. *Annals of Botany* 88 (2): 197-206, **2001** (WoS/Scopus)

94. Shaukat SS, Khan MA - Growth and physiological responses of tomato (*Lycopersicon esculentum* Mill.) to simulated acid rain. *Pakistan Journal of Botany* 40 (6): 2427-2435, **2008** (WoS/Scopus)

95. Choi E-Y, Moon J-H, Lee W-M, Son S-H, Lee S-G, Cho I-H - The response of antioxidant enzyme activity, growth and yield of pepper and watermelon plants to a single application of simulated acid rain. *Journal of Food, Agriculture and Environment* 8 (3-4 PART 2): 1265-1271, **2010** (WoS/Scopus)

96. Liu TW, Wu FH, Wang WH, Chen J, Li ZJ, Dong XJ, Patton J, Pei ZM, Zheng HL - Effects of calcium on seed germination, seedling growth and photosynthesis of six forest tree species under simulated acid rain. *Tree Physiology* 31 (4): 402-413, **2011** (WoS/Scopus)

97. Milton MB, Abigael TP. Effects of simulated acid rain on the morphology, phenology and yield of Okra (*Abelmoschus esculentus* (L.) Moench), *Journal of Environmental Science, Computer Science and Engineering & Technology*, Sec. A, 4, 2, 501-518, **2015**

98. Yang L, Xu Y, Zhang R, Wang X, Yang C. Comprehensive transcriptome profiling of soybean leaves in response to simulated acid rain. *Ecotoxicology and Environmental Safety* 158: 18-27, **2018**. <https://doi.org/10.1016/j.ecoenv.2018.04.015> (WoS/Scopus)

99. Ahmadi-Lahijani MJ, Goldani M, Oskoueian A, Mohammadi M, Nabati J, Nezami A, Hosseinian M. Improvement of tomato yield and salinity tolerance by decreasing the medium pH. *5th International Conference on Food Industry Science, Organic Farming, and Food Security*, Tbilisi-Georgia, **2020**. https://www.researchgate.net/publication/357876524_Improvement_of_tomato_yield_and_salinity_tolerance_by_decreasing_the_medium_pH/references#fullTextFileContent.

100. Nabati J, Ahmadi-Lahijani MJ, Goldani M, Nezami A, Oskoueian A, Hosinaiyan M, Mohammadi M. Lowering medium pH improves tolerance of tomato (*Lycopersicon esculentum*) plants to long-term salinity exposure. *Journal of Plant Nutrition* 44(13): 1853-1868, **2021**. <https://doi.org/10.1080/01904167.2021.1884699>. (WoS/Scopus)

101. Nabati J, Ahmadi-Lahijani MJ, Oskoueian A, Nemati Z. Acidic medium pH mitigates the effects of long-term salinity on the physiology, biochemistry, and productivity of tomato (*Solanum lycopersicum* L.) plants. *Journal of Soil Science and Plant Nutrition* 23, 5909-5920, **2023**. <https://doi.org/10.1007/s42729-023-01449-3>. (WoS/Scopus)

102. Sharma P, Lakra N, Ahlawat Y, Zaid A, Abd-ElGawad AM, Elansary HO, Gupta A. Putrescine mitigates high temperature effects by modulating morpho-physiological and biochemical attributes in *Brassica juncea* seedlings. *Agronomy* 13(7):1879, **2023**. <https://doi.org/10.3390/agronomy13071879>. (WoS/Scopus)

Stoyanova D, Velikova V - Effects of simulated acid rain on chloroplast ultrastructure of primary leaves of *Phaseolus vulgaris* L. *Biologia plantarum* 40 (4): 589-595, 1998

103. Fontes MA, Otoni WC, Carolino SMB, Brommonschenkel SH, Fontes EPB, Fári M, Louro RP - Hyperhydricity in pepper plants regenerated *in vitro*: Involvement of BiP (Binding Protein) and ultrastructural aspects. *Plant Cell Reports* 19 (1): 81-87, **1999**

104. Gabara B, Sklodowska M, Wyrwicka A, Glinska S, Gapinska M - Changes in the ultrastructure of chloroplasts and mitochondria and antioxidant enzyme activity in *Lycopersicon esculentum* Mill. leaves sprayed with acid rain. *Plant Science* 164 (4): 507-516, **2003** (WoS/Scopus)

105. Christodoulakis NS, Nikolakaki A, Menti J - The effect of simulated acid rain on the leaf structure of *Laurus nobilis* L., an injury resistant species. *Journal of Biological Research* 2: 43-49, **2004** (WoS/Scopus)

106. Inada H, Nagao M, Fujikawa S, Arakawa K - Influence of simulated acid snow stress on leaf tissue of wintering herbaceous plants. *Plant and Cell Physiology* 47 (4), 504-512, **2006** (WoS/Scopus)

107. Wyrwicka A, Skłodowska M - Influence of repeated acid rain treatment on antioxidative enzyme activities and on lipid peroxidation in cucumber leaves. *Environmental and Experimental Botany* 56 (2), 198-204, **2006 (WoS/Scopus)**
 108. Dolatabadian A, Sanavy SAMM, Gholamhoseini M, Joghian AK, Majdi M, Kashkooli AB. The role of calcium in improving photosynthesis and related physiological and biochemical attributes of spring wheat subjected to simulated acid rain. *Physiology and Molecular Biology of Plants* 19 (2), 189-198, **2013 (WoS/Scopus)**
 109. Wyrwicka A, Skłodowska M. Intercompartmental differences between cytosol and mitochondria in their respective antioxidative responses and lipid peroxidation levels in acid rain stress. *Acta Physiologiae Plantarum* 36 (4), 837-848, **2014 (WoS/Scopus)**
 110. Odiyi BO, Eniola AO. The effect of simulated acid rain on plant growth component of cowpea (*Vigna unguiculata*) L. walps, *Jordan Journal of Biological Sciences*, 8, 1, 51-54, **2015 (WoS/Scopus)**
 111. Polishchuk OV, Vodka MV, Belyavskaya N, Khomochkin AP, Zolotareva EK - The effect of acid rain on ultrastructure and functional parameters of photosynthetic apparatus in pea leaves. *Cell and Tissue Biology* 10 (3): 250-257, **2016**, <https://doi.org/10.1134/S1990519X16030093> **(WoS/Scopus)**
 112. Полищук ОВ, Водка МВ, Белявская НА, Хомочкин АП, Золотарева ЕК. Влияние кислотных дождей на ультраструктуру и функциональные характеристики фотосинтетического аппарата листьев гороха, *Цитология*, 58, 1, 52-59, **2016**
 113. Ju S, Wang L, Zhang C, Yin T, Shao S - Alleviatory effects of silicon on the foliar micromorphology and anatomy of rice (*Oryza sativa* L.) seedlings under simulated acid rain. *PLoS ONE* 12(10): e0187021, **2017**, <https://doi.org/10.1371/journal.pone.0187021> **(WoS/Scopus)**
 114. Vodka MV. Chloroplasts ultrastructural changes as biomarkers of acid rain and heavy metals pollution, *Biotechnologia Acta*, 10, 3, 57-64, **2017** <https://cyberleninka.ru/article/v/chloroplasts-ultrastructural-changes-as-biomarkers-of-acid-rain-and-heavy-metals-pollution>
 115. Ren X, Zhu J, Liu H, Xu X, Liang C – Response of antioxidative system in rice (*Oryza sativa*) leaves to simulated acid rain stress. *Ecotoxicology and Environmental Safety* 148: 851-856, **2018**, <https://doi.org/10.1016/j.ecoenv.2017.11.046> **(WoS/Scopus)**
 116. Liang C. Plant Response to Acid Rain Stress. Chapter 9. In: D'Mello JPF (ed.), *A Handbook of Environmental Toxicology: Human Disorders and Ecotoxicology*, *CAB International*. pp.127-138, **2020**. https://www.researchgate.net/publication/363211690_Plant_Response_to_Acid_Rain_Stress. **[BOOK]**
- [Velikova VB, Yordanov IT, Georgieva KM, Tsonev TD, Goltsev V - Effects of exogenous polyamines applied separately and in combination with simulated acid rain on functional activity of photosynthetic apparatus. *Journal of Plant Physiology* 153: 299-307, 1998](#)**
117. Prakash G, Kumar V, Verma SP. Acid rain: An aerial naïve bombardment on ecosystems. *Journal of the Indian Botanical Society* 78 (3-4), 231-247, **1999**
 118. Василева В - Фактори определящи оптималното функциониране на симбиотичната система *Galega* sp. - *Rhizobium galegae* (**Док. Дисертация**, София), **1999**
 119. Todorov D, Alexieva V, Karanov E – Effect of some diamines on maize plants grown under drought induced by polyethylene glycol. *Compt. Rend. Acad. Bulg. Sci.* 54 (8): 61-66, **2001**
 120. Alexieva V, Ivanov S, Sergiev I, Karanov E – Interaction between stresses. *Bulg J Plant Physiol*, Special Issue 1-17, **2003 (review)**
 121. Krumov A, Nikolova A, Vassilev N, Vassilev V - Fluorescence imaging as an effective method for monitoring plant vitality in enclosed biosystems. *International Astronautical Federation - 55th International Astronautical Congress* 2004, 3: 1460-1465, **2004**
 122. Liu JH, Nada K, Honda C, Kitashiba H, Wen XP, Pang XM, Moriguchi T – Polyamine biosynthesis of apple callus under salt stress: importance of the arginine decarboxylase pathway in stress response. *Journal of Experimental Botany*, 57 (11): 2589-2599, **2006 (WoS/Scopus)**
 123. Ndayiragije A, Lutts S - Do exogenous polyamines have an impact on the response of a salt-sensitive rice cultivar to NaCl? *Journal of Plant Physiology* 163 (5): 506-516, **2006 (WoS/Scopus)**
 124. Liu J-H, Kitashiba H, Wang J, Ban Y, Moriguchi T - Polyamines and their ability to provide environmental stress tolerance to plants. *Plant Biotechnology* 24 (1): 117-126, **2007 (review) (WoS/Scopus)**
 125. Majerus V, Bertin P, Lutts S - Effects of iron toxicity on osmotic potential, osmolytes and polyamines concentrations in the African rice (*Oryza glaberrima* Steud.). *Plant Science* 173 (2): 96-105, **2007 (WoS/Scopus)**
 126. Wang S, Jia Y, Guo S, Zhou G - Effects of polyamines on K⁺, Na⁺ and Cl⁻ content and distribution in different organs of cucumber (*Cucumis sativus* L.) seedlings under NaCl stress. *Frontiers of Agriculture in China* 1 (4): 430-437, **2007**
 127. Krumov A, Nikolova A, Vassilev V, Vassilev N - Assessment of plant vitality detection through fluorescence and reflectance imagery. *Advances in Space Research* 41 (11): 1870-1875, **2008 (WoS/Scopus)**
 128. El Meskaoui A, Trembaly FM - Effects of exogenous polyamines and inhibitors of polyamine biosynthesis on endogenous free polyamine contents and the maturation of white spruce somatic embryos. *African Journal of Biotechnology* 8 (24): 6807-6816, **2009 (WoS/Scopus)**
 129. Rubinowska K, Władysław M. Influence of putrescine on leaf senescence of *Helianthus annuus* L. potted plants. *Horticulture and Landscape Architecture*, 30, 57–65, **2009**

130. Amri E, Shahsavari AR - Response of Lime seedlings (*Citrus aurantifolia* L.) to exogenous spermidine treatments under drought stress. *Australian Journal of Basic and Applied Sciences* 4 (9): 4483-4489, **2010 (WoS/Scopus)**
131. Shi J, Fu XZ, Peng T, Huang XS, Fan QJ, Liu JH - Spermine pretreatment confers dehydration tolerance of citrus *in vitro* plants via modulation of antioxidative capacity and stomatal response. *Tree Physiology* 30 (7): 914-922, **2010 (WoS/Scopus)**
132. Wang J, Liu JH, Kurosawa T, Nada K, Ban Y, Moriguchi T - Cloning, biochemical identification, and expression analysis of a gene encoding S-adenosylmethionine decarboxylase in navel orange (*Citrus sinensis* Osbeck). *Journal of Horticultural Science & Biotechnology* 85 (3): 219-226, **2010 (WoS/Scopus)**
133. Amri E, Mirzaei M, Moradi M, Zare K. The effects of spermidine and putrescine polyamines on growth of pomegranate (*Punica granatum* L. cv 'Rabbab') in salinity circumstance. *International Journal of Plant Physiology and Biochemistry* 3(3): 43-49, **2011**
134. Amri E, Mohammadi MJ - Effects of timing of drought stress on pomegranate seedlings (*Punica granatum* L. cv 'Atabaki') to exogenous spermidine and putrescine polyamines. *African Journal of Microbiology Research* 6 (25): 5294-5300, **2012**
135. Jiang WJ, Bai J, Yang XY, Yu HJ, Liu YP - Exogenous application of abscisic acid, putrescine, or 2,4-epibrassinolide at appropriate concentrations effectively alleviate damage to tomato seedlings from suboptimal temperature stress. *Horttechnology* 22 (1): 137-144, **2012 (WoS/Scopus)**
136. Hanafy Ahmed AH, Darwish E, Hamoda SAF, Alobaidy MG - Effect of putrescine and humic acid on growth, yield and chemical composition of cotton plants grown under saline soil conditions. *American-Eurasian J Agric & Environ Sci* 13(4): 479-497, **2013**
137. Lutts S, Hausman J-F, Muriel Q, Lefèvre I - Ch.12: Polyamines and their roles in the alleviation of ion toxicities in plants, In: (Eds. Ahmad Parvaiz, Azooz M.M. and Prasad, M.N.V.) *Ecophysiology and Responses of Plants under Salt Stress*, pp 315-353, Springer New York, **2013 (book)**
138. Todorova D, Katerova Z, Shopova E, Nikolova A, Georgieva N, Sergiev I, Mapelli S - Polyamine spermine protects young pea plants against ultraviolet-c radiation. *Biotechnology & Biotechnological Equipment* 27(3), 3798-3802, **2013 (WoS/Scopus)**
139. Do PT, Drechsel O, Heyer AG, Hinch DK, Zuther E - Changes in free polyamine levels, expression of polyamine biosynthesis genes, and performance of rice cultivars under salt stress: a comparison with responses to drought. *Frontiers in Plant Science* 5, Art.182, 1-16, **2014 (WoS/Scopus)**
140. Todorova D, Katerova Z, Sergiev I, Alexieva V - Polyamines - Involvement in Plant Stress Tolerance and Adaptation. In: (Anjum NA Gill SS, Gill R, eds.) *Plant Adaptation to Environmental Change: Significance of Amino Acids and Their Derivatives*, pp. 194-221, **2014**, CABI PUBLISHING-C A B INT (**book**)
141. Todorova D, Katerova Z, Alexieva V, Sergiev I. Polyamines—possibilities for application to increase plant tolerance and adaptation capacity to stress, *Genetics and Plant Physiology*, 5, 2, 123-144, **2015**
142. Joseph, E. A., Radhakrishnan, V. V., & Mohanan, K. V. (2016). Variation in total polyamine content in some native rice cultivars of North Kerala, India in response to salinity stress. *International Journal of Agriculture, Environment and Biotechnology*, 9(5), 731-738, **2016**
143. Nugraha Y, Rumanti IA. Breeding for Rice Variety Tolerant to Iron Toxicity. *Iptek Tanaman Pangan*, 12, 1, 1-16, **2017**
144. Faisal A, Ibrahim MFM, Shehata SA. Exogenous applied putrescine elevate drought tolerance of sunflower plants by modifying of some physio-biochemical parameters. *Arab Universities Journal of Agricultural Sciences* SI, 26(2A): 1239-250, **2018**. <https://doi.org/10.21608/ajs.2018.28387>.
145. Taghipour L, Rahemi M, Assar P, Ramezani A, Mirdehghan SH. Alleviating chilling injury in stored pomegranate using a single intermittent warming cycle: fatty acid and polyamine modifications. *International Journal of Food Science* Article ID 2931353, **2021**. <https://doi.org/10.1155/2021/2931353>. (**WoS/Scopus**)
146. Aboohanah MA, Salman JAA, Hnoosh LJH. Effect of spraying putrescine and humic acid spraying on chemical parameters of tomato plant *Lycopersicon esculentum*. *Scientific Papers, Series B. Horticulture LXV*(2), 137-142, **2021**. http://horticulturejournal.usamv.ro/pdf/2021/issue_2/vol2021_2.pdf.

Velikova V, Tsonev T, Yordanov I - Light- and CO₂-responses of photosynthesis and chlorophyll fluorescence characteristics in bean plants after simulated acid rain. *Physiologia Plantarum* 107: 77-83, 1999

147. Yu JQ, Ye SF, Huang LF - Effects of simulated acid precipitation on photosynthesis, chlorophyll fluorescence, and antioxidative enzymes in *Cucumis sativus* L. *Photosynthetica* 40 (3): 331-335, **2002 (WoS/Scopus)**
148. Gabara B, Sklodowska M, Wyrwicka A, Glinska S, Gapinska M - Changes in the ultrastructure of chloroplasts and mitochondria and antioxidant enzyme activity in *Lycopersicon esculentum* Mill. leaves sprayed with acid rain. *Plant Science* 164 (4): 507-516, **2003 (WoS/Scopus)**
149. Christodoulakis NS, Nikolakaki A, Menti J - The effect of simulated acid rain on the leaf structure of *Laurus nobilis* L., an injury resistant species. *Journal of Biological Research* 2: 43-49, **2004 (WoS/Scopus)**
150. Murray AM, Percival DC, Stratton GW - Impact of simulated acid rain on photochemistry, morphology, and yield of the wild blueberry (*Vaccinium angustifolium* Ait.). *Canadian Journal of Plant Science* 84 (3): 877-880, **2004 (WoS/Scopus)**
151. Zlatev Z, Lidon FC - Effects of water deficit on plant growth, water relations and photosynthesis. *Biologia Vegetal E Agro-industrial* 2: 235-252, **2005 (review)**

152. Inada H, Nagao M, Fujikawa S, Arakawa K - Influence of simulated acid snow stress on leaf tissue of wintering herbaceous plants. *Plant and Cell Physiology* 47 (4): 504-512, **2006 (WoS/Scopus)**
153. Wyrwicka A, Sklodowska M - Influence of repeated acid rain treatment on antioxidative enzyme activities and on lipid peroxidation in cucumber leaves. *Environmental and Experimental Botany* 56 (2): 198-204, **2006 (WoS/Scopus)**
154. Nakatani, N, Akane S, Chiwa M, Kobayashi T, Sakugawa H - Roles of hydroxyl radical generating/scavenging mechanisms in pseudo polluted dew in reducing the foliar CO₂ assimilation rate and biomass production of Japanese red pine (*Pinus densiflora* Sieb. et Zucc.) seedlings. *Environmental and Experimental Botany*, 60 (2): 159-169, **2007 (WoS/Scopus)**
155. Bouazizi H, Jouili H, Geitmann A, El Ferjani E - Effect of copper excess on H₂O₂ accumulation and peroxidase activities in bean roots. *Acta Biologica Hungarica* 59 (2): 233-245, **2008 (WoS/Scopus)**
156. Kuki KN, Oliva MA, Pereira EG, Costa AC, Cambraia J - Effects of simulated deposition of acid mist and iron ore particulate matter on photosynthesis and the generation of oxidative stress in *Schinus terebinthifolius* Radii and *Sophora tomentosa* L. *Science of the Total Environment* 403 (1-3): 207-214, **2008 (WoS/Scopus)**
157. Shaukat SS, Khan MA - Growth and physiological responses of tomato (*Lycopersicon esculentum* Mill.) to simulated acid rain. *Pakistan Journal of Botany* 40 (6): 2427-2435, **2008 (WoS/Scopus)**
158. Златев Зл - Влияние на почвеното засушаване върху хлорофилната флуоресценция в листа от слънчоглед (*Helianthus annuus* L.). *Растениевъдни науки* 45, 488-491, **2008 (BG издание)**
159. Arakawa K, Inada H, Fujikawa S - Impact of simulated acid snow stress on leaves of cold-acclimated winter wheat (Chapter 17). In: *Plant Cold Hardiness: From the Laboratory to the Field* (Eds. Gusta, L, Wisniewski M, Tanino K). CAB International, pp. 173-182, **2009 (book)**
160. Neves NR, Oliva MA, Centeno DD, Costa AC, Ribas RF, Pereira EG - Photosynthesis and oxidative stress in the restinga plant species *Eugenia uniflora* L. exposed to simulated acid rain and iron ore dust deposition: Potential use in environmental risk assessment. *Science of the Total Environment* 407 (12): 3740-3745, **2009 (WoS/Scopus)**
161. Zlatev Z - Drought-induced changes in chlorophyll fluorescence of young wheat plants. *Biotechnol. & Biotechnol. Eq.* 23/2009/Se, Special Edition/On-Line, *Xi Anniversary Scientific Conference, 120 years of Academic Education in Biology, 45 years Faculty of Biology*, 438-441, **2009 (BG издание)**
162. Huseynova IM - Photosynthetic characteristics and enzymatic antioxidant capacity of leaves from wheat cultivars exposed to drought. *Biochimica et Biophysica Acta-Bioenergetics* 1817(8) Special Issue:1516-1523, **2012 (WoS/Scopus)**
163. Ozkaya A, Ciftci H, Yilmaz O, Cil E, Basar S - Chemical changes in leaves of corn and bean plants exposed to simulated acid rain. *Journal of the Chemical Society of Pakistan* 34(4):1037-1039, **2012 (WoS/Scopus)**
164. Wang RL, Rehman SU, Liang XT, Song YY, Su YJ, Baerson SR, Zeng RS - Effects of simulated acid rain on the allelopathic potential of invasive weed *Wedelia trilobata*. *Allelopathy Journal* 30(1): 23-32, **2012 (WoS/Scopus)**
165. Zlatev Z, Lidon FC - An overview on drought induced changes in plant growth, water relations and photosynthesis, *Emir J Food Agric* 24 (1): 57-72, **2012 (review) (WoS/Scopus)**
166. Singh M, Kumari A, Verma KK. Physiological, growth, and biomass attributes in populus deltoides l. (clones G-48 and Kranti) influenced by water stress. *Arboriculture and Urban Forestry* 39 (5), 226-230, **2013 (WoS/Scopus)**
167. Zlatev ZS. Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris* L.), *Emirates Journal of Food and Agriculture* 25 (12), 1014-1023, **2013 (WoS/Scopus)**
168. Wang L, Wang W, Zhou Q, Huang X - Combined effects of lanthanum (III) chloride and acid rain on photosynthetic parameters in rice. *Chemosphere* 112: 355-361, **2014 (WoS/Scopus)**
169. Yi LT, Liu MH, Yu SQ, Yu F, Yin XM. Effects of simulated acid rain stress on chlorophyll fluorescence characteristics and growth in leaves of lithocarpus glaber and schima superba seedlings. *Asian Journal of Chemistry* 26 (15), 4619-4622, **2014 (WoS/Scopus)**
170. Liang C, Ge Y, Su L, Bu J. Response of plasma membrane H⁺-ATPase in rice (*Oryza sativa*) seedlings to simulated acid rain, *Environmental Science and Pollution Research*, 22, 1, 535-545, **2015 (WoS/Scopus)**
171. Liu H, Wang M, Fu Y, Liu H. Peanut cultivar selection for BLSS in terms of the biomass productivity, nutritional quality, photosynthetic character and mineral ions up-take by PTNDS cultivation, *Acta Astronautica*, 128, 584-592, **2016 (WoS/Scopus)**
172. Polishchuk OV, Vodka MV, Belyavskaya N, Khomochkin AP, Zolotareva EK - The effect of acid rain on ultrastructure and functional parameters of photosynthetic apparatus in pea leaves. *Cell and Tissue Biology* 10 (3): 250-257, **2016, <https://doi.org/10.1134/S1990519X16030093> (WoS/Scopus)**
173. Полищук ОВ, Водка МВ, Белявская НА, Хомочкин АП, Золотарева ЕК. Влияние кислотных дождей на ультраструктуру и функциональные характеристики фотосинтетического аппарата листьев гороха, *Цитология*, 58, 1, 52-59, **2016**
174. Mathobo R, Marais D, Steyn JM. The effect of drought stress on yield, leaf gaseous exchange and chlorophyll fluorescence of dry beans (*Phaseolus vulgaris* L.), *Agricultural Water Management*, 180, Part A, 118-125, **2017 (WoS/Scopus)**
175. Shang Y, Yang C, Liu Z, Song J, Li P, Li L, Zhou F, Xin H, Wan F, Matsumoto H, Luo X. New evidence for primordial action site of Fluazifop-P-butyl on *Acanthospermum hispidum* seedlings: From the effects on

chlorophyll fluorescence characteristics and histological observation, *Pesticide Biochemistry and Physiology*, 142, 170-175, **2017 (WoS/Scopus)**

176. Vodka MV. Chloroplasts ultrastructural changes as biomarkers of acid rain and heavy metals pollution, *Biotechnologia Acta*, 10, 3, 57-64, **2017** <https://cyberleninka.ru/article/v/chloroplasts-ultrastructural-changes-as-biomarkers-of-acid-rain-and-heavy-metals-pollution>

177. Liang J, Ye Y, Peng Y, Quan M. Effects of simulated acid rain on physiological characteristics and active ingredient content of asparagus cochinchinensis (Lour.) merr. *Pakistan Journal of Botany* 50(6):2395-2399, **2018. (WoS/Scopus)**

178. Rao G-S, Ashraf U, Kong L-L, Mo Z-W, Xiao L-Z, Zhong K-Y, Fahd R, Tang X-R. (JIA-2018-0341) Low soil temperature and drought conditions at flowering stage affect physiology and pollen traits of rice. *Journal of Integrative Agriculture* 18 (8), 1859-1870, **2019.** [https://doi.org/10.1016/S2095-3119\(18\)62067-2](https://doi.org/10.1016/S2095-3119(18)62067-2). **(WoS/Scopus)**

179. Ju S, Wang L, Chen J. Effects of silicon on the growth, photosynthesis and chloroplast ultrastructure of *Oryza sativa* L. seedlings under acid rain stress. *Silicon* 12, 655-664, **2020.** <https://doi.org/10.1007/s12633-019-00176-8> **(WoS/Scopus)**

180. Kosakivska IV, Babenko LM, Romanenko KO, Futorna OA. Effects of exogenous bacterial quorum sensing signal molecule (messenger) N-hexanoyl-L-homoserine lactone (C6-HSL) on morphological and physiological responses of winter wheat under simulated acid rain. *Доповіді Національної академії наук України* 8, 92-100, **2020.** <https://doi.org/10.15407/dopovidi2020.07.092>.

181. Tang X, Liu G, Jiang J, Lei C, Zhang Y, Wang L, Liu X. Effects of growth irradiance on photosynthesis and photorespiration of *Phoebe bournei* leaves. *Functional Plant Biology* 47(12), 1053-1061, **2020.** <https://doi.org/10.1071/FP20062>. **(WoS/Scopus)**

182. Debnath B, Sikdar A, Islam S, Hasan K, Li M, Qiu D. Physiological and molecular responses to acid rain stress in plants and the impact of melatonin, glutathione and silicon in the amendment of plant acid rain stress. *Molecules* 26(4): 862, **2021.** <https://doi.org/10.3390/molecules26040862>. **(WoS/Scopus)**

183. Hu H, Hua W, Shen A, Zhou H, Sheng L, Lou W, Zhang G. Photosynthetic rate and chlorophyll fluorescence of barley exposed to simulated acid rain. *Environmental Science and Pollution Research* 28: 42776-42786, **2021.** <https://doi.org/10.1007/s11356-021-13807-8>. **(WoS/Scopus)**

184. Zhang Y, Tian C, Yu T, Dayananda B, Fu B, Senaratne SL, Wu C, Li J. Differential effects of acid rain on photosynthetic performance and pigment composition of the critically endangered *Acer amplum* subsp. *catalpifolium*. *Global Ecology and Conservation* v.30, e01773, 2021. <https://doi.org/10.1016/j.gecco.2021.e01773>. **(WoS/Scopus)**

185. Zhang Y, Yu T, Ma W, Dayananda B, Iwasaki K, Li J. Morphological, physiological and photophysiological responses of critically endangered *Acer catalpifolium* to acid stress. *Plants* 10(9):1958, **2021.** <https://doi.org/10.3390/plants10091958>. **(WoS/Scopus)**

186. Li H, Xu Q, Li C, Zhang J, Wang Q, Xiang H, Liu Y, Wei H, Qin Z. Dual role of acid rain and *Pyricularia oryzae* on growth, photosynthesis and chloroplast ultrastructure in rice seedlings. *Agronomy* 12(3):567, **2022.** <https://doi.org/10.3390/agronomy12030567>. **(WoS/Scopus)**

187. Zhang Y, Yang F, Wang Y, Zheng Y, Zhu J. Effects of acid rain stress on the physiological and biochemical characteristics of three plant species. *Forests* 14(5):1067, **2023.** <https://doi.org/10.3390/f14051067>. **(WoS/Scopus)**

188. Babenko LM, Futorna OA, Romanenko KO, Smirnov OE, Rogalsky SP, Kosakivska IV, Skwarek E, Wiśniewska M. Exogenous N-hexanoyl-L-homoserine lactone mitigates acid rain stress effects through modulation of structural and functional changes in *Triticum aestivum* leaf. *Applied Soil Ecology* v. 193, art. 105151, **2024.** <https://doi.org/10.1016/j.apsoil.2023.105151>. **(WoS/Scopus)**

Yordanov I, Velikova V, Tsonev T - Influence of drought, high temperature, and carbamide cytokinin 4-PU-30 on photosynthetic activity of bean plants. 1. Changes in chlorophyll fluorescence quenching. *Photosynthetica* 37: 447-457, 1999

189. Rulcova J, Pospisilova J - Effect of benzylaminopurine on rehydration of bean plants after water stress. *Biologia Plantarum*, 44 (1): 75-81, **2001 (WoS/Scopus)**

190. Muranaka S, Shimizu K, Kato M - A salt-tolerant cultivar of wheat maintains photosynthetic activity by suppressing sodium uptake. *Photosynthetica* 40 (4): 509-515, **2002 (WoS/Scopus)**

191. Llorens L, Penuelas J, Beier C, Emmett B, Estiarte M, Tietema A - Effects of an experimental increase of temperature and drought on the photosynthetic performance of two ericaceous shrub species along a north-south European gradient. *Ecosystems* 7 (6): 613-624, **2004 (WoS/Scopus)**

192. Soja G, Soja AM - Recognizing the sources of stress in wheat and bean by using chlorophyll fluorescence induction parameters as inputs for neural network models. *Phyton-Annales Rei Botanicae* 45 (3): 157-168 Sp. Iss. SI, **2005 (WoS/Scopus)**

193. Шимкевич АМ, Макаров ВН, Голоенко ИМ, Давыденко ОГ - Функциональное состояние фотосинтетического аппарата у аллоплазматических линий ячменя. *Экологическая генетика* IV, 2: 37-42, **2006**

194. Hassan IA - Effects of water stress and high temperature on gas exchange and chlorophyll fluorescence in *Triticum aestivum* L. *Photosynthetica* 44 (2): 312-315, **2006 (WoS/Scopus)**

195. DaCosta M, Huang BR - Drought survival and recuperative ability of bentgrass species associated with changes in abscisic acid and cytokinin production. *Journal of the American Society for Horticultural Science* 132 (1): 60-66, **2007 (WoS/Scopus)**
196. Kazlauskas E, Šlapakauskas VA, Beresnevičius ZJ, Tumosiene I - Effect of β -alanine hydrazide derivatives on *Phaseolus vulgaris* photochemistry and CO₂ assimilation. *Biologija* 53 (2): 13–15, **2007**
197. DaCosta M, Huang B - Physiological adaptations of perennial grasses to drought stress, Ch.7, 169-170. In: *Perspectives in Biophysical Plant Ecophysiology: A Tribute to Park S. Nobel* (Eds. Erick De La Barrera, William K. Smith), Universidad Nacional Autonoma de Mexico, **2009 (review)**
198. Dias AS, Lidon FC, Ramalho JC - IV. Heat stress in Triticum: kinetics of Fe and Mn accumulation. *Braz J Plant Physiol* 21 (2): 153-164, **2009 (WoS/Scopus)**
199. Yonova P - Design, synthesis and properties of synthetic cytokinins. Recent advances on their application. *General and Applied Plant Physiology* 36 (3–4): 124-147, **2010 (review)**
200. Li Y-X, Shen S-H, Li L, Wang X-M, Zhang F-C, Han X-M - Effects of soil moisture on leaf gas exchange and chlorophyll fluorescence parameters of winter wheat during its late growth stage. *Chinese Journal of Ecology* 31(1): 74-80, **2012 (WoS/Scopus)**
201. Oukarroum A, El Madidi S, Strasser RJ – Exogenous glycine betaine and proline play a protective role in heat-stressed barley leaves (*Hordeum vulgare* L.): A chlorophyll a fluorescence study. *Plant Biosystems* 146 (4), 1037-1043, **2012**
202. Ahmadizadeh M. Physiological and agro-morphological response to drought stress. *Middle East Journal of Scientific Research* 13 (8), 998-1009, **2013**
203. Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG - Photosynthesis in Nature: A New Look, In: *Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments* (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione), pp 561-686, **2013 (book)**
204. Way DA, Crawley C, Sage RF - A hot and dry future: warming effects on boreal tree drought tolerance. *Tree Physiology* 33 (10): 1003-1005, **2013 (WoS/Scopus)**
205. Jagadish KSV, Kadam NN, Xiao G, Melgar RJ, Bahuguna RN, Quinones C, Tamilselvan A, Prasad PVV - Agronomic and physiological responses to high temperature, drought, and elevated CO₂ interactions in cereals. *Advances in Agronomy* 127: 111-156, **2014 (WoS/Scopus)**
206. Li X, Yang Y, Sun X, Lin H, Chen J, Ren J, Hu X, Yang Y - Comparative physiological and proteomic analyses of poplar (*Populus yunnanensis*) plantlets exposed to high temperature and drought. *PLoS ONE* 9(9), **2014**, e107605, <https://doi.org/10.1371/journal.pone.0107605> **(WoS/Scopus)**
207. Hassan IA, Abou Zeid HM, Taia W, Haiba NS, Zahran A, Badr RH, El Dakak RA, Shalaby EA. Fertilization regimes under hot conditions alter photosynthetic response of bean plants. *Photosynthetica*, 53 (1), 157-160, **2015 (WoS/Scopus)**
208. Li X, Yang S-H, Yang Y-Q, Yin X, Sun X-D, Yang Y-P. Comparative physiological and molecular analyses of intraspecific differences of *Stipa purpurea* (Poaceae) response to drought, *Plant Diversity and Resources*, 37(4), 439-452, **2015**
209. Lin L, Tang Y, Zhang J, Yan W, Xiao J, Ding C, Dong C, Ji Z. Effects of different water potentials on leaf gas exchange and chlorophyll fluorescence parameters of cucumber during post-flowering growth stage. *Chinese Journal of Applied Ecology*, 26(7), 2030-2040, **2015 (WoS/Scopus)**
210. Zhang X-Q, Qian Y-L. Effects of straw mulching on maize growth, photosynthesis and yield. *Acta Agricuturae Boreali - Sinica*, 30 (4), 174-180, **2015**
211. Kaur A, Sraw PK, Kukal SS. Climatic variability impact on wheat-based cropping systems of South Asia: Adaptation and mitigation, In: *Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability* (Editors: M Ahmed, CO Stockle), pp 353-370, Springer, **2017, (BOOK)** https://doi.org/10.1007/978-3-319-32059-5_14
212. Killi D, Bussotti F, Raschi A, Haworth M. Adaptation to high temperature mitigates the impact of water deficit during combined heat and drought stress in C3 sunflower and C4 maize varieties with contrasting drought tolerance, *Physiologia Plantarum*, 159, 2, 130-147, **2017 (WoS/Scopus)**
213. Haworth M, Belcher CM, Killi D, Dewhirst RA, Materassi A, Raschi A, Centritto M. Impaired photosynthesis and increased leaf construction costs may induce floral stress during episodes of global warming over macroevolutionary timescales. *Scientific Reports* 8:6206, **2018**, DOI:10.1038/s41598-018-24459-z **(WoS/Scopus)**
214. Killi D, Raschi A, Bussotti F. Lipid peroxidation and chlorophyll fluorescence of photosystem ii performance during drought and heat stress is associated with the antioxidant capacities of C3 sunflower and C4 maize varieties. *International Journal of Molecular Sciences* 21(14), 4846, **2020**. <https://doi.org/10.3390/ijms21144846>. **(WoS/Scopus)**
215. Safaei Z, Azizi M, Aroiee H, Davaryne G. The effect of irrigation intervals and anti- transpiration compounds on phenolic compounds, chlorophyll, carotenoids, proline, essential oil percentage and yield in the *Nigella sativa*. *Journal of Horticultural Science* 34(3), 377-387, **2020**. <https://dx.doi.org/10.22067/jhorts4.v34i3.48138>. **(WoS/Scopus)**
216. Zhu L, Cernusak LA, Song X. Dynamic responses of gas exchange and photochemistry to heat interference during drought in wheat and sorghum. *Functional Plant Biology* 47(7), 611-627, **2020**.

<https://doi.org/10.1071/FP19242>. (WoS/Scopus)

217. Nguyen KM, Yang Z-W, Shih T-H, Lin S-H, Lin J-W, Nguyen HC, Yang C-M. Temperature-mediated shifts in chlorophyll biosynthesis in leaves of chlorophyll b-lacking rice (*Oryza sativa* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 49, (2), 12306, **2021**. DOI: <https://doi.org/10.15835/nbha49212306>. (WoS/Scopus)
218. Karwa S, Sakhare A, Vishwakarma C, Arya SS, Pal M, Kumar S. Physiological Traits for Improving Heat Stress Tolerance in Plants. In: Kumar RR, Praveen S, Rai GK (eds) *Thermotolerance in Crop Plants*. Springer, Singapore, Book chapter, pp. 81-103, **2022**. https://doi.org/10.1007/978-981-19-3800-9_4. [BOOK]

[Tsonev T, Velikova V, Lambreva M, Stefanov D - Recovery of the photosynthetic apparatus in bean plants after high- and low-temperature induced photoinhibition. *Bulgarian Journal of Plant Physiology* 3-4: 45-53, 1999](#)

219. Kreslavskii VD, Khristin MS - Aftereffect of heat shock on fluorescence induction and low-temperature fluorescence spectra in wheat leaves. *Biofizika* 48 (5): 865-872, **2003** (WoS/Scopus)
220. Cui XY, Tang YH, Gu S, Shi SB, Nishimura S, Zhao XQ - Leaf orientation, incident sunlight, and photosynthesis in the alpine species *Suassurea superba* and *Gentiana straminea* on the Qinghai-Tibet Plateau. *Arctic Antarctic And Alpine Research* 36 (2): 219-228, **2004** (WoS/Scopus)
221. Kreslavski VD, Carpentier R, Klimov VV, Murata N, Allakhverdiev SI - Molecular mechanisms of stress resistance of photosynthetic apparatus. *Biologicheskie Membrany* 24 (3): 195-217, **2007** (review) (WoS/Scopus)
222. Frolec J - Changes in higher plants induced by a defined heating regime and heat stress-related plant recovery. Laboratory of Biophysics, Department of Experimental Physics, Faculty of Science, Olomouc, Czech Republic, **2010** (PhD Thesis)
223. Curtis EM, Knight CA, Petrou K, Leigh A - A comparative analysis of photosynthetic recovery from thermal stress: a desert plant case study. *Oecologia* 175(4), 1051-1061, **2014** <https://doi.org/10.1007/s00442-014-2988-5> (WoS/Scopus)
224. Markovskaya EF, Kosobbrykhov AA, Kreslavski VD. Photosynthetic mashinery response to low temperature stress, 355-382, In: *Photosynthesis: A New Approach to the Molecular, Cellular, and Organismal Levels* (ed. Suleyman I. Allakhverdiev), John Wiley & Sons, **2015** (book)
225. Curtis EM, Gollan J, Murray BR, Leigh A. Native microhabitats better predict tolerance to warming than latitudinal macro-climatic variables in arid-zone plants, *Journal of Biogeography*, 43, 6, 1156-1165, **2016** (WoS/Scopus)
226. Batjuka A, Škute N, Petjukevičs A. The influence of antimycin A on pigment composition and functional activity of photosynthetic apparatus of *Triticum aestivum* L. under high temperature, *Photosynthetica*, 55, 2, 251-263, **2017** (WoS/Scopus)
227. Curtis E. Spatiotemporal dynamics of high-temperature tolerance in Australian arid-zone plants, **PhD Thesis**, University of Technology, Sidney **2017**
228. Lang J, Barták M, Hájek J, Váczi P, Zikmundová B. Chilling effects on primary photosynthetic processes in *Medicago sativa*: Acclimatory changes after short- and long-term exposure to low temperatures. *Biologia* 75, 1105-1114, **2020**. <https://doi.org/10.2478/s11756-020-00470-6>. (WoS/Scopus)
229. Lin W, Yu Z, Wang T, He W, Chen L, Peng C. Overexpression of V-ATPase c subunit gene (VHA-c) from antarctic notothenioid fish improves tolerance of transgenic *Arabidopsis* to low temperature. *Journal of Plant Biology* 66, 567-578, **2023**. <https://doi.org/10.1007/s12374-023-09407-3>. (WoS/Scopus)

[Velikova V, Yordanov I, Edreva A - Oxidative stress and some antioxidant systems in acid rain-treated bean plants. Protective role of exogenous polyamines. *Plant Science* 151: 59-66, 2000](#)

230. Malolepsza U, Urbanek H - The oxidants and antioxidant enzymes in tomato leaves treated with o-hydroxyethylrutin and infected with *Botrytis cinerea*. *European Journal of Plant Pathology* 106 (7): 657-665, **2000** (WoS/Scopus)
231. Groppa MD, Tomaro ML, Benavides MP - Polyamines as protectors against cadmium or copper-induced oxidative damage in sunflower leaf discs. *Plant Science* 161 (3): 481-488, **2001** (WoS/Scopus)
232. Rijstenbil JW - Effects of periodic, low UVA radiation on cell characteristics and oxidative stress in the marine planktonic diatom *Ditylum brightwellii*. *European Journal of Phycology* 36(1): 1-8, **2001** (WoS/Scopus)
233. Berova M, Zlatev Z, Stoeva N - Effect of paclobutrazol on wheat seedlings under low temperature stress. *Bulgarian Journal of Plant Physiology* 28 (1-2): 75-84, **2002**
234. Cuny D, Pignata ML, Kranner I, Beckett R - Biomarkers of pollution-induced oxidative stress and membrane damage in lichens. In: *Monitoring with Lichens - Monitoring Lichens, NATO SCIENCE SERIES: IV: Earth and Environmental*. eds Pier Luigi Nimis, Christoph Scheidegger, and Patricia A. Wolseley. Proceedings of the NATO Advanced Research Workshop on Lichen Monitoring, Wales, UK, 16-23 August 2000. ISBN 1-4020-0429-X Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, The Netherlands **2002**, pp. 7-142 (book)
235. Kumria R, Rajam MV - Ornithine decarboxylase transgene in tobacco affects polyamines, in vitro-morphogenesis and response to salt stress. *Journal of Plant Physiology* 159 (9): 983-990, **2002** (WoS/Scopus)
236. Pal Bais H, Ravishankar GA - Role of polyamines in the ontogeny of plants and their biotechnological applications. *Plant Cell Tissue and Organ Culture* 69(1): 1-34, **2002** (review) (WoS/Scopus)
237. Poulson ME, Donahue RA, Konvalinka J, Boeger MRT - Enhanced tolerance of photosynthesis to high-light and drought stress in *Pseudotsuga menziesii* seedlings grown in ultraviolet-B radiation. *Tree Physiology* 22 (12):

- 238.** Rijstenbil JW - Assessment of oxidative stress in the planktonic diatom *Thalassiosira pseudonana* in response to UVA and UVB radiation. *Journal of Plankton Research* 24 (12): 1277-1288, **2002 (WoS/Scopus)**
- 239.** Wi SJ, Park KY - Antisense expression of carnation cDNA encoding ACC synthase or ACC oxidase enhances polyamine content and abiotic stress tolerance in transgenic tobacco plants. *Molecules and Cells* 13(2): 209-220, **2002 (WoS/Scopus)**
- 240.** Yu JQ, Ye SF, Huang LF - Effects of simulated acid precipitation on photosynthesis, chlorophyll fluorescence, and antioxidative enzymes in *Cucumis sativus* L. *Photosynthetica* 40 (3): 331-335, **2002**
- 241.** Alexieva V, Ivanov S, Sergiev I, Karanov E - Interaction between stresses. *Bulg J Plant Physiol*, Special Issue 1-17, **2003 (review)**
- 242.** Gabara B, Sklodowska M, Wyrwicka A, Glinska S, Gapinska M - Changes in the ultrastructure of chloroplasts and mitochondria and antioxidant enzyme activity in *Lycopersicon esculentum* Mill. leaves sprayed with acid rain. *Plant Science* 164 (4): 507-516, **2003 (WoS/Scopus)**
- 243.** Harinasut P, Poonsopa D, Roengmongkol K, Charoensataporn R - Salinity effects on antioxidant enzymes in mulberry cultivar. *Science Asia* 29: 109-113, **2003**
- 244.** Kwon SW, Ko BR, Bai DG - **2003.** Changes in antioxidant enzymes and polyamines in response to low temperature chilling in watermelon plants. *Asian Plants with Unique Horticultural Potential: Genetic Resources, Cultural Practices, and Utilization (620): 111-117.* edited by Lee, JM; Zhang, D., presented at 26th International Horticultural Congress in Toronto, Canada, Aug 11-17, **2002**
- 245.** Liu W, Li P, Zhou Q, Sun T, Tai P, Xu H, Zhang H - Effect of short-term phenanthrene stress on SOD activities and MDA contents in soybean (*Glycine max*) seedlings. *Chinese Journal of Applied Ecology* 14 (4), 581-584, **2003 (WoS/Scopus)**
- 246.** Lu JG, Zhan DD, Wang ZP, Zhang ZJ - Study on the correlation among wheat delayed ultraweak bioluminescence-physiology-ecology change under the stress of acid rain. *Acta Chimica Sinica* 61 (5): 760-764, **2003 (WoS/Scopus)**
- 247.** Nassar AH, El-Tarabily KA, Sivasithamparam K - Growth promotion of bean (*Phaseolus vulgaris* L.) by a polyamine-producing isolate of *Streptomyces griseoluteus*. *Plant Growth Regulation* 40 (2): 97-106, **2003 (WoS/Scopus)**
- 248.** Öztürk L, Demir Y - Effects of putrescine and ethephon on some oxidative stress enzyme activities and proline content in salt stressed spinach leaves. *Plant Growth Regulation* 40 (1): 89-95, **2003 (WoS/Scopus)**
- 249.** Zhao FG, Sun C, Liu YL, Zhang WH - Relationship between polyamine metabolism in roots and salt tolerance of barley seedlings. *Acta Botanica Sinica* 45 (3): 295-300, **2003 (WoS/Scopus)**
- 250.** Ahn SM, Jin CD - Protective role of exogenous spermidine against paraquat toxicity in radish chloroplasts. *Journal of Plant Biology* 47 (4): 338-347, **2004 (WoS/Scopus)**
- 251.** Ederli L, Reale L, Ferranti F, Pasqualini S - Responses induced by high concentration of cadmium in *Phragmites australis* roots. *Physiologia Plantarum* 121 (1): 66-74, **2004 (WoS/Scopus)**
- 252.** El-Khawas SA - Physiological and biochemical adaptation of *Triticum vulgaris* L. to pH stress by hormonal application. *Pakistan Journal of Biological Sciences* 7 (5), 852-860, **2004 (WoS/Scopus)**
- 253.** Luo XY, Sunohara Y, Matsumoto H - Fluazifop-butyl causes membrane peroxidation in the herbicide-susceptible broad leaf weed bristly starbur (*Acanthospermum hispidum*). *Pesticide Biochemistry and Physiology* 78 (2): 93-102, **2004 (WoS/Scopus)**
- 254.** Pirintsos, SA; Kotzabasis, K; Loppi, S - Polyamine production in lichens under metal pollution stress. *Journal of Atmospheric Chemistry* 49 (1-3): 303-315, **2004 (WoS/Scopus)**
- 255.** Scholefield PA, Doick KJ, Herbert BMJ, Hewitt CNS, Schnitzler JP, Pinelli P, Loreto F - Impact of rising CO₂ on emissions of volatile organic compounds: isoprene emission from *Phragmites australis* growing at elevated CO₂ in a natural carbon dioxide spring. *Plant Cell and Environment* 27 (4): 393-401, **2004 (WoS/Scopus)**
- 256.** Sunohara Y, Matsumoto H - Oxidative injury induced by the herbicide quinclorac on *Echinochloa oryzicola* Vasing. and the involvement of antioxidative ability in its highly selective action in grass species. *Plant Science* 167 (3): 597-606, **2004 (WoS/Scopus)**
- 257.** Tang W, Newton RJ, Outhavong V - Exogenously added polyamines recover browning tissues into normal callus cultures and improve plant regeneration in pine. *Physiologia Plantarum* 122 (3): 386-395, **2004 (WoS/Scopus)**
- 258.** Zacchini M, de Agazio M - Spread of oxidative damage and antioxidative response through cell layers of tobacco callus after UV-C treatment. *Plant Physiology and Biochemistry* 42 (5): 445-450, **2004 (WoS/Scopus)**
- 259.** Da Silva LC, Oliva MA, Azevedo AA, Araujo JM, Aguiar RM - Micromorphological and anatomical alterations caused by simulated acid rain in Restinga plants: *Eugenia uniflora* and *Clusia hilariana*. *Water Air and Soil Pollution* 168 (1-4): 129-143, **2005 (WoS/Scopus)**
- 260.** Durmus N, Kadioglu A - Spermine and putrescine enhance oxidative stress tolerance in maize leaves. *Acta Physiologiae Plantarum* 27 (4A): 515-522, **2005 (WoS/Scopus)**
- 261.** Gong H, Zhu X, Chen K, Wang S, Zhang C - Silicon alleviates oxidative damage of wheat plants in pots under drought. *Plant Science* 169 (2): 313-321, **2005 (WoS/Scopus)**
- 262.** Gulcin I, Yildirim A - Purification and characterization of peroxidase from *Brassica oleracea* var. *acephala*. *Asian Journal of Chemistry*, 17 (4): 2175-2183, **2005**
- 263.** Hachinohe M, Matsumoto H - Involvement of reactive oxygen species generated from melanin synthesis pathway in phytotoxicity of L-DOPA. *Journal of Chemical Ecology* 31 (2): 237-246, **2005 (WoS/Scopus)**

264. Liu, W, Li PJ, Zhou QX, Sun TH, Tai PD, Xu HX - Short-term toxic effects of chlorobenzenes on broadbean (*Vicia faba*) seedlings. *Science in China Series C-Life Sciences* 48: 33-39 (1), **2005**
265. Munzuroglu Ö, Öbek E, Karatas F, Tatar SY - Effects of Simulated Acid Rain on Vitamins A, E, and C in Strawberry (*Fragaria vesca*). *Pakistan Journal of Nutrition* 4 (6): 402-406, **2005**
266. Mutlu F, Bozcuk S - Effects of salinity on the contents of polyamines and some other compounds in sunflower plants differing in salt tolerance. *Russian Journal of Plant Physiology* 52 (1): 29-34, **2005 (WoS/Scopus)**
267. Om-Arun N, Siriphanich J - **2005**. Hydrogen peroxide and ascorbic acid contents, superoxide dismutase and catalase activities in smooth cayenne and queen pineapples during cold storage. *Proceedings of the 5th International Postharvest Symposium, Vols 1-3 (682): 611-615*; edited by Mencarelli, F; Tonutti, P. presented at 5th International Postharvest Symposium in Verona, Italy, Jun 06-11, **2004**
268. Qiu DL, Liu XH, Guo SZ - Effects of simulated acid rain on fertility of litchi. *Journal of Environmental Sciences-China* 17 (6): 1034-1037, **2005**
269. Shehata MM - Accumulation of osmolytes and stress proteins, alteration of levels of gene expressions and DNA profiles in two wheat cultivars as a response to amelioration of pH stress by IAA. *Biotechnology* 4 (1): 39-48, **2005 (WoS/Scopus)**
270. Tang CF, Liu YG, Zeng GM, Li X, Xu WH, Li CF, Yuan XZ - Effects of exogenous spermidine on antioxidant system responses of *Typha latifolia* L. under Cd²⁺ stress. *Journal of Integrative Plant Biology* 47 (4): 428-434, **2005 (WoS/Scopus)**
271. Verma S, Mishra SN - Putrescine alleviation of growth in salt stressed *Brassica juncea* by inducing antioxidative defense system. *Journal of Plant Physiology* 162 (6): 669-677, **2005 (WoS/Scopus)**
272. Zlatev Z, Lidon FC - Effects of water deficit on plant growth, water relations and photosynthesis. *Biologia Vegetal E Agro-industrial* 2: 235-252, **2005 (review)**
273. Batish DR, Singh HP, Setia N, Kaur S, Kohli RK - 2-Benzoxazolinone (BOA) induced oxidative stress, lipid peroxidation and changes in some antioxidant enzyme activities in mung bean (*Phaseolus aureus*). *Plant Physiology and Biochemistry* 44 (11-12): 819-827, **2006 (WoS/Scopus)**
274. Cseke LJ, Kaufman PB - Regulation of Metabolite Synthesis in Plants. In: *Natural Products from Plants*. eds Leland J. Cseke, Ara Kirakosyan, Peter B. Kaufman, Sara Warber, James A. Duke, Harry L. Brielmann. FL 33487-2742 CRC Press Taylor & Francis Group, Boca Raton **2006**, pp. 101-142 (**book**)
275. Duan HG, Yuan S, Liu WJ, Xi DH, Qing DH, Lin HH - Effects of exogenous spermidine on photosystem II of wheat seedlings under water stress. *Journal of Integrative Plant Biology* 48 (8): 920-927, **2006 (WoS/Scopus)**
276. Kim HS, Jin CD - Polyamines as antioxidant protectors against paraquat damage in radish (*Raphanus sativus* L.) cotyledons. *Journal of Plant Biology* 49 (3): 237-246, **2006 (WoS/Scopus)**
277. Kruse ND, Vidal RA, Dalmaz C, Trezzi MM, Siqueira I - Oxidative stress in sunflower (*Helianthus annuus*) indicates synergism for the metribuzin clomazone combination. *Planta Daninha* 24 (2): 379-390, **2006**
278. Perez-Ruiz JM, Spinola MC, Kirchsteiger K, Moreno J, Sahrawy M, Cejudo FJ - Rice NTRC is a high-efficiency redox system for chloroplast protection against oxidative damage. *Plant Cell* 18 (9): 2356-2368, **2006 (WoS/Scopus)**
279. Singh HP, Batish DR, Kaur S, Arora K, Kohli RK - alpha-Pinene inhibits growth and induces oxidative stress in roots. *Annals of Botany* 98 (6): 1261-1269, **2006 (WoS/Scopus)**
280. Singh N, Ma LQ, Srivastava M, Rathinasabapathi B - Metabolic adaptations to arsenic-induced oxidative stress in *Pteris vittata* L and *Pteris ensiformis* L. *Plant Science* 170 (2): 274-282, **2006 (WoS/Scopus)**
281. Sun X, Yuan S, Lin HH - Salicylic acid decreases the levels of dehydrin-like proteins in Tibetan hullless barley leaves under water stress. *Zeitschrift Fur Naturforschung C-A Journal Of Biosciences* 61 (3-4): 245-250, **2006 (WoS/Scopus)**
282. Tomankova K, Luhova L, Petrivalsky M, Pec P, Lebeda A - Biochemical aspects of reactive oxygen species formation in the interaction between *Lycopersicon* spp. and *Oidium neolycopersici*. *Physiological and Molecular Plant Pathology* 68 (1-3): 22-32, **2006 (WoS/Scopus)**
283. Vinod Kumar S, Sharma ML, Rajam MV - Polyamine biosynthetic pathway as a novel target for potential applications in plant biotechnology. *Physiology and Molecular Biology of Plants* 12 (1): 13-28, **2006 (WoS/Scopus)**
284. Wi SJ, Kim WT, Park KY - Overexpression of carnation S-adenosylmethionine decarboxylase gene generates a broad-spectrum tolerance to abiotic stresses in transgenic tobacco plants. *Plant Cell Reports* 25 (10): 1111-1121, **2006 (WoS/Scopus)**
285. Wyrwicka A, Sklodowska M - Influence of repeated acid rain treatment on antioxidative enzyme activities and on lipid peroxidation in cucumber leaves. *Environmental and Experimental Botany* 56 (2): 198-204, **2006 (WoS/Scopus)**
286. Abdul Jaleel C, Gopi R, Panneerselvam A - Alterations in lipid peroxidation, electrolyte leakage, and proline metabolism in *Catharanthus roseus* under treatment with triadimefon, a systemic fungicide. *Comptes Rendus Biologies* 330 (12): 905-912, **2007**
287. Abdul Jaleel C, Manivannan P, Sankar B, Kishorekumar A, Gopi R, Somasundaram R, Panneerselvam R - Water deficit stress mitigation by calcium chloride in *Catharanthus roseus*: Effects on oxidative stress, proline metabolism and indole alkaloid accumulation. *Colloids and Surfaces B: Biointerfaces* 60 (1): 110-116, **2007 (WoS/Scopus)**
288. Abdul Jaleel C, Manivannan P, Sankar B, Kishorekumar A, Panneerselvam R - Calcium chloride effects on salinity-induced oxidative stress, proline metabolism and indole alkaloid accumulation in *Catharanthus roseus*. *Comptes Rendus - Biologies* 330 (9): 674-683, **2007**
289. Abdul Jaleel C, Manivarman P, Lakshmanan GMA, Sridharan R, Panneerselvam R. NaCl as a physiological modulator of proline metabolism and antioxidant potential in *Phyllanthus amarus*. *Comptes Rendus Biologies* 330 (11): 806-813, **2007**

290. Bouazizi H, Jouili H, El Ferjani E - Copper-induced oxidative stress in maize shoots (*Zea mays* L.): H₂O₂ accumulation and peroxidases modulation. *Acta Biologica Hungarica* 58 (2), 209-218, **2007 (WoS/Scopus)**
291. Chehregani A, Kavianpour F - Effects of acid rain on the developmental stages of ovules and seed proteins in bean plants (*Phaseolus vulgaris* L.). *American Journal of Plant Physiology* 2 (6): 367-372, **2007 (WoS/Scopus)**
292. Chen W-H, Xu C-M, Zeng J-L, Zhao B, Wang X-D, Wang Y-C - Improvement of echinacoside and acteoside production by two-stage elicitation in cell suspension culture of *Cistanche deserticola*. *World Journal of Microbiology and Biotechnology* 23 (10): 1451-1458, **2007 (WoS/Scopus)**
293. Hachinohe M, Matsumoto H - Involvement of melanin synthesis and reactive oxygen species in phytotoxic action of L-DOPA in carrot cells. *Crop Protection* 26 (3): 294-298, **2007 (WoS/Scopus)**
294. Hachinohe M, Matsumoto H - Mechanism of selective phytotoxicity of L-3,4-dihydroxyphenylalanine (L-Dopa) in barnyardgrass and lettuce. *Journal of Chemical Ecology* 33 (10): 1919-1926, **2007 (WoS/Scopus)**
295. Hsu YT, Kao CH - Cadmium-induced oxidative damage in rice leaves is reduced by polyamines. *Plant and Soil* 291 (1-2): 27-37, **2007 (WoS/Scopus)**
296. Hsu YT, Kao CH - Toxicity in leaves of rice exposed to cadmium is due to hydrogen peroxide accumulation. *Plant and Soil* 298 (1-2): 231-241, **2007**
297. Kotresha D, Prabhakar Rao A, Nayaka S, Vidyasagar GM - Antioxidative response to drought and high temperature stress in selected mulberry genotypes. *Physiology and Molecular Biology of Plants* 13 (1): 57-63, **2007 (WoS/Scopus)**
298. Liu J-H, Kitashiba H, Wang J, Ban Y, Moriguchi T - Polyamines and their ability to provide environmental stress tolerance to plants. *Plant Biotechnology* 24 (1): 117-126, **2007 (review) (WoS/Scopus)**
299. Mutlu F, Bozcuk S - Relationship between salt stress and levels of free and bound polyamines in sunflower plants. *Plant Biosystems* 141 (1): 31-39, **2007 (review) (WoS/Scopus)**
300. Nakatani, N, Akane S, Chiwa M, Kobayashi T, Sakugawa H - Roles of hydroxyl radical generating/scavenging mechanisms in pseudo polluted dew in reducing the foliar CO₂ assimilation rate and biomass production of Japanese red pine (*Pinus densiflora* Sieb. et Zucc.) seedlings. *Environmental and Experimental Botany*, 60 (2): 159-169, **2007 (WoS/Scopus)**
301. Palavan-Ünsal N, Arisan ED, Terzioğlu S - Polyamines in tea processing. *International Journal of Food Sciences and Nutrition* 58 (4): 304-311, **2007 (WoS/Scopus)**
302. RoyChoudhury A, Roy C, Sengupta DN - Transgenic tobacco plants overexpressing the heterologous lea gene Rab16A from rice during high salt and water deficit display enhanced tolerance to salinity stress. *Plant Cell Reports* 26 (10): 1839-1859, **2007 (WoS/Scopus)**
303. Sanevas N, Sunohara Y, Matsumoto H - Characterization of reactive oxygen species-involved oxidative damage in Hapalosiphon species crude extract-treated wheat and onion roots. *Weed Biology and Management* 7 (3): 172-177, **2007 (WoS/Scopus)**
304. Sedlářová M, Luhová L, Petřivalský M, Lebeda A - Localisation and metabolism of reactive oxygen species during *Bremia lactucae* pathogenesis in *Lactuca sativa* and wild *Lactuca* spp. *Plant Physiology and Biochemistry* 45 (8): 607-616, **2007 (WoS/Scopus)**
305. Singh HP, Batish DR, Kohli RK, Arora K- Arsenic-induced root growth inhibition in mung bean (*Phaseolus aureus* Roxb.) is due to oxidative stress resulting from enhanced lipid peroxidation. *Plant Growth Regulation* 53 (1): 65-73, **2007 (WoS/Scopus)**
306. Wahid A, Perveen M, Gelani S, Basra SMA - Title: Pretreatment of seed with H₂O₂ improves salt tolerance of wheat seedlings by alleviation of oxidative damage and expression of stress proteins. *Journal of Plant Physiology* 164 (3): 283-294, **2007 (WoS/Scopus)**
307. Wang X, Shi G, Xu Q, Hu J - Exogenous polyamines enhance copper tolerance of *Nymphoides peltatum*. *Journal of Plant Physiology* 164 (8): 1062-1070, **2007 (WoS/Scopus)**
308. Wang YL, Wang XD, Zhao B, Wang YC - Reduction of hyperhydricity in the culture of *Lepidium meyenii* shoots by the addition of rare earth elements. *Plant Growth Regulation* 52 (2), 151-159, **2007 (WoS/Scopus)**
309. Wang Y-L, Wang X-D, Zhao B, Wang Y-C - Enhancing antioxidative capacity of *Lepidium meyenii* calli by addition of methyl salicylate to culture medium. *Acta Physiologiae Plantarum* 29 (5): 417-423, **2007 (WoS/Scopus)**
310. Xi D, Feng H, Lan L, Du J, Wang J, Zhang Z, Xue L, Xu W, Lin H - Characterization of synergy between Cucumber mosaic virus and Tobacco necrosis virus in *Nicotiana benthamiana*. *Journal of Phytopathology* 155 (9): 570-573, **2007 (WoS/Scopus)**
311. Zhang YP, Nan ZB - Growth and anti-oxidative systems changes in *Elymus dahuricus* is affected by Neotyphodium endophyte under contrasting water availability. *Journal of Agronomy and Crop Science* 193 (6): 377-386, **2007 (WoS/Scopus)**
312. Bouazizi H, Jouili H, Geitmann A, El Ferjani E - Effect of copper excess on H₂O₂ accumulation and peroxidase activities in bean roots. *Acta Biologica Hungarica* 59 (2): 233-245, **2008 (WoS/Scopus)**
313. Chen JW, Cao KF - Changes in activities of antioxidative system and monoterpene and photochemical efficiency during seasonal leaf senescence in *Hevea brasiliensis* trees. *Acta Physiologiae Plantarum* 30 (1): 1-9, **2008 (WoS/Scopus)**
314. Chen WH, Xu CM, Zhao B, Wang XD, Wang YC - Improved Al tolerance of saffron (*Crocus sativus* L.) by exogenous polyamines. *Acta Physiologiae Plantarum* 30 (1): 121-127, **2008 (WoS/Scopus)**
315. Chookhampaeng S, Pattanagul W, Theerakulpisut P - Effects of salinity on growth, activity of antioxidant enzymes and sucrose content in tomato (*Lycopersicon esculentum* Mill.) at the reproductive stage. *Science Asia* 34 (1): 69-75, **2008 (WoS/Scopus)**

316. Erat M, Ozturk L, Casano LM, Demir Y - Effect of polyamines on glutathione reductase activity in spinach. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences* 63 (3-4): 260-266, **2008 (WoS/Scopus)**
317. Faheed FA - The effect of aluminium on oxidative stress-related enzyme activity in two clover species. *Turkish Journal of Botany* 32, 345-352, **2008 (WoS/Scopus)**
318. Fares S - An investigation of ozone uptake by plants and antioxidant effect of plant isoprenoids. Università degli Studi della Toscana, *PhD Thesis*, **2008**
319. Gong HJ, Chen KM, Zhao ZG, Chen GC, Zhou WJ - Effects of silicon on defense of wheat against oxidative stress under drought at different developmental stages. *Biologia Plantarum* 52 (3): 592-596, **2008 (WoS/Scopus)**
320. Islam E, Liu D, Li TQ, Yang X, Jin XF, Mahmood Q, Tian SK, Li JY - Effect of Pb toxicity on leaf growth, physiology and ultrastructure in the two ecotypes of *Elsholtzia argyi*. *Journal of Hazardous Materials* 154 (1-3): 914-926, **2008 (WoS/Scopus)**
321. Jaleel CA, Sankar B, Murali PV, Gomathinayagam M, Lakshmanan GMA, Panneerselvam R - Water deficit stress effects on reactive oxygen metabolism in *Catharanthus roseus*; impacts on ajmalicine accumulation. *Colloids and Surfaces B-Biointerfaces* 62 (1): 105-111, **2008 (WoS/Scopus)**
322. Jin XF, Yang X, Mahmood Q, Islam E, Liu D, Li H - Response of antioxidant enzymes, ascorbate and glutathione metabolism towards cadmium in hyperaccumulator and nonhyperaccumulator ecotypes of *Sedum alfredii* H. *Environmental Toxicology* 23 (4): 517-529, **2008 (WoS/Scopus)**
323. Jin XF, Yang XE, Islam E, Liu D, Mahmood Q, Li H, Li JY - Ultrastructural changes, zinc hyperaccumulation and its relation with antioxidants in two ecotypes of *Sedum alfredii* Hance. *Plant Physiology and Biochemistry* 46 (11): 997-1006, **2008 (WoS/Scopus)**
324. Jin XF, Yang XO, Islam E, Liu D, Mahmood Q - Effects of cadmium on ultrastructure and antioxidative defense system in hyperaccumulator and non-hyperaccumulator ecotypes of *Sedum alfredii* Hance. *Journal of Hazardous Materials* 156 (1-3): 387-397, **2008 (WoS/Scopus)**
325. Karajeh MR - Interaction of root-knot nematode (*Meloidogyne javanica*) and tomato as affected by hydrogen peroxide. *Journal of Plant Protection Research* 48(2): 181-187, **2008 (WoS/Scopus)**
326. Karaman S, Kirecci OA, Ilcim A - Influence of polyamines (Spermine, Spermidine and Putrescine) on the essential oil composition of basil (*Ocimum basilicum* L.). *Journal of Essential Oil Research* 20 (4): 288-292, **2008 (WoS/Scopus)**
327. Koksai E, Gulcin I - Purification and characterization of peroxidase from cauliflower (*Brassica oleracea* L. var. botrytis) buds. *Protein and Peptide Letters* 15 (4): 320-326, **2008 (WoS/Scopus)**
328. Li QY, Niu HB, Yin J, Wang MB, Shao HB, Deng DZ, Chen XX, Ren JP, Li YC - Protective role of exogenous nitric oxide against oxidative-stress induced by salt stress in barley (*Hordeum vulgare*). *Colloids and Surfaces B-Biointerfaces* 65 (2): 220-225, **2008 (WoS/Scopus)**
329. Liang YC, Zhu J, Li ZJ, Chu GX, Ding YF, Zhang J, Sun WC - Role of silicon in enhancing resistance to freezing stress in two contrasting winter wheat cultivars. *Environmental and Experimental Botany* 64 (3): 286-294, **2008 (WoS/Scopus)**
330. Liu D, Li TQ, Jin XF, Yang XE, Islam E, Mahmood Q - Lead induced changes in the growth and antioxidant metabolism of the lead accumulating and non-accumulating ecotypes of *Sedum alfredii*. *Journal of Integrative Plant Biology* 50 (2): 129-140, **2008 (WoS/Scopus)**
331. Liu D, Li TQ, Yang XE, Islam E, Jin XF, Mahmood Q - Effect of Pb on leaf antioxidant enzyme activities and ultrastructure of the two ecotypes of *Sedum alfredii* Hance. *Russian Journal of Plant Physiology* 55 (1): 68-76, **2008 (WoS/Scopus)**
332. Mandal S, Mitra A, Mallick N. Biochemical characterization of oxidative burst during interaction between *Solanum lycopersicum* and *Fusarium oxysporum* f. sp. lycopersici. *Physiological and Molecular Plant Pathology* 72 (1-3): 56-61, **2008 (WoS/Scopus)**
333. Roychoudhury A, Basu S, Sarkar SN, Sengupta DN - Comparative physiological and molecular responses of a common aromatic indica rice cultivar to high salinity with non-aromatic indica rice cultivars. *Plant Cell Reports* 27 (8): 1395-1410, **2008 (WoS/Scopus)**
334. Sat IG - The effect of heavy metals on peroxidase from Jerusalem artichoke (*Helianthus tuberosus* L.) tubers. *African Journal of Biotechnology* 7 (13): 2248-2253, **2008**
335. Sawada H, Shim IS, Usui K, Kobayashi K, Fujihara S - Adaptive mechanism of *Echinochloa crus-galli* Beauv. var. *formosensis* Ohwi under salt stress: Effect of salicylic acid on salt sensitivity. *Plant Science* 174 (6): 583-589, **2008 (WoS/Scopus)**
336. Singh HP, Batish DR, Kaur G, Arora K, Kohli RK - Nitric oxide (as sodium nitroprusside) supplementation ameliorates Cd toxicity in hydroponically grown wheat roots. *Environmental and Experimental Botany* 63 (1-3): 158-167, **2008 (WoS/Scopus)**
337. Wahid A, Sehar S, Perveen M, Gelani S, Basra SMA, Farooq M - Seed pretreatment with hydrogen peroxide improves heat tolerance in maize at germination and seedling growth stages. *Seed Science and Technology* 36 (3): 633-645, **2008 (WoS/Scopus)**
338. Zhao HZ, Yang HQ - Exogenous polyamines alleviate the lipid peroxidation induced by cadmium chloride stress in *Malus hupehensis* Rehd. *Scientia Horticulturae* 116 (4): 442-447, **2008 (WoS/Scopus)**
339. Cao Y, Zhang ZW, Xue LW, Du JB, Shang J, Xu F, Yuan S, Lin HH - Lack of salicylic acid in *Arabidopsis* protects plants against moderate salt stress. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences* 64 (3-4): 231-238, **2009 (WoS/Scopus)**

340. Chasov AV, Minibayeva FV - Effect of exogenous phenols on superoxide production by extracellular peroxidase from wheat seedling roots. *Biochemistry - Moscow* 74 (7): 766-774, **2009**
341. Chen JW, Bai KD, Cao KF - Inhibition of monoterpene biosynthesis accelerates oxidative stress and leads to enhancement of antioxidant defenses in leaves of rubber tree (*Hevea brasiliensis*). *Acta Physiologiae Plantarum* 31 (1): 95-101, **2009 (WoS/Scopus)**
342. Chen N, Liu Y, Liu X, Chai J, Hu Z, Guo GQ, Liu H - Enhanced tolerance to water deficit and salinity stress in transgenic *Lycium barbarum* L. plants ectopically expressing ATHK1, an *Arabidopsis thaliana* histidine kinase gene. *Plant Molecular Biology Reporter* 27 (3): 321-333, **2009 (WoS/Scopus)**
343. Djoua T, Charles F, Lopez-Lauri F, Filgueiras H, Coudret A, Freire Jr M, Ducamp-Collin M-N, Sallanon H - Improving the storage of minimally processed mangoes (*Mangifera indica* L.) by hot water treatments. *Postharvest Biology and Technology* 52: 221-226, **2009 (WoS/Scopus)**
344. Gao XX, Li M, Gao ZJ, Li CS, Sun ZW - Allelopathic effects of *Hemistepta lyrata* on the germination and growth of wheat, sorghum, cucumber, rape, and radish seeds. *Weed Biology And Management* 9 (3): 243-249, **2009 (WoS/Scopus)**
345. Gao XX, Li M, Gao ZY, Zhang HJ, Sun ZW - Allelopathic effects of *Conyza canadensis* the germination and growth of wheat, sorghum, cucumber, rape and radish. *Allelopathy Journal* 23 (2): 287-295, **2009 (WoS/Scopus)**
346. Gostin IN - Air pollution effects on the leaf structure of some Fabaceae species. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 37 (2): 57-63, **2009 (WoS/Scopus)**
347. Gostin IN - Structural modification induced by air pollutants in *Plantago lanceolata* leaves. *Analele Universității din Oradea, Fascicula Biologie* XVI(1): 61-65, **2009**
348. Hasanloo T, Sepehrifar R, Rahnema H, Shams MR - Evaluation of the yeast-extract signaling pathway leading to silymarin biosynthesis in milk thistle hairy root culture. *World Journal of Microbiology & Biotechnology* 25 (11): 1901-1909, **2009 (WoS/Scopus)**
349. Hejazi MS, Karimi F, Mehdizadeh AE, Barzegari A, Parvizi M, Farshdosti HM, Mahmoodi AL, Hejazi MA - Cytoplasmic expression of recombinant interleukin-2 and interleukin-4 proteins results in hydrogen peroxide accumulation and reduction in catalase activity in *Escherichia coli*. *Daru-Journal of Faculty of Pharmacy* 17 (2): 64-71, **2009**
350. Huerta-Heredia AA, Marin-Lopez R, Ponce-Noyola T, Cerda-Garcia-Rojas CM, Trejo-Tapia G, Ramos-Valdivia AC - Oxidative stress induces alkaloid production in *Uncaria tomentosa* root and cell cultures in bioreactors. *Engineering in Life Sciences* 9 (3): 211-218, **2009**
351. Jin XF, Liu D, Islam E, Mahmood Q, Yang XE, He ZL, Stoffella PJ - Effects of Zinc on root morphology and antioxidant adaptations of cadmium-treated *Sedum alfredii* H. *Journal of Plant Nutrition* 32 (10): 1642-1656, **2009 (WoS/Scopus)**
352. Kato Y, Miura E, Ido K, Ifuku K, Sakamoto W - The variegated mutants lacking chloroplastic FtsHs are defective in D1 degradation and accumulate reactive oxygen species. *Plant Physiology* 151 (4): 1790-1801, **2009 (WoS/Scopus)**
353. Luo MH, Yuan S, Chen YE, Liu WJ, Du JB, Lei T, Wang MB, Lin HH - Effects of salicylic acid on the photosystem 2 of barley seedlings under osmotic stress. *Biologia Plantarum* 53 (4): 663-669, **2009 (WoS/Scopus)**
354. Mohamed HE, Ismail GSM - The role of abscisic acid in the response of two different wheat varieties to water deficit. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences* 64 (1-2): 77-84, **2009 (WoS/Scopus)**
355. Neves NR, Oliva MA, Centeno DD, Costa AC, Ribas RF, Pereira EG - Photosynthesis and oxidative stress in the restinga plant species *Eugenia uniflora* L. exposed to simulated acid rain and iron ore dust deposition: Potential use in environmental risk assessment. *Science of the Total Environment* 407 (12): 3740-3745, **2009 (WoS/Scopus)**
356. Noreen Z, Ashraf M - Assessment of variation in antioxidative defense system in salt-treated pea (*Pisum sativum*) cultivars and its putative use as salinity tolerance markers. *Journal of Plant Physiology* 166 (16): 1764-1774, **2009 (WoS/Scopus)**
357. Noreen Z, Ashraf M - Changes in antioxidant enzymes and some key metabolites in some genetically diverse cultivars of radish (*Raphanus sativus* L.). *Environmental and Experimental Botany* 67 (2): 395-402, **2009 (WoS/Scopus)**
358. Roychoudhury A, Basu S, Sengupta DN - Effects of exogenous abscisic acid on some physiological responses in a popular aromatic indica rice compared with those from two traditional non-aromatic indica rice cultivars. *Acta Physiologiae Plantarum* 31 (5): 915-926, **2009 (WoS/Scopus)**
359. Ruuhola T, Rantala LM, Neuvonen S, Yang SY, Rantala MJ - Effects of long-term simulated acid rain on a plant-herbivore interaction. *Basic and Applied Ecology* 10 (7): 589-596, **2009 (WoS/Scopus)**
360. Ryan A, Cojocariu C, Possell M, Davies WJ, Hewitt CN - Defining hybrid poplar (*Populus deltoides* x *Populus trichocarpa*) tolerance to ozone: identifying key parameters. *Plant Cell and Environment* 32 (1): 31-45, **2009 (WoS/Scopus)**
361. Sahebani N, Hadavi N - Induction of H₂O₂ and related enzymes in tomato roots infected with root knot nematode (*M. javanica*) by several chemical and microbial elicitors. *Biocontrol Science and Technology* 19 (3): 301-313, **2009 (WoS/Scopus)**
362. Sharma VP, Singh HP, Kohli RK, Batish DR - Mobile phone radiation inhibits *Vigna radiata* (mung bean) root growth by inducing oxidative stress. *Science of the Total Environment* 407 (21): 5543-5547, **2009 (WoS/Scopus)**
363. Singh HP, Kaur S, Batish DR, Kohli RK - Caffeic acid inhibits in vitro rooting in mung bean [*Vigna radiata* (L.) Wilczek] hypocotyls by inducing oxidative stress. *Plant Growth Regulation* 57 (1): 21-30, **2009 (WoS/Scopus)**
364. Singh HP, Kaur S, Batish DR, Sharma VP, Sharma N, Kohli RK - Nitric oxide alleviates arsenic toxicity by reducing oxidative damage in the roots of *Oryza sativa* (rice). *Nitric Oxide-Biology and Chemistry* 20 (4): 289-297, **2009**
365. Song A, Li ZJ, Zhang J, Xue GF, Fan FL, Liang YC - Silicon-enhanced resistance to cadmium toxicity in

- Brassica chinensis* L. is attributed to Si-suppressed cadmium uptake and transport and Si-enhanced antioxidant defense capacity. *Journal of Hazardous Materials* 172 (1): 74-83, **2009 (WoS/Scopus)**
- 366.** Sun X, Xi DH, Feng H, Du JB, Lei T, Liang HG, Lin HH - The dual effects of salicylic acid on dehydrin accumulation in water-stressed barley seedlings. *Russian Journal of Plant Physiology* 56 (3): 348-354, **2009 (WoS/Scopus)**
- 367.** Wang J, Liu JH - Change in free polyamine contents and expression profiles of two polyamine biosynthetic genes in citrus embryogenic callus under abiotic stresses. *Biotechnology & Biotechnological Equipment* 23 (3): 1289-1293, **2009 (WoS/Scopus)**
- 368.** Wei GP, Yang LF, Zhu YL, Chen G - Changes in oxidative damage, antioxidant enzyme activities and polyamine contents in leaves of grafted and non-grafted eggplant seedlings under stress by excess of calcium nitrate. *Scientia Horticulturae* 120 (4): 443-451, **2009 (WoS/Scopus)**
- 369.** Wongkantrakorn N, Sunohara Y, Matsumoto H - Mechanism of growth amelioration of NaCl-stressed rice (*Oryza sativa* L.) by delta-aminolevulinic acid. *Journal of Pesticide Science* 34 (2): 89-95, **2009 (WoS/Scopus)**
- 370.** Wu QS, Zou YN - Adaptive responses of birch-leaved pear (*Pyrus betulaeifolia*) seedlings to salinity stress. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 37 (1): 133-138, **2009 (WoS/Scopus)**
- 371.** Wu Z, Chen LJ, Long YJ - Analysis of ultrastructure and reactive oxygen species of hyperhydric garlic (*Allium sativum* L.) shoots. *In Vitro Cellular & Developmental Biology-Plant* 45 (4): 483-490, **2009 (WoS/Scopus)**
- 372.** Xu J, Yin HX, Liu XJ, Yuan T, Mi Q, Yang LL, Xie ZX, Wang WY - Nitric oxide alleviates Fe deficiency-induced stress in *Solanum nigrum*. *Biologia Plantarum* 53 (4): 784-788, **2009 (WoS/Scopus)**
- 373.** Xu J, Yin HX, Wang WY, Mi Q, Liu XJ - Effects of sodium nitroprusside on callus induction and shoot regeneration in micropropagated *Dioscorea opposita*. *Plant Growth Regulation* 59 (3): 279-285, **2009 (WoS/Scopus)**
- 374.** Yiu JC, Juang LD, Fang DYT, Liu CW, Wu SJ - Exogenous putrescine reduces flooding-induced oxidative damage by increasing the antioxidant properties of Welsh onion. *Scientia Horticulturae* 120 (3): 306-314, **2009 (WoS/Scopus)**
- 375.** Ahmad P, Jaleel CA, Sharma S - Antioxidant defense system, lipid peroxidation, proline-metabolizing enzymes, and biochemical activities in two *Morus alba* genotypes subjected to NaCl stress. *Russian Journal of Plant Physiology* 57 (4): 509-517, **2010 (WoS/Scopus)**
- 376.** Arshi A, Ahmad A, Aref IM, Iqbal M - Calcium interaction with salinity-induced effects on growth and metabolism of soybean (*Glycine max* L.) cultivars. *Journal of Environmental Biology* 31 (5): 795-801, Suppl. S, **2010 (WoS/Scopus)**
- 377.** Basu S, Roychoudhury A, Saha PP, Sengupta DN - Comparative analysis of some biochemical responses of three indica rice varieties during polyethylene glycol-mediated water stress exhibits distinct varietal differences. *Acta Physiologiae Plantarum* 32 (3): 551-563, **2010 (WoS/Scopus)**
- 378.** Bouazizi H, Jouili H, Geitmann A, El Ferjani E - Cupric stress induces oxidative damage marked by accumulation of H₂O₂ and changes to chloroplast ultrastructure in primary leaves of beans (*Phaseolus vulgaris* L.). *Acta Biologica Hungarica* 61(2): 191-203, **2010 (WoS/Scopus)**
- 379.** Cakmak T, Atici O, Agar G - The natural aging-related biochemical changes in the seeds of two legume varieties stored for 40 years. *Acta Agriculturae Scandinavica Section B-Soil and Plant Science* 60 (4): 353-360, **2010 (WoS/Scopus)**
- 380.** Cakmak T, Atici O, Agar G, Sunar S - Natural aging-related biochemical changes in alfalfa (*Medicago Sativa* L.) seeds stored for 42 years. *International Research Journal of Plant Science* 1(1): 001-006, **2010 (WoS/Scopus)**
- 381.** Cakmak T, Dumlupinar R, Erdal S - Chilling resistance of *Phaseolus vulgaris* and *Brassica oleracea* under a high-intensity electric field. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences* 65 (5-6): 380-386, **2010 (WoS/Scopus)**
- 382.** Choi EY, Moon JH, Lee WM, Son SH, Lee SG, Cho IH - The response of antioxidant enzyme activity, growth and yield of pepper and watermelon plants to a single application of simulated acid rain. *Journal of Food Agriculture & Environment* 8 (3-4): 1265-1271, Part 2, **2010 (WoS/Scopus)**
- 383.** Daneshmand F, Arvin MJ, Kalantari KM - Acetylsalicylic acid (Aspirin) induces salinity and osmotic tolerance in *Solanum acaule* in vitro. *Agrochimica* 54 (1): 52-64, **2010 (WoS/Scopus)**
- 384.** Daneshmand F, Arvin MJ, Kalantari KM - Acetylsalicylic acid ameliorates negative effects of NaCl or osmotic stress in *Solanum stoloniferum* in vitro. *Biologia Plantarum* 54 (4): 781-784, **2010 (WoS/Scopus)**
- 385.** D'Souza MR, Devaraj VR - Biochemical responses of Hyacinth bean (*Lablab purpureus*) to salinity stress. *Acta Physiologiae Plantarum* 32 (2): 341-353, **2010 (WoS/Scopus)**
- 386.** Erdal S, Demirtas A - Effects of cement flue dust from a cement factory on stress parameters and diversity of aquatic plants. *Toxicology and Industrial Health* 26 (6): 339-343, **2010 (WoS/Scopus)**
- 387.** Erdal S, Dumlupinar R - Progesterone and beta-estradiol stimulate seed germination in chickpea by causing important changes in biochemical parameters. *Zeitschrift Fur Naturforschung Section C-A Journal of Biosciences* 65 (3-4): 239-244, **2010 (WoS/Scopus)**
- 388.** Esfandiari E, Shokrpour M, Alavi-Kia S - Effect of Mg deficiency on antioxidant enzymes activities and lipid peroxidation. *Journal of Agricultural Science* 2(3): 131-136, **2010 (WoS/Scopus)**
- 389.** Gniazdowska A, Krasuska U, Czajkowska K, Bogatek R - Nitric oxide, hydrogen cyanide and ethylene are required in the control of germination and undisturbed development of young apple seedlings. *Plant Growth Regulation* 61 (1): 75-84, **2010 (WoS/Scopus)**
- 390.** Hao CY, Fan R, Wu HS, Zhang XP, Wang L, Chen WL, Chen ZL - Physiological response of *Monimopetalum chinense* to light stress under habitat fragmentation. *Plant Soil and Environment* 56 (12): 551-556, **2010 (WoS/Scopus)**
- 391.** Karataş İ, Öztürk L, Erşahin Y, Okatan Y - Effects of auxin on photosynthetic pigments and some enzyme activities

- during dark-induced senescence of tropaeolum leaves. *Pak J Bot* 42(3): 1881-1888, **2010 (WoS/Scopus)**
- 392.** Kazemi N, Khavari-Nejad RA, Fahimi H, Saadatmand S, Nejad-Sattari T - Effects of exogenous salicylic acid and nitric oxide on lipid peroxidation and antioxidant enzyme activities in leaves of *Brassica napus* L. under nickel stress. *Scientia Horticulturae* 126 (3): 402-407, **2010 (WoS/Scopus)**
- 393.** Khan MN, Siddiqui MH, Mohammad F, Naeem M, Khan MMA - Calcium chloride and gibberellic acid protect linseed (*Linum usitatissimum* L.) from NaCl stress by inducing antioxidative defence system and osmoprotectant accumulation. *Acta Physiologiae Plantarum* 32 (1): 121-132, **2010 (WoS/Scopus)**
- 394.** Latif HH - The influence of nickel sulphate on some physiological aspects of two cultivars of *Raphanus sativus* L. *Archives of Biological Sciences*, 62 (3): 685-693, **2010 (WoS/Scopus)**
- 395.** Masoumi A, Kafi M, Khazaei H, Davari K - Effect of drought stress on water status, electrolyte leakage and enzymatic antioxidants of kochia (*Kochia scoparia*) under saline condition. *Pakistan Journal of Botany* 42 (5): 3517-3524, **2010 (WoS/Scopus)**
- 396.** Missihoun TD - Characterisation of selected *Arabidopsis* aldehyde dehydrogenase genes: role in plant stress physiology and regulation of gene expression. (**PhD Thesis**), Friedrich-Wilhelms-Universität Bonn, **2010**
- 397.** Noreen Z, Ashraf M, Akram NA - Salt-induced regulation of some key antioxidant enzymes and physio-biochemical phenomena in five diverse cultivars of turnip (*Brassica rapa* L.). *Journal of Agronomy and Crop Science* 196 (4): 273-285, **2010 (WoS/Scopus)**
- 398.** Parimala P, Muthuchelian K - Physiological response of non-Bt and Bt cotton to short-term drought stress. *Photosynthetica* 48(4): 630-634, **2010 (WoS/Scopus)**
- 399.** Qados AMSA - Effect of arginine on growth, nutrient composition, yield and nutritional value of mung bean plants grown under salinity stress. *Nature and Science* 8 (7): 30-42, **2010 (WoS/Scopus)**
- 400.** Saha P, Chatterjee P, Biswas AK - NaCl pretreatment alleviates salt stress by enhancement of antioxidant defense system and osmolyte accumulation in mungbean (*Vigna radiata* L. Wilczek). *Indian Journal of Experimental Biology* 48 (6): 593-600, **2010**
- 401.** Sakr MT - Effect of spermine and mineral nutrients on sunflower plants grown on a calcareous saline soil. *Acta Agronomica Hungarica* 58 (2): 113-122, **2010**
- 402.** Shang J, Xi DH, Yuan S, Xu F, Xu MY, Qi HL, Wang SD, Huang QR, Wen L, Lin HH - Difference of physiological characters in dark green islands and yellow leaf tissue of cucumber mosaic Virus (CMV)-infected *Nicotiana tabacum* leaves. *Zeitschrift fur Naturforschung Section C-A Journal of Biosciences* 65 (1-2): 73-78, **2010 (WoS/Scopus)**
- 403.** Shi J, Fu XZ, Peng T, Huang XS, Fan QJ, Liu JH - Spermine pretreatment confers dehydration tolerance of citrus in vitro plants via modulation of antioxidative capacity and stomatal response. *Tree Physiology* 30 (7): 914-922, **2010 (WoS/Scopus)**
- 404.** Sisecioglu M, Gulcin I, Cankaya M, Atasever A, Sehitoglu MH, Kaya HB, Ozdemir H - Purification and characterization of peroxidase from Turkish black radish (*Raphanus sativus* L.). *Journal of Medicinal Plants Research* 4 (12): 1187-1196, **2010 (WoS/Scopus)**
- 405.** Sunohara Y, Shirai S, Wongkantrakorn N, Matsumoto H - Sensitivity and physiological responses of *Eleusine indica* and *Digitaria adscendens* to herbicide quinclorac and 2,4-D. *Environmental and Experimental Botany* 68 (2): 157-164, **2010 (WoS/Scopus)**
- 406.** Tavallali V, Rahemi M, Eshghi S, Kholdebarin B, Ramezani A - Zinc alleviates salt stress and increases antioxidant enzyme activity in the leaves of pistachio (*Pistacia vera* L. 'Badami') seedlings. *Turkish Journal of Agriculture and Forestry*, 34 (4): 349-359, **2010**
- 407.** Unyayar S, Deger AG, Celik A, Cekic FO, Cevik S - Cadmium-induced antioxidant status and sister-chromatid exchanges in *Vicia faba* L. *Turkish Journal of Biology* 34 (4): 413-422, **2010 (WoS/Scopus)**
- 408.** Yaakoubi H, Samson G, Ksontini M, Chaibi W - Localized increases of polyphenol concentration and antioxidant capacity in relation to the differential accumulations of copper and cadmium in roots and in shoots of sunflower. *Botany-Botanique* 88 (10): 901-911, **2010 (WoS/Scopus)**
- 409.** Yin LN, Wang SW, Eltayeb AE, Uddin MI, Yamamoto Y, Tsuji W, Takeuchi Y, Tanaka K - Overexpression of dehydroascorbate reductase, but not monodehydroascorbate reductase, confers tolerance to aluminum stress in transgenic tobacco. *Planta* 231 (3): 609-621, **2010 (WoS/Scopus)**
- 410.** Zhang DW, Xu F, Zhang ZW, Chen YE, Du JB, Jia SD, Yuan S, Lin HH, - Effects of light on cyanide-resistant respiration and alternative oxidase function in *Arabidopsis* seedlings. *Plant Cell and Environment* 33 (12): 2121-2131, **2010 (WoS/Scopus)**
- 411.** Zhang XX, Li CJ, Nan ZB - Effects of cadmium stress on growth and anti-oxidative systems in *Achnatherum inebrians* symbiotic with *Neotyphodium gansuense*. *Journal of Hazardous Materials* 175 (1-3): 703-709, **2010 (WoS/Scopus)**
- 412.** Ahmad P, Nabi G, Ashraf M - Cadmium-induced oxidative damage in mustard [*Brassica juncea* (L.) Czern. & Coss.] plants can be alleviated by salicylic acid. *South African Journal of Botany* 77 (1): 36-44, **2011 (WoS/Scopus)**
- 413.** Amooaghaie R, Moghym S - Effect of polyamines on thermotolerance and membrane stability of soybean seedling. *African Journal of Biotechnology* 10(47): 9673-9679, **2011**
- 414.** Asthir B, Deep A - Thermotolerance and antioxidant response induced by putrescine and heat acclimation in wheat seedlings. *Seed Science and Biotechnology* 5 (1): 42-46, **2011 (WoS/Scopus)**
- 415.** Cheng T-S - NaCl-induced responses in giant duckweed (*Spirodela polyrrhiza*). *J Aquat Plant Manage* 49: 62-71, **2011 (WoS/Scopus)**

416. Chookhampaeng S - The effect of salt stress on growth, chlorophyll content proline content and antioxidative enzymes of pepper (*Capsicum annuum* L.) seedling. *European Journal of Scientific Research* 49(1): 103-109, **2011 (WoS/Scopus)**
417. Choudhary SP, Kanwar M, Bhardwaj R, Gupta BD, Gupta RK - Epibrassinolide ameliorates Cr (VI) stress via influencing the levels of indole-3-acetic acid, abscisic acid, polyamines and antioxidant system of radish seedlings. *Chemosphere* 84 (5), 592-600, **2011 (WoS/Scopus)**
418. Choudhury B, Chowdhury S, Biswas AK - Regulation of growth and metabolism in rice (*Oryza sativa* L.) by arsenic and its possible reversal by phosphate. *Journal of Plant Interactions* 6 (1): 15-24, **2011 (WoS/Scopus)**
419. D'souza MR, Devaraj VR - Specific and non-specific responses of Hyacinth bean (*Dolichos lablab*) to drought stress. *Indian Journal of Biotechnology* 10: 130-139, **2011**
420. Du J-B, Yuan S, Chen Y-E, Sun X, Zhang Z-W, Xu F, Yuan M, Shang J, Lin H-H - Comparative expression analysis of dehydrins between two barley varieties, wild barley and Tibetan hulless barley associated with different stress resistance. *Acta Physiologiae Plantarum* 33(2): 567-574, **2011 (WoS/Scopus)**
421. Erdal S, Aydin M, Genisel M, Taspınar MS, Dumlupınar R, Kaya O, and Gorcek Z - Effects of salicylic acid on wheat salt sensitivity. *African Journal of Biotechnology* 10 (30): 5713-5718, **2011**
422. Farhad MS, Babak AM, Reza ZM, Hassan RSM, Afshin T - Response of proline, soluble sugars, photosynthetic pigments and antioxidant enzymes in potato (*Solanum tuberosum* L.) to different irrigation regimes in greenhouse condition. *Australian Journal of Crop Science* 5 (1): 55-60, **2011 (WoS/Scopus)**
423. Filippou CA, Vasileios F - Effect of drought and rewatering on the cellular status and antioxidant response of *Medicago truncatula* plants. *Plant Signal & Behav* 6(2): 270-277, **2011 (WoS/Scopus)**
424. Gangwar S, Singh VP, Prasad SM, Maurya JN - Differential responses of pea seedlings to indole acetic acid under manganese toxicity. *Acta Physiologiae Plantarum* 33(2): 451-462, **2011 (WoS/Scopus)**
425. Gemes K, Poor P, Horvath E, Kolbert Z, Szopko D, Szepesi A, Tari I - Cross-talk between salicylic acid and NaCl-generated reactive oxygen species and nitric oxide in tomato during acclimation to high salinity. *Physiologia Plantarum* 142 (2): 179-192, **2011 (WoS/Scopus)**
426. Ghnaya AB, Hourmant A, Couderchet M, Branchard M, Charles G - Modulation of Zn-induced oxidative stress, polyamine content and metal accumulation in rapeseed (*Brassica napus* cv Jumbo) regenerated from transversal thin cell layers in the presence of zinc. *International Research Journal of Biotechnology* 2 (3): 062-071, **2011 (WoS/Scopus)**
427. Ghnaya AB, Hourmant A, Couderchet M, Branchard M, Charles G - Polyamine levels and pigment contents in rapeseed regenerated *in vitro* in the presence of zinc. *Journal of Environmental Chemistry and Ecotoxicology* 3(8): 206-213, **2011 (WoS/Scopus)**
428. Harish SR, Murugan K - Oxidative stress indices in natural populations of *Avicennia alba* Blume. as biomarker of *Environmental Pollution*. *Environmental Research* 111(8): 1070-1073, **2011 (WoS/Scopus)**
429. Hussain SS, Ali M, Ahmad M, Siddique KHM - Polyamines: Natural and engineered abiotic and biotic stress tolerance in plants. *Biotechnology Advances* 29 (3): 300-311, **2011 (review) (WoS/Scopus)**
430. Islam E, Liu D, Li TQ, Yang XE, JinXF, Khan MA, Mahmood Q, Hayat Y, Imtiaz M - Effect of Pb toxicity on the growth and physiology of two ecotypes of *Elsholtzia argyi* and its alleviation by Zn. *Environmental Toxicology* 26 (4): 403-416, **2011 (WoS/Scopus)**
431. Kadioglu A, Saruhan N, Saglam A, Terzi R, Acet T - Exogenous salicylic acid alleviates effects of long term drought stress and delays leaf rolling by inducing antioxidant system. *Plant Growth Regulation* 64 (1): 27-37, **2011 (WoS/Scopus)**
432. Kafi M, Nabati J, Masoumi A, Mehrgerdi MZ - Effect of salinity and silicon application on oxidative damage of sorghum [*Sorghum bicolor* (L.) moench.]. *Pakistan Journal of Botany* 43 (5): 2457-2462, **2011 (WoS/Scopus)**
433. Koc E, Ustun AS, Islek C, Arici YK - Defence responses in leaves of resistant and susceptible pepper (*Capsicum annuum* L.) cultivars infected with different inoculum concentrations of *Phytophthora capsici* Leon. *Scientia Horticulturae* 128 (4): 434-442, **2011 (WoS/Scopus)**
434. Koksai E. - Peroxidase from leaves of spinach (*Spinacia oleracea*): Partial purification and some biochemical properties, *International Journal of Pharmacology* 7 (1): 135-139, **2011 (WoS/Scopus)**
435. Kumar N, Ebel RC, Roberts PD - Antioxidant metabolism of grapefruit infected with *Xanthomonas axonopodis* pv. Citri. *Environmental and Experimental Botany* 71 (1): 41-49, **2011 (WoS/Scopus)**
436. Kumar N, Ebel RC, Roberts PD - H₂O₂ metabolism during sweet orange (*Citrus sinensis* L. Osb.) 'Hamlin' *Xanthomonas axonopodis* pv. citri interaction. *Scientia Horticulturae* 128 (4): 465-472, **2011 (WoS/Scopus)**
437. Kumar N, Ebel RC, Roberts PD - Superoxide dismutase activity in kumquat leaves infected with *Xanthomonas axonopodis* pv. Citri. *Journal of Horticultural Science & Biotechnology* 86 (1): 62-68, **2011 (WoS/Scopus)**
438. Lehotai N, Peto A, Bajkan S, Erdei L, Tari I, Kolbert Z - *In vivo* and *in situ* visualization of early physiological events induced by heavy metals in pea root meristem. *Acta Physiologiae Plantarum* 33 (6): 2199-2207, **2011 (WoS/Scopus)**
439. Li P, Song A, Li Z, Fan F, Liang Y - Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa* L.). *Plant Soil* 354(1-2), DOI 10.1007/s11104-011-1076-4, **2011 (WoS/Scopus)**
440. Liu E-U, Liu C-P - Effects of simulated acid rain on the antioxidative system in *Cinnamomum philippinense* seedlings. *Water, Air, & Soil Pollution* 215(1-4), 127-135, **2011 (WoS/Scopus)**
441. Luo Y, Shang J, Zhao PP, Xi DH, Yuan S, Lin HH - Application of jasmonic acid followed by salicylic acid inhibits cucumber mosaic virus replication. *Plant Pathology Journal* 27 (1): 53-58, **2011 (WoS/Scopus)**

442. Mallick S, Sinam G, Sinha S - Study on arsenate tolerant and sensitive cultivars of *Zea mays* L.: Differential detoxification mechanism and effect on nutrients status. *Ecotoxicology and Environmental Safety* 74 (5): 1316-1324, **2011 (WoS/Scopus)**
443. Mandal S, Das RK, Mishra S - Differential occurrence of oxidative burst and antioxidative mechanism in compatible and incompatible interactions of *Solanum lycopersicum* and *Ralstonia solanacearum*. *Plant Physiology And Biochemistry* 49 (2): 117-123, **2011 (WoS/Scopus)**
444. Meena D, Singh H, Chaudhari SK - Elucidating strontium response on growth dynamics and biochemical change in *Phaseolus mungo* L. *Int J of Agril, Env and Biotech* 4 (2): 107-113, **2011 (WoS/Scopus)**
445. Michael PI, Krishnaswamy M - The effect of zinc stress combined with high irradiance stress on membrane damage and antioxidative response in bean seedlings. *Environmental and Experimental Botany* 74: 171-177, **2011 (WoS/Scopus)**
446. Nabati J, Kafi M, Nezami A, Moghaddam PR, Masoumi A, Mehrjerdi MZ - Effect of salinity on biomass production and activities of some key enzymatic antioxidants in kochia (*Kochia scoparia*). *Pakistan Journal of Botany* 43 (1): 539-548, **2011 (WoS/Scopus)**
447. Naji KM, Devaraj VR - Antioxidant and other biochemical defense responses of *Macrotyloma uniflorum* (Lam.) Verdc. (Horse gram) induced by high temperature and salt stress. *Brazilian Journal Plant Physiology* 23(3): 187-195, **2011**
448. Niknam V, Meratan AA, Ghaffari SM - The effect of salt stress on lipid peroxidation and antioxidative enzymes in callus of two *Acanthophyllum* species. *In Vitro Cellular & Developmental Biology-Plant* 47 (2): 297-308, **2011 (WoS/Scopus)**
449. Parimala P, Muthuchelian K - Antioxidative responses and expression of insecticidal proteins in Bt cotton under high irradiance. *Journal of Stress Physiology & Biochemistry* 7 (3): 201-211, **2011 (WoS/Scopus)**
450. Perotti VE, Del Vecchio HA, Sansevich A, Meier G, Bello F, Cocco M, Garran SM, Anderson C, Vazquez D, Podesta FE - Proteomic, metabolomic, and biochemical analysis of heat treated Valencia oranges during storage. *Postharvest Biology and Technology* 62 (2): 97-114, **2011 (WoS/Scopus)**
451. Perveen S, Shahbaz M, Ashraf M - Modulation in activities of antioxidant enzymes in salt stressed and non-stressed wheat (*Triticum aestivum* L.) plants raised from seed treated with triacontanol. *Pakistan Journal of Botany* 43 (5): 2463-2468, **2011 (WoS/Scopus)**
452. Prakash T, Kotresha D, Rama Rao N - Cerebroprotective activity of *Wedelia calendulacea* on global cerebral ischemia in rats. *Acta Biologica Hungarica* 62(4): 361-375, **2011 (WoS/Scopus)**
453. Prakash T, Kotresha D, Rao NR - Cerebroprotective activity of *wedelia calendulacea* on global cerebral ischemia in rats. *Acta Biologica Hungarica* 62(4): 361-375, **2011 (WoS/Scopus)**
454. Rasheed R, Wahid A, Farooq M, Hussain I, Basra SMA - Role of proline and glycinebetaine pretreatments in improving heat tolerance of sprouting sugarcane (*Saccharum* sp.) buds. *Plant Growth Regulation* 65 (1): 35-45, **2011 (WoS/Scopus)**
455. Rezaei A, Ghanati F, Behmanesh M, Mokhtari-Dizaji M - Ultrasound-potentiated salicylic acid-induced physiological effects and production of taxol in hazelnut (*Corylus Avellana* L.) cell culture. *Ultrasound in Medicine and Biology* 37 (11): 1938-1947, **2011**
456. Rezaei A, Ghanati F, Dehaghi MA - Stimulation of taxol production by combined salicylic acid elicitation and sonication in *Taxus baccata* cell culture. International Conference on Life Science and Technology, IPCBEE vol.3: 193-197, **2011**, IACSIT Press, Singapore
457. Roychoudhury A, Basu S, Sengupta DN - Amelioration of salinity stress by exogenously applied spermidine or spermine in three varieties of indica rice differing in their level of salt tolerance. *Journal of Plant Physiology* 168 (4): 317-328, **2011 (WoS/Scopus)**
458. Saglam A, Saruhan N, Terzi R, Kadioglu A - The relations between antioxidant enzymes and chlorophyll fluorescence parameters in common bean cultivars differing in sensitivity to drought stress. *Russian Journal of Plant Physiology* 58(1): 60-68, **2011 (WoS/Scopus)**
459. Sahebani N, Hadavi NS, Zade FO - The effects of β -amino-butyric acid on resistance of cucumber against root-knot nematode, *Meloidogyne javanica*. *Acta Physiologiae Plantarum* 33(2): 443-450, **2011 (WoS/Scopus)**
460. Siahpoush S, Sahebani N, Aminian H - Change of some defense compounds of cucumber treated with *Bacillus cereus* and salicylic acid against *Meloidogyne javanica*. *African Journal of Plant Science* 5(14): 829-834, **2011**
461. Simaei M, Khavari-Nejad RA, Saadatmand S, Bernard F, Fahimi H - Effects of salicylic acid and nitric oxide on antioxidant capacity and proline accumulation in *Glycine max* L. treated with NaCl salinity. *African Journal of Agricultural Research* 6(16): 3775-3782, **2011**
462. Simaei M, Khavarinejad, Saadatmand S, Bernard F, Fahimi H - Interactive effects of salicylic acid and nitric oxide on soybean plants under NaCl salinity. *Russian Journal of Plant Physiology* 58 (5): 783-790, **2011 (WoS/Scopus)**
463. Singh BN, Singh A, Singh SP, Singh HB - Trichoderma harzianum-mediated reprogramming of oxidative stress response in root apoplast of sunflower enhances defence against *Rhizoctonia solani*. *European Journal of Plant Pathology* 131 (1): 121-134, **2011 (WoS/Scopus)**
464. Soltys D, Rudzinska-Langwald A, Kurek W, Gniazdowska A, Sliwinska E, Bogatek R - Cyanamide mode of action during inhibition of onion (*Allium cepa* L.) root growth involves disturbances in cell division and cytoskeleton formation. *Planta* 234 (3): 609-621, **2011 (WoS/Scopus)**
465. Song A, Li P, Li ZJ, Fan FL, Nikolic M, Liang YC - The alleviation of zinc toxicity by silicon is related to zinc transport and antioxidative reactions in rice. *Plant and Soil* 344 (1-2): 319-333, **2011 (WoS/Scopus)**

466. Sood A, Pabbi S, Uniyal PL - Effects of paraquat on lipid peroxidation and antioxidant enzymes in aquatic fern *Azolla microphylla*. *Russian Journal of Plant Physiology* 58 (4): 667-673, **2011 (WoS/Scopus)**
467. Subramanyam K, Sailaja KV, Subramanyam K, Rao DM, Lakshmidevi K - Ectopic expression of an osmotin gene leads to enhanced salt tolerance in transgenic chilli pepper (*Capsicum annum* L.). *Plant Cell Tissue and Organ Culture* 105 (2): 181-192, **2011 (WoS/Scopus)**
468. Thawale PR, Babu SS, Wakode RR, Singh SK, Kumar S, Juwarkar AA - Biochemical changes in plant leaves as a biomarker of pollution due to anthropogenic activity. *Environmental Monitoring and Assessment* 177 (1-4): 527-535, **2011 (WoS/Scopus)**
469. Toda K, Takahashi R, Iwashina T, Hajika M - Difference in chilling-induced flavonoid profiles, antioxidant activity and chilling tolerance between soybean near-isogenic lines for the pubescence color gene. *Journal of Plant Research* 124 (1): 173-182, **2011 (WoS/Scopus)**
470. Torabi S, Niknam V - Effects of iso-osmotic concentrations of NaCl and mannitol on some metabolic activity in calluses of two *Salicornia* species. *In Vitro Cellular & Development Biology - Plant* 47: 734-742, **2011 (WoS/Scopus)**
471. Xu J, Yin H, Yang L, Xie Z, Liu X - Differential salt tolerance in seedlings derived from dimorphic seeds of *Atriplex centralasiatica*: from physiology to molecular analysis. *Planta* 233 (5): 859-871, **2011 (WoS/Scopus)**
472. Xu XY, Shi GX, Ding CX, Xu Y, Zhao JA, Yang HY, Pan QH - Regulation of exogenous spermidine on the reactive oxygen species level and polyamine metabolism in *Alternanthera philoxeroides* (Mart.) Griseb under copper stress. *Plant Growth Regulation* 63 (3): 251-258, **2011 (WoS/Scopus)**
473. Yang HY, Shi GX, Qiao XQ, Tian XL - Exogenous spermidine and spermine enhance cadmium tolerance of *Potamogeton malaianus*. *Russian Journal of Plant Physiology* 58 (4): 622-628, **2011 (WoS/Scopus)**
474. Zeng XW, Qiu RL, Ying RR, Tang YT, Tang L, Fang XH - The differentially-expressed proteome in Zn/Cd hyperaccumulator *Arabidopsis paniculata* Franch. in response to Zn and Cd. *Chemosphere* 82 (3): 321-328, **2011 (WoS/Scopus)**
475. Aghdam EM, Azar LM, Barzegari A, Karimi F, Mesbahfar M, Samadi N, Hejaz MS - Effect of periplasmic expression of recombinant mouse interleukin-4 on hydrogen peroxide concentration and catalase activity in *Escherichia coli*. *Gene* 511 (2): 455-460, **2012 (WoS/Scopus)**
476. Ahmad P, Hakeem KR, Kumar A, Ashraf M, Akram NA - Salt-induced changes in photosynthetic activity and oxidative defense system of three cultivars of mustard (*Brassica juncea* L.). *African Journal of Biotechnology* 11(11): 2694-2703, **2012**
477. Akram NA, Ashraf M, Al-Qurainy F - Aminolevulinic acid-induced changes in some key physiological attributes and activities of antioxidant enzymes in sunflower (*Helianthus annuus* L.) plants under saline regimes. *Scientia Horticulturae* 142 (13): 143-148, **2012 (WoS/Scopus)**
478. An D, Yang J, Zhang P - Transcriptome profiling of low temperature-treated cassava apical shoots showed dynamic responses of tropical plant to cold stress. *BMC Genomics* **2012**, 13:64, <http://www.biomedcentral.com/1471-2164/13/64> **(WoS/Scopus)**
479. Ashraf MA, Ashraf M, Shahbaz M - Growth stage-based modulation in antioxidant defense system and proline accumulation in two hexaploid wheat (*Triticum aestivum* L.) cultivars differing in salinity tolerance. *Flora* 207 (5): 388-397, **2012 (WoS/Scopus)**
480. Bae EJ, Lee KS, Huh MR, Lim CS - Silicon significantly alleviates the growth inhibitory effects of NaCl in salt-sensitive 'Perfection' and 'Midnight' Kentucky bluegrass (*Poa pratensis* L.). *Horticulture Environment and Biotechnology* 53(6): 477-483, **2012**, DOI: 10.1007/s13580-012-0094-3 **(WoS/Scopus)**
481. Bano S, Ashraf M, Akram NA, Al-Qurainy E - Regulation in some vital physiological attributes and antioxidative defense system in carrot (*Daucus carota* L.) under saline stress. *Journal of Applied Botany and Food Quality-Angewandte Botanik* 85(1): 105-115, **2012 (WoS/Scopus)**
482. Bansal R, Srivastava JP - Antioxidative defense system in pigeonpea roots under waterlogging stress. *Acta Physiologiae Plantarum* 34 (2): 515-522, **2012**, DOI: 10.1007/s11738-011-0848-z **(WoS/Scopus)**
483. Cakmak T, Cakmak ZE, Dumlupinar R, Tekinay T - Analysis of apoplastic and symplastic antioxidant system in shallot leaves: Impacts of weak static electric and magnetic field. *Journal of Plant Physiology* 169 (11):1066-1073, **2012 (WoS/Scopus)**
484. Chang IH, Cheng KT, Huang PC, Lin YY, Cheng LJ, Cheng TS - Oxidative stress in greater duckweed (*Spirodela polyrrhiza*) caused by long-term NaCl exposure. *Acta Physiologiae Plantarum* 34(3):1165-1176, **2012 (WoS/Scopus)**
485. Cheng LJ, Cheng TS - Oxidative effects and metabolic changes following exposure of greater duckweed (*Spirodela polyrrhiza*) to diethyl phthalate. *Aquatic Toxicology* 109: 166-175, **2012**, DOI: 10.1016/j.aquatox.2011.10.003 **(WoS/Scopus)**
486. Choudhary SP, Kanwar M, Bhardwaj R, Yu J-Q, Tran L-SP - Chromium stress mitigation by polyamine-brassinosteroid application involves phytohormonal and physiological strategies in *Raphanus sativus* L. *PLoS ONE* 7(3): e33210. doi:10.1371/journal.pone.0033210, **2012 (WoS/Scopus)**
487. Csiszar J, Galle A, Horvath E, Dancso P, Gombos M, Vary Z, Erdei L, Gyorgyey J, Tari I - Different peroxidase activities and expression of abiotic stress-related peroxidases in apical root segments of wheat genotypes with different drought stress tolerance under osmotic stress. *Plant Physiology and Biochemistry* 52: 119-129, **2012**, DOI: 10.1016/j.plaphy.2011.12.006 **(WoS/Scopus)**
488. Egbichi IM - Modulation of ascorbate peroxidase activity by nitric oxide in soybean. *PhD Thesis* Institute of Plant Biotechnology, Department of Genetics, University of Stellenbosch, **2012**
489. El-Shafey NM, AbdElgawad H - Luteolin, a bioactive flavone compound extracted from *Cichorium endivia*

- L. subsp *divaricatum* alleviates the harmful effect of salinity on maize. *Acta Physiologiae Plantarum* 34(6): 2165-2177, DOI: [10.1007/s11738-012-1017-8](https://doi.org/10.1007/s11738-012-1017-8), 2012 (WoS/Scopus)
490. Farouk S, Osman MA - Alleviation of oxidative stress induced by spider mite invasion through application of elicitors in bean plants. *Egyptian Journal of Biology* 14: 1-13, 2012
491. Garg B, Jaiswal JP, Misra S, Tripathi BN, Prasad M - A comprehensive study on dehydration-induced antioxidative responses during germination of Indian bread wheat (*Triticum aestivum* L. em Thell) cultivars collected from different agroclimatic zones. *Physiology and Molecular Biology of Plants* 18 (3): 217-228, 2012 (WoS/Scopus)
492. Garg N, Aggarwal N - Effect of mycorrhizal inoculations on heavy metal uptake and stress alleviation of *Cajanus cajan* (L.) Millsp genotypes grown in cadmium and lead contaminated soils. *Plant Growth Regulation* 66 (1): 9-26, 2012 (WoS/Scopus)
493. Garg N, Bhandari P - Influence of cadmium stress and arbuscular mycorrhizal fungi on nodule senescence in *Cajanus cajan* (L.) Millsp. *International Journal of Phytoremediation* 14 (1): 62-74, 2012, DOI: [10.1080/15226514.2011.573822](https://doi.org/10.1080/15226514.2011.573822) (WoS/Scopus)
494. Garg N, Kaur H - Influence of zinc on cadmium-induced toxicity in nodules of pigeonpea (*Cajanus cajan* L. Millsp.) inoculated with arbuscular mycorrhizal (AM) fungi. *Acta Physiologiae Plantarum* 34(4): 1363-1380, 2012 (WoS/Scopus)
495. Garg N, Singla P - The role of *Glomus mosseae* on key physiological and biochemical parameters of pea plants grown in arsenic contaminated soil. *Scientia Horticulturae* 143: 92-101, DOI: [10.1016/j.scienta.2012.06.010](https://doi.org/10.1016/j.scienta.2012.06.010), 2012 (WoS/Scopus)
496. Gentile A, Antognoni F, Iorio RA, Distefano G, Las Casas G, La Malfa S, Serafini-Fracassini D, Del Duca S - Polyamines and transglutaminase activity are involved in compatible and self-incompatible pollination of *Citrus grandis*. *Amino Acids* 42 (2-3): 1025-1035, 2012, DOI: [10.1007/s00726-011-1017-9](https://doi.org/10.1007/s00726-011-1017-9) (WoS/Scopus)
497. Ghosh N, Das SP, Mandal C, Gupta S, Das K, Dey N, Adak MK - Variations of antioxidative responses in two rice cultivars with polyamine treatment under salinity stress. *Physiology and Molecular Biology of Plants* 18 (4): 301-313, 2012 (WoS/Scopus)
498. Hassannejad S, Bernard F, Mirzajani F, Gholami M - SA improvement of hyperhydricity reversion in *Thymus daenensis* shoots culture may be associated with polyamines changes. *Plant Physiology and Biochemistry* 51: 40-46, 2012, DOI: [10.1016/j.plaphy.2011.10.006](https://doi.org/10.1016/j.plaphy.2011.10.006) (WoS/Scopus)
499. Hassanpour H, Khavari-Nejad RA, Niknam V, Najafi F, Razavi K - Effects of penconazole and water deficit stress on physiological and antioxidative responses in pennyroyal (*Mentha pulegium* L.). *Acta Physiologiae Plantarum* 34(4): 1537-1549, 2012 (WoS/Scopus)
500. Hussain I, Iqbal M, Qurat-Ul-Ain S, Rasheed R, Mahmood S, Perveen A, Wahid A - Cadmium dose and exposure-time dependent alterations in growth and physiology of maize (*Zea mays*). *International Journal of Agriculture & Biology* 14: 959-964, 2012 (WoS/Scopus)
501. Ismail GSM - Protective role of nitric oxide against arsenic-induced damages in germinating mung bean seeds. *Acta Physiologiae Plantarum* 34(4): 1303-1311, 2012 (WoS/Scopus)
502. Jungklang J, Saengnil K - Effect of paclobutrazol on patumma cv. Chiang Mai Pink under water stress. *Songklanakarin Journal of Science and Technology* 362 34 (4): 361-366, 2012
503. Kabiri R, Farahbakhsh H, Nasibi F - Salicylic acid ameliorates the effects of oxidative stress induced by water deficit in hydroponic culture of *Nigella sativa*. *Journal of Stress Physiology & Biochemistry* 8 (3): 13-22, 2012 (WoS/Scopus)
504. Kazemi N - Effect of exogenous nitric oxide on alleviating nickel-induced oxidative stress in leaves of tomato plants. *International Journal of AgriScience* 2 (9): 799-809, 2012 (WoS/Scopus)
505. Khan MN, Siddiqui MH, Mohammad F, Naeem M - Interactive role of nitric oxide and calcium chloride in enhancing tolerance to salt stress. *Nitric Oxide – Biology and Chemistry* 27 (4): 210-218, 2012 (WoS/Scopus)
506. Koodkaew I, Sunohara Y, Matsuyama S, Matsumoto H - Isolation of ambiguine D isonitrile from *Hapalosiphon* sp and characterization of its phytotoxic activity. *Plant Growth Regulation* 68(2): 141-150, DOI: [10.1007/s10725-012-9700-8](https://doi.org/10.1007/s10725-012-9700-8), 2012 (WoS/Scopus)
507. Koodkaew I, Sunohara Y, Matsuyama S, Matsumoto H - Phytotoxic action mechanism of hapalocyclamide in lettuce seedlings. *Plant Physiology and Biochemistry* 58: 23-28, DOI: [10.1016/j.plaphy.2012.06.002](https://doi.org/10.1016/j.plaphy.2012.06.002), 2012 (WoS/Scopus)
508. Li P, Song AL, Li ZJ, Fan FL, Liang YC - Silicon ameliorates manganese toxicity by regulating manganese transport and antioxidant reactions in rice (*Oryza sativa* L.). *Plant and Soil* 354(1-2): 407-419, 2012 (WoS/Scopus)
509. Lin M-H, Gresshoff PM, Ferguson BJ - Systemic regulation of soybean nodulation by acidic growth conditions. *Plant Physiology* 160: 2028-2039, 2012 (WoS/Scopus)
510. Mahmood S, Wahid A, Rasheed R, Hussain I, Basra SMA - Possible antioxidative role of endogenous vitamins biosynthesis in heat stressed maize (*Zea mays*). *International Journal of Agriculture and Biology* 14: 705-712, 2012 (WoS/Scopus)
511. Moalemi R, Aghdasi M, Ghanati F - Induction of phenolic compounds is affected by boron supply in marshmallow (*Althaea officinalis* L.) cells. *Progress in Biological Sciences* 2 (1): 68-75, 2012 (WoS/Scopus)
512. Mroczek-Zdyrska M, Wojcik M - The influence of selenium on root growth and oxidative stress induced by lead in *Vicia faba* L. Minor plants. *Biological Trace Element Research* 147(1-3):320-328, 2012 (WoS/Scopus)

513. Murthy SM, Devaraj VR, Anitha P, Tejavathi DH - Studies on the activities of antioxidant enzymes under induced drought stress in *in vivo* and *in vitro* plants of *Macrotyloma uniflorum* (Lam.) Verdc. *Recent Research in Science and Technology* 4 (2): 34-37, **2012 (WoS/Scopus)**
514. Myrene DR, Devaraj VR - Induction of oxidative stress and antioxidative mechanisms in hyacinth bean under zinc stress. *African Crop Science Journal* 20 (1): 17 – 29, **2012**
515. Nikraves F, Khavari-Nejad RA, Rahimian H, Fahimi H - Antioxidant enzyme activities and isozyme pattern in hairy roots and regenerated tobacco plants. *Russian Journal of Plant Physiology* 59(5): 648-655, DOI: [10.1134/S1021443712030132](https://doi.org/10.1134/S1021443712030132), **2012 (WoS/Scopus)**
516. Nikraves F, Khavari-Nejad RA, Rahimian H, Fahimi H - Study of antioxidant enzymes activity and isozymes pattern in hairy roots and regenerated plants in *Nicotiana tabacum*. *Acta Physiologiae Plantarum* 34 (2): 419-427, **2012**, DOI: [10.1007/s11738-011-0838-1](https://doi.org/10.1007/s11738-011-0838-1) **(WoS/Scopus)**
517. Nounjan N, Theerakulpisut P - Effects of exogenous proline and trehalose on physiological responses in rice seedlings during salt-stress and after recovery. *Plant Soil Environ* 58 (7): 309–315, **2012 (WoS/Scopus)**
518. Ozturk L, Demir Y, Unlukara A, Karatas I, Kurunc A, Duzdemir O - Effects of long-term salt stress on antioxidant system, chlorophyll and proline contents in pea leaves. *Romanian Biotechnological Letters* 17(3): 7227-7236, **2012**
519. Saleem A, Ashraf M, Akram NA, Al-Qurainy F - Salinity-induced changes in key anti-oxidant enzyme activities and in the levels of some anti-oxidants, osmo-protectants, inorganic ions, and chlorophyll pigments in okra fruit (*Abelmoschus esculentus* L.). *Journal of Horticultural Science & Biotechnology* 87(3):271-277, **2012 (WoS/Scopus)**
520. Saruhan N, Saglam A, Kadioglu A - Salicylic acid pretreatment induces drought tolerance and delays leaf rolling by inducing antioxidant systems in maize genotypes. *Acta Physiologiae Plantarum* 34 (1): 97-106, **2012 (WoS/Scopus)**
521. Sengupta D, Mudalkar S, Reddy AR - Detoxification potential and expression analysis of eutypine reducing aldehyde reductase (VrALR) during progressive drought and recovery in *Vigna radiata* (L.) Wilczek roots. *Planta* 236(4): 1339-1349, DOI: [10.1007/s00425-012-1716-9](https://doi.org/10.1007/s00425-012-1716-9), **2012 (WoS/Scopus)**
522. Sengupta D, Ramesh G, Mudalkar SI, Kumar KRR, Kirti PB, Reddy AR - Molecular cloning and characterization of γ -glutamyl cysteine synthetase (Vr γ ECS) from roots of *Vigna radiata* (L.) Wilczek under progressive drought stress and recovery. *Plant Molecular Biology Reporter* 30(4): 894-903 **2012 (WoS/Scopus)**
523. Sharma C, Singh N, Pal K - The effect of salt stress on biochemicals of chili at seedling level. *International Journal of Pharma Professional Research* 3 (3): 665- 670, **2012 (WoS/Scopus)**
524. Shu S, Guo S-R, Yuan L-Y - A **Review**: Polyamines and Photosynthesis. In: *Advances in Photosynthesis – Fundamental Aspects*, Capter 21. pp.440-464 (Ed. Mohammad Najafpour), Publisher InTech, **2012 (book)**
525. Singh HP, Sharma VP, Batish DR, Kohli RK - Cell phone electromagnetic field radiations affect rhizogenesis through impairment of biochemical processes. *Environmental Monitoring and Assessment* 184 (4): 1813-1821, **2012** DOI: [10.1007/s10661-011-2080-0](https://doi.org/10.1007/s10661-011-2080-0) **(WoS/Scopus)**
526. Singh VP, Srivastava PK, Prasad SM - Differential effect of UV-B radiation on growth, oxidative stress and ascorbate–glutathione cycle in two cyanobacteria under copper toxicity. *Plant Physiology and Biochemistry* 61: 61-70, **2012 (WoS/Scopus)**
527. Singh VP, Srivastava PK, Prasad SM - Impact of low and high fluence rates of UV-B radiation on growth and oxidative stress in *Phormidium foveolarum* and *Nostoc muscorum* under copper toxicity: differential display of antioxidants system. *Acta Physiologiae Plantarum* 34(6): 2225-2239, DOI: [10.1007/s11738-012-1023-x](https://doi.org/10.1007/s11738-012-1023-x), **2012 (WoS/Scopus)**
528. Sood A, Kalra C, Pabbi S, Uniyal PL - Differential responses of hydrogen peroxide, lipid peroxidation and antioxidant enzymes in *Azolla microphylla* exposed to paraquat and nitric oxide. *Biologia* 67(6): 1119-1128. DOI: [10.2478/s11756-012-0110-1](https://doi.org/10.2478/s11756-012-0110-1), **2012 (WoS/Scopus)**
529. Srivastava PK, Singh VP, Prasad SM - Compatibility of ascorbate-glutathione cycle enzymes in cyanobacteria against low and high UV-B exposures, simultaneously exposed to low and high doses of chlorpyrifos. *Ecotoxicology and Environmental Safety* 83: 79-88, DOI: [10.1016/j.ecoenv.2012.06.009](https://doi.org/10.1016/j.ecoenv.2012.06.009), **2012 (WoS/Scopus)**
530. Subramanyam K, Arun M, Mariashibu TS, Thebora J, Rajesh M, Singh NK, Manickavasagam M, Ganapathi A - Overexpression of tobacco osmotin (*Tbosm*) in soybean conferred resistance to salinity stress and fungal infections. *Planta* 236(6): 1909–1925, **2012**, DOI [10.1007/s00425-012-1733-8](https://doi.org/10.1007/s00425-012-1733-8) **(WoS/Scopus)**
531. Sun J, Li C, Prasad KN, You X, Li L, Liao F, Peng H, He X, Li Z, Zhang Y - Membrane deterioration, enzymatic browning and oxidative stress in fresh fruits of three litchi cultivars during six-day storage. *Scientia Horticulturae* 148 (4): 97-103, **2012 (WoS/Scopus)**
532. Vinod K, Awasthi G, Chauhan PK - Cu and Zn tolerance and responses of the biochemical and physiochemical system of wheat. *Journal of Stress Physiology & Biochemistry* 8 (3): 203-213, **2012 (WoS/Scopus)**
533. Wang X, Rong E, Zhang J, Yuan X, Wen Y, Guo P - Effect of quizalofop on protective enzymes and photosynthesis in *Radix Isatidis*. *Journal of Medicinal Plants Research* 6 (9): 1770-1776, **2012 (WoS/Scopus)**
534. Xu F, Zhang DW, Zhu F, Tang H, Lv X, Cheng J, Xie HF, Lin HH - A novel role for cyanide in the control of cucumber (*Cucumis sativus* L.) seedlings response to environmental stress. *Plant Cell and Environment* 35(11): 1983-1997, **2012 (WoS/Scopus)**
535. Xu F, Zhang DW, Wang JH, Zhang ZW, Wen L, Du JB, Shang J, Yuan M, Yuan S, Lin HH - n-propyl gallate is an inhibitor to tomato fruit ripening. *Journal of Food Biochemistry* 36(6): 657-666, **2012**, DOI: [10.1111/j.1745-](https://doi.org/10.1111/j.1745-)

536. Yiu JC, Tseng MJ, Liu CW, Kuo CT - Modulation of NaCl stress in *Capsicum annuum* L. seedlings by catechin. *Scientia Horticulturae* 134: 200-209, **2012**, DOI: [10.1016/j.scienta.2011.11.025](https://doi.org/10.1016/j.scienta.2011.11.025) (WoS/Scopus)
537. Zhang FJ, Chen FX, Liu WX, Guo JY, Wan FH - rho-Cymene inhibits growth and induces oxidative stress in rice seedling plants. *Weed Science* 60(4): 564-570, DOI: [10.1614/WS-D-12-00029.1](https://doi.org/10.1614/WS-D-12-00029.1), **2012** (WoS/Scopus)
538. Zsigmond L, Szepesi A, Tari I, Rigo G, Kiraly A, Szabados L - Overexpression of the mitochondrial PPR40 gene improves salt tolerance in Arabidopsis. *Plant Science* 182 (Special Issue SI): 87-93, **2012** (WoS/Scopus)
539. Ali B, Tao Q, Zhou Y, Gill RA, Ali S, Rafiq MT, Xu L, Zhou W - 5-Aminolevolinic acid mitigates the cadmium-induced changes in *Brassica napus* as revealed by the biochemical and ultra-structural evaluation of roots. *Ecotoxicology and Environmental Safety* 92, 271-280, **2013** (WoS/Scopus)
540. Antoniou C, Filippou P, Mylona P, Fasoula D, Ioannides I, Polidoros A, Fotopoulos V. Developmental stage- and concentration-specific sodium nitroprusside I.application results in nitrate reductase regulation and the modification of nitrate metabolism in leaves of *Medicago truncatula* plants. *Plant Signaling & Behavior* 8 (9), e25479, **2013** (WoS/Scopus)
541. Ara N, Nakkanong K, Lv W, Yang J, Hu Z, Zhang M. Antioxidant enzymatic activities and gene expression associated with heat tolerance in the stems and roots of two cucurbit species ("Cucurbita maxima" and "Cucurbita moschata") and their interspecific inbred line "Maxchata". *International Journal of Molecular Sciences* 14 (12), 24008-24028, **2013** (WoS/Scopus)
542. Ashraf MA, Rasool M, Ali Q, Haider MZ, Noman A, Azeem M - Salt-induced perturbation in growth, physiological attributes, activities of antioxidant enzymes and organic solutes in mungbean (*Vigna radiata* L.) cultivars differing in salinity tolerance. *Archives of Agronomy and Soil Science* 59 (12), 1695-1712, **2013** (WoS/Scopus)
543. Aumonde TZ, Martinazzo EG, Pedó T, Borella J, do Amarante L, Villela FA, de Moraes DM. Respostas fisiológicas de sementes e plântulas de alface submetidas ao extrato de *Philodendron bipinnatifidum*. *Semina: Ciências Agrárias, Londrina* 34 (6) supl 1, 3181-3192, **2013**
544. Azar LM, Aghdam EM, Karimi F, Haghsheenas B, Barzegari A, Yaghmaei P, Hejazi MS - Influence of foreign DNA introduction and periplasmic expression of recombinant human interleukin-2 on hydrogen peroxide quantity and catalase activity in *Escherichia coli*. *Advanced Pharmaceutical Bulletin* 3 (2), 395-402, **2013**
545. Bargaz A, Faghire M, Farissi M, Drevon JJ, Ghoulam C - Oxidative stress in the root nodules of *Phaseolus vulgaris* is induced under conditions of phosphorus deficiency. *Acta Physiologiae Plantarum* 35 (5): 1633-1644, DOI: [10.1007/s11738-012-1206-5](https://doi.org/10.1007/s11738-012-1206-5), **2013** (WoS/Scopus)
546. Bargaz A, Lazali M, Amenc L, Abadie J, Ghoulam C, Farissi M, Faghire M, Drevon JJ - Differential expression of trehalose 6-P phosphatase and ascorbate peroxidase transcripts in nodule cortex of *Phaseolus vulgaris* and regulation of nodule O₂ permeability. *Planta* 238(1), 107-119, **2013** (WoS/Scopus)
547. Bidabadi SS, Mehri H, Ghobadi C, Baninasab B, Afazel M - Morphological, physiological and antioxidant responses of some Iranian grapevine cultivars to methyl jasmonate application. *Journal of Crop Science and Biotechnology* 16(4): 277-283, **2013** (WoS/Scopus)
548. Chai T-T, Ngoi J-C, Wong F-C. Herbicidal potential of *Eichhornia crassipes* leaf extract against *Mimosa pigra* and *Vigna radiata*. *International Journal of Agriculture & Biology* 15, 835-842, **2013** (WoS/Scopus)
549. Chai T-T, Ooh K-F, Ooi P-W, Chue P-S, Wong F-C. *Leucaena leucocephala* leachate compromised membrane integrity, respiration and antioxidative defence of water hyacinth leaf tissues. *Botanical Studies* 54 (8), **2013** <http://www.as-botanicalstudies.com/content/54/1/8> (WoS/Scopus)
550. Chakraborty S, Mukherjee A, Das TK - Biochemical characterization of a lead-tolerant strain of *Aspergillus foetidus*: An implication of bioremediation of lead from liquid media. *International Biodeterioration & Biodegradation* 84, Special Issue: SI, 134-142, **2013** (WoS/Scopus)
551. Cheng T-S - Effect of LED light radiation on antioxidant activity and *Agrobacterium*-mediate transformation of azuki bean epicotyls. *International Journal of Science and Engineering* 3(4): 23-32, **2013** (WoS/Scopus)
552. Coppola V, Coppola M, Rocco M, Digilio MC, D'Ambrosio C, Renzone G, Martinelli R, Scaloni A, Pennacchio F, Rao R, Corrado G - Transcriptomic and proteomic analysis of a compatible tomato-aphid interaction reveals a predominant salicylic acid-dependent plant response. *BMC Genomics* 14, Article Number: 515, **2013** (WoS/Scopus)
553. Debska K, Krasuska U, Budnicka K, Bogatek R, Gniazdowska A - Dormancy removal of apple seeds by cold stratification is associated with fluctuation in H₂O₂, NO production and protein carbonylation level. *Journal of Plant Physiology* 170 (5): 480-488, DOI: [10.1016/j.jplph.2012.11.018](https://doi.org/10.1016/j.jplph.2012.11.018), **2013** (WoS/Scopus)
554. Dehabadi SZ, Shoushtari A, Asrar Z - Modulation of arsenic toxicity-induced oxidative damage by coronatine pretreatment in sweet basil (*Ocimum basilicum*) seedlings. *Botany-Botanique* 91(7), 442-448, **2013** (WoS/Scopus)
555. Dehghan G, Amjad L, Nosrati - Enzymatic and non-enzymatic antioxidant responses of alfalfa leaves and roots under different salinity levels. *Acta Biologica Hungarica* 64 (2): 207-217, **2013**
556. Demiralay M, Sağlam A, Kadioğlu A. Salicylic acid delays leaf rolling by inducing antioxidant enzymes and modulating osmoprotectant content in *Ctenanthe setosa* under osmotic stress. *Turk J Biol* 37, 49-59 **2013** (WoS/Scopus)
557. Egbichi I, Keyster M, Jacobs A, Klein A, Ludidi N - Modulation of antioxidant enzyme activities and metabolites ratios by nitric oxide in short-term salt stressed soybean root nodules. *South African Journal of Botany* 88, 26-333, **2013** (WoS/Scopus)

558. El-Gaied LF, Abu El-Heba GA, El-Sherif NA - Effect of growth hormones on some antioxidant parameters and gene expression in tomato. *GM Crops and Food: Biotechnology in Agriculture and the Food Chain* 4(1): 67-73, **2013 (WoS/Scopus)**
559. Fariduddin Q, Mir BA, Yusuf M, Ahmad A - Comparative roles of brassinosteroids and polyamines in salt stress tolerance. *Acta Physiologiae Plantarum* 35: 2037-2053, **2013 (review) (WoS/Scopus)**
560. Fathurrahman L, Hajar AHS, Sakmah DWN, Nurhazwani Z, Ahmad J - Flashing light as growth stimulant in cultivation of green microalgae, *Chlorella* sp. utilizing airlift photobioreactor. *Pakistan Journal of Biological Sciences* 16 (22), 1517-1523, **2013**
561. Filippou P, Tanou G, Molassiotis A, Fotopoulos V. Plant acclimation to environmental stress using priming agents. In: (Editors: Narendra Tuteja, Sarvajeet Singh Gill) *Plant Acclimation to Environmental Stress*. pp 1-27, Springer, **2013 (book)**
562. Filippou P, Antoniou C, Fotopoulos V - The nitric oxide donor sodium nitroprusside regulates polyamine and proline metabolism in leaves of *Medicago truncatula* plants. *Free Radical Biology and Medicine* 56:172-183, **2013 (WoS/Scopus)**
563. Garg N, Kaur H - Response of antioxidant enzymes, phytochelatin and glutathione production towards Cd and Zn stresses in *Cajanus cajan* (L.) Millsp genotypes colonized by Arbuscular Mycorrhizal Fungi. *Journal of Agronomy and Crop Science*. 199 (2): 118-133, DOI: 10.1111/j.1439-037X.2012.00533.x, **2013 (WoS/Scopus)**
564. Genisel M, Turk H, Erdal S - Exogenous progesterone application protects chickpea seedlings against chilling-induced oxidative stress. *Acta Physiologia Plantarum* 35(1): 241-251, DOI 10.1007/s11738-012-1070-3, **2013 (WoS/Scopus)**
565. Gharechahi J, Khalili M, Hasanloo T, Salekdeh GH - An integrated proteomic approach to decipher the effect of methyl jasmonate elicitation on the proteome of *Silybum marianum* L. hairy roots. *Plant Physiology and Biochemistry* 70, 115-122, **2013 (WoS/Scopus)**
566. Gholami M, Ghanati F, Fakhari AR, Borojeni LY, Safari M - Differential effects of ornithine enantiomers on the activity of anti-oxidant enzymes, polyamines content, and growth of tobacco cells under osmotic stresses. *Chirality* 25(10), 583-588, **2013**
567. Gomes MP, Carvalho M, Carvalho GS, Marques TCLLSM, Garcia QS, Guilherme LRG, Soares AM - Phosphorus improves arsenic phytoremediation by *Anadenanthera peregrina* by alleviating induced oxidative stress. *International Journal of Phytoremediation* 15 (7): 633-646, **2013 (WoS/Scopus)**
568. Gomes MP, Duarte DM, Carneiro MMLC, Barreto LC, Carvalho M, Soares AM, Guilherme LRG, Garcia QS - Zinc tolerance modulation in Myracrodruon urundeuva plants. *Plant Physiology and Biochemistry* 67, 1-6, **2013 (WoS/Scopus)**
569. Guo Q, Meng L, Mao PC, Jia YQ, Shi YJ - Role of exogenous salicylic acid in alleviating cadmium-induced toxicity in Kentucky bluegrass. *Biochemical Systematics and Ecology* 50, 269-276, **2013 (WoS/Scopus)**
570. Gupta K, Dey A, Gupta B - Plant polyamines in abiotic stress responses. *Acta Physiologiae Plantarum* 35(7): 2015-2036, **2013 (review) (WoS/Scopus)**
571. Guzel S, Terzi R. Exogenous hydrogen peroxide increases dry matter production, mineral content and level of osmotic solutes in young maize leaves and alleviates deleterious effects of copper stress. *Botanical Studies* 54 (26), **2013** <http://www.as-botanicalstudies.com/content/54/1/26> **(WoS/Scopus)**
572. Hasanuzzaman M, Nahar K, Fujita M - Plant response to salt stress and role of exogenous protectants to mitigate salt-induced damages. In: *Ecophysiology and Responses of Plants under Salt Stress* - Springer, pp: 25-87, **2013**
573. Hegab MM, Abdelgawad H, Abdelhamed MS, Hammouda O, Pandey R, Kumar V, Zinta G. Effects of tricin isolated from jungle rice (*Echinochloa colona* L.) on amylase activity and oxidative stress in wild oat (*Avena fatua* L.). *Allelopathy Journal* 31 (2), 345-354, **2013 (WoS/Scopus)**
574. Hozayn M., Abd El-Monem A.A., Ebtihal M. Abd El-hamid E.M., Amira M.S. Abdul Qados - Amelioration of salinity stress in mungbean (*Vigna radiata* L). plant by soaking in arginine. *Journal of Applied Sciences Research*, 9(1): 393-401, **2013 (WoS/Scopus)**
575. Hussain I, Akhtar S, Ashraf MA, Rasheed R, Siddiqi EH, Ibrahim M. Response of maize seedlings to cadmium application after different time intervals. *ISRN Agronomy* Article ID 169610. <http://dx.doi.org/10.1155/2013/169610>, **2013 (WoS/Scopus)**
576. Hussain I, Iqbal M, Nawaz M, Rasheed R, Perveen A, Mahmood S, Yasmeen A, Wahid A, - Effect of sugar mill effluent on growth and antioxidative potential of maize seedling. *Int. J. Agric. Biol.* 15: 1227-1235, **2013 (WoS/Scopus)**
577. Iti S - Arsenic-induced oxidative stress and antioxidant defense system of pisum sativum and pennisetum typhoides: a comparative study. *Research Journal of Biotechnology* 8 (4): 48-56, **2013**
578. Jain A, Singh A, Singh S, Singh HB - Microbial consortium-induced changes in oxidative stress markers in pea plants challenged with *Sclerotinia sclerotiorum*. *Journal of Plant Growth Regulation* 32 (2), 388-398, **2013 (WoS/Scopus)**
579. Javed S, Ashraf MY, Meraj M, Bukhari SA, Zovia I - Salinity and drought induced antioxidant responses in different cultivars of safflower (*Carthamus tinctorius* L.). *Current Pharmaceutical Biotechnology*, 14(9): 814-819, **2013 (WoS/Scopus)**
580. Kacharava N, Chkhubianishvili E, Badridze G, Chanishvili S, Mazanishvili L - Antioxidant response of some georgian wheat species to simulated acid rain. *Australian Journal of Crop Science* 7 (6), 770-776, **2013**

(WoS/Scopus)

- 581.** Keyster M, Klein A, Du Plessis M, Jacobs A, Kappo A, Kocsy G, Galiba G, Ludidi N - Capacity to control oxidative stress-induced caspase-like activity determines the level of tolerance to salt stress in two contrasting maize genotypes. *Acta Physiologia Plantarum* 35(1): 31-40, **2013**. DOI [10.1007/s11738-012-1045-4](https://doi.org/10.1007/s11738-012-1045-4) **(WoS/Scopus)**
- 582.** Koç E, Üstün AS, Çelik N. Effect of exogenously applied salicylic acid on cadmium chloride-induced oxidative stress and nitrogen metabolism in tomato (*Lycopersicon esculentum* L.). *Turkish Journal of Biology* 37, 361-369, **2013 (WoS/Scopus)**
- 583.** Kumar A, Prasad MNV, Achary VMM, Panda BB - Elucidation of lead-induced oxidative stress in Talinum triangulare roots by analysis of antioxidant responses and DNA damage at cellular level. *Environmental Science and Pollution Research* 20(7), 4551-4561, **2013 (WoS/Scopus)**
- 584.** Kumar N, Mallick S, Yadava RN, Singh AP, Sinha S - Co-application of selenite and phosphate reduces arsenite uptake in hydroponically grown rice seedlings: Toxicity and defence mechanism. *Ecotoxicology and Environmental Safety* 91: 171-179, DOI: [10.1016/j.ecoenv.2013.01.027](https://doi.org/10.1016/j.ecoenv.2013.01.027), **2013 (WoS/Scopus)**
- 585.** Kundu S, Chakraborty D, Kundu A, Pal A - Proteomics approach combined with biochemical attributes to elucidate compatible and incompatible plant-virus interactions between *Vigna mungo* and Mungbean Yellow Mosaic India Virus. *Proteome Science* 11:15, **2013** <http://www.proteomesci.com/content/11/1/15> **(WoS/Scopus)**
- 586.** Lechaudel M, Lopez-Lauri F, Vidal V, Sallanon H, Joas J - Response of the physiological parameters of mango fruit (transpiration, water relations and antioxidant system) to its light and temperature environment. *Journal of Plant Physiology* 170 (6): 567-576, **2013 (WoS/Scopus)**
- 587.** Liang CJ, Wang WM - Antioxidant response of soybean seedlings to joint stress of lanthanum and acid rain. *Environmental Science and Pollution Research* 20(11), 8182-8191, **2013 (WoS/Scopus)**
- 588.** Liu YG - Spatial and temporal distribution differences of acid rain in Heshan China. *Applied Mechanics and Materials*, 319, 308-311, **2013 (WoS/Scopus)**
- 589.** Ma C, Wang ZQ, Kong BB, Lin TB - Exogenous trehalose differentially modulate antioxidant defense system in wheat callus during water deficit and subsequent recovery. *Plant Growth Regulation* 70(3), 275-285, **2013 (WoS/Scopus)**
- 590.** Mallick S, Kumar N, Singh AP, Sinam G, Yadav RN, Sinha S - Role of sulfate in detoxification of arsenate-induced toxicity in *Zea mays* L. (SRHM 445): nutrient status and antioxidants. *Journal of Plant Interactions* 8 (2): 140-154, DOI: [10.1080/17429145.2012.734863](https://doi.org/10.1080/17429145.2012.734863), **2013 (WoS/Scopus)**
- 591.** Meratan AA, Ghaffari SM, Niknam V, Salami M. Antioxidative responses in calli of two populations of *Acanthophyllum laxiusculum* with and without B-chromosomes under salt stress. *Pakistan Journal of Biological Sciences* 16 (1), 1-11, **2013 (WoS/Scopus)**
- 592.** Myrene RD, Devaraj VR - Mercury-induced changes in growth and oxidative metabolism of Field bean (*Dolichos lablab*). *Research Journal of Chemistry and Environment* 17(9), 86-93, **2013 (WoS/Scopus)**
- 593.** Myrene RD, Devaraj VR. Induction of thermotolerance through heat acclimation in lablab bean (*Dolichos lablab*). *African Journal of Biotechnology* 12(38), 5695-5704, **2013**
- 594.** Myrene RD, Devaraj VR. Oxidative stress biomarkers and metabolic changes associated with cadmium stress in hyacinth bean (*Lablab Purpureus*). *African Journal of Biotechnology* 12(29), 4670-4682, **2013**
- 595.** Myrene RD, Devaraj VR. Role of calcium in increasing tolerance of *Hyacinth bean* to salinity. *Journal of Applied Biology & Biotechnology*. 1 (03), 011-020, **2013**, DOI: [10.7324/JABB.2013.1302](https://doi.org/10.7324/JABB.2013.1302) **(WoS/Scopus)**
- 596.** Naji KM, Devaraj - Biochemical response trends of *Macrotyloma uniflorum*, Lam. subjected to dehydration stress in different growth conditions. *World Applied Sciences Journal* 28(7): 934-941, **2013 (WoS/Scopus)**
- 597.** Namdjoyan S, Kermanian H - Exogenous nitric oxide (as sodium nitroprusside) ameliorates arsenic-induced oxidative stress in watercress (*Nasturtium officinale* R. Br.) plants. *Scientia Horticulturae* 161, 350-356, **2013 (WoS/Scopus)**
- 598.** Nasibi F, Heidari T, Asrar Z, Mansoori H. Effect of arginine pre-treatment on nickel accumulation and alleviation of the oxidative stress in *Hyoscyamus niger*. *Journal of Soil Science and Plant Nutrition* 13 (3): 680-689, **2013**, <http://dx.doi.org/10.4067/S0718-95162013005000054> **(WoS/Scopus)**
- 599.** Nie L, Kuboda M, Inoue T, Wu X - Effect of acid solutions on plants studied by the optical beam deflection method. *Journal of Environmental Sciences* 25 (Suppl.): 93-S96, **2013 (WoS/Scopus)**
- 600.** Poiroux-Gonord F, Santini J, Fanciullino A-L, Lopez-Lauri F, Giannettini J, Sallanon H, Berti L, Urban L - Metabolism in orange fruits is driven by photooxidative stress in the leaves. *Physiologia Plantarum* 149 (2), 175-187, **2013 (WoS/Scopus)**
- 601.** Rezaei A, Ghanati F, Behmanesh M, Safari M, Sharafi Y. Synergistic Accumulative Effect of salicylic acid and dibutyl phthalate on paclitaxel production in *Corylus avellana* cell culture. *Journal of Stress Physiology & Biochemistry* 9 (1), 157-168, **2013 (WoS/Scopus)**
- 602.** Saeidi-Sar S, Abbaspour H, Afshari H, Yaghoobi SR, - Effects of ascorbic acid and gibberellin A(3) on alleviation of salt stress in common bean (*Phaseolus vulgaris* L.) seedlings. *Acta Physiologiae Plantarum* 35(3): 667-677, DOI: [10.1007/s11738-012-1107-7](https://doi.org/10.1007/s11738-012-1107-7), **2013 (WoS/Scopus)**
- 603.** Safari M, Ghanati F, Behmanesh M, Hajnorouzi A, Nahidian B, Mina G - Enhancement of antioxidant enzymes activity and expression of CAT and PAL genes in hazel (*Corylus avellana* L.) cells in response to low-intensity ultrasound. *Acta Physiologiae Plantarum* 35(9), 2847-2855, **2013 (WoS/Scopus)**
- 604.** Sayed S, Gadallah MAA. Gibberellic acid ameliorates the adverse effects of acid mist and improved

antioxidant defense, water status and growth of acid misted sunflower plants. *Journal of Biology and Earth Sciences* 3 (2), B275-B285, **2013 (WoS/Scopus)**

605. Sengupta D, Guha A, Reddy AR - Interdependence of plant water status with photosynthetic performance and root defense responses in *Vigna radiata* (L.) Wilczek under progressive drought stress and recovery. *Journal of Photochemistry and Photobiology B: Biology* 127: 170–181, **2013 (WoS/Scopus)**

606. Setha S, Kongsuwan A, Srilaong V - Reduced internal browning in pineapple fruit by 1-MCP pretreatment and the antioxidant response. *Acta Horticulturae* 1012, 573-580, **2013 (WoS/Scopus)**

607. Sharma I, Tripathi BN. Arsenic-mediated oxidative stress and antioxidant defense system in chloroplast isolated from legumes with differential sensitivity (2013) In: *Microbial, Plant and Animal Research* (Editors: RK Gaur, KP Sharma and RS Chundawat), pp. 47-51. Nova Science Publishers, Inc, **2013**

608. Siddiqui MH, Al-Wahaibi MH, Sakran AM, Ali HM, Basalah MO, Faisal M, Alatar A, Al-Amri AA - Calcium-induced amelioration of boron toxicity in radish. *Journal of Plant Growth Regulation* 32(1): 61-71, **2013 (WoS/Scopus)**

609. Singh A, Jain A, Sarma BK, Upadhyay RS, Singh HB - Rhizosphere microbes facilitate redox homeostasis in *Cicer arietinum* against biotic stress. *Annals of Applied Biology* 163(1): 33–46, **2013 (WoS/Scopus)**

610. Singh VP, Srivastava PK, Prasad SM - Nitric oxide alleviates arsenic-induced toxic effects in ridged Luffa seedlings. *Plant Physiology and Biochemistry* 71, 155-163, **2013 (WoS/Scopus)**

611. Soltys D, Gniazdowska A, Bogatek R. Inhibition of tomato (*Solanum lycopersicum* L.) root growth by cyanamide is not always accompanied with enhancement of ROS production. *Plant Signaling and Behavior* 8 (5), e23994.1-e23994.3, **2013 (WoS/Scopus)**

612. Sun H-Y, Guo W - Effects of acid on enzyme activity of carbon-nitrogen metabolic in kidney bean seedling. *Zhiwu Shengli Xuebao/Plant Physiology Journal*, 49(1): 89-94, **2013**

613. Taha MH, Abdallah MM, Abd El-Monem AA - Improving salinity tolerance and yield of barley (*Horde vulgare* L.) plants using arginine. *International Journal of Academic Research* 5(5): 105-113, **2013**

614. Turan M, Güllüce M, Çakmak R, Şahin F - Effect of plant growth-promoting rhizobacteria strain on freezing injury and antioxidant enzyme activity of wheat and barley. *Journal of Plant Nutrition* 36 (5), 731-748, **2013 (WoS/Scopus)**

615. Uddin MN, Robinson RW, Caridi D. Phytotoxicity induced by *Phragmites australis*: an assessment of phenotypic and physiological parameters involved in germination process and growth of receptor plant. *Journal of Plant Interactions* 9(1): 338-353, **2013 (WoS/Scopus)**

616. Wang JC, Chen J, Pan KW - Effect of exogenous abscisic acid on the level of antioxidants in *Atractylodes macrocephala* Koidz under lead stress. *Environmental Science and Pollution Research* 20(3): 1441-1449, DOI: [10.1007/s11356-012-1048-0](https://doi.org/10.1007/s11356-012-1048-0), **2013 (WoS/Scopus)**

617. Xu J, Duan XG, Yang J, Beeching JR, Zhang P - Enhanced reactive oxygen species scavenging by overproduction of superoxide dismutase and catalase delays postharvest physiological deterioration of Cassava Storage Roots. *Plant Physiology* 161 (3): 1517-1528, DOI: [10.1104/pp.112.212803](https://doi.org/10.1104/pp.112.212803), **2013 (WoS/Scopus)**

618. Zhao Y, Hu X, Zou Z, Yan F - Effects of seed soaking with different concentrations of 5-aminolevulinic acid on the germination of tomato (*Solanum lycopersicum*) seeds under NaCl stress. *Shengtai Xuebao/ Acta Ecologica Sinica* 33(1): 62-70, **2013**

619. Ahmad P, Ashraf M, Hakeem KR, Azooz MM, Rasool S, Chandna R, Akram NA. Potassium starvation-induced oxidative stress and antioxidant defense responses in *Brassica juncea*. *Journal of Plant Interactions*. 9 (1), 1-9, **2014. (WoS/Scopus)**

620. Al Harun MAY; Robinson RW; Johnson J; Uddin MN - Allelopathic potential of *Chrysanthemoides monilifera* subsp *monilifera* (boneseed): A novel weapon in the invasion processes. *South African Journal of Botany* 93, 157-166, **2014 (WoS/Scopus)**

621. Alavi SMN, Arvin MJ, Kalantari KM. Salicylic acid and nitric oxide alleviate osmotic stress in wheat (*Triticum aestivum* L.) seedlings. *Journal of Plant Interactions* 9 (1), 683-688, **2014. (WoS/Scopus)**

622. Ali B, Gill RA, Yang S, Gill MB, Ali S, Rafiq MT, Zhou W. Hydrogen sulfide alleviates cadmium-induced morpho-physiological and ultrastructural changes in *Brassica napus*. *Ecotoxicology and Environmental Safety* 110, 197-207, **2014. (WoS/Scopus)**

623. Ali B, Mwamba TM, Gill RA, Yang C, Ali S, Daud MK, Wu Y, Zhou W. Improvement of element uptake and antioxidative defense in *Brassica napus* under lead stress by application of hydrogen sulfide. *Plant Growth Regulation* 74 (3), 261-273, **2014 (WoS/Scopus)**

624. Ali, B; Xu, X; Gill, RA; Yang, S; Ali, S; Tahir, M; Zhou, WJ - Promotive role of 5-aminolevulinic acid on mineral nutrients and antioxidative defense system under lead toxicity in *Brassica napus*. *Industrial Crops and Products* 52, 617-626, **2014 (WoS/Scopus)**

625. Al-Mureish K, Al-Hakimi AMA, Al-Areqi NAS, Al-Aghbari ES. Investigation on allelopathic effects of Khat leaves residues and alleviative effects of salicylic acid in wheat roots. *Plant* 2 (5), 54-59, **2014. (WoS/Scopus)**

626. Al-Mureish K, Othman NARM, Al-Hakimi AMA. Salicylic acid-mediated alleviation of cadmium toxicity in maize leaves. *Journal of Plant Sciences* 2 (6), 276-281, **2014 (WoS/Scopus)**

627. Asrar Z, Mozafari H, Rezanejad F, Pourseyedi S, Yaghoobi MM. Calcium and L-histidine effects on ascorbate-glutathione cycle components under nickel-induced oxidative stress in tomato plants. *Biologia Plantarum* 58 (4), 709-716, **2014. (WoS/Scopus)**

628. Aumonde, TZ; Pedo, T; Martinazzo, EG; Borella, J; do Amarante, L; Villela, FA; de Moraes, DM - Action of zantedeschia aethiopica extracts in seed physiological quality, photosynthetic pigments and antioxidative metabolism of red rice seedlings. *Bioscience Journal* 30 (5), 1412-1420, **2014 (WoS/Scopus)**
629. Bayram, D; Dinler, BS; Tasci, E - Differential response of bean (*Phaseolus vulgaris* L.) roots and leaves to salinity in soil and hydroponic culture. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 42 (1), 219-226, **2014 (WoS/Scopus)**
630. Cetinkaya H, Dinler Bs, Tasci E. Investigation of comparative regulation on antioxidant enzyme system under Copper treatment and drought stress in maize (*Zea mays* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*. 42 (2), 363-371, **2014. (WoS/Scopus)**
631. Çevik S, Yıldızlı A, Yandım G, Göksu H, Gültekin MS, Değer AG, Çelik A, Kuş NŞ, Ünyayar S., Some synthetic cyclitol derivatives alleviate the effect of water deficit in cultivated and wild-type chickpea species. *Journal of Plant Physiology* 171 (10), 807-816, **2014. (WoS/Scopus)**
632. Chakraborty S; Mukherjee A; Khuda-Bukhsh AR; Das TK - Cadmium-induced oxidative stress tolerance in cadmium resistant *Aspergillus foetidus*: its possible role in cadmium bioremediation. *Ecotoxicology And Environmental Safety* 106, 46-53, **2014, DOI: 10.1016/j.ecoenv.2014.04.007 (WoS/Scopus)**
633. Chen Y. Effect of leaf essential oil and methanolic extracts from *Eucalyptus citriodora* on the growth of *Mikania micrantha* and its inhibition mechanisms. **PhD Thesis**. Forest Department of the National Chung Hsing University. **2014, P1 - 82**
634. Chomkitichai, W; Chumyam, A; Rachtanapun, P; Uthaibutra, J; Saengnil, K - Reduction of reactive oxygen species production and membrane damage during storage of 'Daw' longan fruit by chlorine dioxide. *Scientia Horticulturae* 170, 143-149, **2014 (WoS/Scopus)**
635. Chowhan N, Bali AS, Singh HP, Batish DR, Kohli RK. Reactive oxygen species generation and antioxidant defense system in hydroponically grown wheat (*Triticum aestivum*) upon β -pinene exposure: an early time course assessment. *Acta Physiologiae Plantarum* 36 (12), 3137-3146, **2014. (WoS/Scopus)**
636. Chunthaburee S, Sanitchon J, Pattanagul W, Theerakulpisut P. Alleviation of salt stress in seedlings of black glutinous rice by seed priming with spermidine and gibberellic acid. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*. 42 (2), 405-413, **2014. (WoS/Scopus)**
637. Cicatelli A, Torrigiani P, Todeschini V, Biondi S, Castiglione S, Lingua G - Arbuscular mycorrhizal fungi as a tool to ameliorate the phytoremediation potential of poplar: biochemical and molecular aspects. *iForest. Biogeosciences and Forestry* 7, 333-341, **2014 doi: 10.3832/ifer1045-007, (review) (WoS/Scopus)**
638. Contin DR, Soriani HH, Hernández I, Furriel RPM, Munné-Bosch S, Martinez CA - Antioxidant and photoprotective defenses in response to gradual water stress under low and high irradiance in two Malvaceae tree species used for tropical forest restoration. *Trees* 28 (6), 1705-1722, **2014. (WoS/Scopus)**
639. da Silva DM; Brandao IR; Alves JD; de Santos MO; de Souza KRD; de Silveira HRO - Physiological and biochemical impacts of magnesium-deficiency in two cultivars of coffee. *Plant and Soil* 382 (1-2), 133-150, **2014, DOI: 10.1007/s11104-014-2150-5 (WoS/Scopus)**
640. Daud, MK; Mei, L; Variath, MT; Ali, S; Li, C; Rafiq, MT; Zhu, SJ - Chromium (VI) uptake and tolerance potential in cotton cultivars: Effect on their root physiology, ultramorphology, and oxidative metabolism. *Biomed Research International* Article Number: 975946, **2014, DOI: 10.1155/2014/975946 (WoS/Scopus)**
641. Dey, A; Gupta, K; Gupta, B - Role of polyamines in plant-pathogen interactions. In: *Plant Adaptation to Environmental Change: Significance of Amino Acids and their Derivatives*, (Eds Anjum NA; Gill SS; Gill R), pp: 222-244, **2014 (Book)**
642. Dinler, BS; Aksoy, M - Drought tolerance of knotgrass (*Polygonum maritimum* L) leaves under different drought treatments. *Pakistan Journal of Botany* 46 (2), 417-421, **2014 (WoS/Scopus)**
643. Dong Y, Xu L, Wang Q, Fan Z. Effects of exogenous nitric oxide on photosynthesis, antioxidative ability, and mineral element contents of perennial ryegrass under copper stress. *Journal of Plant Interactions*. 9 (1), 402-411, **2014. (WoS/Scopus)**
644. Egbichi I, Keyster M, Ludidi N. Effect of exogenous application of nitric oxide on salt stress responses of soybean. *South African Journal of Botany* 90, 131-136, **2014 (WoS/Scopus)**
645. Egbichi, I; Keyster, M; Ludidi, N - Effect of exogenous application of nitric oxide on salt stress responses of soybean. *South African Journal of Botany* 90, 131-136, **2014 (WoS/Scopus)**
646. Evelin H, Kapoor R - Arbuscular mycorrhizal symbiosis modulates antioxidant response in salt-stressed *Trigonella foenum-graecum* plants. *Mycorrhiza* 24(3): 197-208, **2014 (WoS/Scopus)**
647. Evelin, H; Kapoor, R - Arbuscular mycorrhizal symbiosis modulates antioxidant response in salt-stressed *Trigonella foenum-graecum* plants. *Mycorrhiza* 24 (3), 197-208, **2014 (WoS/Scopus)**
648. Fercha, A; Gherroucha, H - The role of osmoprotectants and antioxidant enzymes in the differential response of durum wheat genotypes to salinity. *Journal of Applied Botany and Food Quality* 87, 74-79, **2014 (WoS/Scopus)**
649. Filippou, P; Bouchagier, P; Skotti, E; Fotopoulos, V - Proline and reactive oxygen/nitrogen species metabolism is involved in the tolerant response of the invasive plant species *Ailanthus altissima* to drought and salinity. *Environmental and Experimental Botany* 97, 1-10, **2014 (WoS/Scopus)**
650. Fu YQ, Yang XJ, Shen H. The physiological mechanism of enhanced oxidizing capacity of rice (*Oryza sativa* L.) roots induced by phosphorus deficiency. *Acta Physiologiae Plantarum* 36(1): 179-190, **2014 (WoS/Scopus)**
651. Fu, YQ; Yang, XJ; Shen, H - The physiological mechanism of enhanced oxidizing capacity of rice (*Oryza*

- sativa L.) roots induced by phosphorus deficiency. *Acta Physiologiae Plantarum* 36 (1), 179-190, **2014** (WoS/Scopus)
- 652.** Gadallah MAA, Sayed SA. Impacts of different water pollution sources on antioxidant defense ability in three aquatic macrophytes in Assiut province, Egypt. *Journal of Stress Physiology & Biochemistry*. 10 (3), 47-61, **2014**. (WoS/Scopus)
- 653.** Garg, N; Manchanda, G; Singla, P - Analysis of emergence stage facilitates the evaluation of chickpea (*Cicer arietinum* L.) genotypes for salinity tolerance imparted by mycorrhizal colonization. *Acta Physiologiae Plantarum* 36 (10), 2651-2669, **2014**, DOI: [10.1007/s11738-014-1636-3](https://doi.org/10.1007/s11738-014-1636-3) (WoS/Scopus)
- 654.** Ghahremani M, Ghanati F, Bernard F, Azad T, Gholami M, Safari M. Ornithine-induced increase of proline and polyamines contents in tobacco cells under salinity conditions. *Australian Journal of Crop Science* 8 (1), 91-96, **2014** (WoS/Scopus)
- 655.** Gill RA; Hu XQ; Ali B; Yang C; Shou JY; Wu YY; Zhou WJ - Genotypic variation of the responses to chromium toxicity in four oilseed rape cultivars. *Biologia Plantarum* 58 (3), 539-550, **2014**, DOI: [10.1007/s10535-014-0430-9](https://doi.org/10.1007/s10535-014-0430-9) (WoS/Scopus)
- 656.** Gomes MP; Soares AM; Garcia QS - Phosphorous and sulfur nutrition modulate antioxidant defenses in *Myracrodruon urundeuva* plants exposed to arsenic. *Journal of Hazardous Materials* 276, 97-104, **2014**, DOI: [10.1016/j.jhazmat.2014.05.020](https://doi.org/10.1016/j.jhazmat.2014.05.020) (WoS/Scopus)
- 657.** Gunjan B, Zaidi MGH, Sandeep A. Impact of gold nanoparticles on physiological and biochemical characteristics of *Brassica juncea*. *J. Plant Biochem. Physiol.* 2 (3), 1000133, **2014**. (WoS/Scopus)
- 658.** Habibi, G - Silicon supplementation improves drought tolerance in canola plants. *RUSSIAN Journal of Plant Physiology* 61 (6), 784-791, **2014**, DOI: [10.1134/S1021443714060077](https://doi.org/10.1134/S1021443714060077) (WoS/Scopus)
- 659.** Hajihashemi, S; Ehsanpour, AA - Antioxidant response of stevia rebaudiana b. to polyethylene glycol and paclobutrazol treatments under in vitro culture. *Applied Biochemistry and Biotechnology* 172 (8), 4038-4052, **2014** (WoS/Scopus)
- 660.** Harun MAYA, Robinson RW, Johnson J, Uddin MN. Allelopathic potential of *Chrysanthemoides monilifera* subsp. *monilifera* (boneseed): A novel weapon in the invasion processes. *South African Journal of Botany*. 93, 157-166, **2014**. (WoS/Scopus)
- 661.** Huang Y-M, Srivastava AK, Zou Y-N, Ni Q-D, Han Y, Wu Q-S. Mycorrhizal-induced calmodulin mediated changes in antioxidant enzymes and growth response of drought-stressed trifoliate orange. *Frontiers in Microbiology* 5, 682, **2014** doi [10.3389/fmicb.2014.00682](https://doi.org/10.3389/fmicb.2014.00682)
- 662.** Huda KMK; Banu MSA; Yadav S; Sahoo RK; Tuteja R; Tuteja N Salinity and drought tolerant OsACA6 enhances cold tolerance in transgenic tobacco by interacting with stress-inducible proteins. *Plant Physiology and Biochemistry* 82, 229-238, **2014**, DOI: [10.1016/j.plaphy.2014.06.007](https://doi.org/10.1016/j.plaphy.2014.06.007) (WoS/Scopus)
- 663.** Hussain I, Rasheed R, Wahid A. Seasonal variations in some water relations and biochemical attributes of two genetically diverse maize cultivars. *Brazilian Journal of Botany*. 37 (4), 417-428, **2014**. (WoS/Scopus)
- 664.** Ibrahim HM. Selenium pretreatment regulates the antioxidant defense system and reduces oxidative stress on drought-stressed wheat (*Triticum aestivum* L.) plants. *Asian Journal of Plant Sciences*. 13 (3), 120-128, **2014**.
- 665.** Islam, F; Yasmeen, T; Ali, Q; Ali, S; Arif, MS; Hussain, S; Rizvi, H - Influence of *Pseudomonas aeruginosa* as PGPR on oxidative stress tolerance in wheat under Zn stress. *Ecotoxicology and Environmental Safety* 104, 285-293, **2014** (WoS/Scopus)
- 666.** Jasim AH, Al-Timmen WMA. The effect of mulch and fertilizers on broccoli (*Brassica oleracea* L.Var. *Italica*) oxidants and antioxidants. *Net Journal of Agricultural Science*. 2 (4), 124-130, **2014**.
- 667.** Junglee S, Urban L, Sallanon H, Lopez-Lauri F. Optimized assay for hydrogen peroxide determination in plant tissue using potassium iodide. *American Journal of Analytical Chemistry*. 5 (11), 730-736, **2014**. (WoS/Scopus)
- 668.** Kamiab F, Talaie A, Khezri M, Javanshah A - Exogenous application of free polyamines enhance salt tolerance of pistachio (*Pistacia vera* L.) seedlings. *Plant Growth Regulation* 72(3): 257-268, **2014** (WoS/Scopus)
- 669.** Kamiab, F; Talaie, A; Khezri, M; Javanshah, A - Exogenous application of free polyamines enhance salt tolerance of pistachio (*Pistacia vera* L.) seedlings. *Plant Growth Regulation* 72, (3), 257-268, **2014** (WoS/Scopus)
- 670.** Kapoor, D; Kaur, S; Bhardwaj, R - Physiological and biochemical changes in brassica juncea plants under Cd-induced stress. *Biomed Research International* Article Number: 726070, **2014**, DOI: [10.1155/2014/726070](https://doi.org/10.1155/2014/726070)
- 671.** Karatas, I; Ozturk, L; Demir, Y; Unlukara, A; Kurunc, A; Duzdemir, O - Alterations in antioxidant enzyme activities and proline content in pea leaves under long-term drought stress. *Toxicology And Industrial Health* 30 (8), 693-700, **2014**, DOI: [10.1177/0748233712462471](https://doi.org/10.1177/0748233712462471) (WoS/Scopus)
- 672.** Khademi S, Khavari-Nejad RA, Saadatmand S, Najafi F. The effects of exogenous salicylic acid in the antioxidant defense system in canola plants (*Brassica napus* L.) exposed to copper. *International Journal of Biosciences*. 5 (2), 64-73, **2014**. (WoS/Scopus)
- 673.** Khan, ZU; Aisikaer, G; Khan, RU; Bu, JW; Jiang, ZH; Ni, ZD; Ying, TJ - Effects of composite chemical pretreatment on maintaining quality in button mushrooms (*Agaricus bisporus*) during postharvest storage. *Postharvest Biology and Technology* 95, 36-41, **2014**, DOI: [10.1016/j.postharvbio.2014.04.001](https://doi.org/10.1016/j.postharvbio.2014.04.001) (WoS/Scopus)
- 674.** Kokila S, MR D'souza, VR Devaraj. Response of Lablab purpureus (*Hyacinth bean*) cultivars to drought stress. *Asian Journal of Plant Science and Research*. 4(5), 48-55, **2014**.
- 675.** Kotapati KV, Palaka BK, Kandukuri A, Pamuru RR, Ampasala DR. Response of antioxidative enzymes and lipoxygenase to drought stress in finger millet leaves (*Eleusine coracana* (L.) gaertn). *International Journal of*

676. Krasuska U; Ciacka K; Bogatek R; Gniazdowska A - Polyamines and nitric oxide link in regulation of dormancy removal and germination of apple (*Malus domestica* borkh.) embryos. *Journal of Plant Growth Regulation* 33 (3), 590-601, 2014, DOI: 10.1007/s00344-013-9408-7 (WoS/Scopus)
677. Li HW; Wang G; Liu SD; An Q; Zheng Q; Li B; Li ZS - Comparative changes in the antioxidant system in the flag leaf of early and normally senescing near-isogenic lines of wheat (*Triticum aestivum* L.). *Plant Cell Reports* 33 (7), 1109-1120, 2014 (WoS/Scopus)
678. Li Z, Peng Y, Zhang X-Q, Ma X, Huang L-K, Yan Y-H. Exogenous spermidine improves seed germination of white clover under water stress via involvement in starch metabolism, antioxidant defenses and relevant gene expression. *Molecules* 19(11), 18003-18024, 2014. (WoS/Scopus)
679. Lian T-T, Dong C-H, Yang T, Sun J-D. Effects of blue light on the growth and bioactive compound production of cordyceps militaris. *Mycosystema* 33 (4), 838-846, 2014. (WoS/Scopus)
680. Machingura, M; Ebbs, SD - Functional redundancies in cyanide tolerance provided by beta-cyanoalanine pathway genes in *Arabidopsis thaliana*. *International Journal of Plant Sciences* 175, (3), 346-358, 2014 (WoS/Scopus)
681. Mallick S, Kumar N, Sinha S, Dubey AK, Tripathi RD, Srivastav V. H₂O₂ pretreated rice seedlings specifically reduces arsenate not arsenite: difference in nutrient uptake and antioxidant defense response in a contrasting pair of rice cultivars. *Physiology and Molecular Biology of Plants* 20 (4), 435-447, 2014. (WoS/Scopus)
682. Martinez, CA; Bianconi, M; Silva, L; Approbato, A; Lemos, M; Santos, L; Curtarelli, L; Rodrigues, A; Mello, T; Manchon, F - Moderate warming increases PSII performance, antioxidant scavenging systems and biomass production in *Stylosanthes capitata* Vogel. *Environmental and Experimental Botany* 102, 58-67, 2014 (WoS/Scopus)
683. Merati MJ, Hassanpour H, Niknam V, Mirmasoumi M. Exogenous application of penconazole regulates plant growth and antioxidative responses in salt-stressed *Mentha pulegium* L. *Journal of Plant Interactions*. 9 (1), 791-801, 2014. (WoS/Scopus)
684. Mozafari H, Asrar Z, Rezanejad F, Pourseyedi S, Yaghoobi MM. Oxidative stress tolerance by Calcium and Histidine in two tomato cultivars under Nickel stress. *Journal of Stress Physiology & Biochemistry*. 10 (2), 102-124, 2014. (WoS/Scopus)
685. Nejadalimoradi H, Nasibi F, Kalantari K M, Zanganeh R. Effect of Seed priming with L-arginine and sodium nitroprusside on some physiological parameters and antioxidant enzymes of sunflower plants exposed to salt stress. *Agricultural Communications*. 2 (1), 23-30, 2014. (WoS/Scopus)
686. Novillo, P; Salvador, A; Magalhaes, T; Besada, C - Deastringency treatment with CO₂ induces oxidative stress in persimmon fruit. *Postharvest Biology and Technology* 92, 16-22, 2014 (WoS/Scopus)
687. Perveen, S; Shahbaz, M; Ashraf, M - Triacetonol-induced changes in growth, yield, leaf water relations, oxidative defense system, minerals, and some key osmoprotectants in *Triticum aestivum* under saline conditions. *Turkish Journal of Botany* 38 (5), 896-913, 2014 (WoS/Scopus)
688. Pouramir-Dashtman F, Khajeh-Hosseini M, Esfahani M. Alleviating harmful effects of chilling stress on rice seedling via application of spermidine as seed priming factor. *African Journal of Agricultural Research*. 9 (18), 1412-1418, 2014.
689. Pouramir-Dashtman, F; Khajeh-Hosseini, M; Esfahani, M - Improving chilling tolerance of rice seedling by seed priming with salicylic acid. *Archives of Agronomy and Soil Science* 60 (9), 1291-1302, 2014, DOI: 10.1080/03650340.2014.892584 (WoS/Scopus)
690. Qian P; Sun R; Ali B; Gil, RA; Xu L; Zhou WJ - Effects of hydrogen sulfide on growth, antioxidative capacity, and ultrastructural changes in oilseed rape seedlings under aluminum toxicity. *Journal of Plant Growth Regulation* 33 (3), 526-538, 2014, DOI: 10.1007/s00344-013-9402-0 (WoS/Scopus)
691. Rasheed R, Ashraf MA, Hussain I, Haider MZ, Kanwal U, Iqbal M. Exogenous proline and glycinebetaine mitigate cadmium stress in two genetically different spring wheat (*Triticum aestivum* L.) cultivars. *Brazilian Journal of Botany* 37 (4), 399-406, 2014 (WoS/Scopus)
692. Rasheed, R; Ashraf, MA; Parveen, S; Iqbal, M; Hussain, I - Effect of salt stress on different growth and biochemical attributes in two canola (*Brassica napus* L.) cultivars. *Communications in Soil Science and Plant Analysis* 45 (5), 2014 (WoS/Scopus)
693. Roy C, Sengupta DN. Effect of short term NaCl stress on cultivars *S. lycopersicum*: A comparative biochemical approach. *Journal of Stress Physiology & Biochemistry*. 10 (1), 59-81, 2014. (WoS/Scopus)
694. Saeid, ZD; Zahra, A; Abdolhamid, NS - Investigation of synergistic action between coronatine and nitric oxide in alleviating arsenic-induced toxicity in sweet basil seedlings. *Plant Growth Regulation* 74 (2), 119-130, 2014, DOI: 10.1007/s10725-014-9903-2 (WoS/Scopus)
695. Saglam A; Kalaycioglu E; Guven FG; Saruhan N; Kadioglu A; Demiralay M - Hydrogen peroxide extends postharvest life of *Ctenanthe setosa* leaf cuts under osmotic stress by reducing leaf rolling. *Horticulture Environment and Biotechnology* 55 (4), 308-314, 2014, DOI: 10.1007/s13580-014-0138-y (WoS/Scopus)
696. Sarafraz-Ardakani M-R, Khavari-Nejad R-A, Moradi F, Najafi F - Absciscic acid and cytokinin-induced osmotic and antioxidant regulation in two drought-tolerant and drought-sensitive cultivars of wheat during grain filling under water deficit in field conditions. *Not Sci Biol*, 6(3): 354-362, 2014 (WoS/Scopus)
697. Satoh K, Sajii S, Ito S, Shimuzu H, Sajii H, Kikuchi S. Gene response in rice plants treated with continuous fog influenced by pH, was similar to that treated with biotic stress. *Rice* 7, 10, 2014.

698. Shafiq, S; Akram, NA; Ashraf, M; Arshad, A - Synergistic effects of drought and ascorbic acid on growth, mineral nutrients and oxidative defense system in canola (*Brassica napus* L.) plants. *Acta Physiologiae Plantarum* 36 (6), 1539-1553, **2014** (WoS/Scopus)
699. Shakoorian ZBM, Gholami M, Aghamohammadi V, Mohammadian A. Influencia de la putrescina exógena en fenoles totales y contenido antioxidante actividades en Strawberry, CV Gaviota (Influence of exogenous putrescine on total phenolic content and antioxidant activities in strawberry, CV Gaviota). *VITAE*. 21 (1), 315-314, **2014**.
700. Siddiqui, ZS; Cho, JI; Kwon, TR; Ahn, BO; Lee, KS; Jeong, MJ; Ryu, TH; Lee, SK; Park, SC; Park, SH - Physiological mechanism of drought tolerance in transgenic rice plants expressing *Capsicum annuum* methionine sulfoxide reductase B2 (CaMsrb2) gene. *Acta Physiologiae Plantarum* 36 (5), 1143-1153, **2014** (WoS/Scopus)
701. Singh VP, Kumar J, Singh S, Prasad SM. Dimethoate modifies enhanced UV-B effects on growth, photosynthesis and oxidative stress in mung bean (*Vigna radiata* L.) seedlings: Implication of salicylic acid. *Pesticide Biochemistry and Physiology*. 116, 13-23, **2014**. (WoS/Scopus)
702. Singh, A; Prasad, SM - Effect of agro-industrial waste amendment on Cd uptake in *Amaranthus caudatus* grown under contaminated soil: An oxidative biomarker response. *Ecotoxicology and Environmental Safety* 100, 105-113, **2014** (WoS/Scopus)
703. Singh, S; Prasad, SM - Growth, photosynthesis and oxidative responses of *Solanum melongena* L. seedlings to cadmium stress: Mechanism of toxicity amelioration by kinetin. *Scientia Horticulturae* 176 (1-10), **2014**, DOI: [10.1016/j.scienta.2014.06.022](https://doi.org/10.1016/j.scienta.2014.06.022) (WoS/Scopus)
704. Soltys D, Rudzińska-Langwald A, Kurek W, Szajko K, Sliwinska E, Bogatek R, Gniazdowska A. Phytotoxic cyanamide affects maize (*Zea mays*) root growth and root tip function: From structure to gene expression. *Journal of Plant Physiology* 171 (8), 565-575, **2014**. (WoS/Scopus)
705. Song, YJ; Diao, QN; Qi, HY - Putrescine enhances chilling tolerance of tomato (*Lycopersicon esculentum* Mill.) through modulating antioxidant systems. *Acta Physiologiae Plantarum* 36 (11), 3013-3027, **2014**, DOI: [10.1007/s11738-014-1672-z](https://doi.org/10.1007/s11738-014-1672-z) (WoS/Scopus)
706. Terzi R, Kadioglu A, Kalaycioglu E, Saglam A. Hydrogen peroxide pretreatment induces osmotic stress tolerance by influencing osmolyte and abscisic acid levels in maize leaves. *Journal of Plant Interactions* 9 (1), 559-565, **2014**. (WoS/Scopus)
707. Todorova D, Katerova Z, Sergiev I, Alexieva V - Polyamines - Involvement in Plant Stress Tolerance and Adaptation. In: (Anjum NA Gill SS, Gill R, eds.) *Plant Adaptation to Environmental Change: Significance of Amino Acids and Their Derivatives*, pp. 194-221, **2014**, CABI PUBLISHING-C A B INT ([book](#))
708. Torres, TM; da Silva, IB; de Castro, ECP; dos Santos, EA; da Cunha, RMS; Lima, JPMS - Catalase inhibition affects glyoxylate cycle enzyme expression and cellular redox control during the functional transition of sunflower and safflower seedlings. *Journal of Plant Growth Regulation* 33 (2), 272-284, **2014** (WoS/Scopus)
709. Tsouvaltzis, P; Brecht, JK - Changes in quality and antioxidant enzyme activities of bunched and topped radish (*Raphanus sativus* L.) plants during storage at 5 or 10°C. *Journal of Food Quality* 37 (3), 157-167, **2014** (WoS/Scopus)
710. Tuna AL. Influence of foliarly applied different triazole compounds on growth, nutrition, and antioxidant enzyme activities in tomato (*Solanum lycopersicum* L.) under salt stress. *Australian Journal of Crop Science* 8(1), 71-79, **2014** (WoS/Scopus)
711. Turk, H; Erdal, S; Genisel, M; Atici, O; Demir, Y; Yanmis, D - The regulatory effect of melatonin on physiological, biochemical and molecular parameters in cold-stressed wheat seedlings. *Plant Growth Regulation* 74 (2), 139-152, **2014**, DOI: [10.1007/s10725-014-9905-0](https://doi.org/10.1007/s10725-014-9905-0) (WoS/Scopus)
712. Uarrota, VG; Moresco, R; Coelho, B; Nunes, ED; Peruch, LAM; Neubert, ED; Rocha, M; Maraschin, M - Metabolomics combined with chemometric tools (PCA, HCA, PLS-DA and SVM) for screening cassava (*Manihot esculenta* Crantz) roots during postharvest physiological deterioration. *Food Chemistry* 161, 67-78, **2014**, DOI: [10.1016/j.foodchem.2014.03.110](https://doi.org/10.1016/j.foodchem.2014.03.110) (WoS/Scopus)
713. Uddin MN, Robinson RW, Caridi D. Phytotoxicity induced by *Phragmites australis*: an assessment of phenotypic and physiological parameters involved in germination process and growth of receptor plant. *Journal of Plant Interactions* 9 (1), 338-353, **2014**. (WoS/Scopus)
714. Upadhyay AK; Singh NK; Rai UN - Comparative metal accumulation potential of *Potamogeton pectinatus* L. and *Potamogeton crispus* L.: Role of enzymatic and non-enzymatic antioxidants in tolerance and detoxification of metals. *Aquatic Botany* 117, 27-32, **2014** (WoS/Scopus)
715. Vanderschuren, H; Nyaboga, E; Poon, JS; Baerenfaller, K; Grossmann, J; Hirsch-Hoffmann, M; Kirchgessner, N; Nanni, P; Gruissem, W - Large-scale proteomics of the cassava storage root and identification of a target gene to reduce postharvest deterioration. *Plant Cell* 26 (5), 1913-1924, **2014** (WoS/Scopus)
716. Wang J, He P, Z. Effect of exogenous nitric oxide donor SNP, betaine and iluinic acid on physiological characters of *Celosia cristata* seedlings under drought stress. *Journal of Southwest University (Natural Science Edition)*. 36 (4), 1-9, **2014**.
717. Xu J; Yang J; Duan XG; Jiang YM; Zhang P - Increased expression of native cytosolic Cu/Zn superoxide dismutase and ascorbate peroxidase improves tolerance to oxidative and chilling stresses in cassava (*Manihot esculenta* Crantz). *BMC Plant Biology* 14, Article Number: 208, **2014**, DOI: [10.1186/s12870-014-0208-4](https://doi.org/10.1186/s12870-014-0208-4) (WoS/Scopus)
718. Xu, HX; Yang, Y; Xie, L; Li, XY; Feng, C; Chen, JW; Xu, CJ - Involvement of multiple types of dehydrins

in the freezing response in loquat (*Eriobotrya japonica*). *PLOS ONE* 9 (1), Article Number: e87575, **2014**, DOI: [10.1371/journal.pone.0087575](https://doi.org/10.1371/journal.pone.0087575) (WoS/Scopus)

719. Yadav, G; Srivastava, PK; Singh, VP; Prasad, SM - Light intensity alters the extent of arsenic toxicity in *Helianthus annuus* L. seedlings. *Biological Trace Element Research* 158 (3), 410-421, **2014**

720. Yuan Y, Shu S, Li S, He L, Du N, Sun J, Guo S. Effects of exogenous putrescine on chlorophyll fluorescence imaging and heat dissipation capacity in cucumber (*Cucumis sativus* L.) under salt stress. *Journal of Plant Growth Regulation*. 33 (4), 798-808, **2014**. (WoS/Scopus)

721. Zabihi A, Satei A, Ghorbanli M. Evaluation effect of putrescine treatment on growth factors of soybean (*Glycine max* L.) under drought stress induced by polyethylene glycol. *J. Appl. Environ. Biol. Sci.*, 4(4), 24-32, **2014**. (WoS/Scopus)

722. Zare H, Nazem BBH. The effect of electromagnetic field intensity and various timing resulted from mobile network on growth maize plant (wave simulator=EMF). *International Journal of Farming and Allied Sciences* 3 (4), 365-367, **2014**. (WoS/Scopus)

723. Abd_Allah EF, Hashem A., Alqarawi AA, Alwathnani HA. Alleviation of adverse impact of cadmium stress in sunflower (*Helianthus annuus* L.) by arbuscular mycorrhizal fungi, *Pak. J. Bot.*, 47, 2, 785-795, **2015** (WoS/Scopus)

724. Aggarwal A, Ezaki B, Tripathi BN. Two detoxification mechanisms by external malate detoxification and anti-peroxidation enzymes cooperatively confer aluminum tolerance in the roots of wheat (*Triticum aestivum* L.), *Environmental and Experimental Botany*, 120, 43-54, **2015** (WoS/Scopus)

725. Ahmad P, Hashem A, Abd_Allah EF, Alqarawi AA, John R, Egamberdieva D, Gucel S. Role of Trichoderma harzianum in mitigating NaCl stress in Indian mustard (*Brassica juncea* L.) through antioxidative defense system, *Frontiers in Plant Science*, 6, 00868, **2015** (WoS/Scopus)

726. Ahuja N, Singh HP, Batish DR, Kohli RK. Eugenol-inhibited root growth in *Avena fatua* involves ROS-mediated oxidative damage. *Pesticide Biochemistry and Physiology*. 118, 64-70, **2015** (WoS/Scopus)

727. Al Harun MAY, Johnson J, Robinson RW. The contribution of volatilization and exudation to the allelopathic phytotoxicity of invasive *Chrysanthemoides monilifera* subsp. *monilifera* (boneseed), *Biological Invasions*, 17, 12, 3609-3624, **2015**

728. Ali B, Qian P, Farooq MA, Gill RA, Wang J, Azam M, Zhou W. Hydrogen sulfide alleviates the aluminum-induced changes in *Brassica napus* as revealed by physiochemical and ultrastructural study of plant, *Environmental Science and Pollution Research*, 22, 4, 3068-3081, **2015** (WoS/Scopus)

729. Alimohammadi M, Lahiani MH, Khodakovskaya MV. Genetic reduction of inositol triphosphate (InsP3) increases tolerance of tomato plants to oxidative stress, *Planta* 242, 1, 123-135, **2015** (WoS/Scopus)

730. Al-rashdi AA. A submicron mesoporous silica for the determination of organosulphur in sea water, *Analytical Chemistry Research*, 4, 25-32, **2015** (WoS/Scopus)

731. Amiri R, Nikbakht A, Etemadi N, Alleviation of drought stress on rose geranium [*Pelargonium graveolens* (L.) Herit.] in terms of antioxidant activity and secondary metabolites by mycorrhizal inoculation, *Scientia Horticulturae* 197, 373-380, **2015** (WoS/Scopus)

732. Ashraf MA, Rasheed R, Hussain I, Iqbal M, Haider MZ, Parveen S, Sajid MA. Hydrogen peroxide modulates antioxidant system and nutrient relation in maize (*Zea mays* L.) under water-deficit conditions, *Archives of Agronomy and Soil Science*, 61, 4, 507-523, **2015**, DOI:10.1080/03650340.2014.938644 (WoS/Scopus)

733. Avramova V, AbdElgawad H, Zhang Z, Fotschki B, Casadevall R, Vergauwen L, Knapen D, Taleisnik E, Guisez Y, Asard H, Beemster GTS. Drought induces distinct growth response, protection, and recovery mechanisms in the maize leaf growth zone, *Plant Physiology*, 169, 1382-1396, **2015** (WoS/Scopus)

734. Bahabadi E, Rezaei A, Najafi S. Nitric oxide Effect on Growth and Some Physiological Parameters of Invitro Cultured Lemon Balm (*Melissa officinalis* L.), *Journal of Cell & Tissue (JCT)*, 6, 2, 195-203, **2015** (WoS/Scopus)

735. Bai XY, Dong YJ, Wang QH, Xu LL, Kong J, Liu S. Effects of lead and nitric oxide on photosynthesis, antioxidative ability, and mineral element content of perennial ryegrass. *Biologia Plantarum* 59, 1, 163-170, **2015** (WoS/Scopus)

736. Barbosa MA, da Silva MH, Viana GD, Ferreira TR, de Carvalho Souza CL, Lobato EM, da Silva Lobato AK. Beneficial repercussion of silicon (Si) application on photosynthetic pigments in maize plants, *Australian Journal of Crop Science*, 9, 1, 1113-1118, **2015** (WoS/Scopus)

737. Bashari G, Singh S, Singh A, Prasad SM. Changes in physiological attributes and biochemical marker responses in vegetable crops grown under cadmium stress : a comparative study, *Plant Archives*, 15, 1, 163-170, **2015** (WoS/Scopus)

738. Bashri G, Prasad SM. Indole acetic acid modulates changes in growth, chlorophyll a fluorescence and antioxidant potential of *Trigonella foenum-graecum* L. grown under cadmium stress, *Acta Physiologiae Plantarum*, 37, 49, **2015** (WoS/Scopus)

739. Behera S, Mallick B, Tiwari TN, Mishra PC. Risk of acid attack on plants: A review, In: *Energy, Environment and Material Science, Proceedings of the International Conference on Energy, Environment and Material Science (EEMAS 2015)*, Crete, Greece, October 17-19, 66-71, **2015**

740. Bernard F, Moghadam NN, Mirzajani F. The effect of colloidal silver nanoparticles on the level of lignification and hyperhydricity syndrome in *Thymus daenensis* vitro shoots: a possible involvement of bonded polyamines, *Plant Tissue Culture, In Vitro Cellular & Developmental Biology - Plant*, 51, 5, 546-553, **2015** (WoS/Scopus)

741. Cembrowska-Lech D, Koprowski M, Kępczyński J. Germination induction of dormant *Avena fatua* caryopses by KAR1 and GA3 involving the control of reactive oxygen species (H₂O₂ and O₂⁻) and enzymatic antioxidants (superoxide dismutase and catalase) both in the embryo and the aleurone layers, *Journal of Plant Physiology*, 176, 169-179, **2015 (WoS/Scopus)**
742. Chakraborty N, Singh N, Kaur K, Raghuram N. G-protein signaling components GCR1 and GPA1 mediate responses to multiple abiotic stresses in *Arabidopsis*. *Frontiers in Plant Science*, 6, 1000, **2015 (WoS/Scopus)**
743. Chen Y-E, Cui J-M, Yang J-C, Zhang Z-W, Yuan M, Song C, Yang H, Liu H-M, Wang C-Q, Zhang H-Y, Zeng X-Y, Yuan S. Biomonitoring heavy metal contaminations by moss visible parameters, *Journal of Hazardous Materials*, 296, 201-209, **2015 (WoS/Scopus)**
744. Chokshi K, Pancha I, Trivedi K, George B, Maurya R, Ghosh A, Mishra S. Biofuel potential of the newly isolated microalgae *Acutodesmus dimorphus* under temperature induced oxidative stress conditions, *Bioresource Technology*, 180, 162-171, **2015**
745. Daud MK, He Q, Mei L, Ali B, Zhu SJ. Ultrastructural, metabolic and proteomic changes in leaves of upland cotton in response to cadmium stress, *Chemosphere*, 120, 309-320, **2015 (WoS/Scopus)**
746. Daud MK, Mei L, Variath MT, Ali S, Li C, Rafiq MT, Zhu SJ. Chromium (VI) uptake and tolerance potential in cotton cultivars: effect on their root physiology, ultramorphology, and oxidative metabolism, *BioMed Research International*, vol. 2014, Article ID 975946, 12 pages, **2015 (WoS/Scopus)**
747. Dubey G, Prasad SM. Differential Display of Antioxidants in Mitigating Adverse Effects of UV-B Radiation in *Nostoc muscorum* and *Phormidium foveolarum* Photoacclimated to Different Irradiances, *Applied Biochemistry and Biotechnology*, 175, 5, 2703-2728, **2015 (WoS/Scopus)**
748. Durmuş N, Bekircan T. Pretreatment with polyamines alleviate the deleterious effects of diuron in maize leaves, *Acta Biologica Hungarica*, 66, 1, 52-65, **2015**
749. El-Bassiouny HMS, Sadak MS.. Impact of foliar application of ascorbic acid and α -tocopherol on antioxidant activity and some biochemical aspects of flax cultivars under salinity stress, *Acta Biológica Colombiana*, 20, 2, 209-222, **2015**
750. Erdal S, Genisel M, Turk H, Dumlupinar R, Demir Y. Modulation of alternative oxidase to enhance tolerance against cold stress of chickpea by chemical treatments, *Journal of Plant Physiology*, 175, 95-101, **2015 (WoS/Scopus)**
751. Farooq MA, Li L, Ali B, Gill RA, Wang J, Ali S, Gill MB, Zhou W. Oxidative injury and antioxidant enzymes regulation in arsenic-exposed seedlings of four *Brassica napus* L. cultivars, *Environmental Science and Pollution Research*, 22, 14, 10699-10712, **2015 (WoS/Scopus)**
752. Fazilati M, Forghani AH. The role of polyamine to increasing growth of plant: As a key factor in health crisis, *International Journal of Health System and Disaster Management*, 3, 2, 89-94, **2015**
753. Feki K, Kamoun Y, Mahmoud RB, Farhat-Khemakhem A, Gargouri A, Brini F. Multiple abiotic stress tolerance of the transformants yeast cells and the transgenic *Arabidopsis* plants expressing a novel durum wheat catalase, *Plant Physiology and Biochemistry*, 97, 420-431, **2015 (WoS/Scopus)**
754. Garg N, Singla P, Bhandari P. Metal uptake, oxidative metabolism, and mycorrhization in pigeonpea and pea under arsenic and cadmium stress, *Turkish Journal of Agriculture and Forestry*, 39, 234-250, **2015 (WoS/Scopus)**
755. Garg N, Singla P. Naringenin- and funneliformis mosseae-mediated alterations in redox state synchronize antioxidant network to alleviate oxidative stress in *Cicer arietinum* L. genotypes under salt stress, *Journal of Plant Growth Regulation*, 34, 3, 595-610, **2015 (WoS/Scopus)**
756. Genisel M, Erdal S, Kizilkaya M. The mitigating effect of cysteine on growth inhibition in salt-stressed barley seeds is related to its own reducing capacity rather than its effects on antioxidant system. *Plant Growth Regulation* 75, 187-197, **2015 (WoS/Scopus)**
757. Genisel M, Türk H, Erdal S, Demir Y, Genç E, Terzi İ. Ameliorative role of β -estradiol against lead-induced oxidative stress and genotoxic damage in germinating wheat seedlings, *Turkish Journal of Botany* 39, 1051-1059, **2015**, doi:10.3906/bot-1505-23 **(WoS/Scopus)**
758. Ghorbanpour M, Hadian J. Multi-walled carbon nanotubes stimulate callus induction, secondary metabolites biosynthesis and antioxidant capacity in medicinal plant *Satureja khuzestanica* grown in vitro, *Carbon*, 94, 749-759, **2015 (WoS/Scopus)**
759. Ghorbanpour M, Hadian J. Changes in growth, antioxidant defense system and major essential oils constituents of *Pelargonium graveolens* plant exposed to nano-scale silver and thidiazuron, *Indian Journal of Plant Physiology*, 20, 2, 116-123, **2015**
760. Gill RA, Zang L, Ali B, Farooq MA, Cui P, Yang S, Ali S, Zhou W. Chromium-induced physio-chemical and ultrastructural changes in four cultivars of *Brassica napus* L., *Chemosphere*, 120, 154-164, **2015 (WoS/Scopus)**
761. Gill RA, Zang L, Ali B, Islam F, Farooq MA, Gill MB, Mwamba TM, Zhou W. Physiological and molecular analyses of black and yellow seeded *Brassica napus* regulated by 5-aminolivulinic acid under chromium stress, *Plant Physiology and Biochemistry*, 94, 130-143, **2015 (WoS/Scopus)**
762. Gulzar A, Siddiqui MB. Root-mediated allelopathic interference of bhringraj (*Eclipta alba* L.) Hassk. on peanut (*Arachis hypogaea*) and mung bean (*Vigna radiata*), *Applied Soil Ecology*, 87, 72-80, **2015 (WoS/Scopus)**
763. Gupta SD, Sahoo TK. Light emitting diode (LED)-induced alteration of oxidative events during in vitro shoot organogenesis of *Curculigo orchoides* Gaertn., *Acta Physiologiae Plantarum*, 37, 233, **2015 (WoS/Scopus)**
764. Habibi G, Sarvary S. The roles of selenium in protecting lemon balm against salt stress, *Iranian Journal of*

- 765.** Habibi G. Contrastive response of *Brassica napus* L. to exogenous salicylic acid, selenium and silicon supplementation under water stress. *Archives of Biological Sciences*. 67, 2, 397-404, **2015 (WoS/Scopus)**
- 766.** Habibi G. Exogenous silicon leads to increased antioxidant capacity in freezing-stressed pistachio leaves, *Acta agriculturae Slovenica*, 105, 1, 43–52, **2015**
- 767.** Hakki EE, Hamurcu M, Demiral T, Gezgin S. Implication of zinc on drought tolerance of common bean, 4th International Zinc Symposium: Improving Crop Production and Human Health, São Paulo, Brazil October 15-17, Catalogue of Abstracts, 106-107, **2015**
- 768.** Hamurcu M, Demiral T, Gezgin S, Hakki EE. Effect of zinc on boron toxicity tolerance of common bean, 4th International Zinc Symposium: Improving Crop Production and Human Health, São Paulo, Brazil October 15-17, Catalogue of Abstracts, 104-105, **2015**
- 769.** Hamurcu M, Demiral T, Hakki E E, Turkmen Ö, Gezgin S, Bell RW. Oxidative stress responses in watermelon (*Citrullus lanatus*) as influenced by boron toxicity and drought, *Zemdirbyste-Agriculture*, 102, 2, 209–216, **2015**
- 770.** Hashem A, Abd Allah EF, Alqarawi AA, Aldubise A, Egamberdieva D. Arbuscular mycorrhizal fungi enhances salinity tolerance of *Panicum turgidum* Forssk by altering photosynthetic and antioxidant pathways, *Plant-Microorganism Interactions*, 10, 1, 230-242, **2015 (WoS/Scopus)**
- 771.** Hassanein RA, Amin AAE, Rashad EM, Ali H. Effect of thiourea and salicylic acid on antioxidant defense of wheat plants under drought stress, *International Journal of ChemTech Research*, 7, 1, 2014-2015, 346-354, **2015 (WoS/Scopus)**
- 772.** Homae MB, Ehsanpour AA. Physiological and biochemical responses of potato (*Solanum tuberosum*) to silver nanoparticles and silver nitrate treatments under in vitro conditions, *Indian Journal of Plant Physiology* 20 (4), 353-359, **2015**, DOI: [10.1007/s40502-015-0188-x](https://doi.org/10.1007/s40502-015-0188-x)
- 773.** Huang W, Ji H, Gheysen G, Debode J, Kyndt T. Biochar-amended potting medium reduces the susceptibility of rice to root-knot nematode infections, *BMC Plant Biology*, 15, 267, **2015 (WoS/Scopus)**
- 774.** Hussain I, Ashraf MA, Rasheed R, Asghar A, Sajid MA, Iqbal M. Exogenous application of silicon at the boot stage decreases accumulation of cadmium in wheat (*Triticum aestivum* L.) grains, *Brazilian Journal of Botany*, 38, 2, 223-234, **2015 (WoS/Scopus)**
- 775.** Iqbal M, Hussain I, Habib A, Ashraf MA, Rasheed R. Effect of Semiarid environment on some nutritional and antinutritional attributes of Calendula (*Calendula officinalis*), *Journal of Chemistry*, Article ID 318506, 8 pages, doi:[10.1155/2015/318506](https://doi.org/10.1155/2015/318506), **2015 (WoS/Scopus)**
- 776.** Iqbal M, Hussain I, Liaqat H, Ashraf MA, Rasheed R, Rehman AU. Exogenously applied selenium reduces oxidative stress and induces heat tolerance in spring wheat, *Plant Physiology and Biochemistry*, 94, 95-103, **2015 (WoS/Scopus)**
- 777.** Jafari SR, Arvin SMJ, Kalantari KM. Response of cucumber (*Cucumis sativus* L.) seedlings to exogenous silicon and salicylic acid under osmotic stress, *Acta Biologica Szegediensis*, 59, 1, 25-33, **2015**
- 778.** Ji H, Kyndt T, He W, Vanholme B, Gheysen G. β -Aminobutyric Acid-Induced Resistance Against Root-Knot Nematodes in Rice Is Based on Increased Basal Defense, *Molecular Plant-Microbe Interactions*, 28, 5, 519-533, **2015 (WoS/Scopus)**
- 779.** Junmatong C, Faiyue B, Rotarayanont S, Uthaibutra J, Boonyakiat D, Saengnil K. Cold storage in salicylic acid increases enzymatic and non-enzymatic antioxidants of Nam Dok Mai No. 4 mango fruit, *Science Asia*, 41, 12-21, **2015**
- 780.** Kanto U, Jutamanee K, Osotsapar Y, Chai-arree W. S Jattupornpong. Promotive effect of priming with 5-aminolevulinic acid on seed germination capacity, seedling growth and antioxidant enzyme activity in rice subjected to accelerated ageing treatment, *Plant Production Science*, 18, 4, 443-454, **2015 (WoS/Scopus)**
- 781.** Kaur G, Singh HP, Batish DR, Kohli RK. Adaptations to oxidative stress in *Zea mays* roots under short-term Pb²⁺ exposure, *Biologia*, 70, 2, 190-197, **2015 (WoS/Scopus)**
- 782.** Kazemi N. Exogenous Salicylic Acid Alleviates Zinc-induced Oxidative Damage in Tomato Plants, *Journal of Applied Biological Sciences*, 9, 1, 47-53, **2015 (WoS/Scopus)**
- 783.** Khan ZU, Bu J, Khan NM, Khan RU, Jiang Z, Mou W, Luo Z, Mao L, Ying T - Integrated treatment of CaCl₂, citric acid and sorbitol reduces loss of quality of button mushroom (*Agaricus bisporus*) during postharvest storage, *Journal of Food Processing and Preservation* 39(6), 2008-2016, **2015**, DOI: [10.1111/jfpp.12441](https://doi.org/10.1111/jfpp.12441) **(WoS/Scopus)**
- 784.** Kiani R, Arzani A, Habibi F. Physiology of salinity tolerance in *Aegilops cylindrica*, *Acta Physiologiae Plantarum*, 37, 135, **2015 (WoS/Scopus)**
- 785.** Klein A, Keyser M, Ludidi N., Response of soybean nodules to exogenously applied caffeic acid during NaCl-induced salinity, *South African Journal of Botany*, 96, 13-18, **2015 (WoS/Scopus)**
- 786.** Koç E. Exogenous application of spermidine enhanced tolerance of pepper against *Phytophthora capsici* stress, *Plant Protect. Sci.*, 51, 3, 127-135, **2015 (WoS/Scopus)**
- 787.** Kumar J, Singh VP, Prasad SM. NaCl-induced physiological and biochemical changes in two cyanobacteria *Nostoc muscorum* and *Phormidium foveolarum* acclimatized to different Photosynthetically active radiation, *Journal of Photochemistry and Photobiology B: Biology*, 151, 221–232, **2015 (WoS/Scopus)**
- 788.** Kumar N, Ebel RC. Oxidative metabolism in ‘Valencia’ sweet orange [*Citrus sinensis* (L.) Osbeck] flavedo

- tissue treated with the abscission agent 5-chloro-3-methyl-4-nitro-1H-pyrazole (CMNP), *The Journal of Horticultural Science and Biotechnology*, 90, 4, 413-418, **2015 (WoS/Scopus)**
- 789.** Kumar V, Khare T. Individual and additive effects of Na⁺ and Cl⁻ ions on rice under salinity stress, *Archives of Agronomy and Soil Science*, 61, 3, 381-395, **2015 (WoS/Scopus)**
- 790.** Laghari SK, Zaidi MA, Razaq G. Impact of solid waste burning air pollution on some physio-anatomical characteristics of some plants, *Pak. J. Bot.*, 47, 1, 225-232, **2015 (WoS/Scopus)**
- 791.** Lamaoui M, Aissam S, Wahbi S, Chakhchar A, Ferradous A, El Moousadik A, Ibensouda-Koraichi S, Filali-Maltouf A, El Modafar C. Anti-oxidant activity in *Argania spinosa* callus selected under water stress conditions, *Journal of Horticultural Science & Biotechnology*, 90, 2, 127-134, **2015 (WoS/Scopus)**
- 792.** Legocka J, Sobieszczuk-Nowicka E, Wojtyła Ł, Samardakiewicz S. Lead-stress induced changes in the content of free, thylakoid- and chromatin-bound polyamines, photosynthetic parameters and ultrastructure in greening barley leaves, *Journal of Plant Physiology*, 186-187, 15-24, **2015 (WoS/Scopus)**
- 793.** Li Z, Zhou H, Peng Y, Zhang X, Ma X, Huang L, Yan Y. Exogenously applied spermidine improves drought tolerance in creeping bentgrass associated with changes in antioxidant defense, endogenous polyamines and phytohormones. *Plant Growth Regulation*. 76, 1, 71-82, **2015 (WoS/Scopus)**
- 794.** Liang C, Ge Y, Su L, Bu J - Response of plasma membrane H⁺-ATPase in rice (*Oryza sativa*) seedlings to simulated acid rain. *Environmental Science and Pollution Research*, 22, 1, 535-545, **2015 (WoS/Scopus)**
- 795.** Ma Chao, Wang Z, Sun M, Zhang L, Kong B, Lin T. Hydrogen peroxide acts as a signaling molecule for the methyl jasmonate-induced antioxidant defense in wheat callus to promote enhanced drought tolerance. *Journal of Agricultural Science*, 7, 11, 99-114, **2015 (WoS/Scopus)**
- 796.** Ma L-F, Li Z-T, Yang K-J, Zhao C-J, Xu J-Y, Yang R-B, Yu G-B, Zhao Y, Shi X-X, Xu Y-M, Liu C, Yang B-W. Effects of submergence on growth and antioxidant enzymes activities of sensitive rice (*Oryza sativa*) seedlings, *Plant Physiology Journal*, 51, 7, 1082-1090, **2015 (WoS/Scopus)**
- 797.** Malik S, Ashraf M, Arshad M, Malik TA. Effect of ascorbic acid application on physiology of wheat under drought stress, *Pakistan Journal of Agricultural Science*, 52, 1, 209-217, **2015**
- 798.** Mandal C, Ghosh N, Dey N, Adak MK, Banerjee S. Changes in physiological responses of *Hygrophila schulli* under cadmium toxicity, *Agricultural Research*, 4, 2, 171-182, **2015 (WoS/Scopus)**
- 799.** Mei L, Daud MK, Ullah N, Ali S, Khan M, Malik Z, Zhu SJ. Pretreatment with salicylic acid and ascorbic acid significantly mitigate oxidative stress induced by copper in cotton genotypes, *Environmental Science and Pollution Research*, 22, 13, 9922-9931, **2015 (WoS/Scopus)**
- 800.** Messchmidt AA, Bianchi VJ, Zanandrea I, Martinazzo EG, Radmann EB, Bacarin MA. Trocas gasosas e atividade antioxidante de portaenxertos de *Prunus* spp. submetidos ao estresse seca e alagamento, *Revista de la Facultad de Agronomía - La Plata*, 114, 1, 71-81, **2015**
- 801.** Mohammadi H, Kardan J. Morphological and physiological responses of some halophytes to salinity stress, *Annales Universitatis Mariae Curie-Skłodowska Lublin-Polonia*, 70, 2, 31-41, **2015**
- 802.** Mostafa EM, Hassan AMA. The ameliorative effect of selenium on *Azolla caroliniana* grown under UV-B stress, *Phytoprotection*, 95, 1, 20-26, **2015 (WoS/Scopus)**
- 803.** Motallebi P, Niknam V, Ebrahimzadeh H, Enferadi ST, Hashemi M. The effect of methyl jasmonate on enzyme activities in wheat genotypes infected by the crown and root rot pathogen *Fusarium culmorum*, *Acta Physiologiae Plantarum*, 37, 237, **2015 (WoS/Scopus)**
- 804.** Nasibi F, Kalantari KM, Barand A. Effect of seed pre-treatment with L-arginine on improvement of seedling growth and alleviation of oxidative damage in canola plants subjected to salt stress, *Iranian Journal of Plant Physiology*, 5, 1, 1217-1224, **2015**
- 805.** Nukuntornprakit O, Chanjirakul K, van Doorn WG, Siriphanich J. Chilling injury in pineapple fruit: Fatty acid composition and antioxidant metabolism, *Postharvest Biology and Technology* 99, 20-26, **2015**.
- 806.** Ouhibi C, Attia H, Nicot P, Lecompte F, Vidal V, Lachaâl M, Urban L, Aarrouf J. Effects of nitrogen supply and of UV-C irradiation on the susceptibility of *Lactuca sativa* L to *Botrytis cinerea* and *Sclerotinia minor*, *Plant and Soil*, 393, 1, 35-46, **2015 (WoS/Scopus)**
- 807.** Pancha I, Chokshi K, Maurya R, Trivedi K, Patidar SK, Ghosh A, Mishra S. Salinity induced oxidative stress enhanced biofuel production potential of microalgae *Scenedesmus* sp. CCNM 1077, *Bioresource Technology*, 189, 341-348, **2015**
- 808.** Paula LS, Silva BC, de Pinho WCS, Barbosa MAM, Guedes-Lobato EMS, Segura FR, Batista BL, Junior FB, Klynger A, Lobato S. Silicon (Si) ameliorates the gas exchange and reduces negative impacts on photosynthetic pigments in maize plants under Zinc (Zn) toxicity, *Australian Journal of Crop Science*, 9, 10, 901-908, **2015 (WoS/Scopus)**
- 809.** Pereira ES, Silva ON, Filho AP, Felipe JP, Alves GAR, Lobato AKS. Antioxidant enzymes efficiently control leaf and root cell damage in young *Euterpe oleracea* plants exposed to waterlogging, *Indian Journal of Plant Physiology*, 20, 3, 213-219, **2015**
- 810.** Pires MF, de Castro EM, Magalhães PC, Neta ICS, Monteiro AGDP., Etileno e peróxido de hidrogênio na formação de aerênquima em milho tolerante a alagamento intermitente, *Pesquisa Agropecuária Brasileira*, 50, 9, 779-787, **2015**
- 811.** Prasad SM, Singh A, Singh P. Physiological, biochemical and growth responses of *Azolla pinnata* to chlorpyrifos and cypermethrin pesticides exposure: a comparative study, *Chemistry and Ecology*, 31, 3, 285-298,

- 812.** Puyang X, An M, Han L, Zhang X. Protective effect of spermidine on salt stress induced oxidative damage in two Kentucky bluegrass (*Poa pratensis* L.) cultivars, *Ecotoxicology and Environmental Safety*, 117, 96-106, **2015 (WoS/Scopus)**
- 813.** Puyang X, An M, Xu L, Han L, Zhang X. Antioxidant responses to waterlogging stress and subsequent recovery in two Kentucky bluegrass (*Poa pratensis* L.) cultivars, *Acta Physiologiae Plantarum*, 37: 197, **2015**, DOI: [10.1007/s11738-015-1955-z](https://doi.org/10.1007/s11738-015-1955-z) **(WoS/Scopus)**
- 814.** Rady MM, Hemida KA. Modulation of cadmium toxicity and enhancing cadmium-tolerance in wheat seedlings by exogenous application of polyamines, *Ecotoxicology and Environmental Safety*, 119, 178-185, **2015 (WoS/Scopus)**
- 815.** Rani TS, Takahashi D, Uemura M, Podile AR. Proteins associated with oxidative burst and cell wall strengthening accumulate during Citrus-*Xanthomonas* non-host interaction. *Plant Molecular Biology Reporter* 33(5): 1349-1360, **2015** DOI [10.1007/s11105-014-0817-y](https://doi.org/10.1007/s11105-014-0817-y) **(WoS/Scopus)**
- 816.** Rughani G, Chandra J, Chandrakar V, Keshavkant S. Lipid peroxidation and in-situ localization of ROS in assorted seeds exposed to salinity and artificial ageing, *Applied Science Reports*, 12, 3, 123-127, **2015 (WoS/Scopus)**
- 817.** Rusaczek A, Czarnocka W, Kacprzak S, Witoń D, Ślesak I, Szechyńska-Hebda M, Gawroński P, Karpiński S. Role of phytochromes A and B in the regulation of cell death and acclimatory responses to UV stress in *Arabidopsis thaliana*, *J. Exp. Bot.*, 66, 21, 6679-6695, **2015**, doi:[10.1093/jxb/erv375](https://doi.org/10.1093/jxb/erv375) **(WoS/Scopus)**
- 818.** Sadak MS. Impacto de las aplicaciones foliares de ácido ascórbico y α -tocoferol en la actividad antioxidante y algunos aspectos bioquímicos de cultivares de lino sometidos a estrés por salinidad, *Acta Biológica Colombiana*, 20, 2, 209-222, **2015**
- 819.** Saibi W, Feki K, Mahmoud RB, Brini F. Durum wheat dehydrin (DHN-5) confers salinity tolerance to transgenic *Arabidopsis* plants through the regulation of proline metabolism and ROS scavenging system, *Planta* 242 (5), 1187-1194, **2015** DOI [10.1007/s00425-015-2351-z](https://doi.org/10.1007/s00425-015-2351-z) **(WoS/Scopus)**
- 820.** Santos HRB. Abordagem multivariada de características fisiológicas foliares de cana-de-açúcar sob estresse hídrico (Multivariate approach of leaf physiological characteristics of sugarcane under water stress), **PhD Thesis**, Universidade Federal de Lavras, Brasil, **2015**
- 821.** Semida WM, Rady MM, El-Mageed TAA, Howladar SM, Abdelhamid MT. Alleviation of cadmium toxicity in common bean (*Phaseolus vulgaris* L.) plants by the exogenous application of salicylic acid, *Journal of Horticultural Science & Biotechnology*, 90, 1, 83-91, **2015 (WoS/Scopus)**
- 822.** Shafiq S, Akram NA, Ashraf M. Does exogenously-applied trehalose alter oxidative defense system in the edible part of radish (*Raphanus sativus* L.) under water-deficit conditions?, *Scientia Horticulturae*, 185, 30, 68-75, **2015 (WoS/Scopus)**
- 823.** Shrivastava DC, Kisku AV, Saxena M, Deswal R, Sarin NB. Stress inducible cytosolic ascorbate peroxidase (Ahcpx) from *Arachis hypogaea* cell lines confers salinity and drought stress tolerance in transgenic tobacco, *The Nucleus*, 58, 1, 3-13, **2015**
- 824.** Shukla P, Singh AK. Nitric oxide mitigates arsenic-induced oxidative stress and genotoxicity in *Vicia faba* L., *Environmental Science and Pollution Research*, 22, 18, 13881-13891, **2015 (WoS/Scopus)**
- 825.** Siddiqui MH, Al-Khaishany MY, Al-Qutami MA, Al-Whaibi MH, Grover A, Ali HM, Al-Wahibi MS, Bukhari NA. Response of different genotypes of faba bean plant to drought stress. *International Journal of Molecular Sciences*. 16, 10214-10227, **2015. (WoS/Scopus)**
- 826.** Siddiqui MH, Al-Khaishany MY, Al-Qutami MA, Al-Whaibi MH, Grover A, Ali HM, Al-Wahibi MS. Morphological and physiological characterization of different genotypes of faba bean under heat stress, *Saudi Journal of Biological Sciences*, 22, 5, 656-663, **2015**
- 827.** Siddiqui ZS, Cho J-I, Park D-B, Lee G-S, Ryu T-H, Shahid H, Umar M, Park S-C. Field assessment of CaMsrb2 transgenic lines in a drought stress environment, *Turkish Journal of Botany*, 39, **2015 (WoS/Scopus)**
- 828.** Singh A, Prasad SM. A lucrative technique to reduce Ni toxicity in *Raphanus sativus* plant by phosphate amendment: Special reference to plant metabolism, *Ecotoxicology and Environmental Safety*, 119, 81-89, **2015 (WoS/Scopus)**
- 829.** Singh AP, Dixit G, Mishra S, Dwivedi S, Tiwari M, Mallick S, Pandey V, Trivedi PK, Chakrabarty D, Tripathi RD. Salicylic acid modulates arsenic toxicity by reducing its root to shoot translocation in rice (*Oryza sativa* L.), *Frontiers in Plant Science*, 6, 00340, **2015 (WoS/Scopus)**
- 830.** Singh M, Singh VP, Dubey G, Prasad SM. Exogenous proline application ameliorates toxic effects of arsenate in *Solanum melongena* L. seedlings, *Ecotoxicology and Environmental Safety*, 117, 164-173, **2015 (WoS/Scopus)**
- 831.** Singh S, Prasad SP. IAA alleviates Cd toxicity on growth, photosynthesis and oxidative damages in eggplant seedlings, *Plant Growth Regulation*, 77, 1, 87-98, **2015 (WoS/Scopus)**
- 832.** Singh S, Srivastava PK, Kumar D, Tripathi DK, Chauhan DK, Prasad SM. Morpho-anatomical and biochemical adapting strategies of maize (*Zea mays* L.) seedlings against lead and chromium stresses, *Biocatalysis and Agricultural Biotechnology*, 4, 3, 286-295, **2015 (WoS/Scopus)**
- 833.** Singh VP, Singh S, Kumar J, Prasad SM. Hydrogen sulfide alleviates toxic effects of arsenate in pea seedlings through up-regulation of the ascorbate-glutathione cycle: Possible involvement of nitric oxide, *Journal of Plant Physiology*, 181, 20-29, **2015 (WoS/Scopus)**
- 834.** Singh VP, Singh S, Kumar J, Prasad SM. Investigating the roles of ascorbate-glutathione cycle and thiol

- metabolism in arsenate tolerance in ridged Luffa seedlings, *Protoplasma*, 252, 5, 1217-1229, **2015 (WoS/Scopus)**
- 835.** Sivankalyani V, Geetha M, Subramanyam K, Girija S. Ectopic expression of Arabidopsis RCI2A gene contributes to cold tolerance in tomato. *Transgenic Research*. 24, 2, 237-251, **2015**
- 836.** Sukkhaeng S, Sanevas N, Suwanwong S. Nostoc sp. extract induces oxidative stress-mediated root cell destruction in *Mimosa pigra* L., *Botanical Studies*, 56: 3, **2015 DOI 10.1186/s40529-014-0081-3 (WoS/Scopus)**
- 837.** Sunmonu TO, Ugboja RN, Ogunlesi O, Olafimihan D, Shodeinde T, Toriola MA, Akinloye DI, Balogun EA. Effects of *Strophanthus hispidus* DC. (*Apocynaceae*) aqueous root extract on antioxidant status in Streptozotocin-induced diabetic rats, *Biokemistri*, 27, 2, 89-97, **2015**
- 838.** Tang H, Liu Y, Gong X, Zeng G, Zheng B, Wang D, Sun Z, Zhou L, Zeng X. Effects of selenium and silicon on enhancing antioxidative capacity in ramie (*Boehmeria nivea* (L.) Gaud.) under cadmium stress, *Environmental Science and Pollution Research*, 22, 13, 9999-10008, **2015 (WoS/Scopus)**
- 839.** Terzi R, Kalaycioglu E, Demiralay M, Saglam A, Kadioglu A. Exogenous ascorbic acid mitigates accumulation of abscisic acid, proline and polyamine under osmotic stress in maize leaves, *Acta Physiologiae Plantarum*, 37: 43, **2015, DOI: 10.1007/s11738-015-1792-0 (WoS/Scopus)**
- 840.** Todorova D, Katerova Z, Alexieva V, Sergiev I. Polyamines – possibilities for application to increase plant tolerance and adaptation capacity to stress, *Genetics and Plant Physiology*, 5, 2, 123-144, **2015**
- 841.** Tripathi DK, Singh VP, Prasad SM, Chauhan DK, Dubey NK. Silicon nanoparticles (SiNp) alleviate chromium (VI) phytotoxicity in *Pisum sativum* (L.) seedlings, *Plant Physiology and Biochemistry*, 96, 189-198, **2015 (WoS/Scopus)**
- 842.** Uarrotta VG, Maraschin M. Metabolomic, enzymatic, and histochemical analyzes of cassava roots during postharvest physiological deterioration, *BMC Research Notes*, 8, 648, **2015 (WoS/Scopus)**
- 843.** Vaid N, Pandey P, Srivastava VK, Tuteja N. Pea lectin receptor-like kinase functions in salinity adaptation without yield penalty, by alleviating osmotic and ionic stresses and upregulating stress-responsive genes, *Plant Molecular Biology*, 88, 1, 193-206, **2015 (WoS/Scopus)**
- 844.** Vélez YSP. Enmiendas, bacterias promotoras del crecimiento vegetal y ricinus communis en la estabilización de elementos potencialmente tóxicos, Institución de Enseñanza e Investigación en Ciencias Agrícolas, Campus Montecillo, Mexico, **2015 (Thesis)**
- 845.** Vishwakarma A, Tetali SD, Selinski J, Scheibe R, Padmasree K. Importance of the alternative oxidase (AOX) pathway in regulating cellular redox and ROS homeostasis to optimize photosynthesis during restriction of the cytochrome oxidase pathway in *Arabidopsis thaliana*, *Annals of Botany* 116(4), 555-569, **2015, doi:10.1093/aob/mcv122 (WoS/Scopus)**
- 846.** Wael MS, Mostafa MR, Taia AAEM, Saad MH, Magdi TA. Alleviation of cadmium toxicity in common bean (*Phaseolus vulgaris* L.) plants by the exogenous application of salicylic acid. *Journal of Horticultural Science & Biotechnology* 90(1), 83-91, **2015 (WoS/Scopus)**
- 847.** Wang L, Wang Q, Zhou Q, Huang X. Combined effect of soil acidification and lead ion on antioxidant system in soybean roots, *Chemistry and Ecology*, 31, 2, 123-133, **2015 (WoS/Scopus)**
- 848.** Wang Z, Ma L, Zhang X, Xu L, Cao J, Jiang W. The effect of exogenous salicylic acid on antioxidant activity, bioactive compounds and antioxidant system in apricot fruit, *Scientia Horticulturae*, 181, 113-120, **2015 (WoS/Scopus)**
- 849.** Wei L-J, Deng X-G, Zhu T, Zheng T, Li P-X, Wu, J-Q, Zhang D-W, Lin H-H. Ethylene is involved in brassinosteroids induced alternative respiratory pathway in cucumber (*Cucumis sativus* L.) seedlings response to abiotic stress. *Frontiers in Plant Science*, 6, 982, **2015 (WoS/Scopus)**
- 850.** Wu J, Guo J, Hu Y, Gong H. Distinct physiological responses of tomato and cucumber plants in silicon-mediated alleviation of cadmium stress, *Frontiers in Plant Science*, 6, 00453, **2015 (WoS/Scopus)**
- 851.** Xu LL, Fan ZY, Dong YJ, Kong J, Bai XY. Effects of exogenous salicylic acid and nitric oxide on physiological characteristics of two peanut cultivars under cadmium stress, *Biologia Plantarum*, 59, 1, 171-182, **2015 (WoS/Scopus)**
- 852.** Yahmed JB, Novillo P, Garcia-Lor A, Salvador A, Mimoun MB, Luro F, Talon M, Ollitrault P, Morillon R. Salt tolerance traits revealed in mandarins (*Citrus reticulata* Blanco) are mainly related to root-to-shoot Cl⁻ translocation limitation and leaf detoxification processes, *Scientia Horticulturae*, 191, 90-100, **2015 (WoS/Scopus)**
- 853.** Yildirim E, Ekinci M, Turan M, Dursun A, Kul R, Parlakova F. Roles of glycine betaine in mitigating deleterious effect of salt stress on lettuce (*Lactuca sativa* L.), *Archives of Agronomy and Soil Science*, 61, 12, **2015 (WoS/Scopus)**
- 854.** Younis ME, Tourky SMN. Influence of salinity and adaptive compounds on oxidative stress and antioxidant system in broad bean cultivars contrasting in salt tolerance, *Plant Knowledge Journal*, 4, 1, 25-32, **2015**
- 855.** Zare H, Mohsenzadeh S, Moradshahi A. Effects of high frequency electromagnetic wave and salicylic acid on the growth and some physiological and biochemical parameters in *Lycopersicon esculentum*, *Cumhuriyet Science Journal*, 36, 3, 2120-2128, **2015**
- 856.** Zeng F, Jiang T, Wang Y, Luo Z. Effect of UV-C treatment on modulating antioxidative system and proline metabolism of bamboo shoots subjected to chilling stress, *Acta Physiologiae Plantarum*, 37, 244, **2015 (WoS/Scopus)**
- 857.** Zhang T, Liu X, Li Z, Jing S, Dong L, Yu D. Effects of salt stress on the growth and photosynthetic physiology characteristics of *Zoysia japonica*, *Acta Agraria Sinica*, 23, 3, 539-48, **2015**

858. Zhang X, Zhao X, Wang Z, Shen W, Xu X. Protective effects of hydrogen-rich water on the photosynthetic apparatus of maize seedlings (*Zea mays* L.) as a result of an increase in antioxidant enzyme activities under high light stress, *Plant Growth Regulation*, 77, 1, 43-56, **2015 (WoS/Scopus)**
859. Zhao Y, Yang K, Li Z, Zhao C, Xu J, Hu, X, Shi X, Ma, L. Alleviation of salt stress during maize seed germination by presoaking with exogenous sugar, *Chinese Journal of Applied Ecology*, 26, 9, 2735-2742, **2015**
860. Zou Y-N, Huang Y-M, Wu Q-S, He X-H. Mycorrhiza-induced lower oxidative burst is related with higher antioxidant enzyme activities, net H₂O₂ effluxes, and Ca²⁺ influxes in trifoliate orange roots under drought stress. *Mycorrhiza*. 25, 2, 143-152, **2015 (WoS/Scopus)**
861. Zrig A, benMohamed H, Ali SO, Tounekti T, Serranoc M, Valero D, Khemira H. Physiological and biochemical changes in leaves of interspecific *Prunus* rootstock (GF677) exposed to different external K, Ca, and Na supply. *Research & Reviews: Journal of Biology* 3(3), 10-20, **2015 (WoS/Scopus)**
862. Судачкова НЕ, Милютин ИЛ, Романова ЛИ, Косов ИВ, Собачкин ДС. Воздействие низовых пожаров на жизнеспособность и антиоксидантную защиту молодняков сосны обыкновенной в красноярской лесостепи, *Лесоведение*, 11, 2, 95-104, **2015**
863. Abbaspour J, Ehsanpour AA. Physiological targets of salicylic acid on *Artemisia aucheri* BOISS as a medicinal and aromatic plant grown under in vitro drought stress, *Botanical Studies*, 5, 39, 1-12, **2016**
864. Abdallah MM-S, Abdelgawad ZA, El-Bassiouny HMS. Alleviation of the adverse effects of salinity stress using trehalose in two rice varieties, *South African Journal of Botany*, 103, 275-282, **2016 (WoS/Scopus)**
865. Agafonova NV, Doronina NV, Trotsenko YA. Enhanced resistance of pea plants to oxidative stress caused by paraquat during colonization by aerobic methylobacteria, *Applied Biochemistry and Microbiology*, 52, 2, 199-204, **2016 (WoS/Scopus)**
866. Aghdam MTB, Mohammadi H, Ghorbanpour M. Effects of nanoparticulate anatase titanium dioxide on physiological and biochemical performance of *Linum usitatissimum* (Linaceae) under well-watered and drought stress conditions, *Brazilian Journal of Botany* 39(1), 139-146, **2016**, DOI: [10.1007/s40415-015-0227-x](https://doi.org/10.1007/s40415-015-0227-x) **(WoS/Scopus)**
867. Ahmad P, Abd Allah EF, Hashem A, Sarwat M, Gucel S. Exogenous application of selenium mitigates cadmium toxicity in *Brassica juncea* L. (Czern & Cross) by up-regulating antioxidative system and secondary metabolites, *Journal of Plant Growth Regulation*, 35, 4, 936-950, **2016 (WoS/Scopus)**
868. Ahmad P, Abdel Latef AA, Abd Allah EF, Hashem A, Sarwat M, Anjum NA, Gucel S. Calcium and potassium supplementation enhanced growth, osmolyte secondary metabolite production, and enzymatic antioxidant machinery in cadmium-exposed chickpea (*Cicer arietinum* L.). *Frontiers in Plant Science*, 7, 513, **2016 (WoS/Scopus)**
869. Ahmad P, Abdel Latef AA, Hashem A, Abd Allah EF, Gucel S, Tran L-SP. Nitric oxide mitigates salt stress by regulating levels of osmolytes and antioxidant enzymes in chickpea. *Frontiers in Plant Science*, 7, 347. doi:10.3389/fpls.2016.00347, **2016 (WoS/Scopus)**
870. Ahmed MMRM, Sadak MS. Effect of Putrescine Foliar Application on Wheat Genotypes (*Triticum aestivum* L.) under Water Stress Conditions, *International Journal of Pharm Tech Research*, 9, 8, 94-102, **2016 (WoS/Scopus)**
871. Al Harun MAY, Johnson J, Robinson RW. Do phytotoxic allelochemicals remain in ashes after burning *Chrysanthemoides monilifera* subsp. *monilifera* (boneseed)?, *Journal of Environmental Sciences*, 44, 109-119, **2016 (WoS/Scopus)**
872. Almeida-Rodríguez AM, Gómes MP, Loubert-Hudon A, Joly S, Labrecque M. Symbiotic association between *Salix purpurea* L. and *Rhizophagus irregularis*: modulation of plant responses under copper stress, *Tree Physiol* 36(6), 407-420, **2016**, doi:10.1093/treephys/tpv119 **(WoS/Scopus)**
873. Antić D, Milosevic S, Cingel A, Lojić M, Trifunović-Momčilov M, Petrić M, Subotic, A, Siminovic - Effects of exogenous salicylic acid on *Impatiens walleriana* L. grown in vitro under polyethylene glycol-imposed drought. *South African Journal of Botany* 105, 226-233, **2016**, DOI: [10.1016/j.sajb.2016.04.002](https://doi.org/10.1016/j.sajb.2016.04.002) **(WoS/Scopus)**
874. Ara N, Naveedullah, Ding C, Yang J, Hu Z, Zhang M. Inhibition of the alternative respiratory pathway at high temperatures leads to higher reactive oxygen species production and downregulation of the antioxidant defense system in squash leaves, *Plant Growth Regulation*, 79, 1, 127-134, **2016 (WoS/Scopus)**
875. Arun Gokul, Enrico Roode, Ashwil Klein, Marshall Keyster, Exogenous 3,3'-diindolylmethane increases *Brassica napus* L. seedling shoot growth through modulation of superoxide and hydrogen peroxide content, *Journal of Plant Physiology*, 196-197, 93-98, **2016 (WoS/Scopus)**
876. Azarmi F, Mozafari V, Dahaji PA, Hamidpour M. Biochemical, physiological and antioxidant enzymatic activity responses of pistachio seedlings treated with plant growth promoting rhizobacteria and Zn to salinity stress, *Acta Physiologiae Plantarum*, 38: 21, **2016**, DOI: [10.1007/s11738-015-2032-3](https://doi.org/10.1007/s11738-015-2032-3) **(WoS/Scopus)**
877. BadmusK, Tijani J, Eze CP, Fatoba O, Petrik LF. Quantification of radicals generated in a sonicator, *Analytical & Bioanalytical Chemistry Research*, 3, 1, 139-147, **2016 (WoS/Scopus)**
878. Barros Junior UO, Roque Lima MD, Machado Barbosa MA, Batista BL, Da Silva Lobato AK. Biochemical responses of two species of eucalyptus exposed to aluminium toxicity: Oxidative stress and antioxidant metabolism, *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 44, 1, 107-115, **2016 (WoS/Scopus)**
879. Bashri G, Parihar P, Singh R, Singh S, Singh VP, Prasad SM. Physiological and biochemical characterization of two *Amaranthus* species under Cr(VI) stress differing in Cr(VI) tolerance, *Plant Physiology and Biochemistry*, 108, 12-23, **2016 (WoS/Scopus)**

880. Bashri G, Prasad SM. Exogenous IAA differentially affects growth, oxidative stress and antioxidants system in Cd stressed *Trigonella foenum-graecum* L. seedlings: Toxicity alleviation by up-regulation of ascorbate-glutathione cycle, *Ecotoxicology and Environmental Safety*, 132, 329-338, **2016 (WoS/Scopus)**
881. Batool A, Wahid A, Farooq M. Evaluation of aqueous extracts of moringa leaf and flower applied through medium supplementation for reducing heat stress induced oxidative damage in maize, *International Journal of Agriculture & Biology*, 18, 4, 757-764, **2016 (WoS/Scopus)**
882. Bian ZW, Chen J, Li H, Liu DD, Yang LF, Zhu YL, Zhu WL, Liu W, Ying ZZ. The phytotoxic effects of selenium–mercury interactions on root growth in *Brassica rapa* (LvLing), *Horticulture, Environment, and Biotechnology*, 57, 3, 232-240, **2016 (WoS/Scopus)**
883. Brandão IR, Silva DM, Souza KRD, Boas LVV, Santos MO, Silva FM, Alves JD. Physiological and ultrastructural analysis reveal the absence of a defined abscission zone in coffee fruits, *Bragantia*, 75, 4, 386-395, **2016**
884. Brat P, Lechaudel M, Segret L, Morillon R, Hubert O, Gros O, Lambert F, Benoit S, Bugaud C, Salmon F. Post-harvest banana peel splitting as a function of relative humidity storage conditions, *Acta Physiologiae Plantarum*, 38, 234, **2016 (WoS/Scopus)**
885. Bulle M, Yarra R, Abbagani S. Enhanced salinity stress tolerance in transgenic chilli pepper (*Capsicum annuum* L.) plants overexpressing the wheat antiporter (TaNHX2) gene, *Molecular Breeding*, 36, 36, 1-12, **2016 (WoS/Scopus)**
886. Carmo Silva Bd, de Souza PR, Callegari DM, Alves VF, da Silva Lobato AK, Lobato EMSG. Boron supply and water deficit consequences in young paricá (*Schizolobium parahyba* var. *amazonicum*), *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 44, 1, 250-256, **2016 (WoS/Scopus)**
887. Catola S, Marino G, Emiliani G, Huseynova T, Musayev M, Akparov Z, Maserti BE. Physiological and metabolomic analysis of *Punica granatum* (L.) under drought stress, *Planta* 243 (2), 441-449, **2016**, doi: [10.1007/s00425-015-2414-1](https://doi.org/10.1007/s00425-015-2414-1) **(WoS/Scopus)**
888. Chandrakar V, A. Dubey A, Keshavkant S. Modulation of antioxidant enzymes by salicylic acid in arsenic exposed *Glycine max* L., *Journal of Soil Science and Plant Nutrition*, 16(3), **2016**. <http://dx.doi.org/10.4067/S0718-95162016005000048>. **(WoS/Scopus)**
889. Chehrenegar B, Hu J, Ong SL. Active removal of ibuprofen by Money plant enhanced by ferrous ions, *Chemosphere*, 144, 91-96, **2016 (WoS/Scopus)**
890. Chen Y, Li B, Huang Z, Zheng S, Zheng Z, Sun H. Characterization of a leaf silicon defective mutant *lsm* conferring blast susceptibility in rice, *Canadian Journal of Plant Pathology*, 38, 3, 348-357, **2016 (WoS/Scopus)**
891. Chunthaburee S, Dongsansuk A, Sanitchon J, Pattanagul W, Theerakulpisut P. Physiological and biochemical parameters for evaluation and clustering of rice cultivars differing in salt tolerance at seedling stage, *Saudi Journal of Biological Sciences* 23 (4), 467-477, **2016**, doi: [10.1016/j.sjbs.2015.05.013](https://doi.org/10.1016/j.sjbs.2015.05.013) **(WoS/Scopus)**
892. Daud MK, Mei L, Azizullah A, Dawood M, Ali I, Mahmood Q, Ullah W, Jamil M. Leaf-based physiological, metabolic, and ultrastructural changes in cultivated cotton cultivars under cadmium stress mediated by glutathione, *Environmental Science and Pollution Research*, 23, 15, 15551-15564, **2016 (WoS/Scopus)**
893. Diao Q, Song Y, Shi D, Qi H. Nitric oxide induced by polyamines involves antioxidant systems against chilling stress in tomato (*Lycopersicon esculentum* Mill.) seedling, *Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology)*, 17, 12, 916-930, **2016**
894. Dinler BS, Gunduzer E, Tekinay T. Pre-treatment of fulvic acid plays a stimulant role in protection of soybean (*Glycine max* L.) leaves against heat and salt stress, *Acta Biologica Cracoviensis Series Botanica*, 58, 1, 7-19, **2016**
895. Djemal R, Khoud H - TdSHN1, a WIN1/SHN1-type transcription factor, imparts multiple abiotic stress tolerance in transgenic tobacco. *Environmental and Experimental Botany* 131, 89-100, **2016** DOI: [10.1016/j.envexpbot.2016.07.005](https://doi.org/10.1016/j.envexpbot.2016.07.005) **(WoS/Scopus)**
896. Drira M, Hanin M, Masmoudi K, Brini F. Comparison of full-length and conserved segments of wheat dehydrin DHN-5 overexpressed in *Arabidopsis thaliana* showed different responses to abiotic and biotic stress. *Functional Plant Biology* 43, 1048-1060, **2016**, <http://dx.doi.org/10.1071/FP16134> **(WoS/Scopus)**
897. Dubey AK, Kumar N, Sahu N, Verma PK, Chakrabarty D, Behera SK, Mallick S. Response of two rice cultivars differing in their sensitivity towards arsenic, differs in their expression of glutaredoxin and glutathione S transferase genes and antioxidant usage, *Ecotoxicology and Environmental Safety*, 124, 393-405, **2016 (WoS/Scopus)**
898. El-Beltagi HS, Ahmed OK, Hegazy AE. Protective Effect of Nitric Oxide on High Temperature Induced Oxidative Stress in Wheat (*Triticum aestivum*) callus culture, *Notulae Scientia Biologicae*, 8, 2, 192-198, **2016 (WoS/Scopus)**
899. El-Nashar YI. Growth responses of calendula (*Calendula officinalis* L.) to temperature regimes and different soil types, *Alexandria Science Exchange Journal*, 37, 2, 139-150, **2016**
900. Erdal S, Genisel M. The property of progesterone to mitigate cold stress in maize is linked to a modulation of the mitochondrial respiratory pathway, *Theoretical and Experimental Plant Physiology*, 28, 385-393, **2016 (WoS/Scopus)**
901. Erdal S, Turk H. Cysteine-induced upregulation of nitrogen metabolism-related genes and enzyme activities enhance tolerance of maize seedlings to cadmium stress, *Environmental and Experimental Botany*, 132, 92-99, **2016 (WoS/Scopus)**
902. Farooq MA, Gill RA, Ali B, Wang J, Islam F, Zhou W. Subcellular distribution, modulation of antioxidant

and stress-related genes response to arsenic in *Brassica napus* L., *Ecotoxicology* 25(2), 350-366, **2016**, doi: [10.1007/s10646-015-1594-6125](https://doi.org/10.1007/s10646-015-1594-6125) (WoS/Scopus)

903. Farooq MA, Gill RA, Islam F, Ali B, Liu H, Xu J, He S, Zhou W. Methyl jasmonate regulates antioxidant defense and suppresses arsenic uptake in *Brassica napus* L., *Frontiers in Plant Science*, 7, 468, **2016**. (WoS/Scopus)

904. Filippou P, Antoniou C, Obata T, Van Der Kelen K, Harokopos V, Kanetis L, Aidinis V, Van Breusegem F, Fernie AR, Fotopoulos V. Kresoxim-methyl primes *Medicago truncatula* plants against abiotic stress factors via altered reactive oxygen and nitrogen species signalling leading to downstream transcriptional and metabolic readjustment. *Journal of Experimental Botany* 67(5), 1259-1274, **2016**, doi: [10.1093/jxb/erv516](https://doi.org/10.1093/jxb/erv516) (WoS/Scopus)

905. Firdose A, Nisar A, Dsouza MR. Evaluation of in vitro antimicrobial activity of Indian honey on burn wound isolates, *Journal of Chemical and Pharmaceutical Research*, 8, 3, 1027-1034, **2016** (WoS/Scopus)

906. Gagan Paudel G, Tatiana Bilova T, Rico Schmidt R, Uta Greifenhagen U, Robert Berger R, Elena Tarakhovskaya E, Stefanie Stöckhardt S, Gerd Ulrich Balcke GU, Klaus Humbeck K, Wolfgang Brandt W, Andrea Sinz A, Thomas Vogt T, Claudia Birkemeyer C, Ludger Wessjohann L, and Andrej Frolov A. Osmotic stress is accompanied by protein glycation in *Arabidopsis thaliana*, *J. Exp. Bot.* (2016) 67 (22): 6283-6295, **2016** (WoS/Scopus)

907. Ganesan A, Sundararaj JP, Purusothaman DK, Ponnusamy P. In vitro evaluation of partially purified antioxidant enzymes from lichen *leptogium papillosum*, *Asian Journal of Pharmaceutical and Clinical Research*, 9, 1, 140-144, **2016**

908. Garg N, Bhandari P. Interactive effects of silicon and arbuscular mycorrhiza in modulating ascorbate-glutathione cycle and antioxidant scavenging capacity in differentially salt-tolerant *Cicer arietinum* L. genotypes subjected to long-term salinity, *Protoplasma*, 253, 5, 1325-1345, **2016** (WoS/Scopus)

909. Genişel M, Erdal S. Alleviation of salt-induced oxidative damage by 5-aminolevulinic acid in wheat seedlings, *AIP Conference Proceedings*, 1726, 1, **2016**

910. Gill RA, Zhang N, Ali B, Farooq MA, Xu J, Gill MB, Mao B. Role of exogenous salicylic acid in regulating physio-morphic and molecular changes under chromium toxicity in black- and yellow- seeded *Brassica napus* L., *Environmental Science and Pollution Research*, 23, 20, 20483-20496, **2016** (WoS/Scopus)

911. Gomes MP, Cruz FVS, Borges FV, Fonseca MB, Garcia QS. Modulation of *Dimorphandra wilsonii* Rizz. seed germination through H₂O₂ production in response to Zn interference of the mitochondrial electron transport chain, *Environmental and Experimental Botany*, 128, 51-58, **2016** (WoS/Scopus)

912. Gomes MP, Juneau P. Oxidative stress in duckweed (*Lemna minor* L.) induced by glyphosate: Is the mitochondrial electron transport chain a target of this herbicide?, *Environmental Pollution*, 218, 402-409, **2016** (WoS/Scopus)

913. Gomes MP, Le Manac'h SG, Moingt M, Smedbol E, Paquet S, Labrecque M, Lucotte M, Juneau P. Impact of phosphate on glyphosate uptake and toxicity in willow, *Journal of Hazardous Materials* 304, 269-279, **2016**, DOI: [10.1016/j.jhazmat.2015.10.043](https://doi.org/10.1016/j.jhazmat.2015.10.043) (WoS/Scopus)

914. Gong X, Liu, Y, Huang D, Zeng G, Liu S, Tang H, Zhou L, Hu X, Zhou Y, Tan X. Effects of exogenous calcium and spermidine on cadmium stress moderation and metal accumulation in *Boehmeria nivea* (L.) Gaudich. *Environmental Science and Pollution Research*, 23, 9, 8699-8708, **2016** (WoS/Scopus)

915. Gontia-Mishra I, Sapre S, Sharma A, Tiwari S. Amelioration of drought tolerance in wheat by the interaction of plant growth promoting rhizobacteria, *Plant Biology*, 18, 6, 992-1000, **2016** (WoS/Scopus)

916. Gostin I. Air Pollution stress and plant response, Chapter in: *Plant Responses to Air Pollution* (Editors: Umesh Kulshrestha, Pallavi Saxena), pp. 99-117, Springer, **2016**

917. Guler NS, Pehlivan N, Karaoglu SA, Guzel S, Bozdeveci A - *Trichoderma atroviride* ID20G inoculation ameliorates drought stress-induced damages by improving antioxidant defence in maize seedlings. *Acta Physiologiae Plantarum* 38(6), **2016**, DOI: [10.1007/s11738-016-2153-3](https://doi.org/10.1007/s11738-016-2153-3) (WoS/Scopus)

918. Guler NS, Pehlivan N. Exogenous low-dose hydrogen peroxide enhances drought tolerance of soybean (*Glycine max* L.) through inducing antioxidant system, *Acta Biologica Hungarica*, 67, 2, 169-183, **2016** (WoS/Scopus)

919. Gupta K, Sengupta A, Chakraborty M, Gupta B. Hydrogen peroxide and polyamines act as double edged swords in plant abiotic stress responses. *Frontiers in Plant Science*, 7, 1343, **2016** (WoS/Scopus)

920. Haddadi BS, Hassanpour H, Nikman V - Effect of salinity and waterlogging on growth, anatomical and antioxidative responses in *Mentha aquatica* L. *Acta Physiologiae Plantarum* 38(5), **2016**, DOI: [10.1007/s11738-016-2137-3](https://doi.org/10.1007/s11738-016-2137-3) (WoS/Scopus)

921. Hajipour H, Jabbarzadeh Z. Effect of foliar application of silicon on physiological responses of chrysanthemum (*Dendranthema ×grandiflorum*) at two different growth stages, *Journal of Ornamental Plants*, 6, 1, 39-47, **2016** (WoS/Scopus)

922. Hamurcu, M, Hakki EE, Sert TD, Özdemir C, Minareci E, Avsaroglu ZZ, Gezgin S, Kayis SA, Bell RB. Extremely high boron tolerance in *Puccinellia distans* (Jacq.) Parl. related to root boron exclusion and a well-regulated antioxidant system, *Zeitschrift für Naturforschung C*, 71, 7-8, 273-285, **2016** (WoS/Scopus)

923. Hashem A, Abd Allah EF, Alqarawi AA, Al Huqail AA, Egamberdieva D, Wirth S, Alleviation of cadmium stress in *Solanum lycopersicum* L. by arbuscular mycorrhizal fungi via induction of acquired systemic tolerance, *Saudi Journal of Biological Sciences* 23, 272-281, **2016** (WoS/Scopus)

924. Hashemi S, Asrar Z, Pourseyedi S, Nadernejad N. Plant-mediated synthesis of zinc oxide nano-particles and their effect on growth, lipid peroxidation and hydrogen peroxide contents in soybean, *Indian Journal of Plant*

- 925.** Hassanein RA, Hashem HA, Fahmy AH, Ibrahim AS, El Shihy OM, Qaid EA. Protection against Fusarium head blight: Important defense mechanisms studied in three regenerated Egyptian wheat cultivars, *Journal of Stress Physiology & Biochemistry*, 12, 3, 18-43, **2016 (WoS/Scopus)**
- 926.** Heidari Z, Nazarideljou MJ, Danesh YR, Khezrinejad N. Morphophysiological and Biochemical Responses of *Zinnia elegans* to Different Irrigation Regimes in Symbiosis with *Glomus mosseae*, *International Journal of Horticultural Science and Technology*, 3, 1, 19-32, **2016 (WoS/Scopus)**
- 927.** Hu H, Wang L, Zhou Q, Huang X. Combined effects of simulated acid rain and lanthanum chloride on chloroplast structure and functional elements in rice, *Environmental Science and Pollution Research*, 23, 9, 8902-8916, **2016 (WoS/Scopus)**
- 928.** Hussain I, Ashraf MA, Rasheed R, Iqbal, Ibrahim M, Ashra S. Heat shock increases oxidative stress to modulate growth and physico-chemical attributes in diverse maize cultivars, *International Agrophysics*, 30, 4, 519-531, **2016**
- 929.** Islam F, Ali B, Wang J, FarooqMA, Gill RA, Ali S, Wang D, Zhou W - Combined herbicide and saline stress differentially modulates hormonal regulation and antioxidant defense system in *Oryza sativa* cultivars. *Plant Physiology and Biochemistry* 107, 82-95, **2016**, DOI: [10.1016/j.plaphy.2016.05.027](https://doi.org/10.1016/j.plaphy.2016.05.027) **(WoS/Scopus)**
- 930.** Islam F, Yasmeen T, Ali Q, Mubin M, Ali S, Arif MS, Hussain S, Riaz M, Abbas F. Copper-resistant bacteria reduces oxidative stress and uptake of copper in lentil plants: potential for bacterial bioremediation, *Environmental Science and Pollution Research* 23(1), 220-233, **2016**, doi: [10.1007/s11356-015-5354-1](https://doi.org/10.1007/s11356-015-5354-1) **(WoS/Scopus)**
- 931.** Islam F, Yasmeen T, Arif MS, Ali S, Ali B, Hameed S, Zhou W. Plant growth promoting bacteria confer salt tolerance in *Vigna radiata* by up-regulating antioxidant defense and biological soil fertility, *Plant Growth Regulation*, 80, 1, 23-36, **2016 (WoS/Scopus)**
- 932.** Jafariyan T, Zarea MJJ. Hydrogen peroxide affects plant growth promoting effects of *Azospirillum*, *Journal of Crop Science and Biotechnology*, 19, 167-175, **2016 (WoS/Scopus)**
- 933.** Jannesari M, Ghehsareh AM, Fallahzade J, Response of tomato plant towards amino acid under salt stress in a greenhouse system. *Journal of Environmental Science and Technology*, 9, 131-139, **2016 (WoS/Scopus)**
- 934.** Kamalipourazad M, Sharifi M, Maivan HZ, Behmanesh M, Najmeh Chashmi A. Induction of aromatic amino acids and phenylpropanoid compounds in *Scrophularia striata* Boiss. cell culture in response to chitosan-induced oxidative stress, *Plant Physiology and Biochemistry*, 107, 374-384, **2016 (WoS/Scopus)**
- 935.** Kaouthar F, Ameny F-K, Yosta K, Walid S, Ali G, Faical B - Responses of transgenic *Arabidopsis* plants and recombinant yeast cells expressing a novel durum wheat manganese superoxide dismutase TdMnSOD to various abiotic stresses. *Journal of Plant Physiology* 198, 56-68, **2016**, DOI: [10.1016/j.jplph.2016.04.019](https://doi.org/10.1016/j.jplph.2016.04.019) **(WoS/Scopus)**
- 936.** Karam EA, Keramat B, Asrar Z, Mozafari H. Triacantanol-induced changes in growth, oxidative defense system in Coriander (*Coriandrum sativum*) under arsenic toxicity, *Indian Journal of Plant Physiology*, 21, 2, 137-142, **2016**
- 937.** Karataş İ, Öztürk L, Okatan Y. Karanlıkla teşvik edilen yaprak senesensi sürecinde gibberellik asit ve 6-benzilaminopürinin bazı biyokimyasal parametreler üzerine etkisi (Effects of gibberellic acid and 6-benzylaminopurine on some biochemical parameters during dark-induced leaf senescence), *Gaziosmanpaşa Üniversitesi Ziraat Fakültesi Dergisi (Journal of Agricultural Faculty of Gaziosmanpaşa University)*, 33, 1, 17-24, **2016**
- 938.** Karimi F, Dabbagh S, Alizadeh S, Roostamnia S. Evaluation of AgCINPsSBA-15/IL nanoparticle-induced oxidative stress and DNA mutation in *Escherichia coli*, *Applied Microbiology and Biotechnology*, 100, 16, 7161-7170, **2016 (WoS/Scopus)**
- 939.** Karimi N, Souri Z. Antioxidant enzymes and compounds complement each other during arsenic detoxification in shoots of *Isatis cappadocica* Desv., *Chemistry and Ecology*, 32, 10, 937-951, **2016 (WoS/Scopus)**
- 940.** Karmakar S, Mukherjee J, Mukherjee S. Removal of fluoride contamination in water by three aquatic plants, *International Journal of Phytoremediation* 18(3), 222-227, **2016**, doi: [10.1080/15226514.2015.1073676](https://doi.org/10.1080/15226514.2015.1073676) **(WoS/Scopus)**
- 941.** Kaushal N, Bhandari K, Siddique KHM, Nayyar H, Moral MT. Food crops face rising temperatures: An overview of responses, adaptive mechanisms, and approaches to improve heat tolerance, *Cogent Food & Agriculture*, 2, 1, Article 1134380, **2016**
- 942.** Khaledi N, Taheri P, Falahati-Rastegar M. Reactive oxygen species and antioxidant system responses in wheat cultivars during interaction with *Fusarium* species, *Australian Plant Pathology*, 45, 6, 653-670, **2016 (WoS/Scopus)**
- 943.** Khan I, Iqbal M, Ashraf MY, Ashraf MA, Ali S. Organic chelants-mediated enhanced lead (Pb) uptake and accumulation is associated with higher activity of enzymatic antioxidants in spinach (*Spinacea oleracea* L.), *Journal of Hazardous Materials*, 317, 352-361, **2016 (WoS/Scopus)**
- 944.** Khan M, Daud MK, Basharat A, Khan MJ, Azizullah A, Muhammad N, Muhammad N, Rehman Z, Zhu SJ. Alleviation of lead-induced physiological, metabolic, and ultramorphological changes in leaves of upland cotton through glutathione, *Environmental Science and Pollution Research*, 23, 9, 8431-8440, **2016 (WoS/Scopus)**
- 945.** Khan MN, Mobin M, Zahid A, ALMutairi K - Impact of varying elevations on growth and activities of antioxidant enzymes of some medicinal plants of Saudi Arabia. *Acta Ecologica Sinica* 36(3): 141-148, **2016**, DOI: [10.1016/j.chnaes.2015.12.009](https://doi.org/10.1016/j.chnaes.2015.12.009)

946. Khana I, Iqbal M, Ashraf MY, Ashrafa MA, Alic S. Organic chelants-mediated enhanced lead (Pb) uptake and accumulation is associated with higher activity of enzymatic antioxidants in spinach (*Spinacea oleracea* L.). *Journal of Hazardous Materials* 317, 352-361, **2016** <http://dx.doi.org/10.1016/j.jhazmat.2016.06.007> (WoS/Scopus)
947. Khoyerdi FF, Shamshiri MH, Estaji A. Changes in some physiological and osmotic parameters of several pistachio genotypes under drought stress, *Scientia Horticulturae*, 198, 44-51, **2016** (WoS/Scopus)
948. Koohshekan B, Divsalar A, Saiedifar, Seyedarabi - Protective effects of aspirin on the function of bovine liver catalase: A spectroscopy and molecular docking study. *Journal of Molecular Liquids* 218: 8-15, **2016** DOI: [10.1016/j.molliq.2016.02.022](https://doi.org/10.1016/j.molliq.2016.02.022) (WoS/Scopus)
949. Krasuska U, Andrejczak O, Staszek P, Bogatek R, Gniazdowska A - Canavanine alters ROS/RNS level and leads to post-translational modification of proteins in roots of tomato seedlings. *Frontiers in Plant Science* 7(419), **2016**, DOI: [10.3389/fpls.2016.00840](https://doi.org/10.3389/fpls.2016.00840) (WoS/Scopus)
950. Kumar N, Dubey AK, Jaiswal PK, Sahu N, Behera SK, Tripathi RD, Mallick S. Selenite supplementation reduces arsenate uptake greater than phosphate but compromises the phosphate level and physiological performance in hydroponically grown *Oryza sativa* L. *Environmental Toxicology and Chemistry*, 35, 163–172, **2016** (WoS/Scopus)
951. Kumar N, Ebel RC. Oxidative metabolism in ‘Valencia’ sweet orange (*Citrus sinensis* Osbeck) abscission zone tissue treated with the abscission agent 5-Chloro-3-Methyl-4-Nitro-1H-Pyrazole, *Hort Science*, 51, 4, 377-382, **2016** (WoS/Scopus)
952. Larré CF, Moraes CL, Borella J, do Amarante L, Deuner S, Paters JA. Antioxidant activity and fermentative metabolism in the plant *Erythrina crista-galli* L. under flood conditions (Atividade antioxidante e metabolismo fermentativo em plantas de *Erythrina crista-galli* sob alagamento), *Semina: Ciências Agrárias, Londrina*, 37, 2, 567-580, **2016**
953. Latif M, Akram NA, Ashraf M. Regulation of some biochemical attributes in drought-stressed cauliflower (*Brassica oleracea* L.) by seed pre-treatment with ascorbic acid, *The Journal of Horticultural Science and Biotechnology*, 91, 2, 129-137, **2016** (WoS/Scopus)
954. Lehotai N, Lyubenova L, Schröder P, Feigl G, Ördög A, Szilágyi K, Erdei L, Kolbert Z. Nitro-oxidative stress contributes to selenite toxicity in pea (*Pisum sativum* L), *Plant and Soil* 400 (1-2), 107-122, **2016**, DOI: [10.1007/s11104-015-2716-x](https://doi.org/10.1007/s11104-015-2716-x) (WoS/Scopus)
955. Li Y, Lu H, Cheng Q, Li R, He S, Li B. Changes of reactive oxygen species and scavenging enzymes of persimmon fruit treated with CO₂ deastringency and the effect of hydroxyl radicals on breakdown of cell wall polysaccharides in vitro, *Scientia Horticulturae*, 199, 81-87, **2016** (WoS/Scopus)
956. Li Z, Yu J, Peng Y, Huang B. Metabolic pathways regulated by γ -aminobutyric acid (GABA) contributing to heat tolerance in creeping bentgrass (*Agrostis stolonifera*), *Scientific Reports*. 6, 30338. doi:10.1038/srep30338, **2016** (WoS/Scopus)
957. Li Z, Zhang Y, Xu Y, Zhang X, Peng Y, Ma X, Huang L, an Y. The physiological and iTRAQ-based proteomic analyses reveal the function of spermidine on improving drought tolerance in white clover, *Journal of Proteome Research*, 15, 5, 1563–1579, **2016** (WoS/Scopus)
958. Li Z, Zhang Y, Zhang X, Peng Y, Merewitz E, Ma X, Huang L, Yan Y. The alterations of endogenous polyamines and phytohormones induced by exogenous application of spermidine regulate antioxidant metabolism, metallothionein and relevant genes conferring drought tolerance in white clover, *Environmental and Experimental Botany* 124, 22-38, **2016**, DOI: [10.1016/j.envexpbot.2015.12.004](https://doi.org/10.1016/j.envexpbot.2015.12.004) (WoS/Scopus)
959. Liang-liang, Wu Z, Zhou W, Li G. The effects of different concentrations of algal blooms on the two submerged macrophytes, *China Environmental Science*, 36, 9, 2765-2773, **2016**
960. Lima M.D.R., Barros U.O. Jr, Barbosa M.A.M., Segura F.R., Silva F.F., Batista B.L., Lobato A.K.S. - Silicon mitigates oxidative stress and has positive effects in *Eucalyptus platyphylla* under aluminium toxicity. *Plant Soil Environ.* 62, 4: 164–170, **2016** (WoS/Scopus)
961. Liu S H, Tang Y T, Qiu R L, Ying R R, Ge R G, Ji X H. Responses of carbonic anhydrase to cadmium in the zinc/cadmium hyperaccumulator *Picris divaricata* Vant., *Pedosphere*. 26, 5, 709–716, **2016** (WoS/Scopus)
962. Ma D, Sun D, Wang C, Qin H, Ding H, Li Y, Guo T. Silicon Application Alleviates Drought Stress in wheat through transcriptional regulation of multiple antioxidant defense pathways, *Journal of Plant Growth Regulation* 35(1), 1-10, **2016**, DOI: [10.1007/s00344-015-9500-2](https://doi.org/10.1007/s00344-015-9500-2) (WoS/Scopus)
963. Ma Q, Zhang T, Zhang P, Wang Z-Y. Melatonin attenuates postharvest physiological deterioration of cassava storage roots. *Journal of pineal research*, 60, 424–434, **2016** (WoS/Scopus)
964. Ma X, Quah B. Effects of Surface Charge on the Fate and Phytotoxicity of Gold Nanoparticles to *Phaseolus vulgaris*. *Journal of Food Chemistry & Nanotechnology*, 2, 1, 57-65, **2016** (WoS/Scopus)
965. Ma X, Wang Q, Rossi L, Ebbs SD, White JC. Multigenerational exposure to cerium oxide nanoparticles: Physiological and biochemical analysis reveals transmissible changes in rapid cycling *Brassica rapa*. *NanoImpact* 1, 46-54, **2016** (WoS/Scopus)
966. Ma X, Wang Q, Rossi L, Zhang W. Cerium oxide nanoparticles and bulk cerium oxide lead to different physiological and biochemical responses in *Brassica rapa*, *Environmental Science & Technology*, 50, 13, 6793–6802, **2016** (WoS/Scopus)
967. Mahdi AHA. Improvement of salt tolerance in *Vicia faba* (L.) plants by exogenous application of polyamines, *Egypt. J. Agron.*, 38, 1, 1-21, **2016**
968. Mai VC, Tran NT, Nguyen DS. The involvement of peroxidases in soybean seedlings’ defense against

infestation of cowpea aphid, *Arthropod-Plant Interactions*, 10, 4, 283-292, **2016**

- 969.** Marček T., Vuletić M.V., Alivojvodić S., Bakula I., Španić V. - Antioxidative response of wheat genotypes under *Fusarium* spp. infestation. *Zaštita okoliša/Environmental Protection - International Conference 16th Ružička days "Today Science – Tomorrow Industry"*, September 21-23, 2016/Vukovar, Croatia, **2016**
- 970.** Marwa D, Moez H, Khaled M, Faïçal B. Comparison of full-length and conserved segments of wheat dehydrin DHN-5 overexpressed in *Arabidopsis thaliana* showed different responses to abiotic and biotic stress. *Functional Plant Biology* 43, 1048-1060, **2016 (WoS/Scopus)**
- 971.** Meena M, Zehra A, Dubey MK, Aamir M, Gupta VK, Upadhyay RS. Comparative evaluation of biochemical changes in tomato (*Lycopersicon esculentum* Mill.) infected by *Alternaria alternata* and its toxic metabolites (TeA, AOH, and AME). *Frontiers in Plant Science*, 7, 1408, **2016 (WoS/Scopus)**
- 972.** Meena P, Solanki NS, Dashora LN. Effect of putrescine on growth and productivity of wheat under water stress conditions, Meena, Pinkey, N. S. Solanki, and L. N. L. N. Dashora. Effect of putrescine on growth and productivity of wheat under water stress conditions. *Annals of Agricultural Research, New Series*, 37, 1, 56-60, **2016 (WoS/Scopus)**
- 973.** Mohammadi H, Esmailpour M, Gheranpaye A. Effects of TiO₂ nanoparticles and water-deficit stress on morpho-physiological characteristics of dragonhead (*Dracocephalum moldavica* L.) plants, *Acta Agriculturae Slovenica*, 107, 2, 385-396, **2016**
- 974.** Mohammadi H, Moradi F. Effects of growth regulators on enzymatic and non-enzymatic antioxidants in leaves of two contrasting wheat cultivars under water stress, *Brazilian Journal of Botany*, 39, 2, 495-505, **2016 (WoS/Scopus)**
- 975.** Moharramnejad S, Sofalian O, Valizadeh M, Asgari A, Shiri M. Response of antioxidant defense system to osmotic stress in maize seedlings, *Fresenius Environmental Bulletin*, 25, 3, 805-811, **2016 (WoS/Scopus)**
- 976.** Mollayi S, Farzaneh M, Ghanati F, Aboul-Enein HY, Ghassempour A. Study of catechin, epicatechin and their enantiomers during the progression of Witches' broom disease in Mexican lime (*Citrus aurantifolia*), *Physiological and Molecular Plant Pathology* 93, 93-98, **2016**, DOI: [10.1016/j.pmp.2015.12.002](https://doi.org/10.1016/j.pmp.2015.12.002) **(WoS/Scopus)**
- 977.** Mroczek-Zdyrska M, Kornarzyński K, Pietruszewski S, Gagoś M. Stimulation with a 130-mT magnetic field improves growth and biochemical parameters in lupin (*Lupinus angustifolius* L.), *Turkish Journal of Biology*, 40, 699-705, **2016 (WoS/Scopus)**
- 978.** Mroczek-Zdyrska M, Tryniecki L, Kornarzynski K, Pietruszewski S, Gagos M. Influence of magnetic field stimulation on the growth and biochemical parameters in *Phaseolus vulgaris* L., *The Journal of Microbiology, Biotechnology and Food Sciences*, 5, 6, 548-551, **2016 (WoS/Scopus)**
- 979.** Nahar K, Hasanuzzaman M, Alam MM, Rahman A, Suzuki T, Fujita M. Polyamine and nitric oxide crosstalk: Antagonistic effects on cadmium toxicity in mung bean plants through upregulating the metal detoxification, antioxidant defense and methylglyoxal detoxification systems, *Ecotoxicology and Environmental Safety*, 126, 245-255, **2016 (WoS/Scopus)**
- 980.** Nahar K, Rahman M, Hasanuzzaman M, Alam MM, Rahman A, Suzuki T, Fujita M. Physiological and biochemical mechanisms of spermine-induced cadmium stress tolerance in mung bean (*Vigna radiata* L.) seedlings, *Environmental Science and Pollution Research*, 23, 21, 21206-21218, **2016 (WoS/Scopus)**
- 981.** Naik H, Devaraj V. Effect of salinity stress on antioxidant defense system of Niger (*Guizotia abyssinica* Cass.). *American Journal of Plant Sciences*, 7, 980-990, **2016 (WoS/Scopus)**
- 982.** Nascimento Silva PF, Lobato SG, Souza PR, dos Santos JM, Braga RO, dos Santos Moura A, da Silva Lobato AK. Proline but not glutathione actively participates in the tolerance mechanism of young. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 44, 1, 215-221, **2016 (WoS/Scopus)**
- 983.** Orsini F, Maggio A, Rouphael Y, De Pascale S. "Physiological quality" of organically grown vegetables, *Scientia Horticulturae*, 208, 131-139, **2016 (WoS/Scopus)**
- 984.** Panda BB, Sharma S, Mohapatra PK, Dias A. *Journal of Plant Biochemistry and Biotechnology*, 25, 382-391, **2016 (WoS/Scopus)**
- 985.** Perveen S, Farooq R, Shahbaz M. Thiourea-induced metabolic changes in two mung bean [*Vigna radiata* (L.) Wilczek] (*Fabaceae*) varieties under salt stress, *Brazilian Journal of Botany*, 39, 1, 41-54, **2016 (WoS/Scopus)**
- 986.** Perveen S, Iqbal M, Nawaz A, Parveen A, Mahmood S. Induction of drought tolerance in *Zea mays* L. by foliar application of triacontanol, *Pakistan Journal of Botany*, 48, 3, 907-915, **2016 (WoS/Scopus)**
- 987.** Phonyiam O, Kongsuwan A, Setha S. Effect of short-term anoxic treatment on internal browning and antioxidant ability in pineapple cv. Phulae, *International Food Research Journal*, 23, 2, 521-527, **2016 (WoS/Scopus)**
- 988.** Prasad SM, Kumar S, Parihar P, Singh R. Interactive effects of herbicide and enhanced UV-B on growth, oxidative damage and the ascorbate-glutathione cycle in two *Azolla* species, *Ecotoxicology and Environmental Safety*, 133, 341-349, **2016 (WoS/Scopus)**
- 989.** Ranjit SL, Manish P, Penna S. Early osmotic, antioxidant, ionic, and redox responses to salinity in leaves and roots of Indian mustard (*Brassica juncea* L.), *Protoplasma* 253(1), 101-110 **2016**, doi: [10.1007/s00709-015-0792-7](https://doi.org/10.1007/s00709-015-0792-7) **(WoS/Scopus)**
- 990.** Rasheed R, Wahid A, Hussain I, Mahmood S, Parveen A. Partial repair of salinity-induced damage to sprouting sugarcane buds by proline and glycinebetaine pretreatment, *Protoplasma* 253 (3), 803-813, **2016**, doi: [10.1007/s00709-015-0841-2](https://doi.org/10.1007/s00709-015-0841-2) **(WoS/Scopus)**

991. Rayavarapu VGB, Padmavathi T. Effect of *Bacillus* sp and *Glomus monosporum* on growth and antioxidant activity of *Lycopersicon esculentum* (tomato) plants under salinity stress, *Plant Cell Biotechnology and Molecular Biology* 17, 7&8, 342-355, **2016 (WoS/Scopus)**
992. Rughani G, Chandra J, Chandrakar V, Sahu KK. Production and in-situ localization of ROS in *Pennisetum typhoideum* indulged with heavy metal stress, *CSVТУ International Journal of Biotechnology, Bioinformatics and Biomedical*, 1, 1, 8-13, **2016**
993. Sadeghnezhad E, Sharifi M, Zare-Maivan H. Profiling of acidic (amino and phenolic acids) and phenylpropanoids production in response to methyl jasmonate-induced oxidative stress in *Scrophularia striata* suspension cells, *Planta*, 244, 1, 75-85, **2016 (WoS/Scopus)**
994. Sanaullah T., Wahid A., Sadia B., Hanif A., Maqbool N., Arshad T., Kabir Z. - Exogenous application of thiourea ameliorates salt stress effects by alleviation of oxidative damage in hybrid maize. *Journal of Agricultural Science and Technology A* 6: 220-231, **2016**, doi: [10.17265/2161-6256/2016.04.002](https://doi.org/10.17265/2161-6256/2016.04.002) **(WoS/Scopus)**
995. Scoccianti V, Bucchini AE, Iacobucci M, Ruiz KB, Biondi B. Oxidative stress and antioxidant responses to increasing concentrations of trivalent chromium in the Andean crop species *Chenopodium quinoa* Willd, *Ecotoxicology and Environmental Safety*, 133, 25-35, **2016 (WoS/Scopus)**
996. Sengupta A, Chakraborty M, Saha J, Gupta B, Gupta K. Polyamines: Osmoprotectants in Plant Abiotic Stress Adaptation, pp. 97-127, In: *Osmolytes and Plants Acclimation to Changing Environment: Emerging Omics Technologies* (Editors: N. Iqbal, R. Nazar, N.A. Khan) Springer India, **2016 (book)**
997. Sequera-Mutiez MI, Erban A, Kopka J, Atanasov KE, Bastida J, Fotopoulos V, Alcázar R, Tiburcio AF. Global metabolic profiling of *Arabidopsis Polyamine Oxidase 4 (AtPAO4)* loss-of-function mutants exhibiting delayed dark-induced senescence. *Frontiers in Plant Science* 7: 173, **2016**, doi:[10.3389/fpls.2016.00173](https://doi.org/10.3389/fpls.2016.00173) **(WoS/Scopus)**
998. Sharma M, Sharma V, Tripathi BN. Rapid activation of catalase followed by citrate efflux effectively improves aluminum tolerance in the roots of chick pea (*Cicer arietinum*), *Protoplasma - Special Issue: Cell Biology in Agricultural and Food Science* 253(3), 709-718, **2016 (WoS/Scopus)**
999. Sharma P, Kumar A, Bhardwaj R. Plant steroidal hormone epibrassinolide regulate – Heavy metal stress tolerance in *Oryza sativa* L. by modulating antioxidant defense expression, *Environmental and Experimental Botany*, 122, 1-9, **2016 (WoS/Scopus)**
1000. Sheteiwy MS, Fu Y, Hu Q, Nawaz A, Guan Y, Li Z, Huang Y, Hu J. Seed priming with polyethylene glycol induces antioxidative defense and metabolic regulation of rice under nano-ZnO stress, *Environmental Science and Pollution Research*, 23, 19989-20002, **2016 (WoS/Scopus)**
1001. Sidhu GPS, Singh HP, Batish DR, Kohli R - Effect of lead on oxidative status, antioxidative response and metal accumulation in *Coronopus didymus*. *Plant Physiology and Biochemistry* 105, 290-296, **2016**, DOI: [10.1016/j.plaphy.2016.05.019](https://doi.org/10.1016/j.plaphy.2016.05.019) **(WoS/Scopus)**
1002. Singh A, Prasad SM, Singh S, Singh M. Phytoremediation potential of weed plants' oxidative biomarker and antioxidant responses, *Chemistry and Ecology*, 32, 7, 2016, 684-706, **2016 (WoS/Scopus)**
1003. Singh H, Singh NB, Singh A, Hussain I, Yadav V. Physiological and biochemical effects of salicylic acid on *Pisum sativum* exposed to isoproturon, *Archives of Agronomy and Soil Science*, 62, 10, 1425-1436, **2016 (WoS/Scopus)**
1004. Singh M, Singh VP, Prasad SM. Nitrogen modifies NaCl toxicity in eggplant seedlings: Assessment of chlorophyll a fluorescence, antioxidative response and proline metabolism, *Biocatalysis and Agricultural Biotechnology*, 7, 76-86, **2016**, DOI: [10.1016/j.bcab.2016.05.007](https://doi.org/10.1016/j.bcab.2016.05.007) **(WoS/Scopus)**
1005. Singh SP, Gupta R, Gaur R, Srivastava AK. *Streptomyces* spp. alleviate *Rhizoctonia solani*-mediated oxidative stress in *Solanum lycopersicon*, *Annals of Applied Biology*, 168, 232–242, **2016 (WoS/Scopus)**
1006. Singh V, Tripathi BN, Sharma V. Interaction of Mg with heavy metals (Cu, Cd) in *T. aestivum* with special reference to oxidative and proline metabolism, *Journal of Plant Research* 129(3), 487-497, **2016** doi: [10.1007/s10265-015-0767-y](https://doi.org/10.1007/s10265-015-0767-y) **(WoS/Scopus)**
1007. Singh VP, Kumar J, Singh M, Singh S, Prasad SM, Dwivedi R, Singh MPVVB. Role of salicylic acid-seed priming in the regulation of chromium (VI) and UV-B toxicity in maize seedlings, *Plant Growth Regulation* 78, 79-91, **2016**, DOI: [10.1007/s10725-015-0076-4](https://doi.org/10.1007/s10725-015-0076-4) **(WoS/Scopus)**
1008. Sirhindi G, Mir MA, Abd-Allah EF, Ahmad P, Gucel S. Jasmonic acid modulates the physio-biochemical attributes, antioxidant enzyme activity, and gene expression in *Glycine max* under nickel toxicity. *Frontiers in Plant Science*, 7, 591, **2016 (WoS/Scopus)**
1009. Sonjaroon W, Kaveeta L, Chai-arree W, Klinsakorn S, Suksamrarn A, Jutamanee K - Exogenous 7,8-dihydro-8 α -20-hydroxycedysone application improves antioxidative enzyme system, photosynthesis, and yield in rice under high-temperature condition. *Acta Physiol Plant* 38: 202, **2016**, doi:[10.1007/s11738-016-2205-8](https://doi.org/10.1007/s11738-016-2205-8) **(WoS/Scopus)**
1010. Sorahinobar M, Niknam V, Ebrahimzadeh H, Soltanloo H, Behmanesh M, Enferadi ST. Central Role of salicylic acid in resistance of wheat against *Fusarium graminearum*, *Journal of Plant Growth Regulation* 35(2), 477-491, **2016**, DOI: [10.1007/s00344-015-9554-1](https://doi.org/10.1007/s00344-015-9554-1) **(WoS/Scopus)**
1011. Sorahinobar M, Niknam V, Ebrahimzadeh H, Soltanloo H, Moradi B, Bahram M. Lack of association between *Fusarium graminearum* resistance in spike and crude extract tolerance in seedling of wheat, *European Journal of Plant Pathology* 144(3), 525-538, **2016**, DOI: [10.1007/s10658-015-0792-7](https://doi.org/10.1007/s10658-015-0792-7) **(WoS/Scopus)**
1012. Sousa KR, Aragão VPM, Reis RS, Macedo AF, Vieira HD, Souza CLM, Floh EIS, Silveira V, Santa-Catarina C - Polyamine, amino acid, and carbohydrate profiles during seed storage of threatened woody species of the

Brazilian Atlantic Forest may be associated with seed viability maintenance. *Braslian Journal of Botany*, 39(4), 985-995, **2016**, doi: [10.1007/s40415-016-0293-8](https://doi.org/10.1007/s40415-016-0293-8)

- 1013.** Sudachkova NE, Romanova LI, Astrakhantseva NV, Novoselova MV, Kosov IV. Stress reactions of Scots pine trees to injuring by ground fire. *Contemporary Problems of Ecology*, 9, 5, 608-616, **2016**
- 1014.** Sylvain F-É, Cheaib B, Llewellyn M, Correia G, Fagundes TB, Val AL, Derome N. pH drop impacts differentially skin and gut microbiota of the Amazonian fish tambaqui (*Colossoma macropomum*), *Scientific Reports*. 6, 32032. doi:10.1038/srep32032, **2016 (WoS/Scopus)**
- 1015.** Taiti C, Giorni E, Colzi I, Pignattelli S, Bazihizina N, Bucciatti A, Luti S, Pazzagli L, Mancuso S, Gonnelli C. Under fungal attack on a metalliferous soil: ROS or not ROS? Insights from *Silene paradoxa* L. growing under copper stress, *Environmental Pollution*, 210, 282-292, **2016 (WoS/Scopus)**
- 1016.** Tamimi SM. Effect of seed priming on growth and physiological traits of five Jordanian wheat (*Triticum aestivum* L.) landraces under salt stress, *Journal of Bioscience and Agriculture Research*, 11, 01, 906-922, **2016 (WoS/Scopus)**
- 1017.** Tammam AA, Hatata MM, Sadek OA. Effect of Cd and Zn interaction on reactive oxygen species and antioxidant machinery of broad bean plants (*Vicia faba* L), *The Egyptian Journal of Experimental Biology (Botany)*, 12, 2, 193-209, **2016**
- 1018.** Tripathi A, Tripathi DK, Chauhan DK, Kumar N. Chromium (VI)-induced phytotoxicity in river catchment agriculture: evidence from physiological, biochemical and anatomical alterations in *Cucumis sativus* (L.) used as model species, *Chemistry and Ecology* 32(1), 12-33, **2016**, DOI: [10.1080/02757540.2015.1115841](https://doi.org/10.1080/02757540.2015.1115841) **(WoS/Scopus)**
- 1019.** Tripathi DK, Singh S, Pratap Singh V, Prasad SM, Chauhan DK, Dubey NK - Silicon nanoparticles more efficiently alleviate arsenate toxicity than silicon in maize cultivar and hybrid differing in arsenate tolerance. *Frontiers in Environmental Science*, 4:46, **2016**, doi: [10.3389/fenvs.2016.00046](https://doi.org/10.3389/fenvs.2016.00046) **(WoS/Scopus)**
- 1020.** Tripathi DK, Singh VP, Prasad SM, Dubey NK, Chauhan DK, Rai AK. LIB spectroscopic and biochemical analysis to characterize lead toxicity alleviative nature of silicon in wheat (*Triticum aestivum* L.) seedlings, *Journal of Photochemistry and Photobiology B: Biology* 154, 89-98, **2016**, doi: [10.1016/j.jphotobiol.2015.11.008](https://doi.org/10.1016/j.jphotobiol.2015.11.008) **(WoS/Scopus)**
- 1021.** Turfan N, Kurnaz A, Alay M. Determining of some chemical properties in Taşköprü garlic stored in different conditions, *Kastamonu University Journal of Forestry Faculty*, 16, 2, 427-437, **2016**
- 1022.** Turfan N, Savacı, Sarıyıldız T. Uludağ Göknarı ve Sarıçam İbrelerinin Bazı Kimyasal Bileşiklerinin Meşcere Yaşına ve Bazı Toprak Özelliklerine Bağlı Olarak Değişimi (Variation in some chemical compounds of the Uludağ fir and Scots pine needles in relation to stand age and some soil properties), *Kastamonu University Journal of Forestry Faculty*, 16, 2, 583-598, **2016**
- 1023.** Turfan N. Yerel ceviz çeşidinde (*Juglans regia* L.) abiyotik stres faktörlerine karşı dayanıklılık mekanizmasının belirlenmesi (Determining of resistance mechanism against abiotic stress factories in native walnut variety (*Juglans regia* L.)), *Anadolu Journal of Agricultural Sciences*, 31, 321-331, **2016**
- 1024.** Ullah S, Kolo Z, Egbichi I, Keyster M, Ludidi N - Nitric oxide influences glycine betaine content and ascorbate peroxidase activity in maize. *South African Journal of Botany* 105, 218-225, **2016 (WoS/Scopus)**
- 1025.** Upadhyay AK, Mandotra SK, Kumar N, Singh NK, Singh L, Rai UN. Augmentation of arsenic enhances lipid yield and defense responses in alga *Nannochloropsis* sp., *Bioresource Technology*, 221, 430-437, **2016**
- 1026.** Vighi IL, Benitez LC, do Amaral MN, Auler PA, Moraes GP, Rodrigues GS, da Maia LC, Pinto LS, Braga EGB. Changes in gene expression and catalase activity in *Oryza sativa* L. under abiotic stress, *Genetics and Molecular Research*, 15, 4, gmr15048977, **2016 (WoS/Scopus)**
- 1027.** Waheed MA, JamilM, Khan MD, Shakir SK, Ur-Rehman S. Effect of plant-derived smoke solutions on physiological and biochemical attributes of maize (*Zea mays* L.) under salt stress, *Pakistan Journal of Botany*, 48, 5, 1763-1774, **2016 (WoS/Scopus)**
- 1028.** Wang J, Lv M, Islam F, Gill RA, Yang C, Ali B, Yan G, Zhou W - Salicylic acid mediates antioxidant defense system and ABA pathway related gene expression in *Oryza sativa* against quinclorac toxicity. *Ecotoxicology and Environmental Safety* 133, 146-156, **2016**, DOI: [10.1016/j.ecoenv.2016.07.002](https://doi.org/10.1016/j.ecoenv.2016.07.002) **(WoS/Scopus)**
- 1029.** Witon D, Gawronski P, Czarnocka W, Ślesak I, Rusaczonek A, Sujkowska-Rybkowska M, Bernacki MJ, Dąbrowska-Bronk J, Tomsia N, Szechynska-Hebda M, Karpinski S - Mitogen activated protein kinase 4 (MPK4) influences growth in *Populus tremula* L. x *tremuloides*. *Environmental and Experimental Botany* 130, 189-205, **2016** DOI: [10.1016/j.envexpbot.2016.06.003](https://doi.org/10.1016/j.envexpbot.2016.06.003) **(WoS/Scopus)**
- 1030.** Wyrwicka A, Urbaniak M. The Different Physiological and Antioxidative Responses of Zucchini and Cucumber to Sewage Sludge Application, *PLoS ONE*, 11, 6, e0157782, **2016 (WoS/Scopus)**
- 1031.** Xu L, Ali B, Gill RA, Li L, Zhou W. Alleviation of cadmium toxicity by 5-aminolevulinic acid is related to improved nutrients uptake and lowered oxidative stress in *Brassica napus*, *International Journal of Agriculture & Biology* 18, 557-564, **2016**, DOI: [10.17957/IJAB/15.0124](https://doi.org/10.17957/IJAB/15.0124). **(WoS/Scopus)**
- 1032.** Yadav G, Srivastava PK, Parihar P, Tiwari S, Prasad SM. Oxygen toxicity and antioxidative responses in arsenic stressed *Helianthus annuus* L. seedlings against UV-B, *Journal of Photochemistry and Photobiology B: Biology*, 165, 58-70, **2016 (WoS/Scopus)**
- 1033.** Yadav SK, Tiwari YK, Singh V, Patil AA, Shanker AK, Lakshmi NJ, Vanaja M, Maheswari M. Physiological and Biochemical Basis of Extended and Sudden Heat Stress Tolerance in Maize, *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, <https://doi.org/10.1007/s40011-016-0752-9>, p. 1-15, **2016**

- 1034.** Yahmed JB, de Oliveira TM, Novillo P, Quinones A, Forner M-A, Salvador A, Froelicher Y, Mimoun MB, Talon M, Ollitrault P, Morillon R. A simple, fast and inexpensive method to assess salt stress tolerance of aerial plant part: Investigations in the mandarin group, *Journal of Plant Physiology*, 190, 36-43, **2016 (WoS/Scopus)**
- 1035.** Yang C, Hu LY, Ali B, Islam F, Bai QJ, Yun XP, Yoneyama K, Zhou WJ. Seed treatment with salicylic acid invokes defence mechanism of *Helianthus annuus* against *Orobanche cumana*. *Annals of Applied Biology* 169, 408-422, **2016 DOI: 10.1111/aab.12311**
- 1036.** Yang T, Meng Y, Chen L-J, Lin H-H, Xi D-H. The roles of alpha-momorcharin and jasmonic acid in modulating the response of *Momordica charantia* to cucumber mosaic virus, *Frontiers in Microbiology*, 7, 1796, **2016**
- 1037.** Yang X, Deng D, Liu K, Yu F. J. Response of enzymatic and non-enzymatic antioxidant defense systems of *Polygonum hydropiper* to Mn stress, *Journal of Central South University*, 23, 4, 793-797, **2016**
- 1038.** Zafar SN, Javed F. In vitro study of interactive effect of cadmium and salicylic acid on growth and biochemical parameters in tetra and hexaploid wheat, *International Journal of Agriculture & Biology*, 18, 671-676, **2016 (WoS/Scopus)**
- 1039.** Zafari S, Sharifi M, Chashmi NA, Mur LAJ, Modulation of Pb-induced stress in *Prosopis* shoots through an interconnected network of signaling molecules, phenolic compounds and amino acids, *Plant Physiology and Biochemistry*, 99, 11-20, **2016 (WoS/Scopus)**
- 1040.** Zaragoza-Martínez F, Lucho-Constantino GG, Ponce-Noyola T, Esparza-García F, Poggi-Varaldo H, Cerda-García-Rojas CM, Trejo-Tapia G, Ramos-Valdivia AC. Plant Cell, Tissue and Organ Culture, 127, 47-56, **2016 (WoS/Scopus)**
- 1041.** Zeinali N, Altarawneh M, Li D, Al-Nu'airat J, Dlugogorski BZ. New Mechanistic Insights: Why Do Plants Produce Isoprene?, *ACS Omega*, 1, 2, 220-225, **2016 (WoS/Scopus)**
- 1042.** Zhang J, Li H, Xu B, Li J, Huang B. Exogenous melatonin suppresses dark-induced leaf senescence by activating the superoxide dismutase-catalase antioxidant pathway and down-regulating chlorophyll degradation in excised leaves of perennial ryegrass (*Lolium perenne* L.), *Frontiers in Plant Science*, 7, 1500, **2016 (WoS/Scopus)**
- 1043.** Zhang P, Liu Y, Chen X, Yang Z, Zhu M, Li Y. Pollution resistance assessment of existing landscape plants on Beijing streets based on air pollution tolerance index method, *Ecotoxicology and Environmental Safety*, 132, 212-223, **2016 (WoS/Scopus)**
- 1044.** Zhang Z-W, Wu Z-L, Feng L-Y, Dong L-H, Song A-J, Yuan M, Chen Y-E, Zeng J, Chen G-D, Yuan S. Mg-protoporphyrin IX signals enhance plant's tolerance to cold stress. *Frontiers in Plant Science*, 7, 1545. doi:10.3389/fpls.2016.01545, **2016 (WoS/Scopus)**
- 1045.** Zhao Y, Shui X, Wang X, Hou Q, Li B, Ni Z, Sun Q, Liang R. Ectopic expression of the *Vigna cylindrica* ferritin gene enhanced heat tolerance in transgenic wheat (*Triticum aestivum* L.), *Euphytica*, 209, 1, 23-30, **2016 (WoS/Scopus)**
- 1046.** Zheng LP, Tian H, Yuan YF, Wang JW. The influence of endophytic *Penicillium oxalicum* B4 on growth and artemisinin biosynthesis of in vitro propagated plantlets of *Artemisia annua* L., *Plant Growth Regulation*, 80, 1, 93-102, **2016 (WoS/Scopus)**
- 1047.** Zhu L, Deng X, Zou L, Wu J, Zhang D, Lin H. Proanthocyanidins accelerate the germination of cucumber (*Cucumis sativus* L.) seeds, *Journal of Plant Biology*, 59, 143-151, **2016 (WoS/Scopus)**
- 1048.** Abbasi NA, Ali I, Hafiz IA, Khan AS. Application of polyamines in horticulture: A review. *International Journal of Biosciences* 10(5): 319-342, **2017 (WoS/Scopus)**
- 1049.** Adamczuk A. Modyfikacje morfogenezy lnu zwyczajnego (*Linum usitatissimum* L.) typu oleistego i włóknistego w kulturach in vitro, PhD Thesis, Uniwersytet w Białymstoku, Wydział Biologiczno-Chemiczny, Białystok., **2017**
- 1050.** Ahmad P, Ahanger MA, Alyemeni MN, Wijaya L, Egamberdieva D, Bhardwaj R, Ashraf M. Zinc application mitigates the adverse effects of NaCl stress on mustard [*Brassica juncea* (L.) Czern & Coss] through modulating compatible organic solutes, antioxidant enzymes, and flavonoid content, *Journal of Plant Interactions*, 12, 1, 429-437, **2017. (WoS/Scopus)**
- 1051.** Ahmad P, Alyemeni MN, Wijaya L, Alam P, Ahanger MA, Alamr, SA. Jasmonic acid alleviates negative impacts of cadmium stress by modifying osmolytes and antioxidants in faba bean (*Vicia faba* L.). *Archives of Agronomy and Soil Science* 63 (13): 1889-1899, **2017. (WoS/Scopus)**
- 1052.** Ahmadi J, Abedy B, Eshghi S, Amiri R, Shoor M. The effect of foliar spray of salicylic acid and potassium sulphate on biochemical characteristics of grape bud in dormant period, *Revista QUID*, 1.1, (Special Issue), 2537-2547, **2017**
- 1053.** Akhtar N, Khan S, Malook I, Rehman SU, Jamil M. Pb-induced changes in roots of two cultivated rice cultivars grown in lead-contaminated soil mediated by smoke, *Environmental Science and Pollution Research*, 24, 26, 21298-21310, **2017. (WoS/Scopus)**
- 1054.** Akram S, Siddiqui MNS, Hussain BMN, Bari MA, Mostofa MG, Hossain MA, Tran L-SP. Exogenous glutathione modulates salinity tolerance of soybean [*Glycine max* (L.) Merrill] at reproductive stage, *Journal of Plant Growth Regulation*, 36, 4, 877-888, **2017. (WoS/Scopus)**
- 1055.** Aleksza D, Horváth GV, Sándor G, Szabados L. Proline Accumulation Is Regulated by Transcription Factors Associated with Phosphate Starvation, *Plant Physiology*, 175, 555-567, **2017. (WoS/Scopus)**
- 1056.** Ali Q, Daud MK, Haider MZ, Ali S, Rizwan M, Aslam N, Iqbal N, Shahzad F, Deebea F, Ali I, Zhu SJ. Seed priming by sodium nitroprusside improves salt tolerance in wheat (*Triticum aestivum* L.) by enhancing

- physiological and biochemical parameters, *Plant Physiology and Biochemistry*, 119, 50-58, **2017**. (WoS/Scopus)
- 1057.** Amini F, Askary M, Haghiri M, Ghassemi HR. Changes in antioxidant system and oxidative stress under water stress in four cucumber cultivars, *Indian Journal of Plant Physiology*, 22, 1, 114-119, **2017**. (WoS/Scopus)
- 1058.** Ashraf U, Hussain S, Anjum SA, Abbas F, Tanveer M, Noor MA, Tang X. Alterations in growth, oxidative damage, and metal uptake of five aromatic rice cultivars under lead toxicity, *Plant Physiology and Biochemistry*, 115, 461-471, **2017**. (WoS/Scopus)
- 1059.** Ashraf U, Kanu AS, Deng Q, Mo Z, Pan S, Tian H, Tang X. Lead (Pb) toxicity; physio-biochemical mechanisms, grain yield, quality, and pb distribution proportions in scented rice, *Frontiers in Plant Science*, 8, 259, **2017**. (WoS/Scopus)
- 1060.** Ashraf U, Tang X. Yield and quality responses, plant metabolism and metal distribution pattern in aromatic rice under lead (Pb) toxicity, *Chemosphere*, 176, 141-155, **2017**. (WoS/Scopus)
- 1061.** Auler PA, do Amaral MN, dos Santos Rodrigues G, Benitez LC, da Maia LC, Souza GM, Braga EJB. Molecular responses to recurrent drought in two contrasting rice genotypes, *Planta*, 246, 5, 899-914, **2017**. (WoS/Scopus)
- 1062.** Avramova V, Abdelgawad H, Vasileva I, Petrova AS, Holec A, Mariën J, Beemster GTS. High antioxidant activity facilitates maintenance of cell division in leaves of drought tolerant maize hybrids. *Frontiers in Plant Science*, 8, 84, **2017**. (WoS/Scopus)
- 1063.** Bae E, Hong A, Choi S, Lee K, Par Yk. Silicon pretreatment alleviates drought stress and increases antioxidative activity in Kentucky bluegrass, *International Turfgrass Society Research Journal*, 13, 591-600, **2017**
- 1064.** Bakry BA, Abdallah MMS, Ibrahim OM, El-Bassiouny HMS. Effect of hemin, Fe-EDTA and arginine on growth, yield and chemical constituents of two sesame cultivars grown under sandy soil conditions, *Bioscience Research*, 14, 1, 57-67, **2017**. (WoS/Scopus)
- 1065.** Bali S, Kaur P, Sharma A, Ohri P, Bhardwaj R, Alyemeni MN, Wijaya L, Ahmad P. Jasmonic acid-induced tolerance to root-knot nematodes in tomato plants through altered photosynthetic and antioxidative defense mechanisms, *Protoplasma*, 1-14, **2017**
- 1066.** Barbosa MAM, da Silva Lobato AK, Pereira TS, Viana GDM, Barbosa JRS, Coelho KNN. Antioxidant system is insufficient to prevent cell damages in *Euterpe oleracea* exposed to water deficit, *Emirates Journal of Food and Agriculture*, 29, 3, 206-211, **2017**. (WoS/Scopus)
- 1067.** Barreto LC, Garcia QS. Accelerated ageing and subsequent imbibition affect seed viability and the efficiency of antioxidant system in macaw palm seeds, *Acta Physiologiae Plantarum*, 39, 3, 72, **2017**. (WoS/Scopus)
- 1068.** Barros Junior UDO, Barbosa MAM, Lima MDR, Viana GDM, Da Silva Lobato AK. Short-time of rehydration is not effective to re-establish chlorophyll fluorescence and gas exchange in two cowpea cultivars submitted to water deficit, *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 45, 1, 238-244, **2017**. (WoS/Scopus)
- 1069.** Barta CE, Bolander B, Bilby SR, Brown JH, Brown RN, Duryee AM, Edelman DR, Gray CE, Gossett C, Haddock AG, Helsel MM, Jones AD, Klingseis ME, Leslie K, Miles EW, Prawitz RA. In situ dark adaptation enhances the efficiency of dna extraction from mature pin oak (*Quercus palustris*) leaves, facilitating the identification of partial sequences of the 18s rRNA and isoprene synthase (IspS) genes. *Plants*, 6, 4, 52, 1-25, **2017**. (WoS/Scopus)
- 1070.** Belhaj D, Athmouni K, Frikha D, Kallel M, El Feki A, Maalej S, Zhou JI, Ayadi H. Biochemical and physiological responses of halophilic nanophytoplankton (*Dunaliella salina*) from exposure to xeno-estrogen 17 α -ethinylestradiol, *Environmental Science and Pollution Research*, 24, 8, 7392-7402, **2017**. (WoS/Scopus)
- 1071.** Bharti N, Hare V, Mishra R, Baghel VS. Microbial based integrated management of arsenic toxicity in rice (*Oryza sativa* L.) grown under arsenic contaminated soil of West Bengal, India, *International Journal of Current Trends in Science and Technology*, 7, 12, 20420-20430, **2017**
- 1072.** Bicalho EM, Gomes MP, Rodrigues-Junior AG, Oliveira TGS, Almeida Gonçalves C, Fonseca MB, Garcia QS. Integrative effects of zinc and temperature on germination in *Dimorphandra wilsonii* rizz.: Implications of climate changes, *Environmental toxicology and chemistry*, 36, 8, 2036-2042, **2017**. (WoS/Scopus)
- 1073.** Bilova T, Paudel G, Shilyev N, Schmidt R, Brauch D, Tarakhovskaya E, Milrud Smolikova G, Tissier A, Vogt T, Sinz A, Brandt W, Birkemeyer C, Wessjohann LA, Frolov A. Global proteomic analysis of advanced glycation end products in the *Arabidopsis* proteome provides evidence for age-related glycation hotspots, *Journal of Biological Chemistry*, 292(38), 15758-15776, doi: 10.1074/jbc.M117.794537, **2017**. (WoS/Scopus)
- 1074.** Boas LVV, Brandão IR, da Silva DM, de Oliveira Santos M, de Souza KRD, Alves JD. Metabolismo antioxidante de *Chenopodium quinoa* Willd submetida à salinidade, *Revista Brasileira de Ciências Agrárias* (Agrária), 11, 4, 281-288, **2017**
- 1075.** Bonn B, Kreuzwieser J, Sander F, Yousefpour R, Baggio T, Adewale O. The uncertain role of biogenic VOC for boundary-layer ozone concentration: example investigation of emissions from two forest types with a box model. *Climate*, 5, 4, 78, **2017**. (WoS/Scopus)
- 1076.** Borella J, dos Santos da Fontoura U, CF Larré, MA Bacarin. Differential response to water stress in two tropical common bean cultivars. *Agrária - Revista Brasileira de Ciências Agrárias* 12(3), 316-324, **2017** DOI:10.5039/agraria.v12i3a5457 <https://www.redalyc.org/articulo.oa?id=119052986009>. (WoS/Scopus)
- 1077.** Bouchemal K, Bouldjadj R, Belbekri MN, Ykhlef N, Djekoun A. Differences in antioxidant enzyme activities and oxidative markers in ten wheat (*Triticum durum* Desf.) genotypes in response to drought, heat and

paraquat stress, Archives of Agronomy and Soil Science, 63,5, 710-722., 2017, doi: [10.1080/03650340.2016.1235267](https://doi.org/10.1080/03650340.2016.1235267). (WoS/Scopus)

1078. Bundó M, Coca M. Calcium-dependent protein kinase OsCPK10 mediates both drought tolerance and blast disease resistance in rice plants, *Journal of Experimental Botany*, 68, 11, 2963–2975, 2017. (WoS/Scopus)

1079. Çalışkan N, Kadioğlu A, Güler NS. Exogenously applied polyamines ameliorate osmotic stress-induced damages and delay leaf rolling by improving the antioxidant system in maize genotypes, *Turkish Journal of Biology*, 41, 4, 563–574, 2017. (WoS/Scopus)

1080. Callegari DM, do Carmo Silva B, Reis de Sousa P, da Silva Lobato AK, Lobato EMSG. Oxidant and antioxidant compounds, gas exchange and growth of young *Schizolobium parahyba* var. amazonicum plants under high boron and calcium concentrations. *Emirates Journal of Food and Agriculture* 29(12), 994-1002, 2017, doi: [10.9755/ejfa.2017.v29.i12.1571](https://doi.org/10.9755/ejfa.2017.v29.i12.1571) (WoS/Scopus) <https://ejfa.me/index.php/journal/article/view/1571>

1081. Cao X, Zhong C, Zhu L, Zhang J, Hussain S, Wu L, Jin Q. Glycine increases cold tolerance in rice via the regulation of N uptake, physiological characteristics, and photosynthesis, *Plant Physiology and Biochemistry*, 112, 251-260, 2017. (WoS/Scopus)

1082. Chandel S, Kaur S, Singh HP, Batish DR, Kohli RK. Exposure to 2100MHz electromagnetic field radiations induces reactive oxygen species generation in *Allium cepa* roots, *Journal of Microscopy and Ultrastructure*, 5, 4, 225-229, 2017

1083. Chandrakar V, Parkhey S, Dubey A, Keshavkant S. Modulation in arsenic-induced lipid catabolism in Glycine max using proline, 24-epibrassinolide and diphenylene iodonium, *Biologia*, 72, 3, 292-299, 2017. (WoS/Scopus)

1084. Chandrakar V, Yadu B, Meena RK, Dubey A, Keshavkant S. Arsenic-induced genotoxic responses and their amelioration by diphenylene iodonium, 24-epibrassinolide and proline in *Glycine max* L., *Plant Physiology and Biochemistry*, 112, 74–86, 2017. (WoS/Scopus)

1085. Chen Q, Zhao X, Lei D, Hu S, Shen Z, Shen W, Xu X. Hydrogen-rich water pretreatment alters photosynthetic gas exchange, chlorophyll fluorescence, and antioxidant activities in heat-stressed cucumber leaves, *Plant Growth Regulation*, 83, 1, 69-82, 2017. (WoS/Scopus)

1086. Chen Y-E, Cui J-M, Su Y-Q, Zhang C-M, Ma J, Zhang Z-W, Yuan M, Liu W-J, Zhang H-Y, Yuan S. Comparison of phosphorylation and assembly of photosystem complexes and redox homeostasis in two wheat cultivars with different drought resistance, *Scientific Reports* 7, Article number: 12718, 2017. (WoS/Scopus)

1087. Chokshi K, Pancha I, Ghosh A, Mishra S. Nitrogen starvation-induced cellular crosstalk of ROS-scavenging antioxidants and phytohormone enhanced the biofuel potential of green microalga *Acutodesmus dimorphus*, *Biotechnology for Biofuels*, 10, 60. DOI [10.1186/s13068-017-0747-7](https://doi.org/10.1186/s13068-017-0747-7), 2017. (WoS/Scopus)

1088. Chumyama A, Shank L, Faiyue B, Uthaibutra J, Saengnil K. Effects of chlorine dioxide fumigation on redox balancing potential of antioxidative ascorbate-glutathione cycle in ‘Daw’ longan fruit during storage, *Scientia Horticulturae*, 222, 76-83, 2017. (WoS/Scopus)

1089. Cuchiara CC, Larré CF, Peters JA. Copper and zinc interactions: morphophysiological responses in sweet potato plants (*Ipomoea batatas* L.), Iheringia. Série Botânica, 72, 1, 142-149, 2017. (WoS/Scopus)

1090. Cui G, Zhao X, Liu S, Sun F, Zhang C, Xi Y. Beneficial effects of melatonin in overcoming drought stress in wheat seedlings, *Plant Physiology and Biochemistry*, 118, 138-149, 2017. (WoS/Scopus)

1091. da Silva DM, de Souza KRD, Boas LVV, Alves YS, Alves JD. The effect of magnesium nutrition on the antioxidant response of coffee seedlings under heat stress, *Scientia Horticulturae*, 224, 115-125, 2017. (WoS/Scopus)

1092. da Silva TA, Delias D, Pedó T, de Abreu ES, Villela FA, Aumonde TZ. Fitotoxicidade do extrato de *Conyza bonariensis* (L.) Cronquist no desempenho fisiológico de sementes e plântulas de alface, Iheringia. Série Botânica, 71, 3, 213-221, 2017

1093. da Silva TA, dos Santos Delias D, Pedó T, de Abreu ES, do Amarante L, Villela FA, Aumonde TZ. Ação do extrato de *Lolium multiflorum* Lam. sobre atributos fisiológicos de sementes e plântulas de alface, Iheringia. Série Botânica, 72, 1, 9-15, 2017. (WoS/Scopus)

1094. de Jesus LR, Batista BL, da Silva Lobato AK. Silicon reduces aluminum accumulation and mitigates toxic effects in cowpea plants, *Acta Physiologiae Plantarum*, 39, 6, 138, 2017. (WoS/Scopus)

1095. de Oliveira Prudente D, Paiva R, Nery FC, de Oliveira Paiva PD, Alves JD, Máximo WPF, Silva LC. Compatible solutes improve regrowth, ameliorate enzymatic antioxidant systems, and reduce lipid peroxidation of cryopreserved *Hancornia speciosa* Gomes lateral buds, *In Vitro Cellular & Developmental Biology-Plant*, 53, 4, 252-362, 2017. (WoS/Scopus)

1096. Dorneles AOS, Pereira AS, Menegatti RD, de Oliveira LO, Dutra DB, Deuner S. Plantulas de *Phaseolus vulgaris* L. cultivadas sob concentrações crescentes de zinco, *Revista Científica Rural*, 19, 1, 60-69, 2017

1097. dos Santos JO, de Faria ME, da Silva DM, de Oliveira Silveira HR, Campos CN, Alves JD. Copper (Cu) stress affects carbon and antioxidant metabolism in *Coffea arabica* seedlings, *Australian Journal of Crop Science*, 11, 8, 960-967, 2017. (WoS/Scopus)

1098. El-Shourbagy MN, Saad-Allah KM, Foda SA, Razzaky EO. Impact of some halophytic extracts on the antioxidant system of salt-stressed safflower (*Carthamus tinctorius* L.), *J. Plant Production, Mansoura Univ.*, 8, 7, 759 -765, 2017

1099. Fan, J, Yu L. Xu C. A central role for triacylglycerol in membrane lipid breakdown, fatty acid β -oxidation, and plant survival under extended darkness, *Plant Physiology*, 174, 3, 1517-1530, 2017. (WoS/Scopus)

- 1100.** Farag M, Najeeb U, Yang J, Hu Z, Fang ZM. Nitric oxide protects carbon assimilation process of watermelon from boron-induced oxidative injury, *Plant Physiology and Biochemistry*, 111, 166-173, **2017.** (WoS/Scopus)
- 1101.** Farajzadeh E, Valizadeh M, Shakiba M, Ghaffari M, Moharramnejad S. Relationship between antioxidant enzyme activities and agro-physiological traits in sunflower lines under field water deficit stress. *Fresenius Environmental Bulletin* 26(4): 2974-2982, **2017**
- 1102.** Farhangi-Abriz S, Torabian S. Antioxidant enzyme and osmotic adjustment changes in bean seedlings as affected by biochar under salt stress, *Ecotoxicology and Environmental Safety*, 137, 64-70, **2017.** (WoS/Scopus)
- 1103.** Feki K, Tounsi S, Masmoudi K, Brini F. The durum wheat plasma membrane Na⁺/H⁺ antiporter SOS1 is involved in oxidative stress response. *Protoplasma* 254, 1725–1734, **2017.** <https://doi.org/10.1007/s00709-016-1066-8>. (WoS/Scopus)
- 1104.** Feki K, Tounsi, S, Brini F. Comparison of an antioxidant system in tolerant and susceptible wheat seedlings in response to salt stress, *Spanish Journal of Agricultural Research*, 15, 4, 0805, **2017.** (WoS/Scopus)
- 1105.** Franić M, Galić V, Mazur M, Šimić D. Effects of excess cadmium in soil on JIP-test parameters, hydrogen peroxide content and antioxidant activity in two maize inbreds and their hybrid, *Photosynthetica*, 1-10, **2017.** <https://doi.org/10.1007/s11099-017-0710-7>. (WoS/Scopus)
- 1106.** Frolov A, Bilova T, Paudel G, Berger R, Balcke GU, Birkemeyer C, Wessjohann LA. Early responses of mature *Arabidopsis thaliana* plants to reduced water potential in the agar-based polyethylene glycol infusion drought model, *Journal of Plant Physiology*, 208, 70-83, **2017.** (WoS/Scopus)
- 1107.** Fu J, Liu Z, Li Z, Wang Y, Yang K. Alleviation of the effects of saline-alkaline stress on maize seedlings by regulation of active oxygen metabolism by *Trichoderma asperellum*, *PLoS ONE*, 12, 6, e0179617, **2017.** (WoS/Scopus)
- 1108.** Geetika Sirhindi G, Kaur H, Bhardwaj R, Sharma P, Mushtaq R. 28-Homobrassinolide potential for oxidative interface in *Brassica juncea* under temperature stress, *Acta Physiologiae Plantarum*, 39, 228, **2017.** (WoS/Scopus)
- 1109.** Ghorbani B, Pakkish Z. Evaluative effects of brassinosteroid on reduction of harmful effect of chilling in fruit grape (*Vitis vinifera* L. Rishbaba) during storage, *Journal of the Plant Production*, 39, 4, 65-78, **2017**
- 1110.** Gill MB, Cai K, Zhang G, Zeng F. Brassinolide alleviates the drought-induced adverse effects in barley by modulation of enzymatic antioxidants and ultrastructure, *Plant Growth Regulation*, 82, 3, 447-455, **2017.** (WoS/Scopus)
- 1111.** Gomes MP, Bicalho EM, Smedbol E, Cruz FVS, Lucotte M, Garcia QS. Glyphosate can decrease germination of glyphosate-resistant soybeans, *Journal of Agricultural and Food Chemistry*, 65, 11, 2279–2286, **2017.** (WoS/Scopus)
- 1112.** Gomes MP, Cruz FVS, Bicalho EM, Borges FV, Fonseca MB, Juneau P, Garcia QS. Effects of glyphosate acid and the glyphosate-commercial formulation (Roundup) on *Dimorphandra wilsonii* seed germination: Interference of seed respiratory metabolism, *Environmental Pollution*, 220, Part A, 452-459, **2017** (WoS/Scopus)
- 1113.** Gomes MP, Gonçalves CA, de Brito JCM, Souza AM, Cruz FVS, Bicalho EM, Figueredo CC, Garcia OS, Ciprofloxacina induces oxidative stress in duckweed (*Lemna minor* L.): Implications for energy metabolism and antibiotic-uptake ability, *Journal of Hazardous Materials* 328, 140-149, **2017.** (WoS/Scopus)
- 1114.** Gupta R, Singh A, Ajayakumar PV, Pandey R. Microbial interference mitigates *Meloidogyne incognita* mediated oxidative stress and augments bacoside content in *Bacopa monnieri* L., *Microbiological Research*, 199, 67-78, **2017.** (WoS/Scopus)
- 1115.** Habibi G. Beneficial effects of low selenium levels in *Lallemantia iberica* plants subjected to salinity stress. *Journal of Plant Process and Function*, 6, 20, 1-6, **2017**
- 1116.** Habibi G. Physiological, photochemical and ionic responses of sunflower seedlings to exogenous selenium supply under salt stress. *Acta Physiologiae Plantarum*, 39, 10, 213, **2017.** (WoS/Scopus)
- 1117.** Habibi G., Iizade Z. - Selenium in lemon balm plants: Productivity, phytotoxicity and drought alleviation. *Journal of Plant Nutrition*, 40, 11, 1557-1568, **2017.** (WoS/Scopus)
- 1118.** Hakimi L, Matinzade M, Khosropour E. Physiological responses of *Ligustrum vulgare* under lead and cadmium-induced stress, *Cellular & Molecular Plant Biology Journal*, 1396, 12, 3, **2017**
- 1119.** Han QH, Huang B, Ding CB, Zhang ZW, Chen YE, Hu C, Zhou L-J, Huang Y, Liao L-Q, Yuan S, Yuan, M. Effects of melatonin on anti-oxidative systems and photosystem II in cold-stressed rice seedlings, *Frontiers in Plant Science*, 8, 785, **2017.** (WoS/Scopus)
- 1120.** Handa N, Kohli SK, Thukral AK, Arora S, Bhardwaj R. Role of Se (VI) in counteracting oxidative damage in *Brassica juncea* L. under Cr (VI) stress, *Acta Physiologiae Plantarum*, 39, 2, 51, **2017.** (WoS/Scopus)
- 1121.** Hare V, Chowdhary P, Baghel VS. Influence of bacterial strains on *Oryza sativa* grown under arsenic tainted soil: Accumulation and detoxification response, *Plant Physiology and Biochemistry*, 119, 93-102, **2017.** (WoS/Scopus)
- 1122.** Hasim NN, Yusuf N. Hydrogen peroxide, lipid peroxidation and total ion leakage in coconut cultivar “Panda” and “Matak” infested with red palm weevil (*Rhynchophorus ferrugineus*). *Malays. Appl. Biol.* 46(4), 221-228, **2017.** (WoS/Scopus)
- 1123.** Hassan AMA, Mostafa EM. Selenium invoked antioxidant defense system in *Azolla caroliniana* plant, *Phyton, International Journal of Experimental Botany*, 85, 262-269, **2017.** (WoS/Scopus)

- 1124.** Hassanpour H, Niknam V, Haddadi BS. High-frequency vibration improve callus growth via antioxidant enzymes induction in *Hyoscyamus kurdicus*, *Plant Cell, Tissue and Organ Culture (PCTOC)*, 128, 1, 231-241, **2017. (WoS/Scopus)**
- 1125.** He F, Sheng M, Tang M. Effects of *Rhizophagus irregularis* on photosynthesis and antioxidative enzymatic system in *Robinia pseudoacacia* L. under drought stress. *Frontiers in Plant Science*, 8, 183, **2017. (WoS/Scopus)**
- 1126.** Helaly MN, El-Hosieny HA, El-Sarkassy NM, Fuller MP. Growth, lipid peroxidation, organic solutes, and anti-oxidative enzyme content in drought-stressed date palm embryogenic callus suspension induced by polyethylene glycol, *In Vitro Cellular & Developmental Biology-Plant*, 53, 2, 133-141, **2017. (WoS/Scopus)**
- 1127.** Hu B, Sakakibara H, Takebayashi Y, Peters FS, Schumacher J, Eiblmeier M, Arab L, Kreuzwieser J, Polle P, Rennenberg H. Mistletoe infestation mediates alteration of the phytohormone profile and anti-oxidative metabolism in bark and wood of its host *Pinus sylvestris*, *Tree Physiology*, 37, 5, 676–691, **2017. (WoS/Scopus)**
- 1128.** Huang YM, Zou YN, Wu QS. Alleviation of drought stress by mycorrhizas is related to increased root H₂O₂ efflux in trifoliate orange, *Scientific Reports*, 7, 42335, **2017. (WoS/Scopus)**
- 1129.** Hussain I, Ashraf MA, Rasheed R, Iqbal M, Ibrahim M, Zahid T, Thind S, Saeed F. Cadmium-induced perturbations in growth, oxidative defense system, catalase gene expression and fruit quality in tomato, *International Journal of Agriculture & Biology*, 19, 1, 61-68, **2017. (WoS/Scopus)**
- 1130.** Hussain I, Siddique A, Ashraf MA, Rasheed R, Ibrahim M, Iqbal M, Akbar S, Imran M. Does exogenous application of ascorbic acid modulate growth, photosynthetic pigments and oxidative defense in okra (*Abelmoschus esculentus* (L.) Moench) under lead stress? *Acta Physiologia Plantarum*, 39, 144, 1-13, **2017. (WoS/Scopus)**
- 1131.** Ishizawa H, Kuroda M, Morikawa M, Ike M. Differential oxidative and antioxidative response of duckweed *Lemna minor* toward plant growth promoting/inhibiting bacteria, *Plant Physiology and Biochemistry*, 118, 667-673, **2017. (WoS/Scopus)**
- 1132.** Islam F, Ali S, Farooq MA, Wang J, Gill RA, Zhu J, Ali B, Zhou W. 2016), Butachlor-induced alterations in ultrastructure, antioxidant and stress responsive gene regulations in rice cultivars. *Clean Soil Air Water* 45, 3, **2017. doi:10.1002/clen.201500851. (WoS/Scopus)**
- 1133.** Islam F, Farooq MA, Wang I, Gill RA, Wang J, Yang C, Ali B, Wang G-X, Zhou W. 2, 4-D attenuates salinity-induced toxicity by mediating anatomical changes, antioxidant capacity and cation transporters in the roots of rice cultivars, *Scientific Reports*, 7, article number: 10443, **2017. (WoS/Scopus)**
- 1134.** Ismail GSM, Ali AS, Eldebawy EMM, Saber NES. Role of cellular NADP⁺/NADPH ratio in the acclimative mechanism of two common bean cultivars toward salt stress, *Journal of Applied Botany and Food Quality*, 90, 43-51, **2017. (WoS/Scopus)**
- 1135.** Ju S, Wang L, Yin N, Li D, Wang Y, Zhang C. Silicon alleviates simulated acid rain stress of *Oryza sativa* L. seedlings by adjusting physiology activity and mineral nutrients, *Protoplasma*, 254, 6, 2071-2081, **2017. (WoS/Scopus)**
- 1136.** Kabbadj, A., Makoudi, B., Mouradi, M., Pauly, N., Frendo, P., & Ghoulam, C. Physiological and biochemical responses involved in water deficit tolerance of nitrogen-fixing *Vicia faba*. *PLoS ONE*, 12(12), e0190284, **2017. (WoS/Scopus)**
- 1137.** Karam EA, Keramat B, Asrar Z, Mozafari H. Study of interaction effect between triacontanol and nitric oxide on alleviating of oxidative stress arsenic toxicity in coriander seedlings, *Journal of Plant Interactions*, 12, 1, 14-20, **2017. (WoS/Scopus)**
- 1138.** Karam EA, Maresca V, Sorbo S, Keramat B, Basile A. Effects of triacontanol on ascorbate-glutathione cycle in *Brassica napus* L. exposed to cadmium-induced oxidative stress, *Ecotoxicology and Environmental Safety*, 144, 268-274, **2017. (WoS/Scopus)**
- 1139.** Karamian R, Asadbegy M, Yari S. Protective potency of *Meristotropis xanthioides* against nephrotoxicity in a rat model along with its antioxidant and antibacterial activities, *Asian Pacific journal of tropical medicine*, 10, 10, 960-966, **2017. (WoS/Scopus)**
- 1140.** Karimi S, Eshghi S, Karimi S, Hasan-Nezhadian S. Inducing salt tolerance in sweet corn by magnetic priming, *Acta agriculturae Slovenica*, 109, 1, 89-102, **2017. (WoS/Scopus)**
- 1141.** Karimi S, Mirfattahi Z, Ferguson L, Tavallali V. Using controlled salt stress and β -aminobutyric acid signaling to decrease transplant failure, *Scientia Horticulturae*, 225, 2017, 156-162, **2017. (WoS/Scopus)**
- 1142.** Kebert M, Rapparini F, Neri L, Bertazza G, Orlović S, Biondi S. Copper-Induced Responses in Poplar Clones are Associated with Genotype- and Organ-Specific Changes in Peroxidase Activity and Proline, Polyamine, ABA, and IAA Levels, *Journal of Plant Growth Regulation*, 36, 1, 131-147, **2017. (WoS/Scopus)**
- 1143.** Khan MN, Mobin M, Abbas ZK, Siddiqui MH. Nitric oxide-induced synthesis of hydrogen sulfide alleviates osmotic stress in wheat seedlings through sustaining antioxidant enzymes, osmolyte accumulation and cysteine homeostasis, *Nitric Oxide*, 68, 91-102, **2017. (WoS/Scopus)**
- 1144.** Khan W, Ramzani PMA, Anjum S, Abbas F, Iqbal M, Yasar A, Ihsan MZ, Anwar MN, Baqar M, Tauqeer HM, Virk ZA, Khan SA. Potential of miscanthus biochar to improve sandy soil health, in situ nickel immobilization in soil and nutritional quality of spinach, *Chemosphere*, 185, 1144-1156, **2017. (WoS/Scopus)**
- 1145.** Khan WU, Ahmad SR, Yasin NA, Ali A, Ahmad A, Akram W. Application of *Bacillus megaterium* MCR-8 improved phytoextraction and Stress Alleviation of nickel in *Vinca rosea*, *International Journal of Phytoremediation*, 19, 9, 813-824, **2017. (WoS/Scopus)**
- 1146.** Koç E, İşlek C, Arici YK. Spermine and its interaction with proline induce resistance to the root rot pathogen *Phytophthora capsici* in pepper (*Capsicum annuum*), *Horticulture, Environment, and Biotechnology*, 58,

3, 254-267, **2017**. (WoS/Scopus)

1147. Koç E. Alleviation of Phytophthora capsici-induced oxidative stress by foliarly applied proline in Capsicum annum L. Archives of Biological Sciences, 69, 4, 733-742, **2017**. (WoS/Scopus)

1148. Kordrostami M, Rabiei B, Kumleh HH. Biochemical, physiological and molecular evaluation of rice cultivars differing in salt tolerance at the seedling stage, *Physiology and Molecular Biology of Plants*, 23, 3, 529-544, **2017**. (WoS/Scopus)

1149. Kotapati KV, Palaka BK, Ampasala DR. Alleviation of nickel toxicity in finger millet (*Eleusine coracana* L.) germinating seedlings by exogenous application of salicylic acid and nitric oxide, *The Crop Journal*, 5(3), 240-250, **2017**. (WoS/Scopus)

1150. Kumar D, Tripathi DK, Liu S, Singh VK, Sharma S, Dubey NK, Prasad SM, Chauhan DK. *Pongamia pinnata* (L.) pierre tree seedlings offer a model species for arsenic phytoremediation, *Plant Gene*, 11, B, 238-246, **2017**. (WoS/Scopus)

1151. Kumar N, Dubey AK, Upadhyay AK, Gautam A, Ranjan R, Srikishna S, Sahu N, Behera SK, Mallick S. GABA accretion reduces Lsi-1 and Lsi-2 gene expressions and modulates physiological responses in *Oryza sativa* to provide tolerance towards arsenic, *Scientific Reports*, 7, 8786, **2017**. (WoS/Scopus)

1152. Kyndt T, Zemene HY, Haeck A, Singh R, De Vleeschauwer D, Denil S, De Meyer T, Hofte M, Demeestere K, Gheysen G. Below-ground attack by the root knot nematode *meloidogyne graminicola* predisposes rice to blast disease. *Molecular Plant-Microbe Interactions* 30 (3): 255-266, **2017** <https://doi.org/10.1094/MPMI-11-16-0225-R>. (WoS/Scopus)

1153. Latef AAHA, Srivastava AK, Saber H, Alwaleed EA, Tran L-SP. *Sargassum muticum* and *Jania rubens* regulate amino acid metabolism to improve growth and alleviate salinity in chickpea, *Scientific Reports* 7, Article number: 10537, **2017**. (WoS/Scopus)

1154. Legocka J, Sobieszczuk-Nowicka E, Ludwicki D, Lehmann T. Putrescine catabolism via DAO contributes to proline and GABA accumulation in roots of lupine seedlings growing under salt stress, *Acta Societatis Botanicorum Poloniae*, 86(3):3549. **2017** <https://doi.org/10.5586/asbp.3549>. (WoS/Scopus)

1155. Leśniewska J, Öhman D, Krzesłowska M, Kushwah S, Barciszewska-Pacak M, Kleczkowski LA, Sundberg B, Moritz T, Mellerowicz EJ. Defense responses in aspen with altered pectin methylesterase activity reveal the hormonal inducers of tyloses, *Plant Physiology*, 173, 2, 1409-1419, **2017**. (WoS/Scopus)

1156. Li L, He X, Sun J, Li C, Ling D, Sheng J, Zheng F, Liu G, Li J, Tang Y, Yi P, Xin M, Li Z, Zhou Z. Responses of phospholipase D and antioxidant system to mechanical wounding in postharvest banana fruits, *Journal of Food Quality*, 2017, Article ID 8347306, 8 pages, **2017**. (WoS/Scopus)

1157. Li L, Lu X, Ma H, Lyu D. Jasmonic acid regulates the ascorbate–glutathione cycle in *Malus baccata* Borkh. roots under low root-zone temperature, *Acta Physiologiae Plantarum*, 39, 8, 174, **2017**. (WoS/Scopus)

1158. Li Z, Han X, Song X, Zhang Y, Jiang J, Han Q., Liu M, Qiao G, Zhuo R. Overexpressing the *Sedum alfredii* Cu/Zn superoxide dismutase increased resistance to oxidative stress in transgenic *Arabidopsis*, *Frontiers in Plant Science*, 8, 1010, **2017**. (WoS/Scopus)

1159. Li Z, Zhang Y, Zhang X, Merewitz E, Peng Y, Ma X, Huang L, Yan Y. Metabolic pathways regulated by chitosan contributing to drought resistance in white clover, *Journal of Proteome Research*, 16, 8, 3039–3052, **2017**. (WoS/Scopus)

1160. Lima JV, Lobato AKS. Brassinosteroids improve photosystem II efficiency, gas exchange, antioxidant enzymes and growth of cowpea plants exposed to water deficit, *Physiology and Molecular Biology of Plants*, 23, 1, 59-72, **2017**. (WoS/Scopus)

1161. Liu KK, Shan CX, Liu HZ, Lou Q, Shen DZ. Fluorescence of ZnO/carbon mixture and application in acid rain detection. *RSC Advances*, 7, 4, 1841-1846, **2017**. (WoS/Scopus)

1162. Liu L, El-Shemy HA, Saneoka H. Effects of 5-aminolevulinic acid on water uptake, ionic toxicity, and antioxidant capacity of Swiss chard (*Beta vulgaris* L.) under sodic-alkaline conditions, *Journal of Plant Nutrition and Soil Science*, 180, 535–543, **2017**. (WoS/Scopus)

1163. Liu L, El-Shemy, HA, Saneoka H. Beneficial effects of potassium on growth, water relations, mineral accumulation and oxidative damage of *Beta vulgaris* in sodic-alkaline condition, *International Journal of Agriculture & Biology*, 19, 1, 131-139, **2017**. (WoS/Scopus)

1164. Liu Z, Li P, Sun X, Zhou F, Yang C, Li L, Matsumoto H, Luo X, Fluazifop-P-butyl induced ROS generation with IAA (indole-3-acetic acid) oxidation in *Acanthospermum hispidum* D.C., *Pesticide Biochemistry and Physiology*, 143, 312-318, **2017**. (WoS/Scopus)

1165. Lucho-Constantino GG, Zaragoza-Martínez F, Ponce-Noyola T, Cerda-García-Rojas CM, Trejo-Tapia G, Esparza-García F, Ramos-Valdivia AC. Antioxidant responses under jasmonic acid elicitation comprise enhanced production of flavonoids and anthocyanins in *Jatropha curcas* leaves, *Acta Physiologiae Plantarum*, 39, 8, 165, **2017**. (WoS/Scopus)

1166. Lwalaba JLW, Zvobgo G, Fu L, Zhang X, Mwamba TM, Muhammad N, Mundende M, Zhang, G. Alleviating effects of calcium on cobalt toxicity in two barley genotypes differing in cobalt tolerance, *Ecotoxicology and Environmental Safety*, 139, 488-495, **2017**. (WoS/Scopus)

1167. Ma D, Sun D, Wang C, Ding H, Qin H, Hou J, Huang X, Xie Y, Guo, T. Physiological responses and yield of wheat plants in zinc-mediated alleviation of drought stress. *Frontiers in Plant Science* 8, 860, **2017**. (WoS/Scopus)

1168. Ma X, Ji R, Tian B, Huo J. Effects of nitric oxide on oxidative damage metabolism in wheat seedling under

cadmium stress, *Biotechnology Bulletin*, 33, 5, 102-107, **2017**

1169. Magedans YVS, Matsuura HN, Tasca RAJC, Wairich A, Junkes CFO, Costa F, Fett-Neto AG. Accumulation of the antioxidant alkaloid brachycerine from *Psychotria brachyceras* Müll. Arg. is increased by heat and contributes to oxidative stress mitigation, *Environmental and Experimental Botany*, 143, 185-193, **2017**. (WoS/Scopus)

1170. Malook I, Rehman SU, Khan MD, El-Hendawy SE, Al-Suhaibani NA, Aslam MM, Jamil M. Heavy metals induced lipid peroxidation in spinach mediated with microbes, *Pak. J. Bot.*, 49, 6, 2301-2308, **2017**. (WoS/Scopus)

1171. Mátaí A, Hideg É. A comparison of colorimetric assays detecting hydrogen peroxide in leaf extracts, *Analytical Methods*, 9, 15, 2357-2360, **2017**. (WoS/Scopus)

1172. Mehdi WA, Yusof F, Farhan LO, Mehde AA, Raus RA. Levels of antioxidant enzymes and alkaline protease from pulp and peel of sunflower. *Asian Pacific Journal of Tropical Biomedicine* 7 (6):533-537, **2017**. <https://doi.org/10.1016/j.apjtb.2017.05.002>. (WoS/Scopus)

1173. Mishra RK, Kumar J, Srivastava PK, Bashri G, Prasad SM. PSII photochemistry, oxidative damage and anti-oxidative enzymes in arsenate-stressed *Oryza sativa* L. seedlings. *Chemistry and Ecology*, 33(1), 34–50, **2017**. <https://doi.org/10.1080/02757540.2016.1265516>. (WoS/Scopus)

1174. Mobin M, Khan MN, Abbas ZK, Ansari HR, Al-Mutairi KA. Significance of sulfur in heat stressed cluster bean (*Cymopsis tetragonoloba* L. Taub) genotypes: responses of growth, sugar and antioxidative metabolism, *Archives of Agronomy and Soil Science*, 63, 2, 288-295, **2017**. (WoS/Scopus)

1175. Mohammadi H, Dashi R, Farzaneh M, Parviz L, Hashempour H. Effects of beneficial root pseudomonas on morphological, physiological, and phytochemical characteristics of *Satureja hortensis* (Lamiaceae) under water stress, *Brazilian Journal of Botany*, 40, 1, 41-48, **2017**. (WoS/Scopus)

1176. Motallebi P, Niknam V, Ebrahimzadeh H, Hasheme M, Enferadi ST - Exogenous methyl jasmonate treatment induces defense response against fusarium culmorum in wheat seedlings. *Journal of Plant Growth Regulation* 36(1), 71-82 **2017**, DOI: [10.1007/s00344-016-9620-3](https://doi.org/10.1007/s00344-016-9620-3). (WoS/Scopus)

1177. Moussa ID, Chtourou H, Karray F, Sayadi S, Dhoub A. Nitrogen or phosphorus repletion strategies for enhancing lipid or carotenoid production from *Tetraselmis marina*, *Bioresource Technology*, 238, 325-332, **2017**. (WoS/Scopus)

1178. Mroczek-Zdyrska M, Kornarzyński K, Pietruszewski S, Gagoś M. The effects of low-frequency magnetic field exposure on the growth and biochemical parameters in lupin (*Lupinus angustifolius* L.), *Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology*, 151, 3, 504-511, **2017**. (WoS/Scopus)

1179. Mroczek-Zdyrska M, Strubińska J, Hanaka A. Selenium improves physiological parameters and alleviates oxidative stress in shoots of lead-exposed *Vicia faba* L. minor plants grown under phosphorus-deficient conditions, *Journal of Plant Growth Regulation*, 36, 1, 186-199, **2017**. (WoS/Scopus)

1180. Nahar K, Hasanuzzaman M, Suzuki T, Fujita M. Polyamines-induced aluminum tolerance in mung bean: A study on antioxidant defense and methylglyoxal detoxification systems, *Ecotoxicology*, 26, 1, 58-73, **2017**. (WoS/Scopus)

1181. Naik KH, Devaraj VR. Induction of antioxidant system in niger (*Guizotia abyssinica* Cass.) under drought stress, *African Journal of Agricultural Research*, 12, 41, 3037-3044, **2017**

1182. Nasiri-Savadkoobi S, Saeidi-Sar S, Abbaspour H, Dehpour AA. Protective role of exogenous nitric oxide against zinc toxicity in *Plantago major* L. *Applied Ecology and Environmental Research* 15(4):511-524, **2017**. (WoS/Scopus)

1183. Nasser Alyemeni M, Ahanger MA, Wijaya L, Alam P, Ahmad P. Contrasting tolerance among soybean genotypes subjected to different levels of cadmium stress. *Pakistan Journal of Botany* 49(3):903-911, **2017**. (WoS/Scopus)

1184. Nawaz A, Sheteiwy MS, Khan SM, Bukhari SAH, Dawood M, Guan Y, Hu J. Exploring the Mechanism of Exogenous Applied Methyl Jasmonate for Germination Inhibition in Hybrid Rice. *Pakistan Journal of Life & Social Sciences*, 15, 1, 60-71, **2017**. (WoS/Scopus)

1185. Niu L, Yu J, Liao W, Yu J, Zhang M, Dawuda MM. Calcium and Calmodulin Are Involved in Nitric Oxide-Induced Adventitious Rooting of Cucumber under Simulated Osmotic Stress, *Frontiers in Plant Science*, 8, 1684. doi: [10.3389/fpls.2017.01684](https://doi.org/10.3389/fpls.2017.01684), **2017**. (WoS/Scopus)

1186. Nxele X, Klein A, Ndimba BK. Drought and salinity stress alters ROS accumulation, water retention, and osmolyte content in sorghum plants, *South African Journal of Botany*, 108, 261-266, **2017**. (WoS/Scopus)

1187. Okello OP, Gweyi JPO, Nawiri MP, Musila W. Effects of water stress on phenolic content and antioxidant activity of African nightshades. *Biofarmasi J Nat Prod Biochem* 15(2), 79-95, **2017** DOI: [10.13057/biofar/fl50204](https://doi.org/10.13057/biofar/fl50204)

1188. Oliveira TM, Yahmed JB, Dutra J, Maserti BE, Talon M, Navarro L, Ollitrat P, Gesteira AS, Morillon R. Better tolerance to water deficit in doubled diploid ‘Carrizo citrange’ compared to diploid seedlings is associated with more limited water consumption, *Acta Physiologia Plantarum*, 39, 204, **2017**. (WoS/Scopus)

1189. Ostovan F, Gol A, Javadi A. Investigating the effects of *Citrullus colocynthis* pulp on oxidative stress in testes and epididymis in streptozotocin-induced diabetic male rats, *International Journal of Reproductive BioMedicine*, 15, 1, 41-48, **2017**. (WoS/Scopus)

1190. Pak ZH, Karimi N, Abbaspour H. Effects of silver nanoparticle exposure on growth, physiological and biochemical parameters of *dracocephalum moldavica* L. *Iranian Journal of Plant Physiology* 7(4):2173-2183, **2017**. (WoS/Scopus)

1191. Pan G, Zhang H-P, Liu P, Liu W-S. Effect of manganese stress on seed germination, seedling physiological and biochemical characteristics of *Xanthium sibiricum*. *Acta Prataculturae Sinica* 26(11): 157-166, **2017**. (WoS/Scopus)
1192. Pandey R, Garg N. High effectiveness of *Rhizophagus irregularis* is linked to superior modulation of antioxidant defence mechanisms in *Cajanus cajan* (L.) Millsp. genotypes grown under salinity stress, *Mycorrhiza*, 27, 7, 669-682, **2017**. (WoS/Scopus)
1193. Patel JS, Kharwar RN, Singh HB, Upadhyay RS, Sarma BK. *Trichoderma asperellum* (T42) and *Pseudomonas fluorescens* (OKC)-enhances resistance of pea against *Erysiphe pisi* through enhanced ROS generation and lignifications, *Frontiers in Microbiology*, 8, 306, **2017**. (WoS/Scopus)
1194. Paul S, Roychoudhury A, Banerjee A, Chaudhuri N, Ghosh P, Seed pre-treatment with spermidine alleviates oxidative damages to different extent in the salt (NaCl)-stressed seedlings of three indica rice cultivars with contrasting level of salt tolerance, *Plant Gene*, 11, Part B, 112-123, **2017**. (WoS/Scopus)
1195. Pehlivan N, Yesilyurt AM, Durmus N, Karaoglu SA. *Trichoderma lixii* ID11D seed biopriming mitigates dose dependent salt toxicity in maize, *Acta Physiologiae Plantarum*, 39, 3, 79, **2017**. (WoS/Scopus)
1196. Perveen S, Iqbal M, Parveen A, Akram MS, Shahbaz M, Akber S. Exogenous triacontanol-mediated increase in phenolics, proline, activity of nitrate reductase, and shoot K^+ confers salt tolerance in maize (*Zea mays* L.), *Brazilian Journal of Botany*, 40(1), 1-11, doi:10.1007/s40415-016-0310-y, **2017**. (WoS/Scopus)
1197. Phillips K, Ludidi N. Drought and exogenous abscisic acid alter hydrogen peroxide accumulation and differentially regulate the expression of two maize RD22-like genes, *Scientific Reports*, 7, Article number 8821, **2017**. (WoS/Scopus)
1198. Pooja M, Pradeep ANR, Hungund SP, Sagar C, Ponnuvel KM, Awasthi AK, Trivedy K. Oxidative stress and cytotoxicity elicited lipid peroxidation in hemocytes of *Bombyx mori* larva infested with dipteran parasitoid, *Exorista bombycis*, *Acta parasitologica*, 62, 4, 717-727, **2017**. (WoS/Scopus)
1199. Praburaman L, Park SH, Cho M, Lee KJ, Ko JA, Han SS, Lee S-H, Kamala-Kannan S, Oh BT. Significance of diazotrophic plant growth-promoting *Herbaspirillum* sp. GW103 on phytoextraction of Pb and Zn by *Zea mays* L., *Environmental Science and Pollution Research*, 24, 3, 3172-3180, **2017**. (WoS/Scopus)
1200. Prasad MNV. Responses of *Ricinus communis* L.(castor bean, phytoremediation crop) seedlings to lead (Pb) toxicity in hydroponics, *Selçuk Tarım ve Gıda Bilimleri Dergisi*, 31, 1, 73-80, **2017**
1201. Qutab S, Iqbal M, Rasheed R, Ashraf MA, Hussain I, Akram NA. Root zone selenium reduces cadmium toxicity by modulating tissue-specific growth and metabolism in maize (*Zea mays* L.), *Archives of Agronomy and Soil Science*, 63, 13, 1900-1911, **2017**. (WoS/Scopus)
1202. Rahimzadeh S, Pirzad A. Arbuscular mycorrhizal fungi and *Pseudomonas* in reduce drought stress damage in flax (*Linum usitatissimum* L.): a field study, *Mycorrhiza*, 27, 6, 537-552, **2017**. (WoS/Scopus)
1203. Rahman NA, Khatoon H, Yusuf N, Banerjee S, Haris NA, Lananan F, Tomoyo K. *Tetraselmis chuii* biomass as a potential feed additive to improve survival and oxidative stress status of Pacific white-leg shrimp *Litopenaeus vannamei* postlarvae, *International Aquatic Research*, 9, 3, 235-247, **2017**. (WoS/Scopus)
1204. Rahoui S, Martinez Y, Sakouhi L, Ben C, Rickauer M, El Ferjani E, Gentzbittel L, Chaoui A. Cadmium-induced changes in antioxidative systems and differentiation in roots of contrasted *Medicago truncatula* lines, *Protoplasma*, 254, 1, 473-489, **2017**. (WoS/Scopus)
1205. Ramzani PMA, Coyne MS, Anjum S, Khan W, Iqbal M. In situ immobilization of Cd by organic amendments and their effect on antioxidant enzyme defense mechanism in mung bean (*Vigna radiata* L.) seedlings, *Plant Physiology and Biochemistry*, 118, 561-570, **2017**. (WoS/Scopus)
1206. Ramzani PMA, Shan L, Anjum S, Ronggui H, Iqbal M, Virk ZA, Kausar S. Improved quinoa growth, physiological response, and seed nutritional quality in three soils having different stresses by the application of acidified biochar and compost, *Plant Physiology and Biochemistry*, 116, 127-138, **2017**. (WoS/Scopus)
1207. Razzaq M, Akram NA, Ashraf M, Naz H, Al-Qurainy F. Interactive effect of drought and nitrogen on growth, some key physiological attributes and oxidative defense system in carrot (*Daucus carota* L.) plants, *Scientia Horticulturae*, 225, 373-379, **2017**. (WoS/Scopus)
1208. Rezaei M, Arzani A, Saeidi G, Karami M. Physiology of salinity tolerance in *Bromus danthoniae* genotypes originated from saline and non-saline areas of West Iran, *Crop and Pasture Science*, 68, 1, 92-99, **2017**. (WoS/Scopus)
1209. Rodrigues LCA, Martins JPR, de Almeida Júnior O, Guilherme LRG, Pasqual M, de Castro EM. Tolerance and potential for bioaccumulation of *Alternanthera tenella* Colla to cadmium under in vitro conditions, *Plant Cell, Tissue and Organ Culture (PCTOC)*, 130, 3, 507-519, **2017**. (WoS/Scopus)
1210. Rossatto T, do Amaral MN, Benitez LC, Vighi IL, Braga EJB, de Magalhães Júnior AM, Maia MAC, da Silva Pinto L. Gene expression and activity of antioxidant enzymes in rice plants, cv. BRS AG, under saline stress, *Physiology and Molecular Biology of Plants*, 23, 4, 865-875, **2017**. (WoS/Scopus)
1211. Roylawar P, Kamble A. β -amino butyric acid mediated changes in cellular redox homeostasis confers tomato resistance to early blight, *Australasian Plant Pathology*, 46, 3, 239-249, **2017**. (WoS/Scopus)
1212. Sacała E. The influence of increasing doses of silicon on maize seedlings grown under salt stress, *Journal of Plant Nutrition*, 40, 6, 819-827, **2017** (WoS/Scopus)
1213. Sacała E. The influence of increasing doses of silicon on maize seedlings grown under salt stress, *Journal of Plant Nutrition*, 40, 6, 819-827, **2017**. (WoS/Scopus)

1214. Sadak MS, Elhamid EMA, Ahmed MM. Glutathione Induced Antioxidant Protection Against Salinity Stress in Chickpea (*Cicer arietinum* L.) Plant, Egypt. J. Bot., 57, 2, 293-302, **2017**
1215. Saed-Moucheshi A, Pessarakli M, Mikhak A, Ostovar P, Ahamadi-Niaz A. Investigative approaches associated with plausible chemical and biochemical markers for screening wheat genotypes under salinity stress, *Journal of Plant Nutrition*, 40, 19, 2768-2784, **2017**. (WoS/Scopus)
1216. Saha J, Majumder B, Mumtaz B, Biswas AK. Arsenic-induced oxidative stress and thiol metabolism in two cultivars of rice and its possible reversal by phosphate, *Acta Physiologiae Plantarum*, 39, 12, 263, **2017**. (WoS/Scopus)
1217. Sayed M, Khodary SEA, Ahmed ES, Hammouda O, Hassan HM, El-Shafey NM. Elicitation of flavonoids by chitosan and salicylic acid in callus of *Rumex vesicarius* L. *Acta Horticulturae* 1187, 165-176, **2017**, <https://doi.org/10.17660/ActaHortic.2017.1187.18>. (WoS/Scopus)
1218. Sengupta M, Raychaudhuri SS. Partial alleviation of oxidative stress induced by gamma irradiation in *Vigna radiata* by polyamine treatment. *International Journal of Radiation Biology*, 93, 8, 803-817, **2017**. (WoS/Scopus)
1219. Sereflioglu S, Dinler BS, Tasci E – Alpha-tocopherol-dependent salt tolerance is more related with auxin synthesis rather than enhancement antioxidant defence in soybean roots. *Acta Biologica Hungarica* 68(1): 115-125, **2017**. (WoS/Scopus)
1220. Shahbaz M, Abid A, Masood A, Waraich EA. Foliar-Applied Trehalose Modulates Growth, Mineral Nutrition, Photosynthetic Ability and Oxidative Defense System of Rice (*Oryza sativa* L.) Under Saline Stress. *Journal of Plant Nutrition*, 40(4), 584-599, **2017**, <https://doi.org/10.1080/01904167.2016.1263319>. (WoS/Scopus)
1221. Shahzadi I, Iqbal M, Rasheed R, Ashraf MA, Perveen S, Hussain M. Foliar application of selenium increases fertility and grain yield in bread wheat under contrasting water availability regimes, *Acta Physiologiae Plantarum*, 39, 8, 173, **2017**. (WoS/Scopus)
1222. Shaki F, Ebrahimzadeh Maboud H, Niknam V. Central role of salicylic acid in resistance of safflower (*Carthamus tinctorius* L.) against salinity, *Journal of Plant Interactions*, 12, 1, 414-420, **2017**. (WoS/Scopus)
1223. Sharma E, Kapoor R. Characterization of a mutant of a unique predicted protein essential for virulence in *Botrytis cinerea*, *KAVAKA*, 48, 1, 52-63, **2017**
1224. Sharma S, Anand G, Singh N, Kapoor R. Arbuscular Mycorrhiza augments arsenic tolerance in wheat (*Triticum aestivum* L.) by strengthening antioxidant defense system and thiol metabolism, *Frontiers in Plant Science*, 8, article 906. 1-21, **2017**. (WoS/Scopus)
1225. Shen S, Zeng W, Chai Y, Hu M, Jin X. Cold hardiness of nine introduced evergreen *Ilex* cultivars. *Acta Horticulturae* 1185:247-254, **2017**. (WoS/Scopus)
1226. Sheteiwy MS, Dong Q, An J, Song W, Guan Y, He F, Huang Y, Hu J. Regulation of ZnO nanoparticles-induced physiological and molecular changes by seed priming with humic acid in *Oryza sativa* seedlings, *Plant Growth Regulation*, 83, 1, 27-41, **2017**. (WoS/Scopus)
1227. Si Z, Wang R, Feng Y, Guo H, Chen Y, Chen L. Effects of spermine and spermidine on gaseous formaldehyde absorption and physiological property in tobacco Leaves, *Biotechnology Bulletin*, 33, 8, 95-102, **2017**
1228. Siddiqui M, Alamri SA, Mutahhar YY, Al-Khaishany MA, Al-Qutami HM, Ali HM, Nasir Khan MA. Nitric Oxide and calcium induced physiobiochemical changes in tomato (*Solanum Lycopersicum*) plant under heat stress, *Fresenius Environmental Bulletin*, 26, 2a, 1663-1672, **2017**
1229. Siddiqui MN, Mostofa MG, Akter MM, Srivastava AK, Sayed MA, Hasan MS, Tran L-SP. Impact of salt-induced toxicity on growth and yield-potential of local wheat cultivars: oxidative stress and ion toxicity are among the major determinants of salt-tolerant capacity, *Chemosphere*, 187, 385-394, **2017**. (WoS/Scopus)
1230. Sidhu GP, Singh HP, Batish DR, Kohli RK - Tolerance and hyperaccumulation of cadmium by a wild, unpalatable herb *Coronopus didymus* (L.) Sm. (Brassicaceae). *Ecotoxicology and Environmental Safety* 135, 209-215, **2017**, DOI: 10.1016/j.ecoenv.2016.10.001. (WoS/Scopus)
1231. Sidhu GPS, Singh HP, Batish DR, Kohli RK. Appraising the role of environment friendly chelants in alleviating lead by *Coronopus didymus* from Pb-contaminated soils, *Chemosphere*, 182, 129-136, **2017**. (WoS/Scopus)
1232. Silva DMD, Fonte NDSD, Souza KRDD, Rodrigues-Brandão I, Alves ITL, Donizeti J. Relationship between manganese toxicity and waterlogging tolerance in *Zea mays* L. cv. Saracura, *Acta Scientiarum. Agronomy*, 39, 1, 75-82, **2017**. (WoS/Scopus)
1233. Silva DMD, Souza KRDD, Vilas Boas LV, Alves YS, Alves JD. The effect of magnesium nutrition on the antioxidant response of coffee seedlings under heat stress. *Scientia Horticulturae* 224: 115-125, **2017**. (WoS/Scopus)
1234. Silva ER, Lazarotto DC, Schwambach J, Overbeck GE, Soares GL. Phytotoxic effects of extract and essential oil of *Eucalyptus saligna* (Myrtaceae) leaf litter on grassland species, *Australian Journal of Botany*, 65, 2, 172-182, **2017**. (WoS/Scopus)
1235. Singh AP, Dixit G, Kumar A, Mishra S, Kumar N, Dixit S, Singh PK, Dwivedi S, Trivedi PK, Pandey V, Dhankher OP, Norton GJ, Chakrabarty D, Tripathi RD. A protective role for nitric oxide and salicylic acid for arsenite phytotoxicity in rice (*Oryza sativa* L.), *Plant Physiology and Biochemistry*, 115, 163-173, **2017**. (WoS/Scopus)
1236. Singh H, Singh NB, Singh A, Husain I, Yadav V - Physiological and Biochemical Roles of Nitric Oxide

- Against Toxicity Produced by Glyphosate Herbicide in *Pisum sativum* L. *Russian Journal of Plant Physiology* 64(4):518-524, **2017**, DOI: [10.1134/S1021443717040136](https://doi.org/10.1134/S1021443717040136). (WoS/Scopus)
- 1237.** Singh H, Singh NB, Singh A, Hussain I. Exogenous application of salicylic acid to alleviate glyphosate stress in *Solanum lycopersicum*, *International Journal of Vegetable Science*, 23, 6, 552-566, **2017**. (WoS/Scopus)
- 1238.** Singh M, Kushwaha BK, Singh S, Kumar V, Singh VP, Prasad SM. Sulphur alters chromium (VI) toxicity in *Solanum melongena* seedlings: Role of sulphur assimilation and sulphur-containing antioxidants, *Plant Physiology and Biochemistry*, 112, 183-192, **2017**. (WoS/Scopus)
- 1239.** Singh VP, Srivasatava JP, Bansal R. Biochemical responses as stress indicator to water logging in pigeon pea (*Cajanus cajan* L.), *Indian Journal of Biochemistry & Biophysics*, 54, 300-305, **2017**. (WoS/Scopus)
- 1240.** Sirhindi G, Kaur H, Bhardwaj R, Sharma P, Mushtaq R. 28-Homobrassinolide potential for oxidative interface in *Brassica juncea* under temperature stress. *Acta Physiologiae Plantarum* 39 (10), art. no. 228, **2017**. (WoS/Scopus)
- 1241.** Song YL, Dong YJ, Tian XY, Wang WW, He ZL. Effects of nitric oxide and Fe supply on recovery of Fe deficiency induced chlorosis in peanut plants, *Biologia Plantarum*, 61(1), 155-168, **2017**. (WoS/Scopus)
- 1242.** Sorahinobar M, Soltanloo H, Niknam V, Ebrahimzadeh H, Moradi B, Safaie N, Behmanesh M, Bahram M. Physiological and molecular responses of resistant and susceptible wheat cultivars to *Fusarium graminearum* mycotoxin extract, *Canadian Journal of Plant Pathology*, 39, 4, 444-453, **2017**. (WoS/Scopus)
- 1243.** Spanic V, Vuletic MV, Abicic I, Marcek T. Early response of wheat antioxidant system with special reference to *Fusarium* head blight stress, *Plant Physiology and Biochemistry*, 115, 34-43, **2017**. (WoS/Scopus)
- 1244.** Sun Y, Wang Y, Han LR, Zhang X, Feng JT. Antifungal activity and action mode of cuminic acid from the seeds of *Cuminum cyminum* L. against *Fusarium oxysporum* f. sp. *Niveum* (FON) causing fusarium wilt on watermelon, *Molecules*, 22, 2053, **2017**. (WoS/Scopus)
- 1245.** Takahashi N, Sunohara Y, Fujiwara M, Matsumoto H. Improved tolerance to transplanting injury and chilling stress in rice seedlings treated with oryzastrobilin, *Plant Physiology and Biochemistry*, 113, 161-167, **2017**. (WoS/Scopus)
- 1246.** Tavallali V, Karimi S, Espargham O. Boron enhances antioxidative defense in the leaves of salt-affected *Pistacia vera* seedlings, *The Horticulture Journal*, Article ID: OKD-062, 87(1), 55-62, **2017**, <https://doi.org/10.2503/hortj.OKD-062>. (WoS/Scopus)
- 1247.** Tavallali V, Karimi S. Green synthesized zinc-glycine chelate enhances antioxidant protection of *Pistachio* under different soil boron levels, *International Journal of Fruit Science*, 17, 4, 423-439, **2017**. (WoS/Scopus)
- 1248.** Tounsi S, Feki K, Hamidi D, Masmoudi K, Brini F. Salt stress reveals differential physiological, biochemical and molecular responses in *T. monococcum* and *T. durum* wheat genotypes, *Physiology and Molecular Biology of Plants*, 23, 3, 517-528, **2017**. (WoS/Scopus)
- 1249.** Tripathi A, Liu S, Singh PK, Kumar N, Pandey AC, Tripathi DK, Chauhan DK, Sahi S. Differential phytotoxic responses of silver nitrate (AgNO₃) and silver nanoparticle (AgNps) in *Cucumis sativus* L., *Plant Gene*, 11, 255-264, **2017**. (WoS/Scopus)
- 1250.** Tripathi DK, Mishra RK, Singh S, Singh S, Vishwakarma K, Sharma S, Singh VP, Singh PK, Prasad SM, Dubey NK, Pandey AC, Sahi S, Chauhan DK. Nitric oxide ameliorates zinc oxide nanoparticles phytotoxicity in wheat seedlings: Implication of the ascorbate–glutathione cycle, *Frontiers in Plant Science*, 8, 1, **2017**. (WoS/Scopus)
- 1251.** Tripathi DK, Singh S, Singh S, Chauhan DK - Silicon nanoparticles more effectively alleviated UV-B stress than silicon in wheat (*Triticum aestivum*) seedlings. *Plant Physiology and Biochemistry*, 110, 70-81, **2017**, DOI: [10.1016/j.plaphy.2016.06.026](https://doi.org/10.1016/j.plaphy.2016.06.026). (WoS/Scopus)
- 1252.** Tripathi DK, Singh S, Singh S, Srivastava P, Singh VP, Singh S, Prasad SM, Singh PK, Dubey NK, Pandey AC, Chauhan DK - Nitric oxide alleviates silver nanoparticles (AgNps)-induced phytotoxicity in *Pisum sativum* seedlings. *Plant Physiology and Biochemistry*, 110, 167-177, **2017**, DOI: [10.1016/j.plaphy.2016.06.015](https://doi.org/10.1016/j.plaphy.2016.06.015). (WoS/Scopus)
- 1253.** Turfan N. Effect of Some Abiotic Stress Factors on Savrun Spinach (*Spinacea oleracea* L.), *Turkish Journal of Agriculture-Food Science and Technology*, 5, 6, 660-667, **2017**
- 1254.** Tyagi J, Bandyopadhyay P, Shrivastava N, Sharma AK, Varma A, Pudake RN. Effect of inoculum concentrations of *Piriformospora indica* (*Serendipita indica*) on phenotypic and biochemical characteristics of finger millet plant under drought a. *Biochemical and Cellular Archives* 17 (2): 427-434, **2017**.
- 1255.** Tyagi J, Varma A, Pudake RN, Evaluation of comparative effects of arbuscular mycorrhiza (*Rhizophagus intraradices*) and endophyte (*Piriformospora indica*) association with finger millet (*Eleusine coracana*) under drought stress, *European Journal of Soil Biology*, 81, 1-10, **2017**. (WoS/Scopus)
- 1256.** Ulusu Y, Öztürk L, Elmastaş M. Antioxidant capacity and cadmium accumulation in parsley seedlings exposed to cadmium stress, *Russian Journal of Plant Physiology*, 64, 6, 883-888, **2017**. (WoS/Scopus)
- 1257.** Vighi IL, Benitez LC, Amaral MN, Morales GP, Auler PA, Rodrigues GS, Deuner S, Maia LC, Braga JB. Functional characterization of the antioxidant enzymes in rice plants exposed to salinity stress, *Biologia Plantarum*, 61, 3, 540-550, **2017**. (WoS/Scopus)
- 1258.** Vijaya M, Rani PU. Defensive responses in *Capsicum annum* (L) plants, induced due to the feeding by different larval instars of *Spodoptera litura* (F), *Arthropod-Plant Interactions*, 11, 2, 193-202, **2017**. (WoS/Scopus)

- 1259.** Villegas-Velásquez S, Martínez-Mira AD, Hoyos R, Rojano B, Orozco-Sánchez F. Hydrodynamic stress and limonoid production in *Azadirachta indica* cell culture, *Biochemical Engineering Journal*, 122, 75-84, **2017.** (WoS/Scopus)
- 1260.** Wa Lwalaba JL, Zvogbo G, Mulembo M, Mundende M, Zhang G. The effect of cobalt stress on growth and physiological traits and its association with cobalt accumulation in barley genotypes differing in cobalt tolerance, *Journal of Plant Nutrition*, 40, 15, 2192-2199, **2017.** (WoS/Scopus)
- 1261.** Wang JW, Tian H, Yu X, Zheng LP. Glucose-6-phosphate dehydrogenase plays critical role in artemisinin production of *Artemisia annua* under salt stress, *Biologia Plantarum*, 61, 3, 529-539, **2017.** (WoS/Scopus)
- 1262.** Wang Y, Hu Y, Chen B, Zhu Y, Dawuda MM, Sofkova S. Physiological mechanisms of resistance to cold stress associated with 10 elite apple rootstocks, *Journal of Integrative Agriculture*, 16, 0, 60345-7, **2017.** (WoS/Scopus)
- 1263.** Xalxo R, Sahu K. Acid rain-induced oxidative stress regulated metabolic interventions and their amelioration mechanisms in plants. *Biologia (Poland)* 72(12):1387-1393, **2017.** (WoS/Scopus)
- 1264.** Xalxo R, Yadu B, Chakraborty P, Chandrakar V, Keshavkan S - Modulation of nickel toxicity by glycinebetaine and aspirin in *Pennisetum typhoideum*. *Acta Biologica Szegediensis* 61(2):163-171, **2017**
- 1265.** Xi Y, Jiao W, Cao J, Jiang W. Effects of chlorogenic acid on capacity of free radicals scavenging and proteomic changes in postharvest fruit of nectarine. *PLoS ONE* 12, 8, e0182494, **2017.** (WoS/Scopus)
- 1266.** Xiao XO, Zeng YM, Cao BH, Lei JJ, Chen QH, Meng CM, Cheng YJ. PSAG12-IPT overexpression in eggplant delays leaf senescence and induces abiotic stress tolerance, *The Journal of Horticultural Science and Biotechnology*, 92, 4, 349-357, **2017.** (WoS/Scopus)
- 1267.** Xiaochuang C, Chu Z, Lianfeng Z, Junhua Z, Hussain S, Lianghuan W, Qianyu J. Glycine increases cold tolerance in rice via the regulation of N uptake, physiological characteristics, and photosynthesis. *Plant Physiology and Biochemistry* 112:251-260, **2017.** (WoS/Scopus)
- 1268.** Xu H, Li X, Xu C, Chen J. A study on cold resistance function of dehydrin gene EjDHN5 from loquat. *Acta Horticulturae Sinica* 44 (2):268-278, **2017.** (WoS/Scopus)
- 1269.** Xu HX, Li XY, Chen JW. Comparative transcriptome profiling of freezing stress responses in loquat (*Eriobotrya japonica*) fruitlets, *Journal of Plant Research*, 130, 5, 893-907, **2017.** (WoS/Scopus)
- 1270.** Yadav SK, Pavan Kumar D, Tiwari YK, Jainender JLN, Vanaja M, Maheswari M. Exogenous application of bio-regulators for alleviation of heat stress in seedlings of maize, *Open Access Journal of Agricultural Research*, 2, 3, 000137, **2017**
- 1271.** Yadu B, Chandrakar V, Meena RK, Keshavkant S. Glycinebetaine reduces oxidative injury and enhances fluoride stress tolerance via improving antioxidant enzymes, proline and genomic template stability in *Cajanus cajan* L, *South African Journal of Botany*, 111, 68-75, **2017.** (WoS/Scopus)
- 1272.** Yadu S, Dewangan T, Chandrakar V, Keshavkant S. Imperative roles of salicylic acid and nitric oxide in improving salinity tolerance in *Pisum sativum* L., *Physiology and Molecular Biology of Plants*, 23(1), 43-58, **2017.** (WoS/Scopus)
- 1273.** Yahyaoui A, Djebbar MR, Khene L, Bouarroudj T, Kahli H, Bourayou C. Assessment of exposure wheat *Triticum aestivum* L. To zinc oxide nanoparticles (ZNO): Evaluation of oxidative damage. *Studia Universitatis Vasile Goldis Arad, Seria Stiintele Vietii* 27 (4): 271-280, **2017.** (WoS/Scopus)
- 1274.** Yang W, Wang H-Y, Yu K-Y, Lou H, Ji G-S, Ruan Y-N. Effects of elevated Cd, Zn and their combined effects on antioxidant system of tobacco, *Chinese Journal of Applied Ecology* 28 (6): 1948-1954. **2017.** (WoS/Scopus)
- 1275.** Yasmeen R, Siddiqui ZS. Physiological responses of crop plants against *Trichoderma harzianum* in saline environment, *Acta Botanica Croatica*, 76, 2, 154-162, **2017.** (WoS/Scopus)
- 1276.** Yun J, Hwang J, Lee DG. The antifungal activity of the peptide, periplanetasin-2, derived from American cockroach *Periplaneta americana*, *Biochemical Journal*, 474, 17, 3027-3043, **2017.** (WoS/Scopus)
- 1277.** Yusefi M, Asl VN, Moharramnejad S. Response of oxidative defense system to salt-treat in alfalfa (*Medicago sativa* L.). *Fresenius Environmental Bulletin* 26 (8): 5219-5224, **2017.** (WoS/Scopus)
- 1278.** Yusuf N, Nassir N, Azmi WA, Zakeri HA – Early oxidative responses in coconut (*Cocos nucifera*) stem of matag and pandan cultivars due to red palm weevil (*Rhynchophorus ferrugineus* OLIVIER) infection. *Malaysian Applied Biology* 46(4): 187-193, **2017.** (WoS/Scopus)
- 1279.** Yüzbaşıoğlu E, Dalyan E, Akpınar I. Changes in photosynthetic pigments, anthocyanin content and antioxidant enzyme activities of maize (*Zea mays* L.) seedlings under high temperature stress conditions, *Trakya University Journal of Natural Sciences*, 18, 2, 97-104, **2017**
- 1280.** Zafari S, Sharifi M, Mur LAJ, Chashmi NA, Favouring NO over H₂O₂ production will increase Pb tolerance in *Prosopis farcta* via altered primary metabolism, *Ecotoxicology and Environmental Safety*, 142, 293-302, **2017.** (WoS/Scopus)
- 1281.** Zhang Y, Guo X, Cui Y, Guo C, Chen L. Overexpression of the receptor-like cytoplasmic kinase gene XCRK enhances Xoc and oxidative stress tolerance in rice, *Journal of Plant Biology*, 60, 5, 523-532, **2017.** (WoS/Scopus)
- 1282.** Zhao X, Chen Q, Wang Y, Shen Z, She , Xu X-M - Hydrogen-rich water induces aluminum tolerance in maize seedlings by enhancing antioxidant capacities and nutrient homeostasis. *Ecotoxicology and Environmental Safety* 144:369-379, **2017**, DOI: [10.1016/j.ecoenv.2017.06.045](https://doi.org/10.1016/j.ecoenv.2017.06.045). (WoS/Scopus)

1283. Zhu L, Deng X, Zou L, Li P, Wu J, Zhang D, Lin H. Celastrol, produced by *Tripterygium wilfordii* Hook F. enhances defense response in cucumber seedlings against diverse environmental stresses, *Journal of Plant Biology*, 60, 1, 82-92, **2017**. (WoS/Scopus)
1284. Zhu LJ, Deng XG, Zou LJ, Zhang DW, Lin HH. Enhancement of stress tolerance in cucumber seedlings by proanthocyanidins, *Biologia Plantarum*, 61, 2, 323-332, **2017**. (WoS/Scopus)
1285. Агафонова НВ. Таксономическая и функциональная характеристика аэробных метилотрофных бактерий - фитосимбионтов, Диссертация на соискание ученой степени кандидата биологических наук, Пушкинский государственный естественно-научный институт, Пушкино, **2017**
1286. Судачкова НЕ, Романова ЛИ, Астраханцева НВ, Новоселова МВ. Термостойчивость антиоксидантных ферментов в тканях сосны обыкновенной в условиях теплового шока, *Сибирский лесной журнал*, 1, 4-14, **2017**
1287. Aamir M, Singh VK, Dubey MK, Kashyap SP, Zehra A, Upadhyay RS, Singh S. Structural and functional dissection of differentially expressed tomato WRKY transcripts in host defense response against the vascular wilt pathogen (*Fusarium oxysporum* f. sp. *lycopersici*). *PLoS ONE* 13(4): e0193922, **2018** (WoS/Scopus)
1288. Abassi M, Lamhamedi MS, Hachani C, Béjaoui Z. Évaluation morpho-physiologique de trois clones de *Salix* des zones semi-arides soumis à un excès de zinc en conditions hydroponiques. *Canadian Journal of Forest Research*, 48(5): 599-609, **2018** <https://doi.org/10.1139/cjfr-2017-0430> (WoS/Scopus)
1289. Abbas Z K Sodium nitroprusside improves performance of barley (*Hordeum vulgare* L.) under salt stress. *Biosciences Biotechnology Research Asia* 15(3), 603-610, **2018**. <http://dx.doi.org/10.13005/bbra/2666>
1290. Abdel Latef AA, Srivastava AK, El-sadek MS, Kordrostami M, Tran LS. Titanium dioxide nanoparticles improve growth and enhance tolerance of broad bean plants under saline soil conditions. *Land Degradation & Development* 29(4):1065-1073, **2018**. (WoS/Scopus)
1291. Agarwal A, Gupta SD, Barman M, Mitra A. Photosynthetic apparatus plays a central role in photosensitive physiological acclimations affecting spinach (*Spinacia oleracea* L.) growth in response to blue and red photon flux ratios. *Environmental and Experimental Botany* 156:170-182, **2018**. (WoS/Scopus)
1292. Ahanger MA, Alyemeni MN, Wijaya L, Alamri SA, Alam P, Ashraf M, Ahmad R. Potential of exogenously sourced kinetin in protecting *Solanum lycopersicum* from NaCl-induced oxidative stress through up-regulation of the antioxidant system, ascorbate-glutathione cycle and glyoxalase system. *PLoS ONE* 13(9): e0202175, **2018**. <https://doi.org/10.1371/journal.pone.0202175> (WoS/Scopus)
1293. Ahmad P, Abd_Allah EF, Alyemeni MN, Wijaya L, Alam P, Bhardwaj R, Siddique KHM. Exogenous application of calcium to 24-epibrassinosteroid pre-treated tomato seedlings mitigates NaCl toxicity by modifying ascorbate–glutathione cycle and secondary metabolites. *Scientific Reports*, volume 8, Article number: 13515, **2018** (WoS/Scopus)
1294. Ahmad P, Ahanger MA, Alyemeni MN, Wijaya L, Alam P, Ashraf M. Mitigation of sodium chloride toxicity in *Solanum lycopersicum* L. by supplementation of jasmonic acid and nitric oxide. *Journal of Plant Interactions*, 13(1), 64-72, **2018**, <https://doi.org/10.1080/17429145.2017.1420830> (WoS/Scopus)
1295. Ahmad P, Ahanger MA, Alyemeni MN, Wijaya L, Alam P. Exogenous application of nitric oxide modulates osmolyte metabolism, antioxidants, enzymes of ascorbate-glutathione cycle and promotes growth under cadmium stress in tomato, *Protoplasma*, 255(1), 79-93, **2018** (WoS/Scopus)
1296. Ahmad P, Alyemeni MN, Ahanger MA, Egamberdieva D, Wijaya L, Alam P. Salicylic Acid (SA) Induced alterations in growth, biochemical attributes and antioxidant enzyme activity in faba bean (*Vicia faba* L.) seedlings under NaCl toxicity. *Russian Journal Plant Physiology* 65(1), 104-114, **2018**, <https://doi.org/10.1134/S1021443718010132> (WoS/Scopus)
1297. Ahmad P, Alyemeni MN, Ahanger MA, Wijaya L, Alam P, Kumar A, Ashraf M. Upregulation of antioxidant and glyoxalase systems mitigates NaCl stress in *Brassica juncea* by supplementation of zinc and calcium. *Journal of Plant Interactions*, 13(1), 151-162, **2018**, <https://doi.org/10.1080/17429145.2018.1441452> (WoS/Scopus)
1298. Akgül B, Öztürk L, Kisa D, Genç N. De-etiolasyon Sürecinde Fasulye (*Phaseolus vulgaris* L.) Yapraklarında Antioksidan Enzim Aktiviteleri ve Toplam Fenolik Bileşik Miktarlarında Değişimler. *Gaziosmanpasa Journal of Scientific Research*, 7(3), 70-76, **2018**. <http://dspace.trakya.edu.tr/xmlui/handle/1/564>
1299. Akram NA, Iqbal M, Muhammad A, Ashraf M, Al-Qurainy F, Shafiq S. Aminolevulinic acid and nitric oxide regulate oxidative defense and secondary metabolisms in canola (*Brassica napus* L.) under drought stress, *Protoplasma* 255(1), 163-174, **2018** (WoS/Scopus)
1300. Akram NA, Kausar SH, Farid NA, Ashraf MU, Al-Qurainy FA. 5-Aminolevulinic acid induces regulation in growth, yield and physio-biochemical characteristics of wheat under water stress. *Sains Malaysiana* 47(4):661-670, **2018**. <http://dx.doi.org/10.17576/jsm-2018-4704-03> (WoS/Scopus)
1301. Akrami M, Arzani A. Physiological alterations due to field salinity stress in melon (*Cucumis melo* L.). *Acta Physiologia Plantarum* 40: 91, **2018**. <https://doi.org/10.1007/s11738-018-2657-0> (WoS/Scopus)
1302. Alamri SA, Siddiqui MH, Al-Khaishany MY, Nasir Khan M, Ali HM, Alaraidh IA, Alsahli AA, Al-Rabiah H, Mateen M. Ascorbic acid improves the tolerance of wheat plants to lead toxicity. *Journal of Plant Interactions* 13(1): 409-419, **2018**, (WoS/Scopus)
1303. Ali S, Gill RA, Mwamba TM, Zhang N, Lv MT, ul Hassan Z, Islam F, Ali S, WJ Zhou. Differential cobalt-induced effects on plant growth, ultrastructural modifications, and antioxidative response among four *Brassica napus* (L.) cultivars. *International Journal of Environmental Science and Technology* 15(12):2685-2700, **2018**,

- 1304.** Ali S, Jin R, Gill RA, Mwamba TM, Zhang N, ulHassan Z, Islam F, Ali S, Zhou W. Beryllium stress-induced modifications in antioxidant machinery and plant ultrastructure in the seedlings of black and yellow seeded oilseed rape. *Hindawi, BioMed Research International*, article ID 1615968, **2018**
<https://doi.org/10.1155/2018/1615968>
- 1305.** Alyemeni MN, Ahanger MA, Wijaya L, Alam P, Bhardwaj R, Ahmad P. Selenium mitigates cadmium-induced oxidative stress in tomato (*Solanum lycopersicum* L.) plants by modulating chlorophyll fluorescence, osmolyte accumulation, and antioxidant system, *Protoplasma* 255(2), 459-469, **2018** (WoS/Scopus)
- 1306.** Andrade CA, de Souza KR, de Oliveira Santos M, da Silva DM, Alves JD. Hydrogen peroxide promotes the tolerance of soybeans to waterlogging. *Scientia Horticulturae* 232: 40-45, **2018**. (WoS/Scopus)
- 1307.** Andrade FR, da Silva GN, Guimarães KC, Barreto HB, de Souza KR, Guilherme LR, Faquin V, dos Reis AR. Selenium protects rice plants from water deficit stress. *Ecotoxicology and Environmental Safety* 164:562-570, **2018**. (WoS/Scopus)
- 1308.** Antoniou C, Fragkoudi I, Martinou A, Stavrinides MC, Fotopoulos V. Spatial response of *Medicago truncatula* plants to drought and spider mite attack. *Plant Physiology and Biochemistry* 130: 658-662, **2018**.
https://doi.org/10.1007/978-1-4939-7398-9_16. Source: (WoS/Scopus)
- 1309.** Antoniou C, Savvides A, Georgiadou EC, Fotopoulos V. Spectrophotometric Quantification of Reactive Oxygen, Nitrogen and Sulfur Species in Plant Samples. *Methods in Molecular Biology* 1694:155-161, **2018**. (WoS/Scopus)
- 1310.** Arooj S, Arfan M, Masood A, Abid A, Fatima T, Khalid N, Tazeen SK, Akbar KF, Naseer I, Fayyaz A, Luqman M. Assessment of salicylic acid in morpho-physiological attributes of maize (*Zea mays*) subjected to nickel stress. *Fresenius Environmental Bulletin* 27(10), 6519-6524, **2018**. (WoS/Scopus)
- 1311.** Ashraf MA, Akbar A, Parveen A, Rasheed R, Hussain I, Iqbal M. Phenological application of selenium differentially improves growth, oxidative defense and ion homeostasis in maize under salinity stress, *Plant Physiology and Biochemistry* 123, 268-280. <https://doi.org/10.1016/j.plaphy.2017.12.023>, **2018** (WoS/Scopus)
- 1312.** Ayan S, Turfan N, Nurten Yer E, Šeho M, Barş Özel H, Ducci F. Antioxidant variability of the seeds in core and marginal populations of taurus cedar (*Cedrus libani* A. Rich.). *Šumarski list* 142(11-12), 593-600, **2018**.
<https://doi.org/10.31298/sl.142.11-12.3>
- 1313.** Aziz A, Akram NA, Ashraf M. Influence of natural and synthetic vitamin C (ascorbic acid) on primary and secondary metabolites and associated metabolism in quinoa (*Chenopodium quinoa* Willd.) plants under water deficit regimes, *Plant Physiology and Biochemistry* 123, 192-203, DOI: [10.1016/j.plaphy.2017.12.004](https://doi.org/10.1016/j.plaphy.2017.12.004), **2018** (WoS/Scopus)
- 1314.** Bali S, Kaur P, Kohli SK, Ohri P, Thukral AK, Bhardwaj R, Wijaya L, Alyemeni MN, Ahmad P. Jasmonic acid induced changes in physio-biochemical attributes and ascorbate-glutathione pathway in *Lycopersicon esculentum* under lead stress at different growth stages. *Science of the Total Environment* 645: 1344-1360, **2018**. (WoS/Scopus)
- 1315.** Bali S, Kaur P, Sharma A, Ohri P, Bhardwaj R, Alyemeni MN, Wijaya L, Ahmad P. Jasmonic acid-induced tolerance to root-knot nematodes in tomato plants through altered photosynthetic and antioxidative defense mechanisms. *Protoplasma* 255(2): 471-484, **2018**. (WoS/Scopus)
- 1316.** Baniasadi F, Saffari VR, Moud AAM. Physiological and growth responses of *Calendula officinalis* L. plants to the interaction effects of polyamines and salt stress. *Scientia Horticulturae* 234:312-317, **2018** (WoS/Scopus)
- 1317.** Bernacki MJ, Czarnocka W, Witoń D, Rusaczonok A, Szechyńska-Hebda M, Ślesak I, Dąbrowska-Bronk J, Karpiński S. Enhanced Disease Susceptibility 1 (EDS1) affects development, photosynthesis, and hormonal homeostasis in hybrid aspen (*Populus tremula* L. × *P. tremuloides*). *Journal of Plant Physiology* 226: 91-102, **2018**. (WoS/Scopus)
- 1318.** Bidabadi SS, Afazel M, Sabbatini P. Iranian Grapevine Rootstocks and Hormonal Effects on Graft Union, Growth and Antioxidant Responses of Asgari Seedless Grape. *Horticultural Plant Journal* 4(1):16-23, **2018**.
<https://doi.org/10.1016/j.hpj.2017.11.002>
- 1319.** Boonyariththongchai P, Supapvanich S, Wongaree C, Uthairatanakij A, Jitareerat P, Pongprasert N, Kaewmanee N. Application of natural extracts from pineapple juice on inhibiting browning symptom of fresh-cut 'Nam dok mai' mango. *Acta Horticulturae* 1210, 235-240, **2018**. (WoS/Scopus)
- 1320.** Borriboon W, Lontom W, Pongdontri P, Theerakulpisut P, Dongsansuk A. Effects of short- and long-term temperature on seed germination, oxidative stress and membrane stability of three rice cultivars (Dular, KDML105 and Riceberry). *Pertanika Journal of Tropical Agricultural Science* 41(1):151-162, **2018** (WoS/Scopus)
- 1321.** Braga EJ, Klein FR, Reis A, Kleinowski AM, Einhardt AM, Deuner S, Amarante L, Peters JA. Biochemical activity of plants of the genus *Alternanthera* after UV-C radiation exposure. *Revista Brasileira de Biociências* 16(2), **2018**. <http://www.ufrgs.br/seerbio/ojs/index.php/rbb/article/view/3703>
- 1322.** Cao Y, Liang L, Cheng B, Dong Y, Wei J, Tian X, Peng Y, Li Z. Pretreatment with nacl promotes the seed germination of white clover by affecting endogenous phytohormones, metabolic regulation, and dehydrin-encoded genes expression under water stress. *International Journal of Molecular Sciences* 19:3570, **2018**.
[doi:10.3390/ijms19113570](https://doi.org/10.3390/ijms19113570) (WoS/Scopus)
- 1323.** Çatav ŞS, Genç TO, Oktay MK, Küçükakyüz K. Effect of Boron Toxicity on Oxidative Stress and Genotoxicity in Wheat (*Triticum aestivum* L.). *Bulletin of environmental contamination and toxicology* 100(4):502-508, **2018**. (WoS/Scopus)

1324. Chandra J, Keshavkant S. Desiccation-induced ROS accumulation and lipid catabolism in recalcitrant *Madhuca latifolia* seeds, *Physiology and Molecular Biology of Plants*, 24(1), 75-87, **2018 (WoS/Scopus)**
1325. Chandrakar V, Dubey A, Keshavkant S. Modulation of arsenic-induced oxidative stress and protein metabolism by diphenyleneiodonium, 24-epibrassinolide and proline in *Glycine max* L. *Acta Botanica Croatica* 77(1), 51-61, **2018, DOI: 10.2478/botcro-2018-0004 (WoS/Scopus)**
1326. Chandrakar V, Keshavkant S. Growth and metabolic responses of *Glycine max* L. to arsenate and arsenite: a comparative assessment. *Bangladesh J. Bot.* 47(1): 105-113, **2018 (WoS/Scopus)**
1327. Chen H, Zeng X, Mu L, Hou L, Yang B, Zhao J, Schlenk D, Dong W, Xie L, Zhang Q. Effects of acute and chronic exposures of fluoxetine on the Chinese fish, topmouth gudgeon *Pseudorasbora parva*. *Ecotoxicology and Environmental Safety* 160: 104-113, **2018 (WoS/Scopus)**
1328. Cheng B, Li Z, Liang L, Cao Y, Zeng W, Zhang X, Ma X, Huang L, Nie G, Liu W, Peng Y. The γ -aminobutyric acid (GABA) alleviates salt stress damage during seeds germination of white clover associated with Na⁺/K⁺ transportation, dehydrins accumulation, and stress-related genes expression in white clover. *International Journal of Molecular Science* 19, 2520, **2018; doi:10.3390/ijms19092520 (WoS/Scopus)**
1329. Chowdhary P, Yadav A, Singh R, Chandra R, Singh DP, Raj A, Bharagava RN. Stress response of *Triticum aestivum* L. and *Brassica juncea* L. against heavy metals growing at distillery and tannery wastewater contaminated site. *Chemosphere* 206: 122-131, **2018 S copus**
1330. Cui G, Sun F, Gao X, Xie K, Zhang C, Liu S, Xi, Y. Proteomic analysis of melatonin-mediated osmotic tolerance by improving energy metabolism and autophagy in wheat (*Triticum aestivum* L.) *Planta* 248(1), 69-87, **2018, <https://doi.org/10.1007/s00425-018-2881-2> (WoS/Scopus)**
1331. Dalal VK, Tripathi BC. Water-stress induced downsizing of light-harvesting antenna complex protects developing rice seedlings from photo-oxidative damage. *Scientific Reports* 8:5955, **2018, DOI:10.1038/s41598-017-14419-4 (WoS/Scopus)**
1332. Dalyan E, Yüzbaşıoğlu E, Akpınar I. Effect of 24-Epibrassinolide on Antioxidative Defence System Against Lead-Induced Oxidative Stress in The Roots of *Brassica juncea* L. Seedlings. *Russian Journal of Plant Physiology* 65(4), 570-578, **2018. (WoS/Scopus)**
1333. Daoud AM, Hemada MM, Saber N, El-Araby AA, Moussa L. Effect of silicon on the tolerance of wheat (*Triticum aestivum* L.) to salt stress at different growth stages: case study for the management of irrigation water. *Plants*, 7, 29:1-14, **2018, doi:10.3390/plants7020029 (WoS/Scopus)**
1334. de Carvalho PA, Oliveira LEM, Domiciano D, Carvalho JN, Prudente DO, Guimarães RJ. Effect of nitrogen source and oxygen deficiency on carbon metabolism and antioxidant system of rubber tree plants (*Hevea* spp.). *Australian Journal of Crop Science* 12(01): 116-125, **2018, doi: 10.21475/ajcs.18.12.01.pne774. (WoS/Scopus)**
1335. de Freitas PA, de Souza Miranda R, Marques EC, Prisco JT, Gomes-Filho E. Salt Tolerance Induced by Exogenous Proline in Maize Is Related to Low Oxidative Damage and Favorable Ionic Homeostasis. *Journal of Plant Growth Regulation* 37(3), 911-924, **2018. (WoS/Scopus)**
1336. Debnath B, Hussain, Irshad M, Mitra S, Li M, S Liu, Qiu D. Exogenous melatonin mitigates acid rain stress to tomato plants through modulation of leaf ultrastructure, photosynthesis and antioxidant potential. *Molecules* 23(2), 388, **2018, doi:10.3390/molecules23020388, <http://www.mdpi.com/1420-3049/23/2/388/htm> (WoS/Scopus)**
1337. Debnath B, Irshad M, Mitra S, Li M, Rizwan HM, Liu S, Pan T, Qiu D. Acid rain deposition modulates photosynthesis, enzymatic and non-enzymatic antioxidant activities in tomato. *International Journal of Environmental Research* 12(2), 203-214, **2018, <https://doi.org/10.1007/s41742-018-0084-0> (WoS/Scopus)**
1338. Dhuldhaj U, Pandya U, Singh S. Anti-Oxidative Response of Cyanobacterium *Anabaena* sp. strain PCC 7120 to Arsenite (As (III)). *Microbiology* 87(6), 848-856, **2018, (WoS/Scopus)**
1339. Du B, Kreuzwieser J, Winkler JB, Ghirardo A, Schnitzler J-P, Ache P, Alfarraraj S, Hedrich R, White P, Rennenberg H. Physiological responses of date palm (*Phoenix dactylifera*) seedlings to acute ozone exposure at high temperature. *Environmental Pollution* 242: 905-913, **2018 (WoS/Scopus)**
1340. Dubey AK, Kumar N, Ranjan R, Gautam A, Pandey V, Sanyal I, Mallick S. Application of glycine reduces arsenic accumulation and toxicity in *Oryza sativa* L. by reducing the expression of silicon transporter genes. *Ecotoxicology and Environmental Safety* 148 410-417, **2018 (WoS/Scopus)**
1341. El-Bassiouny HMS, El-Monem AAA, Abdallah MM-S, Soliman KM. Role of arbuscular mycorrhiza, α -tocopherol and nicotinamide on the nitrogen containing compounds and adaptation of sunflower plant to Water stress *Bioscience Research* 15(3), 2068-2088, **2018. (WoS/Scopus)**
1342. El-Esawi MA, Alaraidh IA, Alsahli AA, Alamri SA, Ali HM, Alayafi AA. *Bacillus firmus* (SW5) augments salt tolerance in soybean (*Glycine max* L.) by modulating root system architecture, antioxidant defense systems and stress-responsive genes expression. *Plant Physiology and Biochemistry* 132: 375-384, **2018, (WoS/Scopus)**
1343. El-Esawi MA, Alaraidh IA, Alsahli AA, Ali HM, Alayafi AA, Witczak J, Ahmad M. Genetic variation and alleviation of salinity stress in barley (*Hordeum vulgare* L.). *Molecules* 23(10), 2488, **2018. <https://doi.org/10.3390/molecules23102488>. (WoS/Scopus)**
1344. El-Esawi MA, Alaraidh IA, Alsahli AA, Alzahrani SM, Ali HM, Alayafi AA, Ahmad M - *Serratia liquefaciens* KM4 improves salt stress tolerance in maize by regulating redox potential, ion homeostasis, leaf gas exchange and stress-related gene expression. *International Journal of Molecular Sciences* 19(11):3310, **2018, <https://doi.org/10.3390/ijms19113310>. (WoS/Scopus)**
1345. El-Gindy AM, Arafa YE, El-Hady MA, Mansour HA, Abdelghany AE. Effect of Drip Irrigation System

- Salinity and Magnetic Water Treatment on Turnip Yield and Yield Characters. *WorldWide Journal of Multidisciplinary Research and Development* 4(1), 89-96, **2018**. http://www.wjmr.com/upload/effect-of-drip-irrigation-system-salinity-and-magnetic-water-treatment-on-turnip-yield-and-yield-characters_1519381979.pdf
- 1346.** El-Nabarawy MA, El-Kafafi EH, El-Enien HEA, Salama MK. Senescence of rose flowers 2-regulation aging and prolong their vase life. *Zagazig J Agric Res* 45(3): 869-890, **2018** <http://www.journals.zu.edu.eg/journalDisplay.aspx?JournalId=1&queryType=Master>
- 1347.** El-Nabarawy MA, El-Kafafi SH, El-Enien HA, Salama MK. Senescence of Rose Flowers 1-Comparison between the senescence of Anna and Gold strike cultivars. 2018, 1st International Scientific Conference “Agriculture and Futuristic Challenges”, Nasr City, Cairo, Egypt, April 10th–12th, 2018, Vol. 1(I), pp: 42-57, **2018**. https://www.researchgate.net/profile/Mahmoud_Salama15/publication/329359456_Senescence_of_Rose_Flowers/links/5c040d4e45851523d15950fc/Senescence-of-Rose-Flowers.pdf
- 1348.** Essahibi A, Benhiba L, Babram MA, Ghoulam C, Qaddoury A. Influence of arbuscular mycorrhizal fungi on the functional mechanisms associated with drought tolerance in carob (*Ceratonia siliqua* L.), *Trees*, 32(1), 87-97, **2018** (WoS/Scopus)
- 1349.** Falahi H, Sharifi M, Chashmi NA, Maivan HZ. Water stress alleviation by polyamines and phenolic compounds in *Scrophularia striata* is mediated by NO and H₂O₂. *Plant Physiology and Biochemistry* 130, 139-147, **2018**, (WoS/Scopus)
- 1350.** Falahi H, Sharifi M, Maivan HZ, Chashmi NA. Phenylethanoid glycosides accumulation in roots of *Scrophularia striata* as a response to water stress. *Environmental and Experimental Botany* 147, 13-21, **2018** (WoS/Scopus)
- 1351.** Farissi M, Mouradi M, Farssi O, Bouizgaren A, Ghoulam C. Variations in leaf gas exchange, chlorophyll fluorescence and membrane potential of *Medicago sativa* root cortex cells exposed to increased salinity: The role of the antioxidant potential in salt tolerance. *Archives of Biological Sciences* 70(3):413-423, **2018**. <https://doi.org/10.2298/ABS171019001F> (WoS/Scopus)
- 1352.** Farooq MA, Islam F, Yang C, Nawaz A, Athar HR, Gill RA, Ali B, Song W, Zhou W. Methyl jasmonate alleviates arsenic-induced oxidative damage and modulates the ascorbate–glutathione cycle in oilseed rape roots, *Plant Growth Regulation*, 84(1), 135-149, DOI 10.1007/s105-017-0327-7, **2018** (WoS/Scopus)
- 1353.** Franić M, Galić V, Mazur M, Šimić D. Effects of excess cadmium in soil on JIP-test parameters, hydrogen peroxide content and antioxidant activity in two maize inbreds and their hybrid. *Photosynthetica* 56(2), 660-669, **2018**. (WoS/Scopus)
- 1354.** Gahlot L, Khanna V. Effect of Suspended Marble Slurry Dust on Venation patterns of *Azadirachta indica* A. juss. and *Albizia lebbeck* (L.) Benth. *International Journal of Management, Technology and Engineering* 8(8), 305-313, **2018**, <http://ijamtes.org/gallery/38.aug%20ijmte%20%20-%20cw.pdf>
- 1355.** Gao W, Zhang Y, Feng Z, Bai Q, He J, Wang Y. Effects of melatonin on antioxidant capacity in naked oat seedlings under drought stress. *Molecules* 23, 1580, **2018**; doi:10.3390/molecules23071580 (WoS/Scopus)
- 1356.** Garg N, Singh S. Mycorrhizal inoculations and silicon fortifications improve rhizobial symbiosis, antioxidant defense, trehalose turnover in pigeon pea genotypes under cadmium and zinc stress. *Plant Growth Regulation* 86 (1), 105-119, **2018**. <https://doi.org/10.1007/s10725-018-0414-4>. (WoS/Scopus)
- 1357.** Gerami M, Ghorbani A, Karimi S. Role of salicylic acid pretreatment in alleviating cadmium-induced toxicity in *Salvia officinalis* L. *Iranian Journal of Plant Biology* 10(1), **2018** <https://doi.org/10.22108/ijpb.2018.108633.1069>
- 1358.** Ghanbary E, Kouchaksaraei MT, Guidi L, Mirabolfathy M, Etemad V, Sanavi SA, Struve D. Change in biochemical parameters of Persian oak (*Quercus brantii* Lindl.) seedlings inoculated by pathogens of charcoal disease under water deficit conditions. *Trees* 32(6): 1595-1608, **2018**. (WoS/Scopus)
- 1359.** Ghasemi Z, Ghaderian SM, Rodríguez-Garrido B, Prieto-Fernández Á, Kidd PS. Plant species-specificity and effects of bioinoculants and fertilization on plant performance for nickel phytomining. *Plant and Soil* 425(1-2): 265-285, **2018**. (WoS/Scopus)
- 1360.** Ghassemi-Golezani K, Farhadi N, Nikpour-Rashidabad N. Responses of in vitro-cultured *Allium hirtifolium* to exogenous sodium nitroprusside under PEG-imposed drought stress. *Plant Cell, Tissue and Organ Culture (PCTOC)* 133(2), 237-248, **2018**. (WoS/Scopus)
- 1361.** Gholami M, Esmailzadeh Bahabadi S, Ghanati F, Yousefzadeh Borojeni L. Stereo-Specific Transcript Regulation of the Polyamine Biosynthesis Genes by Enantiomers of Ornithine in Tobacco Cell Culture. *Iranian Journal of Biotechnology* 16(2), 148-153, **2018**. (WoS/Scopus)
- 1362.** Ghorbani A, Razavi SM, Omran VOG, Pirdashi H - *Piriformospora indica* alleviates salinity by boosting redox poise and antioxidative potential of tomato. *Russian Journal of Plant Physiology* 65(6): 898-907, **2018**, <https://doi.org/10.1134/S1021443718060079> (WoS/Scopus)
- 1363.** Gomes MP, Brito JCM, Silva JG, Cruz FVS, Bicalho EM, Herken DMD, Garcia QS. Temperature effects on Zn-responses and Zn-reclamation capacity of two native Brazilian plant species: Implications of climate change *Environmental and Experimental Botany* 155: 589-599, **2018** (WoS/Scopus)
- 1364.** Gomes MP, de Brito JC, Carneiro MM, da Cunha MR, Garcia QS, Figueredo CC. Responses of the nitrogen-fixing aquatic fern *Azolla* to water contaminated with ciprofloxacin: impacts on biofertilization. *Environmental Pollution* 232: 293-299, **2018**. (WoS/Scopus)
- 1365.** Gomes MP, de Brito JCM, Bicalho EM, Silva JG, Gomides MF, Garcia QS, Figueredo CC. Ciprofloxacin

vs. temperature: Antibiotic toxicity in the free-floating liverwort *Ricciocarpus natans* from a climate change perspective. *Chemosphere* 202:410-419, **2018** (WoS/Scopus)

1366. Gul H, Anjum L, Arif M, Shah M. Effects of exogenous application of putrescine on different biochemical parameters of *Zea mays* L. under salinity stress. *Fuuast Journal of Biology* 8(1), 65-72, **2018**. <http://fuustjb.org/index.php/fuustjb/article/view/12>

1367. Gupta SD, Agarwal A, Pradhan S. Phytostimulatory effect of silver nanoparticles (AgNPs) on rice seedling growth: An insight from antioxidative enzyme activities and gene expression patterns. *Ecotoxicology and Environmental Safety* 161: 624-633, **2018**. (WoS/Scopus)

1368. Habibi G. Antioxidant metabolism and performance index of photosystem II in maize seedlings exposed to high concentration of salicylic acid. *Indian Journal of Plant Physiology* 23(2), 360-368, **2018**. <https://doi.org/10.1007/s40502-018-0376-6> (WoS/Scopus)

1369. Habibi G. Effects of mild and severe drought stress on the biomass, phenolic compounds production and photochemical activity of *Aloe vera* (L.) Burm. f. *Acta agriculturae Slovenica* 111(2), 463-476, **2018**. (WoS/Scopus)

1370. Hajhashemi S, Rajabpoor S, Djalovic I. Antioxidant potential in *Stevia rebaudiana* callus in response to polyethylene glycol, paclobutrazol and gibberellin treatments. *Physiology and Molecular Biology of Plants* 24(2): 335-341, **2018**, (WoS/Scopus)

1371. Hajhashemi S, Sofo A. The effect of polyethylene glycol-induced drought stress on photosynthesis, carbohydrates and cell membrane in *Stevia rebaudiana* grown in greenhouse. *Acta Physiologiae Plantarum* 40(8), 142. **2018**, (WoS/Scopus)

1372. Hanif A, Wahid A. Seed yield loss in mungbean is associated to heat stress induced oxidative damage and loss of photosynthetic capacity in proximal trifoliate leaf. *Pakistan Journal of Agricultural Sciences* 55(4):777-7786, **2018**, (WoS/Scopus)

1373. Hashem A, Alqarawi AA, Radhakrishnan R, Al-Arjani AB, Aldehaish HA, Egamberdieva D, Abd_Allah EF. Arbuscular mycorrhizal fungi regulate the oxidative system, hormones and ionic equilibrium to trigger salt stress tolerance in *Cucumis sativus* L. *Saudi Journal of Biological Sciences* 25 (6), 1102-1114, **2018**. <https://doi.org/10.1016/j.sjbs.2018.03.009>

1374. Hashem HA, Hassanein RA, Fahmy AH, Ibrahim AS, El Shihy OM, Qaid EA. Particle bombardment-mediated co-transformation of the Cht-2 gene in wheat and the associated changes in defense mechanisms in transgenic plants infected with *Fusarium graminearum*. *Biocatalysis and Agricultural Biotechnology* 14, 204-214, **2018**, (WoS/Scopus)

1375. Hassan AM, Saber NE, Ali AS, El-Hosary EG. Interactive effect between sulfate and selenate on glutathione pool in garden rocket (*Eruca sativa* L.) leaves. *Journal of Plant Nutrition* 41(14), 1834-1841, **2018**. (WoS/Scopus)

1376. Hendawey MH, Abdel Raheem EA, Kamel HA, Khalf allah GM, Mahmoud NE. Assessment of the contribution of exogenous polyamines for water stress tolerance in Faba Bean. *Bioscience Research* 15 (2):956-966, **2018** (WoS/Scopus)

1377. Hồng HT. Nghiên cứu ảnh hưởng của nano bạc lên khả năng nảy mầm và một số chỉ tiêu sinh hóa của hạt lúa dài thom 8. *Hue University Journal of Science: Natural Science* 127(1C), 181-191, **2018**. <http://dx.doi.org/10.26459/hueuni-jns.v127i1C.4921>

1378. Howladar SM. Potassium humate improves physio-biochemical attributes, defense systems activities and water-use efficiencies of eggplant under partial root-zone drying. *Scientia Horticulturae* 240, 179-185, **2018**, (WoS/Scopus)

1379. Hu B, Sakakibara H, Kojima M, Takebayashi Y, Bußkamp J, Langer GJ, Peters FS, Schumacher J, Eiblmeier M, Kreuzwieser J, Rennenberg H. Consequences of Sphaeropsis tip blight disease for the phytohormone profile and antioxidative metabolism of its pine host, *Plant, Cell & Environment*, 41(4), 737-754, **2018** <http://onlinelibrary.wiley.com/doi/10.1111/pce.13118/full> (WoS/Scopus)

1380. Huang D, Qin X, Peng Z, Liu Y, Gong X, Zeng G, Huang C, Cheng M, Xue W, Wang X, Hu Z. Nanoscale zero-valent iron assisted phytoremediation of Pb in sediment: Impacts on metal accumulation and antioxidative system of *Lolium perenne*. *Ecotoxicology and Environmental Safety* 153: 229-237, **2018**. (WoS/Scopus)

1381. Hussain S, Khalid MF, Saqib M, Ahmad S, Zafar W, Rao MJ, Morillon R, Anjum MA. Drought tolerance in citrus rootstocks is associated with better antioxidant defense mechanism. *Acta Physiologiae Plantarum* 40(8): 135, **2018**. (WoS/Scopus)

1382. Intarasit S, Chotikakham S, Chumyarn A, Uthabutra , Saengni, K. Protective effects of chlorine dioxide solution on postharvest pericarp browning and oxidative damage of longan fruit. *Acta Horticulturae* 1210, 177-184, **2018**. (WoS/Scopus)

1383. Iqbal H, Yaning C, Waqas M, Rehman H, Shareef M, Iqbal S. Hydrogen peroxide application improves quinoa performance by affecting physiological and biochemical mechanisms under water deficit conditions. *Journal of Agronomy and Crop Science* 204(6), 541-553, **2018**, <https://doi.org/10.1111/jac.12284> (WoS/Scopus)

1384. Iqbal H, Yaning C, Waqas M, Shareef M, Raza ST. Differential response of quinoa genotypes to drought and foliage-applied H₂O₂ in relation to oxidative damage, osmotic adjustment and antioxidant capacity. *Ecotoxicology and Environmental Safety* 164: 344-354, **2018**. <https://doi.org/10.1016/j.ecoenv.2018.08.004> (WoS/Scopus)

1385. Iqbal MT. Physiological, biochemical and molecular responses of different barley varieties to drought and

salinity. **Doctoral dissertation**, Universitäts-und Landesbibliothek Bonn, 2018. <http://hss.ulb.uni-bonn.de/2018/5003/5003.htm>

1386. Islam F, Xie Y, Farooq MA, Wang J, Yang C, Gill RA, Zhu J, Zhou W. Salinity reduces 2, 4-D efficacy in *Echinochloa crusgalli* by affecting redox balance, nutrient acquisition, and hormonal regulation. *Protoplasma* 255(3): 785-802, 2018. (WoS/Scopus)

1387. Jafarnia S, Akbarinia M, Hosseinpour B, Modarres Sanavi SA, Salami SA. Effect of drought stress on some growth, morphological, physiological, and biochemical parameters of two different populations of *Quercus brantii*. *iForest-Biogeosciences and Forestry* 11(2), 212-220, 2018. (WoS/Scopus)

1388. Jahani S, Saadatmand S, Mahmoodzadeh H, Khavari-Nejad RA. Effects of cerium oxide nanoparticles on biochemical and oxidative parameters in marigold leaves. *Toxicological & Environmental Chemistry* 100(8-10): 677-692, 2018. <https://doi.org/10.1080/02772248.2019.1587443> (WoS/Scopus)

1389. Jan S, Alyemeni MN, Wijaya L, Alam P, Siddique KH, Ahmad P. Interactive effect of 24-epibrassinolide and silicon alleviates cadmium stress via the modulation of antioxidant defense and glyoxalase systems and macronutrient content in *Pisum sativum* L. seedlings. *BMC Plant Biology* 18:146, 2018, <https://doi.org/10.1186/s12870-018-1359-5> (WoS/Scopus)

1390. Jervekani MT, Karimmojeni H, Razmjo J, Tseng TM. Common sage (*Salvia officinalis* L.) tolerance to herbicides. *Industrial Crops and Products* 121, 46-53, 2018. (WoS/Scopus)

1391. Ju YL, Yue XF, Zhao XF, Zhao H, Fang YL. Physiological, micro-morphological and metabolomic analysis of grapevine (*Vitis vinifera* L.) leaf of plants under water stress. *Plant Physiology and Biochemistry* 130: 501-510, 2018. (WoS/Scopus)

1392. Jungklang J. Effects of sodium chloride on germination, growth, relative water content, and chlorophyll, proline, malondialdehyde and vitamin C contents in Chinese white radish seedlings (*Raphanus sativus* L. var. *longipinnatus* Bailey). *Maejo International Journal of Science and Technology* 12(2), 89-100, 2018. (WoS/Scopus)

1393. Kabiri R, Hatami A, Oloumi H, Naghizadeh M, Nasibi F, Tahmasebi Z. Foliar application of melatonin induces tolerance to drought stress in Moldavian balm plants (*Dracocephalum moldavica*) through regulating the antioxidant system. *Folia Horticulture* 30(1):155-167, 2018 (WoS/Scopus)

1394. Karmakar, A., Sarkar, N., Bhattacharjee, S., Barik, A. Antioxidant enzymes in *Solenia amplexicaulis* (Lam.) Gandhi plants against *Aulacophora foveicollis* lucas. *Allelopathy Journal* 44 (2), 285-298, 2018. (WoS/Scopus)

1395. Kaur H, Sirhindi G, Bhardwaj R, Alyemeni MN, Siddique KHM, Ahmad P. 28-homobrassinolide regulates antioxidant enzyme activities and gene expression in response to salt- and temperature-induced oxidative stress in *Brassica juncea*. *Scientific Reports* vol 8, Article number: 8735, 2018, [doi:10.1038/s41598-018-27032-w](https://doi.org/10.1038/s41598-018-27032-w) (WoS/Scopus)

1396. Khajuria A, Ohri P. Exogenously applied putrescine improves the physiological responses of tomato plant during nematode pathogenesis. *Scientia Horticulturae* 230: 35-42, 2018. (WoS/Scopus)

1397. Khajuria A, Sharma N, Bhardwaj R, Ohri P. Emerging Role of Polyamines in Plant Stress Tolerance. *Current Protein and Peptide Science* 19(11): 1114-1123, 2018. (WoS/Scopus)

1398. Khamsuk O, Sonjaroon W, Suwanwong S, Jutamanee K, Suksamrarn A. Effects of 24-epibrassinolide and the synthetic brassinosteroid mimic on chili pepper under drought *Acta Physiologiae Plantarum* 40: 106, 2018 <https://doi.org/10.1007/s11738-018-2682-z> (WoS/Scopus)

1399. Khan M, AlZuaibr F, Al-Huqail A, Siddiqui M, M Ali H, Al-Muwayhi M, Al-Haque H. Hydrogen sulfide-mediated activation of o-acetylserine (thiol) lyase and l/d-cysteine desulphydrase enhance dehydration tolerance in *Eruca sativa* Mill. *International Journal of Molecular Sciences* 19(12), 3981, 2018. (WoS/Scopus)

1400. Khan MM, Islam E, Irem S, Akhtar K, Ashraf MY, Iqbal J, Liu D. Pb-induced phytotoxicity in para grass (*Brachiaria mutica*) and Castorbean (*Ricinus communis* L.): Antioxidant and ultrastructural studies. *Chemosphere* 200:257-265, 2018. (WoS/Scopus)

1401. Khan MN, Alzuaibr FM. Nano-titanium dioxide-induced synthesis of hydrogen sulfide and cysteine augment drought tolerance in *Eruca sativa*. *Asian Journal of Plant Sciences* 17(4):213-221, 2018. <http://dx.doi.org/10.3923/ajps.2018.213.221>

1402. Khan WU, Yasin NA, Ahmad SR, Ali A, Ahmad A, Akram W, Faisal M. Role of *Burkholderia cepacia* CS8 in Cd-stress alleviation and phytoremediation by *Catharanthus roseus*. *International Journal of Phytoremediation* 20(6): 581-592, 2018, DOI: 10.1080/15226514.2017.1405378 (WoS/Scopus)

1403. Khanam S, Bauters L, Singh RR, Verbeek R, Haeck A, Sultan SM, Demeestere K, Kyndt T, Gheysen G. Mechanisms of resistance in the rice cultivar Manikpukha to the rice stem nematode *Ditylenchus angustus*. *Molecular plant pathology* 19(6):1391-402, 2018. (WoS/Scopus)

1404. Khoshbakht D, Asghari MR, Haghighi M. Effects of foliar applications of nitric oxide and spermidine on chlorophyll fluorescence, photosynthesis and antioxidant enzyme activities of citrus seedlings under salinity stress. *Photosynthetica* 56(4): 1313-1325, 2018. (WoS/Scopus)

1405. Kiani S, Babaeianjelodar N, Bagheri N, Najafizarrini H. Effect of mannitol stress on morphological, biochemical and polyphenol parameters in broccoli sprouts (*Brassica oleracea* var. *Italica*), *Applied Ecology and Environmental Research* 16(2), 2043-2058, 2018. (WoS/Scopus)

1406. Klein FRS, Reis A, Kleinowski AM, Einhardt AM, Deuner S, Amarante L, Peters JA, Braga EJB. Biochemical activity of plants of the genus *Alternanthera* after UV-C radiation exposure. *Brazilian Journal of Biosciences* 16(2): 37-46, 2018 <http://www.ufrgs.br/seerbio/ojs/index.php/rbb/article/view/3703>

1407. Kohli SK, Handa N, Bali S, Arora S, Sharma A, Kaur R, Bhardwaj R. Modulation of antioxidative defense expression and osmolyte content by co-Application of 24-epibrassinolide and salicylic acid in Pb exposed Indian mustard plants. *Ecotoxicology and Environmental Safety* 147: 382-393, **2018** (WoS/Scopus)
1408. Koodkaew I, Senaphan C, Sengseang N, Suwanwong S. Characterization of phytochemical profile and phytotoxic activity of *Mimosa pigra* L. *Agriculture and Natural Resources* 52(2), 162-168, **2018**, (WoS/Scopus)
1409. Kumar J, Patel A, Tiwari S, Tiwari S, Srivastava PK, Prasad SM. Pretilachlor toxicity is decided by discrete photo-acclimatizing conditions: Physiological and biochemical evidence from *Anabaena* sp. and *Nostoc muscorum*. *Ecotoxicology and Environmental Safety* 156: 344-353, **2018**. (WoS/Scopus)
1410. Kumar J, Singh VP, Prasad SM. An investigation on involvement of the ascorbate-glutathione cycle in modulating NaCl toxicity in two cyanobacteria photoacclimatized to different photosynthetic active radiation. *Algal research* 32: 70-78, **2018**. (WoS/Scopus)
1411. Kumar R, Ashfaq M, Verma N. Synthesis of novel PVA–starch formulation-supported Cu–Zn nanoparticle carrying carbon nanofibers as a nanofertilizer: controlled release of micronutrients. *Journal of Material Science* 53 (10), 7150–7164, **2018**, <https://doi.org/10.1007/s10853-018-2107-9>, (WoS/Scopus)
1412. Kumar S, Sharma P, Misra M, Narayan A. Lead induced root and shoot growth reduction in wheat (*Triticum aestivum* L.) is due to increase in membrane lipid peroxidation. *Journal of Pharmacognosy and Phytochemistry*, SP1, 2080-2083, **2018**. <http://www.phytojournal.com/archives/2018/vol7issue1S/PartAE/SP-7-1-618-575.pdf>
1413. Kumari A, Pandey N, Pandey-Rai S. Exogenous salicylic acid-mediated modulation of arsenic stress tolerance with enhanced accumulation of secondary metabolites and improved size of glandular trichomes in *Artemisia annua* L. *Protoplasma* 255(1), 139-152, **2018** (WoS/Scopus)
1414. Kushwaha U, Shrivastava R, Mishra A. Dust Pollution Effects On The Leaves Anatomy Of *Catharanthus Roseus* And *Nerium Oleander* Growing Along The Road Side Of Rewa City (MP). *The International Journal of Engineering and Science* 7(9), 1-7, **2018**. <http://www.theijes.com/papers/vol7-issue9/Version-2/A0709020107.pdf>
1415. Lahiji AA. Evaluating the Water Quality of Olive Orchards and Negative Effects of Agriculture on Environment. *Asian Journal of Water, Environment and Pollution* 15(2), 171-176, **2018**. (WoS/Scopus)
1416. Li B, Ouyang J, Li C, Shang X, Zou J. Response to NaCl Stress in *Salix matsudana* Koidz Seedlings. *Polish Journal of Environmental Studies* 27(2), 753-762, **2018**. (WoS/Scopus)
1417. Li F, Christensen M, Gao P, Li Y, Duan T. An arbuscular mycorrhizal fungus and *Epichloë festucae* var. *lolii* reduce *Bipolaris sorokiniana* disease incidence and improve perennial ryegrass growth. *Mycorrhiza* 28(2), 159-169, **2018** (WoS/Scopus)
1418. Li F, Zhang H, Zhao H, Gao T, Song A, Jiang J, Chen F, Chen S. Chrysanthemum CmHSFA4 gene positively regulates salt stress tolerance in transgenic chrysanthemum. *Plant Biotechnology Journal* 16(7), 1311-1321, **2018**, <https://doi.org/10.1111/pbi.12871> (WoS/Scopus)
1419. Li L, He X, Sun J, Li C, Ling D, Sheng J, Zheng F, Liu G, Li J, Tang Y, Yi P, Xin M, Li Z, Zhou Z. Responses of Phospholipase D and antioxidant system to mechanical wounding in postharvest banana fruits. *Journal of Food Quality* Vol. 2017, Article ID 8347306, 1-8, **2018**. <https://doi.org/10.1155/2017/8347306>
1420. Li L, Lu X, Ma H, Lyu D-g. Comparative proteomic analysis reveals the roots response to low root-zone temperature in *Malus baccata* *Journal of Plant Research* 131 (5), 865–878, **2018**. <https://doi.org/10.1007/s10265-018-1045-6> (WoS/Scopus)
1421. Li L, Zhang K, Gill R, Islam F, Farooq M, Wang J, Zhou W. Ecotoxicological and interactive effects of copper and chromium on physio-chemical, ultrastructure and molecular profiling in *Brassica napus* L. *BioMed Research International*, Article ID 9248123, **2018** <https://doi.org/10.1155/2018/9248123> (WoS/Scopus)
1422. Li LY, Seifert NA, Xie F, Heger M, Xu Y, Jäger W. A spectroscopic and *ab initio* study of the hydrogen peroxide-formic acid complex: hindering the internal motion of H₂O₂. *Physical Chemistry Chemical Physics* 33: 21345-21351, **2018**. doi: 10.1039/c8cp03342k. (WoS/Scopus)
1423. Li Z, Li Y, Zhang Y, Cheng B, Peng Y, Zhang X, Ma X, Huang L, Yan Y. Indole-3-acetic acid modulates phytohormones and polyamines metabolism associated with the tolerance to water stress in white clover. *Plant Physiology and Biochemistry* 129, 251-263, **2018**. (WoS/Scopus)
1424. Li Z, Peng Y, Huang B. Alteration of transcripts of stress-protective genes and transcriptional factors by γ -aminobutyric acid (GABA) associated with improved heat and drought tolerance in creeping bentgrass (*Agrostis stolonifera*). *International Journal of Molecular Sciences* 19, 1623:1-17, **2018**; doi:10.3390/ijms19061623 (WoS/Scopus)
1425. Lima MD, Junior UD, Batista BL, da Silva Lobato AK. Brassinosteroids mitigate iron deficiency improving nutritional status and photochemical efficiency in *Eucalyptus urophylla* plants. *Trees* 32(6): 1681-1694, **2018**. (WoS/Scopus)
1426. Liu S, Yu Z, Song X, Cao X. Physiological and photosynthetic responses of *Karenia mikimotoi* to the modified clay mitigation method. *Marine Pollution Bulletin* 133:491-499, **2018** doi: 10.1016/j.marpolbul.2018.05.044. (WoS/Scopus)
1427. Liu X, Fu Z, Zhang B, Zhai L, Meng M, Lin J, Zhuang J, Wang GG, Zhang J. Effects of sulfuric, nitric, and mixed acid rain on Chinese fir sapling growth in Southern China. *Ecotoxicology and Environmental Safety* 160:154-161, **2018** (WoS/Scopus)
1428. Liu X, Zhao W, Meng M, Fu Z, Xu L, Zha Y, Yue J, Zhang S, Zhang J. Comparative effects of simulated acid rain of different ratios of SO₄²⁻ to NO₃⁻ on fine root in subtropical plantation of China. *Science of the Total Environment* 618: 336-346, **2018**. (WoS/Scopus)

1429. Madee P, Chantaburee S, Theerakulpisut P, Sanitchon J. Alleviation of salt stress effects on physiology of leaves in two cultivars of pigmented rice by application of spermidine. *Asia-Pacific Journal of Science and Technology* 23(2), Article ID: APST-23-02-06, **2018**. (WoS/Scopus)
1430. Mahjoubi H, Tamari Y, Takeda S, Bouchabké-Coussa O, Hanin M, Herzog E, Schmit A-C, Chabouté M-E, Ebel C. The wheat TdRL1 is the functional homolog of the rice RSS1 and promotes plant salt stress tolerance. *Plant Cell Reports* 37(12): 1625-1637, **2018**. <https://doi.org/10.1007/s00299-018-2333-2> (WoS/Scopus)
1431. Mahjouri S, Movafeghi A, Divband B, Kosari-Nasab M, Kazemi EM. Assessing the toxicity of silver nanoparticles in cell suspension culture of *Nicotiana tabacum*. *Biointerface Research in Applied Chemistry* 8 (3), 3252-3258, **2018**. (WoS/Scopus)
1432. Mahjouri S, Movafeghi A, Divband B, Kosari-Nasab M. Toxicity impacts of chemically and biologically synthesized CuO nanoparticles on cell suspension cultures of *Nicotiana tabacum*. *Plant Cell, Tissue and Organ Culture* 135 (2), 223-234, **2018**. <https://doi.org/10.1007/s11240-018-1458-x> (WoS/Scopus)
1433. Maia CF, Silva BRS, Lobato AKS. Brassinosteroids positively modulate growth: physiological, biochemical and anatomical evidence using two tomato genotypes contrasting to dwarfism. *Journal of Plant Growth Regulation*. 37 (4), 1099–1112, **2018**. <https://doi.org/10.1007/s00344-018-9802-2> (WoS/Scopus)
1434. Marček T, Vuletić MV, Španić V. Biochemical changes in ears of wheat genotypes subjected to *Fusarium* spp. attack. *Acta Biologica Hungarica* 64(4):493-504, **2018**, <https://doi.org/10.1556/018.69.2018.4.10>
1435. Martins AC, Larré CF, Bortolini F, Borella J, Eichholz R, Delias D, Amarante L. Tolerance to drought: adaptation differential between forage species. *Iheringia, Série Botânica, Porto Alegre*, 73(3):228-239, **2018** DOI [10.21826/2446-8231201873302](https://doi.org/10.21826/2446-8231201873302). Source: (WoS/Scopus)
1436. Meena M, Aamir M, Kumar V, Swapnil P, Upadhyay RS. Evaluation of morpho-physiological growth parameters of tomato in response to Cd induced toxicity and characterization of metal sensitive NRAMP3 transporter protein. *Environmental and Experimental Botany* 148: 144-167, **2018**. (WoS/Scopus)
1437. Mehmood S, Saeed DA, Rizwan M, Khan MN, Aziz O, Bashir S, Ibrahim M, Ditta A, Akmal M, Mumtaz MA, Ahmed W. Impact of different amendments on biochemical responses of sesame (*Sesamum indicum* L.) plants grown in lead-cadmium contaminated soil. *Plant Physiology and Biochemistry* 132: 345-355, **2018**. (WoS/Scopus)
1438. Mir MA, Sirhindi G, Alyemeni MN, Alam P, Ahmad P. Jasmonic acid improves growth performance of soybean under nickel toxicity by regulating nickel uptake, redox balance, and oxidative stress metabolism. *Journal of Plant Growth Regulation* 37 (4), 1195–1209, **2018**, <https://doi.org/10.1007/s00344-018-9814-y> (WoS/Scopus)
1439. Mohammadi F, Ghanati F, Sharifi M, Chashmi NA. On the mechanism of the cell cycle control of suspension-cultured tobacco cells after exposure to static magnetic field. *Plant Science* 277, 139-144, **2018**, (WoS/Scopus)
1440. Mohammadi H, Esmailpour M, Ghorbi S, Hatami M. Physiological and biochemical changes in *Matricaria chamomilla* induced by *Pseudomonas fluorescens* and water deficit stress. *Acta agriculturae Slovenica* 111(1), 63-72, **2018**. (WoS/Scopus)
1441. Mohammadi H, Ghorbanpour M, Brestic M. Exogenous putrescine changes redox regulations and essential oil constituents in field-grown *Thymus vulgaris* L. under well-watered and drought stress conditions. *Industrial Crops and Products* 122: 119–132, **2018**, <https://doi.org/10.1016/j.indcrop.2018.05.064> (WoS/Scopus)
1442. Mohammadi H, Hatami M, Feghezadeh K, Ghorbanpour M. Mitigating effect of nano-zerovalent iron, iron sulfate and EDTA against oxidative stress induced by chromium in *Helianthus annuus* L. *Acta Physiologie Plantarum* 40: 69, **2018**, <https://doi.org/10.1007/s11738-018-2647-2> (WoS/Scopus)
1443. Mosa KA, El-Naggar M, Ramamoorthy K, Alawadhi H, Elnaggar A, Wartanian S, Ibrahim E, Hani H. Copper nanoparticles induced genotoxicity, oxidative stress, and changes in superoxide dismutase (sod) gene expression in cucumber (*Cucumis sativus*) plants. *Frontiers in Plant Science* 9, art. No. 872, **2018**. (WoS/Scopus)
1444. Moulick D, Santra SC, Ghosh D. Seed priming with Se mitigates As-induced phytotoxicity in rice seedlings by enhancing essential micronutrient uptake and translocation and reducing As translocation. *Environmental Science and Pollution Research* 25(27): 26978-26991, **2018**. (WoS/Scopus)
1445. Mzid R, Zorrig W, Ben Ayed R, Ben Hamed K, Ayadi M, Damak Y, Lauvergeat V, Hanana M. The grapevine *VvWRKY2* gene enhances salt and osmotic stress tolerance in transgenic *Nicotiana tabacum*. *3 Biotech* 8(6), 277, **2018** <https://doi.org/10.1007/s13205-018-1301-4> (WoS/Scopus)
1446. Naem M, Naem MS, Ahmad R, Ihsan MZ, Ashraf MY, Hussain Y, Fahad S. Foliar calcium spray confers drought stress tolerance in maize via modulation of plant growth, water relations, proline content and hydrogen peroxide activity, *Archives of Agronomy and Soil Science* 64(1), 116-131, **2018** (WoS/Scopus)
1447. Namdjoyan S, Kermanian H, Soorki AA, Tabatabaei SM, Elyasi N. Effects of exogenous salicylic acid and sodium nitroprusside on α -tocopherol and phytochelatin biosynthesis in zinc-stressed safflower plants. *Turkish Journal of Botany* 42(3), 271-279, **2018**. (WoS/Scopus)
1448. Nie W, Wang S, Jing X, Gong B, Wei M, Yang F, Li Y, Shi Q. Effects of exogenous 2,4-epibressinolid on the growth end redox balance of cucumber seed-lines under NaHCO₃ stress. *Chinese Journal of Applied Ecology* 29(3), 899-908, **2018**, <http://www.cjae.net/CN/10.13287/j.1001-9332.201803.024>
1449. Nikraves M, Kholdebarin B, Sattari TN, Najafi F. Ameliorative effects of nitric oxide on oilseed rape (*Brassica napus* L.) under water stress. *Iranian Journal of Science and Technology, Transactions A: Science* 42(1), 289-296, **2018**. (WoS/Scopus)
1450. Novo LAB, Silva EF, Pereira A, Casanova A, González L. The effects of rhenium accumulation on Indian mustard. *Environmental Science and Pollution Research* 25(21), 21243-21250, **2018**.

- 1451.** Patel A, Tiwari S, Prasad SM. Toxicity assessment of arsenate and arsenite on growth, chlorophyll a fluorescence and antioxidant machinery in *Nostoc muscorum*. *Ecotoxicology and Environmental Safety* 157: 369-379, **2018**. (WoS/Scopus)
- 1452.** Pehlivan N, Güler NS, Karaoglu SA. The impact of *Trichoderma* seed priming on drought resistance in tomato plants (*Solanum lycopersicum* L.). *Hacettepe Journal of Biology and Chemistry* 46(2), 263-272, **2018**. <http://hjbc.hacettepe.edu.tr/index.php/hjbc/article/view/116>
- 1453.** Pehlivan N, Güler NS. Protective effect of a naturally on simultaneous mild heat and salt episodes in maize seedlings. *Acta Physiologia Plantarum* 40: 203, **2018**. <https://doi.org/10.1007/s11738-018-2781-x> (WoS/Scopus)
- 1454.** Pehlivan N. Salt stress relief potency of whortleberry extract biopriming in maize. *3 Biotech* 8(2), 89, **2018**. (WoS/Scopus)
- 1455.** Pereira TS, Pereira TS, de Carvalho Souza CLF, Lima EJA, Batista BL, da Silva Lobato AK. Silicon deposition in roots minimizes the cadmium accumulation and oxidative stress in leaves of cowpea plants, *Physiology and Molecular Biology of Plants*, 24(1), 99-114, **2018** (WoS/Scopus)
- 1456.** Perveen S, Iqbal N, Saeed M, Zafar S, Arshad Z - Role of foliar application of sulfur-containing compounds on maize (*Zea mays* L. var. Malka and hybrid DTC) under salt stress. *Brazilian Journal of Botany* 41(4): 805-815, **2018**. <https://doi.org/10.1007/s40415-018-0506-4>
- 1457.** Perveen, S., Nazir, M. Proline treatment induces salt stress tolerance in maize (*Zea mays* L. Cv. Safaid Afgoi). *Pakistan Journal of Botany* 50 (4), 1265-1271, **2018**. (WoS/Scopus)
- 1458.** Peynevandi KM, Razavi SM, Zahri S. The ameliorating effects of polyamine supplement on physiological and biochemical parameters of *Stevia rebaudiana* Bertoni under cold stress. *Plant Prod Sci* 21(2): 123-131, **2018**. (WoS/Scopus)
- 1459.** Phillips K, Majola A, Gokul A, Keyster M, Ludidi N, Egbichi I. Inhibition of NOS-like activity in maize alters the expression of genes involved in H₂O₂ scavenging and glycine betaine biosynthesis. *Scientific Reports* 8, Article number: 12628, **2018** (WoS/Scopus)
- 1460.** Pirzadah TB, Malik B, Tahir I, Irfan QM, Rehman R. Characterization of mercury-induced stress biomarkers in *Fagopyrum tataricum* plants. *International Journal of Phytoremediation* 20(3):225-236, **2018** DOI [10.1080/15226514.2017.1374332](https://doi.org/10.1080/15226514.2017.1374332) (WoS/Scopus)
- 1461.** Pliura A, Jankauskiene J, Lygis V, Suchockas V, Bajerkevičienė G, Verbylaite R. Response of juvenile progeny of seven forest tree species and their populations to simulated climate change-related stressors, heat, elevated humidity and drought. *iForest-Biogeosciences and Forestry* 11(3): 374-388, **2018**. (WoS/Scopus)
- 1462.** Posso DA, Borella J, Reissig GN, Bacarin MA. Root flooding-induced changes in the dynamic dissipation of the photosynthetic energy of common bean plants. *Acta Physiologiae Plantarum* 40(12), 212, **2018**. (WoS/Scopus)
- 1463.** Qiao F, Zhang X-M, Liu X, Chen J, Hu W-J, Liu T-W, Liu J-Y, Zhu C-Q, Ghoto K, Zhu X-Y, Zheng H-L. Elevated nitrogen metabolism and nitric oxide production are involved in *Arabidopsis* resistance to acid rain. *Plant Physiology and Biochemistry* 127: 238-247, **2018** (WoS/Scopus)
- 1464.** Ranjan R, Kumar N, Dubey AK, Gautam A, Pandey SN, Mallick S. Diminution of arsenic accumulation in rice seedlings co-cultured with *Anabaena* sp.: Modulation in the expression of lower silicon transporters, two nitrogen dependent genes and lowering of antioxidants activity. *Ecotoxicology and Environmental Safety* 151(30), 109-117, **2018** (WoS/Scopus)
- 1465.** Rasheed R, Ashraf MA, Kamran S, Iqbal M, Hussain I. Menadione sodium bisulphite mediated growth, secondary metabolism, nutrient uptake and oxidative defense in okra (*Abelmoschus esculentus* Moench) under cadmium stress. *Journal of Hazardous Materials* 360, 604-614, **2018**. (WoS/Scopus)
- 1466.** Rasheed R, Iqbal M, Ashraf MA, Hussain I, Shafiq F, Yousaf A, Zaheer A. Glycine betaine counteracts the inhibitory effects of waterlogging on growth, photosynthetic pigments, oxidative defence system, nutrient composition, and fruit quality in tomato. *The Journal of Horticultural Science and Biotechnology* 93(4):385-91, **2018**, (WoS/Scopus)
- 1467.** Reissig GN, Posso DA, Borella J, Silveira RVD, Rombaldi CV, Bacarin MA. High MT-sHSP23.6 expression increases antioxidant system in 'Micro-Tom' tomato fruits during post-harvest hypoxia. *Scientia Horticulturae* 242: 127-136, **2018** (WoS/Scopus)
- 1468.** Rezayian M, Niknam V, Ebrahimzadeh H. Effects of drought stress on the seedling growth, development, and metabolic activity in different cultivars of canola. *Soil Science and Plant Nutrition* 64 (3), 360-369, **2018**. <https://doi.org/10.1080/00380768.2018.1436407> (WoS/Scopus)
- 1469.** Rezayian M, Niknam V, Ebrahimzadeh H. Penconazole and calcium improves drought stress tolerance and oil quality in canola. *Soil Science and Plant Nutrition* 64(5), 606-615, **2018**, <https://doi.org/10.1080/00380768.2018.1507602> (WoS/Scopus)
- 1470.** Rezayian M, Niknam V, Ebrahimzadeh H. Positive effects of penconazole on growth of *Brassica napus* under drought stress. *Archives of Agronomy and Soil Science* 64(13), 1791-1806, **2018**, <https://doi.org/10.1080/03650340.2018.1458095> (WoS/Scopus)
- 1471.** Riaz M, Wu X, Yan L, Hussain S, Aziz O, Shah A, Jiang C. Boron supply alleviates Al-induced inhibition of root elongation and physiological characteristics in rapeseed (*Brassica napus* L.). *Journal of Plant Interactions* 13:1, 270-276, **2018**, DOI: [10.1080/17429145.2018.1474391](https://doi.org/10.1080/17429145.2018.1474391); <https://doi.org/10.1080/17429145.2018.1474391>

(WoS/Scopus)

- 1472.** Riaz M, Yan L, Wu X, Hussain S, Aziz O, Imran M, Rana MS, Jiang C. Boron reduces aluminum-induced growth inhibition, oxidative damage and alterations in the cell wall components in the roots of trifoliate orange. *Ecotoxicology and Environmental Safety* 153, 107-115, **2018**, <https://doi.org/10.1016/j.ecoenv.2018.02.002> **(WoS/Scopus)**
- 1473.** Riaz M, Yan L, Wu X, Hussain S, Aziz O, Jiang C. Boron deprivation induced inhibition of root elongation is provoked by oxidative damage, root injuries and changes in cell wall structure. *Environmental and Experimental Botany* 156, 74-85, **2018**. <https://doi.org/10.1016/j.envexpbot.2018.08.032> **(WoS/Scopus)**
- 1474.** Riaz M, Yan L, Wu X, Hussain S, Aziz O, Wang Y, Imran M, Jiang C - Boron alleviates the aluminum toxicity in trifoliate orange by regulating antioxidant defense system and reducing root cell injury. *Journal of Environmental Management* 208: 149-158, **2018** **(WoS/Scopus)**
- 1475.** Rizwan M, Mostofa MG, Ahmad MZ, Imtiaz M, Mehmood S, Adeel M, Dai Z, Li Z, Aziz O, Zhang Y, Tu S. Nitric oxide induces rice tolerance to excessive nickel by regulating nickel uptake, reactive oxygen species detoxification and defense-related gene expression. *Chemosphere* 191:23-35, **2018**. **(WoS/Scopus)**
- 1476.** Rudnicka M, Ludynia M, Karcz W. A comparison of the effects of 1, 4-naphthoquinone and 2-hydroxy-1, 4-naphthoquinone (lawsone) on indole-3-acetic acid (IAA)-induced growth of maize coleoptile cells, *Plant Growth Regulation*, 84(1), 107-122, **2018** **(WoS/Scopus)**
- 1477.** Saad RB, Halima NB, Ghorbel M, Zouari N, Romdhane WB, Guiderdoni E, Al-Doss A, Hassairi A. ALSRG1, a novel gene encoding an RRM-type RNA-binding protein (RBP) from *Aeluropus litoralis*, confers salt and drought tolerance in transgenic tobacco. *Environmental and Experimental Botany* 150:25-36, **2018**, **(WoS/Scopus)**
- 1478.** Saad RB, Hsouna AB, Saibi W, Hamed KB, Brini F, Ghneim-Herrera T. A stress-associated protein, LmSAP, from the halophyte *Lobularia maritima* provides tolerance to heavy metals in tobacco through increased ROS scavenging and metal detoxification processes. *Journal of Plant Physiology* 231: 234-243, **2018**. **(WoS/Scopus)**
- 1479.** Sadiq M, Akram NA, Ashraf M. Impact of exogenously applied tocopherol on some key physio-biochemical and yield attributes in mungbean [*Vigna radiata* (L.) Wilczek] under limited irrigation regimes. *Acta Physiologiae Plantarum* 40(7), 131, **2018**. **(WoS/Scopus)**
- 1480.** Saha N, Dutta Gupta S. Promotion of shoot regeneration of *Swertia chirata* by biosynthesized silver nanoparticles and their involvement in ethylene interceptions and activation of antioxidant activity. *Plant Cell Tissue and Organ Culture* 134 (2), 289–300, **2018**, <https://doi.org/10.1007/s11240-018-1423-8> **(WoS/Scopus)**
- 1481.** Sahin U, Ekinci M, Ors S, Turan M, Yildiz S, Yildirim E - Effects of individual and combined effects of salinity and drought on physiological, nutritional and biochemical properties of cabbage (*Brassica oleracea* var. capitata). *Scientia Horticulturae* 240: 196–204, **2018** **(WoS/Scopus)**
- 1482.** Santillán-Sarmiento AR. Effects of Increased Temperature and Copper Excess on the Physiology, Biochemistry and Gene Expression of *Ectocarpus Siliculosus* (Dillwyn) Lyngbye (**Doctoral dissertation, University of Plymouth**), **2018** <https://pearl.plymouth.ac.uk/handle/10026.1/13083>
- 1483.** Santos LR, Batista BL, Lobato AK. Brassinosteroids mitigate cadmium toxicity in cowpea plants. *Photosynthetica* 56(2), 591-605, **2018**. **(WoS/Scopus)**
- 1484.** Santos MO, de Oliveira Silveira HR, de Souza KRD, Lima AA, Boas LVV, Barbosa BCF, Barreto HG, Alves JD, Chalfun-Junior A. Antioxidant system differential regulation is involved in coffee ripening time at different altitudes. *Tropical Plant Biology* 11 (3-4), 131-140, **2018**. <https://doi.org/10.1007/s12042-018-9206-2> **(WoS/Scopus)**
- 1485.** Santos TM, Men de Sá Filho MS, Silva ED, da Silveira MR, de Miranda MR, Lopes MM, Azeredo HM. Enhancing storage stability of guava with tannic acid-crosslinked zein coatings. *Food chemistry* 257: 252-258, **2018**. **(WoS/Scopus)**
- 1486.** Sapre S, Gontia-Mishra I, Tiwari S. *Klebsiella* sp. confers enhanced tolerance to salinity and plant growth promotion in oat seedlings (*Avena sativa*). *Microbiological research* 206, 25-32, **2018**. **(WoS/Scopus)**
- 1487.** Sarisoy U, Seckin Dinler B, Tasci E. The effects of NPR1 dependent salicylic acid change in increasing salt tolerance of soybean leaves by acclimation. *Not Bot Horti Agrobo* 46(2), 356-364, **2018**. DOI:10.15835/nbha46211016, <https://www.notulaeobotanicae.ro> **(WoS/Scopus)**
- 1488.** Seckin-Dinler B, Tasci E, Sarisoy U, Gul V. The cooperation between methyl jasmonate and salicylic acid to protect soybean (*Glycine max* L.) from salinity. *Ferensius Environmental Buletin* 27(3): 1618-1626, **2018**. https://www.researchgate.net/publication/331771930_The_Cooperation_Between_Methyl_Jasmonate_and_Salicylic_Acid_to_Protect_Soybean_Glycine_max_L_From_Salinity
- 1489.** Sezgin A, Altuntaş C, Sağlam A, Terzi R, Demiralay M, Kadioğlu A. Absciscic acid cross-talking with hydrogen peroxide and osmolyte compounds may regulate the leaf rolling mechanism under drought. *Acta Physiologiae Plantarum* 40:141, **2018**, <https://doi.org/10.1007/s11738-018-2716-6> **(WoS/Scopus)**
- 1490.** Shahbaz AK, Iqbal M, Jabbar A, Hussain S, Ibrahim M. Assessment of nickel bioavailability through chemical extractants and red clover (*Trifolium pratense* L.) in an amended soil: Related changes in various parameters of red clover. *Ecotoxicology and Environmental Safety* 149: 116-127, **2018**. **(WoS/Scopus)**
- 1491.** Shahbaz AK, Lewinska K, Iqbal J, Ali Q, Mahmood-ur-Rahman , Iqbal M, Abbas F, Tauqeer HM, Ramzani PMA. Improvement in productivity, nutritional quality, and antioxidative defense mechanisms of sunflower (*Helianthus annuus* L.) and maize (*Zea mays* L.) in nickel contaminated soil amended with different biochar and

zeolite ratios. *Journal of Environmental Management* 218: 256-270, **2018** (WoS/Scopus)

1492. Shaukat K, Wahid A, Basra SMA. Alterations in oxidants and photosynthetic pigments as possible determinants of cross-local adaptability potential in two lemongrass (*Cymbopogon citratus*) populations. *Pak J Agri Sci* 55(2): 463-473, **2018** (WoS/Scopus)

1493. Siddiqui MH, Alamri SA, Al-Khaishany MY, Al-Qutami MA, Ali HM. Ascorbic Acid Application Improves Salinity Stress Tolerance in Wheat. *Chiang Mai Journal of Science* 45(3): 1296-1306, **2018**, (WoS/Scopus)

1494. Sidhu GP, Bali AS, Singh HP, Batish DR, Kohli RK. Ethylenediamine disuccinic acid enhanced phytoextraction of nickel from contaminated soils using *Coronopus didymus* (L.) Sm. *Chemosphere* 205: 234-243, **2018**. (WoS/Scopus)

1495. Sidhu GPS, Bali AS, Bhardwaj R, Singh HP, Batish DR, Kohli RK. Bioaccumulation and physiological responses to lead (Pb) in *Chenopodium murale* L. *Ecotoxicology and Environmental Safety* 151: 83-90, **2018**. (WoS/Scopus)

1496. Silva ER. Alelopatia: um possível fator relevante em comunidades vegetais campestres e um caminho alternativo no manejo de plantas daninhas? **PhD Thesis**, Universidade Federal do Rio Grande do Sul, Instituto Debiociências, Brasil, **2018**.

1497. Silva JR, Fernandes AR, Junior MS, Santos CR, Lobato AK. Tolerance mechanisms in *Cassia alata* exposed to cadmium toxicity—potential use for phytoremediation. *Photosynthetica* 56(2): 495-504, **2018**. (WoS/Scopus)

1498. Singh A, Prasad SM, Singh S. Impact of nano ZnO on metabolic attributes and fluorescence kinetics of rice seedlings. *Environmental Nanotechnology, Monitoring & Management* 9, 42-49, **2018**. (WoS/Scopus)

1499. Singh P, Prasad SM. Antioxidant enzyme responses to the oxidative stress due to chlorpyrifos, dimethoate and dieldrin stress in palak (*Spinacia oleracea* L.) and their toxicity alleviation by soil amendments in tropical croplands. *Science of the Total Environment* 630: 839-848, **2018**. (WoS/Scopus)

1500. Singh R, Parihar P, Prasad SM. Simultaneous exposure of sulphur and calcium hinder As toxicity: Up-regulation of growth, mineral nutrients uptake and antioxidants system. *Ecotoxicology and Environmental Safety* 161:318-331, **2018**; doi: [10.1016/j.ecoenv.2018.05.060](https://doi.org/10.1016/j.ecoenv.2018.05.060). (WoS/Scopus)

1501. Singh R, Rathore D. Oxidative stress defence responses of wheat (*Triticum aestivum* L.) and chilli (*Capsicum annum* L.) cultivars grown under textile effluent fertilization. *Plant Physiology and Biochemistry* 123, 342-358, **2018** (WoS/Scopus)

1502. Singh R, Upadhyay AK, Chandra P, Singh DP. Sodium chloride incites reactive oxygen species in green algae *Chlorococcum humicola* and *Chlorella vulgaris*: Implication on lipid synthesis, mineral nutrients and antioxidant system. *Bioresource technology* 270: 489-497, **2018**. (WoS/Scopus)

1503. Singh R, Upadhyay AK, Singh DP. Regulation of oxidative stress and mineral nutrient status by selenium in arsenic treated crop plant *Oryza sativa*. *Ecotoxicology and Environmental Safety* 148: 105-113, **2018**. (WoS/Scopus)

1504. Singh S, Singh A, Srivastava PK, Prasad SM. Cadmium toxicity and its amelioration by kinetin in tomato seedlings *vis-à-vis* ascorbate-glutathione cycle. *Journal of Photochemistry & Photobiology, B: Biology* 178, 76-84, **2018** (WoS/Scopus)

1505. Souri Z, Karimi N. Interactive of arsenate and phosphate on arsenic-induced oxidative stress in root of *Isatis cappadocica* Desv. *Journal of Plant Process and Function* 7(25), 49-57, **2018**. <https://jispp.iut.ac.ir/article-1-917-fa.pdf>

1506. Tavallali V, Karimi S, Espargham O. Boron enhances antioxidative defense in the leaves of salt-affected *pistacia vera* seedlings. *The Horticulture Journal* 87(1), 55-62, **2018**. (WoS/Scopus)

1507. Terzi R, Saruhan Güler N, Güven FG, Kadioğlu A. Alpha lipoic acid treatment induces the antioxidant system and ameliorates lipid peroxidation in maize seedlings under osmotic stress. *Archives of Biological Sciences* 70(3), 503-511, **2018** (WoS/Scopus)

1508. Tiwari S, Patel A, Prasad SM. Kinetin alleviates chromium toxicity on growth and PS II photochemistry in *Nostoc muscorum* by regulating antioxidant system. *Ecotoxicology and Environmental Safety* 161: 296-304, **2018**. (WoS/Scopus)

1509. Torabian S, Farhangi-Abriz S, Rathjen J. Biochar and lignite affect H⁺-ATPase and H⁺-PPase activities in root tonoplast and nutrient contents of mung bean under salt stress. *Plant Physiology and Biochemistry* 129, 141-149, **2018**. (WoS/Scopus)

1510. Torabian S, Farhangi-Abriz S, Zahedi M. Efficacy of FeSO₄ nano formulations on osmolytes and antioxidative enzymes of sunflower under salt stress. *Indian Journal of Plant Physiology* 23(2), 305-315, **2018**, DOI: [10.1007/s40502-018-0366-8](https://doi.org/10.1007/s40502-018-0366-8) (WoS/Scopus)

1511. Trivedi K, Anand KGV, Vaghela P, Ghosh A. Differential growth, yield and biochemical responses of maize to the exogenous application of *Kappaphycus alvarezii* seaweed extract, at grainfilling stage under normal and drought conditions. *Algal Research* 35:236-244, **2018**, <https://doi.org/10.1016/j.algal.2018.08.027> (WoS/Scopus)

1512. Trivedi K, Anand KV, Kubavat D, Patidar R, Ghosh A. Drought alleviatory potential of *Kappaphycus* seaweed extract and the role of the quaternary ammonium compounds as its constituents towards imparting drought tolerance in *Zea mays* L. *Journal of Applied Phycology* 30(3): 2001-2015, **2018**. (WoS/Scopus)

1513. Tůmová L, Tarkowská D, Řehořová K, Marková H, Kočová M, Rothová O, Čečetka P, Holá H. Drought-tolerant and drought-sensitive genotypes of maize (*Zea mays* L.) differ in contents of endogenous brassinosteroids

and their drought-induced changes. *PLoS ONE* 13(5): e0197870, 2018. <https://doi.org/10.1371/journal.pone.0197870> (WoS/Scopus)

1514. Turfan N, Alay M, Sariyildiz T. Effect of tree age on chemical compounds of ancient Anatolian black pine (*Pinus nigra* subsp. *pallasiana*) needles in Northwest Turkey. *iForest* 11: 406-410, 2018. doi: 10.3832/for2665-011 (WoS/Scopus)

1515. Turfan N, Mutlu E. Determination of Resistance Cumhuriyet-75 and Selimiye-95 Wheat (*Triticum aestivum* L.) Varieties Against to Some Abiotic Stress Factories. *Turkish Journal of Agriculture-Food Science and Technology* 6(7), 923-929, 2018.

1516. Turfan N. Determination of reactions of Cumhuriyet-75 and Selimiye-95 wheat (*Triticum aestivum* L.) varieties seeds to salt, heavy metal and lime treatments. *Fresenius Environmental Bulletin* 27(12B), 9962-9971, 2018. https://www.prt-parlar.de/download_feb_2018/. (WoS/Scopus)

1517. Turk H, Erdal S, Karayel U, Dumlupinar R. Attenuation of lead toxicity by promotion of tolerance mechanism in wheat roots by lipoic acid. *Cereal Research Communications* 46(3), 424-435, 2018. (WoS/Scopus)

1518. Ulhassan Z, Ali S, Gill RA, Mwamba TM, Abid M, Li L, Zhang N, Zhou W. Comparative orchestrating response of four oilseed rape (*Brassica napus*) cultivars against the selenium stress as revealed by physio-chemical, ultrastructural and molecular profiling. *Ecotoxicology and Environmental Safety* 161:634-647, 2018 (WoS/Scopus)

1519. Umar M, Siddiqui ZS. Physiological performance of sunflower genotypes under combined salt and drought stress environment. *Acta Botanica Croatica* 77(1), 36-44, 2018. (WoS/Scopus)

1520. Wang C, Pi L, Jiang S, Yang M, Shu C, Zhou E. ROS and trehalose regulate sclerotial development in *Rhizoctonia solani* AG-1 IA. *Fungal Biology* 122:322-332, 2018 (WoS/Scopus)

1521. Wang G, Zhang S, Zhong Q, Peijnenburg WJ, Vijver MG. Feasibility of Chinese cabbage (*Brassica bara*) and lettuce (*Lactuca sativa*) cultivation in heavily metals- contaminated soil after washing with biodegradable chelators. *Journal of Cleaner Production* 197, 479-490, 2018. (WoS/Scopus)

1522. Wang J, Nan Z, Christensen MJ, Li C. Glucose-6-phosphate dehydrogenase plays a vital role in *Achnatherum inebrians* plants host to *Epichloë gansuensis* by improving growth under nitrogen deficiency. *Plant and Soil* 430(1-2):37-48, 2018. (WoS/Scopus)

1523. Wang R, Bai N, Xu S, Zhuang G, Bai Z, Zhao Z, Zhuang X. The adaptability of a wetland plant species *Myriophyllum aquaticum* to different nitrogen forms and nitrogen removal efficiency in constructed wetlands. *Environmental Science and Pollution Research Int.* 25(8), 7785-7795, 2018 <https://doi.org/10.1007/s11356-017-1058-z> (WoS/Scopus)

1524. Wang Y-X, Hu Y, Chen B-H, Zhu Y-F, Dawuda MM, Svetla S. Physiological mechanisms of resistance to cold stress associated with 10 elite apple rootstocks. *Journal of Integrative Agriculture* 17 (4), 857-866, 2018. (WoS/Scopus)

1525. Wu J, Mock HP, Mühling KH. Sulfate supply enhances cadmium tolerance in *Vicia faba* L. plants. *Environmental Science and Pollution Research* 25 (33), 33794–33805, 2018. (WoS/Scopus)

1526. Wu M, Luo Q, Zhao Y, Long Y, Liu S, Pan Y. Physiological and biochemical mechanisms preventing Cd toxicity in the new hyperaccumulator *Abelmoschus manihot*. *Journal of Plant Growth Regulation* 37(3): 709-718, 2018. (WoS/Scopus)

1527. Xu HX, Li XY, Xu CJ, Chen JW. Overexpression of loquat dehydrin gene *EjDHN1* promotes cold tolerance in transgenic tobacco. *Russian Journal Plant Physiology* 65(1): 69-77, 2018, <https://doi.org/10.1134/S102144371801020X> (WoS/Scopus)

1528. Yadav SK, Tiwari YK, Singh V, Patil AA, Shanker AK, Lakshmi NJ, Vanaja M, Maheswari M. Physiological and Biochemical Basis of Extended and Sudden Heat Stress Tolerance in Maize. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences* 88(1), 249-263, 2018. (WoS/Scopus)

1529. Yadu B, Chandrakar V, Korram J, Satnami ML, Kumar M, Keshavkant S. Silver nanoparticle modulates gene expressions, glyoxalase system and oxidative stress markers in fluoride stressed *Cajanus cajan* L. *Journal of Hazardous Materials* 353: 44-52, 2018, doi: 10.1016/j.jhazmat.2018.03.061. (WoS/Scopus)

1530. Yadu B, Chandrakar V, Meena RK, Poddar A, Keshavkant S. Spermidine and Melatonin Attenuate Fluoride Toxicity by Regulating Gene Expression of Antioxidants in *Cajanus cajan* L. *Journal of Plant Growth Regulation* 37 (4), 1113–1126, 2018. (WoS/Scopus)

1531. Yan K, Bian T, He W, Han G, Lv M, Guo M, Lu M. Root Absciscic Acid Contributes to Defending Photoinhibition in Jerusalem Artichoke (*Helianthus tuberosus* L.) under Salt Stress. *International Journal of Molecular Sciences* 19(12):3934, 2018. (WoS/Scopus)

1532. Yari S, Karamian R, Asadbegy M, Hoseini E, Moazzami Farida SH. The protective effects of *Arctium lappa* L. Extract on testicular injuries induced by ethanol in rats. *Andrologia* 50(9), e13086, 2018. (WoS/Scopus)

1533. Yasin NA, Khan WU, Ahmad SR, Ali A, Ahmed S, Ahmad A. Effect of *Bacillus fortis* 162 on Growth, Oxidative Stress Tolerance and Phytoremediation Potential of *Catharanthus roseus* under Chromium Stress. *International Journal of Agriculture and Biology* 20(7): 1513-1522, 2018. (WoS/Scopus)

1534. Yasmeen R, Siddiqui ZS. Ameliorative effects of *Trichoderma harzianum* on monocot crops under hydroponic saline environment. *Acta Physiologia Plantarum* 40: 4, 2018, <https://doi.org/10.1007/s11738-017-2579-2> (WoS/Scopus)

1535. Yasumoto K, Sakata T, Yasumoto J, Yasumoto-Hirose M, Sato SI, Mori-Yasumoto K, Jimbo M, Kusumi T, Watabe S. Atmospheric CO₂ captured by biogenic polyamines is transferred as a possible substrate to Rubisco

- for the carboxylation reaction. *Scientific Reports* 8(1), Article number: 17724, **2018**. (WoS/Scopus)
- 1536.** Yildizli A, Çevik S, Ünyayar S. Effects of exogenous *myo*-inositol on leaf water status and oxidative stress of *Capsicum annuum* under drought stress. *Acta Physiologia Plantarum*, 40: 122, **2018** <https://doi.org/10.1007/s11738-018-2690-z> (WoS/Scopus)
- 1537.** Yu B, Yan S, Zhou H, Dong R, Lei J, Chen C, Cao B. Overexpression of CsCaM3 improves high temperature tolerance in cucumber. *Frontiers in Plant Science* 9:797, **2018**. doi: 10.3389/fpls.2018.00797 (WoS/Scopus)
- 1538.** Yun J, Woo ER, Lee DG. Effect of isoquercitrin on membrane dynamics and apoptosis-like death in *Escherichia coli*. *Biochimica et Biophysica Acta (BBA)-Biomembranes* 1860(2): 357-563, **2018**. (WoS/Scopus)
- 1539.** Zahra N, Mahmood S, Raza ZA. Salinity stress on various physiological and biochemical attributes of two distinct maize (*Zea mays* L.) genotypes. *Journal of Plant Nutrition* 41(11), 1368-1380, **2018**. (WoS/Scopus)
- 1540.** Zaid A, Mohammad F. Methyl jasmonate and nitrogen interact to alleviate cadmium stress in mentha arvensis by regulating physio-biochemical damages and ros detoxification. *Journal of Plant Growth Regulation* 37 (4), 1331–1348, **2018**, <https://doi.org/10.1007/s00344-018-9854-3> (WoS/Scopus)
- 1541.** Zhan LP, Peng DL, Wang XL, Kong LA, Peng H, Liu SM, Liu Y, Huang WK. Priming effect of root-applied silicon on the enhancement of induced resistance to the root-knot nematode *Meloidogyne graminicola* in rice. *BMC Plant Biology* 18(1):50, **2018**, <https://doi.org/10.1186/s12870-018-1266-9> (WoS/Scopus)
- 1542.** Zhang CL, Mao K, Zhou LJ, Wang GL, Zhang YL, Li YY, Hao YJ. Genome-wide identification and characterization of apple long-chain Acyl-CoA synthetases and expression analysis under different stresses. *Plant Physiology and Biochemistry* 132: 320-332, **2018**. (WoS/Scopus)
- 1543.** Zhang Y, Li Z, Li YP, Zhang XQ, Ma X, Huang LK, Yan YH, Peng Y. Chitosan and spermine enhance drought resistance in white clover, associated with changes in endogenous phytohormones and polyamines, and antioxidant metabolism. *Functional Plant Biology* 45(12): 1205-1222, **2018**. (WoS/Scopus)
- 1544.** Zhang Y, Zhou Y, Zhang X, Duan T, Nan Z. Effects of *Epichloë* endophyte on antioxidant enzymes activities, photosynthesis and growth of three ecotypes of *Elymus dahuricus*. *Front. Agr. Sci. Eng.* 5(1): 148–158, **2018**, <https://doi.org/10.15302/J-FASE-2017195> (WoS/Scopus)
- 1545.** Zhang ZW, Li MX, Huang B, Feng LY, Wu F, Fu YF, Zheng XJ, Peng HQ, Chen YE, Yang HN, Wu LT. Nitric oxide regulates chlorophyllide biosynthesis and singlet oxygen generation differently between *Arabidopsis* and barley. *Nitric Oxide* 76: 6-15, **2018**. (WoS/Scopus)
- 1546.** Белоциценко ЕС, Яковлева ИМ. Вклад кратковременного термостресса в регуляцию окислительных и антиоксидантных процессов у красных водорослей японского моря. In: Mechanisms of resistance of plants and microorganisms to unfavorable environmental Book of Proceedings of the Annual Meeting Society of Plant Physiologists of Russia, **2018** (pp. 130-134), Издательство Института географии им. В.Б. Сочавы СО РАН.
- 1547.** Aalipour H, Nikbakht A, Etemadi N. Co-inoculation of Arizona cypress with arbuscular mycorrhiza fungi and *Pseudomonas fluorescens* under fuel pollution. *Mycorrhiza* 29(3):277-289, **2019**. <https://doi.org/10.1007/s00572-019-00888-0> Source: Web of Science
- 1548.** Abd El-Aal MMM, El-Anany AMA, Rizk SM. Rationalization of water consumption for taro plant through the rationing of irrigation and expand the plant ability to resist stress conditions. *International Journal of Plant & Soil Science* 29(4): 1-23, **2019**; Article no.IJPSS.50956. DOI: 10.9734/IJPSS/2019/v29i430149.
- 1549.** Abd-Allah EF, Hashem A, Alam P, Ahmad P. Silicon alleviates nickel-induced oxidative stress by regulating antioxidant defense and glyoxalase systems in mustard plants. *Journal of Plant Growth Regulation* 38(4):1260-1273, **2019**. <https://doi.org/10.1007/s00344-019-09931-y>. (WoS/Scopus)
- 1550.** Abdi N, Ltaief B, Hemissi I, Bouraoui M, Sifi B. Oxidative stress in pea (*Pisum sativum* L.)-Rhizobia symbiosis is induced under conditions of salt stress. *Journal of Agricultural Science and Technology* 21(4): 957-968, **2019**. Source: (WoS/Scopus)
- 1551.** Abdul Waheed Shah M. Effect of plant-derived smoke solution on physiological and biochemical characterization of maize (*Zea mays* L.) under salt stress. (Doctoral dissertation, Kohat University of Science & Technology, Kohat), **2019**. <http://pr.hec.gov.pk/jspui/handle/123456789/10226>. PhD Thesis
- 1552.** Ahanger MA, Qin C, Begum N, Maodong Q, Dong XX, El-Esawi M, El-Sheikh MA, Alatar AA, Zhang L. Nitrogen availability prevents oxidative effects of salinity on wheat growth and photosynthesis by up-regulating the antioxidants and osmolytes metabolism, and secondary metabolite accumulation. *BMC Plant Biology* 19:479, **2019**. <https://doi.org/10.1186/s12870-019-2085-3>. (WoS/Scopus)
- 1553.** Ahanger MA, Qin C, Maodong Q, Dong XX, Ahmad P, Abd Allah EF, Zhang L. Spermine application alleviates salinity induced growth and photosynthetic inhibition in *Solanum lycopersicum* by modulating osmolyte and secondary metabolite accumulation and differentially regulating antioxidant metabolism. *Plant Physiology and Biochemistry* 144, 1-13, **2019**. <https://doi.org/10.1016/j.plaphy.2019.09.021>. Source: (WoS/Scopus)
- 1554.** Ahmad P, Ahanger MA, Alam P, Iyemeni MN, Wijaya L, Ali S, Ashraf M. Silicon (Si) supplementation alleviates NaCl toxicity in mung bean [*Vigna radiata* (L.) Wilczek] through the modifications of physio-biochemical attributes and key antioxidant enzymes. *Journal of Plant Growth Regulation* 38(1):70-82, **2019**, <https://doi.org/10.1007/s00344-018-9810-2>. Source: (WoS/Scopus)
- 1555.** Ahmad S, Kamran M, Ding R, Meng X, Wang H, Ahmad I, Fahad S, Han Q. Exogenous melatonin confers drought stress by promoting plant growth, photosynthetic capacity and antioxidant defense system of maize seedlings. *PeerJ* 7:e7793, **2019**. <http://doi.org/10.7717/peerj.7793> (WoS/Scopus)

- 1556.** Ait-El-Mokhtar M, Laouane RB, Anli M, Boutasknit A, Wahbi S, Meddich A. Use of mycorrhizal fungi in improving tolerance of the date palm (*Phoenix dactylifera* L.) seedlings to salt stress. *Scientia Horticulturae* 253, 429-438, 2019. <https://doi.org/10.1016/j.scienta.2019.04.066>. **Source: (WoS/Scopus)**
- 1557.** Alam P, Albalawi TH, Altalayan FH, Bakht MA, Ahanger MA, Raja V, Ashraf M, Ahmad P. 24-Epibrassinolide (EBR) confers tolerance against NaCl stress in soybean plants by up-regulating antioxidant system, ascorbate-glutathione cycle, and glyoxalase system. *Biomolecules* 9(11):640, 2019. <https://doi.org/10.3390/biom9110640>. **(WoS/Scopus)**
- 1558.** Alamri SA, Siddiqui MH, Al-Khaishany MY, Khan MN, Ali HM, Alakeel KA. Nitric oxide-mediated cross-talk of proline and heat shock proteins induce thermotolerance in *Vicia faba* L. *Environmental and Experimental Botany* 161:290-302, 2019. <https://doi.org/10.1016/j.envexpbot.2018.06.012> **(WoS/Scopus)**
- 1559.** Alhaithloul HAS. Impact of combined heat and drought stress on the potential growth responses of the desert grass *Artemisia sieberi* alba: relation to biochemical and molecular adaptation. *Plants* 8, 416, 2019, [doi:10.3390/plants8100416](https://doi.org/10.3390/plants8100416) **Source: Web of Science**
- 1560.** Alharby HF, Al-Zahrani HS, Hakeem KR, UL Rehman R, Iqbal M. Salinity-induced antioxidant enzyme system in mungbean [*Vigna radiata* (L.) Wilczek] cv.) genotypes. *Pakistan Journal of Botany* 51(4):1191-1198, 2019. [http://dx.doi.org/10.30848/PJB2019-4\(13\)](http://dx.doi.org/10.30848/PJB2019-4(13)) **(WoS/Scopus)**
- 1561.** Ali MA, Mosa KA, El-Keblawy A, Alawadhi H. Exogenous production of silver nanoparticles by *Tephrosia apollinea* living plants under drought stress and their antimicrobial activities. *Nanomaterials* 9, art. ID 1716, 2019. [doi:10.3390/nano9121716](https://doi.org/10.3390/nano9121716). **(WoS/Scopus)**
- 1562.** Ali Q, Ali S, Iqbal N, Javed MT, Rizwan M, Khaliq R, Shahid S, Perveen R, Alamri SA, Alyemeni MN, Wijaya L, Ahmad P. Alpha-tocopherol fertigation confers growth physio-biochemical and qualitative yield enhancement in field grown water deficit wheat (*Triticum aestivum* L.). *Scientific Reports* 9:12924, 2019. <https://doi.org/10.1038/s41598-019-49481-7>. **(WoS/Scopus)**
- 1563.** Ali S, Khan AS, Anjum MA, Nawaz A, Naz S, Ejaz S, Hussain S. Effect of postharvest oxalic acid application on enzymatic browning and quality of lotus (*Nelumbo nucifera* Gaertn.) root slices. *Food Chemistry* 312, 126051, 2019. <https://doi.org/10.1016/j.foodchem.2019.126051>. **Source: (WoS/Scopus)**
- 1564.** Almeida LG, Silva DM, Jorge AD, Souza KR, Guilherme LR, Alves JD. Synergy between cadmium and zinc in bean plants cultivated in multi contaminated soils. *Acta Scientiarum. Agronomy* 41, e35829, 2019. <http://dx.doi.org/10.4025/actasciagron.v41i1.35829>. **Source: (WoS/Scopus)**
- 1565.** Al-Mentafji HNH, Al-Arkawazi ALA. Stimulation of the antioxidant system by the effect of vitamin C in the apical meristematic tissue affected by water stress. *Biochemical and Cellular Archives* 19(2):3961-3967, 2019. <https://DOI:10.35124/bca.2019.19.2.3961>. **(WoS/Scopus)**
- 1566.** AlQuraidei AO, Mosa KA, Ramamoorthy K. Phytotoxic and genotoxic effects of copper nanoparticles in coriander (*Coriandrum sativum* Apiaceae). *Plants* 8, art. No 19, 2019; [doi:10.3390/plants8010019](https://doi.org/10.3390/plants8010019) **Source: Web of Science**
- 1567.** Altuntaş C, Sezgin A, Demiralay M, Terzi R, Sağlam A, Kadioğlu A. Application of sucrose modulates the expressions of genes involved in proline and polyamine metabolism in maize seedlings exposed to drought. *Biologia Plantarum* 63: 247-252, 2019 DOI: 10.32615/bp.2019.028 **Source: Web of Science and (WoS/Scopus)**
- 1568.** Alzahrani Y, Rady MM. Compared to antioxidants and polyamines, the role of maize grain-derived organic biostimulants in improving cadmium tolerance in wheat plants. *Ecotoxicology and Environmental Safety* 182, 109378, 2019. <https://doi.org/10.1016/j.ecoenv.2019.109378>. **(WoS/Scopus)**
- 1569.** Anikó M. Az antioxidáns válaszok előhangolása (priming) megváltoztatja a növények abiotikus és biotikus stresszreakcióit, **PhD Thesis**, Pécsi Tudományegyetem, Biológiai és Sportbiológiai Doktori Iskola, 2019. <http://pea.lib.pte.hu/handle/pea/19464>.
- 1570.** Arshad M, Iqbal M, Ashraf MY, Ali Q, Iqbal N. Exogenous sodium nitroprusside increases antioxidative potential and grain yield of bread wheat exposed to cadmium. *Pakistan Journal of Botany* 51(2): 409-420, 2019. DOI: 10.30848/PJB2019-2(4). **(WoS/Scopus)**
- 1571.** Arshad M. Modulation of Cadmium Toxicity in Wheat by Foliar Application of Sodium Nitroprusside (Doctoral dissertation, Government College University, Faisalabad), 2019. <http://pr.hec.gov.pk/jspui/handle/123456789/11038>. **PhD Thesis**
- 1572.** Arshad T, Wahid A, Tanwir S. Medium supplementation of thiourea orchestrates the metabolites levels to diminish the oxidative damage in hybrid maize. *International Journal of Agriculture and Biology* 21(3), 606-614, 2019. DOI: 10.17957/IJAB/15.0935. **Source: (WoS/Scopus)**
- 1573.** Ashraf MA, Asma HF, Iqbal M. Exogenous menadione sodium bisulfite mitigates specific ion toxicity and oxidative damage in salinity-stressed okra (*Abelmoschus esculentus* Moench). *Acta Physiologiae Plantarum* 41:187, 2019. <https://doi.org/10.1007/s11738-019-2978-7>. **(WoS/Scopus)**
- 1574.** Ayadi M, Brini F, Masmoudi K. Overexpression of a wheat aquaporin gene, TdPIP2;1, enhances salt and drought tolerance in transgenic durum wheat cv. Maali. *International Journal of Molecular Sciences* 20, 2389, 2019 **(WoS/Scopus)**
- 1575.** Ayala-Mata F, Barrera-Mendoza CC, Cortés-Rojas C, del Carmen Montoya-Pérez R, García-Pérez ME, Rodríguez-Orozco AR. Antioxidantes en asma: polifenoles. *Medicina Interna de México* 35(2). 223-234, 2019. <https://doi.org/10.24245/mim>. **Source: (WoS/Scopus)**
- 1576.** Bali S, Jamwal VL, Kaur P, Kohli SK, Ohri P, Gandhi SG, Bhardwaj R, Al-Huqail AA, Siddiqui MH, Ahmad P. Role of P-type ATPase metal transporters and plant immunity induced by jasmonic acid against lead (Pb)

- toxicity in tomato. *Ecotoxicology and Environmental Safety* 174:283-294, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.02.084>. (WoS/Scopus)
- 1577.** Banerjee A, Roychoudhury A, Ghosh P. Differential fluoride uptake induces variable physiological damage in a non-aromatic and an aromatic indica rice cultivar. *Plant Physiology and Biochemistry* 142, 143-150, **2019**. <https://doi.org/10.1016/j.plaphy.2019.06.034> (WoS/Scopus)
- 1578.** Banerjee A, Roychoudhury A. Differential regulation of defence pathways in aromatic and non-aromatic indica rice cultivars towards fluoride toxicity. *Plant Cell Reports* 38(10):1217-1233, **2019**. <https://doi.org/10.1007/s00299-019-02438-6> (WoS/Scopus)
- 1579.** Banerjee A, Roychoudhury A. Melatonin application reduces fluoride uptake and toxicity in rice seedlings by altering abscisic acid, gibberellin, auxin and antioxidant homeostasis. *Plant Physiology and Biochemistry* 145:164-173, **2019**. (WoS/Scopus)
- 1580.** Banerjee A, Singh A, Roychoudhury A. Spermidine application reduces fluoride uptake and ameliorates physiological injuries in a susceptible rice cultivar by activating diverse regulators of the defense machinery. *Environmental Science and Pollution Research* 26(36):36598-36614, **2019**. <https://doi.org/10.1007/s11356-019-06711-9>. (WoS/Scopus)
- 1581.** Bawa G, Feng L, Yan L, Du Y, Shang J, Sun X, Wang X, Yu L, Liu C, Yang W. Pre-treatment of salicylic acid enhances resistance of soybean seedlings to *Fusarium solani*. *Plant Molecular Biology* 101(3):315-323, **2019**. <https://doi.org/10.1007/s11103-019-00906-x>. (WoS/Scopus)
- 1582.** Begum N, Ahanger MA, Su Y, Lei Y, Mustafa NSA, Ahmad P, Zhang L. Improved drought tolerance by amf inoculation in maize (*Zea mays*) involves physiological and biochemical implications. *Plants - Basel* 8, 579, **2019**. doi:10.3390/plants8120579. (WoS/Scopus)
- 1583.** Behera S, Mishra PC, Ghosh S, Goswami C, Mallick B. Microscopic observation of acid rain induced *Bacopa monnieri* L. *Microscopy Research* 7, 11-25, **2019**. <https://doi.org/10.4236/mr.2019.72002>
- 1584.** Bernacki MJ, Czarnocka W, Rusaczek A, Witoń D, Kęska S, Czyż J, Szechyńska-Hebda M, Karpiński S. LSD1, EDS1 and PAD4-dependent conditional correlation among salicylic acid, hydrogen peroxide, water use efficiency, and seed yield in *Arabidopsis thaliana*. *Physiologia Plantarum* 165(2):369-382, **2019** <https://doi.org/10.1111/ppl.12863> (WoS/Scopus)
- 1585.** Beshamgan ES, Sharifi M, Zarinkamar F. Crosstalk among polyamines, phytohormones, hydrogen peroxide, and phenylethanoid glycosides responses in *Scrophularia striata* to Cd stress. *Plant Physiology and Biochemistry* 143:129-141, **2019**. doi: 10.1016/j.plaphy.2019.08.028. (WoS/Scopus)
- 1586.** Bian Z, Zhang X, Wang Y, Lu C. Improving drought tolerance by altering the photosynthetic rate and stomatal aperture via green light in tomato (*Solanum lycopersicum* L.) seedlings under drought conditions. *Environmental and Experimental Botany* 167, art. 103844, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103844>. (WoS/Scopus)
- 1587.** Bibi S, Khan S, Taimur N, Daud MK, Azizullah A. Responses of morphological, physiological, and biochemical characteristics of maize (*Zea mays* L.) seedlings to atrazine stress. *Environmental Monitoring and Assessment* 191(12):717, **2019**. DOI: 10.1007/s10661-019-7867-4 (WoS/Scopus)
- 1588.** Bicalho EM, Silva dos Santos TR, Garcia QS. Abscissic acid and the antioxidant system are involved in germination of *Butia capitata* seeds. *Acta Botanica Brasilica* 33(1):174-178, **2019**. <http://dx.doi.org/10.1590/0102-33062018abb0193>. (WoS/Scopus)
- 1589.** Borella J, Becker R, Lima MC, Oliveira DD, Braga EJ, Oliveira AC, Amarante LD. Nitrogen source influences the antioxidative system of soybean plants under hypoxia and re-oxygenation. *Scientia Agricola* 76(1): 51-62, **2019**. <http://dx.doi.org/10.1590/1678-992X-2017-0195> (WoS/Scopus)
- 1590.** Bouazzi H, Feki K, Brini F, Saibi W. Is duality between proline metabolic mutation (p5cs 1-4) and durum wheat dehydrin transgenic contexts a “pacemaker” for salt tolerance process in *Arabidopsis thaliana*? *Acta Physiologiae Plantarum* 41:36, **2019**. <https://doi.org/10.1007/s11738-019-2829-6> (WoS/Scopus)
- 1591.** Brilli F, Pollastri S, Raio A, Baraldi R, Neri L, Bartolini P, Podda A, Loreto F, Maserti BE, Balestrini R. Root colonization by *Pseudomonas chlororaphis* primes tomato (*Lycopersicon esculentum*) plants for enhanced tolerance to water stress. *Journal of Plant Physiology* 232, 82-93, **2019**. <https://doi.org/10.1016/j.jplph.2018.10.029> (WoS/Scopus)
- 1592.** Cao X, Zhu C, Zhong C, Zhang J, Wu L, Jin Q, Ma Q. Nitric oxide synthase-mediated early nitric oxide burst alleviates water stress-induced oxidative damage in ammonium-supplied rice roots. *BMC Plant Biology* 19:108, **2019**. <https://doi.org/10.1186/s12870-019-1721-2> (WoS/Scopus)
- 1593.** Chandrakar V, Keshavkant S. Nitric oxide and dimethylthiourea up-regulates pyrroline-5-carboxylate synthetase expression to improve arsenic tolerance in *Glycine max* L. *Environmental Progress & Sustainable Energy* 38(2):402-409, **2019**. <https://doi.org/10.1002/ep.12978>. (WoS/Scopus)
- 1594.** Chavoushi M, Najafi F, Salimi A, Angaji SA. Improvement in drought stress tolerance of safflower during vegetative growth by exogenous application of salicylic acid and sodium nitroprusside. *Industrial Crops and Products* 134:168-176, **2019**. <https://doi.org/10.1016/j.indcrop.2019.03.071>. (WoS/Scopus)
- 1595.** Chen D, Chen D, Xue R, Long J, Lin X, Lin Y, Jia L, Zeng R, Song Y. Effects of boron, silicon and their interactions on cadmium accumulation and toxicity in rice plants. *Journal of Hazardous Materials* 367, 447-455, **2019**. <https://doi.org/10.1016/j.jhazmat.2018.12.111>. (WoS/Scopus)
- 1596.** Chen K, Song M, Guo Y, Liu L, Xue H, Dai H, Zhang Z. MdMYB46 could enhance salt and osmotic stress tolerance in apple by directly activating stress-responsive signals. *Plant Biotechnology Journal* 17(12):2341-2355,

2019. <https://doi.org/10.1111/pbi.13151>. (WoS/Scopus)

1597. Chiara C, Antognoni F, Biondi S, Fraternali A, Verardo G, Gorassini A, Scoccianti V. Polyphenol-enriched spelt husk extracts improve growth and stress-related biochemical parameters under moderate salt stress in maize plants. *Plant Physiology and Biochemistry* 141, 95-104, 2019. <https://doi.org/10.1016/j.plaphy.2019.05.016>. (WoS/Scopus)

1598. Chumyam A, Faiyue B, Saengnil K. Reduction of enzymatic browning of fresh-cut guava fruit by exogenous hydrogen peroxide-activated peroxiredoxin/thioredoxin system. *Scientia Horticulturae* 255, 260-268, 2019. <https://doi.org/10.1016/j.scienta.2019.05.042>. (WoS/Scopus)

1599. Cui J, Jiang N, Meng J, Yang G, Liu W, Zhou X, Ma N, Hou X, Luan Y. LncRNA33732-respiratory burst oxidase module associated with WRKY1 in tomato- *Phytophthora infestans* interactions. *The Plant Journal* 97(5):933-946, 2019. <https://doi.org/10.1111/tpj.14173> (WoS/Scopus)

1600. Dai C, Qiu L, Guo L, Jing S, Chen X, Cui X, Yang Y. Salicylic acid alleviates aluminum-induced inhibition of biomass by enhancing photosynthesis and carbohydrate metabolism in *Panax notoginseng*. *Plant and Soil* 445(1-2):183-198, 2019. <https://doi.org/10.1007/s1104-019-04293-6>. (WoS/Scopus)

1601. Darde DC, de Almeida GK, Marodin GA. Budburst and flowering intensity by the spraying of dormancy-breaking products in 'Eva' apple trees. *Semina: Ciências Agrárias* 40(3), 1049-1062, 2019. <http://dx.doi.org/10.5433/1679-0359.2019v40n3p1049>. (WoS/Scopus)

1602. Dasszkowska-Golec A, Skubacz A, Kurowska M, Slota M, Swiergolik D, Szarejko I. Methods for the simple and reliable assessment of barley sensitivity to abiotic stresses during early development. In: Harwood WA (Ed.), *Barley: Methods and Protocols, Methods in Molecular Biology*, vol 1900, Springer Science+Business Media, LLC, part of Springer Nature 2019, Chapter 9, pp: 127-151, 2019 BOOK

1603. Datir SS, Inamdar A. Biochemical responses of wheat cultivars to peg-induced drought stress. *Russian Agricultural Sciences* 45: 5-12, 2019. <https://doi.org/10.3103/S1068367419010038> (WoS/Scopus)

1604. de Brito L, Silva PA, Fluminhan A. Alterações foliares sugerem efeitos da poluição veicular em plantas da família myrtaceae em áreas urbanas. *Revista Ibero-Americana de Ciências Ambientais* 10(1), 223-231, 2019. <https://doi.org/10.6008/CBPC2179-6858.2019.001.0018>.

1605. de Freitas GM, Thomas J, Liyanage R, Lay JO, Basu S, Ramegowda V, do Amaral MN, Benitez LC, Braga EJB, Pereira A. Cold tolerance response mechanisms revealed through comparative analysis of gene and protein expression in multiple rice genotypes. *PLoS ONE* 14(6): e0218019, 2019. <https://doi.org/10.1371/journal.pone.0218019> (WoS/Scopus)

1606. de Oliveira Prudente D, Paiva R, Domiciano D, de Souza LB, Carpentier S, Swennen R, Silva LC, Nery FC, Máximo WP, Panis B. The cryoprotectant PVS2 plays a crucial role in germinating *Passiflora ligularis* embryos after cryopreservation by influencing the mobilization of lipids and the antioxidant metabolism. *Journal of Plant Physiology* 239, 71-82, 2019. <https://doi.org/10.1016/j.jplph.2019.05.014>. (WoS/Scopus)

1607. de Oliveira VC, Faquin V, Andrade FR, JP Carneiro, EC da Silva Júnior, KRD de Souza, J Pereira, LRG Guilherme. Physiological and physicochemical responses of potato to selenium biofortification in tropical soil. *Potato Research* 62:315-331, 2019. <https://doi.org/10.1007/s11540-019-9413-8>. Source: (WoS/Scopus)

1608. De Oliveira VP, Lima MDR, da Silva BRS, Batista BL, Lobato AKS. Brassinosteroids confer tolerance to salt stress in *Eucalyptus urophylla* plants enhancing homeostasis, antioxidant metabolism and leaf anatomy. *Journal of Plant Growth Regulation* 38(2): 557-573, 2019. <https://doi.org/10.1007/s00344-018-9870-3> (WoS/Scopus)

1609. de Quadros FM, Garcés-Fiallos FR, de Borba MC, de Freitas MB, Stadnik MJ. *Fusarium oxysporum* affects differently the hydrogen peroxide levels and oxidative metabolism in susceptible and resistant bean roots. *Physiological and Molecular Plant Pathology* 106, 1-6. 2019, <https://doi.org/10.1016/j.pmpp.2018.11.001> (WoS/Scopus)

1610. de Sousa Leite T, Monteiro FA. Partial replacement of nitrate by ammonium increases photosynthesis and reduces oxidative stress in tanzania guinea grass exposed to cadmium. *Ecotoxicology and Environmental Safety* 174, 592-600, 2019. <https://doi.org/10.1016/j.ecoenv.2019.02.090>. (WoS/Scopus)

1611. de Souza Junior JC, Nogueirol RC, Monteiro FA. Nitrate and ammonium proportion plays a key role in copper phytoextraction, improving the antioxidant defense in Tanzania guinea grass. *Ecotoxicology and Environmental Safety* 171, 823-832, 2019. <https://doi.org/10.1016/j.ecoenv.2019.01.013>. (WoS/Scopus)

1612. Deng J, Li F, Duan TY. Effects of AM fungus and grass endophyte on the infection of *Lolium perenne* by the pathogen *Bipolaris sorokiniana* in a greenhouse. *Acta Prataculturae Sinica* 28(12), 103-113, 2019. DOI:10.11686/cyxb2019104, <http://cyxb.magtech.com.cn/>. (WoS/Scopus)

1613. Desoky El-SM, ElSayed AI, Merwad A-RMA, Rady MM. Stimulating antioxidant defenses, antioxidant gene expression, and salt tolerance in *Pisum sativum* seedling by pretreatment using licorice root extract (LRE) as an organic biostimulant. *Plant Physiology and Biochemistry* 142:292-302, 2019. <https://doi.org/10.1016/j.plaphy.2019.07.020> (WoS/Scopus)

1614. Dhaliwal SS, Ram H, Shukla AK, Mavi GS. Zinc biofortification of bread wheat, triticale, and durum wheat cultivars by foliar zinc fertilization. *Journal of Plant Nutrition* 42(8):813-832, 2019. <https://doi.org/10.1080/01904167.2019.1584218>. (WoS/Scopus)

1615. Djemal R, Khoudi H. Combination of the endogenous promoter-intron significantly improves salt and drought tolerance conferred by TdSHN1 transcription factor in transgenic tobacco. *Plant Physiology and Biochemistry* 139, 435-445, 2019. <https://doi.org/10.1016/j.plaphy.2019.04.009>. (WoS/Scopus)

1616. dos Santos JO, Andrade CA, Dázio de Souza KR, de Oliveira Santos M, Brandão IR, Alves JD, Santos IS.

- Impact of zinc stress on biochemical and biophysical parameters in *Coffea arabica* seedlings. *Journal of Crop Science and Biotechnology* 22(3): 253-264, **2019**. <https://doi.org/10.1007/s12892-019-0097-0>. (WoS/Scopus)
- 1617.** dos Santos JO, de Oliveira LEM, de Souza T, Lopes GM, Coelho VT, Gomes MP. Physiological mechanisms responsible for tolerance to, and recuperation from, drought conditions in four different rubber clones. *Industrial Crops & Products* 141, art. number 111714, **2019**. <https://doi.org/10.1016/j.indcrop.2019.111714> (WoS/Scopus)
- 1618.** dos Santos Ribeiro DG, da Silva BR, da Silva Lobato AK. Brassinosteroids induce tolerance to water deficit in soybean seedlings: contributions linked to root anatomy and antioxidant enzymes. *Acta Physiologiae Plantarum* 41(6), 82, **2019**. <https://doi.org/10.1007/s11738-019-2873-2>. (WoS/Scopus)
- 1619.** Du B, Kruse J, Winkler JB, Alfarray S, Schnitzle J-P, Ache P, Hedrich R, Rennenberg H. Climate and development modulate the metabolome and antioxidative system of date palm leaves. *Journal of Experimental Botany* 70(20):5959–5969, **2019**. doi:10.1093/jxb/erz361. (WoS/Scopus)
- 1620.** Dubey AK, Kumar N, Kunar A, Ansari MA, Rajan R, Gautman A, Meenakshi, Sahu N, Pandey V, Behera SK, Mallick S, Pande V, Sanyal I. Over-expression of CarMT gene modulates the physiological performance and antioxidant defense system to provide tolerance against drought stress in *Arabidopsis thaliana* L. *Ecotoxicology and Environmental Safety* 171:54-65, **2019**. <https://doi.org/10.1016/j.ecoenv.2018.12.050> (WoS/Scopus)
- 1621.** Ehteshami S, Abdollahi F, Ramezani A, Dastjerdi AM, Rahimzadeh M. Enhanced chilling tolerance of pomegranate fruit by edible coatings combined with malic and oxalic acid treatments. *Scientia Horticulturae* 250: 388-398, **2019**, <https://doi.org/10.1016/j.scienta.2019.02.075> (WoS/Scopus)
- 1622.** Ehteshami S, Abdollahi F, Ramezani A, Dastjerdi AM, Rahimzadeh M. Enhanced chilling tolerance of pomegranate fruit by edible coatings combined with malic and oxalic acid treatments. *Scientia Horticulturae* 250, 388-398, **2019**. <https://doi.org/10.1016/j.scienta.2019.02.075>. (WoS/Scopus)
- 1623.** Elayaraja D, Subramanyam K, Vasudevan V, Sathish S, Kasthuriangan S, Ganapathi A, Manickavasagam M. Meta-Topolin (mT) enhances the in vitro regeneration frequency of *Sesamum indicum* (L.). *Biocatalysis and Agricultural Biotechnology* 21: 101320, **2019**. <https://doi.org/10.1016/j.bcab.2019.101320>. Source: (WoS/Scopus)
- 1624.** Elbar OH, Farag RE, Shehata SA. Effect of putrescine application on some growth, biochemical and anatomical characteristics of *Thymus vulgaris* L. under drought stress. *Annals of Agricultural Sciences* 64(2), 129-137, **2019**. <https://doi.org/10.1016/j.aos.2019.10.001>. Source: (WoS/Scopus)
- 1625.** El-Demerdash FM, Jebur AB, Nasr HM, Hamid HM. Modulatory effect of *Turnera diffusa* against testicular toxicity induced by fenitrothion and/or hexavalent chromium in rats. *Environmental Toxicology* 34(3):330-339, **2019**. <https://doi.org/10.1002/tox.22688>. (WoS/Scopus)
- 1626.** El-Esawi MA, Alayafi AA. Overexpression of StDREB2 transcription factor enhances drought stress tolerance in cotton (*Gossypium barbadense* L.). *Genes* 10(2), 142, **2019**. <https://doi.org/10.3390/genes10020142> Source: (WoS/Scopus)
- 1627.** El-Esawi MA, Alayafi AA. Overexpression of pice Rab7 gene improves drought and heat tolerance and increases grain yield in rice (*Oryza sativa* L.). *Genes* 10(1), 56, **2019**. <https://doi.org/10.3390/genes10010056> Source: (WoS/Scopus)
- 1628.** El-Esawi MA, Al-Ghamdi AA, Ali HM, Ahmad M. Overexpression of AtWRKY30 Transcription Factor Enhances Heat and Drought Stress Tolerance in Wheat (*Triticum aestivum* L.). *Genes* 10(2), 163, **2019**. <https://doi.org/10.3390/genes10020163>. Source: (WoS/Scopus)
- 1629.** El-Esawi MA, Al-Ghamdi AA, Ali HM, Alayafi AA. Azospirillum lipoferum FK1 confers improved salt tolerance in chickpea (*Cicer arietinum* L.) by modulating osmolytes, antioxidant machinery and stress-related genes expression. *Environmental and Experimental Botany* 159:55-65, **2019**. <https://doi.org/10.1016/j.envexpbot.2018.12.001>. (WoS/Scopus)
- 1630.** ElSayed AI, El-hamahmy MAM, Rafudeen MS, Mohamed AH, Omar AA. The impact of drought stress on antioxidant responses and accumulation of flavonolignans in milk thistle (*Silybum marianum* (L.) Gaertn). *Plants – Basel* 8, 611, **2019**. doi:10.3390/plants8120611. (WoS/Scopus)
- 1631.** Essahibi A, Benhiba L, Fouad MO, Babram MA, Ghoulam C, Qaddoury A. Responsiveness of carob (*Ceratonia siliqua* L.) plants to arbuscular mycorrhizal symbiosis under different phosphate fertilization levels. *Journal of Plant Growth Regulation* 38, 1243–1254, **2019**. <https://doi.org/10.1007/s00344-019-09929-6>. (WoS/Scopus)
- 1632.** Farouk S, Al-Amri SM. Exogenous Zinc forms counteract NaCl-induced damage by regulating the antioxidant system, osmotic adjustment substances, and ions in canola (*Brassica napus* L. cv. Pactol) plants. *Journal of Soil Science and Plant Nutrition* 19:887-899, **2019**. <https://doi.org/10.1007/s42729-019-00087-y>. (WoS/Scopus)
- 1633.** Fazelian N, Movafeghi A, Yousefzadi M, Rahimzadeh M. Cytotoxic impacts of CuO nanoparticles on the marine microalga *Nannochloropsis oculata*. *Environmental Science and Pollution Research* 26(17):17499-17511, **2019**. <https://doi.org/10.1007/s11356-019-05130-0> (WoS/Scopus)
- 1634.** Fu MM, Dawood M, Wang NH, Wu F. Exogenous hydrogen sulfide reduces cadmium uptake and alleviates cadmium toxicity in barley. *Plant Growth Regulation* 89(2):227-237, **2019**. <https://doi.org/10.1007/s10725-019-00529-8> (WoS/Scopus)
- 1635.** Furtana GB, Ellialtıoğlu ŞŞ, Tipirdamaz R. Effects of hydrogen peroxide and nitric oxide on antioxidant enzyme activities and inner hydrogen peroxide contents of pepper callus tissues under salt stress. *Research Journal*

1636. Gagne MA, Minocha R, Long S, Minocha SC. Effects of different foliar nitrogen fertilizers on cellular nitrogen metabolism and biomass of two shrub willow cultivars. *Canadian Journal of Forest Research* 49(12),1548-1559, 2019. <https://www.nrcresearchpress.com/doi/abs/10.1139/cjfr-2019-0119#.XgiWVkcZat8>. (WoS/Scopus)
1637. Galal A. Exogenous application of zinc mitigates the deleterious effects in eggplant grown under salinity stress. *Journal of Plant Nutrition* 42(8):915-927, 2019. <https://doi.org/10.1080/01904167.2019.1584221> (WoS/Scopus)
1638. Garg N, Kashyap L. Joint effects of Si and mycorrhiza on the antioxidant metabolism of two pigeonpea genotypes under As (III) and (V) stress. *Environmental Science and Pollution Research* 26:7821-7839, 2019. <https://doi.org/10.1007/s11356-019-04256-5>
1639. Germano TA, Aguiar RP, Bastos MS, Moreira RA, Ayala-Zavala JF, de Miranda MR. Galactomannan-carnauba wax coating improves the antioxidant status and reduces chilling injury of 'Paluma' guava. *Postharvest Biology and Technology* 149:9-17, 2019. <https://doi.org/10.1016/j.postharvbio.2018.11.013>. (WoS/Scopus)
1640. Ghafoor R, Akram NA, Rashid M, Ashraf M, Iqbal M, Lixin Z. Exogenously applied proline induced changes in key anatomical features and physio-biochemical attributes in water stressed oat (*Avena sativa* L.) plants. *Physiology and Molecular Biology of Plants* 25:1121-1135, 2019. <https://doi.org/10.1007/s12298-019-00683-3> (WoS/Scopus)
1641. Ghanbarzadeh M, Niknam V, Soltani N, Ebrahimzadeh H. Leptolyngbya fragilis ISC 108 is the most effective strain for dodecane biodegradation in contaminated soils. *International Journal of Phytoremediation* 21(9):908-920, 2019. <https://doi.org/10.1080/15226514.2019.1583635> (WoS/Scopus)
1642. Ghanbarzadeh Z, Mohsenzadeh S, Rowshan V, Moradshahi A. Evaluation of the growth, essential oil composition and antioxidant activity of *Dracocephalum moldavica* under water deficit stress and symbiosis with *Claroideoglomus etunicatum* and *Micrococcus yunnanensis*. *Scientia Horticulturae* 256, 108652, 2019. <https://doi.org/10.1016/j.scienta.2019.108652>. (WoS/Scopus)
1643. Ghasemlou F, Amiri H, Karamian R, Mirzaie-asl A. Alleviation of the effects of on drought stress *Verbascum nudicuale* by methyl jasmonate and titanium dioxide nanoparticles. *Iranian Journal of Plant Physiology* 9 (8):2911-2920, 2019. DOI 10.22034/IJPP.2019.668857. (WoS/Scopus)
1644. Ghassemi-Golezani K, Bilasvar HM, Nassab ADM. Improving rapeseed (*Brassica napus* L.) plant performance by exogenous salicylic acid and putrescine under gradual water deficit. *Acta Physiologiae Plantarum* 41: 192, 2019. <https://doi.org/10.1007/s11738-019-2986-7>. (WoS/Scopus)
1645. Gomes MP, Bicalho EM, da Silva Cruz FV, Souza AM, Silva BMR, de Almeida Gonçalves C, dos Santos TRS, Garcia QS. Does integrative effects of glyphosate, gibberellin and hydrogen peroxide ameliorate the deleterious effects of the herbicide on sorghum seed through its germination? *Chemosphere* 233: 905-912, 2019. <https://doi.org/10.1016/j.chemosphere.2019.06.032> WoS, (WoS/Scopus)
1646. Gomes MP, Richardi VS, Bicalho EM, da Rocha DC, Navarro-Silva MA, Soffiatti P, Garcia QS, Sant'Anna-Santos BF. Effects of Ciprofloxacin and Roundup on seed germination and root development of maize. *Science of the Total Environment* 651(2): 2671-2678, 2019. <https://doi.org/10.1016/j.scitotenv.2018.09.365>. (WoS/Scopus)
1647. Gomes MP, Tavares DS, Richardi VS, Marques RZ, Wistuba N, de Brito JC, Soffiatti P, Sant'Anna-Santos BF, da Silva MA, Juneau P. Enrofloxacin and Roundup® interactive effects on the aquatic macrophyte *Elodea canadensis* physiology. *Environmental Pollution* 249, 453-462, 2019. <https://doi.org/10.1016/j.envpol.2019.03.026>. (WoS/Scopus)
1648. Gong X, Huang D, Liu Y, Zeng G, Chen S, Wang R, Xu P, Cheng M, Zhang C, Xue W. Biochar facilitated the phytoremediation of cadmium contaminated sediments: Metal behavior, plant toxicity, and microbial activity. *Science of the Total Environment* 666, 1126-1133, 2019. <https://doi.org/10.1016/j.scitotenv.2019.02.215>. (WoS/Scopus)
1649. Gong X, Huang D, Liu Y, Zeng G, Wang R, Xu P, Zhang C, Cheng M, Xue W, Chenab S. Roles of multiwall carbon nanotubes in phytoremediation: cadmium uptake and oxidative burst in *Boehmeria nivea* (L.) Gaudich. *Environmental Science: Nano*, 2019. DOI: 10.1039/C8EN00723C (WoS/Scopus)
1650. González-Moscó M, Martínez-Villegas NV, Cadenas-Pliego G, Benavides-Mendoza A, Rivera-Cruz MC, González-Morales S, Juárez-Maldonado A. Impact of silicon nanoparticles on the antioxidant compounds of tomato fruits stressed by arsenic. *Foods* 8(12), 612, 2019. <https://doi.org/10.3390/foods8120612>. (WoS/Scopus)
1651. Gouiaa S, Khoudi H. Expression of V-PPase proton pump, singly or in combination with a NHX1 transporter, in transgenic tobacco improves copper tolerance and accumulation. *Environmental Science and Pollution Research* 26(36:37037-37045, 2019. <https://doi.org/10.1007/s11356-019-06852-x>. (WoS/Scopus)
1652. Gueder DE, Fattoum RB, Debouba M, Khedher AB, Gouia H, Chaffei CH. Regulatory effect of spermine on growth and antioxidant system in tomato seedlings grown in the presence of cadmium. *Journal of Stress Physiology & Biochemistry* 15(3): 50-61, 2019.
1653. Habibi G. Effects of high light and chilling stress on photosystem II efficiency of *Aloe vera* L. plants probing by chlorophyll a fluorescence measurements. *Iranian Journal of Science and Technology, Transactions A: Science* 43(1):7-13, 2019. <https://doi.org/10.1007/s40995-017-0378-7> (WoS/Scopus)
1654. Haider MZ, Hussain S, Ramzani PMA, Iqbal M, Iqbal M, Shahzad T, Fatima M, Khan SA, Khan I, Shahid M, Ibrahim M, Ull Haq HST, Mahmood F. Bentonite and biochar mitigate Pb toxicity in *Pisum sativum* by reducing plant oxidative stress and Pb translocation. *Plants - Basel* 8(12), 571, 2019. <https://doi.org/10.3390/plants8120571>. (WoS/Scopus)

- 1655.** Hakeem KR, Alharby HF, Rehman R. Antioxidative defense mechanism against lead-induced phytotoxicity in *Fagopyrum kashmirianum*. *Chemosphere* 216, 595-604, **2019**. (WoS/Scopus)
- 1656.** Handa N, Kohli SK, Sharma A, Thukral AK, Bhardwaj R, Allah EF, Alqarawi AA, Ahmad P. Selenium modulates dynamics of antioxidative defence expression, photosynthetic attributes and secondary metabolites to mitigate chromium toxicity in *Brassica juncea* L. plants. *Environmental and Experimental Botany* 161:180-192, **2019**. <https://doi.org/10.1016/j.envexpbot.2018.11.009>. (WoS/Scopus)
- 1657.** Hasanuzzaman M, Alhathloul HAS, Parvin K, Bhuyan MHMB, Tanveer M, Mohsin SM, Nahar K, Soliman MH, Al Mahmud J, Fujita M. Polyamine action under metal/metalloid stress: regulation of biosynthesis, metabolism, and molecular interactions. *International Journal of Molecular Sciences* 20, 3215, **2019**. [doi:10.3390/ijms20133215](https://doi.org/10.3390/ijms20133215). (WoS/Scopus)
- 1658.** Hassan AM, Mohamed HE. L-Arginine pretreatment enhances drought resistance of sunflower (*Helianthus annuus* L.) plants by increase in polyamines content. *Journal of Plant Growth Regulation* 38, 600-605, **2019**. <https://doi.org/10.1007/s00344-018-9873-0>. (WoS/Scopus)
- 1659.** Heydari H, Rezayian M, Niknam V. Role of Penconazole in salt stress amelioration in *Sesamum indicum* L. *Soil Science and Plant Nutrition* 65(3):243-250, **2019**. <https://doi.org/10.1080/00380768.2019.1595722> (WoS/Scopus)
- 1660.** Heydari H, Shaki F, Niknam V, Ebrahimzadeh Maboud H. Different effects of penconazole on enzymatic and non-enzymatic antioxidants of sesame (*Sesamum indicum* L.) under salinity. *Modern Concepts & Developments in Agronomy* 4(5), 467-473, **2019**. <http://dx.doi.org/10.31031/MCDA.2019.04.000596>.
- 1661.** Hosseini SS, Gol A, Khaleghi M. The effects of the *Lactobacillus acidophilus* ATCC 4356 on the oxidative stress of reproductive system in diabetic male rats. *International Journal of Reproductive BioMedicine* 17(7), 493-502, **2019**. <https://dx.doi.org/10.18502%2Fijrm.v17i7.4861>. (WoS/Scopus)
- 1662.** Huang M, Zhang Z, Zhu C, Zhai Y, Lu P. Effect of biochar on sweet corn and soil salinity under conjunctive irrigation with brackish water in coastal saline soil. *Scientia Horticulturae* 250, 405-413, **2019**. <https://doi.org/10.1016/j.scienta.2019.02.077>. (WoS/Scopus)
- 1663.** Hussain I, Parveen A, Rasheed R, Ashraf MA, Ibrahim M, Riaz S. Exogenous silicon modulates growth, physio-chemicals and antioxidants in barley (*Hordeum vulgare* L.) exposed to different temperature regimes. *Silicon* 11(6):2753-2762, **2019**. <https://doi.org/10.1007/s12633-019-0067-6> (WoS/Scopus),
- 1664.** Hussain S, Bai Z, Huang J, Cao X, Zhu L, Zhu C, Khaskheli MA, Zhong C, Jin Q and Zhang J. 1-Methylcyclopropene modulates physiological, biochemical, and antioxidant responses of rice to different salt stress levels. *Frontiers in Plant Science* 10:124, **2019**. [doi: 10.3389/fpls.2019.00124](https://doi.org/10.3389/fpls.2019.00124). (WoS/Scopus)
- 1665.** Ishizawa H, Tada M, Kuroda M, Inoue D, Ike M. Performance of plant growth-promoting bacterium of duckweed under different kinds of abiotic stress factors. *Biocatalysis and Agricultural Biotechnology* 19, 101146, **2019**. <https://doi.org/10.1016/j.bcab.2019.101146> (WoS/Scopus)
- 1666.** Jabeen M, Akram NA, Ashraf M, Aziz A. Assessment of biochemical changes in spinach (*Spinacea oleracea* L.) subjected to varying water regimes. *Sains Malaysiana* 48(3):533-541, **2019**. <http://dx.doi.org/10.17576/jsm-2019-4803-05> (WoS/Scopus)
- 1667.** Jack CN, Rowe SL, Porter SS, Friesen ML. A high-throughput method of analyzing multiple plant defensive compounds in minimized sample mass. *Applications in Plant Sciences* 7(1): e1210, **2019**. [doi:10.1002/aps3.1210](https://doi.org/10.1002/aps3.1210). <https://bsapubs.onlinelibrary.wiley.com/doi/epdf/10.1002/aps3.1210> (WoS/Scopus)
- 1668.** Jahan MS, Shu S, Wang Y, Chen Z, He M, Tao M, Sun J, Guo S. Melatonin alleviates heat-induced damage of tomato seedlings by balancing redox homeostasis and modulating polyamine and nitric oxide biosynthesis. *BMC Plant Biology* 19(414):116, **2019**. <https://doi.org/10.1186/s12870-019-1992-7> (WoS/Scopus)
- 1669.** Jahani M, Khavari-Nejad RA, Mahmoodzadeh H, Saadatmand S. Effects of foliar application of cobalt oxide nanoparticles on growth, photosynthetic pigments, oxidative indicators, non-enzymatic antioxidants and compatible osmolytes in canola (*Brassica napus* L.). *Acta Biologica Cracoviensia Series Botanica* 61(1):29-42. **2019**. DOI: 10.24425/abcsb.2019.127736. (WoS/Scopus)
- 1670.** Jahani S, Saadatmand S, Mahmoodzadeh H, Khavari-Nejad RA. Effect of foliar application of cerium oxide nanoparticles on growth, photosynthetic pigments, electrolyte leakage, compatible osmolytes and antioxidant enzymes activities of *Calendula officinalis* L. *Biologia* 74(9):1063-1075, **2019**. <https://doi.org/10.2478/s11756-019-00239-6> (WoS/Scopus)
- 1671.** Javaid A, Wahid A. Role of medium supplementation of growth modulators to alleviate cadmium-induced oxidative stress in maize. *Pakistan Journal of Agricultural Sciences* 56(3), 723-733, **2019**. DOI: 10.21162/PAKJAS/19.8406. <https://pakjas.com.pk/papers/3014.pdf>. (WoS/Scopus)
- 1672.** Jiang J-L, Tian Y, Li L, Yu M, Hou R-P, Ren X-M. H₂S Alleviates salinity stress in cucumber by maintaining the Na⁺/K⁺ balance and regulating H₂S metabolism and oxidative stress response. *Frontiers in Plant Science* 10:678, **2019**. [doi: 10.3389/fpls.2019.00678](https://doi.org/10.3389/fpls.2019.00678). (WoS/Scopus)
- 1673.** Joradol A, Uthaibutra J, Lithanatudom P, Saengnil K. Induced expression of NOX and SOD by gaseous sulfur dioxide and chlorine dioxide enhances antioxidant capacity and maintains fruit quality of 'Daw'longan fruit during storage through H₂O₂ signaling. *Postharvest Biology and Technology* 156, 110938, **2019**. <https://doi.org/10.1016/j.postharvbio.2019.110938>. (WoS/Scopus).
- 1674.** Kabala K, Zboinska M, Glowiak D, Reda M, Jakubowska D, Janicka M. Interaction between the signaling molecules hydrogen sulfide and hydrogen peroxide and their role in vacuolar H⁺-ATPase regulation in cadmium-stressed cucumber roots. *Physiologia Plantarum* 166(2): 688-704, **2019**. <https://doi.org/10.1111/ppl.12819>.

(WoS/Scopus)

- 1675.** Kalboush ZA, Hassan AA. Antifungal potential and characterization of plant extracts against fusarium fujikuroi on rice. *Journal of Plant Protection and Pathology* 10(7), 369-376, **2019**. <https://dx.doi.org/10.21608/jppp.2019.53671>.
- 1676.** Kamran M, Malik Z, Parveen A, Zong Y, Abbasi GH, Rafiq MT, Shaaban M, Mustafa A, Bashir S, Rafayh M, Mehmood S, Ali M. Biochar alleviates Cd phytotoxicity by minimizing bioavailability and oxidative stress in pak choi (*Brassica chinensis* L.) cultivated in Cd-polluted. *Journal of Environmental Management* 250, art. number 109500, **2019**. <https://doi.org/10.1016/j.jenvman.2019.109500>. (WoS/Scopus)
- 1677.** Kant R, Tyagi K, Ghosh S, Jha G. Host alternative NADH: ubiquinone oxidoreductase serves as a susceptibility factor to promote pathogenesis of *Rhizoctonia solani* in plants. *Phytopathology* 109(10):1741-1750, **2019**. <https://doi.org/10.1094/PHYTO-02-19-0055-R>. (WoS/Scopus)
- 1678.** Kanu AS, Ashraf U, Mo Z, S-ur-R Sabir I, Baggie CS, Charley, X Tang. Calcium amendment improved the performance of fragrant rice and reduced metal uptake under cadmium toxicity. *Environmental Science and Pollution Research* 26(24):24748-24757, **2019**. <https://doi.org/10.1007/s11356-019-05779-7>. (WoS/Scopus)
- 1679.** Kapoor D, Sing MP, Kaur S, Bhardwaj R, Zheng B, Sharma A. Modulation of the functional components of growth, photosynthesis, and anti-oxidant stress markers in cadmium exposed *Brassica juncea* L. *Plants* 8(8), 260, **2019**. doi:10.3390/plants8080260 (WoS/Scopus)
- 1680.** Kapur D, Singh KJ. Zinc alleviates cadmium induced heavy metal stress by stimulating antioxidative defense in soybean [*Glycine max* (L.) Merr.] crop. *Journal of Applied and Natural Science* 11(2), 338-345, **2019**. <https://doi.org/10.31018/jans.v11i2.2054>.
- 1681.** Karimi N, Vakiliapak F, Souri Z, Farooq MA, Akhtar J. The role of selenium on mitigating arsenic accumulation, enhancing growth and antioxidant responses in metalicolous and non-metalicolous population of *Isatis cappadocica* Desv. and *Brassica oleracea* L. *Environmental Science and Pollution Research* 26(21):21704-21716, **2019**. <https://doi.org/10.1007/s11356-019-05392-8>. (WoS/Scopus)
- 1682.** Karthik S, Pavan G, Krishnan V, Sathish S, Manickavasagam M. Sodium nitroprusside enhances regeneration and alleviates salinity stress in soybean [*Glycine max*(L.) Merrill]. *Biocatalysis and Agricultural Biotechnology* 19: 101173, **2019**. <https://doi.org/10.1016/j.bcab.2019.101173>. (WoS/Scopus)
- 1683.** Karthik S, Tuteja N, Ganapathi A, Manickavasagam M. Pea p68, a DEAD-box helicase, enhances salt tolerance in marker-free transgenic plants of soybean [*Glycine max* (L.) Merrill]. *3 Biotech* 9:art. No.10, **2019**. <https://doi.org/10.1007/s13205-018-1553-z> (WoS/Scopus)
- 1684.** Kaur P, Bali S, Sharma A, Kohli SK, Vig AP, Bhardwaj R, Thukral AK, Abd-Allah EF, Wijaya L, Alyemeni MN, Ahmad P. Cd induced generation of free radical species in *Brassica juncea* is regulated by supplementation of earthworms in the drilosphere. *Science of the Total Environment* 655, 663-675, **2019**. (WoS/Scopus)
- 1685.** Kaya C, Ashraf M, Wijaya L, Ahmad P. The putative role of endogenous nitric oxide in brassinosteroid-induced antioxidant defence system in pepper (*Capsicum annum* L.) plants under water stress. *Plant Physiology and Biochemistry* 143, 119-128, **2019**. <https://doi.org/10.1016/j.plaphy.2019.08.024>. (WoS/Scopus)
- 1686.** Kaya C, Ashraf M. The endogenous L-cysteine desulphydrase and hydrogen sulfide participate in supplemented phosphorus-induced tolerance to salinity stress in maize (*Zea mays*) plants. *Turkish Journal of Botany* 43, **2019**. doi:10.3906/bot-1907-27. (WoS/Scopus)
- 1687.** Kazeran B, Navabpour S, Sabouri H, Ramezanpour SS, Nezhad KZ, Eskandari A. Study of antioxidant defense genes expression profile pattern of rice (*Oryza sativa* L.) cultivars in response to drought stress. *Iranian Journal of Genetics and Plant Breeding* 8(2), 46-56, **2019**. DOI: 10.30479/ijgpb.2020.10349.1240. http://ijgpb.journals.ikiu.ac.ir/article_1934.html.
- 1688.** Khan MY, Prakash V, Yadav V, Chauhan DK, Prasad SM, Ramawat N, Singh VP, Tripathi DK, Sharma S. Regulation of cadmium toxicity in roots of tomato by indole acetic acid with special emphasis on reactive oxygen species production and their scavenging. *Plant Physiology and Biochemistry* 142:193-201, **2019**. <https://doi.org/10.1016/j.plaphy.2019.05.006> (WoS/Scopus)
- 1689.** Khanna K, Jamwal VL, Kohli SK, Gandhi SG, Ohri P, Bhardwaj R, Abd Allah EF, Hashem A, Ahmad P. Plant growth promoting rhizobacteria induced Cd tolerance in *Lycopersicon esculentum* through altered antioxidative defense expression. *Chemosphere* 217, 463-474, **2019**. (WoS/Scopus)
- 1690.** Khanna K, Jamwal VL, Kohli SK, Gandhi SG, Ohri P, Bhardwaj R. Role of plant growth promoting Bacteria (PGPRs) as biocontrol agents of *Meloidogyne incognita* through improved plant defense of *Lycopersicon esculentum*. *Plant and Soil* 436(1-2):325-345, **2019**. <https://doi.org/10.1007/s11104-019-03932-2> (WoS/Scopus)
- 1691.** Khanna K, Sharma A, Ohri P, Bhardwaj R, Abd Allah EF, Hashem A, Ahmad P. Impact of Plant Growth Promoting Rhizobacteria in the Orchestration of *Lycopersicon esculentum* Mill. Resistance to Plant Parasitic Nematodes: A Metabolomic Approach to Evaluate Defense Responses Under Field Conditions. *Biomolecules* 9(11), 676, **2019**. <https://doi.org/10.3390/biom9110676>. (WoS/Scopus)
- 1692.** Khayan K, Husodo AH, Astuti I, Sudarmadji S, Djohan TS. Rainwater as a source of drinking water: health impacts and rainwater treatment. *Journal of Environmental and Public Health*, Article ID 1760950, **2019**. <https://doi.org/10.1155/2019/1760950> (WoS/Scopus)
- 1693.** Khunpon B, Cha-Um S, Faiyue B, Uthaibutra J, Saengnil K. Regulation on antioxidant defense system in rice seedlings (*Oryza sativa* L. ssp. indica cv. 'Pathumthani 1') under salt stress by paclobutrazol foliar application. *Notulae Botanicae Horti Agrobotanici* 47(2):368-377, **2019**. <http://dx.doi.org/10.15835/nbha47111282>
- 1694.** Khunpon B, Suriyan Cu, Faiyue B, Uthaibutra J, Saengnil K. Regulation on antioxidant defense system in

rice seedlings (*Oryza sativa* L. ssp. *indica* cv. 'Pathumthani 1') under salt stress by paclobutrazol foliar application. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 47(2):368-377, **2019**. <http://dx.doi.org/10.15835/nbha47111282>. (WoS/Scopus)

1695. Kiran BR, Prasad MN. Biochar and rice husk ash assisted phytoremediation potentials of *Ricinus communis* L. for lead-spiked soils. *Ecotoxicology and Environmental Safety* 183, 109574, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.109574>. (WoS/Scopus)

1696. Kiran BR, Prasad MNV. Defense manifestations of enzymatic and non-enzymatic antioxidants in *Ricinus communis* L. exposed to lead in hydroponics. *The EuroBiotech Journal* 3(3), 117-127, **2019**. DOI: [10.2478/ebtj-2019-0014](https://doi.org/10.2478/ebtj-2019-0014)

1697. Kohli SK, Bali S, Tejpal R, Bhalla V, Verma V, Bhardwaj R, Alqarawi AA, Abd-Allah EF, Ahmad P. In-situ localization and biochemical analysis of bio-molecules reveals Pb-stress amelioration in *Brassica juncea* L. by co-application of 24-Epibrassinolide and salicylic acid. *Scientific Reports* 9:3524, **2019**. <https://doi.org/10.1038/s41598-019-39712-2> (WoS/Scopus)

1698. Kumar N, Gautam A, Dubey AK, Ranjan R, Pandey A, Kumari B, Singh G, Mandotra S, Chauhan PS, Srikrishna S, Dutta V. GABA mediated reduction of arsenite toxicity in rice seedling through modulation of fatty acids, stress responsive amino acids and polyamines biosynthesis. *Ecotoxicology and Environmental Safety* 173, 15-27, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.02.017>. (WoS/Scopus)

1699. Kumar V, Dwivedi SK. Hexavalent chromium reduction ability and bioremediation potential of *Aspergillus flavus* CR500 isolated from electroplating wastewater. *Chemosphere* 237, 124567, **2019**. <https://doi.org/10.1016/j.chemosphere.2019.124567>. (WoS/Scopus)

1700. Kumar V, Singh S, Singh G, Dwivedi SK. Exploring the cadmium tolerance and removal capability of a filamentous fungus *Fusarium solani*. *Geomicrobiology Journal* 36(9):782-791, **2019**. <https://doi.org/10.1080/01490451.2019.1627443> (WoS/Scopus)

1701. Kumari R, Singh DP. Ameliorating effect of surfactants against silver nanoparticle toxicity in crop *Fagopyrum esculentum* L. *Environmental Nanotechnology, Monitoring & Management* 12, 100254, **2019**. <https://doi.org/10.1016/j.enmm.2019.100254>.

1702. Kung'u MW. Screening of Farmer-preferred Cassava Cultivars for Resistance to Cassava Brown Streak Virus Disease in Kenya (Doctoral dissertation, University of Nairobi), **2019**. <http://erepository.uonbi.ac.ke/handle/11295/106695>. **PhD Thesis**

1703. Lamaoui M, Chakhchar A, Benlaouane R, El Kharrassi Y, Farissi M, Wahbi S, El Modafar C. Uprising the antioxidant power of *Argania spinosa* L. callus through abiotic elicitation. *Comptes Rendus Biologies* 342(1-2):7-17, **2019**. <https://doi.org/10.1016/j.crv.2018.11.001>. (WoS/Scopus)

1704. Langeroodi AR, Campiglia E, Mancinelli R, Radicetti E. Can biochar improve pumpkin productivity and its physiological characteristics under reduced irrigation regimes?. *Scientia Horticulturae* 247, 195-204, **2019**. <https://doi.org/10.1016/j.scienta.2018.11.059>. (WoS/Scopus)

1705. Lara TS, Lessa JHL, de Souza KRD, Corguinha APB, Martins FAD, Lopes G, Guilherme LRG. Selenium biofortification of wheat grain via foliar application and its effect on plant metabolism. *Journal of Food Composition and Analysis* 81, 10-18, **2019**. <https://doi.org/10.1016/j.jfca.2019.05.002> (WoS/Scopus)

1706. Leitemperger J, Müller TE, Cerezer C, Marins AT, de Moura LK, Loro VL. Behavioural and biochemical parameters in guppy (*Poecilia vivipara*) following exposure to waterborne zinc in salt or hard water. *Molecular Biology Reports* 46(3):3399-3409, **2019**. <https://doi.org/10.1007/s11033-019-04802-x> (WoS/Scopus)

1707. Li J, Yang C, Liu H, Cao M, Yan G, Si P, Zhou W, Xu L. 5-aminolevulinic acid enhances sunflower resistance to *Orobancha cumana* (Broomrape). *Industrial Crops and Products* 140, 111467, **2019**. <https://doi.org/10.1016/j.indcrop.2019.111467>. (WoS/Scopus)

1708. Li J, Zhao Q, Xue B, Wu H, Song G, Zhang X. Arsenic and nutrient absorption characteristics and antioxidant response in different leaves of two ryegrass (*Lolium perenne*) species under arsenic stress. *PLoS ONE* 14(11): e0225373, **2019**. <https://doi.org/10.1371/journal.pone.0225373>. (WoS/Scopus)

1709. Li Y, Liang C. Exogenous application of Ca²⁺ mitigates simulated acid rain stress on soybean productivity and quality by maintaining nutrient absorption. *Environmental Science and Pollution Research* 26(5):4975-4986, **2019**. <https://doi.org/10.1007/s11356-018-4034-3> (WoS/Scopus)

1710. Li Z, Cheng B, Yong B, Liu T, Peng Y, Zhang X, Ma X, Huang L, Liu W, Nie G. Metabolomics and physiological analyses reveal β -sitosterol as an important plant growth regulator inducing tolerance to water stress in white clover. *Planta* 250:2033-2046, **2019**. <https://doi.org/10.1007/s00425-019-03277-1>. (WoS/Scopus)

1711. Li Z, Yong B, Cheng B, Wu X, Zhang Y, Zhang X, Peng Y. Nitric oxide, γ -aminobutyric acid, and mannose pretreatment influence metabolic profiles in white clover under water stress. *Journal of Integrative Plant Biology* 61(12):1255-1273, **2019**. <https://doi.org/10.1111/jipb.12770>. (WoS/Scopus)

1712. Liu L, Saneoka H. Effects of NaHCO₃ acclimation on rye (*Secale cereale*) growth under sodic-alkaline stress. *Plants* 8, 314, **2019**; doi:10.3390/plants8090314. (WoS/Scopus)

1713. Liu M, He X, Feng T, Zhuo R, Qiu W, Han X, Qiao G, Zhang D. cDNA library for mining functional genes in sedum alfredii hance related to cadmium tolerance and characterization of the roles of a novel SaCTP2 gene in enhancing cadmium hyperaccumulation. *Environmental Science and Technology* 53, 18, **2019**. <https://doi.org/10.1021/acs.est.9b03237>. (WoS/Scopus)

1714. Liu T, Liu Z, Li Z, Peng Y, Zhang X, Ma X, Huang L, Liu W, Nie G, He L. Regulation of Heat Shock Factor Pathways by γ -aminobutyric Acid (GABA) associated with thermotolerance of creeping bentgrass.

1715. Liu X, Challabathula D, Quan W, Bartels D. Transcriptional and metabolic changes in the desiccation tolerant plant *Craterostigma plantagineum* during recurrent exposures to dehydration. *Planta* 249(4):1017-1035, 2019. <https://doi.org/10.1007/s00425-018-3058-8>. (WoS/Scopus)

1716. López-Serrano L, Canet-Sanchis G, Vuletin Selak G, Penella C, San Bautista A, López-Galarza S, Calatayud A. Pepper rootstock and scion physiological responses under drought stress. *Frontiers in Plant Science* 10:38, 2019. doi: 10.3389/fpls.2019.00038 (WoS/Scopus)

1717. Lorenzo P, Souza-Alonso P, Guisande-Collazo A, Freitas H. Influence of *Acacia dealbata* Link bark extracts on the growth of *Allium cepa* L. plants under high salinity conditions. *Journal of the Science of Food and Agriculture* 99(8):4072-4081, 2019. <https://doi.org/10.1002/jsfa.9637> (WoS/Scopus)

1718. Luo X, Liu J. Transcriptome analysis of acid-responsive genes and pathways involved in polyamine regulation in iron walnut. *Genes* 10, 605; 2019. doi:10.3390/genes10080605 (WoS/Scopus)

1719. Mafakheri K, Valizadeh M, Mohammadi SA. Banding patterns activity of antioxidant enzymes and physiological attributes in maize (*Zea mays* L.) families under water deficit stress. *Journal of Agricultural Science and Technology* 21(5), 1249-1264, 2019. (WoS/Scopus)

1720. Mahajan P, Singh HP, Kaur S, Batish DR, Kohli RK. β -Pinene moderates Cr(VI) phytotoxicity by quenching reactive oxygen species and altering antioxidant machinery in maize. *Environmental Science and Pollution Research* 26(1):456-463, 2019. <https://doi.org/10.1007/s11356-018-3562-1>. (WoS/Scopus)

1721. Majumder B, Das S, Mukhopadhyay S, Biswas AK. Identification of arsenic-tolerant and arsenic-sensitive rice (*Oryza sativa* L.) cultivars on the basis of arsenic accumulation assisted stress perception, morpho-biochemical responses, and alteration in genomic template stability. *Protoplasma* 256(1):193-211, 2019. <https://doi.org/10.1007/s00709-018-1290-5>. (WoS/Scopus)

1722. Malik B, Pirzadah TB, Tahir I, Tahil I, Ul Rehman R. Growth and physiological responses in chicory towards mercury induced in vitro oxidative stress. *Plant Physiology Reports* 24(2):236-248, 2019. <https://doi.org/10.1007/s40502-019-00442-2>

1723. Mansourkhaki M, Hassanpour H, Hekmati M. Effect of static magnetic field on growth factors, antioxidant activity and anatomical responses of *Silybum marianum* seedlings. *Journal of Plant Process and Function*, 2019, 7(28), 1-15, 2019.

1724. Manuka R, Karle SB, Kumar K. OsWINK9 mitigates salt and drought stress effects through induced antioxidant systems in *Arabidopsis*. *Plant Physiology Reports* 24(2):168-181, 2019. <https://doi.org/10.1007/s40502-019-00448-w>

1725. Mei Q, Yang Y, Ye S, Liang W, Wang X, Zhou J, Yu C, Yan C, Chen J. H₂O₂ induces association of RCA with the thylakoid membrane to enhance resistance of *Oryza meyeriana* to *Xanthomonas oryzae* pv. *oryzae*. *Plants* 8, 351, 2019. doi:10.3390/plants8090351. (WoS/Scopus)

1726. Miao-Miao XI, Zhang YC, Li-Ping LI, Ying-Ning ZO, Qiang-Sheng WU, Kamil KU. Mycorrhiza regulates signal substance levels and pathogen defense gene expression to resist citrus canker. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 47(4), 1161-1167, 2019. <https://doi.org/10.15835/nbha47411561>. (WoS/Scopus)

1727. Mishra P, Prasad SM. Sustainable impact of Zn²⁺ induced mild stress on edible spirulina species: responses of photosynthesis, oxidative biomarker and antioxidant defense system. *International Journal of Engineering Applied Sciences and Technology* 4(1): 108-119, 2019. ISSN No. 2455-2143.

1728. Mohamed HE, Hassan AM. Role of Salicylic Acid in Alleviating Cobalt Toxicity in Wheat (*Triticum aestivum* L.) Seedlings. *Journal of Agricultural Science* 11(10). 112-120, 2019. <https://doi.org/10.5539/jas.v11n10p112>.

1729. Mohammadi H, Amirikia F, Ghorbanpour M, Fatehi F, Hashempour H. Salicylic acid induced changes in physiological traits and essential oil constituents in different ecotypes of *Thymus kotschyianus* and *Thymus vulgaris* under well-watered and water stress conditions. *Industrial Crops and Products* 129, 561-574, 2019. <https://doi.org/10.1016/j.indcrop.2018.12.046>. (WoS/Scopus)

1730. Mohammadi H, Hazrati S, Parviz L. Morphophysiological and biochemical response of savory medicinal plant using silicon under salt stress. In *Annales Universitatis Mariae Curie-Sklodowska, sectio C–Biologia* 72(2), 29-40, 2019. <http://dx.doi.org/10.17951/c.2017.72.2.29-40>. (WoS/Scopus)

1731. Mohammadi H, Javadzadeh R, Pasban Eslam B, Parviz L. Evaluation of the effects of drought stress and salicylic acid on growth and physiological parameters in four spring canola cultivars. *Iranian Journal of Field Crops Research* 16(4), 807-819, 2019.

1732. Moharramnejad S, Sofalian O, Valizadeh M, Asghari A, Shiri MR, Ashraf M. Response of maize to field drought stress: oxidative defense system, osmolytes' accumulation and photosynthetic pigments. *Pakistan Journal of Botany* 51(3), 2019. DOI: 10.30848/PJB2019-3(1) (WoS/Scopus)

1733. Mousavifar E, Khazaie HR, Kafi M. Effects of water deficit stress on root and shoot physiological responses and biomass partitioning in kochia (*Kochia scoparia* L. Schrad). *Plant Archives* 19(2), 473-482, 2019. (WoS/Scopus)

1734. Munawar A, Akram NA, Ahmad A, Ashraf M. Nitric oxide regulates oxidative defense system, key metabolites and growth of broccoli (*Brassica oleracea* L.) plants under water limited conditions. *Scientia Horticulturae* 254, 7-13, 2019. <https://doi.org/10.1016/j.scienta.2019.04.072>. (Web of Science)

1735. Nematpour A, HR Eshghizadeh, M Zahedi. Drought-tolerance mechanisms in foxtail millet (*Setaria italica*)

and proso millet (*Panicum miliaceum*) under different nitrogen supply and sowing dates. *Crop and Pasture Science* 70(5): 442-452, 2019. <https://doi.org/10.1071/CP18501> (WoS/Scopus)

1736. Neves LH, Santos RI, dos Santos Teixeira GI, de Araujo DG, Silvestre WV, Pinheiro HA. Leaf gas exchange, photochemical responses and oxidative damages in assai (*Euterpe oleracea* Mart.) seedlings subjected to high temperature stress. *Scientia Horticulturae* 257, 108733, 2019. <https://doi.org/10.1016/j.scienta.2019.108733>. (WoS/Scopus)

1737. Nkomo M, Goku A, Keyster M, Klein A. Exogenous p-coumaric acid improves *Salvia hispanica* L. seedling shoot growth. *Plants - Basel* 8, 546, 2019. doi:10.3390/plants8120546, (WoS/Scopus)

1738. Noreen S, Faiz S, Akhter MS, Shah KH. Influence of foliar application of osmoprotectants to ameliorate salt stress in sunflower (*Helianthus annuus* L.). *Sarhad Journal of Agriculture* 35 (4), 1316-1325, 2019. https://www.researchgate.net/publication/337881815_Influence_of_Foliar_Application_of_Osmoprotectants_to_Ameliorate_Salt_Stress_in_Sunflower_Helianthus_annuus_L. (WoS/Scopus)

1739. Onbaşlı D. Apiterapi ve İnsan Sağlığı Üzerine Etkileri. *Erciyes Üniversitesi Veteriner Fakültesi Dergisi* 16(1), 49-56, 2019. <https://doi.org/10.32707/ercivet.538001>

1740. Passricha N, Saifi SK, Kharb P, Tyreña H. Marker-free transgenic rice plant overexpressing pea LecRLK imparts salinity tolerance by inhibiting sodium accumulation. *Plant Molecular Biology* 99(3):265-281, 2019. <https://doi.org/10.1007/s11103-018-0816-8> (WoS/Scopus)

1741. Pehlivan N, Saruhan Guler N. Salt stress triggered changes in osmoregulation and antioxidants in herbaceous perennial inula plants (Asteraceae). *Alinteri Journal of Agriculture Sciences*, 34(1):39-46, 2019. <https://doi.org/10.28955/alinterizbd.541949>.

1742. Pereira YC, Rodrigues WS, Lima EJA, Santos LR, Silva MHL, Lobato AKS. Brassinosteroids increase electron transport and photosynthesis in soybean plants under water deficit. *Photosynthetica* 57(1):181-191, 2019. DOI: 10.32615/ps.2019.029 (WoS/Scopus)

1743. Perveen S, Iqbal M, Saeed M, Iqbal N, Zafar S, Mumtaz T. Cysteine-induced alterations in physicochemical parameters of oat (*Avena sativa* L. var. Scott and F-411) under drought stress. *Biologia Futura* 70, 16–24, 2019. DOI:10.1556/019.70.2019.03

1744. Pirzadah TB, Malik B, Tahir I, Rehman RUI, Hakeem KR, Alharby HF. Aluminium stress modulates the osmolytes and enzyme defense system in *Fagopyrum* species. *Plant Physiology and Biochemistry* 144:178-186, 2019. <https://doi.org/10.1016/j.plaphy.2019.09.033>. (WoS/Scopus)

1745. Pliūra A, Jankauskienė J, Bajerkevičienė G, Lygis V, Suchockas V, Labokas J, Verbylaite. Response of juveniles of seven forest tree species and their populations to different combinations of simulated climate change-related stressors: spring-frost, heat, drought, increased UV radiation and ozone concentration under elevated CO₂ level. *Journal of Plant Research* 132(6):789-811, 2019. <https://doi.org/10.1007/s10265-019-01146-2>. (WoS/Scopus)

1746. Qu DY, Gu WR, Zhang LG, Li CF, Chen XC, Li J, Li LJ, Xie TL, Wei S. Role of chitosan in the regulation of the growth, antioxidant system and photosynthetic characteristics of maize seedlings under cadmium stress. *Russian Journal of Plant Physiology* 66(1):140-151, 2019. <https://doi.org/10.1134/S102144371901014X>. (WoS/Scopus)

1747. Rady MM, Ahmed SM, El-Yazal MA, Taie HA. Alleviation of cadmium stress in wheat by polyamines. In: *Cadmium Tolerance in Plants*, 2019, pp. 463-496. Academic Press. <https://doi.org/10.1016/B978-0-12-815794-7.00017-5>

1748. Rady MM, Kuşvuran A, Alharby HF, Alzahrani Y, Kuşvuran S. Pretreatment with proline or an organic bio-stimulant induces salt tolerance in wheat plants by improving antioxidant redox state and enzymatic activities and reducing the oxidative stress. *Journal of Plant Growth Regulation* 38(2): 449-462, 2019. <https://doi.org/10.1007/s00344-018-9860-5> (WoS/Scopus)

1749. Rahbar I, Abbasnejad M, Haghani J, Raoof M, Kooshki R, Esmaeili-Mahani S. The effect of central administration of alpha-pinene on capsaicin-induced dental pulp nociception. *International Endodontic Journal* 52(3), 307-317, 2019. <https://doi.org/10.1111/iej.13006>. (WoS/Scopus)

1750. Ramadan AA, Abd Elhamid EM, Sadak MSh. Comparative study for the effect of arginine and sodium nitroprusside on sunflower plants grown under salinity stress conditions. *Bulletin of the National Research Centre* 43:118, 2019. <https://doi.org/10.1186/s42269-019-0156-0>

1751. Rao MJ, Xu Y, Huang Y, Tang X, Deng X, Xu Q. Ectopic expression of citrus UDP-GLUCOSYL TRANSFERASE gene enhances anthocyanin and proanthocyanidins contents and confers high light tolerance in *Arabidopsis*. *BMC Plant Biology* 19:603, 2019. <https://doi.org/10.1186/s12870-019-2212-1>. (WoS/Scopus)

1752. Rezayian M, Niknam V, Faramarzi MA. Antioxidative responses of *Nostoc ellipsosporum* and *Nostoc piscinale* to salt stress. *Journal of Applied Phycology* 31: 157-169, 2019; <https://doi.org/10.1007/s10811-018-1506-2> (WoS/Scopus)

1753. Ribeiro DG, Silva BRS, Lobato AK. Brassinosteroids induce tolerance to water deficit in soybean seedlings: contributions linked to root anatomy and antioxidant enzymes. *Acta Physiologiae Plantarum* 41: 82, 2019. <https://doi.org/10.1007/s11738-019-2873-2> (WoS/Scopus)

1754. Rigui AP, Carvalho V, dos Santos AL, Morvan-Bertrand A, Prud'homme MP, de Carvalho MA, Gaspar M. Fructan and antioxidant metabolisms in plants of *Lolium perenne* under drought are modulated by exogenous nitric oxide. *Plant Physiology and Biochemistry* 145, 205-215, 2019. <https://doi.org/10.1016/j.plaphy.2019.10.029>. (WoS/Scopus)

- 1755.** Rohani N, Daneshmand F, Vaziri A, Mahmoudi M, Saber-Mahani F. Growth and some physiological characteristics of *Pistacia vera* L. cv Ahmad Aghaei in response to cadmium stress and *Glomus mosseae* symbiosis. *South African Journal of Botany* 124, 499-507, **2019**. <https://doi.org/10.1016/j.sajb.2019.06.001>. (WoS/Scopus)
- 1756.** Rudnicka M, Ludynia M, Karcz W. Effects of naphthazarin (DHNQ) combined with lawsone (NQ-2-OH) or 1,4-naphthoquinone (NQ) on the auxin-induced growth of *Zea mays* L. coleoptile segments. *International Journal of Molecular Sciences* 20(7), 1788, **2019**. <https://doi.org/10.3390/ijms20071788>. (WoS/Scopus)
- 1757.** Rudnicka M, Ludynia M, Karcz W. The effect of naphthazarin on the growth, electrogenicity, oxidative stress, and microtubule array in *Z. mays* coleoptile cells treated with IAA. *Frontiers in Plant Science* 9:1940, **2019**. doi: 10.3389/fpls.2018.01940 (WoS/Scopus)
- 1758.** Saeed AAJM, Abdulhadi MD, Salih SM. Response of gerbera (*Gerbera jamesonii*) cv. 'Great Smoky Mountains' to foliar application of putrescine, spermidine and salicylic acid. International Conference on Agricultural Sciences. IOP Conf. Series: Earth and Environmental Science 388, 012067, **2019**. <https://doi.org/10.1088/1755-1315/388/1/012067>.
- 1759.** Samadi S, Habibi G, Vaziri A. Effects of exogenous salicylic acid on antioxidative responses, phenolic metabolism and photochemical activity of strawberry under salt stress. *Plant Physiology* 9(2), 2685-2694, **2019**. http://ijpp.iau-saveh.ac.ir/article_545950.html. (WoS/Scopus)
- 1760.** Samadi S, Habibi G, Vaziri A. Exogenous trehalose alleviates the inhibitory effects of salt stress in strawberry plants. *Acta Physiologiae Plantarum* 41(7): 112, **2019**. <https://doi.org/10.1007/s11738-019-2905-y> (WoS/Scopus)
- 1761.** Sami A, Riaz MW, Zhou X, Zhu Z, Zhou K. Alleviating dormancy in *Brassica oleracea* seeds using NO and KAR1 with ethylene biosynthetic pathway, ROS and antioxidant enzymes modifications. *BMC Plant Biology* 19:577, **2019**. <https://doi.org/10.1186/s12870-019-2118-y>. (WoS/Scopus)
- 1762.** Santisree P, Adimulam SS, Sharma K, Bhatnagar-Mathur P, Sharma KK. Insights into the nitric oxide mediated stress tolerance in plants. Chapter 25 In: *Plant Signaling Molecules. Role and Regulation Under Stressful Environments*, Pages 385-406, **2019**. <https://doi.org/10.1016/B978-0-12-816451-8.00024-1>. (WoS/Scopus)
- 1763.** Sarabandi M, Farokhzad A, Mandoulakani BA, Ghasemzadeh R. Biochemical and gene expression responses of two Iranian grape cultivars to foliar application of methyl jasmonate under boron toxicity conditions. *Scientia Horticulturae* 249:355-363, **2019**. <https://doi.org/10.1016/j.scienta.2019.02.019> (WoS/Scopus)
- 1764.** Sarkar B, De AK, Saha I, Ghosh A, Debnath SC, Adak MK. Amelioration with titanium dioxide nanoparticle for regulation of oxidative stress in maize (*Zea mays* L.). *Journal of Microbiology, Biotechnology and Food Sciences* 9(2), 320-329, **2019**. https://www.jmbfs.org/wp-content/uploads/2019/09/jmbfs_1502_Sarkar.pdf. (WoS/Scopus)
- 1765.** Sayed S, Gadallah M. Hydrogen peroxide supplementation alleviates the deleterious effects of cadmium on photosynthetic pigments and oxidative stress and improves growth, yield and pods quality of pea (*Pisum sativum* L.) plants. *Acta Physiologiae Plantarum* 41: 113, **2019**. <https://doi.org/10.1007/s11738-019-2901-2> (WoS/Scopus)
- 1766.** Shafiq F, Iqbal M, Ali M, Ashraf MA. Seed pre-treatment with polyhydroxy fullerene nanoparticles confer salt tolerance in wheat through upregulation of H₂O₂ neutralizing enzymes and phosphorus uptake. *Journal of Soil Science and Plant Nutrition* 19:734-742, **2019**. <https://doi.org/10.1007/s42729-019-00073-4> (WoS/Scopus)
- 1767.** Shafiq S, Aisha N, Ashraf M. Assessment of physio-biochemical indicators for drought tolerance in different cultivars of maize (*Zea mays* L.) *Pakistan Journal of Botany* 51(4), **2019**. [http://dx.doi.org/10.30848/PJB2019-4\(21\)](http://dx.doi.org/10.30848/PJB2019-4(21)) (WoS/Scopus)
- 1768.** Shah AA, Ahmed S, Yasin NA. 24-epibrassinolide triggers cadmium stress mitigation in *Cucumis sativus* through intonation of antioxidant system. *South African Journal of Botany* 127, 349-360. **2019**. <https://doi.org/10.1016/j.sajb.2019.11.003>. (WoS/Scopus)
- 1769.** Shah K, Amin NU, Ahmad I, Ara G, Ur Rahman M, Zuo X, Xing L, Ren X. Cement dust induce stress and attenuates photosynthesis in *Arachis hypogaea*. *Environmental Science and Pollution Research* 26:19490-19501, **2019**. <https://doi.org/10.1007/s11356-019-04861-4> (WoS/Scopus)
- 1770.** Shahbaz AK, Ramzani PMA, Saeed R, Turan V, Iqbal M, Lewińska K, Abbas F, Saqib M, Tauqeer HM, Iqbal M, Fatima M, Rahman M. Effects of biochar and zeolite soil amendments with foliar proline spray on nickel immobilization, nutritional quality and nickel concentrations in wheat. *Ecotoxicology and Environmental Safety* 173: 182-191, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.02.025>. (WoS/Scopus)
- 1771.** Shaki F, Maboud HE, Niknam V. Improving salt tolerance in safflower plants through exogenous application of penconazole. *Agronomy Journal* 111(1): 397-407, **2019**. <https://doi.org/10.2134/agronj2018.05.0311> (WoS/Scopus)
- 1772.** Shehzadi A, Akram NA, Ali A, Ashraf M. Exogenously applied glycinebetaine induced alteration in some key physio-biochemical attributes and plant anatomical features in water stressed oat (*Avena sativa* L.) plants. *Journal of Arid Land* 11(2): 292-305, **2019**. <https://doi.org/10.1007/s40333-019-0007-8> (WoS/Scopus)
- 1773.** Sheteiwy MS, Shao H, Qi W, Hamoud YA, Shaghaleh H, Khan NU, Yang R, Tang B. GABA-alleviated oxidative injury induced by salinity, osmotic stress and their combination by regulating cellular and molecular signals in rice. *International Journal of Molecular Sciences* 20, 5709, **2019**. doi:10.3390/ijms20225709.
- 1774.** Sheykh Hosseini S, Gol A, Khaleghi M. The effects of the *Lactobacillus acidophilus* ATCC 4356 on the oxidative stress of reproductive system in diabetic male rats. *International Journal of Reproductive BioMedicine* 17: 493–502, **2019**. <https://doi.org/10.18502/ijrm.v17i7.4861> (WoS/Scopus)
- 1775.** Shi X, Wang S, Wang D, Sun H, Chen Y, Liu J, Jiang Z. Woody species *Rhus chinensis* Mill. seedlings

- tolerance to Pb: Physiological and biochemical response. *Journal of Environmental Sciences* 78:63-73, **2019**, <https://doi.org/10.1016/j.jes.2018.07.003> (WoS/Scopus)
- 1776.** Siddiqui MH, Alamri S, Al-Khaishany MY, Khan MN, Al-Amri A, Ali HM, Alaraidh IA, Alsahli AA. Exogenous melatonin counteracts NaCl-induced damage by regulating the antioxidant system, proline and carbohydrates metabolism in tomato seedlings. *International Journal of Molecular Sciences* 20, 353, **2019**. doi:10.3390/ijms20020353 (WoS/Scopus)
- 1777.** Siddiqui MH, Alamri S, Alsubaie QD, Ali HM, Ibrahim AA, Alsadon A. Potential roles of melatonin and sulfur in alleviation of lanthanum toxicity in tomato seedlings. *Ecotoxicology and Environmental Safety* 180:656-667, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.05.043>. (WoS/Scopus)
- 1778.** Singh A, Hussain I, Singh NB, Singh H. Uptake, translocation and impact of green synthesized nanoceria on growth and antioxidant enzymes activity of *Solanum lycopersicum* L. *Ecotoxicology and Environmental Safety* 182, 109410, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.109410>. (WoS/Scopus)
- 1779.** Singh A, Prasad SM, Singh S. Role of nano-powder of *Azadirachta indica* leaves to regulate the physiological responses and metal uptake in *Triticum aestivum* seedlings. *Journal Chemistry and Ecology* 35(5):483-499, **2019** <https://doi.org/10.1080/02757540.2019.1579198>
- 1780.** Singh BN, Dwivedi P, Sarma BK, Singh HB. Trichoderma asperellum T42 induces local defense against Xanthomonas oryzae pv. oryzae under nitrate and ammonium nutrients in tobacco. *RSC Advances* 9, 39793-39810, **2019**. DOI: 10.1039/c9ra06802c. (WoS/Scopus)
- 1781.** Singh M, Bashri G, Prasad SM, Singh VP. Kinetin alleviates UV-B-induced damage in *Solanum lycopersicum*: Implications of phenolics and antioxidants. *Journal of Plant Growth Regulation* 38:831-841, **2019**. <https://doi.org/10.1007/s00344-018-9894-8> (WoS/Scopus)
- 1782.** Singh M, Singh VP, Prasad SM. Nitrogen alleviates salinity toxicity in *Solanum lycopersicum* seedlings by regulating ROS homeostasis. *Plant Physiology and Biochemistry* 141, 466-476, **2019**. <https://doi.org/10.1016/j.plaphy.2019.04.004>. (WoS/Scopus)
- 1783.** Singh R, Jha AB, Misra AN, Sharma P. Differential responses of growth, photosynthesis, oxidative stress, metals accumulation and NRAMP genes in contrasting *Ricinus communis* genotypes under arsenic stress. *Environmental Science and Pollution Research* 26:31166-31177, **2019**. <https://doi.org/10.1007/s11356-019-06243-2> (WoS/Scopus)
- 1784.** Singh R, Upadhyay AK, Singh DV, Singh JS, Singh DP. Photosynthetic performance, nutrient status and lipid yield of microalgae *Chlorella vulgaris* and *Chlorococcum humicola* under UV-B exposure. *Current Research in Biotechnology* 1, 65-77, **2019**. <https://doi.org/10.1016/j.crbiot.2019.10.001>.
- 1785.** Singh S, Prasad SM. Regulation of chromium toxicity tolerance in tomato and brinjal by calcium and sulfur through nitric oxide: involvement of enzymes of sulfur assimilation and the ascorbate-glutathione cycle. *Environmental and Experimental Botany* 166, 103789, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.06.002>. (WoS/Scopus)
- 1786.** Singh S, Singh VP, Prasad SM, Sharma S, Ramawat N, Dubey NK. Interactive effect of silicon (Si) and salicylic acid (SA) in maize seedlings and their mechanisms of cadmium (Cd) toxicity alleviation. *Journal of Plant Growth Regulation* 38(4):1587-1597, **2019**. <https://doi.org/10.1007/s00344-019-09958-1>. (WoS/Scopus)
- 1787.** Siqueira-Silva AI, Rios CO, Pereira EG. Iron toxicity resistance strategies in tropical grasses: The role of apoplastic radicular barriers. *Journal of Environmental Sciences* 78:257-266, **2019**. <https://doi.org/10.1016/j.jes.2018.10.005>. (WoS/Scopus)
- 1788.** Smedbol É, Lucotte M, Maccario S, Gomes MP, Paquet S, Moingt M, Celis Mercier LL, Perez Sobarzo MR, Blouin MA. Glyphosate and aminomethylphosphonic acid content in glyphosate-resistant soybean leaves, stems and roots and associated phytotoxicity following a single glyphosate-based herbicide application. *Journal of Agriculture and Food Chemistry* 67(22):6133-6142, **2019**. <https://doi.org/10.1021/acs.jafc.9b00949>. (WoS/Scopus)
- 1789.** Soliman M, Alhaithloul HA, Hakeem KR, Alharbi BM, El-Esawi M, Elkelish A. Exogenous nitric oxide mitigates nickel-induced oxidative damage in eggplant by upregulating antioxidants, osmolyte metabolism, and glyoxalase systems. *Plants - Basel* 8, art. ID 562, **2019**. doi:10.3390/plants8120562. (WoS/Scopus)
- 1790.** Soti M, Abbasnejad M, Kooshki R, Esmaeili-Mahani S. Central microinjection of phytohormone abscisic acid changes feeding behavior, decreases body weight, and reduces brain oxidative stress in rats. *Nutritional neuroscience* 22(10): 678-687, **2019**. <https://doi.org/10.1080/1028415X.2018.1431093> (WoS/Scopus)
- 1791.** Souguir M, Araújo MEM, Chérif H, Tarchoun N. Supplemental calcium nitrate mitigates NaCl-induced biochemical, physiological, and antioxidant changes in sesame. *International Journal of Vegetable Science* 25(1):3-26, **2019**, <https://doi.org/10.1080/19315260.2018.1458767>. (WoS/Scopus)
- 1792.** Sreeharsha RV, Mudalkar S, Sengupta D, Unnikrishnan DK, Reddy AR. Mitigation of drought-induced oxidative damage by enhanced carbon assimilation and an efficient antioxidative metabolism under high CO₂ environment in pigeonpea (*Cajanus cajan* L.). *Photosynthesis Research* 139(1-3):425-439, **2019**. <https://doi.org/10.1007/s11120-018-0586-9> (WoS/Scopus)
- 1793.** Subramanyam K, Du Laing G, Van Damme EJM. Sodium selenate treatment using a combination of seed priming and foliar spray alleviates salinity stress in rice. *Frontiers in Plant Science* 10:116, **2019**. doi:10.3389/fpls.2019.00116 (WoS/Scopus)
- 1794.** Suttakun S, Rattanukul S, Thayanukul P. Hydrogen peroxide production in *Anubias barteri*, *Echinodorus ozelot* and *Cabomba caroliniana* by induction of 17 α -Ethinylestradiol. *Thai Environmental Engineering Journal* 33(2): 41-49, **2019**. <https://www.tci-thaijo.org/index.php/teej/article/view/202895>

- 1795.** Szwed M, Wiczowski W, Szawara-Nowak D, Obendorf RL, Horbowicz M. Allelopathic influence of common buckwheat root residues on selected weed species. *Acta Physiologiae Plantarum* 41:92, **2019**. <https://doi.org/10.1007/s11738-019-2885-y> (WoS/Scopus)
- 1796.** Tahira S, Khan S, Samrana S, Shahi L, Ali I, Murad W, ur Rehman Z, Azizullah A. Bio-assessment and remediation of arsenic (arsenite As-III) in water by *Euglena gracilis*. *Journal of Applied Phycology* 31(1): 423-433, **2019**. <https://link.springer.com/article/10.1007/s10811-018-1593-0> (WoS/Scopus)
- 1797.** Tahjib-UI-Arif Md, Sohag AM, Afrin S, Bashir KK, Afrin T, Mahamud AGMSU, Polash MAS, Hossain MdT, Sohail MdAT, Brestic M, Murata Y. Differential response of sugar beet to long-term mild to severe salinity in a soil-pot culture. *Agriculture* 9, 223, **2019**; doi:10.3390/agriculture9100223 (WoS/Scopus)
- 1798.** Tahjib-UI-Arif M, Afrin S, Polash MAS, Akter T, Ray SR, Hossain MT, Hossain MA. Role of exogenous signaling molecules in alleviating salt-induced oxidative stress in rice (*Oryza sativa* L.): a comparative study. *Acta Physiologia Plantarum* 41: 69, **2019**. <https://doi.org/10.1007/s11738-019-2861-6>. (WoS/Scopus)
- 1799.** Talarek-Karwel M, Bajguz A, Piotrowska-Niczyporuk A. 24-Epibrassinolide modulates primary metabolites, antioxidants, and phytochelatins in *Acutodesmus obliquus* exposed to lead stress. *Journal of Applied Phycology*, 2019. doi:10.1007/s10811-019-01966-8. (WoS/Scopus)
- 1800.** Tang ZQ, Shang J, Zhang L, Du JB, Yang H, Zeng SH, Li PL, Bawa G, Yu L, Hou XX, Yang WY. Characterization of synergy between Cucumber mosaic virus and *Alternaria alternata* in *Nicotiana tabacum*. *Physiological and Molecular Plant Pathology* 108, 101404, **2019**. <https://doi.org/10.1016/j.pmp.2019.03.001>. (WoS/Scopus)
- 1801.** Tauqeer HM, Hussain S, Abbas F, Iqbal M. The potential of an energy crop “*Conocarpus erectus*” for lead phytoextraction and phytostabilization of chromium, nickel, and cadmium: An excellent option for the management of multi-metal contaminated soils. *Ecotoxicology and Environmental Safety*, 173, 273-284, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.01.119>. (WoS/Scopus)
- 1802.** Tayebi-Meigooni A, Awang Y, Biggs AR, Ghasemzadeh A. Salt-induced changes in growth and damage avoidance mechanisms of hydroponically grown chinese kale (*Brassica alboglabra* L.). In: Gul B, Böer B, Khan M., Clüsener-Godt M, Hameed A. (eds) *Sabkha Ecosystems. Tasks for Vegetation Science*, vol 49, pp. 99-111. Springer, Cham, **2019**. https://doi.org/10.1007/978-3-030-04417-6_8. (BOOK)
- 1803.** Tiwari PK, Shweta, Singh AK, Singh VP, Prasad SM, Ramawat N, Tripathi DK, Chauhan DK, Rai AK. Liquid assisted pulsed laser ablation synthesized copper oxide nanoparticles (CuO-NPs) and their differential impact on rice seedlings. *Ecotoxicology and Environmental Safety* 176, 321-329, **2019**. (WoS/Scopus)
- 1804.** Tiwari S, Verma N, Singh VP, Prasad SM. Nitric oxide ameliorates aluminium toxicity in *Anabaena PCC7120*: Regulation of aluminium accumulation, exopolysaccharides secretion, photosynthesis and oxidative stress markers. *Environmental and Experimental Botany* 161:218-227, **2019**. <https://doi.org/10.1016/j.envexpbot.2018.10.026> (WoS/Scopus)
- 1805.** Tohidian Z, Hashemi S, Boroujeni KP. Facile microwave-assisted synthesis of NiO nanoparticles and its effect on soybean (*Glycine max*). *IET Nanobiotechnology* 13(2):101-106, **2019**. <https://doi.org/10.1049/iet-nbt.2018.5003> (WoS/Scopus)
- 1806.** Torabzadeh D, Hassanpour H, Asgarpanah J, Rezayian M. Nanoparticles induced antioxidative compounds in *Matricaria chamomilla*. *Iranian Journal of Plant Physiology* 9(4), 2955-2961, **2019**. http://ijpp.iau-saveh.ac.ir/article_668861.html. (WoS/Scopus)
- 1807.** Turan V. Confident performance of chitosan and pistachio shell biochar on reducing Ni bioavailability in soil and plant plus improved the soil enzymatic activities, antioxidant defense system and nutritional quality of lettuce. *Ecotoxicology and Environmental Safety* 183, 109594, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.109594>. (WoS/Scopus)
- 1808.** Turfan N, Ayan S, Nurten Yer E, Özel HB. Age-Related Changes of Some Chemical Components in the Leaves of Oriental Beech (*Fagus orientalis* Lipsky.). *South-East European forestry* 10(2), 117-124, **2019**. <https://doi.org/10.15177/see-for.19-15>. (WoS/Scopus)
- 1809.** Turfan N, Meşe Ö. Effects of air pollution on some chemical compounds of cherry laurel (*Prunus Laurocerasus* L.) in Kastamonu. *Journal of Bartın Faculty of Forestry* 21(2), 486-494, **2019**. DOI: 10.24011/barofd.535984
- 1810.** Turfan N, Saryıldız T, Mutlu E. variation in chemical constituents of siyez wheat (*Triticum monococcum* L.) in response to some abiotic stress factors. *Turkish Journal of Agriculture-Food Science and Technology* 7(4), 598-605, **2019**. <https://doi.org/10.24925/turjaf.v7i4.598-605.2281>.
- 1811.** Turk H. Chitosan-induced enhanced expression and activation of alternative oxidase confer tolerance to salt stress in maize seedlings. *Plant Physiology and Biochemistry* 141 415-422, **2019**. <https://doi.org/10.1016/j.plaphy.2019.06.025>. (WoS/Scopus)
- 1812.** Uarrota VG, Segatto C, Voyten APL, Maraschin M, Avila LV, Kazama DCS, Coelho CMM, Souza CA. Metabolic fingerprinting of water-stressed soybean cultivars by gas chromatography, near-infrared and UV-visible spectroscopy combined with chemometrics. *Journal of Agronomy and Crop Science* 205(2):141-156, **2019**. <https://doi.org/10.1111/jac.12311>. (WoS/Scopus)
- 1813.** Umar M. Physiological Screening of Some Sunflower Varieties Against Abiotic Stress (Doctoral dissertation, University of Karachi, Karachi). <http://pr.hec.gov.pk/jspui/handle/123456789/10690>. **PhD Thesis**
- 1814.** Viljevac Vuletić M, Marček T, Španić V. Photosynthetic and antioxidative strategies of flag leaf maturation and its impact to grain yield of two field-grown wheat varieties. *Theoretical and Experimental Plant Physiology* 31:

- 387-399, 2019. <https://doi.org/10.1007/s40626-019-00153-x>. (WoS/Scopus)
1815. Vuletić MV, Marček T, Španić V. Photosynthetic and antioxidative strategies of flag leaf maturation and its impact to grain yield of two field-grown wheat varieties. *Theoretical and Experimental Plant Physiology* 31(3), 387-399, 2019. <https://doi.org/10.1007/s40626-019-00153-x>. (WoS/Scopus)
1816. Waqas M, Yaning C, Iqbal H, Shareef M, Ur Rehman H, Iqbal S, Mahmood S. Soil drenching of paclobutrazol: an efficient way to improve quinoa performance under salinity. *Physiologia Plantarum* 165(2):219-231, 2019. <https://doi.org/10.1111/ppl.12820>. (WoS/Scopus)
1817. Xie M-M, Zhang Y-C, Liu L-P, Zou Y-N, Wu Q-S, Kuča K. Mycorrhiza regulates signal substance levels and pathogen defense gene expression to resist citrus canker. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 47(4): 1161-1167, 2019. <https://doi.org/10.15835/nbha47411561>. (WoS/Scopus)
1818. Xie Y, Li X, Huang X, Han S, Amombo E, Wassie M, Chen L, Fu J. Characterization of the Cd-resistant fungus *Aspergillus aculeatus* and its potential for increasing the antioxidant activity and photosynthetic efficiency of rice. *Ecotoxicology and Environmental Safety* 171:373-381, 2019. <https://doi.org/10.1016/j.ecoenv.2018.11.123>. (WoS/Scopus)
1819. Xie Y, Sun X, Feng Q, Luo H, Wassie M, Ameer M, Amombo E, Chen L. Comparative physiological and metabolomic analyses reveal mechanisms of *Aspergillus aculeatus*-mediated abiotic stress tolerance in tall fescue. *Plant Physiology and Biochemistry* 142, 342-350, 2019. <https://doi.org/10.1016/j.plaphy.2019.07.022>. (WoS/Scopus)
1820. Yadav V, Singh NB, Singh H, Singh A, Hussain I. Putrescine affects tomato growth and response of antioxidant defense system due to exposure to cinnamic acid. *International Journal of Vegetable Science* 25(3):259-277, 2019 DOI: 10.1080/19315260.2018.1508110 (WoS/Scopus)
1821. Yadu B, Chandrakar V, Tamboli R, Keshavkant S. Dimethylthiourea antagonizes oxidative responses by up-regulating expressions of pyrroline-5-carboxylate synthetase and antioxidant genes under arsenic stress. *International Journal of Environmental Science and Technology* 16:8401-8410, 2019. <https://doi.org/10.1007/s13762-019-02234-5> (WoS/Scopus)
1822. Yalamalle VR, BS Tomar, SK Jain, A Arora, A Kumar, AD Munshi. Spermine induced protection of onion seed vigour and viability during accelerated ageing. *Journal of Environmental Biology* 40(5):1079-1083, 2019. <http://doi.org/10.22438/jeb/40/5/MRN-1047>. (WoS/Scopus)
1823. Yang B, Chen M, Wang T, Chen X, Li Y, Wang X, Zhu W, Xia L, Hu X, Tian J. A metabolomic strategy revealed the role of JA and SA balance in *Clematis terniflora* DC. Response to UVB radiation and dark. *Physiologia Plantarum* 167(2): 232-249, 2019. <https://doi.org/10.1111/ppl.12883> (WoS/Scopus)
1824. Yaqoob H, Akram NA, Iftikhar S, Ashraf M, Khalid N, Sadiq M, Alyemeni MN, Wijaya L, Ahmad P. Seed pretreatment and foliar application of proline regulate morphological, physio-biochemical processes and activity of antioxidant enzymes in plants of two cultivars of quinoa (*Chenopodium quinoa* Willd.). *Plants – BASEL* 8, 588, 2019. doi:10.3390/plants8120588. (WoS/Scopus)
1825. Yildiztekin M, Ozler MA, Nadeem S, Tuna AL. Investigations on the effects of commonly used pesticides on tomato plant growth. *Fresenius Environmental Bulletin* 28(1):376-382, 2019 (WoS/Scopus)
1826. Yilmaz H, Kulaz H. The effects of plant growth promoting rhizobacteria on antioxidant activity in chickpea (*Cicer arietinum* L.) under salt stress. *Legume Research* 42: 72-76, 2019 <http://dx.doi.org/10.18805/LR-435>
1827. Ying ZH, Meng LI, Feng WA, Dong DI, ZHAO CJ, Lin HE, LI ZT, XU JY. The role of AtGPDHc2 in regulating cellular redox homeostasis of *Arabidopsis* under salt stress. *Journal of Integrative Agriculture* 18(6), 1266-1279, 2019. [https://doi.org/10.1016/S2095-3119\(18\)62082-9](https://doi.org/10.1016/S2095-3119(18)62082-9). (WoS/Scopus)
1828. Younis AA, Ismail HA. Triacantanol Alleviated Nickel Toxicity in Maize Seedling By Controlling Its Uptake and Enhancing Antioxidant System. *Journal of Advances in Plant Biology* 1(3):1-15, 2019. <https://doi.org/10.14302/issn.2638-4469.japb-19-3051>.
1829. Yun CJ, Hwang KO, Han SS, Ri HG. The effect of salinity stress on the biofuel production potential of freshwater microalgae *Chlorella vulgaris* YH703. *Biomass and Bioenergy* 127, 105277, 2019. <https://doi.org/10.1016/j.biombioe.2019.105277>. (WoS/Scopus)
1830. Yüzbaşıoğlu E, Dalyan E. Salicylic acid alleviates thiram toxicity by modulating antioxidant enzyme capacity and pesticide detoxification systems in the tomato (*Solanum lycopersicum* Mill.). *Plant Physiology and Biochemistry* 135, 322-330, 2019. (WoS/Scopus)
1831. Zadeh RR, Arvin SMJ, Jamei R, Mozaffari H, Nejhad FR. Response of tomato plants to interaction effects of magnetic (Fe₃O₄) nanoparticles and cadmium stress. *Journal of Plant Interactions* 14:1, 474-481, 2019. <https://doi.org/10.1080/17429145.2019.1626922>. (WoS/Scopus)
1832. Zahedipour P, Asghari M, Abdollahi B, Alizadeh M, Danesh YR. A comparative study on quality attributes and physiological responses of organic and conventionally grown table grapes during cold storage. *Scientia Horticulturae* 247, 86-95, 2019. (WoS/Scopus)
1833. Zaid A, Mohammad F, Wani SH, Siddique KM. Salicylic acid enhances nickel stress tolerance by up-regulating antioxidant defense and glyoxalase systems in mustard plants. *Ecotoxicology and Environmental Safety* 180, 575-587, 2019. <https://doi.org/10.1016/j.ecoenv.2019.05.042>. (WoS/Scopus)
1834. Zedan A, Omar S. Nano Selenium: Reduction of severe hazards of Atrazine and promotion of changes in growth and gene expression patterns on *Vicia faba* seedlings. *African Journal of Biotechnology* 18(23): 502-510, 2019. DOI: 10.5897/AJB2019.16773, Art Num: 449FA9661122. (WoS/Scopus)
1835. Zhang J, Xing J, Lu Q, Yu G, Xu B, Huang B. Transcriptional regulation of chlorophyll-catabolic genes

- associated with exogenous chemical effects and genotypic variations in heat-induced leaf senescence for perennial ryegrass. *Environmental and Experimental Botany* 167, 103858, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103858>. (WoS/Scopus)
- 1836.** Zhang K, Wang G, Bao M, Wang L, Xie X. Exogenous application of ascorbic acid mitigates cadmium toxicity and uptake in maize (*Zea mays* L.). *Environmental Science and Pollution Research* 26:19261-19271, **2019**. <https://doi.org/10.1007/s11356-019-05265-0>
- 1837.** Zhang W, Zhang D, Zagorevski DV, Liang Y. Exposure of *Juncus effusus* to seven perfluoroalkyl acids: Uptake, accumulation and phytotoxicity. *Chemosphere* 233, 300-308, **2019**. <https://doi.org/10.1016/j.chemosphere.2019.05.258> (WoS/Scopus)
- 1838.** Zhang X, Chen J, Liu X, Chen X, Liu L, Niu Y, Wang R. The relief effects of organic acids on *Scirpus triquetra* L. under pyrene-lead stress. *Environmental Science and Pollution Research*, 26(16), 15828-15837, **2019**. <https://doi.org/10.1007/s11356-019-04976-8>. (WoS/Scopus)
- 1839.** Zhao J, Pan L, Zhou M, Yang Z, Meng Y, Zhang X. Comparative physiological and transcriptomic analyses reveal mechanisms of improved osmotic stress tolerance in annual ryegrass by exogenous chitosan. *Genes* 10, 853, **2019**, doi:10.3390/genes10110853. (WoS/Scopus)
- 1840.** Zhong M, Wang Y, Hou K, Shu S, Sun J, Guo S. TGase positively regulates photosynthesis via activation of Calvin cycle enzymes in tomato. *Horticulture Research* 6, Article number: 92, **2019**. <https://doi.org/10.1038/s41438-019-0173-z> (WoS/Scopus)
- 1841.** Zoghi Z, Hosseini SM, Kouchaksaraei MT, Kooch Y, Guidi L. The effect of biochar amendment on the growth, morphology and physiology of *Quercus castaneifolia* seedlings under water-deficit stress. *European Journal of Forest Research* 138:967-979, **2019**. <https://doi.org/10.1007/s10342-019-01217-y>. (WoS/Scopus)
- 1842.** A Sager SM, L Wijaya, MN Alyemeni, AA Hatamleh, P Ahmad. Impact of different cadmium concentrations on two *Pisum sativum* L. genotypes. *Pakistan Journal of Botany* 52(3), **2020**. DOI: [http://dx.doi.org/10.30848/PJB2020-3\(10\)](http://dx.doi.org/10.30848/PJB2020-3(10)). (WoS/Scopus)
- 1843.** Aalipour H, Nikbakht A, Etemadi N, Rejali F, Soleimani M. Biochemical response and interactions between arbuscular mycorrhizal fungi and plant growth promoting rhizobacteria during establishment and stimulating growth of Arizona cypress (*Cupressus arizonica* G.) under drought stress. *Scientia Horticulturae* 261, 108923, **2020**. <https://doi.org/10.1016/j.scienta.2019.108923>. (WoS/Scopus)
- 1844.** Aalipour H, Nikbakht A, Ghasemi M, Amiri R. Morpho-physiological and biochemical responses of two turfgrass species to arbuscular mycorrhizal fungi and humic acid under water stress condition. *Journal of Soil Science and Plant Nutrition* 20, 566-576, **2020**. (WoS/Scopus). <https://doi.org/10.1007/s42729-019-00146-4>.
- 1845.** Abbas S, Javed MT, Shahid M, Hussain I, Haider MZ, Chaudhary HJ, Tanwir K, Maqsood A. *Acinetobacter* sp. SG-5 inoculation alleviates cadmium toxicity in differentially Cd tolerant maize cultivars as deciphered by improved physio-biochemical attributes, antioxidants and nutrient physiology. *Plant Physiology and Biochemistry* 155, 815-827, **2020**. <https://doi.org/10.1016/j.plaphy.2020.08.024>. (WoS/Scopus)
- 1846.** Abbaspour Shahmaras OL, Behtash F, Agae A. Interaction of Fe and Si on some of biochemical characteristics of chickpea (*Pisum sativum* Cv. Wando) in greenhouse conditions. *Journal of Plant Production Research* 27(2), 103-119, **2020**. http://jopp.gau.ac.ir/article_5113.html?lang=en.
- 1847.** Abbas Z, Bouallegue A, Trabelsi I, Trabelsi N, Taamalli A, Amri M, Mhadhbi H, Kharrat M. Investigation of some biochemical mechanisms involved in the resistance of faba bean (*Vicia faba* L.) varieties to *Orobanche* spp. *Plant Protection Science* 56(4): 317-328, **2020**. <https://doi.org/10.17221/103/2019-PPS>. (WoS/Scopus)
- 1848.** Abd El-Hameid AR, Sadak MS. Impact of glutathione on enhancing sunflower growth and biochemical aspects and yield to alleviate salinity stress. *Biocatalysis and Agricultural Biotechnology* 29, 101744, **2020**. <https://doi.org/10.1016/j.bcab.2020.101744>. (WoS/Scopus)
- 1849.** Abdoli S, Ghassemi-Golezani K, Alizadeh-Salteh S. Responses of ajowan (*Trachyspermum ammi* L.) to exogenous salicylic acid and iron oxide nanoparticles under salt stress. *Environmental Science and Pollution Research* 27(29), 36939-36953, **2020**. <https://doi.org/10.1007/s11356-020-09453-1>. (WoS/Scopus)
- 1850.** Abid G, Ouertani RN, Jebara SH, Boubakri H, Muhovski Y, Ghouli E, Abdelkarim S, Chaieb O, Hidri Y, Kadri S, El Ayed M, Elkahoui S, Barhoumi F, Jebara M. Alleviation of drought stress in faba bean (*Vicia faba* L.) by exogenous application of β -aminobutyric acid (BABA). *Physiology and Molecular Biology of Plants* 26(6), 1173-1186, **2020**. <https://doi.org/10.1007/s12298-020-00796-0>. (WoS/Scopus)
- 1851.** Aboryia MS. Influence of effective micro-organisms (EM) and some antioxidant on storability and fruit quality of mandarin under cold storage conditions. *Journal of Plant Production* 11(7), 599-607, **2020**. https://jpp.journals.ekb.eg/article_110550.html.
- 1852.** Adejumo SA, Awoyemi V, Togun AO. Exogenous proline and hormone in combination with compost improves growth and tolerance of maize under heavy metal stress. *Plants and Environment* 2(1), 40-53, **2020**. <https://doi.org/10.22271/2582-3744.2020.mar.40>.
- 1853.** Adetunji CO, Oloke JK, Phazang P, Sarin NB. Influence of eco-friendly phytotoxic metabolites from *Lasiodiplodia pseudotheobromae* C1136 on physiological, biochemical, and ultrastructural changes on tested weeds. *Environmental Science and Pollution Research* 27, 9919-9934, **2020**. <https://doi.org/10.1007/s11356-020-07677-9>. (WoS/Scopus)
- 1854.** Afzaal Z, I Hussain, MA Ashraf, R Rasheed, MT Javed, M Ansari, S Anwer, M Iqbal. Lead induced modulation in growth, chlorophyll pigment, nutrient uptake, antioxidant enzyme regulation, gene expression and fruit quality in two tomato cultivars. *International Journal of Agriculture & Biology* 24: 1732-1744, **2020**. DOI:

1855. Ahanger MA, Aziz U, Alsahli A, Alyemeni MN, Ahmad P. Combined kinetin and spermidine treatments ameliorate growth and photosynthetic inhibition in *Vigna angularis* by up-regulating antioxidant and nitrogen metabolism under cadmium stress. *Biomolecules* 10(1), 147, 2020. <https://doi.org/10.3390/biom10010147>. (WoS/Scopus)
1856. Ahanger MA, Aziz U, Alsahli AA, Alyemeni MN, Ahmad P. Influence of exogenous salicylic acid and nitric oxide on growth, photosynthesis, and ascorbate-glutathione cycle in salt stressed *Vigna angularis*. *Biomolecules* 10(1), 42, 2020, <https://doi.org/10.3390/biom10010042>. (WoS/Scopus)
1857. Ahangir A, Ghotbi-Ravandi AA, Rezadoost H, Bernard F. Drought tolerant maize cultivar accumulates putrescine in roots. *Rhizosphere* 16, art. num. 100260, 2020. <https://doi.org/10.1016/j.rhisph.2020.100260>. (WoS/Scopus)
1858. Ahmad P, Alam P, Balawi TH, Altalayan FH, Ahanger MA, Ashraf M. Sodium nitroprusside (SNP) improves tolerance to arsenic (As) toxicity in *Vicia faba* through the modifications of biochemical attributes, antioxidants, ascorbate-glutathione cycle and glyoxalase cycle. *Chemosphere* 244, 125480, 2020. <https://doi.org/10.1016/j.chemosphere.2019.125480> (WoS/Scopus)
1859. Ahmad P, Alyemeni MN, Al-Huqail AA, Alqahtani MA, Wijaya L, Ashraf M, Kaya C, Bajguz A. Zinc oxide nanoparticles application alleviates arsenic (As) toxicity in soybean plants by restricting the uptake of as and modulating key biochemical attributes, antioxidant enzymes, ascorbate-glutathione cycle and glyoxalase system. *Plants* 9(7), 825, 2020. <https://doi.org/10.3390/plants9070825>. (WoS/Scopus)
1860. Ahmad S, Su W, Kamran M, Ahmad I, Meng X, Wu X, Javed T, Han Q. Foliar application of melatonin delay leaf senescence in maize by improving the antioxidant defense system and enhancing photosynthetic capacity under semi-arid regions. *Protoplasma* 257, 1079-1092, 2020. <https://doi.org/10.1007/s00709-020-01491-3>. (WoS/Scopus)
1861. Ait-El-Mokhtar M, Baslam M, Ben-Laouane R, Anli M, Boutasknit A, Mitsui T, Wahbi S, Meddich A. Alleviation of detrimental effects of salt stress on date palm (*Phoenix dactylifera* L.) by the application of arbuscular mycorrhizal fungi and/or compost. *Frontiers in Sustainable Food Systems* 4, 131, 2020. <https://doi.org/10.3389/fsufs.2020.00131>. (WoS/Scopus)
1862. Akhter R, Halim MA, Bhuiyan MJH, Sagor GHM, Raffi SA. Determination of biochemical responses to drought stress in cultivated and exotic wheat genotypes. *Journal of Bangladesh Agricultural University* 18(2): 212–220, 2020. <https://doi.org/10.5455/JBAU.101495>.
1863. Akkara Y, Lins S. Effects of salt stress on antioxidant and ascorbate glutathione cycle enzyme activities in Pokkali rice varieties – Vytilla 1-9. *Plant Science Today* 7(3), 341-348, 2020. <https://doi.org/10.14719/pst.2020.7.3.701>. (WoS/Scopus)
1864. Akram NA, Ashraf M, Ashraf M, Sadiq M. Exogenous application of L-methionine mitigates the drought-induced oddities in biochemical and anatomical responses of bitter melon (*Momordica charantia* L.). *Scientia Horticulturae* 267, 109333, 2020. <https://doi.org/10.1016/j.scienta.2020.109333>. (WoS/Scopus)
1865. Akram NA, Hafeez N, Farid-ul-Haq M, Ahmad A, Sadiq M, Ashraf M. Foliar application and seed priming with nitric oxide causes mitigation of salinity-induced metabolic adversities in broccoli (*Brassica oleracea* L.) plants. *Acta Physiologiae Plantarum* 42, 155, 2020. <https://doi.org/10.1007/s11738-020-03140-x>. (WoS/Scopus)
1866. Al Khazan MM. Priming with moringa (*Moringa oleifera* Lam.) leaf extract boosts the growth and physio-biochemical attributes of leadstressed fenugreek (*Trigonella foenum-graecum* L.) seedlings. *Applied Ecology and Environmental Research* 18(5), 6949-6967, 2020. http://dx.doi.org/10.15666/aeer/1805_69496967. (WoS/Scopus)
1867. Al Solami MA. Comparative response of red and green algae to the quality of coastal water of Red sea, Haql, Saudi Arabia. *Journal of Environmental Protection* 11(10), 793-806, 2020. <https://doi.org/10.4236/jep.2020.1110049>. (WoS/Scopus)
1868. Alam P, Kaur Kohli S, Al Balawi T, Altalayan FH, Alam P, Ashraf M, Bhardwaj R, Ahmad P. Foliar application of 24-epibrassinolide improves growth, ascorbate-glutathione cycle, and glyoxalase system in brown mustard (*Brassica juncea* (L.) Czern.) under cadmium toxicity. *Plants* 9(11), 1487, 2020. <https://doi.org/10.3390/plants9111487>. (WoS/Scopus)
1869. Alamri S, Ali HM, Khan MI, Singh VP, Siddiqui MH. Exogenous nitric oxide requires endogenous hydrogen sulfide to induce the resilience through sulfur assimilation in tomato seedlings under hexavalent chromium toxicity. *Plant Physiology and Biochemistry* 155, 20-34, 2020. <https://doi.org/10.1016/j.plaphy.2020.07.003>. (WoS/Scopus)
1870. Alamri S, Hu Y, Mukherjee S, Aftab T, Fahad S, Raza A, Ahmad M, Siddiqui MH. Silicon-induced postponement of leaf senescence is accompanied by modulation of antioxidative defense and ion homeostasis in mustard (*Brassica juncea*) seedlings exposed to salinity and drought stress. *Plant Physiology and Biochemistry* 157, 47-59, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.038>. (WoS/Scopus)
1871. Alamri S, Kushwaha BK, Singh VP, Siddiqui MH. Dose dependent differential effects of toxic metal cadmium in tomato roots: Role of endogenous hydrogen sulfide. *Ecotoxicology and Environmental Safety* 203, art. num. 110978, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110978>. (WoS/Scopus)
1872. Alaraidh IA. Exogenous application of salicylic acid, indoleacetic acid and tryptophan protects growth, chlorophyll synthesis and antioxidant activities and gene expression in *Catharanthus roseus*. *Pakistan Journal of Botany* 52(3), 893-900, 2020. DOI: [http://dx.doi.org/10.30848/PJB2020-3\(15\)](http://dx.doi.org/10.30848/PJB2020-3(15)). (WoS/Scopus)

- 1873.** Al-Huqail AA, Ali HM, Kushwaha BK, Al-Huqail AA, Singh VP, Siddiqui MH. Ascorbic acid is essential for inducing chromium (VI) toxicity tolerance in tomato roots. *Journal of Biotechnology* 322, 66-73, **2020**. <https://doi.org/10.1016/j.jbiotec.2020.07.011>. (WoS/Scopus)
- 1874.** Al-Huqail AA, Khan MN, Ali HM, Siddiqui MH, Al-Huqail AA, AlZuaibr FM, Al-Muwayhi MA, Marraiki N, Al-Humaid LA. Exogenous melatonin mitigates boron toxicity in wheat. *Ecotoxicology and Environmental Safety* 201, 110822, **2020**. <https://doi.org/10.1016/j.ecoenv.2020.110822>. (WoS/Scopus)
- 1875.** Ali Q, Ali S, El-Esawi MA, Rizwan M, Azeem M, Hussain AI, Perveen R, El-Sheikh MA, Alyemeni MN, Wijaya L. Foliar spray of Fe-asp confers better drought tolerance in sunflower as compared with FeSO₄: yield traits, osmotic adjustment, and antioxidative defense mechanisms. *Biomolecules* 10(9), 1217, **2020**. <https://doi.org/10.3390/biom10091217>. (WoS/Scopus)
- 1876.** Ali Q, Perveen R, El-Esawi MA, Ali S, Hussain SM, Amber M, Iqbal N, Rizwan M, Alyemeni MN, El-Serehy HA, Al-Misned FA, Ahmad P. Low doses of *Cuscuta reflexa* extract act as natural biostimulants to improve the germination vigor, growth, and grain yield of wheat grown under water stress: photosynthetic pigments, antioxidative defense mechanisms, and nutrient acquisition. *Biomolecules* 10(9), 1212, **2020**. <https://doi.org/10.3390/biom10091212>. (WoS/Scopus)
- 1877.** Ali Q, Shahid S, Ali S, El-Esawi MA, Hussain AI, Perveen R, Iqbal N, Rizwan M, Nasser Alyemeni M, El-Serehy HA, Al-Misned FA. Fertigation of ajwain (*Trachyspermum ammi* L.) with Fe-glutamate confers better plant performance and drought tolerance in comparison with FeSO₄. *Sustainability* 12(17), 7119, **2020**. <https://doi.org/10.3390/su12177119>. (WoS/Scopus)
- 1878.** Ali S, Anjum MA, Nawaz A, Naz S, Ejaz S, Sardar H, Saddiq B. Tragacanth gum coating modulates oxidative stress and maintains quality of harvested apricot fruits. *International Journal of Biological Macromolecules* 163, 2439-2447, **2020**. <https://doi.org/10.1016/j.ijbiomac.2020.09.179>. (WoS/Scopus)
- 1879.** Ali S, Anjum MA, Nawaz A, Naz S, Hussain S, Ejaz S, Sardar H. Effect of pre-storage ascorbic acid and *Aloe vera* gel coating application on enzymatic browning and quality of lotus root slices. *Journal of Food Biochemistry* 44(3), e13136, **2020**. <https://doi.org/10.1111/jfbc.13136>. (WoS/Scopus)
- 1880.** Ali S, Khan AS, Anjum MA, Nawaz A, Naz S, Ejaz S, Hussain S. Effect of postharvest oxalic acid application on enzymatic browning and quality of lotus (*Nelumbo nucifera* Gaertn.) root slices. *Food Chemistry* 312, art. No 126051, **2020**. <https://doi.org/10.1016/j.foodchem.2019.126051>. (WoS/Scopus)
- 1881.** Almeida LG, Magalhães PC, Karam D, da Silva EM, Alvarenga AA. Chitosan application in the induction of water deficit tolerance in maize plants. *Acta Scientiarum. Agronomy* 42, e42463, **2020**. <http://dx.doi.org/10.4025/actasciagron.v42i1.42463>. Source: (WoS/Scopus)
- 1882.** Aloisi I, Distefano G, Antognoni F, Potente G, Parrotta L, Faleri C, Gentile A, Bennici S, Mareri L, Cai G, Del Duca S. Temperature-dependent compatible and incompatible pollen-style interactions in *Citrus clementina* Hort. ex Tan. show different transglutaminase features and polyamine pattern. *Frontiers in Plant Science* 11, 1018, **2020**. <https://doi.org/10.3389/fpls.2020.01018>. (WoS/Scopus)
- 1883.** Al-Shamsi N, Hussain MI, El-Keblawy A. Physiological responses of the xerohalophyte *Suaeda vermiculata* to salinity in its hyper-arid environment. *Flora* 273, art. number 151705, **2020**. <https://doi.org/10.1016/j.flora.2020.151705>. (WoS/Scopus)
- 1884.** Altaf MA, Shahid R, Ren MX, Naz S, Altaf MM, Qadir A, Anwar M, Shakoor A, Hayat F. Exogenous melatonin enhances salt stress tolerance in tomato seedlings. *Biologia Plantarum* 64, 604-615, **2020**. <https://bp.ueb.cas.cz/pdfs/bpl/2020/01/130.pdf>. (WoS/Scopus)
- 1885.** Andrzejczak OA, Havelund JF, Wang W-Q, Kovalchuk S, Hagensen CE, Hasler-Sheetal H, Jensen ON, Rogowska-Wrzesinska A, Møller IM, Hebelstrup KH. The hypoxic proteome and metabolome of barley (*Hordeum vulgare* L.) with and without phytohemagglutinin priming. *International Journal of Molecular Sciences* 21(4), 1546, **2020**. <https://doi.org/10.3390/ijms21041546>. (WoS/Scopus)
- 1886.** Anli M, Baslam M, Tahiri A, Raklami A, Symanczik S, Boutasknit A, Ait-El-Mokhtar M, Ben-Laouane R, Toubali S, Ait Rahou Y, Ait Chitt M, Oufdou K, Mitsui T, Hafidi M, Meddich A. Biofertilizers as strategies to improve photosynthetic apparatus, growth, and drought stress tolerance in the date palm. *Frontiers in Plant Science* 11:516818, **2020**. <https://doi.org/10.3389/fpls.2020.516818>. (WoS/Scopus)
- 1887.** Arıkan Ş, İpek M, Eşitken A, Pırlak L, Dönmez MF, Turan M. Plant growth promoting rhizobacteria mitigate deleterious combined effects of salinity and lime in soil in strawberry plants. *Journal of Plant Nutrition* 43(13), 2028-2039, **2020**. <https://doi.org/10.1080/01904167.2020.1766073>. (WoS/Scopus)
- 1888.** Arpanahi AA, Feizian M, Mehdipourian G, Khojasteh DN. Arbuscular mycorrhizal fungi inoculation improve essential oil and physiological parameters and nutritional values of *Thymus daenensis* Celak and *Thymus vulgaris* L. under normal and drought stress conditions. *European Journal of Soil Biology* 100, 103217, **2020**. <https://doi.org/10.1016/j.ejsobi.2020.103217>. (WoS/Scopus)
- 1889.** Asghar MA, Dua J, Jiang H, Li Y, Sun X, Shang J, Liu J, Liu W, Imran S, Iqbal N, Ahmad B, Hussain S, Yu L, Liu C, Yang W. Shade pretreatment enhanced drought resistance of soybean. *Environmental and Experimental Botany* 171, art. No 103952, **2020**. <https://doi.org/10.1016/j.envexpbot.2019.103952>. (WoS/Scopus)
- 1890.** Asghar MA, Heng-ke JI, Zhao-wei SH, Xi-yu CA, Xi-yu HU, Imran S, Ahmad B, Hao ZH, Yue-ning YA, Jing SH, Hui YA. Interactive effect of shade and PEG-induced osmotic stress on physiological responses of soybean seedlings. *Journal of Integrative Agriculture* 19(0), 2-14, **2020**. http://www.chinaagrisci.com/Jwk_zgnykxen/CN/article/downloadArticleFile.do?attachType=PDF&id=33156 (WoS/Scopus)
- 1891.** Aysin F, Karaman A, Yilmaz A, Aksakal Ö, Gezginçioğlu E, Kohneşahri SM. Exogenous cysteine

- alleviates mercury stress by promoting antioxidant defence in maize (*Zea mays* L.) seedlings. *Turkish Journal of Agriculture and Forestry* 44: 506-516, 2020. doi:10.3906/tar-1909-2. <https://journals.tubitak.gov.tr/agriculture/issues/tar-20-44-5/tar-44-5-8-1909-2.pdf>. (WoS/Scopus)
1892. Banerjee A, Roychoudhury A. Gibberellic acid-priming promotes fluoride tolerance in a susceptible indica rice cultivar by regulating the antioxidant and phytohormone homeostasis. *Journal of Plant Growth Regulation* 39, 1476–1487, 2020. <https://doi.org/10.1007/s00344-020-10110-7>. (WoS/Scopus)
1893. Banerjee A, Samanta S, Roychoudhury A. Spermine ameliorates prolonged fluoride toxicity in soil-grown rice seedlings by activating the antioxidant machinery and glyoxalase system. *Ecotoxicology and Environmental Safety* 189, art. number 109737, 2020. <https://doi.org/10.1016/j.ecoenv.2019.109737>. (WoS/Scopus)
1894. Banerjee A, Samanta S, Singh A, Roychoudhury A. Deciphering the molecular mechanism behind stimulated co-uptake of arsenic and fluoride from soil, associated toxicity, defence and glyoxalase machineries in arsenic-tolerant rice. *Journal of Hazardous Materials* 390, art. number 121978, 2020. <https://doi.org/10.1016/j.jhazmat.2019.121978>. (WoS/Scopus)
1895. Başak H. The effects of super absorbent polymer application on the physiological and biochemical properties of tomato (*Solanum lycopersicum* L.) plants grown by soilless agriculture technique. *Applied Ecology and Environmental Research* 18(4), 5907-5921, 2020. http://www.aloki.hu/pdf/1804_59075921.pdf. (WoS/Scopus)
1896. Batnini M, Lopez-Gomez M, Palma F, Haddoudi I, Kallala N, Zribi K, Mrabet M, Mhadhbi H. *Sinorhizobium* spp inoculation alleviates the effect of *Fusarium oxysporum* on *Medicago truncatula* plants by increasing antioxidant capacity and sucrose accumulation. *Applied Soil Ecology* 150, art. number 103458, 2020. <https://doi.org/10.1016/j.apsoil.2019.103458>. (WoS/Scopus)
1897. Batool H, Hussain M, Hameed M, Ahmad R. Physiological and biochemical responses of *Calotropis procera* to traffic related cadmium pollution along roadside. *International Journal of Agriculture & Biology* 24 (4), 987–994, 2020. DOI: 10.17957/IJAB/15.1525. (WoS/Scopus)
1898. Begum N, Ahanger MA, Zhang L. AMF inoculation and phosphorus supplementation alleviates drought induced growth and photosynthetic decline in *Nicotiana tabacum* by upregulating antioxidant metabolism and osmolyte accumulation. *Environmental and Experimental Botany* 176, art. num. 104088, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104088>. (WoS/Scopus)
1899. Ben Hsouna A, Ghneim-Herrera T, Ben Romdhane W, Dabbous A, Ben Saad R, Brini F, Abdelly C, Ben Hamed K. Early effects of salt stress on the physiological and oxidative status of the halophyte *Lobularia maritima*. *Functional Plant Biology* 47(10), 912-924, 2020. <https://doi.org/10.1071/FP19303>. (WoS/Scopus)
1900. Ben-Laouane R, Baslam M, Ait-El-Mokhtar M, Anli M, Boutasknit A, Ait-Rahou Y, Toubali S, Mitsui T, Oufdou K, Wahbi S, Meddich A. Potential of native arbuscular mycorrhizal fungi, rhizobia, and/or green compost as alfalfa (*Medicago sativa*) enhancers under salinity. *Microorganisms* 8(11), 1695; 2020. <https://doi.org/10.3390/microorganisms8111695>. (WoS/Scopus)
1901. Bhattacharjee M, Dhar S, Handique PJ, Acharjee S, Sarmah BK. Defense response in chickpea pod wall due to simulated herbivory unfolds differential proteome profile. *The Protein Journal* 39(3), 240-257, 2020. <https://doi.org/10.1007/s10930-020-09899-9>. Source: (WoS/Scopus)
1902. Biswas C, Hannan A, Monsur A, Sagor G. Screening and biochemical characterization of wheat cultivars resistance to magnaporthe oryzae pv triticum (MoT). *Journal of Plant Stress Physiology* 6, 1-6, 2020. <https://doi.org/10.25081/jpsp.2020.v6.6096>.
1903. Boaneres D, da-Silva CJ, dos Santos Isaias RM, França MG. Oxidative metabolism in plants from Brazilian rupestrian fields and its relation with foliar water uptake in dry and rainy seasons. *Plant Physiology and Biochemistry* 146, 457-462, 2020. <https://doi.org/10.1016/j.plaphy.2019.12.005>. (WoS/Scopus)
1904. Bortolin GS, Teixeira SB, de Mesquita Pinheiro R, Ávila GE, Carlos FS, da Silva Pedroso CE, Deuner S. Seed priming with salicylic acid minimizes oxidative effects of aluminum on trifolium seedlings. *Journal of Soil Science and Plant Nutrition* 20, 2502-2511, 2020. <https://doi.org/10.1007/s42729-020-00316-9>. (WoS/Scopus)
1905. Boutasknit A, Baslam M, Ait-El-Mokhtar M, Anli M, Ben-Laouane R, Douira A, El Modafar C, Mitsui T, Wahbi S, Meddich A. Arbuscular mycorrhizal fungi mediate drought tolerance and recovery in two contrasting carob (*Ceratonia siliqua* L.) ecotypes by regulating stomatal, water relations, and (in)organic adjustments. *Plants* 9(1), 80, 2020. <https://doi.org/10.3390/plants9010080>. (WoS/Scopus)
1906. Bukhat S, Manzoor H, Athar HR, ZU Zafar, F Azeem, S Rasul. Salicylic acid induced photosynthetic adaptability of *Raphanus sativus* to salt stress is associated with antioxidant capacity. *Journal of Plant Growth Regulation* 39, 809-822, 2020. <https://doi.org/10.1007/s00344-019-10024-z>. (WoS/Scopus)
1907. Campobenedetto C, Grange E, Mannino G, van Arkel J, Beekwilder J, Karlova R, Garabello C, Contartese V, Berteza CM. A Biostimulant seed treatment improved heat stress tolerance during cucumber seed germination by acting on the antioxidant system and glyoxylate cycle. *Frontiers in Plant Science* 11, art. 836, 2020. <https://doi.org/10.3389/fpls.2020.00836>. (WoS/Scopus)
1908. Campobenedetto C, Mannino G, Agliassa C, Acquadro A, Contartese V, Garabello C, Berteza CM. Transcriptome analyses and antioxidant activity profiling reveal the role of a lignin-derived biostimulant seed treatment in enhancing heat stress tolerance in soybean. *Plants* 9(10), 1308, 2020. <https://doi.org/10.3390/plants9101308>. (WoS/Scopus)
1909. Canbay S, Polat E. Effects of UV-B irradiation on plant nutrient contents of eggplant seedlings. *Mediterranean Agricultural Sciences* 33(3), 321-325, 2020. <https://doi.org/10.29136/mediterranean.729734>.

1910. Canbay S, Polat E. Effects of UV-B Irradiation on Plant Nutrition Content of Tomato and Cucumber Seedlings. *Yüzüncü Yıl Üniversitesi Tarım Bilimleri Dergisi* 30(4), 705-711, 2020. <https://dergipark.org.tr/en/pub/yyutbd/issue/57941/768725>.
1911. Cao X, Wu L, Wu M, Zhu C, Jin Q, Zhang J. Absciscic acid mediated proline biosynthesis and antioxidant ability in roots of two different rice genotypes under hypoxic stress. *BMC Plant Biology* 20(1), art. number 198, 2020. <https://doi.org/10.1186/s12870-020-02414-3>. (WoS/Scopus)
1912. Cárdenas-Pérez S, Piernik A, Ludwiczak A, Duszyn M, Szmidi-Jaworska A, Chanona-Pérez JJ. Image and fractal analysis as a tool for evaluating salinity growth response between two *Salicornia europaea* populations. *BMC Plant Biology* 20, article number 467, 2020. <https://doi.org/10.1186/s12870-020-02633-8>. (WoS/Scopus)
1913. Çatav ŞS, Genç TO, Oktay MK, Küçükakyüz K. Cadmium toxicity in wheat: impacts on element contents, antioxidant enzyme activities, oxidative stress, and genotoxicity. *Bulletin of Environmental Contamination and Toxicology* 104, 71-77, 2020. <https://doi.org/10.1007/s00128-019-02745-4>. (WoS/Scopus)
1914. Cembrowska-Lech D. Tissue printing and dual excitation flow cytometry for oxidative stress - new tools for reactive oxygen species research in seed biology. *International Journal of Molecular Science* 21(22), 8656, 2020. <https://doi.org/10.3390/ijms21228656>. (WoS/Scopus)
1915. Chandra J, Chauhan R, Korram J, Satnami ML, Keshavkant S. Silica nanoparticle minimizes aluminium imposed injuries by impeding cytotoxic agents and over expressing protective genes in *Cicer arietinum*. *Scientia Horticulturae* 260, art number 108885, 2020. <https://doi.org/10.1016/j.scienta.2019.108885>. (WoS/Scopus)
1916. Chandra P Enespa Kumar R, Ahmad J. The role of microorganisms in removal of sulfates from artistic stonework. In: Yadav A, Rastegari A, Gupta V, Yadav N (eds) *Microbial Biotechnology Approaches to Monuments of Cultural Heritage*. Springer, Singapore, pp. 103-135, 2020. https://doi.org/10.1007/978-981-15-3401-0_7. [BOOK]
1917. Chandrakar V, Yadu B, Korram J, Satnami ML, Dubey A, Kumar M, Keshavkant S. Carbon dot induces tolerance to arsenic by regulating arsenic uptake, reactive oxygen species detoxification and defense-related gene expression in *Cicer arietinum* L. *Plant Physiology and Biochemistry* 156, 78-86, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.003>. (WoS/Scopus)
1918. Chen D, Zhang H, Wang Q, Shao M, Li X, Chen D, Zeng R, Song Y. Intraspecific variations in cadmium tolerance and phytoaccumulation in giant duckweed (*Spirodela polyrhiza*). *Journal of Hazardous Materials* 395, 122672, 2020. <https://doi.org/10.1016/j.jhazmat.2020.122672>. (WoS/Scopus)
1919. Chen J, Zhang H, Zhang X, Tang M. Arbuscular mycorrhizal symbiosis mitigates oxidative injury in black locust under salt stress through modulating antioxidant defence of the plant. *Environmental and Experimental Botany* 175, art. 104034, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104034>. (WoS/Scopus)
1920. Chitara MK, Keswani C, Varnava KG, Birla H, Dilnashin H, Singh SP, Sarojini V, Sperry J, Singh HB. Impact of the alkaloid colletotrichumine A on the pathogenicity of *Colletotrichum capsici* in *Capsicum annum* L. *Rhizosphere* 16, 100247, 2020. <https://doi.org/10.1016/j.rhisph.2020.100247>. (WoS/Scopus)
1921. Chomkitichai W. Oxidative damage and total antioxidant capacity involved in pericarp browning during storage of longkong fruit. *Burapha Science Journal* 25(1), 102-116, 2020. <http://science.buu.ac.th/ojs246/index.php/sci/article/view/2807>.
1922. Costa BG, Amâncio BC, Boas LV, Bastos LD, Domiciano D, Marchiori PE. Waterlogging effects upon the phenological phases of common bean cultivar BRSMG-Uai. *Ciência e Agrotecnologia (Agricultural Sciences)* 44, e009520, 2020. <http://dx.doi.org/10.1590/1413-7054202044009520>. (WoS/Scopus)
1923. Czékus Z, Csikos O, Ördög A, Tari I, Poór P. Effects of jasmonic acid in er stress and unfolded protein response in tomato plants. *Biomolecules* 10(7), 1031, 2020. <https://doi.org/10.3390/biom10071031>. (WoS/Scopus)
1924. Czékus Z, Farkas M, Bakacsy L, Ördög A, Gallé Á, Poór P. Time-dependent effects of bentazon application on the key antioxidant enzymes of soybean and common ragweed. *Sustainability* 12(9), 3872, 2020. <https://doi.org/10.3390/su12093872>. (WoS/Scopus)
1925. da Fonseca SS, da Silva BRS, Lobato AKS. 24-Epibrassinolide positively modulate leaf structures, antioxidant system and photosynthetic machinery in rice under simulated acid rain. *Journal of Plant Growth Regulation* 39, 1559-1576, 2020. <https://doi.org/10.1007/s00344-020-10167-4>. (WoS/Scopus)
1926. Dahiya S, Batish DR, Singh HP. Pogostemon benghalensis essential oil inhibited the weed growth via causing oxidative damage. *Brazilian Journal of Botany* 43, 447-457, 2020. <https://doi.org/10.1007/s40415-020-00613-8>. (WoS/Scopus)
1927. Danouche M, El Ghachtouli N, El Baouchi A, El Arroussi H. Heavy metals phycoremediation using tolerant green microalgae: Enzymatic and non-enzymatic antioxidant systems for the management of oxidative stress. *Journal of Environmental Chemical Engineering* 8(5), art. number 104460, 2020. <https://doi.org/10.1016/j.jece.2020.104460>. (WoS/Scopus)
1928. Darvishani SN, Chamani E, Omran VO, Esmailpour B, Yaghoubian Y. In-vitro physiochemical responses of *Viola odorata* plant to combined salt and drought stress. *Acta Scientiarum Polonorum Hortorum Cultus* 19(4), 53-62, 2020. <https://doi.org/10.24326/asphc.2020.4.5>. (WoS/Scopus)
1929. da-Silva CJ, Amarante L. Time-course biochemical analyses of soybean plants during waterlogging and reoxygenation. *Environmental and Experimental Botany* 180, art. number 104242, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104242>. (WoS/Scopus)
1930. da-Silva CJ, do Amarante L. Short-term nitrate supply decreases fermentation and oxidative stress caused by waterlogging in soybean plants. *Environmental and Experimental Botany* 176, art. number 104078, 2020.

<https://doi.org/10.1016/j.envexpbot.2020.104078>. (WoS/Scopus)

- 1931.** De AK, Ghosh A, Dolui D, Saha I, Adak MK. 2,4-D hyper accumulation induced cellular responses of *Azolla pinnata* R. Br. to sustain herbicidal stress. *Phyton* (Buenos Aires) 89(4), 999-1017, **2020**. <https://www.techscience.com/phyton/v89n4/40531>. (WoS/Scopus)
- 1932.** De Diego N, Spíchal L. Use of plant metabolites to mitigate stress effects in crops. Chapter 11. In: The Chemical Biology of Plant Biostimulants. Eds. D Geelen, L Xu, CV Stevens. **BOOK SERIES**. Wiley Series in Renewable Resource ISBN: 978-1-119-35719-3, pp-263-300, **2020**.
- 1933.** de Lima Santos LML, Gonçalves AH. In vitro phytotoxicity of *Mikania laevigata* Schultz Bip. ex Baker extracts on *Lactuca sativa* L. and *Bidens pilosa* L. *Revista Biotemas* 33(2), 1-10, **2020**. <https://dx.doi.org/10.5007/2175-7925.2020.e68109>.
- 1934.** Deja-Sikora E, Kowalczyk A, Trejgell A, Szmidt-Jaworska A, Baum C, Mercy L, Hryniewicz K. Arbuscular mycorrhiza changes the impact of potato virus y on growth and stress tolerance of *Solanum tuberosum* L. in vitro. *Frontiers in Microbiology* 10:2971, **2020**. <https://doi.org/10.3389/fmicb.2019.02971>. (WoS/Scopus)
- 1935.** Deshi V, Siddiqui MW, Homa F, Singh JP. Postharvest hydrogen sulfide infiltration modulates antioxidative metabolism and increases shelf life of litchi. *Acta Physiologiae Plantarum* 42, art. num. 67, 1-9, **2020**. <https://doi.org/10.1007/s11738-020-03056-6>. (WoS/Scopus)
- 1936.** Desoky El-SM, Saad AM, El-Saadony MT, Merwad A-RM, Rady MM. Plant growth-promoting rhizobacteria: Potential improvement in antioxidant defense system and suppression of oxidative stress for alleviating salinity stress in *Triticum aestivum* (L.) plants. *Biocatalysis and Agricultural Biotechnology* 30, 101878, **2020**. <https://doi.org/10.1016/j.bcab.2020.101878>. (WoS/Scopus)
- 1937.** Deuner C, Meneghello GE, Castellanos CI, Borges CT, Deuner S. Biochemical responses in lettuce subjected to salinity and the application of purple lettuce extract. *Scientia Plena* 16(6), 1-13, **2020**. <https://doi.org/10.14808/sci.plena.2020.061501>.
- 1938.** Devi YI, Dasgupta M, Mandal J, Sahoo MR. Role of ascorbate–glutathione (AsA–GSH) pathways in phytophthora leaf blight disease resistance in taro (*Colocasia esculenta* L. Schott). *International Research Journal of Pure and Applied Chemistry* 21(12), 66-75, **2020**. <https://doi.org/10.9734/irjpac/2020/v21i1230240>.
- 1939.** Dinler BS, Gul V. Comparative analysis of defence response of soybean by seed soaking in gibberellic acid to salinity. *Legume Research - An International Journal* 43(3), 365-369, **2020**. <https://www.arccjournals.com/journal/legume-research-an-international-journal/LR-544>. (WoS/Scopus)
- 1940.** Dinler BS, Tasci E. Regulation of NPR1 under salinity and osmotic stress in soybean (*Glycine max* L.) leaves. *Journal of Stress Physiology & Biochemistry* 16(3), 132-142, **2020**. http://www.jspb.ru/issues/2020/N3/JSPB_2020_3_132-142.html.
- 1941.** do Amaral MN, Auler PA, Rossatto T, Barros PM, Oliveira MM, Braga EJB. Long-term somatic memory of salinity unveiled from physiological, biochemical and epigenetic responses in two contrasting rice genotypes. *Physiologia Plantarum* 170(2), 248-268, **2020**. <https://doi.org/10.1111/ppl.13149>. (WoS/Scopus)
- 1942.** Docimo T, De Stefano R, Cappetta E, Piccinelli AL, Celano R, De Palma M, Tucci M. Physiological, biochemical, and metabolic responses to short and prolonged saline stress in two cultivated cardoon genotypes. *Plants* 9(5), 554, **2020**. <https://doi.org/10.3390/plants9050554>. (WoS/Scopus)
- 1943.** Domiciano D, Nery FC, de Carvalho PA, Prudente DO, de Souza LB, Chalfun-Júnior A, Paiva R, Marchiori PER. Nitrogen sources and CO₂ concentration synergistically affect the growth and metabolism of tobacco plants. *Photosynthesis Research* 144(3), 327-339, **2020**. <https://doi.org/10.1007/s11120-020-00743-w>. (WoS/Scopus)
- 1944.** dos Santos LR, da Silva BRS, Pedron T, Batista BL. 24-Epibrassinolide improves root anatomy and antioxidant enzymes in soybean plants subjected to zinc stress. *Journal of Soil Science and Plant Nutrition* 20, 105-124, **2020**. <https://doi.org/10.1007/s42729-019-00105-z> (WoS/Scopus)
- 1945.** Duarte CI, Martins AC, do Amarante L, Jacobi US, Colares IG. Flood duration differentially affects seed germination, growth and ecophysiology of the swamp tree *Citronella gongonha* from the southern Neotropics. *Flora* 271, 151683, **2020**. <https://doi.org/10.1016/j.flora.2020.151683> (WoS/Scopus)
- 1946.** Ehteshami S, Abdollahi F, Ramezani A, Mirzaalian Dastjerdi A. Maintenance of quality and bioactive compounds in pomegranate fruit (*Punica granatum* L.) by combined application of organic acids and chitosan edible coating. *Journal of Food Biochemistry* 44(9), e13393, **2020**. <https://doi.org/10.1111/jfbc.13393>. (WoS/Scopus)
- 1947.** Ekka G, Jadhav SK, Quraishi A. Effect of exogenous additives on oxidative stress and defense system of a tree: *Zanthoxylum armatum* DC. under in vitro conditions. *Plant Cell, Tissue and Organ Culture* 140, 671–676, **2020**. <https://doi.org/10.1007/s11240-019-01759-4>. (WoS/Scopus)
- 1948.** El Mokhtar MA. Roles des champignons mycorhiziens arbusculaires autochtones et du compost dans l'amélioration de la tolérance du palmier dattier au stress salin. **PhD Thesis**. Université Cadi Ayyad. **2020**. https://www.researchgate.net/publication/343385784_Roles_des_champignons_mycorhiziens_arbusculaires_autochtones_et_du_compost_dans_lamelioration_de_la_tolerance_du_palmier_dattier_au_stress_salin?enrichId=rgreq-bd9324099aee98a532310cc56a952a03-XXX&enrichSource=Y292ZXJQYWdOzM0MzM4NTc4NDtBUzo5MjA5NDI5MzQ0NzA2NTdAMTU5NjM5MDU3OTc2Ng%3D%3D&el=1_x_2&_esc=publicationCoverPdf
- 1949.** El-Beltagi HS, Mohamed HI, Sofy MR. Role of ascorbic acid, glutathione and proline applied as singly or in sequence combination in improving chickpea plant through physiological change and antioxidant defense under different levels of irrigation intervals. *Molecules* 25(7), 1702, **2020**. <https://doi.org/10.3390/molecules25071702>. (WoS/Scopus)

1950. El-Demerdash FM, Baghdadi HH, Ghanem NF, Al Mhanna AB. Nephroprotective role of bromelain against oxidative injury induced by aluminium in rats. *Environmental Toxicology and Pharmacology* 80, art. number 103509, 2020. <https://doi.org/10.1016/j.etap.2020.103509>. (WoS/Scopus)
1951. El-Esawi MA, Elkelish A, Soliman M, Elansary HO, Zaid A, Wani SH. *Serratia marcescens* BM1 enhances cadmium stress tolerance and phytoremediation potential of soybean through modulation of osmolytes, leaf gas exchange, antioxidant machinery, and stress-responsive genes expression. *Antioxidants* 9(1), 43, 2020. <https://doi.org/10.3390/antiox9010043>. (WoS/Scopus)
1952. El-Komy MH, Ibrahim YE, Saleh AA, Molan YY. Integration of rhizobacterial mixture and silicon nutrition shows potential for the management of charcoal rot of sunflowers caused by *Macrophomina phaseolina* in semi-arid regions. *Journal of Plant Pathology* 102: 1227-1239, 2020. <https://doi.org/10.1007/s42161-020-00652-w>. (WoS/Scopus)
1953. El-Komy MH, Saleh AA, Ibrahim YE, Molan YY. Early production of reactive oxygen species coupled with an efficient antioxidant system play a role in potato resistance to late blight. *Tropical Plant Pathology* 45, 44-55, 2020. <https://doi.org/10.1007/s40858-019-00318-8>. (WoS/Scopus)
1954. Elnaggar A, Mosa KA, El-Keblawy A, Tammam A, El-Naggar M. Physiological and biochemical insights for salt stress tolerance in the habitat-indifferent halophyte *Salsola drummondii* during the vegetative stage. *Botany* 98(11), 673-89, 2020. <https://doi.org/10.1139/cjb-2019-0160>. (WoS/Scopus)
1955. El-Shafey NM, AbdElgawad HR. Antioxidants released from *Cichorium pumilum* Jacq. amendment mitigate salinity stress in maize. *Jordan Journal of Biological Sciences* 13(4), 525-533, 2020. <http://jjbs.hu.edu.jo/vol13.htm> (WoS/Scopus)
1956. Faradonbeh NH, Darbandi EI, Karimmojeni H, Nezami A. Physiological and growth responses of cucumber (*Cucumis sativus* L.) genotypes to Egyptian broomrape (*Phelipanche aegyptiaca* (Pers.) Pomel) parasitism. *Acta Physiologiae Plantarum* 42, art. number 140, 2020. <https://doi.org/10.1007/s11738-020-03127-8>. (WoS/Scopus)
1957. Faraji J, Sepehri A. Exogenous nitric oxide improves the protective effects of TiO₂ nanoparticles on growth, antioxidant system, and photosynthetic performance of wheat seedlings under drought stress. *Journal of Soil Science and Plant Nutrition* 20, 703-714, 2020. <https://doi.org/10.1007/s42729-019-00158-0>. (WoS/Scopus)
1958. Farhadi N, Ghassemi-Golezani K. Physiological changes of *Mentha pulegium* in response to exogenous salicylic acid under salinity. *Scientia Horticulturae* 267, art. No 109325, 2020. <https://doi.org/10.1016/j.scienta.2020.109325>. (WoS/Scopus)
1959. Farooq A, Bukhari SA, Akram NA, Ashraf M, Wijaya L, Alyemeni MN, Ahmad P. Exogenously applied ascorbic acid-mediated changes in osmoprotection and oxidative defense system enhanced water stress tolerance in different cultivars of safflower (*Carthamus tinctorious* L.). *Plants* 9(1), 104, 2020. <https://doi.org/10.3390/plants9010104>. (WoS/Scopus)
1960. Farrokhzad Y, Rezaei A. Aluminum elicitation improves antioxidant potential and taxol production in hazelnut (*Corylus avellana* L.) cell suspension culture. *Agriculturae Conspectus Scientificus* 85(3), 229-236, 2020. <https://hrcak.srce.hr/243608>. Source: (WoS/Scopus)
1961. Farzana S, Rasel M, Tahjib-UI-Arif M, Al Galib MA, Sarker KK, Hossain MA. Exogenous salicylic acid and thiourea ameliorate salt stress in wheat by enhancing photosynthetic attributes and antioxidant defense. *Journal of Bangladesh Agricultural University* 18(2), 234-244, 2020. <https://doi.org/10.5455/JBAU.86574>
1962. Fazelian N, Movafeghi A, Yousefzadi M, Rahimzadeh M, Zarei M. Impact of silver nanoparticles on the growth, fatty acid profile, and antioxidative response of *Nannochloropsis oculata*. *Acta Physiologiae Plantarum* 42, art. num.126, 2020. <https://doi.org/10.1007/s11738-020-03101-4>. (WoS/Scopus)
1963. Forghani AH, Almodares A, Ehsanpour AA. The role of gibberellic acid and paclobutrazol on oxidative stress responses induced by in vitro salt stress in sweet sorghum. *Russian Journal of Plant Physiology* 67, 555–563, 2020. <https://doi.org/10.1134/S1021443720030073>. (WoS/Scopus)
1964. Galviz-Fajardo YC, Bortolin GS, Deuner S, do Amarante L, Reolon F, de Moraes DM. Seed priming with salicylic acid potentiates water restriction induced effects in tomato seed germination and early seedling growth. *Journal of Seed Science* 42, e202042031, 2020. <http://dx.doi.org/10.1590/2317-1545v42234256>. (WoS/Scopus)
1965. Ganguly M, Roychoudhury A, Sengupta DN, Datta SK, Datta K. Independent overexpression of *OsRab16A* and *AtDREB1A* exhibit enhanced drought tolerance in transgenic aromatic rice variety Pusa Sugandhi 2. *Journal of Plant Biochemistry and Biotechnology* 29, 503-517, 2020. <https://doi.org/10.1007/s13562-020-00565-w>. (WoS/Scopus)
1966. Garcia N, da-Silva CJ, Cocco KLT, Pomagualli D, de Oliveira FK, da Silva JVL, de Oliveira ACB, do Amarante L. Waterlogging tolerance of five soybean genotypes through different physiological and biochemical mechanisms. *Environmental and Experimental Botany* 172, 103975, 2020. <https://doi.org/10.1016/j.envexpbot.2020.103975>. (WoS/Scopus)
1967. Gautam A, Kumar N, Dubey AK, Ranjan R, Sahu N, Behera SK, Shah K, Tripathi RD, Mallick. Sucrose plays key role in amelioration of arsenic induced phytotoxicity through modulating phosphate and silicon transporters, physiological and biochemical responses in C3 (*Oryza sativa* L.) and C4 (*Zea mays* L.). *Environmental and Experimental Botany* 171, art. Number 103930, 2020. <https://doi.org/10.1016/j.envexpbot.2019.103930>. (WoS/Scopus)
1968. Ghabel VK, Karamian R. Effects of TiO₂ nanoparticles and spermine on antioxidant responses of *Glycyrrhiza glabra* L. to cold stress. *Acta Botanica Croatica* 79(2), 137-147, 2020. <https://doi.org/10.37427/botcro-2020-025>. (WoS/Scopus)

1969. Ghalkhani E, Hassanpour H, Niknam V. Sinusoidal vibration alleviates salt stress by induction of antioxidative enzymes and anatomical changes in *Mentha pulegium* (L.). *Acta Physiologia Plantarum* 42, art. number 39, 2020. <https://doi.org/10.1007/s11738-020-3017-4>. (WoS/Scopus)
1970. Ghanbary E, Kouchaksaraei MT, Zarafshar M, Bader K-FM, Mirabolfathy M, Ziaei M. Differential physiological and biochemical responses of *Quercus infectoria* and *Q. libani* to drought and charcoal disease. *Physiologia Plantarum* 168(4), 876-892, 2020. <https://doi.org/10.1111/ppl.13027>. (WoS/Scopus)
1971. Gholinezhad E, Darvishzadeh R, Moghaddam SS, Popović-Djordjević J. Effect of mycorrhizal inoculation in reducing water stress in sesame (*Sesamum indicum* L.): The assessment of agrobiological traits and enzymatic antioxidant activity. *Agricultural Water Management* 238, art. number 106234, 2020. <https://doi.org/10.1016/j.agwat.2020.106234>. (WoS/Scopus)
1972. Ghosh S, Das D, Nandy P, Ray A. Study of germin like oxalate oxidase enzyme in monocot plants. *Indian Journal of Agricultural Research* 54, 10-18, 2020. DOI: 10.18805/IJAR.A-5250. (WoS/Scopus)
1973. Goharrizi KJ, Amirmahani F, Salehi F. Assessment of changes in physiological and biochemical traits in four pistachio rootstocks under drought, salinity and drought + salinity stresses. *Physiologia Plantarum* 168(4), 973-989, 2020. <https://doi.org/10.1111/ppl.13042>. (WoS/Scopus)
1974. Goharrizi KJ, Baghizadeh A, Kalantar M, Fatehi F. Combined effects of salinity and drought on physiological and biochemical characteristics of pistachio rootstocks. *Scientia Horticulturae* 261, art. number 108970, 2020. <https://doi.org/10.1016/j.scienta.2019.108970>. (WoS/Scopus)
1975. Goharrizi KJ, Riahi-Madvar A, Rezaee F, Pakzad R, Bonyad FJ, Ahsaei MG. Effect of salinity stress on enzymes' activity, ions concentration, oxidative stress parameters, biochemical traits, content of sulforaphane, and CYP79F1 gene expression level in *Lepidium draba* plant. *Journal of Plant Growth Regulation* 39, 1075-1094, 2020. <https://doi.org/10.1007/s00344-019-10047-6>. (WoS/Scopus)
1976. Gomes MP, Brito JC, Rocha DC, Navarro-Silva MA, Juneau P. Individual and combined effects of amoxicillin, enrofloxacin, and oxytetracycline on *Lemna minor* physiology. *Ecotoxicology and Environmental Safety* 203, 111025, 2020. <https://doi.org/10.1016/j.ecoenv.2020.111025>. (WoS/Scopus)
1977. Gomes MP, Rocha DC, de Brito JC, Tavares DS, Marques RZ, Soffiatti P, Sant'Anna-Santos BF. Emerging contaminants in water used for maize irrigation: Economic and food safety losses associated with ciprofloxacin and glyphosate. *Ecotoxicology and Environmental Safety* 196, 110549, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110549> (WoS/Scopus)
1978. Goodarzi A, Namdjoyan S, Soorki AA. Effects of exogenous melatonin and glutathione on zinc toxicity in safflower (*Carthamus tinctorius* L.) seedlings. *Ecotoxicology and Environmental Safety* 201, 110853, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110853>. (WoS/Scopus)
1979. Guha T, Barman S, Mukherjee A, Kundu R. Nano-scale zero valent iron modulates Fe/Cd transporters and immobilizes soil Cd for production of Cd free rice. *Chemosphere* 260, art. num. 127533, 2020. <https://doi.org/10.1016/j.chemosphere.2020.127533>. (WoS/Scopus)
1980. Guha T, Gopal G, Chatterjee R, Mukherjee A, Kundu R. Differential growth and metabolic responses induced by nano-scale zero valent iron in germinating seeds and seedlings of *Oryza sativa* L. cv. Swarna. *Ecotoxicology and Environmental Safety* 204, art. No 111104, 2020. <https://doi.org/10.1016/j.ecoenv.2020.111104>. (WoS/Scopus)
1981. Guliyeva NR, Jafarov ES, Babayev HG. Comparative study of catalase, pyruvate kinase, oxaloacetate decarboxylase, NAD-malate dehydrogenase activities in leaves and activity of H⁺ pumps in roots of common bean plants exposed to salt stress. *Advanced Studies in Biology* 12(1), 1-7, 2020. <https://doi.org/10.12988/asb.2020.91212>
1982. Gülmez Ö. Reduction of phytotoxic effect of cadmium heavy metal by biomass of edible fungus, *Armillaria tabescens*. *Iranian Journal of Plant Physiology* 10(3), 3265-3272, 2020. http://ijpp.iau-saveh.ac.ir/article_674441.html (WoS/Scopus)
1983. Guo YY, Li HJ, Zhao CF, Xue JQ, Zhang RH. Exogenous melatonin improves drought tolerance in maize seedlings by regulating photosynthesis and the ascorbate–glutathione cycle. *Russian Journal of Plant Physiology* 67, 809–821, 2020. <https://doi.org/10.1134/S1021443720050064>. (WoS/Scopus)
1984. Gupta S, Pandey S. Enhanced salinity tolerance in the common bean (*Phaseolus vulgaris*) plants using twin ACC deaminase producing rhizobacterial inoculation. *Rhizosphere* 16, art. number 100241, 2020. <https://doi.org/10.1016/j.rhisph.2020.100241>. (WoS/Scopus)
1985. Habib N, Ali Q, Ali S, Javed MT, Haider MZ, Perveen R, Shahid MR, Rizwan M, Abdel-Daim MM, Elkelish A, Bin-Jumah M. Use of nitric oxide and hydrogen peroxide for better yield of wheat (*Triticum aestivum* L.) under water deficit conditions: growth, osmoregulation, and antioxidative defense mechanism. *Plants* 9(2), 285, 2020. <https://doi.org/10.3390/plants9020285>. (WoS/Scopus)
1986. Habibi G, Aleyasin Y. Green synthesis of Se nanoparticles and its effect on salt tolerance of barley plants. *International Journal of Nano Dimension* 11(2), 145-157, 2020. http://www.ijnd.ir/article_672059.html.
1987. Habibi G. Comparison of CAM expression, photochemistry and antioxidant responses in *Sedum album* and *Portulaca oleracea* under combined stress. *Physiologia Plantarum* 170(4):550-568, 2020. <https://doi.org/10.1111/ppl.13187>. (WoS/Scopus)
1988. Hajhashemi S, Brestic M, Kalaji HM, Skalicky M, Noedoost F. *Environmental Pollution* is reflected in the activity of the photosynthetic apparatus. *Photosynthetica* 58(2), 529-539, 2020. <https://ps.ueb.cas.cz/pdfs/phs/2020/02/35.pdf>. (WoS/Scopus)

1989. Hajhashemi S, Brestic M, Landi M, Skalicky M. Resistance of *Fritillaria imperialis* to freezing stress through gene expression, osmotic adjustment and antioxidants. *Scientific Reports* 10, art. num. 10427, 2020. <https://doi.org/10.1038/s41598-020-63006-7>. (WoS/Scopus)
1990. Hamurcu M, Khan MK, Pandey A, Ozdemir C, Avsaroglu ZZ, Elbasan F, Omay AH, Gezgin S. Nitric oxide regulates watermelon (*Citrullus lanatus*) responses to drought stress. *3 Biotech* 10, 494, 2020. <https://doi.org/10.1007/s13205-020-02479-9>. (WoS/Scopus)
1991. Han H, Wang X, Yao L, Chen Z. Lettuce-derived rhizosphere polyamine-producing bacteria and their potential to reduce Cd and Pb accumulation in lettuce (*Lactuca sativa* L.). *Environmental and Experimental Botany* 178, 104161, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104161>. (WoS/Scopus)
1992. Hannan A, Hassan L, Hoque MdN, Arif MdT, Robin AHK. Increasing new root length reflects survival mechanism of rice (*Oryza sativa* L.) genotypes under peg-induced osmotic stress. *Plant Breeding and Biotechnology* 8(1):46-57, 2020. <https://doi.org/10.9787/PBB.2020.8.1.46>. (WoS/Scopus)
1993. Haroni NN, Zarafshar M, Badehian Z, Sharma A, Bader MK-F. Tree seedlings suffer oxidative stress but stimulate soil enzyme activity in oil sludge-contaminated soil in a species-specific manner. *Trees* 34, 1267-1279, 2020. <https://doi.org/10.1007/s00468-020-01996-7>. (WoS/Scopus)
1994. Hasan MM, Ali MA, Soliman MH, Alqarawi AA, Abd Allah EF, Fang XW. Insights into 28-homobrassinolide (HBR)-mediated redox homeostasis, AsA-GSH cycle, and methylglyoxal detoxification in soybean under drought-induced oxidative stress. *Journal of Plant Interactions* 15(1), 371-385, 2020. <https://doi.org/10.1080/17429145.2020.1832267>. (WoS/Scopus)
1995. Hassan A, Mohamed HE, Moustafa E. Nutrient starvation enhances the phenolic compounds and antioxidant activity in *Azolla caroliniana* plant. *Egyptian Journal of Botany* 60(1): 239-247, 2020. <https://dx.doi.org/10.21608/ejbo.2019.15970.1351>. Source: (WoS/Scopus)
1996. Hassan AA, Samah AE. Biochemical and molecular variability of *Fusarium fujikuroi* isolates and their differential interactions with rice genotypes during infection. *Egyptian Journal of Agricultural Research* 98(1), 131-153, 2020. <https://dx.doi.org/10.21608/ejar.2020.114848>.
1997. Hassanpour H, Niknam V. Establishment and assessment of cell suspension cultures of *Matricaria chamomilla* as a possible source of apigenin under static magnetic field. *Plant Cell, Tissue and Organ Culture* 142, 583-593, 2020. <https://doi.org/10.1007/s11240-020-01885-4>. (WoS/Scopus)
1998. Hayyawi NJH, Al-Issawi MH, Alrajhi AA, Al-Shmgani H, Rihan H. Molybdenum induces growth, yield, and defence system mechanisms of the mung bean (*Vigna radiata* L.) under water stress conditions. *International Journal of Agronomy* Article ID 8887329, 10 pages, 2020. <https://doi.org/10.1155/2020/8887329>. (WoS/Scopus)
1999. He J-D, Zou Y-N, Wu Q-S, Kuča K. Mycorrhizas enhance drought tolerance of trifoliate orange by enhancing activities and gene expression of antioxidant enzymes. *Scientia Horticulturae* 262 art. No 108745, 2020. <https://doi.org/10.1016/j.scienta.2019.108745>. (WoS/Scopus)
2000. Hesami M, Tohidfar M, Alizadeh M, Daneshvar MH. Effects of sodium nitroprusside on callus browning of *Ficus religiosa*: an important medicinal plant. *Journal of Forestry Research* 31, 789-796, 2020. <https://doi.org/10.1007/s11676-018-0860-x> (WoS/Scopus)
2001. Homayoonzadeh M, Esmaeily M, Talebi K, Allahyari H, Nozari J, Michaud JP. Micronutrient fertilization of greenhouse cucumbers mitigates pirimicarb resistance in *Aphis gossypii* (Hemiptera: Aphididae). *Journal of Economic Entomology* 113(6), 2864-2872, 2020. <https://doi.org/10.1093/jee/toaa202>. (WoS/Scopus)
2002. Homayoonzadeh M, Moeini P, Talebi K, H Allahyari, E Torabi, JP Michaud. Physiological responses of plants and mites to salicylic acid improve the efficacy of spiroticlofen for controlling *Tetranychus urticae* (Acari: Tetranychidae) on greenhouse tomatoes. *Experimental and Applied Acarology* 82, 319-333, 2020. <https://doi.org/10.1007/s10493-020-00559-2>. (WoS/Scopus)
2003. Homayoonzadeh M, Moeini P, Talebi K, Roessner U, Hosseiniaveh V. Antioxidant system status of cucumber plants under pesticides treatment. *Acta Physiologiae Plantarum* 42, Art. number 161, 2020. <https://doi.org/10.1007/s11738-020-03150-9>. (WoS/Scopus)
2004. Hosseini SM, Kalatehjari S, Kafi M, Moteszarehadeh B. Investigation of morpho-physiological and biochemical adaptive responses of *Hovenia dulcis* L. affected by salinity, nitrate and lead. *Iranian Journal of Soil and Water Research* 51(8), 1983-1996, 2020. <https://dx.doi.org/10.22059/ijswr.2020.298953.668527>.
2005. Hsouna AB, Ghneim-Herrera T, Romdhane WB, Dabbous A, Saad RB, Brini F, Abdelly C, Hamed KB. Early effects of salt stress on the physiological and oxidative status of the halophyte *Lobularia maritima*. *Functional Plant Biology* 47(10), 912-924, 2020. <https://doi.org/10.1071/FP19303>. (WoS/Scopus)
2006. Hu Y, Habibul N, Hu YY, Meng FL, Zhang X, Sheng GP. Mixture toxicity and uptake of 1-butyl-3-methylimidazolium bromide and cadmium co-contaminants in water by perennial ryegrass (*Lolium perenne* L.). *Journal of Hazardous Materials* 386, 121972, 2020. <https://doi.org/10.1016/j.jhazmat.2019.121972>. (WoS/Scopus)
2007. Hussain G, Anwar T, Qureshi H, Fatimah H, Waseem M, Arshad F, Rahseed R. Effects of lead on vegetative, propagative and physiochemical parameters of *Pisum sativum*. *Proceedings of the International Academy of Ecology and Environmental Sciences* 10(2), 32-37, 2020. <http://www.iaees.org/publications/journals/piaees/archive/1.pdf>.
2008. Hussain I, Rasheed R, Ashraf MA, Mohsin M, Shah SMA, Rashid DA, Akram M, Nisar J, Riaz M. Foliar applied acetylsalicylic acid induced growth and key-biochemical changes in chickpea (*Cicer arietinum* L.) under drought stress. *Dose-Response: An International Journal* 18(4), 1-13, 2020. <https://doi.org/10.1177/1559325820956801>. (WoS/Scopus)

2009. Ibrahim MFM, Elbar OHA, Farag R, Hikal M, El-Kelish A, El-Yazied AA, Alkahtani J, El-Gawad HGA. Melatonin counteracts drought induced oxidative damage and stimulates growth, productivity and fruit quality properties of tomato plants. *Plants* 9(10), 1276, 2020. <https://doi.org/10.3390/plants9101276>. (WoS/Scopus)
2010. Irankhah S, Chitarra W, Nerva L, Antoniou C, Lumini E, Volpe V, Ganjeali A, Cheniany M, Mashreghi M, Fotopoulos V, Balestrini R. Impact of an arbuscular mycorrhizal fungal inoculum and exogenous MeJA on fenugreek secondary metabolite production under water deficit. *Environmental and Experimental Botany* 176, art. number 104096, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104096>. (WoS/Scopus)
2011. Jabeen Z, Hussain N, Irshad F, Zeng J, Tahir A, Zhang G. Physiological and antioxidant responses of cultivated and wild barley under salt stress. *Plant, Soil and Environment* 66: 334-344, 2020. <https://doi.org/10.17221/169/2020-PSE>. (WoS/Scopus)
2012. Jacob PT, Siddiqui SA, Rathore MS. Seed germination, seedling growth and seedling development associated physiochemical changes in *Salicornia brachiata* (Roxb.) under salinity and osmotic stress. *Aquatic Botany* 166, 103272, 2020. <https://doi.org/10.1016/j.aquabot.2020.103272>. (WoS/Scopus)
2013. Jafarov ES, Guliyeva NR, Babayev HG, Gojaeva GA, Mamedova GA. Role of Pre-Sowing Gamma-Irradiation of Seeds in the Salt-Resistance of *Phaseolus vulgaris* L. *Journal of Stress Physiology & Biochemistry* 16(3): 116-125, 2020. http://www.jspb.ru/issues/2020/N3/JSPB_2020_3_116-125.pdf.
2014. Jahan MS, Guo S, Baloch AR, Sun J, Shu S, Wang Y, Ahammed GJ, Kabir K, Roy R. Melatonin alleviates nickel phytotoxicity by improving photosynthesis, secondary metabolism and oxidative stress tolerance in tomato seedlings. *Ecotoxicology and Environmental Safety* 197, art. number 110593, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110593>. (WoS/Scopus)
2015. Jamshidi Goharrizi K, Riahi-Madvar A, Rezaee F, Pakzad R, Jadid Bonyad F, Ahsaei AG. Effect of salinity stress on enzymes' activity, ions concentration, oxidative stress parameters, biochemical traits, content of sulforaphane, and cyp79f1 gene expression level in *Lepidium draba* plant. *Journal of Plant Growth Regulation* 39, 1075-1094, 2020. <https://doi.org/10.1007/s00344-019-10047-6> (WoS/Scopus)
2016. Jan S, Noman A, Kaya C, Ashraf M, Alyemeni MN, Ahmad P. 24-Epibrassinolide alleviates the injurious effects of Cr(VI) toxicity in tomato plants: Insights into growth, physio-biochemical attributes, antioxidant activity and regulation of ascorbate–glutathione and glyoxalase cycles. *Journal of Plant Growth Regulation* 39, 1587-1604, 2020. <https://doi.org/10.1007/s00344-020-10169-2>. (WoS/Scopus)
2017. Jawad Hassan M, Ali Raza M, Khan I, Ahmad Meraj T, Ahmed M, Abbas Shah G, Ansar M, Awan SA, Khan N, Iqbal N, Peng Y, Li Z. Selenium and salt interactions in black gram (*Vigna mungo* L): ion uptake, antioxidant defense system, and photochemistry efficiency. *Plants* 9(4), 467, 2020. <https://doi.org/10.3390/plants9040467>. (WoS/Scopus)
2018. Jebur AB, El-Demerdash FM, Kang W. Bromelain from *Ananas comosus* stem attenuates oxidative toxicity and testicular dysfunction caused by aluminum in rats. *Journal of Trace Elements in Medicine and Biology* 62, 126631, 2020. <https://doi.org/10.1016/j.jtemb.2020.126631>. (WoS/Scopus)
2019. Jin D, Wang X, Xu Y, Gui H, Zhang H, Dong Q, Sikder RK, Yang G, Song M. Chemical defoliant promotes leaf abscission by altering ros metabolism and photosynthetic efficiency in *Gossypium hirsutum*. *International Journal of Molecular Sciences* 21(18), 2738, 2020. <https://doi.org/10.3390/ijms21082738>. (WoS/Scopus)
2020. Kadoo MR, Badere RS. Aqueous extract of *Cleistanthus collinus* induces activity of peroxidase and catalase in the seedlings of cucumber and chilli. *Current Science* 118(6): 920-930, 2020. <https://www.currentscience.ac.in/Volumes/118/06/0920.pdf>. (WoS/Scopus)
2021. Kapoor RT, Hasanuzzaman M. Exogenous kinetin and putrescine synergistically mitigate salt stress in *Luffa acutangula* by modulating physiology and antioxidant defense. *Physiology and Molecular Biology of Plants* 26:2125-2137, 2020. <https://doi.org/10.1007/s12298-020-00894-z>. (WoS/Scopus)
2022. Karamian R, Ghasemlou F, Amiri H. Physiological evaluation of drought stress tolerance and recovery in *Verbascum sinuatum* plants treated with methyl jasmonate, salicylic acid and titanium dioxide nanoparticles. *Plant Biosystems* 154(3), 277-287, 2020. <https://doi.org/10.1080/11263504.2019.1591535>. (WoS/Scopus)
2023. Karimi S, Karami H, Vahdati K, Mokhtassi-Bidgoli A. Antioxidative responses to short-term salinity stress induce drought tolerance in walnut. *Scientia Horticulturae* 267, 109322, 2020. <https://doi.org/10.1016/j.scienta.2020.109322>. (WoS/Scopus)
2024. Karimi S, Tavallali V, Ferguson L, Mirzaei S. Developing a nano-Fe complex to supply iron and improve salinity tolerance of pistachio under calcium bicarbonate stress. *Communications in Soil Science and Plant Analysis* 51(14), 1835-1851, 2020. <https://doi.org/10.1080/00103624.2020.1798985>. (WoS/Scopus)
2025. Katiyar P, Yadu B, Korram J, Satnami ML, Kumar M, Keshavkant S. Titanium nanoparticles attenuates arsenic toxicity by up-regulating expressions of defensive genes in *Vigna radiata* L. *Journal of Environmental Sciences* 92, 18-27, 2020. <https://doi.org/10.1016/j.jes.2020.02.013>. (WoS/Scopus)
2026. Katuwal KB, Schwartz B, Jespersen D. Desiccation avoidance and drought tolerance strategies in bermudagrasses. *Environmental and Experimental Botany* 171, 103947, 2020. <https://doi.org/10.1016/j.envexpbot.2019.103947>. (WoS/Scopus)
2027. Kaur M, Ghai N, Chahal GK. Moisture stress induced changes in root anatomy and antioxidants level in maize (*Zea mays* L.). *Journal of Pharmacognosy and Phytochemistry* 9(4), 1152-1159, 2020. <https://doi.org/10.22271/phyto.2020.v9.i4p.11869>.
2028. Kaya C, Akram NA, Ashraf M, Alyemeni MN, Ahmad P. Exogenously supplied silicon (Si) improves cadmium tolerance in pepper (*Capsicum annuum* L.) by up-regulating the synthesis of nitric oxide and hydrogen

- sulfide. *Journal of Biotechnology* 316, 35-45, 2020. <https://doi.org/10.1016/j.jbiotec.2020.04.008>. (WoS/Scopus)
2029. Kaya C, Ashraf M, Al-Huqail AA, Alqahtani MA, Ahmad P. Silicon is dependent on hydrogen sulphide to improve boron toxicity tolerance in pepper plants by regulating the AsA-GSH cycle and glyoxalase system. *Chemosphere* 257, 127241, 2020. <https://doi.org/10.1016/j.chemosphere.2020.127241>. (WoS/Scopus)
2030. Kaya C, Ashraf M, Alyemeni MN, Ahmad P. Nitrate reductase rather than nitric oxide synthase activity is involved in 24-epibrassinolide-induced nitric oxide synthesis to improve tolerance to iron deficiency in strawberry (*Fragaria × annassa*) by up-regulating the ascorbate-glutathione cycle. *Plant Physiology and Biochemistry* 151, 486-499, 2020. <https://doi.org/10.1016/j.plaphy.2020.04.002>. (WoS/Scopus)
2031. Kaya C, Ashraf M, Alyemeni MN, Ahmad P. The role of endogenous nitric oxide in salicylic acid-induced up-regulation of ascorbate-glutathione cycle involved in salinity tolerance of pepper (*Capsicum annuum* L.) plants. *Plant Physiology and Biochemistry* 147, 10-20, 2020. <https://doi.org/10.1016/j.plaphy.2019.11.040>. (WoS/Scopus)
2032. Kaya C, Ashraf M, Alyemeni MN, Ahmad P. The role of nitrate reductase in brassinosteroid-induced endogenous nitric oxide generation to improve cadmium stress tolerance of pepper plants by upregulating the ascorbate-glutathione cycle. *Ecotoxicology and Environmental Safety* 196, 110483, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110483>. (WoS/Scopus)
2033. Kaya C, Ashraf M. The endogenous L-cysteine desulphydrase and hydrogen sulfide participate in supplemented phosphorus-induced tolerance to salinity stress in maize (*Zea mays*) plants. *Turkish Journal of Botany* 44(1), 36-46, 2020. <https://journals.tubitak.gov.tr/botany/issues/bot-20-44-1/bot-44-1-4-1907-27.pdf>. (WoS/Scopus)
2034. Kaya C, Aslan M, Ugurlar F, Ashraf M. Thiamine-induced nitric oxide improves tolerance to boron toxicity in pepper plants by enhancing antioxidants. *Turkish Journal of Agriculture and Forestry* 44, 379-390, 2020. DOI: 10.3906/tar-1909-40. (WoS/Scopus)
2035. Kaya C, Murillo-Amador B, Ashraf M. Involvement of L-cysteine desulphydrase and hydrogen sulfide in glutathione-induced tolerance to salinity by accelerating ascorbate-glutathione cycle and glyoxalase system in capsicum. *Antioxidants* 9(7), 603, 2020. <https://doi.org/10.3390/antiox9070603>. (WoS/Scopus)
2036. Kaya C, Sarioğlu A, Ashraf M, Alyemeni MN, Ahmad P. Gibberellic acid-induced generation of hydrogen sulfide alleviates boron toxicity in tomato (*Solanum lycopersicum* L.) plants. *Plant Physiology and Biochemistry* 153, 53-63, 2020. <https://doi.org/10.1016/j.plaphy.2020.04.038>. (WoS/Scopus)
2037. Kaya, C. Role of L-cysteine desulphydrase in epibrassinolide-induced tolerance to boron toxicity in pepper (*Capsicum annuum* L.) plants. *Journal of Plant Growth Regulation* 39, 1531-1542, 2020. <https://doi.org/10.1007/s00344-020-10149-6>. (WoS/Scopus)
2038. Kazouz H, Slimani M, Kharoubi O, Saadi S, Aoumeur H, Hamadouche NA, Aoues A. Evaluation of cereal response to stress generated by heavy metals: determination of physiological and biochemical modifications, and antioxidative defense of *Hordeum vulgare* L. against lead. *South Asian Journal of Experimental Biology* 10 (1), 9-19, 2020. [DOI: 10.38150/sajeb.10(1).p09-19].
2039. Khajuria A, Ohri P. Polyamines induced nematode stress tolerance in *Solanum lycopersicum* through altered physico-chemical attributes. *Physiological and Molecular Plant Pathology* 112, 101544, 2020. <https://doi.org/10.1016/j.pmpp.2020.101544>. (WoS/Scopus)
2040. Khalid MF, Hussain S, Anjum MA, Ahmad S, Ali MA, Ejaz S, Morillon R. Better salinity tolerance in tetraploid vs diploid volkamer lemon seedlings is associated with robust antioxidant and osmotic adjustment mechanisms. *Journal of Plant Physiology* 244, 153071, 2020. <https://doi.org/10.1016/j.jplph.2019.153071>. (WoS/Scopus)
2041. Khamesi F, Amini A, Ehsanzadeh P. Chickpea response to saline water: Concurrence of ion homeostasis sustainment and antioxidative defense measures. *South African Journal of Botany* 133, 245-252, 2020. <https://doi.org/10.1016/j.sajb.2020.08.001>. (WoS/Scopus)
2042. Khan I, Raza MA, Awan SA, Shah GA, Rizwan M, Ali B, Tariq R, Hassan MJ, Alyemeni MN, Brestic M, Zhang X, Ali S, Huang L. Amelioration of salt induced toxicity in pearl millet by seed priming with silver nanoparticles (AgNPs): The oxidative damage, antioxidant enzymes and ions uptake are major determinants of salt tolerant capacity. *Plant Physiology and Biochemistry* 156, 221-232, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.018>. (WoS/Scopus)
2043. Khan MA, Rahman M, Ramzani PMA, Zubair M, Rasool B, Khan MK, Ahmed A, Khan SA, Turan V, Iqbal M. Associative effects of lignin-derived biochar and arbuscular mycorrhizal fungi applied to soil polluted from Pb-acid batteries effluents on barley grain safety. *Science of the Total Environment* 710, art. num. 136294, 2020. <https://doi.org/10.1016/j.scitotenv.2019.136294>. (WoS/Scopus)
2044. Khan MN, AlSolami MA, Basahi RA, Siddiqui MH, Al-Huqail AA, Abbas ZK, Siddiqui ZH, Alic HM, Khan F. Nitric oxide is involved in nano-titanium dioxide-induced activation of antioxidant defense system and accumulation of osmolytes under water deficit stress in *Vicia faba* L. *Ecotoxicology and Environmental Safety* 190, 110152, 2020. <https://doi.org/10.1016/j.ecoenv.2019.110152>. (WoS/Scopus)
2045. Khan MN, Siddiqui MH, AlSolami MA, Alamri S, Hu Y, Ali HM, Al-Amri AA, Alsubaie QD, Al-Munqedhi BM, Al-Ghamdi A. Crosstalk of hydrogen sulfide and nitric oxide requires calcium to mitigate impaired photosynthesis under cadmium stress by activating defense mechanisms in *Vigna radiata*. *Plant Physiology and Biochemistry* 156, 278-290, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.017>. (WoS/Scopus)
2046. Khanna K, Kohli SK, Sharma A, P Ohri, R Bhardwaj, Al-Huqail AA, Siddiqui MH, Ahmad P. Histochemical and physicochemical studies reveal improved defense in tomato under Cd stress with rhizobacterial

- supplementation. *Plant and Soil* 446, 393-411, 2020. <https://doi.org/10.1007/s11104-019-04356-8>. (WoS/Scopus)
2047. Kharwar S, Mishra AK. Unraveling the complexities underlying sulfur deficiency and starvation in the cyanobacterium *Anabaena* sp. PCC 7120. *Environmental and Experimental Botany* 172, 103966, 2020. <https://doi.org/10.1016/j.envexpbot.2019.103966>. (WoS/Scopus)
2048. Khasanah RAN, Rachmawati D. Potency of silicon in reducing cadmium toxicity in Cempo Merah rice. *Asian Journal of Agriculture and Biology* 8(4): 405-412, 2020. <https://doi.org/10.35495/ajab.2019.12.571>. (WoS/Scopus)
2049. Khatami F, Najafi F, Yari F, Ali Khavari-Nejad R. Expression of *etr1-1* gene in transgenic *Rosa hybrida* L. increased postharvest longevity through reduced ethylene biosynthesis and perception. *Scientia Horticulturae* 263, art. No 109103, 2020. <https://doi.org/10.1016/j.scienta.2019.109103>. (WoS/Scopus)
2050. Khazaei Z, Esmailpour B, Estaji A. Ameliorative effects of ascorbic acid on tolerance to drought stress on pepper (*Capsicum annuum* L.) plants. *Physiology and Molecular Biology of Plants* 26, 1649-1662, 2020. <https://doi.org/10.1007/s12298-020-00846-7>. (WoS/Scopus)
2051. Kiliç Z, Dumlupinar R. The changes of 2, 4 dinitrophenol substance applied to corn seeds in AOX and ATP synthase gene expression against chilling stress. *Turkish Journal of Food and Agriculture Sciences* 2(2), 23-29, 2020. <https://dergipark.org.tr/en/pub/turfas/issue/58119/767960>.
2052. Killiny N, Nehela Y, Hijaz F, Gonzalez-Blanco P, Hajeri S, Gowda S. Knock-down of δ -aminolevulinic acid dehydratase via virus-induced gene silencing alters the microRNA biogenesis and causes stress-related reactions in citrus plants. *Plant Science* 299, 110622, 2020. <https://doi.org/10.1016/j.plantsci.2020.110622>. (WoS/Scopus)
2053. Kisa D, Öztürk L, Sağlam N, Kayir Ö, Elmastaş M, Döker S. Fatty acids and physiological responses of corn leaves exposed to heavy metals. *Acta Scientiarum Polonorum Hortorum Cultus* 19(3), 3-14, 2020. <http://dx.doi.org/10.24326/asphc.2020.3.1>. (WoS/Scopus)
2054. Kocak M, Turan S, Erdinc C, Yildiz M. Analysis of genetic diversity among different melon accessions using peroxidase gene markers. *Fresenius Environmental Bulletin* 29, 8017-8024, 2020. https://www.prt-parlar.de/download_feb_2020/. (WoS/Scopus)
2055. Kok ADX, Wan Abdullah WMAN, Tan NP, Ong-Abdullah J, Sekeli R, Wee C-Y, Lai K-S. Growth promoting effects of Pluronic F-68 on callus proliferation of recalcitrant rice cultivar. *3 Biotech* 10:116, 2020. <https://doi.org/10.1007/s13205-020-2118-5>. (WoS/Scopus)
2056. Koubaa S, Brini F. Functional analysis of a wheat group 3 late embryogenesis abundant protein (TdLEA3) in *Arabidopsis thaliana* under abiotic and biotic stresses. *Plant Physiology and Biochemistry* 156, 396-406, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.028>. (WoS/Scopus)
2057. Kovács L, Mendel Á, Szentgyörgyi A, S Fekete, F Söre, K Posta, E Kiss. Comparative analysis of overexpressed *Fragaria vesca* S-adenosyl-l-methionine synthase (*FvSAMS*) and decarboxylase (*FvSAMDC*) during salt stress in transgenic *Nicotiana benthamiana*. *Plant Growth Regulation* 91, 53-73, 2020. <https://doi.org/10.1007/s10725-020-00587-3>. (WoS/Scopus)
2058. Koziel E, Otulak-Koziel K, Bujarski JJ. Modifications in tissue and cell ultrastructure as elements of immunity-like reaction in *Chenopodium quinoa* against prune dwarf virus (PDV). *Cells* 9(1), 148, 2020. <https://doi.org/10.3390/cells9010148>. (WoS/Scopus)
2059. Kumar V, Dwivedi SK. Multimetal tolerant fungus *Aspergillus flavus* CR500 with remarkable stress response, simultaneous multiple metal/loid removal ability and bioremediation potential of wastewater. *Environmental Technology & Innovation* 20, 101075, 2020. <https://doi.org/10.1016/j.eti.2020.101075>. (WoS/Scopus)
2060. Kushwaha BK, Ali HM, Siddiqui MH, Singh VP. Nitric oxide-mediated regulation of sub-cellular chromium distribution, ascorbate-glutathione cycle and glutathione biosynthesis in tomato roots under chromium (VI) toxicity. *Journal of Biotechnology* 318, 68-77, 2020. <https://doi.org/10.1016/j.jbiotec.2020.05.006>. (WoS/Scopus)
2061. Kushwaha BK, Singh VP. Mitigation of chromium (VI) toxicity by additional sulfur in some vegetable crops involves glutathione and hydrogen sulfide. *Plant Physiology and Biochemistry* 155, 952-964, 2020. <https://doi.org/10.1016/j.plaphy.2020.05.013>. (WoS/Scopus)
2062. L'Taief B, Abdi N, Smari S, Ayari-Akkari A, Jeridi M, D-Elsenidi M, Tanweer S, Sifi B. Rhizobia strains alleviate salinity in faba beans (*Vicia faba*) to valorize marginal soils. *Pakistan Journal of Botany* 52(5), 1831-1837, 2020. [http://dx.doi.org/10.30848/PJB2020-5\(41\)](http://dx.doi.org/10.30848/PJB2020-5(41)). (WoS/Scopus)
2063. Ladhari A, Andolfi A, DellaGreca M. Physiological and oxidative stress responses of lettuce to Cleomside A: A thiohydroximate, as a new allelochemical from *Cleome arabica* L. *Molecules* 25(19), 4461, 2020. <https://doi.org/10.3390/molecules25194461>. (WoS/Scopus)
2064. Lalarukh, I. and M. Shahbaz. Response of antioxidants and lipid peroxidation to exogenous application of alpha-tocopherol in sunflower (*Helianthus annuus* L.) under salt stress. *Pakistan Journal of Botany*, 52(1), 75-83, 2020. [http://dx.doi.org/10.30848/PJB2020-1\(41\)](http://dx.doi.org/10.30848/PJB2020-1(41)). (WoS/Scopus)
2065. Langeroodi AR, Osipitan OA, Radicetti E, Mancinelli R. To what extent arbuscular mycorrhiza can protect chicory (*Cichorium intybus* L.) against drought stress. *Scientia Horticulturae* 263, 109109, 2020. <https://doi.org/10.1016/j.scienta.2019.109109>. (WoS/Scopus)
2066. Lei M, Raza I, Deebea F, Jamil M, Naeem R, Azizullah A, Khattak B, Shah A, Ali I, Jin ZS, Khan MD. Pesticide-induced physiological, metabolic and ultramorphological alterations in leaves of young maize seedlings.

- Polish Journal of Environmental Studies* 29(3): 1-12, 2020. <https://doi.org/10.15244/pjoes/108926>. (WoS/Scopus)
- 2067.** Li H, Chen XW, Wu L, et al N Luo, WX Huang, CH Mo, YW Li, L Xiang, HM Zhao, QY Cai, MH Wong. Effects of arbuscular mycorrhizal fungi on redox homeostasis of rice under Cd stress. *Plant Soil* 455, 121-138, 2020. <https://doi.org/10.1007/s11104-020-04678-y>. (WoS/Scopus)
- 2068.** Li X, Sun P, Zhang Y, Jin C, Guan C. A novel PGPR strain *Kocuria rhizophila* Y1 enhances salt stress tolerance in maize by regulating phytohormone levels, nutrient acquisition, redox potential, ion homeostasis, photosynthetic capacity and stress-responsive genes expression. *Environmental and Experimental Botany* 174, 104023, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104023>. (WoS/Scopus)
- 2069.** Li Z, Cheng B, Zeng W, Zhang X, Peng Y. Proteomic and metabolomic profilings reveal crucial functions of γ -aminobutyric acid in regulating ionic, water, and metabolic homeostasis in creeping bentgrass under salt stress. *Journal of Proteome Research* 19(2), 769-780, 2020. <https://doi.org/10.1021/acs.jproteome.9b00627>. (WoS/Scopus)
- 2070.** Li Z, Fu J, Shi D, Peng Y. Myo-inositol enhances drought tolerance in creeping bentgrass through alteration of osmotic adjustment, photosynthesis, and antioxidant defense. *Crop Science* 60(4), 2149-2158, 2020. <https://doi.org/10.1002/csc2.20186>. (WoS/Scopus)
- 2071.** Li Z, Zeng W, Cheng B, Huang T, Peng Y, Zhang X. γ -Aminobutyric acid enhances heat tolerance associated with the change of proteomic profiling in creeping bentgrass. *Molecules* 25(18), 4270, 2020. <https://doi.org/10.3390/molecules25184270>. (WoS/Scopus)
- 2072.** Liang C. Plant response to acid rain stress. Chapter 9. In: A Handbook of Environmental Toxicology: Human Disorders and Ecotoxicology. JPF D'Mello (ed.). pp. 127-138. *CAB International* 2020. https://www.researchgate.net/publication/363211690_Plant_Response_to_Acid_Rain_Stress. [BOOK]
- 2073.** Lins S, Yusuf A. Upregulation of Chloroplast Antioxidant System to Alleviate Salt Dependent Oxidative System in Rice Varieties. *Journal of Stress Physiology & Biochemistry* 16(3), 26-37, 2020. <https://search.proquest.com/openview/75043bd9f86a76be91b6af83bc197b58/1?pq-origsite=gscholar&cbl=4431314>.
- 2074.** Liu C, Liu Y, Wang S, Ke Q, Yin L, Deng X, Feng B. Arabidopsis mgd mutants with reduced monogalactosyldiacylglycerol contents are hypersensitive to aluminium stress. *Ecotoxicology and Environmental Safety* 203, 110999, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110999>. (WoS/Scopus)
- 2075.** Liu J, Li Z, Ghanizadeh H, Kerckhoffs H, Sofkova-Bobcheva S, Wu W, Wang X, Liu Y, Li X, Zhao H, Chen X, Zhang Y, Wang A. Comparative genomic and physiological analyses of a superoxide dismutase mimetic (SODm-123) for its ability to respond to oxidative stress in tomato plants. *Journal of Agricultural and Food Chemistry* 68(47): 13608-13619, 2020. <https://doi.org/10.1021/acs.jafc.0c04618>. (WoS/Scopus)
- 2076.** Liu L, Liu D, Wang Z, Zou C, Wang B, Zhang H, Gai Z, Zhang P, Wang Y, Li C. Exogenous allantoin improves the salt tolerance of sugar beet by increasing putrescine metabolism and antioxidant activities. *Plant Physiology and Biochemistry* 154, 699-713, 2020. <https://doi.org/10.1016/j.plaphy.2020.06.034>. (WoS/Scopus)
- 2077.** Liu L, Petchphankul N, Ueda A, Saneoka H. Differences in physiological responses of two oat (*Avena nuda* L.) lines to sodic-alkalinity in the vegetative stage. *Plants* 9(9), 1188, 2020. <https://doi.org/10.3390/plants9091188>. (WoS/Scopus)
- 2078.** Liu L, Wang B, Liu D, Zou C, Wu P, Wang Z, Wang Y, Li C. Transcriptomic and metabolomic analyses reveal mechanisms of adaptation to salinity in which carbon and nitrogen metabolism is altered in sugar beet roots. *BMC Plant Biology* 20, 138, 2020. <https://doi.org/10.1186/s12870-020-02349-9>. (WoS/Scopus)
- 2079.** Liu X, Wang S, Deng X, Zhang Z, Yin L. Comprehensive evaluation of physiological traits under nitrogen stress and participation of linolenic acid in nitrogen-deficiency response in wheat seedlings. *BMC Plant Biology* 20, art. number 501, 2020. <https://doi.org/10.1186/s12870-020-02717-5>. (WoS/Scopus)
- 2080.** Long M, Shou J, Wang J, Hu W, Hannan F, Mwamba TM, Farooq MA, Zhou W, Islam F. Ursolic acid limits salt-induced oxidative damage by interfering with nitric oxide production and oxidative defense machinery in rice. *Frontiers in Plant Science, in Frontiers Collection: New Insights into Salinity Sensing, Signaling and Adaptation in Plants*, 11:697, 2020. <https://doi.org/10.3389/fpls.2020.00697>. (WoS/Scopus)
- 2081.** López-Serrano L, Canet-Sanchis G, Selak GV, Penella C, San Bautista A, López-Galarza S, Calatayud Á. Physiological characterization of a pepper hybrid rootstock designed to cope with salinity stress. *Plant Physiology and Biochemistry* 148, 207-219, 2020. <https://doi.org/10.1016/j.plaphy.2020.01.016>. (WoS/Scopus)
- 2082.** Luo L, Li Z, Tang MY, Cheng BZ, Zeng WH, Peng Y, Nie G, Zhang XQ. Metabolic regulation of polyamines and γ -aminobutyric acid in relation to spermidine-induced heat tolerance in white clover. *Plant Biology* 22(5), 794-804, 2020. <https://doi.org/10.1111/plb.13139>. (WoS/Scopus)
- 2083.** Lv Y, Xu J, Xu K, Liu X, Guo X, Lu S, Xi B. Accumulation characteristics and biological response of ginger to sulfamethoxazole and ofloxacin. *Environmental Pollution* 262, 114203, 2020. <https://doi.org/10.1016/j.envpol.2020.114203> (WoS/Scopus)
- 2084.** Ma X, Li X, Liu J, Cheng Y, Zhai F, Sun Z, Han L. Enhancing *Salix viminalis* L.-mediated phytoremediation of polycyclic aromatic hydrocarbon-contaminated soil by inoculation with *Crucibulum laeve* (white-rot fungus). *Environmental Science and Pollution Research* 27(33), 41326-41341, 2020. <https://doi.org/10.1007/s11356-020-10125-3>. (WoS/Scopus)
- 2085.** Mahapatra K, Ghosh AK, De S, Ghosh N, Sadhukhan P, Chatterjee S, Ghosh R, Sil PC, Roy S. Assessment of cytotoxic and genotoxic potentials of a mononuclear Fe (II) Schiff base complex with photocatalytic activity in *Trigonella*. *Biochimica et Biophysica Acta (BBA)* 1864 (3), 129503, 2020.

<https://doi.org/10.1016/j.bbagen.2019.129503> (WoS/Scopus)

- 2086.** Mahjouri S, Kosari-Nasab M, Kazemi EM, Divband B, Movafeghi A. Effect of Ag-doping on cytotoxicity of SnO₂ nanoparticles in tobacco cell cultures. *Journal of Hazardous Materials* 381, 121012, **2020**. <https://doi.org/10.1016/j.jhazmat.2019.121012>. (WoS/Scopus)
- 2087.** Majumder B, Das S, Pal B, Biswas AK. Evaluation of arsenic induced toxicity based on arsenic accumulation, translocation and its implications on physio-chemical changes and genomic instability in indica rice (*Oryza sativa* L.) cultivars. *Ecotoxicology* 29, 13-34, **2020**. <https://doi.org/10.1007/s10646-019-02135-w>. (WoS/Scopus)
- 2088.** Malefo MB, Mathibela EO, Crampton BG, Makgopa ME. Investigating the role of Bowman-Birk serine protease inhibitor in Arabidopsis plants under drought stress. *Plant Physiology and Biochemistry* 149: 286-293, **2020**. <https://doi.org/10.1016/j.plaphy.2020.02.007>. (WoS/Scopus)
- 2089.** Malik B, Pirzadah TB. Lead induced changes in biomarkers and proteome map of Chicory (*Cichorium intybus* L.). *Current Botany* 11: 111-116, **2020**. <https://doi.org/10.25081/cb.2020.v11.6182>.
- 2090.** Mannucci A, Mariotti L, Castagna A, Santin M, Trivellini A, Reyes TH, Mensuali-Sodi A, Ranieri A, Quartacci MF. Hormone profile changes occur in roots and leaves of Micro-Tom tomato plants when exposing the aerial part to low doses of UV-B radiation. *Plant Physiology and Biochemistry* 148, 291-301, **2020**. <https://doi.org/10.1016/j.plaphy.2020.01.030>. (WoS/Scopus)
- 2091.** Mansouri SM, Mehrparvar M, Amiri Domari M, Mozafari H. Evaluation of physiological indices of induced changes in safflower cultivars under biotic stress. *Journal of Plant Research* (Iranian Journal of Biology) 32(4), 896-905, **2020**. http://plant.ijbio.ir/article_1671_en.html.
- 2092.** Marins AT, Severo ES, Leitemperger JW, Cerezer C, Muller TE, Costa MD, Weimer GH, Bandeira NMG, Prestes OD, Zanella R, Loro VL. Assessment of river water quality in an agricultural region of Brazil using biomarkers in a native neotropical fish, *Astyanax* spp. (Characidae). *Bulletin of Environmental Contamination and Toxicology* 104(5), 575-581, **2020**. <https://doi.org/10.1007/s00128-020-02821-0>. (WoS/Scopus)
- 2093.** Masooleh AK, Ahmadikhah A. A simple and novel colorimetric optimized assay for determination of hydrogen peroxide concentration under oxidative stress conditions. *Current Analytical Chemistry* 16(2), 112-118, **2020**. <https://doi.org/10.2174/1573411014666180730111605>. (WoS/Scopus)
- 2094.** Md. Mahadi Hasan, Md. Arfan Ali, Mona H. Soliman, Abdulaziz A. Alqarawi, Elsayed Fathi Abd Allah, Xiang-Wen Fang. Insights into 28-homobrassinolide (HBR)-mediated redox homeostasis, AsA-GSH cycle, and methylglyoxal detoxification in soybean under drought-induced oxidative stress. *Journal of Plant Interactions* 15: 1, 371-385, **2020**. <https://doi.org/10.1080/17429145.2020.1832267>. (WoS/Scopus)
- 2095.** Mehmood S, Ahmed W, Ikram M, Imtiaz M, Mahmood S, Tu S, Chen D. Chitosan modified biochar increases soybean (*Glycine max* L.) resistance to salt-stress by augmenting root morphology, antioxidant defense mechanisms and the expression of stress-responsive genes. *Plants* 9(9), 1173, **2020**. <https://doi.org/10.3390/plants9091173>. (WoS/Scopus)
- 2096.** Meng Y, Yin Q, Yan Z, Wang Y, Niu J, Zhang J and Fan K. Exogenous silicon enhanced salt resistance by maintaining K⁺/Na⁺ homeostasis and antioxidant performance in Alfalfa leaves. *Frontiers in Plant Science* 11:1183, **2020**. <https://doi.org/10.3389/fpls.2020.01183>. (WoS/Scopus)
- 2097.** Merino C, Kuzyakov Y, Godoy K, Cornejo P, Matus F. Synergy effect of peroxidase enzymes and Fenton reactions greatly increase the anaerobic oxidation of soil organic matter. *Scientific Reports* 10, 11289, **2020**. <https://doi.org/10.1038/s41598-020-67953-z>. (WoS/Scopus)
- 2098.** Moghimifam R, Niknam V, Ebrahimzadeh H, Hejazi MA. The influence of different CO₂ concentrations on the biochemical and molecular response of two isolates of *Dunaliella* sp. (ABRIINW-CH2 and ABRIINW-SH33). *Journal of Applied Phycology* 32, 175-187, **2020**. <https://doi.org/10.1007/s10811-019-01914-6>. (WoS/Scopus)
- 2099.** Mohammadi H, Akhondzadeh M, Ghorbanpour M, Aghaee A. Physiological responses and secondary metabolite ingredients in sage plants induced by 24-epibrassinolide foliar application under different water deficit regimes. *Scientia Horticulturae* 263, 109139, **2020**. <https://doi.org/10.1016/j.scienta.2019.109139>. (WoS/Scopus)
- 2100.** Mohammadi MA, Han X, Zhang Z, Xi Y, Boorboori M, Wang-Pruski G. Phosphite application alleviates *Pythophthora infestans* by modulation of photosynthetic and physio-biochemical metabolites in potato leaves. *Pathogens* 9(3), 170, **2020**. <https://doi.org/10.3390/pathogens9030170>. (WoS/Scopus)
- 2101.** Mohsen MH, Jasim AH. Effect of boron, amino acids and silicon spraying on pea yield. *Plant Archives* 20(2), 3901-3904, **2020**. [http://plantarchives.org/20-2/3901-3904%20\(6663\).pdf](http://plantarchives.org/20-2/3901-3904%20(6663).pdf). (WoS/Scopus)
- 2102.** Mollaei S, Ghanavi Z. Green Tea (*Camellia sinensis*) extract induces systemic acquired resistance against witches' broom diseases of *Citrus aurantifolia*. *Journal of Medicinal plants and By-product* 9(Special), 7-16, **2020**. <https://dx.doi.org/10.22092/jmpb.2020.121746>.
- 2103.** Monirifar H, Rashidie V, Hassanzadeh M, Ghorbi M, Ghassemi S. Comparison of salinity tolerance of common and improved genotypes of forage sorghum (*Sorghum bicolor* L.) in Tabriz-plain. *Journal of Agricultural Science and Sustainable Production* 30(1), 109-119, **2020**. https://sustainagriculture.tabrizu.ac.ir/mobile/article_10410.html?lang=en.
- 2104.** Mousavi SR, Niknejad Y, Fallah H, Tari DB. Methyl jasmonate alleviates arsenic toxicity in rice. *Plant Cell Reports* 39, 1041-1060, **2020**. <https://doi.org/10.1007/s00299-020-02547-7>. (WoS/Scopus)
- 2105.** Moustafa M, Mohamed HE, Saber NE, El-Ekeili AM. Role of salicylic acid in alleviation of aluminum effects on growth and biochemical processes in lupin (*Lupinus termis* L.) plant. *Egyptian Journal of Botany* 60(1),

- 287-300, 2020. <https://dx.doi.org/10.21608/ejbo.2019.15177.1343> (WoS/Scopus)
2106. Moustafa-Farag M, Mohamed HI, Mahmoud A, Elkelish A, Misra AN, Guy KM, Kamran M, Ai S, Zhang M. Salicylic acid stimulates antioxidant defense and osmolyte metabolism to alleviate oxidative stress in watermelons under excess boron. *Plants* 9(6), 724, 2020. <https://doi.org/10.3390/plants9060724>. (WoS/Scopus)
2107. Myrene RD, Reshma S, Renuka R. Nutritional sink formation in galls of *Millettia pinnata* synergistically infected by *Myricomyia pongamiae* and *Eriophyes cheriani*. *International Journal of Botany Studies* 5(1):88-93, 2020. www.botanyjournals.com. (WoS/Scopus)
2108. Najafi S, Razavi SM, Khoshkam M, Asadi A. Effects of green synthesis of sulfur nanoparticles from *Cinnamomum zeylanicum* barks on physiological and biochemical factors of Lettuce (*Lactuca sativa*). *Physiology and Molecular Biology of Plants* 26, 1055-1066, 2020. <https://doi.org/10.1007/s12298-020-00793-3>. (WoS/Scopus)
2109. Namdjoyan S, Soorki AA, Elyasi N, Kazemi N, Simaei M. Melatonin alleviates lead-induced oxidative damage in safflower (*Carthamus tinctorius* L.) seedlings. *Ecotoxicology* 29, 108-118, 2020. doi:10.1007/s10646-019-02136-9. (WoS/Scopus)
2110. Namjoyan S, Sorooshzadeh A, Rajabi A, Aghaalikhani M. Nano-silicon protects sugar beet plants against water deficit stress by improving the antioxidant systems and compatible solutes. *Acta Physiologiae Plantarum* 42(10), art. number 157, 2020. <https://doi.org/10.1007/s11738-020-03137-6>. (WoS/Scopus)
2111. Narimani T, Toorchi M, Tarinejad AR, Mohammadi SA, Mohammadi H. Physiological and biochemical evaluation of barley (*Hordeum vulgare* L.) under salinity stress. *Journal of Agricultural Science and Technology* 22(4), 1009-1021, 2020. <https://jast.modares.ac.ir/article-23-29342-en.pdf>. (WoS/Scopus)
2112. Naveed M, Mustafa A, Azhar SQ, Kamran M, Zahir ZA, Núñez-Delgado A. *Burkholderia phytofirmans* PsJN and tree twigs derived biochar together retrieved Pb-induced growth, physiological and biochemical disturbances by minimizing its uptake and translocation in mung bean (*Vigna radiata* L.). *Journal of Environmental Management* 257, art. Number 109974, 2020. <https://doi.org/10.1016/j.jenvman.2019.109974>. (WoS/Scopus)
2113. Nawaz M, Wang Z. Abscissic acid and glycine betaine mediated tolerance mechanisms under drought stress and recovery in *Axonopus compressus*: a new insight. *Scientific Reports* 10, 6942. 2020. <https://doi.org/10.1038/s41598-020-63447-0>. (WoS/Scopus)
2114. Naz H, Akram NA, Kong H. Assessment of secondary metabolism involvement in water stress tolerance of quinoa (*Chenopodium quinoa* Willd.) subjected to varying water regimes. *Pakistan Journal of Botany* 52(5):xx-xx, 2020. DOI: [http://dx.doi.org/10.30848/PJB2020-5\(8\)](http://dx.doi.org/10.30848/PJB2020-5(8)). (WoS/Scopus)
2115. Nazar Z, Akram NA, Saleem MH, Ashraf M, Ahmed S, Ali S, Abdullah Alsahli A, Alyemeni MN. Glycinebetaine-induced alteration in gaseous exchange capacity and osmoprotective phenomena in safflower (*Carthamus tinctorius* L.) under water deficit conditions. *Sustainability* 12(24), 10649, 2020. <https://doi.org/10.3390/su122410649>. (WoS/Scopus)
2116. Nazarian M, Ghanati F. The role of melatonin in reinforcement of antioxidant system of rice plant (*Oryza sativa* L.) under arsenite toxicity?. *Plant Physiology Reports* 25, 395-404, 2020. <https://doi.org/10.1007/s40502-020-00523-7>. (WoS/Scopus)
2117. Nguyen PN, Tossounian MA, Kovacs DS, Thu TT, Stijlemans B, Vertommen D, Pauwels J, Gevaert K, Angenon G, Messens J, Tompa P. Dehydrin ERD14 activates glutathione transferase Phi9 in *Arabidopsis thaliana* under osmotic stress. *Biochimica et Biophysica Acta* 1864(3), art. number 129506, 2020. <https://doi.org/10.1016/j.bbagen.2019.129506>. (WoS/Scopus)
2118. Oloumi H, Khodashenas M. Exogenous NaHS treatment alleviated Cd-induced stress in *Ocimum basilicum* plants through modulation of antioxidant defense system. *Acta Biologica Cracoviensia s. Botanica* 62(1): 97-106, 2020. <https://doi.org/10.24425/abcsb.2020.131667> (WoS/Scopus)
2119. Önder S, Önder DG, Tonguç M. Determination of hydrogen peroxide content and antioxidant enzyme activities in safflower (*Carthamus tinctorius* L.) seeds after accelerated aging test. *Journal of Natural and Applied Sciences* (Süleyman Demirel University) 24(3), 681-688, 2020. <https://doi.org/10.19113/sdufenbed.793621>.
2120. Oraee A, Tehranifar A. Evaluating the potential drought tolerance of pansy through its physiological and biochemical responses to drought and recovery periods. *Scientia Horticulturae* 265, art. number 109225, 2020. <https://doi.org/10.1016/j.scienta.2020.109225>. (WoS/Scopus)
2121. Ozturk K, Saglam A, Kadioglu A. *Heliotropium thermophilum*, an extreme heat tolerant species, promises plants about adaptation to high soil temperature conditions. *Physiology and Molecular Biology of Plants* 26(3), 525-535, 2020. <https://doi.org/10.1007/s12298-020-00766-6>. (WoS/Scopus)
2122. Patel JS, Selvaraj V, Gunupuru LR, Rathor PK, Prithiviraj B. Combined application of *Ascophyllum nodosum* extract and chitosan synergistically activates host-defense of peas against powdery mildew. *BMC Plant Biology* 20, art. No 113, 2020. <https://doi.org/10.1186/s12870-020-2287-8>. (WoS/Scopus)
2123. Pavani KV, Beulah M, Sai Poojitha GU. The effect of zinc oxide nanoparticles (ZnO NPs) on *Vigna mungo* L. seedling growth and antioxidant activity. *Nanoscience & Nanotechnology - Asia* 10(2), 117-122, 2020. <https://doi.org/10.2174/2210681208666180820150647>. (WoS/Scopus)
2124. Pereira YC, da Silva FR, da Silva BRS, Cruz FJR, Marques DJ, da Silva Lobato AK. 24-epibrassinolide induces protection against waterlogging and alleviates impacts on the root structures, photosynthetic machinery and biomass in soybean. *Plant Signaling & Behavior* 15(11), art. 1805885, 2020. <https://doi.org/10.1080/15592324.2020.1805885>. (WoS/Scopus)
2125. Perveen S, Saeed M, Parveen A, Javed MT, Zafar S, Iqbal N. Modulation of growth and key

physiobiochemical attributes after foliar application of zinc sulphate (ZnSO₄) on wheat (*Triticum aestivum* L.) under cadmium (Cd) stress. *Physiology and Molecular Biology of Plants* 26, 1787–1797, 2020. <https://doi.org/10.1007/s12298-020-00861-8>. (WoS/Scopus)

2126. Pirzadah TB, Malik B, Tahir I, Hakeem KR, Alharby HF, Rehman RU. Lead toxicity alters the antioxidant defense machinery and modulate the biomarkers in Tartary buckwheat plants. *International Biodeterioration & Biodegradation* 151, art. number 104992, 2020. <https://doi.org/10.1016/j.ibiod.2020.104992>. (WoS/Scopus)

2127. Pliūra A, Bajerkevičienė G, Labokas J, Lygis V, Jankauskienė J, Suchockas V, Verbylaitė R. The effects of different combinations of simulated climate change-related stressors on juveniles of seven forest tree species grown as mono-species and mixed cultures. *Baltic Forestry* 26(1): 326, 2020. <https://doi.org/10.46490/BF326>. (WoS/Scopus)

2128. Possa KF, Silva JAG, Resende MLV, Tenente R, Pinheiro C, Chaves I, Planchon S, Monteiro ACA, Renaut J, Carvalho MAF, Ricardo CP, Guerra-Guimarães L. Primary metabolism is distinctly modulated by plant resistance inducers in *Coffea arabica* leaves infected by *Hemileia vastatrix*. *Frontiers in Plant Science* 11:309, 2020. <https://doi.org/10.3389/fpls.2020.00309>. (WoS/Scopus)

2129. Posso DA, Borella J, Reissig GN, Amarante L, Bacarin MA. Nitrate-mediated maintenance of photosynthetic process by modulating hypoxic metabolism of common bean plants. *Acta Physiologiae Plantarum* 42, art. number: 117, 2020. <https://doi.org/10.1007/s11738-020-03107-y>. (WoS/Scopus)

2130. Posso DA, Borella J, Reissig GN, Guidorizi KA, Bacarin MA. Short-term root flooding and recovery conditions—affected photosynthetic process of common bean plants. *Theoretical and Experimental Plant Physiology* 32, 287-300, 2020. <https://doi.org/10.1007/s40626-020-00186-7>. (WoS/Scopus)

2131. Qureshi FF, Ashraf MA, Rasheed R, Ali S, Hussain I, Ahmed A, Iqbal M. Organic chelates decrease phytotoxic effects and enhance chromium uptake by regulating chromium-speciation in castor bean (*Ricinus communis* L.). *Science of the Total Environment* 716, 137061, 2020. <https://doi.org/10.1016/j.scitotenv.2020.137061>. (WoS/Scopus)

2132. Rady MM, Belal HEE, Gadallah FM, Semida WM. Selenium application in two methods promotes drought tolerance in *Solanum lycopersicum* plant by inducing the antioxidant defense system. *Scientia Horticulturae* 266, art num 109290, 2020. <https://doi.org/10.1016/j.scienta.2020.109290>. (WoS/Scopus)

2133. Rady MM, El-Shewy AA, Seif El-Yazal MA, Abd El-Gawwad IFM. Integrative application of soil P-solubilizing bacteria and foliar nano P improves *Phaseolus vulgaris* plant performance and antioxidative defense system components under calcareous soil conditions. *Journal of Soil Science and Plant Nutrition* 20, 820-839, 2020. <https://doi.org/10.1007/s42729-019-00168-y>. (WoS/Scopus)

2134. Rafiq K, Akram MS, Shahid M, Qaisar U, Rashid N. Enhancement of salt tolerance in maize (*Zea mays* L.) using locally isolated *Bacillus* sp. SR-2-1/1. *Biologia* 75, 1425-1436, 2020. <https://doi.org/10.2478/s11756-020-00435-9>. (WoS/Scopus)

2135. Rai S, Sindhu V, Sarkar RK, Santhoshkumar GM. Role of polyamines in vegetable crop production: A review. *Journal of Pharmacognosy and Phytochemistry* 9(5), 466-576, 2020. <https://doi.org/10.22271/phyto.2020.v9.i5g.12268>.

2136. Raju AD, Parihar P, Singh R, Kumar J, Prasad SM. Synergistic action of indole acetic acid with homobrassinolide in easing the NaCl-induced toxicity in *Solanum melongena* L. seedlings. *Acta Physiologiae Plantarum* 42, art. number 68, 2020. <https://doi.org/10.1007/s11738-020-03054-8>. (WoS/Scopus)

2137. Rao DE, Chaitanya KV. Changes in the antioxidant intensities of seven different soybean (*Glycine max* (L.) Merr.) cultivars during drought. *Journal of Food Biochemistry* 44(2), e13118, 2020. <https://doi.org/10.1111/jfbc.13118>. (WoS/Scopus)

2138. Rao MJ, Xu Y, Tang X, Huang Y, Liu J, Deng X, Xu Q. CsCYT75B1, a Citrus CYTOCHROME P450 gene, is involved in accumulation of antioxidant flavonoids and induces drought tolerance in transgenic *Arabidopsis*. *Antioxidants* 9(2), 161, 2020. <https://doi.org/10.3390/antiox9020161>. (WoS/Scopus)

2139. Rasheed R, Ashraf MA, Arshad A, Iqbal M, Hussain I. Interactive effects of chitosan and cadmium on growth, secondary metabolism, oxidative defense, and element uptake in pea (*Pisum sativum* L.). *Arabian Journal of Geosciences* 13, Article number 847, 2020. <https://doi.org/10.1007/s12517-020-05871-0>. (WoS/Scopus)

2140. Rasheed R, Yasmeen H, Hussain I, Iqbal M, Ashraf MA, Parveen A. Exogenously applied 5-aminolevulinic acid modulates growth, secondary metabolism and oxidative defense in sunflower under water deficit stress. *Physiology and Molecular Biology of Plants* 26, 489-499, 2020. <https://doi.org/10.1007/s12298-019-00756-3>. (WoS/Scopus)

2141. Rasool A, Jahan MS, Shazad U, Tariq A, Calica PN. Effect of phytoplasma infection on primary and secondary metabolites and antioxidative enzyme activities of sweet orange (*Citrus sinenses* L.). *Journal of Plant Pathology & Microbiology* 11(10), art. number 519, 2020. <https://doi.org/10.35248/2157-7471.20.11.519>.

2142. Rezayian M, Ebrahimzadeh H, Niknam V. Nitric oxide stimulates antioxidant system and osmotic adjustment in soybean under drought stress. *Journal of Soil Science and Plant Nutrition* 20, 1122-1132, 2020. <https://doi.org/10.1007/s42729-020-00198-x>. (WoS/Scopus)

2143. Rezayian M, Niknam V, Ebrahimzadeh H. Penconazole and calcium ameliorate drought stress in canola by upregulating the antioxidative enzymes. *Functional Plant Biology* 47(9), 825-839, 2020. <https://doi.org/10.1071/FP19341>. (WoS/Scopus)

2144. Ribeiro AT, de Oliveira VP, de Oliveira Barros Junior U, Serrão da Silva BR, Batista BL, da Silva Lobato AK. 24-Epibrassinolide mitigates nickel toxicity in young *Eucalyptus urophylla* S.T. Blake plants: nutritional,

- physiological, biochemical, anatomical and morphological responses. *Annals of Forest Science* 77:5, 2020. <https://doi.org/10.1007/s13595-019-0909-9>. (WoS/Scopus)
2145. Riffat A, Ahma MSA. Regulation of antioxidant activity in maize (*Zea mays* L.) by exogenous application of sulfur under saline conditions. *Turkish Journal of Botany* 44:62-75, 2020. <http://journals.tubitak.gov.tr/botany/issues/bot-20-44-1/bot-44-1-6-1902-15.pdf>. (WoS/Scopus)
2146. Rodrigues WS, Pereira YC, de Souza ALM, Batista BL, da Silva Lobato AK. Alleviation of oxidative stress induced by 24-epibrassinolide in soybean plants exposed to different manganese supplies: upregulation of antioxidant enzymes and maintenance of photosynthetic pigments. *Journal of Plant Growth Regulation* 39, 1425-1440, 2020. <https://doi.org/10.1007/s00344-020-10091-7>. (WoS/Scopus)
2147. Saad-Allah KM, Ragab GA. Sulfur nanoparticles mediated improvement of salt tolerance in wheat relates to decreasing oxidative stress and regulating metabolic activity. *Physiology and Molecular Biology of Plants* 26(11), 2209-2223, 2020. <https://doi.org/10.1007/s12298-020-00899-8>. (WoS/Scopus)
2148. Sadak MSh, Abd El-Hameid AR, Zaki FSA, Dawood MG, El-Awadi ME. Physiological and biochemical responses of soybean (*Glycine max* L.) to cysteine application under sea salt stress. *Bulletin of the National Research Centre* 44: 1, 2020. <https://doi.org/10.1186/s42269-019-0259-7>. (WoS/Scopus)
2149. Sahebani N, Omranzade F. Assessment of plant defence induction and biocontrol potential of *Bacillus megaterium* wr101 against *Meloidogyne javanica*. *Nematology* 22(10), 1091–1099, 2020. <https://doi.org/10.1163/15685411-bja10013>. (WoS/Scopus)
2150. Saheri F, Barzin G, Pishkar L, Boojar MMA, Babaeekhou L. Foliar spray of salicylic acid induces physiological and biochemical changes in purslane (*Portulaca oleracea* L.) under drought stress. *Biologia* 75, 2189-2200, 2020. <https://doi.org/10.2478/s11756-020-00571-2>. (WoS/Scopus)
2151. Sahoo MR, Devi TR, Dasgupta M, Nongdam P, Prakash N. Reactive oxygen species scavenging mechanisms associated with polyethylene glycol mediated osmotic stress tolerance in Chinese potato. *Scientific Reports*, 10:5404, 2020. <https://doi.org/10.1038/s41598-020-62317-z>. (WoS/Scopus)
2152. Salami S, Hassanpour H, Niknam V. Induction of growth and antioxidant defense mechanisms in *Matricaria chamomilla* L. callus by vibration. *In Vitro Cellular & Developmental Biology – Plant* 56, 644-651, 2020. <https://doi.org/10.1007/s11627-020-10081-0>. (WoS/Scopus)
2153. Samari E, Sharifi M, Ghanati F, Fuss E, Chashmi NA. Chitosan-induced phenolics production is mediated by nitrogenous regulatory molecules: NO and PAs in *Linum album* hairy roots. *Plant Cell, Tissue and Organ Culture* 140, 563–576, 2020. <https://doi.org/10.1007/s11240-019-01753-w>. (WoS/Scopus)
2154. Samrana S, Ali A, Muhammad U, Azizullah A, Ali H, Khan M, Naz S, Khan MD, Zhu S, Chen J. Physiological, ultrastructural, biochemical, and molecular responses of glandless cotton to hexavalent chromium (Cr^{6+}) exposure. *Environmental Pollution* 266, art. number 115394, 2020. <https://doi.org/10.1016/j.envpol.2020.115394>. (WoS/Scopus)
2155. Santiago FE, Silva ML, Cardoso AA, Duan Y, Guilherme LR, Liu J, Li L. Biochemical basis of differential selenium tolerance in arugula (*Eruca sativa* Mill.) and lettuce (*Lactuca sativa* L.). *Plant Physiology and Biochemistry* 157, 328-338, 2020. <https://doi.org/10.1016/j.plaphy.2020.11.001>. (WoS/Scopus)
2156. Santos LML, Gonçalves AH. In vitro phytotoxicity of *Mikania laevigata* Schultz Bip. ex Baker extracts on *Lactuca sativa* L. and *Bidens pilosa* L. *Revista Biotemas* 33(2), 1-10, 2020. <http://dx.doi.org/10.5007/2175-7925.2020.e68109>.
2157. Seckin Dinler B, Tasci E. Regulation of NPR1 Under Salinity and Osmotic Stress in Soybean (*Glycine max* L.) Leaves. *Journal of Stress Physiology & Biochemistry* 16(3), 132-142, 2020. http://www.jsbp.ru/issues/2020/N3/JSPB_2020_3_132-142.html.
2158. Sedaghat M, Sarvestani ZT, Emam Y, Mokhtassi Bidgoli A, Sorooshzadeh A. Foliar-applied gr24 and salicylic acid enhanced wheat drought tolerance. *Russian Journal of Plant Physiology* 67, 733–739, 2020. <https://doi.org/10.1134/S1021443720040159>. (WoS/Scopus)
2159. Shafiq F, Iqbal M, Ashraf MA, Ali M. Foliar applied fullerol differentially improves salt tolerance in wheat through ion compartmentalization, osmotic adjustments and regulation of enzymatic antioxidants. *Physiology and Molecular Biology of Plants* 26, 475-487, 2020. <https://doi.org/10.1007/s12298-020-00761-x>. (WoS/Scopus)
2160. Shah AA, Ahmed S, Ali A, Yasin NA. 2-Hydroxymelatonin mitigates cadmium stress in cucumis sativus seedlings: Modulation of antioxidant enzymes and polyamines. *Chemosphere* 243, art. Number 125308, 2020. <https://doi.org/10.1016/j.chemosphere.2019.125308>. (WoS/Scopus)
2161. Shah AA, Ahmed Sh, Yasin NA. Cadmium stress consolation in melatonin supplemented Cucumis sativus through modulation of antioxidative defense system. *Iranian Journal of Plant Physiology* 10(2), 3135-3154, 2020. <https://doi.org/10.30495/ijpp.2020.672573>. (WoS/Scopus)
2162. Shah K, An N, Ma W, Ara G, Ali K, Kamanova S, Zuo X, Han M, Ren X, Xing L. Chronic cement dust load induce novel damages in foliage and buds of *Malus domestica*. *Scientific Reports* 10, art. num. 12186, 2020. <https://doi.org/10.1038/s41598-020-68902-6>. (WoS/Scopus)
2163. Shahroodi E, Bernard F, Minaee Tehrani D, Hassani SB. Stimulatory effect of salicylic acid on Polyamine oxidase activity in *Thymus daenensis* L. callus. *Journal of Plant Research (Iranian Journal of Biology)* 33(1): 147-157, 2020. http://plant.ijbio.ir/article_1512_en.html?lang=fa.
2164. Shambhavi HP, Makwana P, Surendranath B, Ponnuvel KM, Mishra RK, Appukuttan PR. Phagocytic events, associated lipid peroxidation and peroxidase activity in hemocytes of silkworm *Bombyx mori* induced by microsporidian infection. *Caryologia* 73(1), 93-106, 2020. <https://doi.org/10.13128/caryologia-112>. (WoS/Scopus)

- 2165.** Sharma L, Priya M, Kaushal N, Bhandhari K, Chaudhary S, Dhankher OP, Prasad PV, Siddique KH, Nayyar H. Plant growth-regulating molecules as thermoprotectants: functional relevance and prospects for improving heat tolerance in food crops. *Journal of Experimental Botany* 71(2), 569-594, **2020**. <https://doi.org/10.1093/jxb/erz333> (WoS/Scopus) **Review**
- 2166.** Sharma N, Khanna K, Manhas RK, Bhardwaj R, Ohri P, Alkahtani J, Alwahibi MS, Ahmad P. Insights into the role of streptomyces hydrogenans as the plant growth promoter, photosynthetic pigment enhancer and biocontrol agent against meloidogyne incognita in *Solanum lycopersicum* seedlings. *Plants* 9(9), 1109, **2020**. <https://doi.org/10.3390/plants9091109>. (WoS/Scopus)
- 2167.** Sharma P, Tripathi S, Chandra R. Accumulation and histological observation of heavy metal in *Brassica campestris* L. and *Chenopodium album* L. growing on sludge of pulppaper industry after secondary treatment. *Journal of Experimental Biology and Agricultural Sciences* 8(3), 320 – 333, **2020**. [http://dx.doi.org/10.18006/2020.8\(3\).320.333](http://dx.doi.org/10.18006/2020.8(3).320.333). (WoS/Scopus)
- 2168.** Sharma S, Kumar R, Sahoo PK, Mittal S. Geochemical relationship and translocation mechanism of arsenic in rice plants: A case study from health prone south west Punjab, India. *Groundwater for Sustainable Development* 10, art. num. 100333, **2020**. <https://doi.org/10.1016/j.gsd.2020.100333>. (WoS/Scopus)
- 2169.** Siddiqui MH, Alamri S, Alsubaie QD, Ali HM, Khan MN, Al-Ghamdi A, Ibrahim AA, Alsadon A. Exogenous nitric oxide alleviates sulfur deficiency-induced oxidative damage in tomato seedlings. *Nitric Oxide* 94: 95-107, **2020**. <https://doi.org/10.1016/j.niox.2019.11.002>. (WoS/Scopus)
- 2170.** Siddiqui MH, Alamri S, Alsubaie QD, Ali HM. Melatonin and gibberellic acid promote growth and chlorophyll biosynthesis by regulating antioxidant and methylglyoxal detoxification system in tomato seedlings under salinity. *Journal of Plant Growth Regulation* 39, 1488-1502, **2020**. <https://doi.org/10.1007/s00344-020-10122-3>. (WoS/Scopus)
- 2171.** Siddiqui MH, Alamri S, Khan MN, Corpas FJ, Al-Amri AA, Alsubaie QD, Ali HM, Kalaji HM, Ahmad P. Melatonin and calcium function synergistically to promote the resilience through ROS metabolism under arsenic-induced stress. *Journal of Hazardous Materials* 398, art. number 122882, **2020**. <https://doi.org/10.1016/j.jhazmat.2020.122882>. (WoS/Scopus)
- 2172.** Sidhu GK, Tuan PA, Renault S, Daayf F, Ayele BT. Polyamine-mediated transcriptional regulation of enzymatic antioxidative response to excess soil moisture during early seedling growth in soybean. *Biology* 9(8), 185, **2020**. <https://doi.org/10.3390/biology9080185>. (WoS/Scopus)
- 2173.** Sidhu GP, Bali AS, Singh HP, Batish DR, Kohli RK. Insights into the tolerance and phytoremediation potential of *Coronopus didymus* L.(Sm) grown under zinc stress. *Chemosphere* 244, 125350, **2020**. <https://doi.org/10.1016/j.chemosphere.2019.125350>. (WoS/Scopus)
- 2174.** Sikder RK, Wang X, Zhang H, Gui H, Dong Q, Jin D, Song M. Nitrogen enhances salt tolerance by modulating the antioxidant defense system and osmoregulation substance content in *Gossypium hirsutum*. *Plants* 9(4), 450, **2020**. <https://doi.org/10.3390/plants9040450>. (WoS/Scopus)
- 2175.** Simon L, Akkara Y. Regulation of enzymatic and non-enzymatic antioxidants contributes to salt tolerance in hitherto unknown upland farmer rice varieties. *Current Botany* 11, 18-27, **2020**. <https://doi.org/10.25081/cb.2020.v11.6019>.
- 2176.** Simon L, Yusuf A. Effects of salt stress on antioxidant and ascorbate glutathione cycle enzyme activities in Pokkali rice varieties–Vytilla 1-9. *Plant Science Today* 7(3), 341-348, **2020**. <https://doi.org/10.14719/pst.2020.7.3.701>. (WoS/Scopus)
- 2177.** Singh A, Banerjee A, Roychoudhury A. Seed priming with calcium compounds abrogate fluoride-induced oxidative stress by upregulating defence pathways in an indica rice variety. *Protoplasma* 257, 767-782, **2020**. <https://doi.org/10.1007/s00709-019-01460-5>. (WoS/Scopus)
- 2178.** Singh DP, Singh V, Gupta VK, Shukla R, Prabha R, Sarma BK, Patel JS. Microbial inoculation in rice regulates antioxidative reactions and defense related genes to mitigate drought stress. *Scientific Reports* 10, art. Number 4818, **2020**. <https://doi.org/10.1038/s41598-020-61140-w>. (WoS/Scopus)
- 2179.** Singh G, Dwivedi SK. Decolorization and degradation of Direct Blue-1 (Azo dye) by newly isolated fungus *Aspergillus terreus* GS28, from sludge of carpet industry. *Environmental Technology & Innovation* 18, 100751, **2020**. <https://doi.org/10.1016/j.eti.2020.100751>. (WoS/Scopus)
- 2180.** Singh R, Parihar P, Prasad S.M. Interplay of calcium and nitric oxide in improvement of growth and arsenic-induced toxicity in mustard seedlings. *Scientific Reports* 10, art. number 6900, **2020**. <https://doi.org/10.1038/s41598-020-62831-0>. (WoS/Scopus)
- 2181.** Singh R, Parihar P, Prasad SM. Sulphur and calcium attenuate arsenic toxicity in Brassica by adjusting ascorbate–glutathione cycle and sulphur metabolism. *Plant Growth Regulation* 91, 221-235, **2020**. <https://doi.org/10.1007/s10725-020-00601-8>. (WoS/Scopus)
- 2182.** Singh RR, Nobleza N, Demeestere K, Kyndt T. Ascorbate Oxidase Induces Systemic Resistance in Sugar Beet Against Cyst Nematode *Heterodera schachtii*. *Frontiers in Plant Science* 11, 591715, **2020**. <https://dx.doi.org/10.3389/fpls.2020.591715>. (WoS/Scopus)
- 2183.** Singh RR, Verstraeten B, Siddique S, Tegene AM, Tenhaken R, Frei M, Haeck A, Demeestere K, Pokhare S, Gheysen G, Kyndt T. Ascorbate oxidation activates systemic defence against root-knot nematode *Meloidogyne graminicola* in rice. *Journal of Experimental Botany* 71(14), 4271-4284, **2020**. <https://doi.org/10.1093/jxb/eraa171>. (WoS/Scopus)
- 2184.** Sofy AR, Hmed AA, Abd EL-Aleem MA, Dawoud RA, Elshaarawy RF, Sofy MR. Mitigating effects of

Bean yellow mosaic virus infection in faba bean using new carboxymethyl chitosan-titanium nanobiocomposites. *International Journal of Biological Macromolecules* 163:1261-1275, 2020. <https://doi.org/10.1016/j.ijbiomac.2020.07.066> (WoS/Scopus)

2185. Sohag AAM, Tahjib-UI-Arif M, Afrin S, Khan MK, Hannan MA, Skalicky M, Mortuza MG, Brestic M, Hossain MA, Murata Y. Insights into nitric oxide-mediated water balance, antioxidant defence and mineral homeostasis in rice (*Oryza sativa* L.) under chilling stress. *Nitric Oxide* 100-101, 7-16, 2020. <https://doi.org/10.1016/j.niox.2020.04.001>. (WoS/Scopus)

2186. Soleymanzadeh R, Iranbakhsh A, Habibi G, Ardebili ZO. Selenium nanoparticle protected strawberry against salt stress through modifications in salicylic acid, ion homeostasis, antioxidant machinery, and photosynthesis performance. *Acta Biologica Cracoviensia s. Botanica* 62(1), 33-42, 2020. <http://journals.pan.pl/dlibra/publication/127751/edition/111467/content>. (WoS/Scopus)

2187. Soliman M, Elkelish A, Souad, Alhaithloul H, Farooq M. Brassinosteroid seed priming with nitrogen supplementation improves salt tolerance in soybean. *Physiology and Molecular Biology of Plants* 26(3), 501-511, 2020. <https://doi.org/10.1007/s12298-020-00765-7>. (WoS/Scopus)

2188. Souiri Z, Karimi N, Farooq MA, Sandalio LM. Nitric oxide improves tolerance to arsenic stress in *Isatis cappadocica* desv. shoots by enhancing antioxidant defenses. *Chemosphere* 239, 124523, 2020. <https://doi.org/10.1016/j.chemosphere.2019.124523>. (WoS/Scopus)

2189. Souiri Z, Karimi N, Norouzi L, Ma X. Elucidating the physiological mechanisms underlying enhanced arsenic hyperaccumulation by glutathione modified superparamagnetic iron oxide nanoparticles in *Isatis cappadocica*. *Ecotoxicology and Environmental Safety* 206, Article 111336, 2020. <https://doi.org/10.1016/j.ecoenv.2020.111336>. (WoS/Scopus)

2190. Spanic V, Vuletic MV, Horvat D, Sarkanj B, Drezner G, Zdunic Z. Changes in antioxidant system during grain development of wheat (*Triticum aestivum* L.) and relationship with protein composition under FHB stress. *Pathogens* 9(1), 17, 2020. <https://doi.org/10.3390/pathogens9010017>. (WoS/Scopus)

2191. Spanic V, Zdunic Z, Drezner G, Vuletic MV. Differences in physiological traits at the initial stage of Fusarium head blight infection in wheat. *Biologia Plantarum* 64, 185-192, 2020. <https://bp.ueb.cas.cz/pdfs/bpl/2020/01/39.pdf>. (WoS/Scopus)

2192. Spanic V, Zdunic Z, Vuletic MV. Comparative changes in the physiological traits in the flag leaf of two senescing varieties of wheat (*Triticum aestivum* L.). *Acta Physiologiae Plantarum* 42, art. number 108, 2020. <https://doi.org/10.1007/s11738-020-03096-y>. (WoS/Scopus)

2193. Sudhir S, Arunprasath A. Quantification of secondary metabolites and antimicrobial efficacy in leaves of *Bruguiera gymnorrhiza*—A true mangrove in west coast of Kerala. *Arabian Journal of Medicinal and Aromatic Plants*. 6(2), 17-28, 2020. <https://doi.org/10.48347/IMIST.PRSM/ajmap-v6i2.21098>.

2194. Sulochana SB, Arumugam M. Targeted Metabolomic and Biochemical Changes During Nitrogen Stress Mediated Lipid Accumulation in *Scenedesmus quadricauda* CASA CC202. *Frontiers in Bioengineering and Biotechnology* 8, 1223, 2020. <https://doi.org/10.3389/fbioe.2020.585632>. (WoS/Scopus)

2195. Sultana R, Umber M, Satwat HA, Komel K, Ahmad MH. Magnetized irrigation water treatment for resolving salinity stress. *FUUAST Journal of Biology* 10(2), 153-157, 2020. <https://fuuastjb.org/index.php/fuuastjb/article/view/529/426>

2196. Sun Y, He Y, Irfan AR, Liu X, Yu Q, Zhang Q, Yang D. Exogenous brassinolide enhances the growth and cold resistance of maize (*Zea mays* L.) seedlings under chilling stress. *Agronomy* 10(4), 488, 2020. <https://doi.org/10.3390/agronomy10040488>. Source: (WoS/Scopus)

2197. Supapvanich S, Sangsuk P, Sripumimas S, Anuchai J. Efficiency of low dose cyanocobalamin immersion on bioactive compounds contents of ready to eat sprouts (sunflower and daikon) and microgreens (red-amaranth) during storage. *Postharvest Biology and Technology* 160, 111033, 2020. <https://doi.org/10.1016/j.postharvbio.2019.111033>. (WoS/Scopus)

2198. Tabassum A, Siddiqui ZS. An evaluation phytoremediation efficiency of carrot plants for heavy metal contaminated soils. *International Journal of Biology and Biotechnology* 17 (2), 251-263, 2020. <https://www.ijbbku.com/17-2-20.php>.

2199. Tandey R, Chouhan KB, Sen KK, Mehta R, Dubey A, Das R, Saha P, Mandal V. Physiological and biochemical responses of *Amaranthus cruentus* to polycyclic aromatic hydrocarbon pollution caused by thermal power units. *Environmental Science and Pollution Research* 27, 14790-14806, 2020. <https://doi.org/10.1007/s11356-020-07971-6>. (WoS/Scopus)

2200. Tang M, Li Z, Luo L, Cheng B, Zhang Y, Zeng W, Peng Y. Nitric oxide signal, nitrogen metabolism, and water balance affected by γ -aminobutyric acid (GABA) in relation to enhanced tolerance to water stress in creeping bentgrass. *International Journal of Molecular Sciences* 21(20), 7460, 2020. <https://doi.org/10.3390/ijms21207460>. (WoS/Scopus)

2201. Tariq A, Shahbaz M. Glycinebetaine induced modulation in oxidative defense system and mineral nutrients sesame (*Sesamum indicum* L.) under saline regimes. *Pakistan Journal of Botany* 52(3), 775-782, 2020. [http://dx.doi.org/10.30848/PJB2020-3\(34\)](http://dx.doi.org/10.30848/PJB2020-3(34)). (WoS/Scopus)

2202. Tasci E, Dinler BS. Dehydroabietic acid mediated WRKY71 gene expressions and reactive oxygen species regulation in soybean under salinity. *Acta Biologica Cracoviensia s. Botanica* 62/1, 63-77. 2020. <http://journals.pan.pl/Content/115000/PDF/2020-01-ABC-06-Tasci.pdf>. (WoS/Scopus)

2203. Tayyab N, Naz R, Yasmin H, Nosheen A, Keyani R, Sajjad M, Hassan MN, Roberts TH. Combined seed

- and foliar pre-treatments with exogenous methyl jasmonate and salicylic acid mitigate drought-induced stress in maize. *PLoS ONE* 15(5): e0232269, 2020. <https://doi.org/10.1371/journal.pone.0232269>. (WoS/Scopus)
2204. Tetiktabanlar I, Öztürk L, Dursun KI, Nusret GE. Tuz Stresinin Bezelye (*Pisum sativum* L.) Çeşitlerinde Fenolik Bileşikler Üzerine Etkisi [The effect of salt stress on the phenolic compounds in pea (*Pisum sativum* L.) varieties]. *Gaziosmanpaşa Bilimsel Araştırma Dergisi* 9(1), 85-94, 2020. <https://dergipark.org.tr/en/pub/gbad/issue/53232/568944>.
2205. Tiwari S, Prasad SM. Regulation of insecticide toxicity by kinetin in two paddy field cyanobacteria: physiological and biochemical assessment. *Environmental Pollution* 259, art. number 113806, 2020. <https://doi.org/10.1016/j.envpol.2019.113806>. (WoS/Scopus)
2206. Tiwari S, Verma N, Prasad SM, Singh VP. Cytokinin alleviates cypermethrin toxicity in *Nostoc muscorum* by involving nitric oxide: Regulation of exopolysaccharides secretion, PS II photochemistry and reactive oxygen species homeostasis. *Chemosphere* 259, 127356, 2020. <https://doi.org/10.1016/j.chemosphere.2020.127356>. (WoS/Scopus)
2207. Torabi S, Taheri MA, Semsarha F. Alleviative effects of Fara-darmani Consciousness Field on *Triticum aestivum* L. under salinity stress. *F1000 Research* 9, 1089, 2020. <https://doi.org/10.12688/f1000research.25247.1>. (WoS/Scopus)
2208. Tousi S, Zoufan P, Ghahfarrokhi AR. Alleviation of cadmium-induced phytotoxicity and growth improvement by exogenous melatonin pretreatment in mallow (*Malva parviflora*) plants. *Ecotoxicology and Environmental Safety* 206, 11140315, 2020. <https://doi.org/10.1016/j.ecoenv.2020.111403>. (WoS/Scopus)
2209. Trifunović-Momčilov M, Paunović D, Milošević S, Marković M, Jevremović S, Dragičević IČ, Subotić A. Salinity stress response of non-transformed and AtCKX transgenic centaury (*Centaurea erythraea* Rafn.) shoots and roots grown in vitro. *Annals of Applied Biology* 177(1), 74-89, 2020. <https://doi.org/10.1111/aab.12593>. (WoS/Scopus)
2210. Tripathi DK, Varma RK, Singh S, Sachan M, Guerriero G, Kushwaha BK, Bhardwaj S, Ramawat N, Sharma S, Singh VP, Prasad SM, Chauhan DK, Dubey NK, Sahi S. Silicon tackles butachlor toxicity in rice seedlings by regulating anatomical characteristics, ascorbate-glutathione cycle, proline metabolism and levels of nutrients. *Scientific Reports* 10, Article number 14078, 2020. <https://doi.org/10.1038/s41598-020-65124-8>. (WoS/Scopus)
2211. Turan V. Potential of pistachio shell biochar and dicalcium phosphate combination to reduce Pb speciation in spinach, improved soil enzymatic activities, plant nutritional quality, and antioxidant defense system. *Chemosphere*. 245, 125611, 2020. <https://doi.org/10.1016/j.chemosphere.2019.125611>. (WoS/Scopus)
2212. Turfan N, Ayan S, Celik ENY, Ozel HB, Onat SM. Age-related Changes of Some Chemical Components in the Leaves of Sweet Chestnut (*Castanea sativa* Mill.). *BioResources* 15(2), 4337-4352, 2020. DOI: 10.15376/biores.15.2.4337-4352. (WoS/Scopus)
2213. Turfan N, Savaci G, Sariyildiz T. Variation in chemical compounds of walnut (*Juglans regia* L.) leaves with tree age. *Artvin Çoruh Üniversitesi Orman Fakültesi Dergisi* 21(1), 124-134, 2020. <https://doi.org/10.17474/artvinofd.583170>.
2214. Turk H, Erdal S, Dumlupinar R. Carnitine-induced physio-biochemical and molecular alterations in maize seedlings in response to cold stress. *Archives of Agronomy and Soil Science* 66(7), 925-941, 2020. <https://doi.org/10.1080/03650340.2019.1647336> (WoS/Scopus)
2215. Turk H, Genisel M. Melatonin-related mitochondrial respiration responses are associated with growth promotion and cold tolerance in plants. *Cryobiology* 92, 76-85, 2020. <https://doi.org/10.1016/j.cryobiol.2019.11.006>. (WoS/Scopus)
2216. Udayan A, Sabapathy H, Arumugam M. Stress hormones mediated lipid accumulation and modulation of specific fatty acids in *Nannochloropsis oceanica* CASA CC20. *Bioresource Technology* 310, art. 123437, 2020. <https://doi.org/10.1016/j.biortech.2020.123437>. (WoS/Scopus)
2217. Vafadar F, Amooaghaie R, Ehsanzadeh P, Ghanadian M, Talebi M, Ghanati F. Melatonin and calcium modulate the production of rosmarinic acid, luteolin, and apigenin in *Dracocephalum kotschy* under salinity stress. *Phytochemistry* 177, 112422, 2020. <https://doi.org/10.1016/j.phytochem.2020.112422>. (WoS/Scopus)
2218. Vafadar F, Amooaghaie R, Ehsanzadeh P, Ghanadian M. Salinity stress alters ion homeostasis, antioxidant activities and the production of rosmarinic acid, luteolin and apigenin in *Dracocephalum kotschy* Boiss. *Biologia* 75, 2147-2158, 2020. <https://doi.org/10.2478/s11756-020-00562-3>. (WoS/Scopus)
2219. Vafadar F, Amooaghaie R, Ehsanzadeh P, Ghanati F, Sajedi RH. Crosstalk between melatonin and Ca²⁺/CaM evokes systemic salt tolerance in *Dracocephalum kotschy*. *Journal of Plant Physiology* vol. 252, art. number 153237, 2020. <https://doi.org/10.1016/j.jplph.2020.153237>. (WoS/Scopus)
2220. Vishwakarma K, Singh VP, Prasad SM, Chauhan DK, Tripathi DK, Sharma S. Silicon and plant growth promoting rhizobacteria differentially regulate AgNP-induced toxicity in *Brassica juncea*: Implication of nitric oxide. *Journal of Hazardous Materials* 390, art. number 121806, 2020. <https://doi.org/10.1016/j.jhazmat.2019.121806>. (WoS/Scopus)
2221. Wang H, Liang L, Liu B, Huang D, Liu S, Liu R, Siddique KH, Chen Y. Arbuscular mycorrhizas regulate photosynthetic capacity and antioxidant defense systems to mediate salt tolerance in maize. *Plants* 9(11), 1430, 2020. <https://doi.org/10.3390/plants9111430>. (WoS/Scopus)
2222. Wang J, Zhang C, Shi Y, Long M, Islam F, Yang C, Yang S, He Y, Zhou W. Evaluation of quinclorac toxicity and alleviation by salicylic acid in rice seedlings using ground-based visible/near-infrared hyperspectral imaging. *Plant Methods* 16, 30, 2020. <https://doi.org/10.1186/s13007-020-00576-7>. (WoS/Scopus)

2223. Wang K, Li F, Gao M, Huang Y, Song Z. Mechanisms of trehalose-mediated mitigation of Cd toxicity in rice seedlings. *Journal of Cleaner Production* 267, 121982, 2020. <https://doi.org/10.1016/j.jclepro.2020.121982>. (WoS/Scopus)
2224. Wang Y, Feng C, Zhai Z, Peng X, Wang Y, Sun Y, Li J, Shen X, Xiao Y, Zhu S, Huang X. The Apple microR171i-SCARECROW-LIKE PROTEINS26. 1 module enhances drought stress tolerance by integrating ascorbic acid metabolism. *Plant Physiology* 184(1), 194-211, 2020. <https://doi.org/10.1104/pp.20.00476>. (WoS/Scopus)
2225. Wijaya L, Alyemeni M, Ahmad P, Alfarhan A, Barcelo D, El-Sheikh MA, Pico Y. Ecotoxicological effects of ibuprofen on plant growth of *Vigna unguiculata* L. *Plants* 9(11), 1473, 2020. <https://doi.org/10.3390/plants9111473>. (WoS/Scopus)
2226. Xalxo R, Keshavkant S. Growth and antioxidant responses of *Trigonella foenum-graecum* L. seedlings to lead and simulated acid rain exposure. *Biologia* 75, 1115-1126, 2020. <https://doi.org/10.2478/s11756-020-00478-y>. (WoS/Scopus)
2227. Xia J, Kong X, Shi X, Hao X, Li N, Khan A, Luo H. Physio-biochemical characteristics and correlation analysis of the seeds of some cotton (*Gossypium hirsutum* L.) genotypes under cold temperature stress. *Applied Ecology and Environmental Research* 18(1): 89-105, 2020. DOI: http://dx.doi.org/10.15666/aeer/1801_089105. (WoS/Scopus)
2228. Xiaochuang C, Meiyan W, Chunquan Z, Chu Z, Junhua Z, Lianfeng Z, Lianghuan W, Qianyu J. Glutamate dehydrogenase mediated amino acid metabolism after ammonium uptake enhances rice growth under aeration condition. *Plant Cell Reports* 39(3), 363-379, 2020. <https://doi.org/10.1007/s00299-019-02496-w>. (WoS/Scopus)
2229. Xu J, Zhang J, Lv Y, Xu K, Lu S, Liu X, Yang Y. Effect of soil mercury pollution on ginger (*Zingiber officinale* Roscoe): Growth, product quality, health risks and silicon mitigation. *Ecotoxicology and Environmental Safety* 195, 110472, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110472> (WoS/Scopus)
2230. Yang C, Fu F, Zhang N, Wang J, Hu L, Islam F, Bai Q, Yun X, Zhou W. Transcriptional profiling of underground interaction of two contrasting sunflower cultivars with the root parasitic weed *Orobancha cumana*. *Plant Soil* 450, 303-321, 2020. <https://doi.org/10.1007/s11104-020-04495-3>. (WoS/Scopus)
2231. Yaseen S, Tanwir S, Ahmad JN, Hussain M, Aslam Z. Evaluation of morphological and physio-chemical changes in phytoplasma infected Brassica napus. *Journal of Animal and Plant Sciences* 30(6), 1596-1603, 2020. <http://www.thejaps.org.pk/docs/V-30-06/27.pdf>. (WoS/Scopus)
2232. Yetişsin F, Kurt F. Gallic acid (GA) alleviating copper (Cu) toxicity in maize (*Zea mays* L.) seedlings. *International Journal of Phytoremediation* 22(4), 420-426, 2020. <https://doi.org/10.1080/15226514.2019.1667953>. (WoS/Scopus)
2233. Ying Y, Liu F, Li G, Zheng Q, Li B, Li Z, Cheng J, Li H. Silencing of the receptor-like cytoplasmic kinase gene TaRKL1 reduces photosynthetic capacity in wheat. *Photosynthetica* 58(5), 1188-1199, 2020. <https://ps.ueb.cas.cz/pdfs/phs/2020/05/14.pdf>. (WoS/Scopus)
2234. Yu LL, Liu Y, Liu CJ, Zhu F, He ZQ, Xu F. Overexpressed β -cyanoalanine synthase functions with alternative oxidase to improve tobacco resistance to salt stress by alleviating oxidative damage. *FEBS letters* 594(8), 1284-1295, 2020. <https://doi.org/10.1002/1873-3468.13723>. (WoS/Scopus)
2235. Yu LL, Liu Y, Zhu F, Geng XX, Yang Y, He ZQ, Xu F. The enhancement of salt stress tolerance by salicylic acid pretreatment in *Arabidopsis thaliana*. *Biologia Plantarum* 64, 150-158, 2020. <http://bp.ueb.cas.cz/pdfs/bpl/2020/01/33.pdf>. (WoS/Scopus)
2236. Yüzbaşıoğlu E. Effect of fungicide pretreatment on lipid peroxidation, antioxidant enzyme systems and proline accumulation in tomato (*Lycopersicon esculentum* Mill.) leaves under high temperature stress. *Turkish Journal of Botany* 44: 604-617, 2020. <https://journals.tubitak.gov.tr/botany/issues/bot-20-44-6/bot-44-6-2-2004-79.pdf>. (WoS/Scopus)
2237. Zafar S, Akhtar M, Perveen S, Hasnain Z, Khalil A. Attenuating the adverse aspects of water stress on wheat genotypes by foliar spray of melatonin and indole-3-acetic acid. *Physiology and Molecular Biology of Plants* 26, 1751-1762, 2020. <https://doi.org/10.1007/s12298-020-00855-6>. (WoS/Scopus)
2238. Zakeri A, Khavari-Nejad RA, Saadatmand S, Kootanaee FN, Abbaszadeh R. The effect of electromagnetic treatment on lemon balm (*Melissa officinalis* L.) seeds subjected to static magnetic fields. *Biology and Environment: Proceedings of the Royal Irish Academy* 120(1), 39-50, 2020. <https://doi.org/10.3318/bioe.2020.02>. (WoS/Scopus)
2239. Zare Z, Pishkar L, Iranbakhsh A, Talei D. Physiological and molecular effects of silver nanoparticles exposure on purslane (*Portulaca oleracea* L.). *Russian Journal of Plant Physiology* 67, 521-528, 2020. <https://doi.org/10.1134/S1021443720030231>. (WoS/Scopus)
2240. Zhang F, Zou YN, Wu QS, Kuča K. Arbuscular mycorrhizas modulate root polyamine metabolism to enhance drought tolerance of trifoliate orange. *Environmental and Experimental Botany* 171, art. number 103926, 2020. <https://doi.org/10.1016/j.envexpbot.2019.103926>. (WoS/Scopus)
2241. Zhang K, Su J, Xu M, Zhou Z, Zhu X, Ma X, Hou J, Tan L, Zhu Z, Cai H, Liu F, Sun H, Gu P, Li C, Liang Y, Zhao W, Sun C, Fu Y. A common wild rice-derived BOC1 allele reduces callus browning in indica rice transformation. *Nature Communications* 11:443, 2020. <https://doi.org/10.1038/s41467-019-14265-0>. (WoS/Scopus)
2242. Zhang S, Li J, Shen Y, Korkor LN, Pu Q, Lu J, Shakeela B, Kong D, Li O, Zeng G, Hu X. Physiological responses of dendrobium officinale under exposure to cold stress with two cultivars. *Phyton-International Journal*

- of *Experimental Botany* 89(3), 599-617, 2020. <https://www.techscience.com/phyton/v89n3/39414>. (WoS/Scopus)
2243. Zhang T, Shi Z, Zhang X, Zheng S, Wang J, Mo J. Alleviating effects of exogenous melatonin on salt stress in cucumber. *Scientia Horticulturae* 262, art. number 109070, 2020. <https://doi.org/10.1016/j.scienta.2019.109070>. (WoS/Scopus)
2244. Zhang ZW, Yang XY, Zheng XJ, Fu YF, Lan T, Tang XY, Wang CQ, Chen GD, Zeng J, Yuan S. Vitamin E Is Superior to Vitamin C in Delaying Seedling Senescence and Improving Resistance in Arabidopsis Deficient in Macro-Elements. *International Journal of Molecular Sciences* 21(19), 7429, 2020. <https://doi.org/10.3390/ijms21197429>. (WoS/Scopus)
2245. Zhao SY, Zeng WH, Li Z, Peng Y. Mannose regulates water balance, leaf senescence, and genes related to stress tolerance in white clover under osmotic stress. *Biologia Plantarum* 64: 406-416, 2020. <https://bp.ueb.cas.cz/pdfs/bpl/2020/01/80.pdf>. (WoS/Scopus)
2246. Zhao Y, Cui Y, Huang S, Yu J, Wang X, Xin D, Li X, Liu Y, Dai Y, Qi Z, Chen Q. Genome-wide analysis of the glucose-6-phosphate dehydrogenase family in soybean and functional identification of GmG6PDH2 involvement in salt stress. *Frontiers in Plant Science* 11: 214, 2020. <https://doi.org/10.3389/fpls.2020.00214>. (WoS/Scopus)
2247. Zhao Y, Han Q, Ding C, Huang Y, Liao J, Chen T, Feng S, Zhou L, Zhang Z, Chen Y, Yuan S, Yuan M. Effect of low temperature on chlorophyll biosynthesis and chloroplast biogenesis of rice seedlings during greening. *International Journal of Molecular Sciences* 21(4), 1390, 2020. <https://doi.org/10.3390/ijms21041390>. (WoS/Scopus)
2248. Zoufan P, Azad Z, Ghahfarokhie AR, Kolahi M. Modification of oxidative stress through changes in some indicators related to phenolic metabolism in *Malva parviflora* exposed to cadmium. *Ecotoxicology and Environmental Safety* 187, 109811, 2020. <https://doi.org/10.1016/j.ecoenv.2019.109811>. (WoS/Scopus)
2249. Zoufan P, Baroonian M, Zargar B. ZnO nanoparticles-induced oxidative stress in *Chenopodium murale* L, Zn uptake, and accumulation under hydroponic culture. *Environmental Science and Pollution Research* 27, 11066-11078, 2020. <https://doi.org/10.1007/s11356-020-07735-2>. (WoS/Scopus)
2250. Бабаева Д, Нурматова М, Ахунов А, Хашимова Н. Эффективная концентрация препарата даг-1 для роста и развития хлопчатника при засолении. *Ўзбекистон Аграр Фани Хабарномаси* 2(80), 5-9, 2020. <https://tdau.uz/static/media/FhGZiZabmxH61v0PFhHkftm4y0x7vzWN.pdf>.
2251. Aalipour H, Nikbakht A, Etemadi N. Physiological response of Arizona cypress to Cd-contaminated soil inoculated with arbuscular mycorrhizal fungi and plant growth promoting rhizobacteria. *Rhizosphere* vol. 18, art. 100354, 2021. <https://doi.org/10.1016/j.rhisph.2021.100354>. (WoS/Scopus)
2252. Abbas S, Javed MT, Ali Q, MS Akram, K Tanwir, S Ali, HJ Chaudhary, NIqbal. Elucidating Cd-mediated distinct rhizospheric and in planta ionic and physio-biochemical responses of two contrasting *Zea mays* L. cultivars. *Physiology and Molecular Biology of Plants* 27:297-312, 2021. <https://doi.org/10.1007/s12298-021-00936-0>. (WoS/Scopus)
2253. Abd Elbar OH, Elkelish A, Niedbała G, Farag R, Wojciechowski T, Mukherjee S, Abou-Hadid AF, El-Hennawy HM, Abou El-Yazied A, Abd El-Gawad HG, Azab E, Gobouri AA, El-Sawy AM, Bondok A, Ibrahim MFM. Protective effect of γ -aminobutyric acid against chilling stress during reproductive stage in tomato plants through modulation of sugar metabolism, chloroplast integrity, and antioxidative defense systems. *Frontiers in Plant Science* 12:663750, 2021. <https://doi.org/10.3389/fpls.2021.663750>. (WoS/Scopus)
2254. Abdel Razik ES, Alharbi BM, Pirzadah TB, Alnusairi GS, Soliman MH, Hakeem KR. γ -Aminobutyric acid (GABA) mitigates drought and heat stress in sunflower (*Helianthus annuus* L.) by regulating its physiological, biochemical and molecular pathways. *Physiologia Plantarum* (SI: Drought Tolerance) 172(2), 505-527, 2021. <https://doi.org/10.1111/ppl.13216>. (WoS/Scopus)
2255. Abdelkhalek A, Al-Askar AA, Alsubaie MM, Behiry SI. First report of protective activity of *Paronychia argentea* extract against tobacco mosaic virus infection. *Plants* 10(11):2435, 2021. <https://doi.org/10.3390/plants10112435>. (WoS/Scopus)
2256. Abdelrasheed KG, Mazrou Y, Omara AE-D, Osman HS, Nehela Y, Hafez EM, Rady AMS, El-Moneim DA, Alowaiesh BF, Gawayed SM. Soil Amendment using biochar and application of K-humate enhance the growth, productivity, and nutritional value of onion (*Allium cepa* L.) under deficit irrigation conditions. *Plants* 10(12): 2598, 2021. <https://doi.org/10.3390/plants10122598>. (WoS/Scopus)
2257. Abdi N, van Biljon A, Steyn C, Labuschagne MT. Bread wheat (*Triticum aestivum*) responses to arbuscular mycorrhizae inoculation under drought stress conditions. *Plants* 10(9):1756, 2021. <https://doi.org/10.3390/plants10091756>. (WoS/Scopus)
2258. Abdullah WMANW, Tan N-P, Low L-Y, Loh J-Y, Wee C-Y, Taib AZM, Ong-Abdullah J, Lai K-S. Calcium lignosulfonate improves proliferation of recalcitrant indica rice callus via modulation of auxin biosynthesis and enhancement of nutrient absorption. *Plant Physiology and Biochemistry* 161, 131-142, 2021. <https://doi.org/10.1016/j.plaphy.2021.01.046>. (WoS/Scopus)
2259. Abdulmajeed AM, Alnusairi GSH, Alharbi MH, Almushhin A, Hasan MdM, Soliman MH. Alleviation of copper phytotoxicity by acetylsalicylic acid and nitric oxide application in mung bean involves the up-regulation of antioxidants, osmolytes and glyoxalase system. *Journal of Plant Interactions* 16(1): 201-212, 2021. <https://doi.org/10.1080/17429145.2021.1922771>. (WoS/Scopus)
2260. Abou-Sreya AIB, Azzam CR, Al-Taweel SK, Abdel-Aziz RM, Hussein EE Belal, Rady MM, Atef AS Abdel-Kader, Majrashi A, Khaled AM Khaled. Natural biostimulant attenuates salinity stress effects in chili pepper by remodeling the antioxidant, ion and phytohormone balances, and augment gene expression. *Plants* 10(11), 2316.

2021. <https://doi.org/10.3390/plants10112316>. (WoS/Scopus)
2261. Agliassa C, Mannino G, Molino D, Cavalletto S, Contartese V, Berteà CM, Secchi F. A new protein hydrolysate-based biostimulant applied by fertigation promotes relief from drought stress in *Capsicum annuum* L. *Plant Physiology and Biochemistry* 166, 1076-1086, 2021. <https://doi.org/10.1016/j.plaphy.2021.07.015>. (WoS/Scopus)
2262. Ahanger MA, Qi M, Huang Z, Xu X, Begum N, Qin C, Zhang C, Ahmad N, Mustafa NS, Ashraf M, Zhang L. Improving growth and photosynthetic performance of drought stressed tomato by application of nano-organic fertilizer involves up-regulation of nitrogen, antioxidant and osmolyte metabolism. *Ecotoxicology and Environmental Safety* 216, 112195, 2021. <https://doi.org/10.1016/j.ecoenv.2021.112195>. (WoS/Scopus)
2263. Ahmad JS, Umber M, Sultana R, Iffat F, Amin M, Khalid A, Kiran S. Application of organic compost for reclamation of soil salinity for appropriate growth of *Cucumis sativus* seedlings. *Fuuast Journal of Biology* 11(2): 93-97, 2021. <https://www.fuuastjb.org/index.php/fuuastjb/article/view/627>.
2264. Ahmad P, Alyemeni MN, Wijaya L, Ahanger MA, Ashraf M, Alam P, Paray BA, Rinklebe J. Nitric oxide donor, sodium nitroprusside, mitigates mercury toxicity in different cultivars of soybean. *Journal of Hazardous Materials* 408, 124852, 2021. <https://doi.org/10.1016/j.jhazmat.2020.124852>. (WoS/Scopus)
2265. Ahmed T, Abou Elezz A, Khalid MF. Hydropriming with *Moringa* leaf extract mitigates salt stress in wheat seedlings. *Agriculture* 11, 1254, 2021. <https://doi.org/10.3390/agriculture11121254>. (WoS/Scopus)
2266. Ahmed U, Rao MJ, Qi C, Xie Q, Noushahi HA, Yaseen M, Shi X, Zheng B. Expression profiling of flavonoid biosynthesis genes and secondary metabolites accumulation in populus under drought stress. *Molecules* 26(18):5546, 2021. <https://doi.org/10.3390/molecules26185546>. (WoS/Scopus)
2267. Akbar A, Ashraf MA, Rasheed R, Ali S, Rizwan M. Menadione sodium bisulphite regulates physiological and biochemical responses to lessen salinity effects on wheat (*Triticum aestivum* L.). *Physiology and Molecular Biology of Plants* 27(5), 1135-1152, 2021. <https://doi.org/10.1007/s12298-021-01001-6>. (WoS/Scopus)
2268. Alam P, Balawi TH, Altalayan FH, AA Hatamleh, M Ashraf, P Ahmad. Silicon attenuates the negative effects of chromium stress in tomato plants by modifying antioxidant enzyme activities, ascorbate–glutathione cycle and glyoxalase system. *Acta Physiologiae Plantarum* 43, art. number 110, 2021. <https://doi.org/10.1007/s11738-021-03276-4>. (WoS/Scopus)
2269. Alamri S, Alsubaie QD, Al-Amri AA, Al-Munqedi B, Ali HM, Kushwaha BK, Singh VP, Siddiqui MH. Priming of tomato seedlings with 2-oxoglutarate induces arsenic toxicity alleviatory responses by involving endogenous nitric oxide. *Physiologia Plantarum* 173(1):45-57, 2021. <https://doi.org/10.1111/ppl.13168>. (WoS/Scopus)
2270. Alamri S, Kushwaha BK, Singh VP, Siddiqui MH, Al-Amri AA, Alsubaie QD, Ali HM. Ascorbate and glutathione independently alleviate arsenate toxicity in brinjal but both require endogenous nitric oxide. *Physiologia Plantarum* 173(1):276-286, 2021. <https://doi.org/10.1111/ppl.13411>. (WoS/Scopus)
2271. Alamri S, Siddiqui MH, Kushwaha BK, Singh VP, Ali HM. Mitigation of arsenate toxicity by indole-3-acetic acid in brinjal roots: Plausible association with endogenous hydrogen peroxide. *Journal of Hazardous Materials* 405: art. 124336, 2021. <https://doi.org/10.1016/j.jhazmat.2020.124336>. (WoS/Scopus)
2272. Al-Farsi SM, Al-Sadi AM, Ullah A, Farooq M. Salt tolerance in alfalfa landraces of omani origin: morpho-biochemical, mineral, and genetic diversity assessment. *Journal of Soil Science and Plant Nutrition* 21:1484-1499, 2021. <https://doi.org/10.1007/s42729-021-00455-7>. (WoS/Scopus)
2273. Alharbi BM, Elhakem AH, Alnusairi GSH, Soliman MH, Hakeem KR, Hasan MdM, Abdelhamid MT. Exogenous application of melatonin alleviates salt stress-induced decline in growth and photosynthesis in *Glycine max* (L.) seedlings by improving mineral uptake, antioxidant and glyoxalase system. *Plant, Soil and Environment* 67:208-220, 2021. <https://doi.org/10.17221/659/2020-PSE>. (WoS/Scopus)
2274. Alharby HF, Al-Zahrani HS, Alzahrani YM, Alsamadany H, Hakeem KR, Rady MM. Maize Grain extract enriched with polyamines alleviates drought stress in *Triticum aestivum* through up-regulation of the ascorbate–glutathione cycle, glyoxalase system, and polyamine gene expression. *Agronomy* 11(5):949, 2021. <https://doi.org/10.3390/agronomy11050949>. (WoS/Scopus)
2275. Alharby HF, Al-Zahrani HS, Hakeem KR, Alsamadany H, Desoky E-SM, Rady MM. Silymarin-enriched biostimulant foliar application minimizes the toxicity of cadmium in maize by suppressing oxidative stress and elevating antioxidant gene expression. *Biomolecules* 11(3), 465, 2021. <https://doi.org/10.3390/biom11030465>. (WoS/Scopus)
2276. Ali M, Afzal S, Parveen A, Kamran M, Javed MR, Abbasi GH, Malik Z, Riaz M, Ahmad S, Chattha MS, Ali M, Ali Q, Uddin MZ, Rizwan M, Ali S. Silicon mediated improvement in the growth and ion homeostasis by decreasing Na⁺ uptake in maize (*Zea mays* L.) cultivars exposed to salinity stress. *Plant Physiology and Biochemistry* 158, 208-218, 2021. <https://doi.org/10.1016/j.plaphy.2020.10.040>. (WoS/Scopus)
2277. Ali M, Kamran M, Abbasi GH, Saleem MH, Ahmad S, Parveen A, Malik Z, Afzal S, Ahmar S, Dawar KM, Ali S. Melatonin-induced salinity tolerance by ameliorating osmotic and oxidative stress in the seedlings of two tomato (*Solanum lycopersicum* L.) cultivars. *Journal of Plant Growth Regulation* 40(5):2236-2248, 2021. <https://link.springer.com/article/10.1007/s00344-020-10273-3>. (WoS/Scopus)
2278. Ali MM, Jeddi K, Attia MS, Elsayed SM, Yusuf M, Osman MS, Soliman MH, Hessini K. Wuxal amino (Bio stimulant) improved growth and physiological performance of tomato plants under salinity stress through adaptive mechanisms and antioxidant potential. *Saudi Journal of Biological Sciences* 28(6): 3204-3213, 2021. <https://doi.org/10.1016/j.sjbs.2021.04.040>. (WoS/Scopus)

2279. Ali Q, Mazhar MW, Ishtiaq M, Hussain AI, Bhatti KH, Maqbool M, Hussain T, Khanum H, Sardar T, Mazhar M. Efficacy of Zn-Aspartate in comparison with ZnSO₄ and L-aspartate in amelioration of drought stress in maize by modulating antioxidant defence; osmolyte accumulation and photosynthetic attributes. *PLoS ONE* 16(12): e0260662, 2021. <https://doi.org/10.1371/journal.pone.0260662>. (WoS/Scopus)
2280. Ali S, Anjum MA, Ejaz S, Hussain S, Ercisli S, Saleem MS, Sardar H. Carboxymethyl cellulose coating delays chilling injury development and maintains eating quality of 'Kinnow' mandarin fruits during low temperature storage. *International Journal of Biological Macromolecules* 168, 77-85, 2021. <https://doi.org/10.1016/j.ijbiomac.2020.12.028>. (WoS/Scopus)
2281. Ali S, Anjum MA, Nawaz A, Naz S, Ejaz S, Saleem MS, Haider ST-A, Ul Hasan M. Effect of gum arabic coating on antioxidative enzyme activities and quality of apricot (*Prunus armeniaca* L.) fruit during ambient storage. *Journal of Food Biochemistry* 45(4): e13656, 2021. <https://doi.org/10.1111/jfbc.13656>. (WoS/Scopus)
2282. Ali S, Khan AS, Malik AU, Anwar R, Anjum MA, Nawaz A, Shafique M, Naz S. Combined application of ascorbic and oxalic acids delays postharvest browning of litchi fruits under controlled atmosphere conditions. *Food Chemistry* 350, 129277, 2021. <https://doi.org/10.1016/j.foodchem.2021.129277>. (WoS/Scopus)
2283. Ali SS, Al-Tohamy R, Koutra E, Kornaros M, Khalil M, Elsamahy T, El-Shetehy M, Sun J. Coupling azo dye degradation and biodiesel production by manganese-dependent peroxidase producing oleaginous yeasts isolated from wood-feeding termite gut symbionts. *Biotechnology for Biofuels* 14, Article number: 61, 2021. <https://doi.org/10.1186/s13068-021-01906-0>. (WoS/Scopus)
2284. Alinia M, Kazemeini SA, Dadkhodaie A, Sepehri M, Pessarakli M. Improving salt tolerance threshold in common bean cultivars using melatonin priming: a possible mission? *Journal of Plant Nutrition* 44(18), 2691-2714, 2021. <https://doi.org/10.1080/01904167.2021.1927092>. (WoS/Scopus)
2285. Alinian Joozdani S, Rafieiolhossaini M, Razmjoo J, Bahreininejad B. Physiological mechanism involved in St. John's wort (*Hypericum perforatum* L.) response to salinity and effect of ascorbic acid foliar application. *Environmental Stresses in Crop Sciences* 14(2), 529-543, 2021. <https://dx.doi.org/10.22077/escs.2020.2775.1726>.
2286. Al-Mentafji HN. Effect of Chloroquine on antioxidant enzymes and oxidative system on (*Vigna radiata*) plant tissues exposed to water stress. *Journal of Physics: Conference Series* 1879(2), p. 022030, 2021. <https://iopscience.iop.org/article/10.1088/1742-6596/1879/2/022030/meta>. (WoS/Scopus)
2287. Al-Mushhin AAM, Qari SH, Fakhr MA, Alnusairi GSH, Alnusaire TS, Alrashidi AA, Latef AAHA, Ali OM, Khan AA, Soliman MH. Exogenous myo-inositol alleviates salt stress by enhancing antioxidants and membrane stability via the upregulation of stress responsive genes in *Chenopodium quinoa* L. *Plants* 10(11):2416, 2021. <https://doi.org/10.3390/plants10112416>. (WoS/Scopus)
2288. Alsadee A, Agbashee S. Hepato-nephroprotective role of *Lepidium sativum* against oxidative stress induced by dexamethasone in rats. *Indian Journal of Forensic Medicine & Toxicology* 15(1), 2643-2653, 2021. [https://www.ijfmr.com/scripts/IJFMT_Jan-March%202021_Final%20wih%20%20DOI%20\(3\).pdf](https://www.ijfmr.com/scripts/IJFMT_Jan-March%202021_Final%20wih%20%20DOI%20(3).pdf).
2289. Alsahli AA, Bhat JA, Alyemeni MN, Ashraf M, Ahmad P. Hydrogen sulfide (H₂S) mitigates arsenic (As)-induced toxicity in pea (*Pisum sativum* L.) plants by regulating osmoregulation, antioxidant defense system, ascorbate glutathione cycle and glyoxalase system. *Journal of Plant Growth Regulation* 40, 2515-2531, 2021. <https://doi.org/10.1007/s00344-020-10254-6>. (WoS/Scopus)
2290. Altaf MA, Shahid R, Ren M-X, Altaf MM, Khan LU, Shahid S, Jahan MS. Melatonin alleviates salt damage in tomato seedling: A root architecture system, photosynthetic capacity, ion homeostasis, and antioxidant enzymes analysis. *Scientia Horticulturae* 285, 110145, 2021. <https://doi.org/10.1016/j.scienta.2021.110145>. (WoS/Scopus)
2291. Altuntaş C, Terzi R. Concomitant accumulations of ions, osmoprotectants and antioxidant system-related substances provide salt tolerance capability to succulent extreme-halophyte *Scorzonera hieraciifolia*. *Turkish Journal of Botany* 45: 340-352, 2021. <http://dx.doi.org/10.3906/bot-2102-7>. (WoS/Scopus)
2292. Alves LA, Ambrosini VG, Denardin LGO, Flores JPM, Martins AP, Filippi D, Bremm C, Carvalho PCF, Farias GD, Ciampitti IA, Tiecher T. Biological N₂ fixation by soybeans grown with or without liming on acid soils in a no-till integrated crop-livestock system. *Soil and Tillage Research* 209, 104923, 2021. <https://doi.org/10.1016/j.still.2020.104923>. (WoS/Scopus)
2293. Al-Zahrani HS, Alharby HF, Hakeem KR, Rehman RU. Exogenous application of zinc to mitigate the salt stress in *Vigna radiata* (L.) wilczek—evaluation of physiological and biochemical processes. *Plants* 10(5):1005, 2021. <https://doi.org/10.3390/plants10051005>. (WoS/Scopus)
2294. Amin B, Atif MJ, Wang X, Meng H, Ghani MI, Ali M, Ding Y, Li X, Cheng Z. Effect of low temperature and high humidity stress on physiology of cucumber at different leaf stages. *Plant Biology* 23: 785-796, 2021. <https://doi.org/10.1111/plb.13276>. (WoS/Scopus)
2295. Aminu LA, Musa M, Anyekema M, Magaji UF, Sanusi HW. Effect of salinity stress on the antioxidant defence systems of two varieties of cowpea (*Vigna unguiculata* L.). *Bio-Research* 19(2):1306-1316, 2021. <https://doi.org/10.4314/br.v19i2.4>.
2296. Amir SB, Rasheed R, Ashraf MA, Hussain I, Iqbal M. Hydrogen sulfide mediates defense response in safflower by regulating secondary metabolism, oxidative defense and elemental uptake under drought. *Physiologia Plantarum* 172(2):795-808, 2021. <https://doi.org/10.1111/ppl.13267>. (WoS/Scopus)
2297. Amjadi Z, Namdjoyan S, Abolhasani Soorki A. Exogenous melatonin and salicylic acid alleviates cadmium toxicity in safflower (*Carthamus tinctorius* L.) seedlings. *Ecotoxicology* 30: 387-401, 2021. <https://doi.org/10.1007/s10646-021-02364-y>. (WoS/Scopus)
2298. Anand V, Kashyap M, Sharma MP, Bala K. Impact of hydrogen peroxide on microalgae cultivated in

- varying salt-nitrate-phosphate conditions. *Journal of Environmental Chemical Engineering* 9(5), 105814, **2021**. <https://doi.org/10.1016/j.jece.2021.105814>. (WoS/Scopus)
- 2299.** Arafa SA, Attia KA, Niedbala G, Piekutowska M, Alamery S, Abdelaal K, Alateeq TK, A. M. Ali M, Elkelish A, Attallah SY. Seed priming boost adaptation in pea plants under drought stress. *Plants* 10(10): 2201, **2021**. <https://doi.org/10.3390/plants10102201>. (WoS/Scopus)
- 2300.** Araújo BON, Monteiro MA, Martins AC, Fonseca LL, Uliana AS, de Oliveira VD, Pedó T, Aumonde TZ. Desempenho bioquímico de plântulas de feijão sob restrição hídrica no início do desenvolvimento. *Revista de la Facultad de Agronomía* 120(1), 1-9, **2021**. <https://doi.org/10.24215/16699513e070>.
- 2301.** Arora K, Batish DR. Essential Oil of Wild Marigold Induces Oxidative Stress in *Senna occidentalis*. *Indian Journal of Ecology* 48(0), 1431-1434, **2021**. <https://indianecologicalsociety.com/society/wp-content/themes/ecology/fullpdfs/1635504109.pdf>. (WoS/Scopus)
- 2302.** Asadi M, Eshghizadeh HR. Response of sorghum genotypes to water deficit stress under different CO₂ and nitrogen levels. *Plant Physiology and Biochemistry* 158, 255-264, **2021**. <https://doi.org/10.1016/j.plaphy.2020.11.010>. (WoS/Scopus)
- 2303.** Asghar MA, Jiang H-k, Shui Z-w, Cao X-y, Huang X-y, Imran S, Ahmad B, Zhang H, Yang Y-n, Shang J, Yang H, Yu L, Liu C-y, Yang W-y, Sun X, Du J-b. Interactive effect of shade and PEG-induced osmotic stress on physiological responses of soybean seedlings. *Journal of Integrative Agriculture* 20(9), 2382-2394, **2021**. [https://doi.org/10.1016/S2095-3119\(20\)63383-4](https://doi.org/10.1016/S2095-3119(20)63383-4). (WoS/Scopus)
- 2304.** Asghar N, Akram NA, Ameer A, Shahid H, Kausar S, Asghar A, Idrees T, Mumtaz S, Asfahan HM, Sultan M, Jahangir I. Foliar-applied hydrogen peroxide and proline modulates growth, yield and biochemical attributes of wheat (*Triticum aestivum* L.) under varied N and P levels. *Fresenius Environmental Bulletin* 30(5), 5445-5465, **2021**. https://www.researchgate.net/publication/352292538_FOLIAR-APPLIED_HYDROGEN_PEROXIDE_AND_PROLINE_MODULATES_GROWTH_YIELD_AND_BIOCHEMICAL_ATTRIBUTES_OF_WHEAT_TRITICUM_AESTIVUM_L_UNDER_VARIED_N_AND_P_LEVELS?enrichId=rgreq-47011e39ebd2deec9324321b78d3eba8-XXX&enrichSource=Y292ZXJQYWdlOzM1MjI5MjUzODtBUzoxMDMzMjY4MDM1NTM2OTAyQDE2MjMzMzc4NjM5OTI%3D&el=1_x_2&esc=publicationCoverPdf. (WoS/Scopus)
- 2305.** Asha SN, Sultana N, Hassan L, Akhter S, Robin AH. Response of morphological and biochemical traits of maize genotypes under waterlogging stress. *Journal of Phytology* 13, 0108-0121, **2021**. <https://doi.org/10.25081/jp.2021.v13.7081>. (WoS/Scopus)
- 2306.** Ashraf MA, Rasheed R, Zafar S, Iqbal M, Saqib ZA. Menadione sodium bisulfite neutralizes chromium phytotoxic effects in okra by regulating cytosolutes, lipid peroxidation, antioxidant system and metal uptake. *International Journal of Phytoremediation* 23(7):736-746, **2021**. <https://doi.org/10.1080/15226514.2020.1854171> (WoS/Scopus)
- 2307.** Askari SH, Ashraf MA, Ali S, Rizwan M, Rasheed R. Menadione sodium bisulfite alleviated chromium effects on wheat by regulating oxidative defense, chromium speciation, and ion homeostasis. *Environmental Science and Pollution Research* 28:36205-36225, **2021**. <https://doi.org/10.1007/s11356-021-13221-0>. (WoS/Scopus)
- 2308.** Asma, Hussain I, Ashraf MY, Ashraf MA, Rasheed R, Iqbal M, Anwar S, Shereen A, Khan MA.. Assessment of rice (*Oryza sativa* L.) genotypes for drought stress tolerance using morpho-physiological indices as a screening technique. *Pakistan Journal of Botany* 53(1), **2021**. DOI: [http://dx.doi.org/10.30848/PJB2021-1\(33\)](http://dx.doi.org/10.30848/PJB2021-1(33)) (WoS/Scopus)
- 2309.** Atif M, Perveen S. Comparison of alteration in growth, physiological and biochemical attributes of ten maize (*Zea mays* L.) varieties under arsenic stress: susceptibility and tolerance. *Polish Journal of Environmental Studies* 30(6), 4913-4923, **2021**. <https://doi.org/10.15244/pjoes/135694>. (WoS/Scopus)
- 2310.** Atiq M, Adil S, Rajput NA, Sahi ST, Hameed A, Jabbar A, Usman M, Iqbal S, Tariq H, Mazhar HMR, Ullah MF. Role of exogenous application of alpha-tocopherol in reducing low temperature stress in bell pepper. *International Journal of Phytopathology* 10 (03), **2021**. <https://doi.org/10.33687/phytopath.010.03.3998>.
- 2311.** Attah U, Chibuike K, Ugona U. Assessment of the suitability of urban residential roof catchments for rainwater capturing in Umuahia, Southeastern Nigeria. *Jordan Journal of Earth and Environmental Sciences* 12(1), 22-35, **2021**. http://www.jjees.hu.edu.jo/files/Vol12No1/JJEES_Vol_12_No_1_P3.pdf.
- 2312.** Auler PA, Souza GM, da Silva Engela MRG, do Amaral MN, Rossatto T, da Silva MGZ, Furlan CM, Maserti B, Braga EJB. Stress memory of physiological, biochemical and metabolomic responses in two different rice genotypes under drought stress: the scale matters. *Plant Science* 311, art. number 110994, **2021**. <https://doi.org/10.1016/j.plantsci.2021.110994>. (WoS/Scopus)
- 2313.** Avila RG, Magalhães PC, da Silva EM, de Souza KRD, Campos CN, de Alvarenga AA, de Souza TC. Application of silicon to irrigated and water deficit sorghum plants increases yield via the regulation of primary, antioxidant, and osmoregulatory metabolism. *Agricultural Water Management* 255, art. 107004, **2021**. <https://doi.org/10.1016/j.agwat.2021.107004>. (WoS/Scopus)
- 2314.** Awan SA, Khan I, Rizwan M, Zhang X, Brestic M, Khan A, El-Sheikh MA, Alyemeni MN, Ali S, Huang L. Exogenous abscisic acid and jasmonic acid restrain polyethylene glycol-induced drought by improving the growth and antioxidative enzyme activities in pearl millet. *Physiologia Plantarum* 172(2):809-819, **2021**. <https://doi.org/10.1111/ppl.13247>. (WoS/Scopus)
- 2315.** Azad N, Rezayian M, Hassanpour H, Niknam V, Ebrahimzadeh H. Physiological mechanism of salicylic acid in *Mentha pulegium* L. under salinity and drought stress. *Brazilian Journal of Botany* 44: 359-369, **2021**. <https://doi.org/10.1007/s40415-021-00706-y>. (WoS/Scopus)

- 2316.** Azam SK, Karimi N, Souri Z, Vaculik M. Multiple effects of silicon on alleviation of arsenic and cadmium toxicity in hyperaccumulator *Isatis cappadocica* Desv. *Plant Physiology and Biochemistry* 168:177-187, **2021**. <https://doi.org/10.1016/j.plaphy.2021.09.027>. (WoS/Scopus)
- 2317.** Babaei S, Niknam V, Behmanesh M. Comparative effects of nitric oxide and salicylic acid on salinity tolerance in saffron (*Crocus sativus*). *Plant Biosystems* 155(1), 73-82, **2021**. <https://doi.org/10.1080/11263504.2020.1727975>. (WoS/Scopus)
- 2318.** Bagdi DL, Gupta S, Kakralya BL, Gupta NK, Yadav N, Sharma MK, Saroj PL, Sharma BD, Singh U. Alleviation of adverse effects of salinity in Ber by foliar treatment with antioxidant. *Pharma Innovation* 10(4):227-229, **2021**. <https://doi.org/10.22271/tpi.2021.v10.i4d.5923>.
- 2319.** Bamagoos A, Alharby H, Fahad S. Biochar coupling with phosphorus fertilization modifies antioxidant activity, osmolyte accumulation and reactive oxygen species synthesis in the leaves and xylem sap of rice cultivars under high-temperature stress. *Physiology and Molecular Biology of Plants* 27:2083-2100, **2021**. <https://doi.org/10.1007/s12298-021-01062-7>. (WoS/Scopus)
- 2320.** Banerjee A, Roychoudhury A. Differential lead-fluoride and nickel-fluoride uptake in co-polluted soil variably affects the overall physiome in an aromatic rice cultivar. *Environmental Pollution* 268B, 115504, **2021**. <https://doi.org/10.1016/j.envpol.2020.115504>. (WoS/Scopus)
- 2321.** Banerjee A, Roychoudhury A. Fluoride-induced toxicity is ameliorated in a susceptible indica rice cultivar by exogenous application of the nitric oxide donor, sodium nitroprusside. *Vegetos* 34:568-580, **2021**. <https://doi.org/10.1007/s42535-021-00240-y>. (WoS/Scopus)
- 2322.** Banerjee A, Roychoudhury A. Maghemite nano-fertilization promotes fluoride tolerance in rice by restoring grain yield and modulating the ionome and physiome. *Ecotoxicology and Environmental Safety* 215, 112055, **2021**. <https://doi.org/10.1016/j.ecoenv.2021.112055>. (WoS/Scopus)
- 2323.** Banerjee A, Singh A, Sudarshan M, Roychoudhury A. Silicon nanoparticle-pulsing mitigates fluoride stress in rice by fine-tuning the ionomic and metabolomic balance and refining agronomic traits. *Chemosphere* 262, 127826, **2021**. <https://doi.org/10.1016/j.chemosphere.2020.127826>. (WoS/Scopus)
- 2324.** Baniebrahim S, Pishkar L, Iranbakhsh A, Talei D, Barzin G. Physiological and molecular responses of black cumin (*Nigella sativa* L.) seedlings to silver nanoparticles. *Journal of Plant Nutrition* 44(19):2885-2896, **2021**. <https://doi.org/10.1080/01904167.2021.1927086>. (WoS/Scopus)
- 2325.** Bano H, Athar H-R, Zafar ZU, Ogbaga CC, Ashraf M. Peroxidase activity and operation of photo-protective component of NPQ play key roles in drought tolerance of mung bean [*Vigna radiata* (L.) Wilczek]. *Physiologia Plantarum* 172(2):603-614, **2021**. <https://doi.org/10.1111/ppl.13337>. (WoS/Scopus)
- 2326.** Bansal R, Priya S, Dikshit HK, Jacob SR, Rao M, Bana RS, Kumari J, Tripathi K, Kumar A, Kumar S, Siddique KHM. Growth and antioxidant responses in iron-biofortified lentil under cadmium stress. *Toxics* 9(8), 182, **2021**. <https://doi.org/10.3390/toxics9080182>. (WoS/Scopus)
- 2327.** Barros Junior UD, Lima MD, Alsahli AA, Lobato AK. Unraveling the roles of brassinosteroids in alleviating drought stress in young *Eucalyptus urphylla* plants: Implications on redox homeostasis and photosynthetic apparatus. *Physiologia Plantarum* 172(2):748-761, **2021**. <https://doi.org/10.1111/ppl.13291>. (WoS/Scopus)
- 2328.** Bashri G, Singh S, Prasad SM, Ansari MJ, Usmani S, Alfarraj S, Alharbi SA, Bresti M. Kinetin mitigates Cd-induced damage to growth, photosynthesis and PS II photochemistry of *Trigonella* seedlings by up-regulating ascorbate-glutathione cycle. *PLoS ONE* 16(6): e0249230, **2021**. <https://doi.org/10.1371/journal.pone.0249230>. (WoS/Scopus)
- 2329.** Beyzavi F, Baghzadeh A, Mirzaei S, Maleki M, Mozafari H. Investigation of some biochemical traits of tolerant and sensitive wheat cultivars (*Triticum bioticum*) under salinity stress. *Journal of Crop Breeding* 12(36), 216-234, **2021**. <https://jcb.sanru.ac.ir/article-1-1158-en.pdf>.
- 2330.** Bijalwan P, Jeddi K, Saini I, Sharma M, Kaushik P, Hessini K. Mitigation of saline conditions in watermelon with mycorrhiza and silicon application. *Saudi Journal of Biological Sciences* 28(7), 3678-3684, **2021**. <https://doi.org/10.1016/j.sjbs.2021.05.019>. (WoS/Scopus)
- 2331.** Bohn A, Bortolin GS, Job RB, Pedroso CES, Galviz YC, Dorneles AOS, Pereira AS, do Amarante L, Mittelman A, Deuner S. Leaf stage as a defoliation criterion for the production of high-vigour annual ryegrass seeds. *Crop and Pasture Science* 72(7) 575-588, **2021**. <https://doi.org/10.1071/CP20420>. (WoS/Scopus)
- 2332.** Borzoo S, Mohsenzadeh S, Moradshahi A, Kahrizi D, Zamani H, Zarei M. Characterization of physiological responses and fatty acid compositions of *Camelina sativa* genotypes under water deficit stress and symbiosis with *Micrococcus yunnanensis*. *Symbiosis* 83:79-90, **2021**. <https://doi.org/10.1007/s13199-020-00733-5>. (WoS/Scopus)
- 2333.** Boughalleb F, Maaloul S, Mahmoudi M, Mabrouk M, Bakhshandeh E, Abdellaoui R. *Limoniastrum guyonianum* behavior under seasonal conditions fluctuations of Sabkha Aïn Maïder (Tunisia). *Plant Physiology and Biochemistry* 168:305-320, **2021**. <https://doi.org/10.1016/j.plaphy.2021.10.014>. (WoS/Scopus)
- 2334.** Boutasknit A, Baslam M, Ait-El-Mokhtar M, Anli M, Ben-Laouane R, Ait-Rahou Y, Mitsui T, Douira A, El Modafar C, Wahbi S, Meddich A. Assemblage of indigenous arbuscular mycorrhizal fungi and green waste compost enhance drought stress tolerance in carob (*Ceratonia siliqua* L.) trees. *Scientific Reports* 11, art. 22835, **2021**. <https://doi.org/10.1038/s41598-021-02018-3>. (WoS/Scopus)
- 2335.** Cai S, Wang G, Xu H, Liu J, Luo J, Shen Y. Exogenous spermidine improves chilling tolerance in sweet corn seedlings by regulation on abscisic acid, ROS and Ca²⁺ pathways. *Journal of Plant Biology* 64, 487-499, **2021**. <https://doi.org/10.1007/s12374-021-09319-0>. (WoS/Scopus)

2336. Çatav SS, Surgun-Acar Y, Zemheri-Navruz F. Physiological, biochemical, and molecular responses of wheat seedlings to salinity and plant-derived smoke. *South African Journal of Botany* 139: 148-157, **2021**. <https://doi.org/10.1016/j.sajb.2021.02.011>. (WoS/Scopus)
2337. Chatterjee A, Mridha D, Banerjee J, Chanda S, Ray K, Acharya K, Das M, Roychowdhury T, Sarkar J. Green synthesis of iron oxide nanoparticles and their ameliorative effect on arsenic stress relief in *Oryza sativa* seedlings. *Biocatalysis and Agricultural Biotechnology* v. 38, 102207, **2021**. <https://doi.org/10.1016/j.bcab.2021.102207>. (WoS/Scopus)
2338. Chaudhary IJ, Rathore D. Assessment of ozone toxicity on cotton (*Gossypium hirsutum* L.) cultivars: Its defensive system and intraspecific sensitivity. *Plant Physiology and Biochemistry* 166:912-927, **2021**. <https://doi.org/10.1016/j.plaphy.2021.06.054>. (WoS/Scopus)
2339. Chen Z, Cao XL, Niu JP. Effects of exogenous ascorbic acid on seed germination and seedling salt-tolerance of alfalfa. *PLoS ONE* 16(4), e0250926, **2021**. <https://doi.org/10.1371/journal.pone.0250926>. (WoS/Scopus)
2340. Chen Z, Wang Q. Graphene ameliorates saline-alkaline stress-induced damage and improves growth and tolerance in alfalfa (*Medicago sativa* L.). *Plant Physiology and Biochemistry* 163:128-138, **2021**. <https://doi.org/10.1016/j.plaphy.2021.03.039>. (WoS/Scopus)
2341. Cheng H, Wang X, Wang J, Li Q. Key photoprotective pathways of a shade-tolerant plant (*Alpinia oxyphylla*) for precipitation patterns change during the dry season: thermal energy dissipation and water-water cycle. *Plant Stress* v.2, 100016, **2021**. <https://doi.org/10.1016/j.stress.2021.100016>.
2342. Chi YX, Yang L, Zhao CJ, Muhammad I, Zhou XB, Zhu HD. Effects of soaking seeds in exogenous vitamins on active oxygen metabolism and seedling growth under low-temperature stress. *Saudi Journal of Biological Sciences* 28(6):3254-3261, **2021**. <https://doi.org/10.1016/j.sjbs.2021.02.065>. (WoS/Scopus)
2343. Chumyam A, Saengnil K. Transient H₂O₂ induction by ClO₂ fumigation alters Prx-Trx system and causes MAPK accumulation attenuating browning in harvested longan fruit. *Chiang Mai University Journal of Natural Sciences* 20(1), e2021013, **2021**. <https://doi.org/10.12982/CMUJNS.2021.013>. (WoS/Scopus)
2344. Czékus Z, Iqbal N, Pollák B, Martics A, Ördög A, Poór P. Role of ethylene and light in chitosan-induced local and systemic defence responses of tomato plants. *Journal of Plant Physiology* 263, 153461, **2021**. <https://doi.org/10.1016/j.jplph.2021.153461>. (WoS/Scopus)
2345. Czékus Z, Kukri A, Hamow KÁ, Szalai G, Tari I, Ördög A, Poór P. Activation of local and systemic defence responses by Flg22 is dependent on daytime and ethylene in intact tomato plants. *International Journal of Molecular Sciences* 22(15):8354, **2021**. <https://doi.org/10.3390/ijms22158354>. (WoS/Scopus)
2346. D'Amato R, Del Buono D. Use of a biostimulant to mitigate salt stress in maize plants. *Agronomy* 11(9):1755, **2021**. <https://doi.org/10.3390/agronomy11091755>. (WoS/Scopus)
2347. da Silva Cunha LF, de Oliveira VP, do Nascimento AW, da Silva BR, Batista BL, Alsahli AA, Lobato AK. Leaf application of 24-epibrassinolide mitigates cadmium toxicity in young *Eucalyptus urophylla* plants by modulating leaf anatomy and gas exchange. *Physiologia Plantarum* 173(1):67-87, **2021**. <https://doi.org/10.1111/ppl.13182>. (WoS/Scopus)
2348. Dandare SU, Ezeonwumelu IJ, Shinkafi TS, Magaji UF, Adio AA, Ahmad K. L-alanine supplementation improves blood glucose level and biochemical indices in alloxan-induced diabetic rats. *Journal of Food Biochemistry* 45(1), e13590, **2021**. <https://doi.org/10.1111/jfbc.13590>. (WoS/Scopus)
2349. Da-Silva CJ, Shimoia EP, Posso DA, Cardoso AA, Batz TA, Oliveira ACB, do Amarante L. Nitrate nutrition increases foliar levels of nitric oxide and waterlogging tolerance in soybean. *Acta Physiologiae Plantarum* 43, art. number 116, **2021**. <https://doi.org/10.1007/s11738-021-03291-5>. (WoS/Scopus)
2350. Dastjerdi MV, Ehsanpour AA, Forghani AH. The role of exogenous glycinebetaine on some antioxidant activity of non-T and T tobacco (*Nicotiana tabacum* L.) under *in vitro* salt stress. *Acta Agriculturae Slovenica* 117(3):1-9, **2021**. <http://dx.doi.org/10.14720/aas.2021.117.3.1056>.
2351. de Lima FRD, Barbosa AP, Vasques ICF, Oliveira JR, Silva AO, Martins GC, Engelhardt MM, Pereira P, dos Reis RHCL, Guilherme LRG, Marques JJ. Physiological effects of mercury-contaminated Oxisols on common bean and oat. *Environmental Science and Pollution Research* 28:11279-11288, **2021**. <https://doi.org/10.1007/s11356-020-11286-x>. (WoS/Scopus)
2352. de Souza AE, Rios CO, de Araújo TO, Siqueira-Silva AI, Souza JP, Pereira EG. Is a C4 tropical grass still an option in the revegetation of iron ore tailings in face of climate change? Theoretical and Experimental Plant Physiology 33:397-409, **2021**. <https://doi.org/10.1007/s40626-021-00221-1>. (WoS/Scopus)
2353. de Souza Junior JC. Proportions of nitrate and ammonium and their impact in two species of Poaceae: a study with nanoparticles and ionic nutrients in soil and nutrient solution. Doctoral dissertation, Universidade de São Paulo, **2021**. <https://doi.org/10.11606/T.11.2021.tde-06102021-144644>. [PhD thesis]
2354. Del Buono D, Regni L, Del Pino AM, Bartucca ML, Palmerini CA, Proietti P. Effects of Megafol on the Olive Cultivar 'Arbequina' Grown Under Severe Saline Stress in Terms of Physiological Traits, Oxidative Stress, Antioxidant Defenses, and Cytosolic Ca²⁺. *Frontiers in Plant Science* 11:603576, **2021**. <https://doi.org/10.3389/fpls.2020.603576>. (WoS/Scopus)
2355. Demiralay M. Yerel (Artvin-Şavşat) ve Tescilli Domates Çeşitlerinde Kuraklık Stresine Karşı Tolerans Seviyelerinin Araştırılması (Investigation of Tolerance Levels Against Drought Stress in Local (Artvin Şavşat) and Registered Tomato Variet). *BEÜ Fen Bilimleri Dergisi (BEU Journal of Science)* 10 (4), 1474-1485, **2021**. <https://doi.org/10.17798/bitlisfen.960504>.
2356. Deng C, Zema Yang, Chaohua Cheng, Zhigang Dai, Qing Tang, Ying Xu, Xiaojun Chen, Jianguang Su.

Regulating the Cd tolerance of jute (*Corchorus olitorius* L.) with graphene oxide nanosheets and the toxicity responses. *Environmental Engineering Science* 38(12), 1158-1167, 2021. <http://doi.org/10.1089/ees.2021.0016>. (WoS/Scopus)

2357. Deshi V, Homa F, Yadav Tokala V, Mir H, Aftab MA, Siddiqui MW. Regulation of pericarp browning in cold-stored litchi fruit using methyl jasmonate. *Journal of King Saud University – Science* 33(5), art. 101445, 2021. doi: <https://doi.org/10.1016/j.jksus.2021.101445>.

2358. Desoky E-SM, Mansour E, El-Sobky E-SEA, Abdul-Hamid MI, Taha TF, Elakkad HA, Arnaout SMAI, Eid RSM, El-Tarabily KA, Yasin MAT. Physio-biochemical and agronomic responses of faba beans to exogenously applied nano-silicon under drought stress conditions. *Frontiers in Plant Science* 12:637783, 2021. <https://doi.org/10.3389/fpls.2021.637783>. (WoS/Scopus)

2359. Desoky E-SM, Merwad A-RMA, Abo El-Maati MF, Mansour E, Arnaout SMAI, Awad MF, Ramadan MF, Ibrahim SA. Physiological and biochemical mechanisms of exogenously applied selenium for alleviating destructive impacts induced by salinity stress in bread wheat. *Agronomy* 11(5): 926, 2021. <https://doi.org/10.3390/agronomy11050926>. (WoS/Scopus)

2360. Dhali S, Pradhan M, Sahoo RK, Mohanty S, Pradhan C. Alleviating Cr(VI) stress in horse gram (*Macrotyloma uniflorum* Var. Madhu) by native Cr-tolerant nodule endophytes isolated from contaminated site of Sukinda. *Environmental Science and Pollution Research* 28:31717-31730, 2021. <https://doi.org/10.1007/s11356-021-13009-2>. (WoS/Scopus)

2361. Díaz AS, Cruz YC, Duarte VP, de Castro EM, Magalhães PC, Pereira FJ. The role of reactive oxygen species and nitric oxide in the formation of root cortical aerenchyma under cadmium contamination. *Physiologia Plantarum* 173(4), 2323-2333, 2021. <https://doi.org/10.1111/ppl.13582>. (WoS/Scopus)

2362. Dinler BS, Cetinkaya H, Akgun M, Korkmaz K. Simultaneous Treatment of Different Gibberellic Acid Doses Induces Ion Accumulation and Response Mechanisms to Salt Damage in Maize Roots. *Journal of Plant Biochemistry and Physiology* 9(3):258, 2021. <https://www.longdom.org/open-access/simultaneous-treatment-of-different-gibberellic-acid-doses-induces-ion-accumulation-and-response-mechanisms-to-salt-damage.pdf>.

2363. Dongsansuk A, Paethaisong W, Theerakulpisut P. Membrane stability and antioxidant enzyme activity of rice seedlings in response to short-term high temperature treatments. *Chilean Journal of Agricultural Research* 81(4):607-617, 2021. <https://oes.chileanjar.cl/files/CJAR210140-81-4-2021.pdf>. (WoS/Scopus)

2364. dos Santos BDB, da Silva PF, de Matos RM, Neto JD, de Lima VLA, Bonou SI, de Melo AS, Melo YL. Induction of salt stress tolerance in chives by priming with H₂O₂ in hydroponic cultivation. *Chilean Journal of Agricultural Research* 81(3):317-325, 2021. <https://oes.chileanjar.cl/files/cjar200392-81-3-2021.pdf>. (WoS/Scopus)

2365. dos Santos LR, Paula LdS, Pereira YC, da Silva BRS, Batista BL, Alsahli AA, Lobato AKdS. Brassinosteroids-mediated amelioration of iron deficiency in soybean plants: Beneficial effects on the nutritional status, photosynthetic pigments and chlorophyll fluorescence. *Journal of Plant Growth Regulation* 40:1803-1823, 2021. <https://doi.org/10.1007/s00344-020-10232-y>. (WoS/Scopus)

2366. Drira M, Elleuch J, Hlima HB, Hentati F, Gardarin C, Rihouey C, Cerf DL, Michaud P, Abdelkafi S, Fendri I. Optimization of exopolysaccharides production by *porphyridium sordidum* and their potential to induce defense responses in *Arabidopsis thaliana* against *Fusarium oxysporum*. *Biomolecules* 11, 282, 2021. <https://doi.org/10.3390/biom11020282>. (WoS/Scopus)

2367. Drira M, Mohamed JB, Hlima HB, Hentati F, Michaud P, Abdelkafi S, Fendri I. Improvement of *Arabidopsis thaliana* salt tolerance using a polysaccharidic extract from the brown algae *Padina pavonica*. *Algal Research* 56, 102324, 2021. <https://doi.org/10.1016/j.algal.2021.102324>. (WoS/Scopus)

2368. Duarte VP, Pereira MP, Corrêa FF, de Castro EM, Pereira FJ. Aerenchyma, gas diffusion, and catalase activity in *Typha domingensis*: a complementary model for radial oxygen loss. *Protoplasma* 258:765-777, 2021. <https://doi.org/10.1007/s00709-020-01597-8>. (WoS/Scopus)

2369. Dubey A, Saiyam D, Kumar A, Hashem A, Abd Allah EF, Khan ML. Bacterial root endophytes: characterization of their competence and plant growth promotion in soybean (*Glycine max* (L.) Merr.) under drought stress. *International Journal of Environmental Research and Public Health* 18(3), 931, 2021. <https://doi.org/10.3390/ijerph18030931>. (WoS/Scopus)

2370. Dubey AK, Kumar A, Kumar N, Kumar S, Meenakshi, Gautam A, Ansari MA, Manika N, Lal S, Behera SK, Mallick S, Sanyal I. Over-expression of chickpea metallothionein 1 gene confers tolerance against major toxic heavy metal stress in *Arabidopsis*. *Physiology and Molecular Biology of Plants* 27, 2665-2678, 2021. <https://doi.org/10.1007/s12298-021-01103-1>. (WoS/Scopus)

2371. Dustgeer Z, Seleiman MF, Imran KH, Chattha MU, Alhammad BA, Jalal RS, Refay Y, Hassan MU. Glycine-betaine induced salinity tolerance in maize by regulating the physiological attributes, antioxidant defense system and ionic homeostasis. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 49(1), art. num. 12248, 2021. <https://doi.org/10.15835/nbha49112248>. (WoS/Scopus)

2372. Ehteshami S, Abdollahi F, Ramezani A, Rahimzadeh M, Dastjerdi AM. Maintenance of quality and bioactive compounds of cold stored pomegranate (*Punica granatum* L.) fruit by organic acids treatment. *Food Science and Technology International* 27(2):151-163, 2021. <https://doi.org/10.1177/1082013220940466>. (WoS/Scopus)

2373. Eisalou AV, Namdjoyan S, Soorki AA. The combined effect of melatonin and salicylic acid improved the tolerance of safflower seedlings to zinc toxicity. *Acta Physiologiae Plantarum* 43, 138, 2021. <https://doi.org/10.1007/s11738-021-03311-4>. (WoS/Scopus)

- 2374.** Ekinci M, Kocaman A, Argin S, Turan M, Dadaşoğlu F, Yildirim E. Rhizobacteria alleviate the adverse effects of salt stress on seedling growth of *Capsicum annuum* L. by modulating the antioxidant enzyme activity and mineral uptake. *Taiwania* 66(3), 287-297, **2021**. <https://taiwania.ntu.edu.tw/abstract.php?type=abstract&id=1761>. (WoS/Scopus)
- 2375.** El Boukhari MEM, Barakate M, Choumani N, Bouhia Y, Lyamlouli K. *Ulva lactuca* extract and fractions as seed priming agents mitigate salinity stress in tomato seedlings. *Plants* 10(6): 1104, **2021**. <https://doi.org/10.3390/plants10061104>. (WoS/Scopus)
- 2376.** El-Dakak R, El-Aggan W, Badr G, Helaly A, Tammam A. Positive salt tolerance modulation via vermicompost regulation of *sos1* gene expression and antioxidant homeostasis in viciafaba plant. *Plants* 10(11): 2477, **2021**. <https://doi.org/10.3390/plants10112477>. (WoS/Scopus)
- 2377.** Elkelish A, El-Mogy MM, Niedbała G, Piekutowska M, Atia MAM, Hamada MMA, Shahin M, Mukherjee S, El-Yazied AA, Shebl M, Jahan MS, Osman A, El-Gawad HGA, Ashour H, Farag R, Selim S, Ibrahim MFM. Roles of exogenous α -lipoic acid and cysteine in mitigation of drought stress and restoration of grain quality in wheat. *Plants* 10(11): 2318, **2021**. <https://doi.org/10.3390/plants10112318>. (WoS/Scopus)
- 2378.** El-Rahman A, Lamyaa A, Omara RI, Gad MA. Influence of hydrogen peroxide and nanofertilizer on rusts development and wheat productivity. *Egyptian Journal of Agronomy* 43(2), 295-306, **2021**. <https://dx.doi.org/10.21608/agro.2021.87731.1271>.
- 2379.** El-Shafey NM, Marzouk MA, Yasser MM, Shaban SA, Beemster GTS, AbdElgawad H. Harnessing endophytic fungi for enhancing growth, tolerance and quality of rose-scented geranium (*Pelargonium graveolens* (L'Hér) Thunb.) plants under cadmium stress: A Biochemical study. *Journal of Fungi* 7(12): 1039, **2021**. <https://doi.org/10.3390/jof7121039>. (WoS/Scopus)
- 2380.** Emamverdian A, Ding Y, Barker J, Mokhberdoran F, Ramakrishnan M, Liu G, Li, Y. Nitric oxide ameliorates plant metal toxicity by increasing antioxidant capacity and reducing Pb and Cd translocation. *Antioxidants* 10(12), 1981, **2021**. <https://doi.org/10.3390/antiox10121981>. (WoS/Scopus)
- 2381.** Fallah M, Hadi H, Amirnia R, Hassanzadeh-Ghorttapeh A, Zuan ATK, Sayyed RZ. Eco-friendly soil amendments improve growth, antioxidant activities, and root colonization in lingrain (*Linum usitatissimum* L.) under drought conditions. *PLoS ONE* 16(12): e0261225, **2021**. <https://doi.org/10.1371/journal.pone.0261225>. (WoS/Scopus)
- 2382.** Farhadi H, Alizadeh M, Hokmabadi H, Aliniaiefard S. Evaluation of the activity of antioxidant enzymes and the amount of hydrogen peroxide in obtained using hybrid seedlings rootstock from intraspecific and interspecific crosses (*P. vera* \times *P. integerrima*) under drought stress. *Journal of Plant Production Research* 28(3), 33-59, **2021**. https://jopp.gau.ac.ir/article_5734.html?lang=en.
- 2383.** Farhat F, Arfan M, Tariq A, Riaz R, Naila H. Moringa leaf extract and ascorbic acid evoke potentially beneficial antioxidants especially phenolics in wheat grown under cadmium stress. *Pakistan Journal of Botany* 53(6), 2033-2040, **2021**. [http://dx.doi.org/10.30848/PJB2021-6\(16\)](http://dx.doi.org/10.30848/PJB2021-6(16)). (WoS/Scopus)
- 2384.** Farzana S, Rasel M, Tahjib Ul Arif M, Hossain MA, Azam MG, Al Galib MA, Mahamud ASU, Hossain MA. Salicylic acid and thiourea ameliorate the negative impact of salt stress in wheat (*Triticum aestivum* L.) seedlings by up-regulating photosynthetic pigments, leaf water status, and antioxidant defense system. *Journal of Phytology* 13, 130-145, **2021**. <https://doi.org/10.25081/jp.2021.v13.7217>. (WoS/Scopus)
- 2385.** Fatima A, Hussain S, Hussain S, Ali B, Ashraf U, Zulfikar U, Aslam Z, Al-Robai SA, Alzahrani FO, Hano C, El-Esawi MA. Differential morphophysiological, biochemical, and molecular responses of maize hybrids to salinity and alkalinity stresses. *Agronomy* 11(6):1150, **2021**. <https://doi.org/10.3390/agronomy11061150>. (WoS/Scopus)
- 2386.** Fattahi M, Mohammadkhani A, Shiran B, Baninasab B, Ravash R, Gogorcena Y. Beneficial effect of mycorrhiza on nutritional uptake and oxidative balance in pistachio (*Pistacia spp.*) rootstocks submitted to drought and salinity stress. *Scientia Horticulturae* 281, art. n. 109937, **2021**. <https://doi.org/10.1016/j.scienta.2021.109937>. (WoS/Scopus)
- 2387.** Ferreira RA, de Oliveira AA, da Silva VN, Silva Pereira AA, Bernardes MM, Bicalho EM. Watching the days go by: Aging during sunflower seed storage under distinct oxygen availability. *Agricultural Sciences (Ciência e Agrotecnologia)* 45(4), 45:e017921, **2021**. <http://dx.doi.org/10.1590/1413-7054202145017921>.
- 2388.** Filippou P, Zarza X, Antoniou C, Obata T, Villarroel CA, Ganopoulos I, Harokopos V, Gohari G, Aidinis V, Madesis P, Christou A, Fernie AR, Tiburcio AF, Fotopoulos V. Systems biology reveals key tissue-specific metabolic and transcriptional signatures involved in the response of *Medicago truncatula* plant genotypes to salt stress. *Computational and Structural Biotechnology Journal* 19, 2133-2147, **2021**. <https://doi.org/10.1016/j.csbj.2021.04.018>. (WoS/Scopus)
- 2389.** Galviz YC, Bortolin GS, Guidorizi KA, Deuner S, Reolon F, de Moraes DM. Effectiveness of seed priming and soil drench with salicylic acid on tomato growth, physiological and biochemical responses to severe water deficit. *Journal of Soil Science and Plant Nutrition* 21:2364-2377, **2021**. <https://doi.org/10.1007/s42729-021-00528-7>. (WoS/Scopus)
- 2390.** Gao C, Sheteiwy MS, Lin C, Guan Y, Ulhassan Z, Hu J. Spermidine suppressed the inhibitory effects of polyamines inhibitors combination in maize (*Zea mays* L.) seedlings under chilling stress. *Plants* 10(11):2421, **2021**. <https://doi.org/10.3390/plants10112421>. (WoS/Scopus)
- 2391.** Gao M, Sun H, Shi M, Wu Q, Ji D, Wang B, Zhang L, Liu Y, Han L, Ruan X, Xu H and Yang W. 2-Keto-L-gulonic acid improved the salt stress resistance of non-heading chinese cabbage by increasing L-ascorbic acid accumulation. *Frontiers in Plant Science* 12:697184, **2021**. <https://doi.org/10.3389/fpls.2021.697184>.

(WoS/Scopus)

- 2392.** Gao M, Xu Y, Liu Y, Wang S, Wang C, Dong Y, Song Z. Effect of polystyrene on di-butyl phthalate (DBP) bioavailability and DBP-induced phytotoxicity in lettuce. *Environmental Pollution* 268, 115870, **2021**. <https://doi.org/10.1016/j.envpol.2020.115870>. **(WoS/Scopus)**
- 2393.** Gao YF, Rong LP, Zhao DH, Zhang JQ, Chen JS. Effects of simulated acid rain on the photosynthetic physiology of *Acer ginnala* seedlings. *Canadian Journal of Forest Research* 51(1):18-24, **2021**. <https://doi.org/10.1139/cjfr-2020-0091>. **(WoS/Scopus)**
- 2394.** Gaur S, Kumar J, Prasad SM, Sharma S, Bhat JA, Sahi S, Singh VP, Tripathi DK, Chauhan DK. Silicon and nitric oxide interplay alleviates copper induced toxicity in mung bean seedlings. *Plant Physiology and Biochemistry* 167:713-722, **2021**. <https://doi.org/10.1016/j.plaphy.2021.08.011>. **(WoS/Scopus)**
- 2395.** Geng W, Qiu Y, Peng Y, Zhang Y, Li Z. Water and oxidative homeostasis, Na⁺/K⁺ transport, and stress-defensive proteins associated with spermine-induced salt tolerance in creeping bentgrass. *Environmental and Experimental Botany* 192, 104659, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104659>. **(WoS/Scopus)**
- 2396.** Ghaderifar F, Sancholi O, Sadeghipour H. Changes in germination indices and the activity of antioxidant system of cottonseed (*Gossypium hirsutum* L.) during deterioration. *Journal of Iranian Plant Ecophysiological Research* 16(62), 35-49, **2021**. <https://dx.doi.org/10.30495/iper.2021.679513>. **(WoS/Scopus)**
- 2397.** Ghafar MA, Akram NA, Saleem MH, Wang J, Wijaya L, Alyemeni MN. Ecotypic morphological and physio-biochemical responses of two differentially adapted forage grasses, *Cenchrus ciliaris* L. and *Cyperus arenarius* Retz. to drought stress. *Sustainability* 13(14):8069, **2021**. <https://doi.org/10.3390/su13148069>. **(WoS/Scopus)**
- 2398.** Ghafari S, Kaviani B, Sedaghatpour S, Allahyari MS. Assessment of air pollution tolerance index (APTI) for some ornamental woody species in green space of humid temperate region (Rasht, Iran). *Environment, Development and Sustainability* 23:1579-1600, **2021**. <https://doi.org/10.1007/s10668-020-00640-1>. **(WoS/Scopus)**
- 2399.** Ghasemi-Omran VO, Ghorbani A, Sajjadi-Otaghsara SA. Melatonin alleviates NaCl-induced damage by regulating ionic homeostasis, antioxidant system, redox homeostasis, and expression of steviol glycosides-related biosynthetic genes in *in vitro* cultured *Stevia rebaudiana* Bertoni. *In Vitro Cellular & Developmental Biology-Plant* 57(2), 319-331, **2021**. <https://doi.org/10.1007/s11627-021-10161-9>. **(WoS/Scopus)**
- 2400.** Ghorbani A, Pishkar L, Roodbari N, Pehlivan N, Wu C. Nitric oxide could allay arsenic phytotoxicity in tomato (*Solanum lycopersicum* L.) by modulating photosynthetic pigments, phytochelatin metabolism, molecular redox status and arsenic sequestration. *Plant Physiology and Biochemistry* 167, 337-348, **2021**. <https://doi.org/10.1016/j.plaphy.2021.08.019>. **(WoS/Scopus)**
- 2401.** Ghouili E, Sassi K, Jebara M, Hidri Y, Ouertani RN, Muhovski Y, Jebara SH, El Ayed M, Abdelkarim S, Chaieb O, Jallouli S, Kalleli F, M'hamdi M, Souissi F, Abid G. Physiological responses and expression of sugar associated genes in faba bean (*Vicia faba* L.) exposed to osmotic stress. *Physiology and Molecular Biology of Plants* 27, 135–150, **2021**. <https://doi.org/10.1007/s12298-021-00935-1>. **(WoS/Scopus)**
- 2402.** Goharrizi KJ, Meru G, Kermani SG, Heidarinezhad A, Salehi F. Short-term cold stress affects physiological and biochemical traits of pistachio rootstocks. *South African Journal of Botany* 141, 90-98, **2021**. <https://doi.org/10.1016/j.sajb.2021.04.029>. **(WoS/Scopus)**
- 2403.** Gokul A, Fahiem Carelse M, Niekerk L-A, Klein A, Ludidi N, Mendoza-Cozatl D, Keyster M. Exogenous 3,30-Diindolylmethane improves vanadium stress tolerance in brassica napus seedling shoots by modulating antioxidant enzyme activities. *Biomolecules* 11, 436, **2021**. <https://doi.org/10.3390/biom11030436>. **(WoS/Scopus)**
- 2404.** González-Moscóso M, González-García Y, Martínez-Villegas NV, G Cadenas-Pliego, A Juárez-Maldonado. Nitric oxide modified growth, nutrient uptake and the antioxidant defense system in tomato seedlings stressed with arsenic. *Theoretical and Experimental Plant Physiology* 33:205-233, **2021**. <https://doi.org/10.1007/s40626-021-00205-1>. **(WoS/Scopus)**
- 2405.** Guedes FRCM, Maia CF, da Silva BRS, Batista BL, Alyemeni MN, Ahmad P, Lobato AK. Exogenous 24-Epibrassinolide stimulates root protection, and leaf antioxidant enzymes in lead stressed rice plants: Central roles to minimize Pb content and oxidative stress. *Environmental Pollution* 280, 116992, **2021**. <https://doi.org/10.1016/j.envpol.2021.116992>. **(WoS/Scopus)**
- 2406.** Guha T, Das H, Mukherjee A, Kundu R. Elucidating ROS signaling networks and physiological changes involved in nanoscale zero valent iron primed rice seed germination *sensu stricto*. *Free Radical Biology and Medicine* 171, 11-25, **2021**. <https://doi.org/10.1016/j.freeradbiomed.2021.05.005>. **(WoS/Scopus)**
- 2407.** Gulnaz R, Iqbal M, Sattar A, Sajid MA, Khaliq S. Study of physiological and biochemical indicators of temperature tolerance in wheat (*Triticum aestivum* L.) in response to short-term spatiotemporal temperature variation. *Pakistan Journal of Agricultural Sciences* 58(2), 561-569, **2021**. <https://pakjas.com.pk/papers/3363.pdf>. **(WoS/Scopus)**
- 2408.** Gupta D, Prasad SM. Priming with 5-aminolevulinic acid (ALA) attenuates UV-B induced damaging effects in two varieties of *Cajanus cajan* L. seedlings by regulating photosynthetic and antioxidant systems. *South African Journal of Botany* 138, 129-140, **2021**. <https://doi.org/10.1016/j.sajb.2020.12.009>. **(WoS/Scopus)**
- 2409.** Gupta OP, Pandey V, Saini R, Khandale T, Singh A, Malik VK, Narwal S, Ram S, Singh GP. Comparative physiological, biochemical and transcriptomic analysis of hexaploid wheat (*T. aestivum* L.) roots and shoots identifies potential pathways and their molecular regulatory network during Fe and Zn starvation. *Genomics* 113(5), 3357-3372, **2021**. <https://doi.org/10.1016/j.ygeno.2021.07.029>. **(WoS/Scopus)**
- 2410.** Habib N, Ali Q, Ali S, MZ Haider, MT Javed, M Khalid, R Perveen, A A Alsahli, MN Alyemeni. Seed

priming with sodium nitroprusside and H₂O₂ confers better yield in wheat under salinity: water relations, antioxidative defense mechanism and ion homeostasis. *Journal of Plant Growth Regulation* 40:2433-2453, **2021**. <https://doi.org/10.1007/s00344-021-10378-3>. (WoS/Scopus)

2411. Habibi G, Turkan I. Changes in crassulacean acid metabolism expression, chloroplast ultrastructure, photochemical and antioxidant activity in the *Aloe vera* during acclimation to combined drought and salt stress. *Functional Plant Biology* 49(1):40-53, **2021**. <https://doi.org/10.1071/FP21008>. (WoS/Scopus)

2412. Hachemi A, Said Ali O, Belghazi T, Lahrouni A, El Mercht S, El Hassan C, El Messoussi S. Effect of hydric and light stress on biomass, nutrient uptake and enzymatic antioxidants of *Argania spinosa* seedlings. *Archives of Biological Sciences* 73(1), 145-153, **2021**. <https://doi.org/10.2298/ABS201220010H>. (WoS/Scopus)

2413. Hafeez H, Muhammad F, Shahani AA, Mansoor M, Kashan M, Ullah S, Khan MA, Ahmad MA, Shafique M, Rabbi MA. Effect of gibberellic acid (GA) on carrot (*Daucus carota* L.) under cadmium chloride stress. *NVEO-NATURAL VOLATILES & ESSENTIAL OILS Journal* 8(4), 34-56, **2021**. <http://www.nveo.org/index.php/journal/article/view/143>.

2414. Haghighi SR, Hosseiniaveh V, Talebi K, Maali-Amiri R, Stelinski LL. Salicylic acid induced resistance in drought-stressed pistachio seedlings influences physiological performance of *Agonoscyta pistaciae* (Hemiptera: Aphalaridae). *Journal of Economic Entomology* 114(5):2172-2188, **2021**. <https://doi.org/10.1093/jee/toab149>. (WoS/Scopus)

2415. Hajhashemi S, Skalicky M, Brestic M, Pavla V. Effect of sodium nitroprusside on physiological and anatomical features of salt-stressed *Raphanus sativus*. *Plant Physiology and Biochemistry* 169, 160-170, **2021**. <https://doi.org/10.1016/j.plaphy.2021.11.013>. (WoS/Scopus)

2416. Hajhashemi S. Characterization of exogenous nitric oxide effect on *Crocus sativus* response to different irrigation regimes. *Journal of Plant Growth Regulation* 40:1510-1520, **2021**. <https://doi.org/10.1007/s00344-020-10207-z>. (WoS/Scopus)

2417. Hameed A, Akram NA, Saleem MH, Ashraf M, Ahmed S, Ali S, Abdullah Alsahli A, Alyemeni MN. Seed treatment with α -tocopherol regulates growth and key physio-biochemical attributes in carrot (*Daucus carota* L.) plants under water limited regimes. *Agronomy* 11, 469, **2021**. <https://doi.org/10.3390/agronomy11030469>. (WoS/Scopus)

2418. Harbaoui M, Ben Romdhane W, Ben Hsouna A, F Brini, R Ben Saad. The durum wheat annexin, TdAnn6, improves salt and osmotic stress tolerance in *Arabidopsis* via modulation of antioxidant machinery. *Protoplasma* 258:1047-1059, **2021**. <https://doi.org/10.1007/s00709-021-01622-4>. (WoS/Scopus)

2419. Hasegawa H, Tsurumaki T, Imamura S, Sonoike K, Tanaka K. The circadian rhythm regulator RpaA modulates photosynthetic electron transport and alters the preferable temperature range for growth in a cyanobacterium. *FEBS Letters* 595(10):1480-1492, **2021**. <https://doi.org/10.1002/1873-3468.14075>. (WoS/Scopus)

2420. Hassan MJ, Geng W, Zeng W, Raza MA, Khan I, Iqbal MZ, Peng Y, Zhu Y and Li Z. Diethyl aminoethyl hexanoate priming ameliorates seed germination via involvement in hormonal changes, osmotic adjustment, and dehydrins accumulation in white clover under drought stress. *Frontiers in Plant Science* 12:709187, **2021**. <https://doi.org/10.3389/fpls.2021.709187>. (WoS/Scopus)

2421. Hassanpour H, Eydi A, Hekmati M. Electromagnetic field improved nanoparticle impact on antioxidant activity and secondary metabolite production in anthemis gilanica seedlings. *International Journal of Agronomy* vol. 2021, Article ID 8730234, 9 pages, **2021**. <https://doi.org/10.1155/2021/8730234>. Source: (WoS/Scopus)

2422. Hassanpour H, Ghanbarzadeh M. Induction of cell division and antioxidative enzyme activity of *Matricaria chamomilla* L. cell line under clino-rotation. *Plant Cell, Tissue and Organ Culture* 146:215-224, **2021**. <https://doi.org/10.1007/s11240-021-02060-z>. (WoS/Scopus)

2423. Hassanpour H, Hassanpour S. promoting impact of electromagnetic field on antioxidant system and performance of vascular tissues in *Physalis alkekengi*. *Russian Journal of Plant Physiology* 68(3), 545-551, **2021**. <https://doi.org/10.1134/S1021443721030079>. (WoS/Scopus)

2424. Hassanpour H, Niknam V, Salami S. Acceleration breaks the cells defense mechanisms against vibration in *Anthemis gilanica* Calli. *International Journal of Agronomy* Article ID 8862860, **2021**, 12 pages. <https://doi.org/10.1155/2021/8862860>. Source: (WoS/Scopus)

2425. Hemati T, Abbasnejad M, Mollashahi M, Esmaeili-Mahani S, Shahraki A. Activation of L-type calcium channels and attenuation of oxidative stress are involved in the improving effect of methyl jasmonate on learning and memory and its anxiolytic property in rats. *Behavioural Pharmacology* 32(4), 286-294, **2021**. <https://doi.org/10.1097/fbp.0000000000000611>. WoS and (WoS/Scopus)

2426. Hemmati Gough R, Fattahi Moghadam M, Shokrpour M, Naghavi M, Varshochi A. Influence of methyl jasmonate and salicylic acid treatment on the antioxidant enzyme changes, expression of bap and biosynthesis of taxanes in in vitro plantlets of hazelnut cv 'Segorb'. *Iranian Journal of Horticultural Science* 52(1), 225-242, **2021**. <https://dx.doi.org/10.22059/ijhs.2020.292876.1739>.

2427. Heydarzadeh S, Gitari H, Rahimi A, Khiavi HK, Hosseinpour A. The physiological properties of lentil (*Lens culinaris* Medik.) in response to mycorrhizal fungi and phosphate-solubilizing bacterium under irrigation condition. *International Journal of Bioresource Science* 08(01): 01-14, **2021**. <https://renupublishers.com/images/article/IJBSv8n1a.pdf>.

2428. Homayoonzadeh M, Hosseiniaveh V, Haghighi SR, Talebi K, Roessner U, Maali-Amiri R. Evaluation of physiological and biochemical responses of pistachio plants (*Pistacia vera* L.) exposed to pesticides. *Ecotoxicology* 30:1084-1097, **2021**. <https://doi.org/10.1007/s10646-021-02434-1>. (WoS/Scopus)

2429. Hosseini Faradonbeh N, Izadi Darbandi E, Karimmojeni H, Nezami A. The morphological and physiological traits of *Cucumis sativus*- *Phelipanche aegyptiaca* association affected by arbuscular mycorrhizal fungi symbiosis. *Journal of Crop Protection* 10 (4):669-684, **2021**. <http://jcp.modares.ac.ir/article-3-44883-en.html>.
2430. Hou JF, Xu Y, Wang ZX, Chen F, Yuan LY, Zhu SD, Shan GL, Wang CG. Exogenous paclobutrazol can relieve the low irradiance stress in *Capsicum annuum* seedlings. *Biologia Plantarum* 65:297-306, **2021**. <https://bp.ueb.cas.cz/pdfs/bpl/2021/01/68.pdf>. (WoS/Scopus)
2431. Hu Y, Habibul N, Hu YY, Meng FL, Sheng GP. Chemical speciation of ciprofloxacin in aqueous solution regulates its phytotoxicity and uptake by rice (*Oryza sativa* L.). *Science of the Total Environment* 771, 144787, **2021**. <https://doi.org/10.1016/j.scitotenv.2020.144787>. (WoS/Scopus)
2432. Huang C, Tian Y, Zhang B, Hassan MJ, Li Z, Zhu Y. Chitosan (CTS) alleviates heat-induced leaf senescence in creeping bentgrass by regulating chlorophyll metabolism, antioxidant defense, and the heat shock pathway. *Molecules* 26(17):5337, **2021**. <https://doi.org/10.3390/molecules26175337>. (WoS/Scopus)
2433. Huang P, He L, Abbas A, Hussain S, Hussain S, Du D, Hafeez MB, Balooch S, Zahra N, Ren X, Rafiq M, Saqib M. Seed priming with sorghum water extract improves the performance of camelina (*Camelina sativa* (L.) Crantz.) under salt stress. *Plants* 10(4), 749, **2021**. <https://doi.org/10.3390/plants10040749>. (WoS/Scopus)
2434. Husain T, Suhel M, Prasad SM, Sing VP. Ethylene needs endogenous hydrogen sulfide for alleviating hexavalent chromium stress in *Vigna mungo* L. and *Vigna radiata* L. *Environmental Pollution* 290, art. 117968, **2021**. <https://doi.org/10.1016/j.envpol.2021.117968>. (WoS/Scopus)
2435. Hussain I, Rehman K, Ashraf MA, Rasheed R, Gul J, Akash MS, Bashir R. Effect of pharmaceutical effluents on growth, oxidative defense, secondary metabolism, and ion homeostasis in carrot. *Dose-Response* 19(2):1559325821998506, **2021**. <https://doi.org/10.1177%2F1559325821998506>. (WoS/Scopus)
2436. Hussain MI, Elnaggar A, El-Keblawy A. Eco-physiological adaptations of *Salsola drummondii* to soil salinity: role of reactive oxygen species, ion homeostasis, carbon isotope signatures and anti-oxidant feedback. *Plant Biosystems* 155(6):1133-1145, **2021**. <https://doi.org/10.1080/11263504.2020.1840453>. (WoS/Scopus)
2437. Hussein NA, Abdel-Sater MA, AL-Amery E, Mahmoud GA. Effect of *Trichoderma harzianum* on enhancing the defense ability of tomato plants against *Alternaria cerealis* MT808477. *Assiut University Journal of Botany and Microbiology* 50(2), 67-92, **2021**. <https://dx.doi.org/10.21608/aunj.2021.219673>.
2438. Illescas M, Pedrero-Méndez A, Pitorini-Bovolini M, Hermosa R, Monte E. Phytohormone production profiles in *Trichoderma* species and their relationship to wheat plant responses to water stress. *Pathogens* 10, 991, **2021**. <https://doi.org/10.3390/pathogens10080991>. (WoS/Scopus)
2439. Imran KH, Seleiman MF, Chattha MU, Jalal RS, Mahmood F, Hassan FA, Izzet W, Alhammad BA, Rana RO, Hassan MU. Enhancing antioxidant defense system of mung bean with a salicylic acid exogenous application to mitigate cadmium toxicity. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 49(2), 12303, **2021**. <https://doi.org/10.15835/nbha49212303>. (WoS/Scopus)
2440. Imran M, Aaqil Khan M, Shahzad R, Bilal S, Khan M, Yun B-W, Khan AL, Lee I-J. Melatonin ameliorates thermotolerance in soybean seedling through balancing redox homeostasis and modulating antioxidant defense, phytohormones and polyamines biosynthesis. *Molecules* 26(17):5116, **2021**. <https://doi.org/10.3390/molecules26175116>. (WoS/Scopus)
2441. Imran M, Khan AL, Shahzad R, Khan MA, Bilal S, Khan A, Kang S-M, Lee I-J. Exogenous melatonin induces drought stress tolerance by promoting plant growth and antioxidant defence system of soybean plants. *AoB PLANTS* 13(4), plab026, **2021**. <https://doi.org/10.1093/aobpla/plab026>. (WoS/Scopus)
2442. Imran M, Shazad R, Bilal S, Imran QM, Khan M, Kang SM, Khan AL, Yun BW, Lee IJ. Exogenous Melatonin mediates the regulation of endogenous nitric oxide in *Glycine max* L. to reduce effects of drought stress. *Environmental and Experimental Botany* 188, 104511, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104511>. (WoS/Scopus)
2443. Intarasit S, Saengnil K. Transient production of H₂O₂ and NO induced by ascorbic acid coincides with promotion of antioxidant enzyme activity and reduction of pericarp browning of harvested longan fruit. *Scientia Horticulturae* 277, 109784, **2021**. <https://doi.org/10.1016/j.scienta.2020.109784>. (WoS/Scopus)
2444. Islam MJ, Ryu BR, Azad MOK, Rahman MH, Rana MS, Lim J-D, Lim Y-S. Exogenous putrescine enhances salt tolerance and ginsenosides content in korean ginseng (*Panax ginseng* Meyer) sprouts. *Plants* 10, 1313, **2021**. <https://doi.org/10.3390/plants10071313>. (WoS/Scopus)
2445. Islam S, Mohammad F. Modulation of growth, photosynthetic efficiency, leaf biochemistry, cell viability and yield of Indian mustard by the application of trehalose. *Scientia Horticulturae* 290:110527, **2021**. <https://doi.org/10.1016/j.scienta.2021.110527>. (WoS/Scopus)
2446. Islam S, Parrey ZA, Shah SH, Mohammad F. Glycine betaine mediated changes in growth, photosynthetic efficiency, antioxidant system, yield and quality of mustard. *Scientia Horticulturae* 285, 110170, **2021**. <https://doi.org/10.1016/j.scienta.2021.110170>. (WoS/Scopus)
2447. Jabeen M, Akram NA, Ashraf M, Alyemeni MN, Ahmad P. Thiamin stimulates growth and secondary metabolites in turnip (*Brassica rapa* L.) leaf and root under drought stress. *Physiologia Plantarum* 172(2):1399-1411, **2021**. <https://doi.org/10.1111/ppl.13215>. (WoS/Scopus)
2448. Jahan MS, Shu S, Wang Y, Hasan MM, El-Yazied AA, Alabdallah NM, Hajjar D, Altaf MA, Sun J, Guo S. Melatonin pretreatment confers heat tolerance and repression of heat-induced senescence in tomato through the modulation of ABA-and GA-mediated pathways. *Frontiers in Plant Science* 12:650955, **2021**. <https://doi.org/10.3389/fpls.2021.650955>. (WoS/Scopus)

- 2449.** Jain S, Rai P, Singh J, Singh VP, Prasad R, Rana S, Deshmukh R, Tripathi DK, Sharma S. Exogenous addition of silicon alleviates metsulfuron methyl induced stress in wheat seedlings. *Plant Physiology and Biochemistry* 167:705-712, **2021**. <https://doi.org/10.1016/j.plaphy.2021.07.031>. (WoS/Scopus)
- 2450.** Janah I, Elhasnaoui A, Issa Ali O, Lamnai K, Aissam S, Loutfi K. Physiochemical responses of *Stevia rebaudiana* Bertoni subjected to sodium chloride (NaCl) salinity and exogenous salicylic acid application. *Gesunde Pflanzen* 73:509-520, **2021**. <https://doi.org/10.1007/s10343-021-00570-6>. (WoS/Scopus)
- 2451.** Jayawardhane J, Wijesinghe MKPS, Bykova NV, Igamberdiev AU. Metabolic changes in seed embryos of hypoxia-tolerant rice and hypoxia-sensitive barley at the onset of germination. *Plants* 10(11):2456, **2021**. <https://doi.org/10.3390/plants10112456>. (WoS/Scopus)
- 2452.** Jiao C, Lan G, Sun Y, Wang G, Sun Y. Dopamine alleviates chilling stress in watermelon seedlings via modulation of proline content, antioxidant enzyme activity, and polyamine metabolism. *Journal of Plant Growth Regulation* 40:277-292, **2021**. <https://doi.org/10.1007/s00344-020-10096-2>. (WoS/Scopus)
- 2453.** Jiao R, Zhang M, Wei Z, Xu J, Zhang H. Alleviative effects of nitric oxide on *Vigna radiata* seedlings under acidic rain stress. *Molecular Biology Reports* 48:2243-2251, **2021**. <https://doi.org/10.1007/s11033-021-06244-w>. (WoS/Scopus)
- 2454.** Kamińska M, Kęsy J, Trejgell A. Absciscic acid in preservation of *Taraxacum pieninicum* in the form of synthetic seeds in slow growth conditions. *Plant Cell, Tissue and Organ Culture* 144:295-312, **2021**. <https://doi.org/10.1007/s11240-020-01924-0>. (WoS/Scopus)
- 2455.** Kamran M, Danish M, Saleem MH, Malik Z, Parveen A, Abbasi GH, Jamil M, Ali S, Afzal S, Riaz M, Rizwan M. Application of abscisic acid and 6-benzylaminopurine modulated morpho-physiological and antioxidative defense responses of tomato (*Solanum lycopersicum* L.) by minimizing cobalt uptake. *Chemosphere* 263, 128169. **2021**. <https://doi.org/10.1016/j.chemosphere.2020.128169>. (WoS/Scopus)
- 2456.** Kapoor RT, Alyemeni MN, Ahmad P. Exogenously applied spermidine confers protection against cinnamic acid-mediated oxidative stress in *Pisum sativum*. *Saudi Journal of Biological Sciences* 28(5), 2619-2625, **2021**. <https://doi.org/10.1016/j.sjbs.2021.02.052>. (WoS/Scopus)
- 2457.** Karabay U, Toptas A, Yanik J, Aktas L. Does Biochar Alleviate Salt Stress Impact on Growth of Salt-Sensitive Crop Common Bean. *Communications in Soil Science and Plant Analysis* 52(5):456-469, **2021**. <https://www.tandfonline.com/doi/full/10.1080/00103624.2020.1862146>. (WoS/Scopus)
- 2458.** Karakas S, Bolat I, Dikilitas M. The Use of halophytic companion plant (*Portulaca oleracea* L.) on some growth, fruit, and biochemical parameters of strawberry plants under salt stress. *Horticulturae* 7(4):63, **2021**. <https://doi.org/10.3390/horticulturae7040063>. (WoS/Scopus)
- 2459.** Karakas S, Dikilitas M, Akkurak H. Biochemical and DNA damage responses of hydroponically grown Elands sourfig (*Carpobrotus acinaciformis* L.) leaves to cadmium stress conditions. *Applied Ecology and Environmental Research* 19(4):2649-2666, **2021**. http://dx.doi.org/10.15666/aer/1904_26492666. (WoS/Scopus)
- 2460.** Kasampalis DS, Aktasoglou D-C, Tsouvaltzis P, Siomos AS. Responses of peppermint and spearmint crops to excessive biostimulant application and increased salinity in a closed soilless production system. *Agronomy* 11(6):1168, **2021**. <https://doi.org/10.3390/agronomy11061168>. (WoS/Scopus)
- 2461.** Katuwal KB, Rowe S, Jespersen D. The use of 5-aminolevulinic acid to reduce heat-stress-related damages in tall fescue. *Crop Science* 61(5):3206-3218, **2021**. <https://doi.org/10.1002/csc2.20294>. (WoS/Scopus)
- 2462.** Kaur I, Goyal D. Cartap hydrochloride induced stress response in *Anabaena variabilis* ARM 441. *Pesticide Biochemistry and Physiology* 177, art. 104904, **2021**. <https://doi.org/10.1016/j.pestbp.2021.104904>. (WoS/Scopus)
- 2463.** Kaya C, Polat T, Ashraf M, Kaushik P, Alyemeni MN, Ahmad P. Endogenous nitric oxide and its potential sources regulate glutathione-induced cadmium stress tolerance in maize plants. *Plant Physiology and Biochemistry* 167:723-737, **2021**. <https://doi.org/10.1016/j.plaphy.2021.08.030>. (WoS/Scopus)
- 2464.** Kaya C. Nitrate reductase is required for salicylic acid-induced water stress tolerance of pepper by upraising the AsA-GSH pathway and glyoxalase system. *Physiologia Plantarum* 172(2):351-370, **2021**. <https://doi.org/10.1111/ppl.13153>. (WoS/Scopus)
- 2465.** Kaya C. Salicylic acid-induced hydrogen sulphide improves lead stress tolerance in pepper plants by upraising the ascorbate-glutathione cycle. *Physiologia Plantarum* 173(1):8-19, **2021**. <https://doi.org/10.1111/ppl.13159>. (WoS/Scopus)
- 2466.** Kazerooni EA, Al-Sadi AM, Kim I-D, Imran M, Lee I-J. Ampelopsin confers endurance and rehabilitation mechanisms in *Glycine max* cv. Sowonkong under multiple abiotic stresses. *International Journal of Molecular Sciences* 22(20):10943, **2021**. <https://doi.org/10.3390/ijms222010943>. (WoS/Scopus)
- 2467.** Khalid MF, Hussain S, Anjum MA, Morillon R, Ahmad S, Ejaz S, Hussain M, Jaafar HZE, Alrashood ST, Ormenisan AN. Physiological and biochemical responses of Kinnow mandarin grafted on diploid and tetraploid Volkamer lemon rootstocks under different water-deficit regimes. *PLoS ONE* 16(4): e0247558, **2021**. <https://doi.org/10.1371/journal.pone.0247558>. (WoS/Scopus)
- 2468.** Khalid MF, Vincent C, Morillon R, Anjum MA, Ahmad S, Hussain S. Different strategies lead to a common outcome: different water-deficit scenarios highlight physiological and biochemical strategies of water deficit tolerance in diploid vs. tetraploid volkamer lemon. *Tree Physiology* 41(12), 2359-2374, **2021**. <https://doi.org/10.1093/treephys/tpab074>. (WoS/Scopus)
- 2469.** Khaliq S, Iqbal M, Yaseen W, Rasheed R. The exogenous menadiol diacetate enhances growth and yield by reducing Pb uptake, translocation and its toxicity through tissue nutrients acquisition in cucumber (*Cucumis stivus* L.). *Environmental Technology & Innovation* 23, 101666, **2021**. <https://doi.org/10.1016/j.eti.2021.101666>.

(WoS/Scopus)

- 2470.** Khan I, Awan SA, Raza MA, Rizwan M, Tariq R, Ali S, Huang L. Silver nanoparticles improved the plant growth and reduced the sodium and chlorine accumulation in pearl millet: a life cycle study. *Environmental Science and Pollution Research* 28:13712-13724, **2021**. <https://doi.org/10.1007/s11356-020-11612-3>. (WoS/Scopus)
- 2471.** Khan I, Seleiman MF, Chattha MU, Jalal RS, Mahmood F, Hassan FAS, Izzet W, Alhammad BA, Ali EF, Roy R, Uslu, OS, Hassan MU. Enhancing antioxidant defense system of mung bean with a salicylic acid exogenous application to mitigate cadmium toxicity. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 49(2), 12303, **2021**. <https://doi.org/10.15835/nbha49212303>. (WoS/Scopus)
- 2472.** Khan J, Chandra J, Xalxo R, Korram J, Manmohan Satnami L, Keshavkant S. Amelioration of ageing associated alterations and oxidative inequity in seeds of *Cicer arietinum* by silver nanoparticles. *Journal of Plant Growth Regulation* 40:1341-1351, **2021**. <https://doi.org/10.1007/s00344-020-10193-2>. (WoS/Scopus)
- 2473.** Khan MN, Mukherjee S, Al-Huqail AA, Basahi RA, Ali HM, Al-Munqedhi BMA, Siddiqui MH, Kalaji HM. Exogenous potassium (K⁺) positively regulates Na⁺/H⁺ antiport system, carbohydrate metabolism, and ascorbate–glutathione cycle in H₂S-dependent manner in NaCl-stressed tomato seedling roots. *Plants* 10(5):948, **2021**. <https://doi.org/10.3390/plants10050948>. (WoS/Scopus)
- 2474.** Khan MN, Siddiqui MH, Mukherjee S, Alamri S, Al-Amri AA, Alsubaie QD, Al-Munqedhi BM, Ali HM. Calcium-hydrogen sulfide crosstalk during K⁺-deficient NaCl stress operates through regulation of Na⁺/H⁺ antiport and antioxidative defense system in mung bean roots. *Plant Physiology and Biochemistry* 159, 211-225, **2021**. <https://doi.org/10.1016/j.plaphy.2020.11.055>. (WoS/Scopus)
- 2475.** Khan RI, M Abbas, MJ Jaskani, A Habib. Fenugreek extract application improves plant performance of *Alternaria solani* infected tomato plants. *Pakistan Journal of Agricultural Sciences* 58(4):1263-1275, **2021**. <http://pakjas.com.pk/papers/3451.pdf>. (WoS/Scopus)
- 2476.** Khan S, Basit A, Hafeez MB, Irshad S, Bashir S, Bashir S, Maqbool MM, Saddiq MS, Hasnain Z, Aljuaid BS, El-Shehawi AM, Li Y. Moringa leaf extract improves biochemical attributes, yield and grain quality of rice (*Oryza sativa* L.) under drought stress. *PLoS ONE* 16(7): e0254452, **2021**. <https://doi.org/10.1371/journal.pone.0254452>. (WoS/Scopus)
- 2477.** Khoulati A, Ouahhoud S, Bekkouch O, S Mamri, M Choukri, S Amrani, A Asehrou, E Saalaoui. Impact of the saffron extract on growth and antioxidant enzymes activity of *Solanum lycopersicum* L. seedlings in Moroccan open field conditions. *Vegetos* 34:555-567, **2021**. <https://doi.org/10.1007/s42535-021-00238-6>. Source: (WoS/Scopus)
- 2478.** Kiani R, Arzani A, Mirmohammady Maibody SAM, Rahimmalek M, Razavi K. Morpho-physiological and gene expression responses of wheat by *Aegilops cylindrica* amphidiploids to salt stress. *Plant Cell, Tissue and Organ Culture* 144:619-639, **2021**. <https://doi.org/10.1007/s11240-020-01983-3>. (WoS/Scopus)
- 2479.** Kiran BR, Prasad MNV. Assisted phytostabilization of Pb-spiked soils amended with charcoal and banana compost and vegetated with *Ricinus communis* L. (Castor bean). *Environmental Geochemistry and Health* 43:1507-1521, **2021**. <https://doi.org/10.1007/s10653-021-00825-1>. (WoS/Scopus)
- 2480.** Kolomiiets YV, Grygoryuk IP, Butsenko LM, Emets AI, Blume YB. Sodium nitroprusside as a resistance inducer in tomato plants against pathogens of bacterial diseases. *Cytology and Genetics* 55(6), 548-557, **2021**. <https://doi.org/10.3103/S0095452721060049>. (WoS/Scopus)
- 2481.** Kosar F, Akram NA, Ashraf M, Ahmad A, Alyemeni MN, Ahmad P. Impact of exogenously applied trehalose on leaf biochemistry, achene yield and oil composition of sunflower under drought stress. *Physiologia Plantarum* 172(2):317-333, **2021**. <https://doi.org/10.1111/ppl.13155>. (WoS/Scopus)
- 2482.** Krust D, Gusbeth C, Müller AS, Scherer D, Müller G, Frey W, Nick P. Biological signalling supports biotechnology–pulsed electric fields extract a cell-death inducing factor from *Chlorella vulgaris*. *Bioelectrochemistry* 143, 107991, **2021**. <https://doi.org/10.1016/j.bioelechem.2021.107991>. (WoS/Scopus)
- 2483.** Küçükakyüz K, Çatav ŞS. Physiological effects of smoke-water and karrikinolide on wheat seedlings grown under boron stress. *Russian Journal of Plant Physiology* 68(3), 552-558, **2021**. <https://doi.org/10.1134/S1021443721030092>. (WoS/Scopus)
- 2484.** Kul R, Ekinici M, Turan M, Yildirim E. Impact of biochar on growth, physiology and antioxidant activity of common bean subjected to salinity stress. *Global Journal of Botanical Science* 9, 8-13, **2021**. <https://doi.org/10.12974/2311-858X.2021.09.2>.
- 2485.** Kumar S, Shukla V, Dubey MK, Upadhyay RS. Activation of defense response in common bean against stem rot disease triggered by *Trichoderma erinaceum* and *Trichoderma viride*. *Journal of Basic Microbiology* 61(10):910-922, **2021**. <https://doi.org/10.1002/jobm.202000749>. (WoS/Scopus)
- 2486.** Lamnai K, Anaya F, Fghire R, H Zine, S Wahbi, K Loutfi. Impact of exogenous application of salicylic acid on growth, water status and antioxidant enzyme activity of strawberry plants (*Fragaria vesca* L.) under salt stress conditions. *Gesunde Pflanzen* 73:465-478, **2021**. <https://doi.org/10.1007/s10343-021-00567-1>. (WoS/Scopus)
- 2487.** Langeroodi ARS, Mancinelli R, Radicetti E. Contribution of biochar and arbuscular mycorrhizal fungi to sustainable cultivation of sunflower under semi-arid environment. *Field Crops Research* 273, art. number 108292, **2021**. <https://doi.org/10.1016/j.fcr.2021.108292>. (WoS/Scopus)
- 2488.** Lashkary M, Moghaddam M, Asgharzade A, Tatari M. Titanium dioxide nanoparticle is involved in mitigating NaCl-induced *Calendula officinalis* L. by activation of antioxidant defense system and accumulation of osmolytes. *Plant Physiology and Biochemistry* 166:31-40, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.024>.

(WoS/Scopus)

- 2489.** Lee J-H, Shibata S, Goto E. Time-course of changes in photosynthesis and secondary metabolites in canola (*Brassica napus*) under different UV-B irradiation levels in a plant factory with artificial light. *Frontiers in Plant Science* 12:786555, **2021**. <https://doi.org/10.3389/fpls.2021.786555>. (WoS/Scopus)
- 2490.** Li J, Duan Y, Sun N, Wang L, Feng S, Fang Y, Wang Y. The miR169n-NF-YA8 regulation module involved in drought resistance in *Brassica napus* L. *Plant Science* 313, art. 111062, **2021**. <https://doi.org/10.1016/j.plantsci.2021.111062>. (WoS/Scopus)
- 2491.** Li JX, Li X, Xie YF. Mechanism on drought tolerance enhanced by exogenous trehalose in C4-pepc rice. *Chinese Bulletin of Botany* 56(3), 296-314, **2021**. <https://www.chinbullbotany.com/EN/10.11983/CBB20168>. (WoS/Scopus)
- 2492.** Li R, Jiang M, Song Y, Zhang H. Melatonin alleviates low-temperature stress via ABI5-mediated signals during seed germination in rice (*Oryza sativa* L.). *Frontiers in Plant Science* 12:727596. <https://doi.org/10.3389/fpls.2021.727596>. (WoS/Scopus)
- 2493.** Li Z, Tang M, Cheng B, Han L. Transcriptional regulation and stress-defensive key genes induced by γ -aminobutyric acid in association with tolerance to water stress in creeping bentgrass. *Plant Signaling and Behavior*. 16(3):1858247, **2021**. <https://doi.org/10.1080/15592324.2020.1858247>. (WoS/Scopus)
- 2494.** Li Z, Tang M, Hassan MJ, Zhang Y, Han L and Peng Y. Adaptability to High temperature and stay-green genotypes associated with variations in antioxidant, chlorophyll metabolism, and γ -aminobutyric acid accumulation in creeping bentgrass species. *Frontiers in Plant Science* 12:750728, **2021**. <https://doi.org/10.3389/fpls.2021.750728>. (WoS/Scopus)
- 2495.** Li ZX, Chen M, Miao YX, Li Q, Ren Y, Zhang WL, Lan JB, Liu YQ, Irving H. The role of AcPGIP in the kiwifruit (*Actinidia chinensis*) response to *Botrytis cinerea*. *Functional Plant Biology* 48, 1254-1263, **2021**. <https://doi.org/10.1071/FP21054>. (WoS/Scopus)
- 2496.** Liang C, Zhang Y, Ren X. Calcium regulates antioxidative isozyme activity for enhancing rice adaption to acid rain stress. *Plant Science* 306, 110876, **2021**. <https://doi.org/10.1016/j.plantsci.2021.110876>. (WoS/Scopus)
- 2497.** Liang LL, Cao YQ, Wang D, Peng Y, Zhang Y, Li Z. Spermine alleviates heat-induced senescence in creeping bentgrass by regulating water and oxidative balance, photosynthesis, and heat shock proteins. *Biologia Plantarum* 65:184-192, **2021**. <https://bp.ueb.cas.cz/pdfs/bpl/2021/01/40.pdf>. (WoS/Scopus)
- 2498.** Liu B, Jing D, Liu F, Ma H, Liu X, Peng L. Serendipita indica alleviates drought stress responses in walnut (*Juglans regia* L.) seedlings by stimulating osmotic adjustment and antioxidant defense system. *Applied Microbiology and Biotechnology* 105:8951-8968, **2021**. <https://doi.org/10.1007/s00253-021-11653-9>. (WoS/Scopus)
- 2499.** Liu C, Kang H, Wang Y, Yao Y, Gao Z and Du Y. Melatonin relieves ozone stress in grape leaves by inhibiting ethylene biosynthesis. *Frontiers in Plant Science* 12: 702874, **2021**. <https://doi.org/10.3389/fpls.2021.702874>. (WoS/Scopus)
- 2500.** Liu L, Assaha DVM, Islam MS, MM Hassan, A EL Sabagh, H Saneoka. NaCl enhance the growth of swiss chard (*Beta vulgaris* L.) leaves under potassium-deficient conditions. *Journal of Soil Science and Plant Nutrition* 21:1949-1956, **2021**. <https://doi.org/10.1007/s42729-021-00492-2>. (WoS/Scopus)
- 2501.** Liu T, Wang H, Liu Z, Pang Z, Zhang C, Zhao M, Ning B, Song B, Liu S, He Z, Wei W, Wu J, Liu Y, Xu P, Zhang S. The 26S proteasome regulatory subunit gmpsd promotes resistance to phytophthora sojae in soybean. *Frontiers in Plant Science* 12:513388, **2021**. <https://doi.org/10.3389/fpls.2021.513388>. (WoS/Scopus)
- 2502.** Liu Y, Yu L-L, Peng Y, Geng X-X, Xu F. Alternative oxidase inhibition impairs tobacco root development and root hair formation. *Frontiers in Plant Science* 12:664792, **2021**. <https://doi.org/10.3389/fpls.2021.664792>. (WoS/Scopus)
- 2503.** Lobato AKS, Barbosa MAM, Alsahli AA, Lima EJA, da Silva BRS. Exogenous salicylic acid alleviates the negative impacts on production components, biomass and gas exchange in tomato plants under water deficit improving redox status and anatomical responses. *Physiologia Plantarum* 172(2):869-884, **2021**. <https://doi.org/10.1111/ppl.13329>. (WoS/Scopus)
- 2504.** Lobato SMS, dos Santos LR, da Silva BRS, Melo WO, Lobato AKS. Protective mechanism triggered by pigeonpea plants exposed to water deficit: modifications linked to paraheliotropism, stomatal characteristics and antioxidant enzymes. *Journal of Plant Growth Regulation* 40:20-36, **2021**. <https://doi.org/10.1007/s00344-020-10077-5>. (WoS/Scopus)
- 2505.** López-Serrano L, Calatayud Á, López-Galarza S, Serrano R, Bueso E. Uncovering salt tolerance mechanisms in pepper plants: a physiological and transcriptomic approach. *BMC Plant Biology* 21, Article number: 169, **2021**. <https://doi.org/10.1186/s12870-021-02938-2>. (WoS/Scopus)
- 2506.** Lukić N. Effects of drought and flooding stress on antioxidative defence system in two maize (*Zea mays* L.) hybrids. University of Novi Sad, **2021**. https://scholar.google.com/scholar_url?url=https://nardus.mpn.gov.rs/bitstream/handle/123456789/18483/Disertacija_11376.pdf%3Fsequence%3D1&hl=en&sa=X&d=4223349672630414603&ei=3AUkYZHkDazcsQLI_oWACw&scisig=AAGBfm0e2S9TumNmD0kTP8NwvbsWt7xNQA&oi=scholaralrt&hist=P53aOtQAAAAJ:14807110563557335153:AAGBfm0FDU6K3NFCn2uHh6CvkukI2r3Y2g&html=&folt=kw. PhD Thesis
- 2507.** Ma S, Liu X, Jia Z, Meng M, Li C, Ren Q, Zhai L, Zhang B, Zhang Y, Zhang J. Response of *Quercus acutissima* foliage to different types of simulated acid rain. *Atmospheric Pollution Research* 12(7), art. 101112, **2021**. <https://doi.org/10.1016/j.apr.2021.101112>. (WoS/Scopus)

- 2508.** Ma Y, Xue H, Zhang F, Jiang Q, Yang S, Yue P, Wang F, Zhang Y, Li L, He P, Zhang Z. The miR156/SPL module regulates apple salt stress tolerance by activating MdWRKY100 expression. *Plant Biotechnology Journal* 19(2):311-323, **2021**. <https://doi.org/10.1111/pbi.13464>. (WoS/Scopus)
- 2509.** Mahapatra K, Roy S. SOG1 transcription factor promotes the onset of endoreduplication under salinity stress in *Arabidopsis*. *Scientific Reports* 11, art. number 11659, **2021**. <https://doi.org/10.1038/s41598-021-91293-1>. (WoS/Scopus)
- 2510.** Mahmood U, Hussain S, Hussain S, Ali B, Ashraf U, Zamir S, Al-Robai SA, Alzahrani FO, Hano C, El-Esawi MA. Morpho-physio-biochemical and molecular responses of maize hybrids to salinity and waterlogging during stress and recovery phase. *Plants* 10(7):1345, **2021**. <https://doi.org/10.3390/plants10071345>. (WoS/Scopus)
- 2511.** Mahmoud A, Abdelgawad H, Hamed BA, Beemster GTS, El-Shafey NM. Differences in cadmium accumulation, detoxification and antioxidant defenses between contrasting maize cultivars implicate a role of superoxide dismutase in Cd tolerance. *Antioxidants* 10(11):1812, **2021**. <https://doi.org/10.3390/antiox10111812>. (WoS/Scopus)
- 2512.** Mahmoud NE, Abdelhameed RM. Superiority of modified graphene oxide for enhancing the growth, yield, and antioxidant potential of pearl millet (*Pennisetum glaucum* L.) under salt stress. *Plant Stress* v.2, art. 100025, **2021**. <https://doi.org/10.1016/j.stress.2021.100025>.
- 2513.** Majumdar TD, Ghosh CK, Mukherjee A. Dual role of copper nanoparticles in bacterial leaf blight-infected rice: a therapeutic and metabolic approach. *ACS Agricultural Science & Technology* 1(3):160-172, **2021**. <https://doi.org/10.1021/acsagstech.0c00064>.
- 2514.** Malik B, Pirzadah TB, Tahir I, Hakeem KR, Rather IA, Sabir JSM, Rehman R Ul. Lead and aluminium-induced oxidative stress and alteration in the activities of antioxidant enzymes in chicory plants. *Scientia Horticulturae* 278, 109847, **2021**. <https://doi.org/10.1016/j.scienta.2020.109847>. (WoS/Scopus)
- 2515.** Manna I, Sahoo S, Bandyopadhyay M. Effect of engineered nickel oxide nanoparticle on reactive oxygen species–nitric oxide interplay in the roots of *Allium cepa* L. *Frontiers in Plant Science* 12:586509, **2021**. <https://doi.org/10.3389/fpls.2021.586509>. (WoS/Scopus)
- 2516.** Manuka R, Saddhe AA, Srivastava AK, Kumar K, Penna S. Overexpression of rice OsWNK9 promotes arsenite tolerance in transgenic *Arabidopsis* plants. *Journal of Biotechnology* 332, 114-125, **2021**. <https://doi.org/10.1016/j.jbiotec.2021.04.001>. (WoS/Scopus)
- 2517.** Maqsood MF, Shahbaz M, Arfan M, Basra SM. Presowing seed treatment with glycine betaine confers NaCl tolerance in quinoa by modulating some physiological processes and antioxidant machinery. *Turkish Journal of Botany* 45(1), 1-14, **2021**. <https://journals.tubitak.gov.tr/botany/issues/bot-21-45-1/bot-45-1-1-2009-13.pdf>. (WoS/Scopus)
- 2518.** Marques LO, Thiel CH, de Leivas GL, Deuner S, Pasa MD, Herter FG, Mello-Farias P. Antioxidant enzymes activity in ‘Castel Gala’ apple trees after the budbreak inducers application. *Australian Journal of Crop Science* 15(7), 1051-1057, **2021**. https://www.cropj.com/marques_15_7_2021_1051_1057.pdf. Source: (WoS/Scopus)
- 2519.** Masmoudi F, Tounsi S, Dunlap CA, Trigui M. Endophytic halotolerant *Bacillus velezensis* FMH2 alleviates salt stress on tomato plants by improving plant growth and altering physiological and antioxidant responses. *Plant Physiology and Biochemistry* 165:217-227, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.025>. (WoS/Scopus)
- 2520.** Masmoudi F, Tounsi S, Dunlap CA, Trigui M. Halotolerant *Bacillus spizizenii* FMH45 promoting growth, physiological, and antioxidant parameters of tomato plants exposed to salt stress. *Plant Cell Reports* 40:1199-1213, **2021**. <https://doi.org/10.1007/s00299-021-02702-8>. (WoS/Scopus)
- 2521.** Maswada HF, Sunoj VSJ, Prasad PVV. A comparative study on the effect of seed pre-sowing treatments with microwave radiation and salicylic acid in alleviating the drought-induced damage in wheat. *Journal of Plant Growth Regulation* 40:48-66, **2021**. <https://doi.org/10.1007/s00344-020-10079-3>. (WoS/Scopus)
- 2522.** Mehak G, Akram NA, Ashraf M, Kaushik P, El-Sheikh MA, Ahmad P. Methionine-induced regulation of growth, secondary metabolites and oxidative defense system in sunflower (*Helianthus annuus* L.) plants subjected to water deficit stress. *PLoS ONE* 16(12): e0259585, **2021**. <https://doi.org/10.1371/journal.pone.0259585>. (WoS/Scopus)
- 2523.** Mehmood H, Abbasi GH, Jamil M, Malik Z, Ali M, Iqbal R. Assessing the potential of exogenous caffeic acid application in boosting wheat (*Triticum aestivum* L.) crop productivity under salt stress. *PLoS ONE* 16(11): e0259222, **2021**. <https://doi.org/10.1371/journal.pone.0259222>. (WoS/Scopus)
- 2524.** Mehmood S, Ahmed W, Rizwan M, Imtiaz M, Elnahal ASMA, Ditta A, Irshad S, Ikram M, Li W. Comparative efficacy of raw and HNO₃-modified biochar derived from rice straw on vanadium transformation and its uptake by rice (*Oryza sativa* L.): Insights from photosynthesis, antioxidative response, and gene-expression profile. *Environmental Pollution* 289, art. 117916, **2021**. <https://doi.org/10.1016/j.envpol.2021.117916>. (WoS/Scopus)
- 2525.** Merino C, Kuzyakov Y, Godoy K, Jofré I, Nájera F, Matus F. Iron-reducing bacteria decompose lignin by electron transfer from soil organic matter. *Science of the Total Environment* 761, art. 143194, **2021**. <https://doi.org/10.1016/j.scitotenv.2020.143194>. (WoS/Scopus)
- 2526.** Merino C, Matus F, Kuzyakov Y, Dyckmans J, Stock S, Dippold MA. Contribution of the Fenton reaction and ligninolytic enzymes to soil organic matter mineralisation under anoxic conditions. *Science of the Total Environment* 760, art. number 143397, **2021**. <https://doi.org/10.1016/j.scitotenv.2020.143397>. (WoS/Scopus)
- 2527.** Mihaljević I, Viljevac Vuletić M, Šimić D, Tomaš V, Horvat D, Josipović M, Zdunić Z, Dugalić K,

- Vuković, D. Comparative study of drought stress effects on traditional and modern apple cultivars. *Plants* 10(3), 561, 2021. <https://doi.org/10.3390/plants10030561>. (WoS/Scopus)
2528. Mishra P, Prasad SM. Low dose UV-B radiation induced mild oxidative stress impact on physiological and nutritional competence of *Spirulina* (Arthrospira) species. *Plant Stress* 2, art. number 100039, 2021. <https://doi.org/10.1016/j.stress.2021.100039>.
2529. Mofunanya AA, Effa EA, Etim DO, Akomaye FA, Damian AO. Physiological variations in *Cucurbita moschata* Duch. Ex. Poir due to a Nigerian strain of Moroccan watermelon virus: *Lagenaria breviflora* isolate. *Annual Research & Review in Biology* 36(8), 18-26, 2021. <https://doi.org/10.9734/arrb/2021/v36i830407>. (WoS/Scopus)
2530. Mohammadi H, Akhondzadeh M, Hatami M. Exogenously applied 24-epibrassinolide modulates physiological and biochemical constituents in lavender (*Lavandula angustifolia*) plants under drought stress conditions. *Agriculture & Forestry/Poljoprivreda i Sumarstvo* 67(2), 103-120, 2021. <http://www.agricultforest.ac.me/data/20210630-08%20Mohammadi%20et%20al.pdf>.
2531. Mohammadi H, Saeedi S, Hazrati S, Brestic M. Physiological and phytochemical responses of lemon balm (*Melissa officinalis* L.) to pluramin application and inoculation with *Pseudomonas fluorescens* PF-135 under water-deficit stress. *Russian Journal of Plant Physiology* 68:909-922, 2021. <https://doi.org/10.1134/S1021443721050125>. (WoS/Scopus)
2532. Mohammadi-Cheraghabadi M, Modarres-Sanavy SAM, Sefidkon F, S Rashidi-Monfared, A Mokhtassi-Bidgoli. Improving water deficit tolerance of *Salvia officinalis* L. using putrescine. *Scientific Reports* 11, 21997, 2021. <https://doi.org/10.1038/s41598-021-00656-1>. (WoS/Scopus)
2533. Mohammadi-Cheraghabadi M, Seyed Ali Mohammad Modarres-Sanavy, Sefidkon F, Mokhtassi-Bidgoli A, Hazrati S. Phytochemical and physiological changes in *Salvia officinalis* L. under different irrigation regimes by exogenous applications of putrescine. *Saudi Journal of Biological Sciences* 28(12):7227-7240, 2021. <https://doi.org/10.1016/j.sjbs.2021.08.024>. (WoS/Scopus)
2534. Mohammadrezakhani S, Rezanejad F, Hajilou J. Effect of putrescine and proline on profiles of GABA, antioxidant activities in leaves of three *Citrus* species in response to low temperature stress. *Journal of Plant Biochemistry and Biotechnology* 30:545-553, 2021. <https://doi.org/10.1007/s13562-020-00645-x>. (WoS/Scopus)
2535. Mohandas S, Thaleshwari S, Dsouza MR. Preclinical evaluation of anticataract activity of *Mentha spicata* leaves on isolated goat lens by an in vitro model. *Journal of Applied Biology and Biotechnology* 9(5), 39-44, 2021. <http://dx.doi.org/10.7324/JABB.2021.9506>. (WoS/Scopus)
2536. Mohsenzadeh S, Moradshahi A, Kahrizi D, Zamani H, Zarei M. Characterization of physiological responses and fatty acid compositions of *Camelina sativa* genotypes under water deficit stress and symbiosis with *Micrococcus yunnanensis*. *Symbiosis* 83:79-90, 2021. <https://doi.org/10.1007/s13199-020-00733-5>. (WoS/Scopus)
2537. Moloi MJ, van der Merwe R. Drought tolerance responses in vegetable-type soybean involve a network of biochemical mechanisms at flowering and pod-filling stages. *Plants* 10(8):1502, 2021. <https://doi.org/10.3390/plants10081502>. (WoS/Scopus)
2538. Momeni MM, Kalantar M, Dehghani-Zahedani M. Physiological, biochemical and molecular responses of durum wheat under salt stress. *Plant Genetic Resources* 19(2), 93-103, 2021. <https://doi.org/10.1017/S1479262120000416>. (WoS/Scopus)
2539. Moradi B, Zare Maivan H, Seyed Hashtroudi M, Sorahinobar M, Rohloff J. Physiological responses and phytoremediation capability of *Avicennia marina* to oil contamination. *Acta Physiologiae Plantarum* 43, art. number 18, 2021. <https://doi.org/10.1007/s11738-020-03177-y>. (WoS/Scopus)
2540. Mortazavi SH, Arghavani M, Asil MH, Kheiri A. Effect of polyamines on morphophysiological characteristics of Dutch iris (*Iris hollandica* 'Blue Magic') cut flower. *Iranian Journal of Horticultural Science* 52(2), 269-280, 2021. https://ijhs.ut.ac.ir/article_83294_d2557fbdf1899d1f0ddf9ecb2284bea6.pdf?lang=en.
2541. Mridha D, Paul I, De A, Ray I, Das A, Joardar M, Chowdhury NR, Bhadoria PB, Roychowdhury T. Rice seed (IR64) priming with potassium humate for improvement of seed germination, seedling growth and antioxidant defense system under arsenic stress. *Ecotoxicology and Environmental Safety* 219, 112313, 2021. <https://doi.org/10.1016/j.ecoenv.2021.112313>. (WoS/Scopus)
2542. Muslu AS, Kadioğlu A. The antioxidant defense and glyoxalase systems contribute to the thermotolerance of *Heliotropium thermophilum*. *Functional Plant Biology* 48(12) 1241-1253, 2021. <https://doi.org/10.1071/FP21113>. (WoS/Scopus)
2543. Mutale-joan C, Rachidi F, Mohamed HA, El Mernissi N, Aasfar A, Barakate M, Mohammed D, Sbabou L, El Arroussi H. Microalgae-cyanobacteria-based biostimulant effect on salinity tolerance mechanisms, nutrient uptake, and tomato plant growth under salt stress. *Journal of Applied Phycology* 33, 3779-3795, 2021. <https://doi.org/10.1007/s10811-021-02559-0>. (WoS/Scopus)
2544. Naem I, Masood N, Turan V, Iqbal M. Prospective usage of magnesium potassium phosphate cement combined with *Bougainvillea alba* derived biochar to reduce Pb bioavailability in soil and its uptake by *Spinacia oleracea* L. *Ecotoxicology and Environmental Safety* 208, art. 111723, 2021. <https://doi.org/10.1016/j.ecoenv.2020.111723>. (WoS/Scopus)
2545. Nakhaeia A, Habibi G. Effect of salicylic acid on salt tolerance of *Aloe vera* plants under both salt-acclimated and non-acclimated conditions. *Journal of Plant Process and Function* 10(43), 17-24, 2021. <https://jispp.iut.ac.ir/article-1-1445-fa.pdf>.
2546. Naser WY, Mheidi OH. Fenugreek performance affected by foliar application of gibberellin and arginine

- acids. In: IOP Conference Series: Earth and Environmental Science 904(1), 012059, **2021**. <https://iopscience.iop.org/article/10.1088/1755-1315/904/1/012059/meta> (WoS/Scopus) Conference Series
- 2547.** Nasser H, Al-Mentafji H. Effect of Chloroquine on antioxidant enzymes and oxidative system on (*Vigna radiata*) plant tissues exposed to water stress. Journal of Physics: Conference Series 1879: 022030, **2021**. doi:10.1088/1742-6596/1879/2/022030. <https://iopscience.iop.org/article/10.1088/1742-6596/1879/2/022030/pdf>. (WoS/Scopus)
- 2548.** Nawaz M, Ashraf MY, Khan A, Nawaz F. Salicylic acid– and ascorbic acid–induced salt tolerance in mung bean (*Vigna radiata* (L.) Wilczek) accompanied by oxidative defense mechanisms. *Journal of Soil Science and Plant Nutrition* 21:2057-2071, **2021**. <https://doi.org/10.1007/s42729-021-00502-3>. (WoS/Scopus)
- 2549.** Naz R, Batool S, Shahid M, Keyani R, Yasmin H, Nosheen A, Hassan MN, Mumtaz S, Siddiqui MH. Exogenous silicon and hydrogen sulfide alleviates the simultaneously occurring drought stress and leaf rust infection in wheat. *Plant Physiology and Biochemistry* 166:558-571, **2021**. <https://doi.org/10.1016/j.plaphy.2021.06.034>. (WoS/Scopus)
- 2550.** Naz R, Sarfraz A, Anwar Z, Yasmin H, Nosheen A, Keyani R, Roberts TH. Combined ability of salicylic acid and spermidine to mitigate the individual and interactive effects of drought and chromium stress in maize (*Zea mays* L.). *Plant Physiology and Biochemistry* 159: 285-300, **2021**. <https://doi.org/10.1016/j.plaphy.2020.12.022> (WoS/Scopus)
- 2551.** Niharika, Singh NB, Khare S, A Singh, V Yadav, RK Yadav. Salicylic acid and Indole acetic acid synergistically ameliorates Ferulic acid toxicity in *Brassica juncea* L. seedlings. *Plant Physiology Reports* 26, 729-740, **2021**. <https://doi.org/10.1007/s40502-021-00617-w>. (WoS/Scopus)
- 2552.** Niharika, Singh NB, Khare S, Singh A, Yadav V, Yadav RK. Kinetin modulates physiological and biochemical attributes of *Vigna radiata* L. seedlings exposed to 2-benzoxazolinone stress. *Biologia* 76: 1377-1389, **2021**. <https://doi.org/10.1007/s11756-021-00734-9>. (WoS/Scopus)
- 2553.** Noohpisheh Z, Amiri H, Mohammadi A, Farhadi S. Effect of the foliar application of zinc oxide nanoparticles on some biochemical and physiological parameters of *Trigonella foenum-graecum* under salinity stress. *Plant Biosystems* 155(2):267-280, **2021**. <https://doi.org/10.1080/11263504.2020.1739160> (WoS/Scopus)
- 2554.** Noreen S, Sultan M, Akhter MS, Shah KH, Ummara U, Manzoor H, Ulfat M, Alyemeni MN, Ahmad P. Foliar fertigation of ascorbic acid and zinc improves growth, antioxidant enzyme activity and harvest index in barley (*Hordeum vulgare* L.) grown under salt stress. *Plant Physiology and Biochemistry* 158, 244-254, **2021**. <https://doi.org/10.1016/j.plaphy.2020.11.007>. (WoS/Scopus)
- 2555.** Noreen Zahra, Abdul Wahid, Kanval Shaukat, Muhammad Bilal Hafeez, A Batool, Mirza Hasanuzzaman. Oxidative stress tolerance potential of milk thistle ecotypes after supplementation of different plant growth-promoting agents under salinity. *Plant Physiology and Biochemistry* 166, 41-52, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.042>. (WoS/Scopus)
- 2556.** Parveen A, Ahmar S, Kamran M, Malik Z, Ali A, Riaz M, Abbasi GH, Khan M, Sohail AB, Rizwan M, Afzal S, Ali S. Absciscic acid signalling reduced transpiration flow, regulated Na ion homeostasis and antioxidant enzyme activities to induce salinity tolerance in wheat (*Triticum aestivum* L.) seedlings. *Environmental Technology & Innovation* 24, art. 101808, **2021**. <https://doi.org/10.1016/j.eti.2021.101808>. (WoS/Scopus)
- 2557.** Parveen A, Arslan Ashraf M, Hussain I, Perveen S, Rasheed R, Mahmood Q, Hussain S, Ditta A, Hashem A, Al-Arjani A-BF, Alqarawi AA, Abd Allah EF. Promotion of growth and physiological characteristics in water-stressed *Triticum aestivum* in relation to foliar-application of salicylic acid. *Water* 13(9): 1316, **2021**. <https://doi.org/10.3390/w13091316>. (WoS/Scopus)
- 2558.** Parwez R, Nabi A, Mukarram M, Aftab T, Khan MMA, Naeem M. Various mitigation approaches applied to confer abiotic stress tolerance in fenugreek (*Trigonella foenum-graecum* L.): A Review. In: Naeem M., Aftab T., Khan M.M.A. (eds) Fenugreek. Springer, Singapore, 137-185, **2021**. https://doi.org/10.1007/978-981-16-1197-1_8. [BOOK]
- 2559.** Patel A, Tiwari S, Prasad SM. Arsenate and arsenite-induced inhibition and recovery in two diazotrophic cyanobacteria *Nostoc muscorum* and *Anabaena* sp.: study on time-dependent toxicity regulation. *Environmental Science and Pollution Research* 28:51088-51104, **2021**. <https://doi.org/10.1007/s11356-021-13800-1>. (WoS/Scopus)
- 2560.** Pathak K, Gadre R. Molybdenum mediated mitigation of oxidative stress in *Triticum durum* (HI 8737) seedlings caused due to aluminium. *Plant Physiology Reports* 26:503-512, **2021**. <https://doi.org/10.1007/s40502-021-00598-w>. Source: (WoS/Scopus)
- 2561.** Paul A, Biswas S, Banerjee R, Mukherjee A, Biswas AK. Halopriming imparts salt tolerance by reducing oxidative, osmotic stress and dna damage in five different legume varieties. *Legume Research*, art. ID: LR-4723, **2021**. <https://arccjournals.com/journal/legume-research-an-international-journal/LR-4723>. (WoS/Scopus)
- 2562.** Pedrero-Méndez A, Insuasti HC, Neagu T, Illescas M, Rubio MB, Monte E, Hermosa R. Why is the correct selection of Trichoderma strains important? The case of wheat endophytic strains of *T. harzianum* and *T. simmonsii*. *Journal of Fungi* 7(12):1087, **2021**. <https://doi.org/10.3390/jof7121087>. (WoS/Scopus)
- 2563.** Pehlivan N, Gedik K. Particle size-dependent biomolecular footprints of interactive microplastics in maize. *Environmental Pollution* 277, art. 116772, **2021**. <https://doi.org/10.1016/j.envpol.2021.116772>. (WoS/Scopus)
- 2564.** Pennacchi JP, Lira JMS, Rodrigues M, Garcia FHS, Mendonça AMC, Barbosa JPRAD. A systemic approach to the quantification of the phenotypic plasticity of plant physiological traits: the multivariate plasticity index. *Journal of Experimental Botany* 72(5), 1864–1878, **2021**. <https://doi.org/10.1093/jxb/eraa545>. (WoS/Scopus)

- 2565.** Perveen S, Hussain SA. Methionine-induced changes in growth, glycinebetaine, ascorbic acid, total soluble proteins and anthocyanin contents of two *Zea mays* L. varieties under salt stress. *JAPS: Journal of Animal & Plant Sciences* 31(1), 131-142, **2021**. <https://doi.org/10.36899/JAPS.2021.1.0201>. (WoS/Scopus)
- 2566.** Pirooz P, Amooaghaie R, Ahadi A, Sharififar F. Silicon-induced nitric oxide burst modulates systemic defensive responses of *Salvia officinalis* under copper toxicity. *Plant Physiology and Biochemistry* 162, 752-761, **2021**. <https://doi.org/10.1016/j.plaphy.2021.02.048>. (WoS/Scopus)
- 2567.** Puthiyottill P, Akkara, Y. Pre treatment with *Bacillus subtilis* mitigates drought induced photo-oxidative damages in okra by modulating antioxidant system and photochemical activity. *Physiology and Molecular Biology of Plants* 27:945-957, **2021**. <https://doi.org/10.1007/s12298-021-00982-8>. (WoS/Scopus)
- 2568.** Qi H, Kang D, Zeng W, Jawad Hassan M, Peng Y, Zhang X, Zhang Y, Feng G, Li Z. Alterations of endogenous hormones, antioxidant metabolism, and aquaporin gene expression in relation to γ -aminobutyric acid-regulated thermotolerance in white clover. *Antioxidants* 10(7):1099, **2021**. <https://doi.org/10.3390/antiox10071099>. (WoS/Scopus)
- 2569.** Qin S, Wu Z, Tang J, Zhu G, Chen G, Chen L, Lei H, Wang X, Zhu T, Lin T. Effects of exogenous spermidine on poplar resistance to leaf and root herbivory as affected by soil cadmium stress. *Journal of Environmental Management* 288, art. 112467, **2021**. <https://doi.org/10.1016/j.jenvman.2021.112467>. (WoS/Scopus)
- 2570.** Quitadamo F, De Simone V, Beleggia R, Trono D. Chitosan-induced activation of the antioxidant defense system counteracts the adverse effects of salinity in durum wheat. *Plants* 10(7):1365, **2021**. <https://doi.org/10.3390/plants10071365>. (WoS/Scopus)
- 2571.** Radulović O, Stanković S, Stanojević O, Vujčić Z, Dojnov B, Trifunović-Momčilov M, Marković M. Antioxidative responses of duckweed (*Lemna minor* L.) to phenol and rhizosphere-associated bacterial strain *Hafnia paralvei* C32-106/3. *Antioxidants* 10(11):1719, **2021**. <https://doi.org/10.3390/antiox10111719>. (WoS/Scopus)
- 2572.** Rady MM, Boriek SHK, Abd El-Mageed TA, Seif El-Yazal MA, Ali EF, Hassan FAS, Abdelkhalik A. Exogenous gibberellic acid or dilute bee honey boosts drought stress tolerance in *Vicia faba* by rebalancing osmoprotectants, antioxidants, nutrients, and phytohormones. *Plants* 10(4), 748, **2021**. <https://doi.org/10.3390/plants10040748>. (WoS/Scopus)
- 2573.** Rady MM, Desoky E-SM, Ahmed SM, Majrashi A, Ali EF, Arnaout SMAI, Selem E. Foliar nourishment with nano-selenium dioxide promotes physiology, biochemistry, antioxidant defenses, and salt tolerance in *Phaseolus vulgaris*. *Plants* 10(6):1189, **2021**. <https://doi.org/10.3390/plants10061189>. (WoS/Scopus)
- 2574.** Rady MM, EL-Yazal MAS, Taie HAA, Ahmed SMA. Physiological and biochemical responses of wheat (*Triticum aestivum* L.) plants to polyamines under lead stress. *Innovare Journal of Agricultural Science* 9(1):1-10, **2021**. <http://dx.doi.org/10.22159/ijags.2021v9i1.40687>.
- 2575.** Rafiq K, Akram MS, Shahid M, Qaisar U, Rashid N. *Staphylococcus sciuri* SAT-17 improved the growth of salt stressed maize (*Zea mays* L.) by modulated expression of stress responsive genes and anti-oxidative defence mechanisms. *Pakistan Journal of Agricultural Sciences* 58:1331-1338, **2021**. <https://pakjas.com.pk/papers/3457.pdf>. (WoS/Scopus)
- 2576.** Ragab G, Saad-Allah K. Seed priming with greenly synthesized sulfur nanoparticles enhances antioxidative defense machinery and restricts oxidative injury under manganese stress in *Helianthus annuus* (L.) seedlings. *Journal of Plant Growth Regulation* 40:1894-1902, **2021**. <https://doi.org/10.1007/s00344-020-10240-y>. (WoS/Scopus)
- 2577.** Rai P, Singh VP, Peralta-Videa J, Tripathi DK, Sharma S, Corpas FJ. Hydrogen sulfide (H₂S) underpins the beneficial silicon effects against the copper oxide nanoparticles (CuO NPs) phytotoxicity in *Oryza sativa* seedlings. *Journal of Hazardous Materials* 415, 124907, **2021**. <https://doi.org/10.1016/j.jhazmat.2020.124907>. (WoS/Scopus)
- 2578.** Raju AD, Prasad SM. Hydrogen sulfide implications on easing NaCl induced toxicity in eggplant and tomato seedlings. *Plant Physiology and Biochemistry* 164, 173-184, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.001>. (WoS/Scopus)
- 2579.** Ramadhan GR, Avivi S, Sugiharto B, Fanata WI. Unfolded protein response in rice (*Oryza sativa* L.) varieties with different level of salt stress tolerance. *Indonesian Journal of Biotechnology* 26(3), 151-158, **2021**. <https://doi.org/10.22146/ijbiotech.67039>. (WoS/Scopus)
- 2580.** Ramakrishna B, Sarma PVS RN, Ankati S, Bhuvanachandra B, Podile AR. Elicitation of defense response by transglycosylated chitoooligosaccharides in rice seedlings. *Carbohydrate Research* 510, art. 108459, **2021**. <https://doi.org/10.1016/j.carres.2021.108459>. (WoS/Scopus)
- 2581.** Rangseekaew P, Barros-Rodríguez A, Pathom-aree W, Manzanera M. Deep-sea actinobacteria mitigate salinity stress in tomato seedlings and their biosafety testing. *Plants* 10(8):1687, **2021**. <https://doi.org/10.3390/plants10081687>. (WoS/Scopus)
- 2582.** Ranjan R, Kumar N, Gautam A, Dubey AK, Pandey SN, Mallick S. *Chlorella* sp. modulates the glutathione mediated detoxification and S-adenosylmethionine dependent methyltransferase to counter arsenic toxicity in *Oryza sativa* L. *Ecotoxicology and Environmental Safety* 208, art. 111418, **2021**. <https://doi.org/10.1016/j.ecoenv.2020.111418>. (WoS/Scopus)
- 2583.** Rao MJ, Ahmed U, Ahmed MH, Duan M, Wang J, Wang Y, Wang L. Comparison and quantification of metabolites and their antioxidant activities in young and mature leaves of sugarcane. *ACS Food Science and Technology* 1(3):362-373, **2021**. <https://doi.org/10.1021/acsfoodscitech.0c00133>.

- 2584.** Rasel M, Tahjib-Ul-Arif M, Hossain MA, Hassan L, Farzana S, Brestic M. Screening of salt-tolerant rice landraces by seedling stage phenotyping and dissecting biochemical determinants of tolerance mechanism. *Journal of Plant Growth Regulation* 40:1853-1868, **2021**. <https://doi.org/10.1007/s00344-020-10235-9>. (WoS/Scopus)
- 2585.** Rasheed F, Gondal A, Kudus KA, Zafar Z, Nawaz MF, Khan WR, Abdullah M, Ibrahim FH, Depardieu C, Pazi AMM, Anjum K, Afzal S, Akram S, Nazre M. Effects of soil water deficit on three tree species of the arid environment: variations in growth, physiology, and antioxidant enzyme activities. *Sustainability* 13(6), 3336, **2021**. <https://doi.org/10.3390/su13063336>. (WoS/Scopus)
- 2586.** Rasheed R, Iqbal M, Anwar S, Shereen A, Khan MA. Assessment of rice (*Oryza sativa* L.) genotypes for drought stress tolerance using morpho-physiological indices as a screening technique. *Pakistan Journal of Botany* 53(1), 45-58, **2021**. [http://dx.doi.org/10.30848/PJB2021-1\(33\)](http://dx.doi.org/10.30848/PJB2021-1(33)). (WoS/Scopus)
- 2587.** Rasool B, ur-Rahman M, Ramzani PMA, Zubair M, Khan MA, Lewińska K, Turan V, Karczewska A, Khan SA, Farhad M, Tauqeer HM, Iqbalj M. Impacts of oxalic acid-activated phosphate rock and root-induced changes on Pb bioavailability in the rhizosphere and its distribution in mung bean plant. *Environmental Pollution* 280, art. 116903, **2021**. <https://doi.org/10.1016/j.envpol.2021.116903>. (WoS/Scopus)
- 2588.** Rathore D, Chaudhary IJ. Effects of tropospheric ozone on groundnut (*Arachis hypogea* L.) cultivars: Role of plant age and antioxidative potential. *Atmospheric Pollution Research* 12(3), 381-395, **2021**. <https://doi.org/10.1016/j.apr.2021.01.005>. (WoS/Scopus)
- 2589.** Razik ESA, Alharbi BM, Pirzadah TB, Alnusairi GSH, Soliman MH, Hakeem KR. γ -aminobutyric acid (GABA) mitigates drought and heat stress in sunflower (*Helianthus annuus* L.) by regulating its physiological, biochemical and molecular pathways. *Physiologia Plantarum* 172(2):505-527, **2021**. <https://doi.org/10.1111/ppl.13216>. (WoS/Scopus)
- 2590.** Razzaky EO, El-Shourbagy MN, Fouda E, Sewelam N, Sobhy S, Abdelkhalek A, Saad-Allah K. Studying The responses of *Hordeum vulgare* seedlings to salinity and osmotic stresses: oxidative stress/antioxidants play crucial roles. *Journal of Plant Production* 12(7), 773-783, **2021**. <https://dx.doi.org/10.21608/jpp.2021.188605>.
- 2591.** Reissig GN, Oliveira TFC, Oliveira RP, Posso DA, Parise AG, Nava DE, Souza GM. Fruit herbivory alters plant electrome: evidence for fruit-shoot long-distance electrical signaling in tomato plants. *Frontiers in Sustainable Food Systems* 5:657401, **2021**. <https://doi.org/10.3389/fsufs.2021.657401>. (WoS/Scopus)
- 2592.** Reyhani Haghighi S, Hosseiniaveh V, Maali-Amiri R, K Talebi, S Irani. Improving the drought tolerance in pistachio (*Pistacia vera*) seedlings by foliar application of salicylic acid. *Gesunde Pflanzen* 73:495-507, **2021**. <https://doi.org/10.1007/s10343-021-00569-z>. (WoS/Scopus)
- 2593.** Reyhani Haghighi S, Hosseiniaveh V, Talebi K, Maali-Amiri R, Stelinski LL. Salicylic acid induced resistance in drought-stressed pistachio seedlings influences physiological performance of *Agonoscaena pistaciae* (Hemiptera: Aphalaridae). *Journal of Economic Entomology* 114(5), 2172-2188, **2021**. <https://doi.org/10.1093/jee/toab149>. (WoS/Scopus)
- 2594.** Riaz S, Hussain I, Ibrahim M, Rasheed R, Ashraf MA. Choline chloride mediates salinity tolerance in cluster bean (*Cyamopsis tetragonoloba* L.) by improving growth, oxidative defense, and secondary metabolism. *Dose-Response* 19(4):1-19, **2021**. <https://doi.org/10.1177/15593258211055026>. (WoS/Scopus)
- 2595.** Rios CO, Siqueira-Silva AI, Pereira EG. How does drought affect native grasses' photosynthesis on the revegetation of iron ore tailings? *Environmental Science and Pollution Research* 28:14797-14811, **2021**. <https://doi.org/10.1007/s11356-020-11599-x>. (WoS/Scopus)
- 2596.** Roy R, Wang J, Mostofa MG, Fornara D. Optimal water and fertilizer applications improve growth of *Tamarix chinensis* in a coal mine degraded area under arid conditions. *Physiologia Plantarum* 172(2):371-390, **2021**. <https://doi.org/10.1111/ppl.13147>. (WoS/Scopus)
- 2597.** Roy R, Mahboob MG, Arena C, Kader MA, Sultana S, Hasan AK, Wang J, Sarker T, Zhang R, Barmon M. The modulation of water, nitrogen, and phosphorous supply for growth optimization of the evergreen shrubs *ammopiptanthus mongolicus* for revegetation purpose. *Frontiers in Plant Science* 12:766523, **2021**. <https://doi.org/10.3389/fpls.2021.766523>. (WoS/Scopus)
- 2598.** Roy R, Mostofa MG, Wang J, Fornara D, Sarker T, Zhang R. Revegetation intervention of drought-prone coal-mined spoils using *Caragana korshinskii* under variable water and nitrogen-phosphorus resources. *Agricultural Water Management* 246: 106712, **2021**. <https://doi.org/10.1016/j.agwat.2020.106712>. (WoS/Scopus)
- 2599.** Roy R, Núñez-Delgado A, Sultana S, Wang J, munir A, Battaglia ML, Sarker T, Seleimani MF, Barmon M, Zhang R. Additions of optimum water, spent mushroom compost and wood biochar to improve the growth performance of *Althaea rosea* in drought-prone coal-mined spoils. *Journal of Environmental Management* 295, 113076, **2021**. <https://doi.org/10.1016/j.jenvman.2021.113076>. (WoS/Scopus)
- 2600.** Saber NE, El Hosary EG, Mabrouk ME, Ghoraba WF, Hassan AM. Influence of seed-nanoprimer treatment with Zinc oxide on growth, nutrient status, and gene expression of enzymatic antioxidants in wheat plant. *Egyptian Journal of Experimental Biology (Botany)* 17(1): 77-90, **2021**. <http://dx.doi.org/10.5455/egyjeb.20210705083704>.
- 2601.** Sadak MS, Ramadan AAEM. Impact of melatonin and tryptophan on water stress tolerance in white lupine (*Lupinus termis* L.). *Physiology and Molecular Biology of Plants* 27, 469-481, **2021**. <https://doi.org/10.1007/s12298-021-00958-8>. (WoS/Scopus)
- 2602.** Sadak MS, Talaat IM. Attenuation of negative effects of saline stress in wheat plant by chitosan and calcium carbonate. *Bulletin of the National Research Centre* 45, art. 136, **2021**. <https://doi.org/10.1186/s42269-021-00596-w>.

- 2603.** Sagervanshi A, Naeem A, Kaiser H, Pitann B, Mühling KH. Early growth reduction in *Vicia faba* L. under alkali salt stress is mainly caused by excess bicarbonate and related to citrate and malate over accumulation. *Environmental and Experimental Botany* 192, art. number 104636, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104636>. (WoS/Scopus)
- 2604.** Sahebani N, Gholamrezaee N. The biocontrol potential of *Pseudomonas fluorescens* CHA0 against root knot nematode (*Meloidogyne javanica*) is dependent on the plant species. *Biological Control* 152, 104445, **2021**. <https://doi.org/10.1016/j.biocontrol.2020.104445>. (WoS/Scopus)
- 2605.** Said Ali O, Hachemi A, Moumni A, Belghazi T, Lahrouni A, El Messoussi S. Physiological and biochemical responses of argan (*Argania spinosa* (L.)) seedlings from containers of different depths under water stress. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 49(4), 12482, **2021**. <https://doi.org/10.15835/nbha49412482>. (WoS/Scopus)
- 2606.** Salavati J, Fallah H, Niknejad Y, Tari DB. Methyl jasmonate ameliorates lead toxicity in *Oryza sativa* by modulating chlorophyll metabolism, antioxidative capacity and metal translocation. *Physiology and Molecular Biology of Plants* 27:1089-1104, **2021**. <https://doi.org/10.1007/s12298-021-00993-5>. (WoS/Scopus)
- 2607.** Saman M, Sepehri A. Alleviating effects of serendipita indica and nitric oxide in proso millet plants (*Panicum miliaceum* L.) exposed to copper toxicity. *Journal of Soil Science and Plant Nutrition* 21, 3065-3075, **2021**. <https://doi.org/10.1007/s42729-021-00589-8>. (WoS/Scopus)
- 2608.** Samanta S, Banerjee A, Roychoudhury A. Melatonin application differentially modulates the enzymes associated with antioxidative machinery and ascorbate-glutathione cycle during arsenate exposure in indica rice varieties. *Plant Biology* 23(SI):193-201, **2021**. <https://doi.org/10.1111/plb.13181>. (WoS/Scopus)
- 2609.** Sardar R, Ahmed S, Yasin NA. Seed priming with karrikinolide improves growth and physiochemical features of coriandrum sativum under cadmium stress. *Environmental Advances* v. 5, art. number 100082, **2021**. <https://doi.org/10.1016/j.envadv.2021.100082>.
- 2610.** Saroy K, Garg N. Relative effectiveness of arbuscular mycorrhiza and polyamines in modulating ROS generation and ascorbate-glutathione cycle in *Cajanus cajan* under nickel stress. *Environmental Science and Pollution Research* 28:48872-48889, **2021**. <https://doi.org/10.1007/s11356-021-13878-7>. (WoS/Scopus)
- 2611.** Sarwar M, Saleem MF, Ali B, Nadeem M, Ghani MA, Zhou W, Islam F. Improving thermotolerance in *Gossypium hirsutum* by using signalling and non-signalling molecules under glass house and field conditions. *Industrial Crops and Products* 172, 113996, **2021**. <https://doi.org/10.1016/j.indcrop.2021.113996>. (WoS/Scopus)
- 2612.** Seyed Hajizadeh H, Zahedi SM, Rezaie S. Effect of nano-encapsulation of rosemary in quality preserving and antioxidative activity of apricot (*Prunus armeniaca* cv. Tabarzeh) during storage life. *Iranian Journal of Food Science and Technology* 18(117), 183-196, **2021**. <http://fsct.modares.ac.ir/article-7-47195-en.html>.
- 2613.** Shafiei-Masouleh S-S. Contents of organic solutes in horticultural plants and crops under environmental pollutants. In: *Organic Solutes, Oxidative Stress, and Antioxidant Enzymes Under Abiotic Stressors* **2021**, (pp. 105-122). CRC Press. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003022879-5/contents-organic-solutes-horticultural-plants-crops-environmental-pollutants-seyede-h-somayyeh-shafiei-masouleh>. [BOOK]
- 2614.** Shafiq F, Iqbal M, Ali M, Ashraf MA. Fullerenol regulates oxidative stress and tissue ionic homeostasis in spring wheat to improve net-primary productivity under salt-stress. *Ecotoxicology and Environmental Safety* 211, 111901, **2021**. <https://www.sciencedirect.com/science/article/pii/S0147651321000129>. (WoS/Scopus)
- 2615.** Shafiq S, Akram NA, Ashraf M, AL-Harbi MS, Samra BN. Sugar beet extract rich in glycine betaine modulates oxidative defense system and key physiological characteristics of maize under water-deficit stress. *PLOS ONE* 16(11): e0254906, **2021**. <https://doi.org/10.1371/journal.pone.0254906>. (WoS/Scopus)
- 2616.** Shafiq S, Akram NA, Ashraf M, García-Caparrós P, Ali OM, Latef AAHA. Influence of glycine betaine (natural and synthetic) on growth, metabolism and yield production of drought-stressed maize (*Zea mays* L.) plants. *Plants* 10(11):2540, **2021**. <https://doi.org/10.3390/plants10112540>. (WoS/Scopus)
- 2617.** Shafqat W, Mazrou YSA, Sami-ur-Rehman, Nehela Y, Ikram S, Bibi S, Naqvi SA, Hameed M, Jaskani MJ. Effect of three water regimes on the physiological and anatomical structure of stem and leaves of different citrus rootstocks with distinct degrees of tolerance to drought stress. *Horticulturae* 7(12):554, **2021**. <https://doi.org/10.3390/horticulturae7120554>. (WoS/Scopus)
- 2618.** Shah AA, Azna, Yasin NA, Ahmed S, Abbas M, Abbasi GH. 4-Hydroxymelatonin alleviates nickel stress, improves physiochemical traits of *Solanum melongena*: Regulation of polyamine metabolism and antioxidative enzyme. *Scientia Horticulturae* 282, 110036, **2021**. <https://doi.org/10.1016/j.scienta.2021.110036>. (WoS/Scopus)
- 2619.** Shah K, An N, Kamanova S, Chen L, Jia P, Zhang C, Mobeen Tahir M, Han M, Ding Y, Ren X and Xing L. Regulation of Flowering Time by Improving Leaf Health Markers and Expansion by Salicylic Acid Treatment: A New Approach to Induce Flowering in *Malus domestica*. *Frontiers in Plant Science* 12:655974, **2021**. <https://doi.org/10.3389/fpls.2021.655974>. (WoS/Scopus)
- 2620.** Shah W, Ullah S, Ali S, Idrees M, Khan MN, Ali K, Khan A, Ali M, Younas F. Effect of exogenous alpha-tocopherol on physio-biochemical attributes and agronomic performance of lentil (*Lens culinaris* Medik.) under drought stress. *PLOS ONE* 16(8): e0248200, **2021**. <https://doi.org/10.1371/journal.pone.0248200>. (WoS/Scopus)
- 2621.** Shahzad Q, Mahmood S, Javed S, Mushtaq T. Chromium stress tolerance of a C4 (*Zea mays* L.) and C3 (*Vigna radiata* L.) plants primed with UV and gamma-treated *Bacillus subtilis*. *Microorganisms* 9(11):2313, **2021**. <https://doi.org/10.3390/microorganisms9112313>. (WoS/Scopus)
- 2622.** Shahzadi AK, Bano H, Ogbaga CC, Ayyaz A, Parveen R, Zafar ZU, Athar H-ur-R, Ashraf M. Coordinated impact of ion exclusion, antioxidant and photosynthetic potential in salt tolerance of *Luffa acutangula* (L.) Roxb.

2623. Sharma P, Tripathi S, Chandra R. Highly efficient phytoremediation potential of metal and metalloids from the pulp paper industry waste employing *Eclipta alba* (L) and *Alternanthera philoxeroides* (L): Biosorption and pollution reduction. *Bioresource Technology* 319, art. num. 124147, **2021**.
<https://doi.org/10.1016/j.biortech.2020.124147>. (WoS/Scopus)

2624. Sharma P, Tripathi S, Purchase D, Chandra R. Integrating phytoremediation into treatment of pulp and paper industry wastewater: field observations of native plants for the detoxification of metals and their potential as part of a multidisciplinary strategy. *Journal of Environmental Chemical Engineering* 9(4), art. 105547, **2021**.
<https://doi.org/10.1016/j.jece.2021.105547>. (WoS/Scopus)

2625. Sharma P, Tripathi S, Sirohi R, Kim SH, Ngo HH, Pandey A. Uptake and mobilization of heavy metals through phytoremediation process from native plants species growing on complex pollutants: Antioxidant enzymes and photosynthetic pigments response. *Environmental Technology & Innovation* 23, 101629, **2021**.
<https://doi.org/10.1016/j.eti.2021.101629>. (WoS/Scopus)

2626. Sharma P, Tripathi S, Vadakedath N, Chandra R. In-situ toxicity assessment of pulp and paper industry wastewater on *Trigonella foenum-graecum* L: Potential source of cytotoxicity and chromosomal damage. *Environmental Technology & Innovation* 21, 101251, **2021**. <https://doi.org/10.1016/j.eti.2020.101251>. (WoS/Scopus)

2627. Shehab AA, Guo Y. Effects of nitrogen fertilization and drought on hydrocyanic acid accumulation and morpho-physiological parameters of sorghums. *Journal of the Science of Food and Agriculture* 101(8):3355-3365, **2021**. <https://doi.org/10.1002/jsfa.10965>. (WoS/Scopus)

2628. Shehu Z, Abubakar AL, Musa M, Labbo AM, Bello ZH, Salihu S. Effect of salinity stress on enzymatic antioxidants defense system of two maize (*Zea mays* L.) varieties. *Asian Journal of Biochemistry, Genetics and Molecular Biology*, 6(4), 39-45, **2021**. <https://doi.org/10.9734/ajbgmb/2020/v6i430161>.

2629. Shraida AS, Almohammed OHM. Effect of salicylic acid and arginine spraying on growth and some of its active compounds of basil *Ocimum basilicum* L. *IOP Conference Series: Earth and Environmental Science* 761: 012061, **2021**. <https://iopscience.iop.org/article/10.1088/1755-1315/761/1/012061/pdf>.

2630. Siddiqui MH, Alamri S, Mukherjee S, Al-Amri AA, Alsubaie QD, Al-Munqedhi BMA, Ali HM, Kalaji HM, Fahad S, Rajput VD, Narayan OP. Molybdenum and hydrogen sulfide synergistically mitigate arsenic toxicity by modulating defense system, nitrogen and cysteine assimilation in faba bean (*Vicia faba* L.) seedlings. *Environmental Pollution* 290, art. 117953, **2021**. <https://doi.org/10.1016/j.envpol.2021.117953>. (WoS/Scopus)

2631. Siddiqui MH, Khan MN, Mukherjee S, Alamri S, Basahi RA, Al-Amri AA, Alsubaie QD, Al-Munqedhi BMA, Ali HM, Almohisen IAA. Hydrogen sulfide (H₂S) and potassium (K⁺) synergistically induce drought stress tolerance through regulation of H⁺-ATPase activity, sugar metabolism, and antioxidative defense in tomato seedlings. *Plant Cell Reports* 40:1543-1564, **2021**. <https://doi.org/10.1007/s00299-021-02731-3>. (WoS/Scopus)

2632. Siddiqui MH, Khan MN, Mukherjee S, Basahi RA, Alamri S, Al-Amri AA, Alsubaie QD, Ali HM, Al-Munqedhi BMA, Almohisen IAA. Exogenous melatonin-mediated regulation of K⁺/Na⁺ transport, H⁺-ATPase activity and enzymatic antioxidative defence operate through endogenous hydrogen sulphide signalling in NaCl-stressed tomato seedling roots. *Plant Biology* 23(5):797-805, **2021**. <https://doi.org/10.1111/plb.13296>. (WoS/Scopus)

2633. Siddiqui MW, Deshi V, Homa F, Aftab MA, Aftab T. Inhibitory effects of hydrogen sulfide on oxidative damage and pericarp browning in harvested litchi. *Journal of Plant Growth Regulation* 40, 2560-2569, **2021**. <https://doi.org/10.1007/s00344-021-10300-x>. (WoS/Scopus)

2634. Siddiqui N, Mostofa MG, Rahman M, Tahji-Ul-Arif, Das AK, Mohi-Ud-Din M, Rohman MM, Hafiz HR, Ansary MU, Tran L-SP. Glutathione improves rice tolerance to submergence: insights into its physiological and biochemical mechanisms. *Journal of Biotechnology* 325, 109-118, **2021**.
<https://doi.org/10.1016/j.jbiotec.2020.11.011>. (WoS/Scopus)

2635. Singh D, Kumar A. Multivariate screening approach indicated adaptive tolerance to salt stress in the seedlings of an agroforestry tree, *Eucalyptus tereticornis* Sm. *Plant Cell, Tissue and Organ Culture* 145:545-560, **2021**. <https://doi.org/10.1007/s11240-021-02025-2>. (WoS/Scopus)

2636. Singh H, Singh NB. Putrescine ameliorates detrimental effects of 2,4-D herbicide on growth and antioxidant enzymes activity of tomato. *International Journal of Vegetable Science* 27(4):327-343, **2021**.
<https://doi.org/10.1080/19315260.2020.1793256>. (WoS/Scopus)

2637. Singh NB, Khare S, Singh A, Yadav V, Yadav RK. Kinetin modulates physiological and biochemical attributes of *Vigna radiata* L. seedlings exposed to 2-benzoxazolinone stress. *Biologia* 76(5), 1377-1389, **2021**.
<https://doi.org/10.1007/s11756-021-00734-9>. (WoS/Scopus)

2638. Singh NB, Khare S, Singh A, Yadav V, Yadav RK. Salicylic acid and Indole acetic acid synergistically ameliorates Ferulic acid toxicity in *Brassica juncea* L. seedlings. *Plant Physiology Reports* 26: 729-740, **2021**.
<https://doi.org/10.1007/s40502-021-00617-w>. Source: (WoS/Scopus)

2639. Singh Y, Gaur S, Singhal A, Chauhan DK, Parveen N, Berni R, Sudhakaran S, Tripathi DK. Phytotoxic assessment of AgNO₃ and ZnSO₄ vis à vis agnps and znopns in *Tagetes erecta* L. and *Zinnia elegans* Jacq. *Plant Archives* 21(1), 724-730, **2021**. [http://plantarchives.org/SPECIAL%20ISSUE%2021-1/109%20\(724-730\).pdf](http://plantarchives.org/SPECIAL%20ISSUE%2021-1/109%20(724-730).pdf). (WoS/Scopus)

2640. Šípošová K, Labancová E, Kučerová D, Kollárová K, Vivodová Z. Effects of exogenous application of indole-3-butyric acid on maize plants cultivated in the presence or absence of cadmium. *Plants* 10(11):2503, **2021**.

<https://doi.org/10.3390/plants10112503>. (WoS/Scopus)

2641. Sivager G, Calvez L, Bruyere S, Boisne-Noc R, Brat P, Gros O, Ollitrault P, Morillon R. Specific physiological and anatomical traits associated with polyploidy and better detoxification processes contribute to improved huanglongbing tolerance of the persian lime compared with the mexican lime. *Frontiers in Plant Science* 12:685679, 2021. <https://doi.org/10.3389/fpls.2021.685679>. (WoS/Scopus)

2642. Sofy MR, Aboesidah AA, Heneidak SA, Ahmed HR. ACC deaminase containing endophytic bacteria ameliorate salt stress in *Pisum sativum* through reduced oxidative damage and induction of antioxidative defense systems. *Environmental Science and Pollution Research* 28:40971-40991, 2021. <https://doi.org/10.1007/s11356-021-13585-3>. (WoS/Scopus)

2643. Soury Z, Karimi N, Farooq MA, da Silva Lobato AK. Improved physiological defense responses by application of sodium nitroprusside in *Isatis cappadocica* Desv. under cadmium stress. *Physiologia Plantarum* 173(1):100-115, 2021. <https://doi.org/10.1111/ppl.13226>. (WoS/Scopus)

2644. Soury Z, Karimi N, Ahmad P. The effect of NADPH oxidase inhibitor diphenyleneiodonium (DPI) and glutathione (GSH) on *Isatis cappadocica*, under Arsenic (As) toxicity. *International Journal of Phytoremediation* 23(9), 945-957, 2021. <https://doi.org/10.1080/15226514.2020.1870435>. (WoS/Scopus)

2645. Sreesaeng J, Kongchui P, Nakasathien S. Effects of simulated acid rain on morphological traits of Thai rice cultivars. *Agriculture and Natural Resources* 55(4), 692-702, 2021. <https://li01.tci-thaijo.org/index.php/anres/article/view/252053>. (WoS/Scopus)

2646. Sreesaeng J, Kongchui P, Nakasathien S. Preliminary responses of some Thai rice cultivars to simulated acid rain stress during seed germination. *ScienceAsia* 47, 303-311, 2021. <http://dx.doi.org/10.2306/scienceasia1513-1874.2021.037>. (WoS/Scopus)

2647. Sultan I, Khan I, Chattha MU, Hassan MU, Barbanti L, Calone R, Ali M, Majid S, Ghani MA, Batool M, Izzat W, Usman S. Improved salinity tolerance in early growth stage of maize through salicylic acid foliar application. *Italian Journal of Agronomy* 16(3), art. number 1810, 2021. <https://doi.org/10.4081/ija.2021.1810>. (WoS/Scopus)

2648. Sun K, Yue Y, Zhang H, Yang N, Wen D, Li X, Chen N, Yang Y, Wang K. Potential of gibberellic acid (GA3) and uniconazole for enhancing the Cd absorption efficiency of maize (*Zea mays* L.). *Polish Journal of Environmental Studies* 30(1), 851-861, 2021. <https://doi.org/10.15244/pjoes/123923>. (WoS/Scopus)

2649. Sun W, Zhan J, Zheng T, Wu G, Xu H, Chen Y, Yao M, Zeng J, Yan J, Chen H. Involvement of several putative transporters of different families in β -cyclocitral-induced alleviation of cadmium toxicity in quinoa (*Chenopodium quinoa*) seedlings. *Journal of Hazardous Materials* 419:126474, 2021. <https://doi.org/10.1016/j.jhazmat.2021.126474> (WoS/Scopus)

2650. Tabassum R, Tahjib-Ul-Arif M, Hasanuzzaman M, Sohag AA, Islam MS, Shafi SS, Islam MM, Hassan L. Screening salt-tolerant rice at the seedling and reproductive stages: An effective and reliable approach. *Environmental and Experimental Botany* 192:104629, 2021. <https://doi.org/10.1016/j.envexpbot.2021.104629> (WoS/Scopus)

2651. Tadaiesky LB, da Silva BR, Batista BL, Lobato AK. Brassinosteroids trigger tolerance to iron toxicity in rice. *Physiologia Plantarum* 171(3):371-387, 2021. <https://doi.org/10.1111/ppl.13230>. (WoS/Scopus)

2652. Taghipour L, Rahemi M, Assar P, Ramezani A, Mirdehghan SH. Alleviating chilling injury in stored pomegranate using a single intermittent warming cycle: fatty acid and polyamine modifications. *International Journal of Food Science* Article ID 2931353, 2021. <https://doi.org/10.1155/2021/2931353>. (WoS/Scopus)

2653. Taherbahrani S, Zoufan P, Zargar B. Modulation of the toxic effects of zinc oxide nanoparticles by exogenous salicylic acid pretreatment in *Chenopodium murale* L. *Environmental Science and Pollution Research* 28, 65655-65654, 2021. <https://doi.org/10.1007/s11356-021-15566-y>. (WoS/Scopus)

2654. Taier G, Hang N, Shi T, Liu Y, Ye W, Zhang W, Wang K. Ectopic expression of Os-miR408 improves thermo-tolerance of perennial ryegrass. *Agronomy* 11(10):1930, 2021. <https://doi.org/10.3390/agronomy11101930>. (WoS/Scopus)

2655. Tammam A, El-Aggan W, Abou-Shanab R, Mubarak M. Improved of growth and phytostabilization potential of lead (Pb) in *Glebionis coronaria* L. under the effect of IAA and GA3 alone and in combination with EDTA by altering biochemical attributes of stressed plants. *International Journal of Phytoremediation* 23(9):958-968, 2021. <https://doi.org/10.1080/15226514.2020.1870928>. (WoS/Scopus)

2656. Tanwir K, Javed MT, Abbas S, Shahid M, Akram MS, Chaudhary HJ, Iqbal M. *Serratia* sp. CP-13 alleviates Cd toxicity by morpho-physio-biochemical improvements, antioxidative potential and diminished Cd uptake in *Zea mays* L. cultivars differing in Cd tolerance. *Ecotoxicology and Environmental Safety* 208, art. 111584, 2021. <https://doi.org/10.1016/j.ecoenv.2020.111584>. (WoS/Scopus)

2657. Tanzeem-ul-Haq HS, Rasool B, Ehtisham-ul-Haque S, Saif S, Zafar S, Younis T, Akhtar I, Jafri L, Iqbal N, Masood N, Lewińska K, Iqbal M. Chitosan with bentonite and biochar in Ni-affected soil reduces grain Ni concentrations, improves soil enzymes and grain quality in lentil. *Minerals* 11(1), 11, 2021. <https://doi.org/10.3390/min11010011>. (WoS/Scopus)

2658. Tariq M, Shah AA, Yasin NA, Ahmad A, Rizwan M. Enhanced performance of *Bacillus megaterium* OSR-3 in combination with putrescine ameliorated hydrocarbon stress in *Nicotiana tabacum*. *International Journal of Phytoremediation* 23(2):119-129, 2021. <https://doi.org/10.1080/15226514.2020.1801572>. (WoS/Scopus)

2659. Tashackori H, Sharifi M, Ahmadian Chashmi N, Behmanesh M, Safaie N, Sagharyan M. Physiological, biochemical, and molecular responses of *Linum album* to digested cell wall of *Piriformospora indica*. *Physiology*

- and *Molecular Biology of Plants* 27, 2695-2708, **2021**. <https://doi.org/10.1007/s12298-021-01106-y>. (WoS/Scopus)
- 2660.** Tavares DS, Fernandes TEK, Rita YL, Rocha DC, Sant'Anna-Santos BF, Gomes MP. Germinative metabolism and seedling growth of cowpea (*Vigna unguiculata*) under salt and osmotic stress. *South African Journal of Botany* 139, 399-408, **2021**. <https://doi.org/10.1016/j.sajb.2021.03.019>. (WoS/Scopus)
- 2661.** Teja RR, Maruthi B. Polyamines in vegetable production: A universal process with diverse roles. *Just Agriculture* 2(3), 79(1-5), **2021**. <https://justagriculture.in/files/newsletter/2021/november/79.pdf>.
- 2662.** Thind S, Hussain I, Rasheed R, Ashraf MA, Perveen A, Ditta A, Hussain S, Khalil N, Ullah Z, Mahmood Q. Alleviation of cadmium stress by silicon nanoparticles during different phenological stages of Ujala wheat variety. *Arabian Journal of Geosciences* 14, art. number 1028, **2021**. <https://doi.org/10.1007/s12517-021-07384-w>. (WoS/Scopus)
- 2663.** Torabi S, Taheri MA, Semsarha F. Alleviative effects of Faradarmani Consciousness field on *Triticum aestivum* L. under salinity stress. *F1000Research* 9, 1089, **2021**. <https://doi.org/10.12688/f1000research.25247.3> (WoS/Scopus)
- 2664.** Touzout N, Mehallah H, Moralent R, Moulay M, Nemmiche S. Phytotoxic evaluation of neonicotinoid imidacloprid and cadmium alone and in combination on tomato (*Solanum lycopersicum* L.). *Ecotoxicology* 30:1126-1137, **2021**. <https://doi.org/10.1007/s10646-021-02421-6>. (WoS/Scopus)
- 2665.** Touzout N, Mehallah H, Moralent R, Nemmiche S, Benkhelifa M. Co-contamination of deltamethrin and cadmium induce oxidative stress in tomato plants (*Solanum lycopersicum* L.). *Acta Physiologiae Plantarum* 43, 91, **2021**. <https://doi.org/10.1007/s11738-021-03261-x>. (WoS/Scopus)
- 2666.** Tsaniklidis G, Charova SN, Fanourakis D, Tsafouros A, Nikoloudakis N, Goumenaki E, Tsantili E, Roussos PA, Spiliopoulos IK, Paschalidis KA, Delis C. The role of temperature in mediating postharvest polyamine homeostasis in tomato fruit. *Postharvest Biology and Technology* 179, art. 111586, **2021**. <https://doi.org/10.1016/j.postharvbio.2021.111586>. (WoS/Scopus)
- 2667.** Turan V. Arbuscular mycorrhizal fungi and pistachio husk biochar combination reduces Ni distribution in mungbean plant and improves plant antioxidants and soil enzymes. *Physiologia Plantarum* 173(1):418-429, **2021**. <https://doi.org/10.1111/ppl.13490>. (WoS/Scopus)
- 2668.** Turfan N. Effect of different organic manures application on the bioactive compound and yield of Taşköprü garlic (*Allium sativum* L.) under 50% drought. *International Journal of Agricultural and Wildlife Sciences* 7(2), 264-275, **2021**. <https://doi.org/10.24180/ijaws.872632>.
- 2669.** Umber M, Sultana R, Nasir F, Mubashar R, Sehar R. Influence of *Trichoderma harzianum*-seed coating on the biochemical characteristics of wheat (*Triticum aestivum* L.) under salt stress. *Pakistan Journal of Analytical & Environmental Chemistry* 22(2): 288-296, **2021**. <http://dx.doi.org/10.21743/pjaec/2021.12.08>. Source: (WoS/Scopus)
- 2670.** Umer Chattha M, Arif W, Khan I, Soufan W, Bilal Chattha M, Hassan MU, Ullah N, Sabagh AE, Qari SH. Mitigation of cadmium induced oxidative stress by using organic amendments to improve the growth and yield of mash beans [*Vigna mungo* (L.)]. *Agronomy* 11(11):2152, **2021**. <https://doi.org/10.3390/agronomy11112152>. (WoS/Scopus)
- 2671.** Vafadar F, Amooaghaie R, Ehsanzadeh P, Ghanati F, Allakhverdiev S. Melatonin improves the photosynthesis in *Dracocephalum kotschy* under salinity stress in a Ca_2^+ /CaM-dependent manner. *Functional Plant Biology* 49(1), 89-101, **2021**. <https://doi.org/10.1071/FP21233> (WoS/Scopus)
- 2672.** Valipour H, Shafagh-Kolvanagh J, Ghassemi-Golezani K, and Alizadeh-Salteh S. Improvement of yield-related traits of spring rapeseed in response to nano-superabsorbent and bio-fertilizers under water deficit conditions. *Journal of Plant Physiology and Breeding* 11(2): 15-32, **2021**. <https://dx.doi.org/10.22034/jppb.2021.14414>.
- 2673.** Verma N, Pandey A, Tiwari S, Prasad SM. Calcium mediated nitric oxide responses: Acquisition of nickel stress tolerance in cyanobacterium *Nostoc muscorum* ATCC 27893. *Biochemistry and Biophysics Reports* 26, art. 100953, **2021**. <https://doi.org/10.1016/j.bbrep.2021.100953>. (WoS/Scopus)
- 2674.** Verma N, Prasad SM. Regulation of redox homeostasis in cadmium stressed rice field cyanobacteria by exogenous hydrogen peroxide and nitric oxide. *Scientific Reports* 11:2893, **2021**. <https://doi.org/10.1038/s41598-021-82397-9>. (WoS/Scopus)
- 2675.** Wang A, Li J, AL-Huqail AA, AL-Harbi MS, Ali EF, Wang J, Ding Z, Rekaby SA, Ghoneim AM, Eissa MA. Mechanisms of chitosan nanoparticles in the regulation of cold stress resistance in banana plants. *Nanomaterials* 11(10):2670, **2021**. <https://doi.org/10.3390/nano11102670>. (WoS/Scopus)
- 2676.** Wang J, Hou W, Christensen MJ, Xia C, Chen T, Zhang Z, Nan Z. The fungal endophyte *Epichloë gansuensis* increases NaCl-tolerance in *Achnatherum inebrians* through enhancing the activity of plasma membrane H^+ -ATPase and glucose-6-phosphate dehydrogenase. *Science China Life Sciences* 64:452-465, **2021**. <https://doi.org/10.1007/s11427-020-1674-y>. (WoS/Scopus)
- 2677.** Wang Z, Hao M. Effects of spent drilling fluids from natural gas fields on seed germination and root development of maize (*Zea mays* L.). *Sustainability* 13(3):1510, **2021**. <https://doi.org/10.3390/su13031510>. (WoS/Scopus)
- 2678.** Wu S, Yu K, Ding X, Song F, Liang X, Li Z, Peng L. Transcriptomic analyses reveal dynamic changes of defense response in *Glycyrrhiza uralensis* leaves under enhanced ultraviolet-B radiation. *Plant Physiology and Biochemistry* 163:358-366, **2021**. <https://doi.org/10.1016/j.plaphy.2021.04.010>. (WoS/Scopus)

- 2679.** Wu S, Yu K, Li L, Wang L, Liang W. Enhancement of exopolysaccharides production and reactive oxygen species level of *Nostoc flagelliforme* in response to dehydration. *Environmental Science and Pollution Research* 28:34300-34308, **2021**. <https://doi.org/10.1007/s11356-021-13051-0>. (WoS/Scopus)
- 2680.** Wu Z-z, Yang J-y, Zhang Y-x, Wang C-q, Guo S-s, Yu Y-q. Growth responses, accumulation, translocation and distribution of vanadium in tobacco and its potential in phytoremediation. *Ecotoxicology and Environmental Safety* 207, art. 111297, **2021**. <https://doi.org/10.1016/j.ecoenv.2020.111297>. (WoS/Scopus)
- 2681.** Xu G, Zhao X, Jiang M, Lu D, Chen M. Nitrogen forms and irrigation regimes interact to affect rice yield by regulating the source and sink characteristics. *Agronomy Journal* 113(5):4022-4036, **2021**. <https://doi.org/10.1002/agj2.20829> (WoS/Scopus)
- 2682.** Xu H, Gao X, Yu C. Physiological and transcriptomic analysis of *Pinus massoniana* seedling response to osmotic stress. *Biologia Plantarum* 65, 145-156, **2021**. <https://bp.ueb.cas.cz/pdfs/bpl/2021/01/34.pdf>. (WoS/Scopus)
- 2683.** Xu L, Li J, Najeeb U, Li X, Pan J, Huang Q, Zhou W, Liang Z. Synergistic effects of EDDS and ALA on phytoextraction of cadmium as revealed by biochemical and ultrastructural changes in sunflower (*Helianthus annuus* L.) tissues. *Journal of Hazardous Materials* 407, art. 124764, **2021**. <https://doi.org/10.1016/j.jhazmat.2020.124764>. (WoS/Scopus)
- 2684.** Xu Y, Feng J, Li H. Water management increased rhizosphere redox potential and decreased Cd uptake in a low-Cd rice cultivar but decreased redox potential and increased Cd uptake in a high-Cd rice cultivar under intercropping. *Science of the Total Environment* 751, 141701, **2021**. <https://doi.org/10.1016/j.scitotenv.2020.141701> (WoS/Scopus)
- 2685.** Yadav P, Srivastava S, Patil T, Raghuvanshi R, Srivastava AK, Suprasanna P. Tracking the time-dependent and tissue-specific processes of arsenic accumulation and stress responses in rice (*Oryza sativa* L.). *Journal of Hazardous Materials* 406, 124307, **2021**. <https://doi.org/10.1016/j.jhazmat.2020.124307> (WoS/Scopus)
- 2686.** Yadav R, Santal AR, Singh NP. Evaluation of physiological and biochemical parameters of some wheat (*Triticum aestivum*) genotypes under salinity stress. *Indian Journal of Agricultural Research* 55, 137-143, **2021**. <http://dx.doi.org/10.18805/IJARE.A-5473> (WoS/Scopus)
- 2687.** Yadav V, Gill RA, Arif N, Gill SA, Singh VP, Ramawat N, Zhou W, Tripathi DK, Chauhan DK. Endogenous indole-3-acetic acid and nitric oxide are required for calcium-mediated alleviation of copper oxide nanoparticles toxicity in wheat seedlings. *Physiologia Plantarum* 173(4), 2262-2275, **2021**. <https://doi.org/10.1111/ppl.13576>. (WoS/Scopus)
- 2688.** Yadav VK, Jha RK, Kaushik P, Altalayan FH, Al Balawi T, Alam P. Traversing arbuscular mycorrhizal fungi and *Pseudomonas fluorescens* for carrot production under salinity. *Saudi Journal of Biological Sciences* 28(8):4217-4223, **2021**. <https://doi.org/10.1016/j.sjbs.2021.06.025>. (WoS/Scopus)
- 2689.** Yahya M, Islam Eu, Rasul M, Farooq I, Mahreen N, Tawab A, Irfan M, Rajput L, Amin I, Yasmin S. Differential root exudation and architecture for improved growth of wheat mediated by phosphate solubilizing bacteria. *Frontiers in Microbiology* 12:744094, **2021**. <https://doi.org/10.3389/fmicb.2021.744094.744094>. (WoS/Scopus)
- 2690.** Yang L, Wang Y, Yang K. *Klebsiella variicola* improves the antioxidant ability of maize seedlings under saline-alkali stress. *PeerJ* 9:e11963, **2021**. <https://doi.org/10.7717/peerj.11963>. (WoS/Scopus)
- 2691.** Yaseen W, M Iqbal, I Hussain, S Khaliq, MA Ashraf. Exogenous menadione sodium bisulphite increases pigments, osmoprotectants and alters metabolism to attenuate cadmium toxicity on growth and yield in summer squash (*Cucurbita pepo*). *International Journal of Agriculture & Biology* 25:1321-1330, **2021**. [http://www.fspublishers.org/view_pdf_issue.php?file=published_papers/43476_doi%2015.1794%20IJAB-21-0146%20\(10\).pdf](http://www.fspublishers.org/view_pdf_issue.php?file=published_papers/43476_doi%2015.1794%20IJAB-21-0146%20(10).pdf). (WoS/Scopus)
- 2692.** Yazıcılar B, Böke F, Alaylı A, Nadaroglu H, Gedikli S, Bezirganoglu I. In vitro effects of CaO nanoparticles on *Triticale* callus exposed to short and long-term salt stress. *Plant Cell Reports* 40:29-42, **2021**. <https://doi.org/10.1007/s00299-020-02613-0>. (WoS/Scopus)
- 2693.** Yildirim E, Ekinci M, Turan M, Açar G, Dursun A, Kul R, Alim Z, Argin S. Humic + Fulvic acid mitigated Cd adverse effects on plant growth, physiology and biochemical properties of garden cress. *Scientific Reports* 11, Article number: 8040, **2021**. <https://doi.org/10.1038/s41598-021-86991-9>. (WoS/Scopus)
- 2694.** Yildiztekin M. Ameliorative effects of exogenous ascorbic acid and potassium nitrate on antioxidant defence system and mineral nutrients uptake in tomatoes under salt stress. *Pakistan Journal of Botany* 53(2):401-407, **2021**. [http://dx.doi.org/10.30848/PJB2021-2\(8\)](http://dx.doi.org/10.30848/PJB2021-2(8)). (WoS/Scopus)
- 2695.** Yilmaz M, Yilmaz A, Karaman A, Aysin F, Aksakal O. Monitoring chemically and green-synthesized silver nanoparticles in maize seedlings via Surface-enhanced Raman Spectroscopy (SERS) and their phytotoxicity evaluation. *Talanta* 225, art. 121952, **2021**. <https://doi.org/10.1016/j.talanta.2020.121952> (WoS/Scopus)
- 2696.** Younis AA. Structural, physiological, and biochemical alterations of the galled stems of *Tamarix nilotica*. *Egyptian Journal of Botany* 61(3), 747-758, **2021**. <https://dx.doi.org/10.21608/ejbo.2021.50503.1585> (WoS/Scopus)
- 2697.** Youssef MHM, Raafat A, El-Yazied AA, Selim S, Azab E, Khojah E, El Nahhas N, Ibrahim MFM. Exogenous application of alpha-lipoic acid mitigates salt-induced oxidative damage in sorghum plants through regulation growth, leaf pigments, ionic homeostasis, antioxidant enzymes, and expression of salt stress responsive genes. *Plants* 10(11):2519, **2021**. <https://doi.org/10.3390/plants10112519>. (WoS/Scopus)
- 2698.** Yu L-L, Liu Y, Peng Y, Zhu F, Xu F. Overexpression of cyanoalanine synthase 1 improves germinability

- of tobacco seeds under salt stress conditions. *Environmental and Experimental Botany* 182, 104332, **2021**. <https://doi.org/10.1016/j.envexpbot.2020.104332>. (WoS/Scopus)
- 2699.** Zafar MM, Manan A, Razzaq A, Zulfqar M, Saeed A, Kashif M, Khan AI, Sarfraz Z, Mo H, Iqbal MS, Shakeel A, Ren M. Exploiting agronomic and biochemical traits to develop heat resilient cotton cultivars under climate change scenarios. *Agronomy* 11(9):1885, **2021**. <https://doi.org/10.3390/agronomy11091885>. (WoS/Scopus)
- 2700.** Zafar Z, Rasheed F, Atif RM, Javed MA, Maqsood M, Gailing O. Foliar application of salicylic acid improves water stress tolerance in *Conocarpus erectus* L. and *Populus deltoides* L. saplings: evidence from morphological, physiological and biochemical changes. *Plants* 10(6):1242, **2021**. <https://doi.org/10.3390/plants10061242>. (WoS/Scopus)
- 2701.** Zafar Z, Rasheed F, Atif RM, Maqsood M, Gailing O. Salicylic acid-induced morpho-physiological and biochemical changes triggered water deficit tolerance in *Syzygium cumini* L. saplings. *Forests* 12(4), 491, **2021**. <https://doi.org/10.3390/f12040491>. (WoS/Scopus)
- 2702.** Zafar Z, Rasheed F, Khan WR, Afzal S, Qadeer A, Mohsin M, Nazre M, Raza Z, Ibrahim FH. Morpho-physiological and biochemical changes in *Syzygium cumini* and *Populus deltoides*: A case study on young saplings under water stress. *Forests* 12(10):1319, **2021**. <https://doi.org/10.3390/f12101319>. (WoS/Scopus)
- 2703.** Zafar Z, Rasheed F, Ul Haq A, Ibrahim FH, Afzal S, Nazre M, Akram S, Hussain Z, Kudus KA, Mohsin M, Qadeer A, Raza Z, Khan WR. Interspecific differences in physiological and biochemical traits drive the water stress tolerance in young *Morus alba* L. and *Conocarpus erectus* L. saplings. *Plants* 10(8), 1615, **2021**. <https://doi.org/10.3390/plants10081615>. (WoS/Scopus)
- 2704.** Zahir S, Zhang F, Chen J, Zhu S. Determination of oxidative stress and antioxidant enzyme activity for physiological phenotyping during heavy metal exposure. In: Pan X., Zhang B. (eds) *Environmental Toxicology and Toxicogenomics. Methods in Molecular Biology*, vol 2326. Humana, New York, NY, **2021**. https://doi.org/10.1007/978-1-0716-1514-0_17. (WoS/Scopus) (e-BOOK)
- 2705.** Zahra N, Wahid A, Shaukat K, Hafeez MB, Batool A, Hasanuzzaman M. Oxidative stress and tolerance potential of milk thistle ecotypes after supplementation of different plant growth-promoting agents under salinity. *Plant Physiology and Biochemistry* 166:53-65, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.042>. (WoS/Scopus)
- 2706.** Zhang J, Zhang Q, Xing J, Li H, Miao J, Xu B. Acetic acid mitigated salt stress by alleviating ionic and oxidative damages and regulating hormone metabolism in perennial ryegrass (*Lolium perenne* L.). *Grass Research* 1:3, **2021**. <https://doi.org/10.48130/GR-2021-0003>.
- 2707.** Zhang LX, Chang QS, Hou XG, Chen SD, Zhang QM, Wang JZ, Liu SD, Li S. Biochemical and photosystem characteristics of wild-type and Chl b-deficient mutant in tree peony (*Paeonia suffruticosa*). *Photosynthetica* 59 (2): 256-265, **2021**. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2670>. (WoS/Scopus)
- 2708.** Zhang P, Liu L, Wang X, Wang Z, Zhang H, Chen J, Liu X, Wang Y, Li C. Beneficial effects of exogenous melatonin on overcoming salt stress in sugar beets (*Beta vulgaris* L.). *Plants* 10(5):886, **2021**. <https://doi.org/10.3390/plants10050886>. (WoS/Scopus)
- 2709.** Zhao C, Yang M, Wu X, Wang Y, Zhang R. Physiological and transcriptomic analyses of the effects of exogenous melatonin on drought tolerance in maize (*Zea mays* L.). *Plant Physiology and Biochemistry* 168, 128-142, **2021**. <https://doi.org/10.1016/j.plaphy.2021.09.044> (WoS/Scopus)
- 2710.** Zhou C, Xiao X, Guo Z, Peng C, Zeng P, Bridget AF. Physiological responses, tolerance efficiency, and phytoextraction potential of *Hylotelephium spectabile* (Boreau) H. Ohba under Cd stress in hydroponic condition. *International Journal of Phytoremediation* 23(1), 80-88, **2021**. <https://doi.org/10.1080/15226514.2020.1797628>. (WoS/Scopus)
- 2711.** Zhou J, Tian L, Wang S, Li H, Zhao Y, Zhang M, Wang X, An P, Li C. Ovary abortion induced by combined waterlogging and shading stress at the flowering stage involves amino acids and flavonoid metabolism in maize. *Frontiers in Plant Science* 12:778717, **2021**. <https://doi.org/10.3389/fpls.2021.778717>. (WoS/Scopus)
- 2712.** Zou Y-N, Zhang F, Srivastava AK, Wu Q-S and Kuca K. Arbuscular mycorrhizal fungi regulate polyamine homeostasis in roots of trifoliate orange for improved adaptation to soil moisture deficit stress. *Frontiers in Plant Science* 11:600792, **2021**. <https://doi.org/10.3389/fpls.2020.600792>. (WoS/Scopus)
- 2713.** Zubair M, Ramzani PM, Rasool B, Khan MA, Akhtar I, Turan V, Tauqeer HM, Farhad M, Khan SA, Iqbal J, Iqbal M. Efficacy of chitosan-coated textile waste biochar applied to Cd-polluted soil for reducing Cd mobility in soil and its distribution in moringa (*Moringa oleifera* L.). *Journal of Environmental Management* 284, 112047, **2021**. <https://doi.org/10.1016/j.jenvman.2021.112047> (WoS/Scopus)
- 2714.** Zulfiqar F, Chen J, Finnegan PM, Younis A, Nafees M, Zorrig W, Hamed KB. Application of trehalose and salicylic acid mitigates drought stress in sweet basil and improves plant growth. *Plants* 10(6):1078, **2021**. <https://doi.org/10.3390/plants10061078>. (WoS/Scopus)
- 2715.** Zulfiqar H, Shahbaz M, Ahsan M, Nafees M, Nadeem H, Akram M, Maqsood A, Ahmar S, Kamran M, Alamri S, Siddiqui MH, Saud S, Fahad S. Strigolactone (GR24) induced salinity tolerance in sunflower (*Helianthus annuus* L.) by ameliorating morpho-physiological and biochemical attributes under in vitro conditions. *Journal of Plant Growth Regulation* 40:2079-2091, **2021**. <https://doi.org/10.1007/s00344-020-10256-4>. (WoS/Scopus)
- 2716.** Abdelkhalek A, Al-Askar AA, Arishi AA, Behiry SI. *Trichoderma hamatum* strain Th23 promotes tomato growth and induces systemic resistance against tobacco mosaic virus. *Journal of Fungi* 8, 228, **2022**. <https://doi.org/10.3390/jof8030228>. (WoS/Scopus)

- 2717.** Abdelkhalek A, El-Gendi H, Al-Askar AA, Maresca V, Moawad H, Elsharkawy MM, Younes HA, Behiry SI. Enhancing systemic resistance in faba bean (*Vicia faba* L.) to Bean yellow mosaic virus via soil application and foliar spray of nitrogen-fixing *Rhizobium leguminosarum* bv. viciae strain 33504-Alex1. *Frontiers in Plant Science* 13:933498, **2022**. <https://doi.org/10.3389/fpls.2022.933498>. (WoS/Scopus)
- 2718.** Abdullahi UA, Khandaker MM, Alenazi MM, Shaari NEM, Alias N. Ameliorative effects of *Sargassum stolonifolium* amendment on physiological and biochemical parameters in *Brassica chinensis* L. under cadmium contaminated soil. *Semina: Ciências Agrárias Londrina* 43(5), 1907-1940, **2022**. <https://doi.org/10.5433/1679-0359.2021v43n5p1891>. (WoS/Scopus)
- 2719.** Abid A, Shahbaz M. Influence of exogenously applied trehalose on morphological and physiological traits of flax (*Linum usitatissimum*) plant under water shortage conditions. *Pakistan Journal of Agricultural Sciences* 59(3), 435-448, **2022**. <https://pakjas.com.pk/#/ViewAbstract/4557>. (WoS/Scopus)
- 2720.** Abid G, Ouertani RN, Ghouili E, Muhovski Y, Jebara SH, Abdelkarim S, Chaieb O, Redjem YB, El Ayed M, Barhoumi F, Souissi F. Exogenous application of spermidine mitigates the adverse effects of drought stress in faba bean (*Vicia faba* L.). *Functional Plant Biology*, 49(4), 405-420, **2022**. <https://doi.org/10.1071/FP21125>. (WoS/Scopus)
- 2721.** Abu-Shahba MS, Mansour MM, Mohamed HI, Sofy MR. Effect of biosorptive removal of cadmium ions from hydroponic solution containing indigenous garlic peel and mercerized garlic peel on lettuce productivity. *Scientia Horticulturae* 293, 110727, **2022**. <https://doi.org/10.1016/j.scienta.2021.110727>. (WoS/Scopus)
- 2722.** Abu-Tahon MA, Mogazy AM, Isaa GS. Resistance assessment and enzymatic responses of common bean (*Phaseolus vulgaris* L.) against *Rhizoctonia solani* damping-off in response to seed presoaking in *Vitex agnus-castus* L. oils and foliar spray with zinc oxide nanoparticle. *South African Journal of Botany* 146, 77-89, **2022**. <https://doi.org/10.1016/j.sajb.2021.10.009>. (WoS/Scopus)
- 2723.** Afarin H, Jabbarzadeh Z, Barin M. Effects of Humic Acid and Mycorrhizal Fungus on Some Morphological and Physiological Characteristics of *Gerbera Jamesonii* 'Dune'. *Iranian Journal of Horticultural Science and Technology*, 23(2), 191-204, **2022**. <https://journal-irshs.ir/article-1-519-en.pdf>.
- 2724.** Afzai U, Khan I, Chattha MU, Maqbool R, Chattha MB, Ambreen NA, Hashem M, Alamri S, Alhaithloul HA, Hassan S, Bhatti MA. Organic amendments mitigate salinity induced toxic effects in maize by modulating antioxidant defense system, photosynthetic pigments and ionic homeostasis. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(2), 12735, **2022**. <https://doi.org/10.15835/nbha50212735>. (WoS/Scopus)
- 2725.** Aghae Dizaj L, Mohammadi H, Aghae A. Physiological response of two oregano species medicinal plant to foliar spraying of chitosan under water deficit stress conditions. *Environmental Stresses in Crop Sciences*, 15(1), 185-197, **2022**. <https://dx.doi.org/10.22077/escs.2020.3603.1881>.
- 2726.** Agnihotri P, Maitra M, Mitra AK. Effect of an As(V)-resistant plant growth promoting bacterial consortium on growth, antioxidant content and arsenic accumulation in *Azolla microphylla* Kaulf. under As(V) stress. *Russian Journal of Plant Physiology* 69, art. 15, **2022**. <https://doi.org/10.1134/S1021443722010022>. (WoS/Scopus)
- 2727.** Agnihotri P, Sikdar S, Maitra M, SS Choudhury, AK Mitra. Effect of combination of *Azolla microphylla* and As(V)-resistant bacterial consortium on growth, oxidative stress and arsenic accumulation in rice plant under As(V) stress. *Vegetos* 35, 796-82, **2022**. <https://doi.org/10.1007/s42535-022-00345-y>. (WoS/Scopus)
- 2728.** Agualongo DA, Da-Silva CJ, Garcia N, de Oliveira FK, Shimoia EP, Posso DA, de Oliveira AC, de Oliveira DD, do Amarante L. Waterlogging priming alleviates the oxidative damage, carbohydrate consumption, and yield loss in soybean (*Glycine max*) plants exposed to waterlogging. *Functional Plant Biology*, 49(12), 1029-1042, **2022**. <https://doi.org/10.1071/FP22030>. (WoS/Scopus)
- 2729.** Ait Rahou Y, Boutaj H, Ait-El-Mokhtar M, Anli M, Boutasknit A, Tahiri A-i, El Amerany F, El Modafar C, Douira A, Benkirane R, Meddich A. Effect of beneficial indigenous microorganisms on tomato growth performance, productivity, and protection against *Verticillium dahliae*. *Journal of Plant Diseases and Protection* 129, 1163-1180, **2022**. <https://doi.org/10.1007/s41348-022-00616-5>. (WoS/Scopus)
- 2730.** Ait-El-Mokhtar M, Ben-Laouane R, Boutasknit A, Anli M, El-Amerany F, Toubali S, Lahbouki S, Mitsui T, Wahbi S, Baslam M, Meddich A. The Beneficial Effects of Arbuscular Mycorrhizal Fungi and Compost on Plant Tolerance to Drought and Salinity Stresses: A Study on Date Palm and Alfalfa. In: *Microbial BioTechnology for Sustainable Agriculture*, Volume 1 (pp. 369-406). Springer, Singapore, **2022**. https://doi.org/10.1007/978-981-16-4843-4_12. [Book]
- 2731.** Ait-El-Mokhtar M, Fakhech A, Ben-Laouane R, Anli M, Boutasknit A, Ait-Rahou Y, Wahbi S, Meddich A. Compost as an eco-friendly alternative to mitigate salt-induced effects on growth, nutritional, physiological and biochemical responses of date palm. *International Journal of Recycling of Organic Waste in Agriculture*, 11:85-100, **2022**. <https://dx.doi.org/10.30486/ijrowa.2021.1927528.1233>. (WoS/Scopus)
- 2732.** Akbar A, Ashraf MA, Rasheed R, I Hussain, S Ali, A Parveen. Exogenous menadione sodium bisulphite alleviates detrimental effects of alkaline stress on wheat (*Triticum aestivum* L.). *Physiology and Molecular Biology of Plants* 28, 1889-1903, **2022**. <https://doi.org/10.1007/s12298-022-01250-z>. (WoS/Scopus)
- 2733.** Akenous FZ, Anli M, Boutasknit A, Ben-Laouane R, Ait-Rahou Y, Ben Ahmed H, Nasri N, Hafidi M, Meddich A. Boosting date palm (*Phoenix dactylifera* L.) growth under drought stress: effects of innovative biostimulants. *Gesunde Pflanzen* 74, 961-982, **2022**. <https://doi.org/10.1007/s10343-022-00651-0>. (WoS/Scopus)
- 2734.** Akhtar N, Khan S, Ur Rehman S, Rha ES, Jamil M. Combined effect of zinc oxide nanoparticles and bacteria on osmolytes and antioxidative parameters of rice (*Oryza sativa* L.) plant grown in heavy metal-contaminated water. *Adsorption Science & Technology* Volume 2022, art. ID 4148765, **2022**. <https://doi.org/10.1155/2022/4148765>. (WoS/Scopus)

- 2735.** Alam MS, Yang ZK, Li C, Yan Y, Liu Z, Nazir MM, Xu JH. Loss-of-function mutations of OsbHLH044 transcription factor lead to salinity sensitivity and a greater chalkiness in rice (*Oryza sativa* L.). *Plant Physiology and Biochemistry*. 193, 110-123, **2022**. <https://doi.org/10.1016/j.plaphy.2022.10.033>. (WoS/Scopus)
- 2736.** Alam P, Azzam MA, Balawi TA, Raja V, Bhat JA, Ahmad P. Mitigation of negative effects of chromium (VI) toxicity in faba bean (*Vicia faba*) plants through the supplementation of kinetin (KN) and gibberellic acid (GA3). *Plants* 11(23):3302, **2022**. <https://doi.org/10.3390/plants11233302>. (WoS/Scopus)
- 2737.** Alamer, Khalid H., Shaista Perveen, Abdul Khaliq, Muhammad Zia Ul Haq, Muhammad Usman Ibrahim, Bader Ijaz. Mitigation of salinity stress in maize seedlings by the application of vermicompost and sorghum water extracts. *Plants* 11, no. 19: 2548, **2022**. <https://doi.org/10.3390/plants11192548>. (WoS/Scopus)
- 2738.** Alay M, Turfan N. Investigation of Some of the Bioactive Chemicals and the Elemental Profile of Monumental Plane Trees in the Abana-Harmason Region. *Polish Journal of Environmental Studies*, 31(2), 1007–1017, **2022**. <https://doi.org/10.15244/pjoes/141812>. (WoS/Scopus)
- 2739.** Alayat A, Boumedris Z, Benosmane S, Atailia A, Hacini N. Silicon enhances the salt tolerance of two wheat cultivars through decreasing oxidative damage. *Food and Environment Safety*, 21(1), 5-15, **2022**. <http://fens.usv.ro/index.php/FENS/article/view/865>.
- 2740.** Alharbi K, Alaklabi A. Alleviation of salinity induced growth and photosynthetic decline in wheat due to biochar and jasmonic acid application involves up-regulation of ascorbate-glutathione pathway, glyoxylase system and secondary metabolite accumulation. *Rhizosphere*. 24, 100603, **2022**. <https://doi.org/10.1016/j.rhisph.2022.100603>. (WoS/Scopus)
- 2741.** Alharbi K, Hafez E, Omara AE-D, Awadalla A, Nehela Y. Plant Growth promoting rhizobacteria and silica nanoparticles stimulate sugar beet resilience to irrigation with saline water in salt-affected soils. *Plants* 11(22):3117, **2022**. <https://doi.org/10.3390/plants11223117>. (WoS/Scopus)
- 2742.** Alharbi K, Osman HS, Rashwan E, Hafez EM, Omara AE-D. Stimulating the growth, anabolism, antioxidants, and yield of rice plants grown under salt stress by combined application of bacterial inoculants and nano-silicon. *Plants* 11(24):3431, **2022**. <https://doi.org/10.3390/plants11243431>. (WoS/Scopus)
- 2743.** Alharbi K, Rashwan E, Hafez E, Omara AE-D, Mohamed HH, Alshaal T. Potassium humate and plant growth-promoting microbes jointly mitigate water deficit stress in soybean cultivated in salt-affected soil. *Plants* 11(22):3016, **2022**. <https://doi.org/10.3390/plants11223016>. (WoS/Scopus)
- 2744.** Alharbi K, Rashwan E, Mohamed HH, Awadalla A, Omara AE-D, Hafez EM, Alshaal T. Application of silica nanoparticles in combination with two bacterial strains improves the growth, antioxidant capacity and production of barley irrigated with saline water in salt-affected soil. *Plants* 11(15):2026, **2022**. <https://doi.org/10.3390/plants11152026>. (WoS/Scopus)
- 2745.** Alhoshan M, Zahedi M. Foliar application of salicylic acid and glycine betaine improve antioxidant enzymes and biochemical characteristics of potato cultivars. *Journal of Agriculture, Food, Environment and Animal Sciences* 3(2): 89-108, **2022**.
- 2746.** Ali B, Saleem MH, Ali S, Shahid M, Sagir M, Tahir MB, Qureshi KA, Jaremko M, Selim S, Hussain A, Rizwan M, Ishaq W, Rehman MZ-u. Mitigation of salinity stress in barley genotypes with variable salt tolerance by application of zinc oxide nanoparticles. *Frontiers in Plant Science* 13:973782, **2022**. <https://doi.org/10.3389/fpls.2022.973782>. (WoS/Scopus)
- 2747.** Ali B, Siddiqui ZS. Comparative phenotyping assessment of four different oil seed cultivars using stress-induced physiological traits in water deficit environment. *Pakistan Journal of Botany* 54(4), **2022**. [http://dx.doi.org/10.30848/PJB2022-4\(42\)](http://dx.doi.org/10.30848/PJB2022-4(42)). (WoS/Scopus)
- 2748.** Ali B, Umar M, Azeem M, Z Uddin, ZS Siddiqui. Salt tolerance screening of a newly developed wheat variety (AZRC-DK-84) in saline environment using halophytic grass (*Cenchrus penisetiformis*) as a test model. *Acta Physiologiae Plantarum* 44, art. number 81, **2022**. <https://doi.org/10.1007/s11738-022-03421-7>. (WoS/Scopus)
- 2749.** Ali EF, Aljarani AM, Mohammed FA, Desoky E-SM, Mohamed IAA, El-Sharnouby M, Tamam SA, Hassan FAS, Rady MM, Shaaban A. Exploring the potential enhancing effects of trans-zeatin and silymarin on the productivity and antioxidant defense capacity of cadmium-stressed wheat. *Biology* 11(8):1173, **2022**. <https://doi.org/10.3390/biology11081173>. (WoS/Scopus)
- 2750.** Ali F, Wei X, Siddiqui ZS, Chen J, Ansari HH, Wajid D, Shams ZI, Abbasi MW and Zafar U. Scrutinizes the sustainable role of halophilic microbial strains on oxygen-evolving complex, specific energy fluxes, energy flow and nitrogen assimilation of sunflower cultivars in a suboptimal environment. *Frontiers in Plant Science* 13:913825, **2022**. <https://doi.org/10.3389/fpls.2022.913825>. (WoS/Scopus)
- 2751.** Ali I, Khan MJ, Shah A, Deeba F, Hussain H, Yazdan F, Khan MU, Khan MD. Screening of various Brassica species for phytoremediation of heavy metals-contaminated soil of Lakki Marwat, Pakistan. *Environmental Science and Pollution Research* 29: 37765-37776, **2022**. <https://doi.org/10.1007/s11356-021-18109-7>. (WoS/Scopus)
- 2752.** Ali M, Parveen A, Malik Z, Kamran M, Saleem MH, Abbasi GH, Ahmad I, Ahmad S, Sathish M, Okla MK, Al-Amri SS, Alaraidh IA, Ali S. Zn alleviated salt toxicity in *Solanum lycopersicum* L. seedlings by reducing Na⁺ transfer, improving gas exchange, defense system and Zn contents. *Plant Physiology and Biochemistry* 186:52-63, **2022**. <https://doi.org/10.1016/j.plaphy.2022.06.028>. (WoS/Scopus)
- 2753.** Ali S, Anjum MA, Khan AS, Nawaz A, Ejaz S, Khaliq G, Iqbal S, Ullah S, Ur Rehman RN, Ali MM, Saleem MS. Carboxymethyl cellulose coating delays ripening of harvested mango fruits by regulating softening enzymes activities. *Food Chemistry* 380, art. 131804, **2022**. <https://doi.org/10.1016/j.foodchem.2021.131804>.

(WoS/Scopus)

- 2754.** Ali S, Anjum MA, Nawaz A, Ejaz S, Anwar R, Khaliq G, Hussain S, Ullah S, Hussain R, Saleem MS, Ul Hasan M. Postharvest γ -aminobutyric acid application mitigates chilling injury of aonla (*Emblia officinalis* Gaertn.) fruit during low temperature storage. *Postharvest Biology and Technology* 185, art. 111803, **2022**. <https://doi.org/10.1016/j.postharvbio.2021.111803>. (WoS/Scopus)
- 2755.** Ali S, Nawaz A, Naz S, Ejaz S, Maqbool M, Siddiqui MH, Kalaji HM, Wróbel J, Telesinski A, Auriga A. Hydrogen sulfide mitigates chilling injury of postharvest banana fruits by regulating γ -aminobutyric acid shunt pathway and ascorbate–glutathione cycle. *Frontiers in Plant Science*. 13: 941246, **2022**. <https://doi.org/10.3389/fpls.2022.941246>. (WoS/Scopus)
- 2756.** Aljuaid BS, Ashour H. Exogenous γ -Aminobutyric Acid (GABA) Application mitigates salinity stress in maize plants. *Life* 12(11):1860, **2022**. <https://doi.org/10.3390/life12111860>. (WoS/Scopus)
- 2757.** Aljuaid BS, Mukherjee S, Sayed AN, El-Gabry YAE-G, Omar MMA, Mahmoud SF, Alsubeie MS, Darwish DBE, Al-Qahtani SM, Al-Harbi NA, Alzuaibr FM, Basahi MA, Hamada MMA. Folic acid reinforces maize tolerance to sodic-alkaline stress through modulation of growth, biochemical and molecular mechanisms. *Life* 12, 1327, **2022**. <https://doi.org/10.3390/life12091327>. (WoS/Scopus)
- 2758.** Al-Mokadem AZ, Alnaggar AE-AM, Mancy AG, Sofy AR, Sofy MR, Mohamed AKSH, Abou Ghazala MMA, El-Zabalawy KM, Salem NFG, Elnosary ME, Agha MS. Foliar application of chitosan and phosphorus alleviate the potato virus Y-induced resistance by modulation of the reactive oxygen species, antioxidant defense system activity and gene expression in potato. *Agronomy* 12(12):3064, **2022**. <https://doi.org/10.3390/agronomy12123064>. (WoS/Scopus)
- 2759.** Al-Mushhin AA. Interactive effect of potassium and spermidine protects growth, photosynthesis and chlorophyll biosynthesis in *Vigna angularis* from salinity induced damage by up-regulating the tolerance mechanisms. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(1), 12607, **2022**. <https://doi.org/10.15835/nbha50112607>. (WoS/Scopus)
- 2760.** Alnusairi GSH. Improved salt tolerance by α -tocopherol in soybean involves up-regulation of ascorbate-glutathione cycle and secondary metabolites. *Journal of Applied Botany and Food Quality* 95, 31-42, **2022**. <https://doi.org/10.5073/JABFQ.2022.095.005>. (WoS/Scopus)
- 2761.** Alrashidi AA, Alhaithloul HA, Soliman MH, Attia MS, Elsayed SM, Sadek AM, Fakhr MA. Role of calcium and magnesium on dramatic physiological and anatomical responses in tomato plants. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(1), 12614, **2022**. (WoS/Scopus) <https://doi.org/10.15835/nbha50112614>
- 2762.** Alrashidi AA. Alleviation of salinity triggered oxidative damage and photoinhibition in *Vigna radiata* by individual and combined treatments of selenium and jasmonic acid. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 50(2), 12704, **2022**. <https://doi.org/10.15835/nbha50212704>. (WoS/Scopus)
- 2763.** Alsamadany H, Mansour H, Elkelish A, Ibrahim MFM. Folic acid confers tolerance against salt stress-induced oxidative damages in snap beans through regulation growth, metabolites, antioxidant machinery and gene expression. *Plants* 11(11):1459, **2022**. <https://doi.org/10.3390/plants11111459>. (WoS/Scopus)
- 2764.** Al-Zahrani HS, Alharby HF and Fahad S. Antioxidative defense system, hormones, and metabolite accumulation in different plant parts of two contrasting rice cultivars as influenced by plant growth regulators under heat stress. *Frontiers in Plant Science* 13:911846, **2022**. <https://doi.org/10.3389/fpls.2022.911846>. (WoS/Scopus)
- 2765.** Amine-Khodja IR, Boscari A, Riah N, Kechid M, Maougal RT, Belbekri N, Djekoun A. Impact of two strains of *Rhizobium leguminosarum* on the adaptation to terminal water deficit of two cultivars *Vicia faba*. *Plants* 11(4):515, **2022**. <https://doi.org/10.3390/plants11040515>. (WoS/Scopus)
- 2766.** Amine-Khodja IR, Riah N, Bouldjedj R, Belbekri N, Djekoun A. Differential response of *Rhizobium leguminosarum* inoculation for inducing water deficit tolerance in *Triticum durum*. *Romanian Agricultural Research*, 39, 1-11, **2022**. <https://www.incda-fundulea.ro/rar/nr39fol/rar39.34.pdf>. (WoS/Scopus)
- 2767.** Amiri A, Sourestani MM, Mortazavi SMH, Kiasat AR, Ramezani Z. Fabrication of the antimicrobial sachet by encapsulation of peppermint essential oil in active packaging of strawberry fruit. *Journal of Food Processing and Preservation* 46 (12), , art. e17181, **2022**. <https://doi.org/10.1111/jfpp.17181>. (WoS/Scopus)
- 2768.** Amiri O, Nemmiche S, Henna A, Bentamra Z, Benhachem I, Benkhelifa M. Effect of the pesticide treatment dose on the biochemical response of the potato plants (*Solanum tuberosum* L.). *Plant Archives*, 22(1), 261-267, **2022**. <https://doi.org/10.51470/PLANTARCHIVES.2022.v22.no1.041>. (WoS/Scopus)
- 2769.** Amnan MAM, Aizat WM, Khaidizar FD, Tan BC. Drought Stress induces morpho-physiological and proteome changes of *Pandanus amaryllifolius*. *Plants* 11(2):221, **2022**. <https://doi.org/10.3390/plants11020221>. (WoS/Scopus)
- 2770.** Anwar S, Shah WA, Ali M, Shad AA, Ahmad J, Khan M, Ikramullah. Effect of salicylic acid spray and molybdenum priming on yield and physiological properties of mungbean. *Journal of Xi'an Shiyu University, Natural Science Edition* 18(10), 140-158, **2022**. <http://xisdxjsu.asia/>.
- 2771.** Arianmehr M, Karimi N, Souri Z. Exogenous supplementation of sulfur (S) and reduced glutathione (GSH) alleviates arsenic toxicity in shoots of *Isatis cappadocica* Desv and *Erysimum allionii* L. *Environmental Science and Pollution Research* 29: 64205-64214, **2022**. <https://doi.org/10.1007/s11356-022-19477-4>. (WoS/Scopus)
- 2772.** Arian B, Alp FN, Ozfidan-Konakci C, Balci M, Elbasan F, Yildiztugay E, Cavusoglu H. Fe₂O₃-modified graphene oxide mitigates nanoplastic toxicity via regulating gas exchange, photosynthesis, and antioxidant system in *Triticum aestivum*. *Chemosphere* vol. 307, Part 4, art. 136048, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.136048>. (WoS/Scopus)

2773. Arikan B, Ozfidan-Konakci C, Yildiztugay E, Turan M, Cavusoglu H. Polystyrene nanoplastic contamination mixed with polycyclic aromatic hydrocarbons: Alleviation on gas exchange, water management, chlorophyll fluorescence and antioxidant capacity in wheat. *Environmental Pollution* vol. 311, art. 119851, **2022**. <https://doi.org/10.1016/j.envpol.2022.119851>. (WoS/Scopus)
2774. Arikan B, Ozfidan-Konakci C, Yildiztugay E, Zengin G, Alp FN, Elbasan F. Exogenous hesperidin and chlorogenic acid alleviate oxidative damage induced by arsenic toxicity in *Zea mays* through regulating the water status, antioxidant capacity, redox balance and fatty acid composition. *Environmental Pollution* 292, Part B, 118389, **2022**. <https://doi.org/10.1016/j.envpol.2021.118389>. (WoS/Scopus)
2775. Asadi N., Razavi SM, Physiological and biochemical responses of lettuce plant to the allochemical compound of paraxanthine. *Journal of Plant Process and Function*, 10(46), 51-60, **2022**. https://jisspp.iut.ac.ir/files/site1/user_files dbc6fd/razav seyedmehdi-A-10-621-10-ce63688.pdf.
2776. Ashraf MA, Rasheed R, Hussain I, Hafeez A, Adrees M, ur Rehman MZ, Rizwan M, Ali S. Effect of different seed priming agents on chromium accumulation, oxidative defense, glyoxalase system and mineral nutrition in canola (*Brassica napus* L.) cultivars. *Environmental Pollution* v. 309, art. 119769, **2022**. <https://doi.org/10.1016/j.envpol.2022.119769>. (WoS/Scopus)
2777. Ashraf MA, Rasheed R, Hussain I, Iqbal M, Farooq MU, Saleem MH, Ali S. Taurine modulates dynamics of oxidative defense, secondary metabolism, and nutrient relation to mitigate boron and chromium toxicity in *Triticum aestivum* L. plants. *Environmental Science and Pollution Research* 29: 45527-45548, **2022**. <https://doi.org/10.1007/s11356-022-19066-5>. (WoS/Scopus)
2778. Ashraf S, Ahmad SR, Ali Q, Ashraf S, Majid M, Zahir ZA. Acidified cow dung-assisted phytoextraction of heavy metals by ryegrass from contaminated soil as an eco-efficient technique. *Sustainability* 14(23):15879, **2022**. <https://doi.org/10.3390/su142315879>. (WoS/Scopus)
2779. Ashraf U, Hussain S, Shahid MN, Anjum SA, Kondo M, Mo Z, Tang X. Alternate wetting and drying modulated physio-biochemical attributes, grain yield, quality, and aroma volatile in fragrant rice. *Physiologia Plantarum* 174(6), art. e13833, **2022**. <https://doi.org/10.1111/ppl.13833>. (WoS/Scopus)
2780. Ashraf U, Mahmood S, Anjum SA, Abbas RN, Rasul F, Iqbal J, Mo Z, Tang X. Exogenous gamma-aminobutyric acid application induced modulations in the performance of aromatic rice under lead toxicity. *Frontiers in Plant Science* 13:933694, **2022**. <https://doi.org/10.3389/fpls.2022.933694>. (WoS/Scopus)
2781. Aslam H, Mushtaq S, Maalik S, Bano N, Eed EM, Bibi A, Tahir A, Ijaz I, Tanwir S, Khalifa AS. Exploring the effect of Jasmonic Acid for Aphids control for improving the yield of *Triticum aestivum* varieties. *PeerJ*, 10,e14018, **2022**. <https://doi.org/10.7717/peerj.14018>. (WoS/Scopus)
2782. Aslam MA, Ahmed S, Saleem M, Shah AA, Shah AN, Tanveer M, Ali HM, Ghareeb RY, Hasan ME and Khan J. Quercetin ameliorates chromium toxicity through improvement in photosynthetic activity, antioxidative defense system; and suppressed oxidative stress in *Trigonella corniculata* L. *Frontiers in Plant Science* 13:956249, **2022**. <https://doi.org/10.3389/fpls.2022.956249>. (WoS/Scopus)
2783. Atanasov KE, Díaz-Narváez LC, Alcázar R. Ammonium and nitric oxide condition the establishment of *Arabidopsis* Ler/Kas-2 immune-related hybrid incompatibility. *Planta* 256, art. 76, **2022**. <https://doi.org/10.1007/s00425-022-03990-4>. (WoS/Scopus)
2784. Atif M, Perveen S, Parveen A, Mahmood S, Saeed M, Zafar S. Thiamine and Indole-3-Acetic Acid Induced Modulations in Physiological and Biochemical Characteristics of Maize (*Zea mays* L.) under Arsenic Stress. *Sustainability*. 14(20), 13288, **2022**. <https://doi.org/10.3390/su142013288>. (WoS/Scopus)
2785. Awad M, Moustafa-Farag M, Liu Z, RM El-Shazoly. Combined effect of biochar and salicylic acid in alleviating heavy metal stress, antioxidant enhancement, and chinese mustard growth in a contaminated soil. *Journal of Soil Science and Plant Nutrition* 22, 4194-4206, **2022**. <https://doi.org/10.1007/s42729-022-01018-0>. (WoS/Scopus)
2786. Azeem M, Haider MZ, Javed S, Saleem MH, Alatawi A. Drought stress amelioration in maize (*Zea mays* L.) by inoculation of *Bacillus* spp. strains under sterile soil conditions. *Agriculture* 12(1):50, **2022**. <https://doi.org/10.3390/agriculture12010050>. (WoS/Scopus)
2787. Azizi F, Amiri H, Ismaili A. Melatonin improves salinity stress tolerance of *Phaseolus vulgaris* L. cv. Pak by changing antioxidant enzymes and photosynthetic parameters. *Acta Physiologiae Plantarum* 44, art. 40, **2022**. <https://doi.org/10.1007/s11738-022-03373-y>. (WoS/Scopus)
2788. Babar ZU, Ahmad I, Hameed M, Ahmad MSA. Ion homeostasis and osmoregulation in *Tamarix dioica* Roxb. ex Roth through modulation of structural and functional features. *Pakistan Journal of Botany* 54(4), **2022**: [http://dx.doi.org/10.30848/PJB2022-4\(16\)](http://dx.doi.org/10.30848/PJB2022-4(16)). (WoS/Scopus)
2789. Babu RS, Srilatha V, Joshi V. Plant growth regulators in mango (*Mangifera indica* L.). In: *Plant Growth Regulators in Tropical and Sub-tropical Fruit Crops*, pp. 315-468. CRC Press. **2022**. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003300342-18/plant-growth-regulators-mango-mangifera-indica-sri-hari-babu-srilatha-veena-joshi> (WoS/Scopus) [book]
2790. Badawy IH, Hmed AA, Sofy MR, Al-Mokadem AZ. Alleviation of cadmium and nickel toxicity and phyto-stimulation of tomato plant L. by endophytic *Micrococcus luteus* and *Enterobacter cloacae*. *Plants* 11(15):2018, **2022**. <https://doi.org/10.3390/plants11152018>. (WoS/Scopus)
2791. Baklouti E, Beulé T, Nasri A, Romdhane AB, Drira R, Doulebeau S, Rival A, Drira N, Fki L. 2,4-D induction of somaclonal variations in in vitro grown date palm (*Phoenix dactylifera* L. cv Barhee). *Plant Cell, Tissue and Organ Culture* 150: 191-205, **2022**. <https://doi.org/10.1007/s11240-022-02259-8>. (WoS/Scopus)

- 2792.** Balasubramanian R, Hori K, Shimizu T, Kasamatsu S, Okamura K, Tanaka K, Ihara H, Masuda S. The sulfide-responsive SqrR/BigR homologous regulator YgaV of *Escherichia coli* controls expression of anaerobic respiratory genes and antibiotic tolerance. *Antioxidants* 11(12):2359, **2022**. <https://doi.org/10.3390/antiox11122359>. (WoS/Scopus)
- 2793.** Baniasadi F, Arghavani M, Saffari VR, Mansouri M. Multivariate analysis of morpho-physiological traits in *Amaranthus tricolor* as affected by nitric oxide and cadmium stress. *Environmental Science and Pollution Research* 29: 49092-49104, **2022**. <https://doi.org/10.1007/s11356-022-19430-5>. (WoS/Scopus)
- 2794.** Bano A, Noreen Z, Tabassum F, Zafar F, Rashid M, Aslam M, Shah AA, Shah AN, Jaremko M, Alasmael N, Abdelsalam NR and Hasan ME. Induction of salt tolerance in *Brassica rapa* by nitric oxide treatment. *Frontiers in Plant Science* 13:995837, **2022**. <https://doi.org/10.3389/fpls.2022.995837>. (WoS/Scopus)
- 2795.** Barquero M, Poveda J, Laureano-Marín AM, Ortiz-Liébana N, Brañas J, González-Andrés F. Mechanisms involved in drought stress tolerance triggered by rhizobia strains in wheat. *Frontiers in Plant Science* 13:1036973, **2022**. <https://doi.org/10.3389/fpls.2022.1036973>. (WoS/Scopus)
- 2796.** Bashir S, Javed S, Al-Anazi KM, Farah MA, Ali S. Bioremediation of cadmium toxicity in wheat (*Triticum aestivum* L.) plants primed with L-proline, *Bacillus subtilis* and *Aspergillus niger*. *International Journal of Environmental Research and Public Health* 19(19):12683, **2022**. <https://doi.org/10.3390/ijerph191912683>. (WoS/Scopus)
- 2797.** Basit F, Liu J, An J, Chen M, He C, Zhu X, Li Z, Hu J, Guan Y. Seed priming with brassinosteroids alleviates aluminum toxicity in rice via improving antioxidant defense system and suppressing aluminum uptake. *Environmental Science and Pollution Research* 29, 10183-10187, **2022**. <https://doi.org/10.1007/s11356-021-16209-y>. (WoS/Scopus)
- 2798.** Batool T, Javied S, Ashraf K, Sultan K, Zaman Qu, Haider FU. Alleviation of cadmium stress by silicon supplementation in peas by the modulation of morpho-physio-biochemical variables and health risk assessment. *Life* 12(10):1479, **2022**. <https://doi.org/10.3390/life12101479>. (WoS/Scopus)
- 2799.** Bavi K, Khavari-Nejad RA, Najafi F, Ghanati F. Phenolics and terpenoids change in response to yeast extract and chitosan elicitation in *Zataria multiflora* cell suspension culture. *3 Biotech* 12, art. 163, **2022**. <https://doi.org/10.1007/s13205-022-03235-x>. (WoS/Scopus)
- 2800.** Bayati P, Karimmojeni H, Razmjoo J, Pucci M, Abate G, Baldwin TC, Mastinu A. Physiological, biochemical, and agronomic trait responses of *Nigella sativa* genotypes to water stress. *Horticulturae* 8(3):193, **2022**. <https://doi.org/10.3390/horticulturae8030193>. (WoS/Scopus)
- 2801.** Behiry SI, Soliman SA, Al-Mansori A-NA, Al-Askar AA, Arishi AA, Elsharkawy MM, Abdelkhalek A, Heflish AA. *Chorisia speciosa* Extract induces systemic resistance against tomato root rot disease caused by *Rhizoctonia solani*. *Agronomy* 12(10):2309, **2022**. <https://doi.org/10.3390/agronomy12102309>. (WoS/Scopus)
- 2802.** Bello AS, Ben-Hamadou R, Hamdi H, Saadaoui I, Ahmed T. Application of cyanobacteria (*Roholtiella* sp.) liquid extract for the alleviation of salt stress in bell pepper (*Capsicum annuum* L.) plants grown in a soilless system. *Plants* 11(1):104, **2022**. <https://doi.org/10.3390/plants11010104>. (WoS/Scopus)
- 2803.** Ben Mrid R, Ennoury A, Roussi Z, Naboulsi I, Benmrid B, Kchikich A, El Omari R, Nhiri M, Yasri A. Thymoquinone alleviates cadmium induced stress in germinated lens culinaris seeds by reducing oxidative stress and increasing antioxidative activities. *Life* 12(11):1779, **2022**. <https://doi.org/10.3390/life12111779>. (WoS/Scopus)
- 2804.** Benaffari W, Boutasknit A, Anli M, Ait-El-Mokhtar M, Ait-Rahou Y, Ben-Laouane R, Ben Ahmed H, Mitsui T, Baslam M, Meddich A. The native arbuscular mycorrhizal fungi and vermicompost-based organic amendments enhance soil fertility, growth performance, and the drought stress tolerance of quinoa. *Plants* 11(3):393, **2022**. <https://doi.org/10.3390/plants11030393>. (WoS/Scopus)
- 2805.** Ben-Amar A, Allel D, Mliki A. Up-regulation of a stress-responsive endochitinase *VvChit-IV* in grapevine cell cultures improves in vitro stress tolerance. *Protoplasma* 259, 1189-1203, **2022**. <https://doi.org/10.1007/s00709-021-01733-y>. (WoS/Scopus)
- 2806.** Bhat JA, Bhat MA, Abdalmegeed D, Yu D, Chen J, Bajguz A, Ahmad A, Ahmad P. Newly-synthesized iron-oxide nanoparticles showed synergetic effect with citric acid for alleviating arsenic phytotoxicity in soybean. *Environmental Pollution* v. 295, art. 118693, **2022**. <https://doi.org/10.1016/j.envpol.2021.118693>. (WoS/Scopus)
- 2807.** Bhatt U, Sharma S, Kumar D, Soni V. Impact of streetlights on physiology, biochemistry and diversity of urban bryophyte: a case study on moss *Semibarbula orientalis*. *Journal of Urban Ecology* 8(1), art. juac019, **2022**. <https://doi.org/10.1093/jue/juac019>. (WoS/Scopus)
- 2808.** Bhatt U, Singh H, Kumar D, Strasser RJ, Soni V. Severe leaf-vein infestation upregulates antioxidant and photosynthetic activities in the lamina of *Ficus religiosa*. *Acta Physiologiae Plantarum* 44, art. 15, **2022**. <https://doi.org/10.1007/s11738-021-03348-5>. (WoS/Scopus)
- 2809.** Bisht A, Garg N. AMF modulated rhizospheric microbial enzyme activities and their impact on sulphur assimilation along with thiol metabolism in pigeonpea under Cd stress. *Rhizosphere* v. 21, art. 100478, **2022**. <https://doi.org/10.1016/j.rhisph.2022.100478>. (WoS/Scopus)
- 2810.** Boro P, Sltana A, Mandal K, Chattopadhyay S. Interplay between glutathione and mitogen-activated protein kinase 3 via transcription factor WRKY40 under combined osmotic and cold stress in *Arabidopsis*. *Journal of Plant Physiology* vol. 271, art. 153664, **2022**. <https://doi.org/10.1016/j.jplph.2022.153664>. (WoS/Scopus)
- 2811.** Boro P. Elucidation of Relationship between Glutathione and Plant Defense in *Arabidopsis thaliana* (Doctoral dissertation, University of Calcutta) **2022**.

- 2812.** Bortolin Gabriel S, Galviz Yutcelia C, Pedroso Carlos ES, Souza Gustavo M. Root/shoot responses to drought and flooding of bahiagrass at reproductive stage depends on genotype ploidy. *Functional Plant Biology* 49(4): 333-350, **2022**. <https://doi.org/10.1071/FP21208>. (WoS/Scopus)
- 2813.** Boutasknit A, Baslam M, Anli M, Ait-El-Mokhtar M, Ben-Laouane R, Ait-Rahou Y, El Modafar C, Douira A, Wahbi S, Meddich A. Impact of arbuscular mycorrhizal fungi and compost on the growth, water status, and photosynthesis of carob (*Ceratonia siliqua*) under drought stress and recovery. *Plant Biosystems* 156(4):994-1010, **2022**. <https://doi.org/10.1080/11263504.2021.1985006>. (WoS/Scopus)
- 2814.** Boysan Canal S, Bozkurt MA, Yilmaz H. The effect of humic acid on rapeseed (*Brassica napus* L.) plant growth, heavy metal uptake, phytoremediation parameters (BCF, TF and TI), and antioxidant activity in heavy metal polluted soil. *Yuzuncu Yil University Journal of Agricultural Sciences* 32 (2), 237-248, **2022**. <https://doi.org/10.29133/yyutbd.997850>. (WoS/Scopus)
- 2815.** Callegari DM, Silva BC, dos Santos LR, EM Pereira Jr., BL Batista, AK da Silva Lobato, EMSG Lobato. Physiological, biochemical and nutritional aspects in *Schizolobium parahyba* var. *amazonicum* (Huber ex Ducke) plants under different zinc supplies. *Brazilian Journal of Botany* 45: 845-855, **2022**. <https://doi.org/10.1007/s40415-022-00812-5>. (WoS/Scopus)
- 2816.** Canal SB, Bozkurt MA, Yilmaz H. Effects of humic acid and edta on phytoremediation, growth and antioxidant activity in rapeseed (*Brassica napus* L.) grown under heavy metal stress. *Polish Journal of Environmental Studies* 31(5), 1-10, **2022**. <https://doi.org/10.15244/pjoes/148120>. (WoS/Scopus)
- 2817.** Canal SB, Bozkurt MA, Yilmaz H. The effect of humic acid on rapeseed (*Brassica napus* L.) plant growth, heavy metal uptake, phytoremediation parameters (BCF, TF and TI), and antioxidant activity in heavy metal polluted soil. *Yuzuncu Yil University Journal of Agricultural Sciences* 32(2) 237-248, **2022**. <https://doi.org/10.29133/yyutbd.997850>. (WoS/Scopus)
- 2818.** Cao M, Zhang F, Abd_Allah EF, Wu Q. Mycorrhiza improves cold tolerance of Satsuma orange by inducing antioxidant enzyme gene expression. *BIOCELL* 46(8), 1959–1966, **2022**. <https://www.techscience.com/biocell/v46n8/47587>. (WoS/Scopus)
- 2819.** Cárdenas-Pérez S, Niedojadło K, Mierek-Adamska A, Dąbrowska GB, Piernik A. Maternal salinity influences anatomical parameters, pectin content, biochemical and genetic modifications of two *Salicornia europaea* populations under salt stress. *Scientific Reports* 12, art. 2968, **2022**. <https://doi.org/10.1038/s41598-022-06385-3>. (WoS/Scopus)
- 2820.** Cárdenas-Pérez S, Rajabi Dehnavi A, Leszczyński K, Lubińska-Mielińska S, Ludwiczak A, Piernik A. *Salicornia europaea* L. functional traits indicate its optimum growth. *Plants* 11(8):1051, **2022**. <https://doi.org/10.3390/plants11081051>. (WoS/Scopus)
- 2821.** Cardoso AADS, Gomes FTDL, Antonio JRR, Guilherme LRG, Liu J, Li L, Silva MLDS. Sulfate availability and soil selenate adsorption alleviate selenium toxicity in rice plants. *Environmental and Experimental Botany* 201, 104971, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104971> (WoS/Scopus)
- 2822.** Çatav ŞS, Köşkeroglu S, Tuna AL. Selenium supplementation mitigates boron toxicity induced growth inhibition and oxidative damage in pepper plants. *South African Journal of Botany* 146, 375-382, **2022**. <https://doi.org/10.1016/j.sajb.2021.11.013>. (WoS/Scopus)
- 2823.** Chakraborty S, Singh A, Roychoudhury A. Extensive cross-talk among stress-regulated protective metabolites, biogenic-amines and phytohormone-signalling, co-ordinated by dopamine-mediated seed-priming, governs tolerance against fluoride stress in rice. *Plant Cell Reports* 41:2261-2278, **2022**. <https://doi.org/10.1007/s00299-022-02919-1>. (WoS/Scopus)
- 2824.** Chandra S. Aspirin regulates oxidative stress and physio-biochemical attributes in Brassica juncea under cadmium toxicity. *Journal of Experimental Biology and Agricultural Sciences* 10(5), 1180–1187, **2022**. [https://doi.org/10.18006/2022.10\(5\).1180.1187](https://doi.org/10.18006/2022.10(5).1180.1187). (WoS/Scopus)
- 2825.** Chatterjee A, Nirwan S, Mohapatra S, Sharma P, Agnihotri A, Shrivastava N. Biochemical aspects of pathogenic variability in white rust infected Indian mustard. *Mycologia* 114(4): 757-768, **2022**. <https://doi.org/10.1080/00275514.2022.2060007>. (WoS/Scopus)
- 2826.** Chattha MU, Amjad T, Khan I, Nawaz M, Ali M, Chattha MB, Ali HM, Ghareeb RY, Abdelsalam NR, Azmat S, Barbanti L, Hassan MU. Mulberry based zinc nano-particles mitigate salinity induced toxic effects and improve the grain yield and zinc bio-fortification of wheat by improving antioxidant activities, photosynthetic performance, and accumulation of osmolytes and hormones. *Frontiers in Plant Science* 13:920570, **2022**. <https://doi.org/10.3389/fpls.2022.920570>. (WoS/Scopus)
- 2827.** Chattha MU, Hassan MU, Khan I, Nawaz M, Shah AN, Sattar A, Hashem M, Alamri S, Aslam MT, Alhaithloul HAS, Hassan MU, Qari SH. Hydrogen peroxide priming alleviates salinity induced toxic effect in maize by improving antioxidant defense system, ionic homeostasis, photosynthetic efficiency and hormonal crosstalk. *Molecular Biology Reports* 49: 5611-5624, **2022**. <https://doi.org/10.1007/s11033-022-07535-6>. (WoS/Scopus)
- 2828.** Chavan SN, De Kesel J, Desmedt W, Degroote E, Singh RR, Nguyen GT, Demeestere K, De Meyer T, Kyndt T. Dehydroascorbate induces plant resistance in rice against root-knot nematode *Meloidogyne graminicola*. *Molecular Plant Pathology* 23(9): 1303-1319, **2022**. <https://doi.org/10.1111/mpp.13230>. (WoS/Scopus)
- 2829.** Cheema A, Garg N. Differential effectiveness of Arbuscular Mycorrhizae in improving Rhizobial symbiosis by modulating Sucrose metabolism and Antioxidant defense in Chickpea under As stress. *Symbiosis* 86: 49-69, **2022**. <https://doi.org/10.1007/s13199-021-00815-y>. (WoS/Scopus)

- 2830.** Chen S, Gistelinck K, Verbeke I and Van Damme EJM. Differential effects of the recombinant type 1 ribosome-inactivating protein, OsRIP1, on growth of PSB-D and BY-2 cells. *Frontiers in Plant Science* 13:1019591, **2022**. <https://doi.org/10.3389/fpls.2022.1019591>. (WoS/Scopus)
- 2831.** Chen W, Huang B. Cytokinin or ethylene regulation of heat-induced leaf senescence involving transcriptional modulation of WRKY in perennial ryegrass. *Physiologia Plantarum* 174(5), e13766, **2022**. <https://doi.org/10.1111/ppl.13766>. (WoS/Scopus)
- 2832.** Chen X, Zhang R, Li B, Cui T, Liu C, Liu C, Chen B and Zhou Y. Alleviation of oxidative damage induced by CaCl₂ priming is related to osmotic and ion stress reduction rather than enhanced antioxidant capacity during germination under salt stress in Sorghum. *Frontiers in Plant Science* 13:881039, **2022**. <https://doi.org/10.3389/fpls.2022.881039>. (WoS/Scopus)
- 2833.** Cheng B, Hassan MJ, Feng G, Zhao J, Liu W, Peng Y and Li Z. Metabolites reprogramming and Na⁺/K⁺ transportation associated with putrescine-regulated white clover seed germination and seedling tolerance to salt toxicity. *Frontiers in Plant Science* 13:856007, **2022**. <https://doi.org/10.3389/fpls.2022.856007>. (WoS/Scopus)
- 2834.** Cipriano PE, da Silva RF, Dias de Lima FR, de Oliveira C, de Lima AB, Celante G, Dos Santos AA, Archilha MVLR, Pinatto-Botelho MF, Faquin V, Guimarães Guilherme LR. Selenium biofortification via soil and its effect on plant metabolism and mineral content of sorghum plants. *Journal of Food Composition and Analysis* vol. 109, art. 104505, **2022**. <https://doi.org/10.1016/j.jfca.2022.104505>. (WoS/Scopus)
- 2835.** Coccozza C, Bartolini P, Brunetti C, Miozzi L, Pignattelli S, Podda A, Scippa GS, Trupiano D, Rotunno S, Brilli F, Maserti BE. Modulation of class III peroxidase pathways and phenylpropanoids in *Arundo donax* under salt and phosphorus stress. *Plant Physiology and Biochemistry* vol. 183: 151-159, **2022**. <https://doi.org/10.1016/j.plaphy.2022.05.002>. (WoS/Scopus)
- 2836.** Cüce M, Sezgin Muslu A. Sodium nitroprusside mediates attenuation of paraquat-mediated oxidative stress in *Eruca sativa* in vitro. *Physiology and Molecular Biology of Plants* 28: 289-299, **2022**. <https://doi.org/10.1007/s12298-022-01132-4>. (WoS/Scopus)
- 2837.** Dahmen-Ben Moussa I, Boukhriess S, Athmouni K, Ayadi H (2022) Secondary metabolites production combined with lead bioremediation by *Halamphora* sp. marine diatom microalgae and their physiological response. *International Journal of Aquaculture and Fish Sciences* 8(2): 025-036, **2022**. <https://doi.org/10.17352/2455-8400.000075>.
- 2838.** Dai P, Zhai M, Li L, Yang H, Ma H, Lyu D. Leaf removal impacted jasmonic acid metabolism and AsA-GSH in the roots of *Malus baccata* (L.) Borkh. under suboptimal low root-zone temperatures. *Horticulturae* 8(12):1205, **2022**. <https://doi.org/10.3390/horticulturae8121205>. (WoS/Scopus)
- 2839.** Das S, Majumder B, Biswas AK. Selenium alleviates arsenic induced stress by modulating growth, oxidative stress, antioxidant defense and thiol metabolism in rice seedlings. *International Journal of Phytoremediation* 24(7):763-777, **2022**. <https://doi.org/10.1080/15226514.2021.1975639>. (WoS/Scopus)
- 2840.** Dawood MFA, Abu-Elsaoud AM, Sofy MR, Mohamed HI, Soliman MH. Appraisal of kinetin spraying strategy to alleviate the harmful effects of UVC stress on tomato plants. *Environmental Science and Pollution Research*, 29: 52378-52398, **2022**. <https://doi.org/10.1007/s11356-022-19378-6>. (WoS/Scopus)
- 2841.** Dawood MFA, Sofy MR, Mohamed HI, Sofy AR, Abdel-kader HAA. Hydrogen sulfide modulates salinity stress in common bean plants by maintaining osmolytes and regulating nitric oxide levels and the expression of antioxidant enzyme expression. *Journal of Soil Science and Plant Nutrition* 22, 3708-3726, **2022**. <https://doi.org/10.1007/s42729-022-00921-w>. (WoS/Scopus)
- 2842.** de Andrade JR, de Oliveira Maia Junior S, da Silva JRR, da Silva VM, dos Santos CM, dos Santos Silva LK, Endres L, Ferreira VM. Ion accumulation, antioxidant activity, growth and tolerance indices of *Eucalyptus* clones under salt stress. *Acta Physiologiae Plantarum* 44, art. 52, **2022**. <https://doi.org/10.1007/s11738-022-03385-8>. (WoS/Scopus)
- 2843.** de Anicésio ÉCA, Monteiro FA. Potassium reduces oxidative stress in tanzania guinea grass under cadmium toxicity. *Environmental Science and Pollution Research* 29, 1184-1198, **2022**. <https://doi.org/10.1007/s11356-021-15620-9>. (WoS/Scopus)
- 2844.** de Oliveira FK, Da-Silva CJ, Garcia N, Agualongo DA, de Oliveira AC, Kanamori N, Takasaki H, Urano K, Shinozaki K, Nakashima K, Yamaguchi-Shinozaki K. The overexpression of NCED results in waterlogging sensitivity in soybean. *Plant Stress* 3, 100047, **2022**. <https://doi.org/10.1016/j.stress.2021.100047>
- 2845.** De S, Jose J, Pal A, Roy Choudhury S, Roy S. Exposure to low UV-B dose induces DNA double-strand breaks mediated onset of endoreduplication in *Vigna radiata* (L.) R. Wilczek seedlings. *Plant and Cell Physiology* 63(4), 463–483, **2022**. <https://doi.org/10.1093/pcp/pcac012>. (WoS/Scopus)
- 2846.** de Sousa GF, Silva MA, de Moraes EG, Van Opbergen GAZ, Van Opbergen GGAZ, de Oliveira RR, Amaral D, Brown P, Chalfun-Junior A and Guilherme LRG. Selenium enhances chilling stress tolerance in coffee species by modulating nutrient, carbohydrates, and amino acids content. *Frontiers in Plant Science* 13:1000430, **2022**. <https://doi.org/10.3389/fpls.2022.1000430>. (WoS/Scopus)
- 2847.** de Souza Cardoso AA, de Lima Gomes FT, Antonio JRR, Guilherme LRG, Liu J, Li L, de Souza Silva ML. Sulfate availability and soil selenate adsorption alleviate selenium toxicity in rice plants. *Environmental and Experimental Botany* v. 201, 104971, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104971>. (WoS/Scopus)
- 2848.** Delias DS, Da-Silva CJ, Martins AC, DSC de Oliveira, L do Amarante. Iron toxicity increases oxidative stress and impairs mineral accumulation and leaf gas exchange in soybean plants during hypoxia. *Environmental Science and Pollution Research* 29:22427-22438, **2022**. <https://doi.org/10.1007/s11356-021-17397-3>. (WoS/Scopus)

- 2849.** Demiralay M, Sağlam A, Yetişsin F, Kadioğlu A. Investigation of The Roles of Hydrogen Peroxide and NADPH Oxidase in The Regulation of Polyamine Metabolism in Maize Plants under Drought Stress Conditions. *Journal of Agricultural Sciences*, 28(4), 613-625, **2022**. <https://doi.org/10.15832/ankutbd.861008>. (WoS/Scopus)
- 2850.** Demiralay M. Exogenous acetone O-(4-chlorophenylsulfonyl) oxime alleviates Cd stress-induced photosynthetic damage and oxidative stress by regulating the antioxidant defense mechanism in *Zea mays*. *Physiology and Molecular Biology of Plants* 28, 2069-2083, **2022**. <https://doi.org/10.1007/s12298-022-01258-5>. (WoS/Scopus)
- 2851.** Deshi V, Homa F, Ghatak A, MA Aftab, H Mir, B Ozturk, MW Siddiqui. Exogenous methyl jasmonate modulates antioxidant activities and delays pericarp browning in litchi. *Physiology and Molecular Biology of Plants* 28, 1561-1569, **2022**. <https://doi.org/10.1007/s12298-022-01230-3>. (WoS/Scopus)
- 2852.** Dias LW, Brunes AP, Martins AC, Kolesny VM, Simioni C, Weiler RL, Rombaldi CV, Villela FA. Overexpression of the mitochondrial MT-sHSP23.6 gene during antioxidant activity in tomato cv. Micro-Tom subjected to flooding. *Australian Journal of Crop Science* 16(04):454-460, **2022**. <http://dx.doi.org/10.21475/ajcs.22.16.04.p3376>. (WoS/Scopus)
- 2853.** Diljkan M, Škondrić S, Hasanagić D, Žabić M, Topalić-Trivunović L, Jiménez-Gallardo CR, Kukavica B. The antioxidant response of *Hedera helix* leaves to seasonal temperature variations. *Botanica Serbica*, 46(2), 295-309, **2022**. <https://doi.org/10.2298/BOTSERB2202295D> (WoS/Scopus)
- 2854.** Dixit N. Salinity induced antioxidant defense in roots of industrial hemp (IH: *Cannabis sativa* L.) for fiber during seed germination. *Antioxidants* 11(2):244, **2022**. <https://doi.org/10.3390/antiox11020244>. (WoS/Scopus)
- 2855.** Dobrikova A, Borisova P, Yotsova E, Chipilski R, Dimitrov E, Uhr Z, Todorovska E, Popova AV. Application of fast biochemical stress markers for evaluation of drought tolerance of four common winter wheat varieties. *Comptes rendus de l'Académie bulgare des Sciences*, 75(5), 773-782, **2022**. <https://doi.org/10.7546/CRABS.2022.05.18>. (WoS/Scopus)
- 2856.** Domka A, Jędrzejczyk R, Ważny R, Gustab M, Kowalski M, Nosek M, Bizan J, Puschenreiter M, Vaculík M, Kováč J, Rozpądek P. Endophytic yeast protect plants against metal toxicity by inhibiting plant metal uptake through an ethylene-dependent mechanism. *Plant, Cell & Environment* 46(1), 268-287, **2022**. <https://doi.org/10.1111/pce.14473> (WoS/Scopus)
- 2857.** Dornelas JCM, Costa MC, Carmo PHF, Paixão VM, Carvalho VSD, Barreto LC, Garcia QS, Bragança GPP, Isaias RMS, Brito JCM, Resende-Stoianoff MA, Santos DA. *Nicotiana benthamiana* as a model for studying Cryptococcus-plant interaction. *FEMS Microbiology Ecology* 98(4), art. fiac036, **2022**. <https://doi.org/10.1093/femsec/fiac036>. (WoS/Scopus)
- 2858.** Drira M, Elleuch J, Hadjkacem F, Hentati F, Drira R, Pierre G, Gardarin C, Delattre C, El Alaoui-Talibi Z, El Modafar C, Michaud P, Abdelkafi S, Fendri I. Influence of the sulfate content of the exopolysaccharides from *Porphyridium sordidum* on their elicitor activities on date palm vitroplants. *Plant Physiology and Biochemistry* 186: 99-106, **2022**. <https://doi.org/10.1016/j.plaphy.2022.06.012>. (WoS/Scopus)
- 2859.** Dubey A, Kumar K, Srinivasan T, Kondreddy A, Kumar KRR. An invasive weed-associated bacteria confers enhanced heat stress tolerance in wheat. *Heliyon* 8(7), e09893, **2022**. <https://doi.org/10.1016/j.heliyon.2022.e09893>. (WoS/Scopus)
- 2860.** Durrani F, Mahal N, Ahmad N, Shah Z, Ullah I, Shah MS, Tayyab M, Ullah R, Effect of salt stress on maize (*Zea mays* L.) antioxidants and ROS scavenging mechanism. *Bioscience Research*, 19(1): 557-566, **2022**. [http://www.isisn.org/BR-19-1-2022/557-566-19\(1\)2022BR22-20.pdf](http://www.isisn.org/BR-19-1-2022/557-566-19(1)2022BR22-20.pdf)
- 2861.** Dutta A, Baruah AR, Gogoi B, Baruah AM, Sen S, Rathi S. Variations in oxidative and antioxidant responses of rice plant to arsenic contaminated areas of assam. *International Journal of Environment and Climate Change*, 12(12), 96-101, **2022**. <https://doi.org/10.9734/ijecc/2022/v12i121443>.
- 2862.** El-Demerdash FM, Hussien DM, Ghanem NF, AL-Farga AM. Bromelain modulates liver injury, hematological, molecular, and biochemical perturbations induced by aluminum via oxidative stress inhibition. *BioMed Research International* vol. 2022, art. ID 5342559, 12 pages, **2022**. <https://doi.org/10.1155/2022/5342559>. (WoS/Scopus)
- 2863.** El-Okkiah SAF, El-Tahan AM, Ibrahim OM, Taha MA, Korany SM, Alsherif EA, AbdElgawad H, Abo Sen EZF and Sharaf-Eldin MA. Under cadmium stress, silicon has a defensive effect on the morphology, physiology, and anatomy of pea (*Pisum sativum* L.) plants. *Frontiers in Plant Science* 13:997475, **2022**. <https://doi.org/10.3389/fpls.2022.997475>. (WoS/Scopus)
- 2864.** El-Shamy MA, Alshaal T, Hussein MH, Rady AMS, Hafez EM, Alsohim AS, Abd El-Moneim D. Quinoa response to application of phosphogypsum and plant growth-promoting rhizobacteria under water stress associated with salt-affected soil. *Plants* 11(7):872, **2022**. <https://doi.org/10.3390/plants11070872>. (WoS/Scopus)
- 2865.** El-Sheshtawy HS, Mahdy HM, Sofy AR, Sofy MR. Production of biosurfactant by *Bacillus megaterium* and its correlation with lipid peroxidation of *Lactuca sativa*. *Egyptian Journal of Petroleum* 31(2), 1-6, **2022**. <https://doi.org/10.1016/j.ejpe.2022.03.001>. Source: (WoS/Scopus)
- 2866.** El-Yazied AA, Ibrahim MFM, Ibrahim MAR, Nasef IN, Al-Qahtani SM, Al-Harbi NA, Alzuaibr FM, Alaklabi A, Dessoky ES, Alabdallah NM, Omar MMA, Ibrahim MTS, Metwally AA, Hassan KM, Shehata SA. Melatonin mitigates drought induced oxidative stress in potato plants through modulation of osmolytes, sugar metabolism, ABA homeostasis and antioxidant enzymes. *Plants* 11(9):1151, **2022**. <https://doi.org/10.3390/plants11091151>. (WoS/Scopus)
- 2867.** Emamverdian A, Hasanuzzaman M, Ding Y, Barker J, Mokhberdoran F and Liu G. Zinc oxide nanoparticles improve pleioblastus pygmaeus plant tolerance to arsenic and mercury by stimulating antioxidant

- defense and reducing the metal accumulation and translocation. *Frontiers in Plant Science* 13:841501, **2022**. <https://doi.org/10.3389/fpls.2022.841501>. (WoS/Scopus)
- 2868.** Emanuil N, Akram MS, Ali S, Majrashi A, Iqbal M, El-Esawi MA, Ditta A, Alharby HF. Exogenous caffeine (1,3,7-trimethylxanthine) application diminishes cadmium toxicity by modulating physio-biochemical attributes and improving the growth of spinach (*Spinacia oleracea* L.). *Sustainability* 14(5):2806, **2022**. <https://doi.org/10.3390/su14052806>. (WoS/Scopus)
- 2869.** Ezeonwumelu IJ, Mode AM, Magaji UF, Nzonwu NA, Tangaza MH, Tanimu FI, Dandare SU. Coadministration of L-alanine and L-glutamine ameliorate blood glucose levels, biochemical indices and histological features in alloxan-induced diabetic rats. *Journal of Food Biochemistry* 46(12), art. e14420, **2022**. <https://doi.org/10.1111/jfbc.14420>. (WoS/Scopus)
- 2870.** Faisal M, Imran K, Muhammad BC, Rizwan M, Athar M, Rashid WK, Sameer HQ. Exogenously applied Glycine betain alleviates chromium toxicity in pea by reducing CR uptake and improving antioxidant defense system. *Applied Ecology and Environmental Research* 20, 4295-4307, **2022**. http://dx.doi.org/10.15666/aecer/2005_42954307 (WoS/Scopus)
- 2871.** Faiz S, Shah AA, Naveed NH, Nijabat A, Yasin NA, Batool AI, Ali HM, Javed T, Simon PW, Ali A. Synergistic application of silver nanoparticles and indole acetic acid alleviate cadmium induced stress and improve growth of *Daucus carota* L. *Chemosphere* 290, art. 133200, **2022**. <https://doi.org/10.1016/j.chemosphere.2021.133200>. (WoS/Scopus)
- 2872.** Fal S, Aasfar A, Rabie R, Smouni A, Arroussi HEL. Salt induced oxidative stress alters physiological, biochemical and metabolomic responses of green microalga *Chlamydomonas reinhardtii*. *Heliyon* 8(1), e08811, **2022**. <https://doi.org/10.1016/j.heliyon.2022.e08811>. (WoS/Scopus)
- 2873.** Fan D, Smith DL. *Mucilaginibacter* sp. K improves growth and induces salt tolerance in nonhost plants via multilevel mechanisms. *Frontiers in Plant Science* 13:938697, **2022**. <https://doi.org/10.3389/fpls.2022.938697>. (WoS/Scopus)
- 2874.** Fan J, Wang J, Liu X, Zhao C, Zhou C, Saba T, Wu J, Hui W, Gong W. Responses of antioxidant enzyme activity to different fertilizer and soil moisture conditions in relation to cold resistance in *Zanthoxylum armatum*. *Horticultural Science and Technology* 40(3), 261-272, **2022**. <https://doi.org/10.7235/HORT.20220025>.
- 2875.** Farhadi N, Moghaddam M, Alizadeh Salteh S, Monfared BS. Effect of 5-aminolevulinic acid on phytochemical and biochemical traits of *Fagopyrum esculentum* under salinity stress. *Journal of Soil Science and Plant Nutrition* 22: 3254-3267, **2022**. <https://doi.org/10.1007/s42729-022-00883-z>. (WoS/Scopus)
- 2876.** Farheen J, Mansoor S. Investigation of defense mechanism alterations induced by phytohormones, heat-shock and salt toxicity in green gram [*Vigna radiata* (L.) Wilczek]. *Pakistan Journal of Botany* 54(6): 2069-2079, **2022**. [http://dx.doi.org/10.30848/PJB2022-6\(36\)](http://dx.doi.org/10.30848/PJB2022-6(36)). (WoS/Scopus)
- 2877.** Farrokhzad Y, Babaei A, Yadollahi A, Kashkooli AB, Mokhtassi-Bidgoli A, Hessami S. Informative title: Development of lighting intensity approach for shoot proliferation in *Phalaenopsis amabilis* through combination with silver nanoparticles. *Scientia Horticulturae* 292, 110582, **2022**. <https://doi.org/10.1016/j.scienta.2021.110582>. (WoS/Scopus)
- 2878.** Farssi O, Mouradi M, Aziz F, Berrougui H. Role of acid phosphatase and enzymatic and non-enzymatic antioxidant systems in tolerance of alfalfa (*Medicago sativa* L.) populations to low phosphorus availability. *Agronomy Research* 20(S1), 951-964, **2022**. <https://doi.org/10.15159/AR.22.064>. (WoS/Scopus)
- 2879.** Feghhenabi F, Hadi H, Khodaverdiloo H, van Genuchten MTh, Pessarakli M. Improving wheat (*Triticum aestivum* L.) antioxidative defense mechanisms against salinity stress by exogenous application of potassium silicate. *Journal of Plant Nutrition* 45(19): 2887-2905, **2022**. <https://doi.org/10.1080/01904167.2022.2067776>. (WoS/Scopus)
- 2880.** Feizi S, Kosari-Nasab M, Divband B, S Mahjouri, A Movafeghi. Comparison of the toxicity of pure and samarium-doped zinc oxide nanoparticles to the green microalga *Chlorella vulgaris*. *Environmental Science and Pollution Research* 29:32002-32015, **2022**. <https://doi.org/10.1007/s11356-022-18539-x>. (WoS/Scopus)
- 2881.** Fernandes GW, Maia RA, Arantes-Garcia L, Pereira EG, Oki Y, França MGC, Costa LNP, Barbosa M. Deep capillary impact of a psyllid gall on its host ecophysiology, architecture and performance. *Trees* 36:1193-1206, **2022**. <https://doi.org/10.1007/s00468-022-02280-6>. (WoS/Scopus)
- 2882.** Fipke MV, Balbinot A, Viana VE, Gehrke VR, Kemmerich M, Dayan FE, Souza GM, Camargo ER, Avila LA. Transgenerational memory of drought stress and low rates of glyphosate reduce the sensitivity of *Eragrostis plana* to the herbicide. *Advances in Weed Science* 40:e020220039, **2022**. <http://dx.doi.org/10.51694/AdvWeedSci/2022;40:00016>.
- 2883.** Fipke MV, Feijó AdR, Garcia NS, Heck T, Viana VE, Dayan FE, Agostinetto D, Pinto Lamego F, Souza GM, Camargo ER, Avila LAd. Transgenerational effect of drought stress and sub-lethal doses of quizalofop-p-ethyl: decreasing sensitivity to herbicide and biochemical adjustment in *Eragrostis plana*. *Agriculture* 12(3):396, **2022**. <https://doi.org/10.3390/agriculture12030396>. (WoS/Scopus)
- 2884.** Freeg HA, Attia KA, Casson S, Fiaz S, Ramadan EA, Banna AE, Zoulias N, Aboshosha A, Alamery S. Physio-biochemical responses and expressional profiling analysis of drought tolerant genes in new promising rice genotype. *PLoS ONE* 17(3): e0266087, **2022**. <https://doi.org/10.1371/journal.pone.0266087>. (WoS/Scopus)
- 2885.** Ganesh TNJ, Harinarayanan UND, Raghavan S, Girija S. Foliar selenium application mitigates low-temperature stress in Chilli (*Capsicum annuum* L.) seedlings. *Energy Nexus* vol. 6, art. 100079, **2022**. <https://doi.org/10.1016/j.nexus.2022.100079>.

- 2886.** Ge Z, Cao J, Zhang H, Hu H, Geng L, Yang Y, Su H, Zhang X, Wu M, Yuan X, Xie Y. Endogenous hydrogen sulfide homeostasis is responsible for the difference in osmotic stress tolerance in two cultivars of *Vigna radiate*. *Environmental and Experimental Botany* vol. 204, art. 105075, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105075>. (WoS/Scopus)
- 2887.** Ghafar MA, Akram NA, Gul B, Pirasteh-Anosheh HA. Physio-biochemical analyses of selected halophytes from the saline regions of Pakistan and their potential for biosaline agriculture in arid environments. *Pakistan Journal of Botany* 54(5), 1697-1706, **2022**. <https://www.pakbs.org/pjbot/papers/1653292260.pdf> (WoS/Scopus)
- 2888.** Ghanbarzadeh M, Niknam V, Soltani N, Ebrahimzadeh H, Shahavi MH. Removal of Phenanthrene by some microalga species and study of antioxidative compounds in *Nostoc calcicola* ISC 89. *Journal of Soils and Sediments* 22, 109-119, **2022**. <https://doi.org/10.1007/s11368-021-03065-z>. (WoS/Scopus)
- 2889.** Ghani MI, Ali A, Atif MJ, Ali M, Amin B and Cheng Z. Arbuscular mycorrhizal fungi and dry raw garlic stalk amendment alleviate continuous monocropping growth and photosynthetic declines in eggplant by bolstering its antioxidant system and accumulation of osmolytes and secondary metabolites. *Frontiers in Plant Science* 13:849521, **2022**. <https://doi.org/10.3389/fpls.2022.849521>. (WoS/Scopus)
- 2890.** Ghani MI, Saleem S, Rather SA, Rehmani MS, Alamri S, Rajput VD, Kalaji HM, Saleem N, Sial TA, Liu M. Foliar application of zinc oxide nanoparticles: An effective strategy to mitigate drought stress in cucumber seedling by modulating antioxidant defense system and osmolytes accumulation. *Chemosphere* v. 289, art. 133202, **2022**. <https://doi.org/10.1016/j.chemosphere.2021.133202>. (WoS/Scopus)
- 2891.** Ghodrati M, Zarrini G, Kosari-Nasab M, Movafeghi A. Capability of the microalga *Scenedesmus dimorphus* for biodegradation of crude oil components: biological responses and catabolic intermediates. *CLEAN – Soil, Air, Water* 50(11), art. 2200207, **2022**. <https://doi.org/10.1002/clen.202200207>. (WoS/Scopus)
- 2892.** Gomes MP, Bicalho EIM, Garcia QS. Integrative signaling of hydrogen peroxide and gibberellin on Zn-mediated alleviation of thermodynamic dormancy in sorghum seeds. *Physiologia Plantarum* 174, e13595, **2022**. <https://doi.org/10.1111/ppl.13595>. (WoS/Scopus)
- 2893.** Gomes MP, Freitas PL, Kitamura RS, Pereira EG, Juneau P. How aminomethylphosphonic acid (AMPA), the main glyphosate metabolite, interferes with chlorophyll biosynthesis?. *Environmental and Experimental Botany* 203, 105039, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105039>. (WoS/Scopus)
- 2894.** Gomes MP, Kitamura RSA, Marques RZ, Barbato ML, Zámocký M. The role of H₂O₂-scavenging enzymes (ascorbate peroxidase and catalase) in the tolerance of *Lemna minor* to antibiotics: Implications for phytoremediation. *Antioxidants* 11(1):151, **2022**. <https://doi.org/10.3390/antiox11010151>. (WoS/Scopus)
- 2895.** Gomes MP, Kubis GC, Kitamura RSA, Figueredo CC, da Silva Nogueira K, Vieira F, Navarro-Silva MA, Juneau P. Do anti-HIV drugs pose a threat to photosynthetic microorganisms? *Chemosphere* vol. 307, Part 2, art. 135796, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.135796>. (WoS/Scopus)
- 2896.** González-García Y, Cadenas-Pliego G, Alpuche-Solís ÁG, Cabrera RI, Juárez-Maldonado A. Effect of carbon-based nanomaterials on *Fusarium* wilt in tomato. *Scientia Horticulturae* 291, 110586, **2022**. <https://doi.org/10.1016/j.scienta.2021.110586>. (WoS/Scopus)
- 2897.** González-García Y, López-Vargas ER, Pérez-Álvarez M, Cadenas-Pliego G, Benavides-Mendoza A, Valdés-Reyna J, Pérez-Labrada F, Juárez-Maldonado A. Seed priming with carbon nanomaterials improves the bioactive compounds of tomato plants under saline stress. *Plants* 11(15):1984, **2022**. <https://doi.org/10.3390/plants11151984>. (WoS/Scopus)
- 2898.** González-Moscoso M, Martínez-Villegas N, Cadenas-Pliego G, Juárez-Maldonado A. Effect of silicon nanoparticles on tomato plants exposed to two forms of inorganic arsenic. *Agronomy* 12, 2366, **2022**. <https://doi.org/10.3390/agronomy12102366>. (WoS/Scopus)
- 2899.** Gopamma D, Jagadeeswara Rao K, Shaik Riyazuddin, Suresh Kumar K, Srinivas N. Anticipated performance and air pollution tolerance indices for the establishment of green belt development in an industrial area. *Indian Journal of Science and Technology* 15(18):869-880, **2022**. <https://doi.org/10.17485/IJST/v15i18.2081>. Source: (WoS/Scopus)
- 2900.** Granaz Shaukat K, Baksh G, N Zahra, MB Hafeez, R Ali, A Samad, M Nizar, A Wahid. Foliar application of thiourea, salicylic acid, and kinetin alleviate salinity stress in maize grown under etiolated and de-etiolated conditions. *Discover Food* 2, 27, **2022**. <https://doi.org/10.1007/s44187-022-00027-3>.
- 2901.** Gul V, Cetinkaya H, Avsar C, Dinler BS, Sefaoglu F. Determining the biochemical content, antimicrobial and antioxidant activities of *Hypericum perforatum* L. species growing in the eastern black sea region, Türkiye. *Mitteilungen Klosterneuburg* 72(1), 24-38, **2022**. <http://mitt-klosterneuburg.com/show.php?v=72&i=1>. (WoS/Scopus)
- 2902.** Gupta A, Awasthi P, Sharma N, Parveen S, Vats RP, Singh N, Kumar Y, Goel A, Chandran D. Medicago confers powdery mildew resistance in *Medicago truncatula* and activates the salicylic acid signalling pathway. *Molecular Plant Pathology* 23(7): 966-983, **2022**. <https://doi.org/10.1111/mpp.13202>. (WoS/Scopus)
- 2903.** Gupta N, Mishra AK. Iterative analysis of metabolic modulation in the cyanobacterium *Aphanizomenon flos-aquae* 2012 KM1/D3 upon nitric oxide synthase derived NO induction. *Environmental and Experimental Botany* vol. 201, art. 104967, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104967>. (WoS/Scopus)
- 2904.** Gupta NK, Gupta S, Singh J, Garg NK, Saha D, Singhal RK, Javed T, Al-Huqail AA, Ali HM, Kumar R, Siddiqui MH. On-farm hydro and nutri-priming increases yield of rainfed pearl millet through physio-biochemical adjustments and anti-oxidative defense mechanism. *PLoS ONE* 17(6): e0265325, **2022**. <https://doi.org/10.1371/journal.pone.0265325>. (WoS/Scopus)

- 2905.** Hafeez A, Rasheed R, Ashraf MA, Rizwan M, Ali S. Effects of exogenous taurine on growth, photosynthesis, oxidative stress, antioxidant enzymes and nutrient accumulation by *Trifolium alexandrinum* plants under manganese stress. *Chemosphere* vol. 308, Part 3, art. 136523, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.136523>. (WoS/Scopus)
- 2906.** Hafeez A, Tipu MI, Saleem MH, Al-Ashkar I, Saneoka H, El Sabagh A. Foliar application of moringa leaf extract (MLE) enhanced antioxidant system, growth, and biomass related attributes in safflower plants. *South African Journal of Botany* 150, 1087-1095, **2022**. <https://doi.org/10.1016/j.sajb.2022.09.021>. (WoS/Scopus)
- 2907.** Hagaggi NSA, Abdul-Raouf UM. The endophyte *Stenotrophomonas maltophilia* EPS modulates endogenous antioxidant defense in safflower (*Carthamus tinctorius* L.) under cadmium stress. *Archives of Microbiology* 204, art. 431, **2022**. <https://doi.org/10.1007/s00203-022-03049-8>. (WoS/Scopus)
- 2908.** Haghi V, Namdjoyan S, Soorki AA. Interactive effects of exogenous melatonin and hydrogen sulfide in alleviating lead toxicity in safflower seedlings. *Industrial Crops and Products* 187, part B, 115523, **2022**. <https://doi.org/10.1016/j.indcrop.2022.115523>. (WoS/Scopus)
- 2909.** Hajhashemi S, Jahantigh O, Alboghobeish S. The redox status of salinity-stressed *Chenopodium quinoa* under salicylic acid and sodium nitroprusside treatments. *Frontiers in Plant Science* 13:1030938, **2022**. <https://doi.org/10.3389/fpls.2022.1030938>. (WoS/Scopus)
- 2910.** Hajhashemi S, Kazemi S. The potential of foliar application of nano-chitosan-encapsulated nano-silicon donor in amelioration the adverse effect of salinity in the wheat plant. *BMC Plant Biology* 22, art. 148, **2022**. <https://doi.org/10.1186/s12870-022-03531-x>. (WoS/Scopus)
- 2911.** Hakeem KR, Alharby HF, Bamagoos AAM, Pirzadah TB. Biochar promotes arsenic (As) immobilization in contaminated soils and alleviates the As-toxicity in soybean (*Glycine max* (L.) Merr.). *Chemosphere* v. 292, art. 133407, **2022**. <https://doi.org/10.1016/j.chemosphere.2021.133407>. (WoS/Scopus)
- 2912.** Halimeh, H. Antioxidant metabolism and oxidative damage in *Anthemis gilanica* cell line under fast clinorotation. *Plant Cell, Tissue and Organ Culture* 150: 709-719, **2022**. <https://doi.org/10.1007/s11240-022-02324-2>. (WoS/Scopus)
- 2913.** Hamoud YA, Shaghaleh H, Wang R, Gouertoumbo WF, Hamad AA, Sheteiwy MS, Wang Z, Xiangping G. Wheat Straw Burial Improves Physiological Traits, Yield and Grain Quality of Rice by Regulating Antioxidant System and Nitrogen Assimilation Enzymes under Alternate Wetting and Drying Irrigation. *Rice Science*. 29(5), 473-488, **2022**. <https://doi.org/10.1016/j.rsci.2022.07.007>. (WoS/Scopus)
- 2914.** Han L, Ma K, Zhao Y, Mei C, Mamat A, Wang J, Qin L, He T. The cold-stress responsive gene DREB1A involved in low-temperature tolerance in Xinjiang wild walnut. *PeerJ* 10, e14021, **2022**. <https://doi.org/10.7717/peerj.14021>. (WoS/Scopus)
- 2915.** Hasan Md.N, Bhuiyan FH, Hoque H, Jewel NA, Ashrafuzzaman Md, Prodhon SH. Ectopic expression of *Vigna radiata's* vacuolar Na⁺/H⁺ antiporter gene (VrNHX1) in indica rice (*Oryza sativa* L.). *Biotechnology Reports* vol. 35, art. e00740, **2022**. <https://doi.org/10.1016/j.btre.2022.e00740>. Source: (WoS/Scopus)
- 2916.** Hassanpour H, Pourhabibian R. Impact of sodium pyrophosphate and static magnetic field on *Haematococcus pluvialis*: enhancement of astaxanthin accumulation, PAL, and antioxidant enzyme activities. *Physiology and Molecular Biology of Plants* 28: 1207-1216, **2022**. <https://doi.org/10.1007/s12298-022-01211-6>. (WoS/Scopus)
- 2917.** Hassanpour H. Potential impact of red-blue LED light on callus growth, cell viability, and secondary metabolism of *Hyoscyamus reticulatus*. *In Vitro Cellular & Developmental Biology – Plant* 58: 256-265, **2022**. <https://doi.org/10.1007/s11627-021-10232-x>. (WoS/Scopus)
- 2918.** Hazra A, Sengupta J, Sengupta C, Das S. ROS mediated response in blister blight disease compatibility of tea [*Camellia sinensis* (L.) O. Kuntze]. *Archives of Phytopathology and Plant Protection* 55(2), 162-174, **2022**. <https://doi.org/10.1080/03235408.2021.2004045>. Source: (WoS/Scopus)
- 2919.** Heidari M, Farsad-Akhtar N, Toorchi M, Kazemi EM, Mahna N. Proteomic, biochemical, and anatomical influences of nanographene oxide on soybean (*Glycine max*). *Journal of Plant Physiology* vol. 272, art. 153667, **2022**. <https://doi.org/10.1016/j.jplph.2022.153667>. (WoS/Scopus)
- 2920.** Helaly MN, El-Hoseiny HM, Elsheery NI, Kalaji HM, Santos-Villalobos Sdl, Wróbel J, Hassan IF, Gaballah MS, Abdelrhman LA, Mira AM, Alam-Eldein SM. 5-Aminolevulinic acid and 24-epibrassinolide improve the drought stress resilience and productivity of banana plants. *Plants* 11(6):743, **2022**. <https://doi.org/10.3390/plants11060743>. (WoS/Scopus)
- 2921.** Helaoui S, Boughattas I, Kribi-Boukhris E, Mkhini M, Alphonse V, Livet A, Bousserhine N, Banni M. Assessing the effects of nickel on, eg, *Medicago sativa* L. nodules using multidisciplinary approach. *Environmental Science and Pollution Research* 29, 77386–77400, **2022**. <https://doi.org/10.1007/s11356-022-21311-w> (WoS/Scopus)
- 2922.** Homayoonzadeh M, Esmaily M, Talebi K, Allahyari H, Reitz S, Michaud JP. Inoculation of cucumber plants with *Beauveria bassiana* enhances resistance to *Aphis gossypii* (Hemiptera: Aphididae) and increases aphid susceptibility to pirimicarb. *European Journal of Entomology* 119, Article 1-11, **2022**. <https://doi.org/10.14411/eje.2022.001>. (WoS/Scopus)
- 2923.** Hosseini S, Zare N, Sheikhzadeh P, Abootalebi S. The effect of nano-silicone on biochemical characteristics of European borage (*Borago officinalis* L.) under the cadmium stress. *Environmental Stresses in Crop Sciences*, 15(3), 817-829, **2022**. <https://dx.doi.org/10.22077/escs.2021.3997.1951>
- 2924.** Hu Y, Zhang H, Gu B, Zhang J. The transcription factor VaMYC2 from Chinese wild *Vitis amurensis*

- enhances cold tolerance of grape (*V. vinifera*) by up-regulating VaCBF1 and VaP5CS. *Plant Physiology and Biochemistry* 192, 218-229, 2022. <https://doi.org/10.1016/j.plaphy.2022.10.011>. (WoS/Scopus)
2925. Huang F, Jiang Y, Zhang S, Liu S, Eh T-J, Meng F, Lei P. A comparative analysis on morphological and physiological characteristics between castor varieties (*Ricinus communis* L.) under salt stress. *Sustainability* 14(16):10032, 2022. <https://doi.org/10.3390/su141610032>. (WoS/Scopus)
2926. Huang Q, Farooq MA, Hannan F, Chen W, Ayyaz A, Zhang K, Zhou W, Islam F. Endogenous nitric oxide contributes to chloride and sulphate salinity tolerance by modulation of ion transporter expression and reestablishment of redox balance in *Brassica napus* cultivars. *Environmental and Experimental Botany* 194, art. 104734, 2022. <https://doi.org/10.1016/j.envexpbot.2021.104734>. (WoS/Scopus)
2927. Husain T, Suhel M, Prasad SM, Singh VP. Ethylene and hydrogen sulphide are essential for mitigating hexavalent chromium stress in two pulse crops. *Plant Biology* 24(4): 652-659, 2022. <https://doi.org/10.1111/plb.13324>. (WoS/Scopus)
2928. Hussaan M, Tanwir K, Abbas S, Javed MT, Iqbal N. Zinc–Lysine (Zn–Lys) Decipher Cadmium Tolerance by Improved Antioxidants, Nutrient Acquisition, and Diminished Cd Retention in Two Contrasting Wheat Cultivars. *Journal of Plant Growth Regulation* 41(8), 3479-3497, 2022. <https://doi.org/10.1007/s00344-021-10528-7> (WoS/Scopus)
2929. Hussain S, Irfan M, Sattar A, Hussain S, Ullah S, Abbas T, Ur-Rehman H, Nawaz F, Al-Hashimi A, Elshikh MS, Cheema M, Yang J. Alleviation of cadmium stress in wheat through the combined application of boron and biochar via regulating morpho-physiological and antioxidant defense mechanisms. *Agronomy* 12(2):434, 2022. <https://doi.org/10.3390/agronomy12020434>. (WoS/Scopus)
2930. Ibrahim MU, Khaliq A, Hussain S, Murtaza G. Sorghum water extract application mediates antioxidant defense and confers drought stress tolerance in wheat. *Journal of Plant Growth Regulation* 41, 863-874, 2022. <https://doi.org/10.1007/s00344-021-10345-y>. (WoS/Scopus)
2931. Illescas M, Morán-Diez ME, Martínez de Alba ÁE, Hermosa R, Monte E. Effect of *Trichoderma asperellum* on wheat plants' biochemical and molecular responses, and yield under different water stress conditions. *International Journal of Molecular Sciences* 23(12):6782, 2022. <https://doi.org/10.3390/ijms23126782>. (WoS/Scopus)
2932. Imran KH, Iqbal M, Mahmood A, Maqbool R, Muqarrab AL, Aslam MT, Hanif MS, Kohli SA, Sally NE, Moustafa M, Chattha MU. Foliar applied proline and acetic acid improves growth and yield of wheat under salinity stress by improving photosynthetic pigments, physiological traits, antioxidant activities and nutrient uptake. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(3), 12820, 2022. <https://doi.org/10.15835/nbha50312820> (WoS/Scopus)
2933. Imran KH, Zafar H, Chattha MU, Mahmood A, Maqbool R, Athar F, Alahdal MA, Farhana BI, Mahmood F, Hassan MU. Seed priming with different agents mitigate alkalinity induced oxidative damage and improves maize growth. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 50(1), 12615, 2022. <https://doi.org/10.15835/nbha50112615> (WoS/Scopus)
2934. Imran M, Kang S-M, Khan AL, Khan MA, Shahzad R, Bilal S, et al. Nitric Oxide Modulates Glycine Max L. Growth and Physio-Molecular Responses during Flooding Stress. *Annals of Agricultural & Crop Sciences* 7(3), 1116, 2022. <https://www.austinpublishinggroup.com/agriculture-crop-sciences/fulltext/aacs-v7-id1116.php>
2935. Imran M, Khan AL, Mun B-G, Bilal S, Shaffique S, Kwon E-H, Kang S-M, Yun B-W, Lee I-J. Melatonin and nitric oxide: Dual players inhibiting hazardous metal toxicity in soybean plants via molecular and antioxidant signaling cascades. *Chemosphere* vol. 308, Part 3, art. 136575, 2022. <https://doi.org/10.1016/j.chemosphere.2022.136575>. (WoS/Scopus)
2936. Intarasit S, Umnajkitikorn K, Saengnil K. Effects of SNP and cPTIO on oxidative membrane damage and pericarp browning of harvested longan fruits. *Acta Horticulturae* 1336, 75-82, 2022. <http://cmuir.cmu.ac.th/jspui/handle/6653943832/72272> (WoS/Scopus)
2937. İşkil R, Surgun-Acar Y, Çatav ŞS, F Zemheri-Navruz, Y Erden. Mercury toxicity affects oxidative metabolism and induces stress responsive mechanisms in wheat (*Triticum aestivum* L.). *Physiology and Molecular Biology of Plants* 28: 911-920, 2022. <https://doi.org/10.1007/s12298-022-01171-x>. (WoS/Scopus)
2938. Islam M, Ali S, Nawaz A, Naz S, Ejaz S, Ali Shah A, Razzaq K. Postharvest 24-epibrassinolide treatment alleviates pomegranate fruit chilling injury by regulating proline metabolism and antioxidant activities. *Postharvest Biology and Technology* 188, art. 111906, 2022. <https://doi.org/10.1016/j.postharvbio.2022.111906>. (WoS/Scopus)
2939. Islam MJ, Uddin MJ, Hossain MA, Henry R, Begum MK, Sohel MAT, Mou MA, Ahn J, Cheong EJ, Lim Y-S. Exogenous putrescine attenuates the negative impact of drought stress by modulating physio-biochemical traits and gene expression in sugar beet (*Beta vulgaris* L.). *PLoS ONE* 17(1): e0262099, 2022. <https://doi.org/10.1371/journal.pone.0262099>. (WoS/Scopus)
2940. Islam S, Mohammad F. Plant growth regulators modulate photosynthetic efficiency, antioxidant system, root cell viability and nutrient acquisition to promote growth, yield and quality of Indian mustard. *Acta Physiologiae Plantarum* 44, art. 132, 2022. <https://doi.org/10.1007/s11738-022-03466-8>. (WoS/Scopus)
2941. Islam T, Reddy MK. Evaluation of Cd²⁺ stress tolerance in transgenic rice overexpressing PgGPx gene that maintains cellular ion and reactive oxygen species homeostasis. *PLoS ONE* 17(9): e0273974, 2022. <https://doi.org/10.1371/journal.pone.0273974>. (WoS/Scopus)
2942. Ismail GS, Omar SM, Fattouh FA. Enhanced Tolerance to Cowpea Mosaic Virus in *Vigna unguiculata* L. Plants Pretreated with Salicylic Acid. *Egyptian Journal of Botany* 62(2), 305-318, 2022.

<https://dx.doi.org/10.21608/ejbo.2021.58315.1610> Source: (WoS/Scopus)

- 2943.** Jabeen M, Akram NA, Ashraf M, Tyagi A, El-Sheikh MA, Ahmad P. Thiamin stimulates growth, yield quality and key biochemical processes of cauliflower (*Brassica oleracea* L. var. Botrytis) under arid conditions. *PLoS ONE* 17(5): e0266372, **2022**. <https://doi.org/10.1371/journal.pone.0266372>. (WoS/Scopus)
- 2944.** Jadhav UP, Folane JN, Etther YB. Physiobiochemical characterization of wheat (*Triticum aestivum*) under the influence of salinity stress. *Biological Forum – An International Journal* 14(4): 664-669, **2022**. <https://www.researchtrend.net/bfij/pdf/118%20Physiobiochemical%20characterization%20of%20Wheat%20Triticum%20aestivum%20under%20the%20Influence%20of%20Salinity%20Stress%20%20Etther%20YB.pdf>
- 2945.** Jalili S, Ehsanpour AA, Javadirad SM. The role of melatonin on caspase-3-like activity and expression of the genes involved in programmed cell death (PCD) induced by in vitro salt stress in alfalfa (*Medicago sativa* L.) roots. *Botanical Studies* 63, art. 19, **2022**. <https://doi.org/10.1186/s40529-022-00348-7>. (WoS/Scopus)
- 2946.** Jan SU, Rehman M, Gul A, Fayyaz M, Ur Rehman S, Jamil M. Combined application of two *Bacillus* species enhance phytoremediation potential of *Brassica napus* in an industrial metal-contaminated soil. *International Journal of Phytoremediation* 24(6): 652-665, **2022**. <https://doi.org/10.1080/15226514.2021.1962797>. (WoS/Scopus)
- 2947.** Jannesar M, Seyedi SM, Niknam V, Khorzoghi EG, Ebrahimzadeh H. Salicylic acid, as a positive regulator of isochorismate synthase, reduces the negative effect of salt stress on *Pistacia vera* L. by increasing photosynthetic pigments and inducing antioxidant activity. *Journal of Plant Growth Regulation* 41:1304-1315, **2022**. <https://doi.org/10.1007/s00344-021-10383-6>. (WoS/Scopus)
- 2948.** Jebur AB, El-Sayed RA, El-Demerdash FM. *Ocimum basilicum* essential oil modulates hematotoxicity, oxidative stress, DNA damage, and cell cycle arrest induced by β -cyfluthrin in rat liver. *Frontiers in Pharmacology* 12:784281, **2022**. <https://doi.org/10.3389/fphar.2021.784281>. (WoS/Scopus)
- 2949.** Jidar F, Asghari Zakaria R, Zare N, Hassanpanah D, Ghaffarzadeh Namazi L. Beta-Estradiol Hormone Application to Increase Salt Tolerance of Different Potato Genotypes (*Solanum tuberosum* L.). *Journal of Crop Ecophysiology* 16, 61(1), 1-26, **2022**. <https://doi.org/10.30495/JCEP.202201911931.1721>
- 2950.** Johnson R, Puthur JT. Biostimulant priming in *Oryza sativa*: a novel approach to reprogram the functional biology under nutrient-deficient soil. *Cereal Research Communications* 50, 45-52, **2022**. <https://doi.org/10.1007/s42976-021-00150-4>. (WoS/Scopus)
- 2951.** Kabala K, Reda M, Wdowikowska A, Janicka M. Role of Plasma Membrane NADPH Oxidase in Response to Salt Stress in Cucumber Seedlings. *Antioxidants* 11(8), 1534, **2022**. <https://doi.org/10.3390/antiox11081534> (WoS/Scopus)
- 2952.** Kafash ZH, Khoramnejadian S, Ghotbi-Ravandi AA, Dehghan SF. Traffic noise induces oxidative stress and phytohormone imbalance in two urban plant species. *Basic and Applied Ecology* vol. 60: 1-12, **2022**. <https://doi.org/10.1016/j.baae.2022.01.010>. (WoS/Scopus)
- 2953.** Kallala N, M'sehli W, Hammi KM, Abid G, Mhadhbi H. Efficiency of antioxidant system in barrel medic (*Medicago truncatula*) genotypes and the orchestration of their key components under iron deficiency. *Crop & Pasture Science* 73(2), 138-148, **2022**. <https://doi.org/10.1071/CP21041>. (WoS/Scopus)
- 2954.** Kamalvand AA, Hosseini Sarghein S, Karamian R. Impact of cadmium stress on growth and physiological responses of fenugreek (*Trigonella foenum-graecum* L.). *Journal of Plant Physiology and Breeding* 12(1), 51-65, **2022**. <https://dx.doi.org/10.22034/jppb.2022.15483>
- 2955.** Kamran MA, Bibi S, Chen B. Preventative effect of crop straw-derived biochar on plant growth in an arsenic polluted acidic ultisol. *Science of the Total Environment* v. 812, art. number 151469, **2022**. <https://doi.org/10.1016/j.scitotenv.2021.151469>. (WoS/Scopus)
- 2956.** Kamruzzaman M, Beyene MA, Siddiqui MN, Ballvora A, Léon J, Naz AA. Pinpointing genomic loci for drought-induced proline and hydrogen peroxide accumulation in bread wheat under field conditions. *BMC Plant Biology* 22, 584, **2022**. <https://doi.org/10.1186/s12870-022-03943-9>. (WoS/Scopus)
- 2957.** Kantharaj V, Ramasamy NK, Yoon Y-E, Cheong MS, Kim Y-N, Lee K-A, Kumar V, Choe H, Kim SY, Chohra H and Lee YB. Auxin-glucose conjugation protects the rice (*Oryza sativa* L.) seedlings against hydroxyurea-induced phytotoxicity by activating UDP-glucosyltransferase enzyme. *Frontiers in Plant Science* 12:767044, **2022**. <https://doi.org/10.3389/fpls.2021.767044>. (WoS/Scopus)
- 2958.** Kanu AS, Ashraf U, Mansaray LR, Abbas F, Fiaz S, Amanullah S, Charley CS and Tang X. Exogenous methyl jasmonate application improved physio-biochemical attributes, yield, quality, and cadmium tolerance in fragrant rice. *Frontiers in Plant Science* 13:849477, **2022**. <https://doi.org/10.3389/fpls.2022.849477>. (WoS/Scopus)
- 2959.** Karataş İ. Production of rosmarinic acid and biomass from adventitious root cultures of *Ocimum basilicum* by optimization of medium components in airlift bioreactors. *Plant Cell, Tissue and Organ Culture* 151, 235-251, **2022**. <https://doi.org/10.1007/s11240-022-02347-9>. (WoS/Scopus)
- 2960.** Kareem HA, Saleem MF, Saleem S, Rather SA, Wani SH, Siddiqui MH, Alamri S, Kumar R, Gaikwad NB, Guo Z, Niu J, Wang Q. Zinc oxide nanoparticles interplay with physiological and biochemical attributes in terminal heat stress alleviation in mungbean (*Vigna radiata* L.). *Frontiers in Plant Science* 13:842349, **2022**. <https://doi.org/10.3389/fpls.2022.842349>. (WoS/Scopus)
- 2961.** Karimi S, Shokri M. The Improvement of Growth, Water Relations, and Oxidative Reduction of Pistachio Rootstock in Drought Stress Conditions with Beta-Aminobutyric Acid Pretreatment. *Poljoprivreda* 28(1), 11-17, **2022**. <https://doi.org/10.18047/poljo.28.1.2> (WoS/Scopus)
- 2962.** Karimzadeh Soureshjani H, Nezami A, Nabati J, Oskoueian E, Ahmadi-Lahijani MJ. The physiological,

- biochemical, and molecular modifications of chickpea (*Cicer arietinum* L.) seedlings under freezing stress. *Journal of Plant Growth Regulation* 41:1109-1124, **2022**. <https://doi.org/10.1007/s00344-021-10369-4>. (WoS/Scopus)
- 2963.** Kaur R, Sharma A. Metabolomics of Brassica juncea. In: The Brassica juncea Genome (pp. 323-335). Springer, Cham. **2022**. https://doi.org/10.1007/978-3-030-91507-0_18 [Book]
- 2964.** Kaushik S, Sharma P, Kaur G, Singh AK, Al-Misned FA, Shafik HM, Sirhindi G. Seed priming with methyl jasmonate mitigates copper and cadmium toxicity by modifying biochemical attributes and antioxidants in *Cajanus cajan*. *Saudi Journal of Biological Sciences* 29(2):721-729, **2022**. <https://doi.org/10.1016/j.sjbs.2021.12.014>. (WoS/Scopus)
- 2965.** Kaya C, Ugurlar F, Ashraf M, El-Sheikh MA, Bajguz A, Ahmad P. The participation of nitric oxide in hydrogen sulphide-mediated chromium tolerance in pepper (*Capsicum annuum* L.) plants by modulating subcellular distribution of chromium and the ascorbate-glutathione cycle. *Environmental Pollution* v. 313, art. 120229, **2022**. <https://doi.org/10.1016/j.envpol.2022.120229>. (WoS/Scopus)
- 2966.** Kazerooni EA, Al-Sadi AM, Rashid U, Kim I-D, Kang S-M, Lee I-J. Salvianolic acid modulates physiological responses and stress-related genes that affect osmotic stress tolerance in *Glycine max* and *Zea mays*. *Frontiers in Plant Science* 13:904037, **2022**. <https://doi.org/10.3389/fpls.2022.904037>. (WoS/Scopus)
- 2967.** Kazerooni EA, Maharachchikumbura SSN, Al-Sadi AM, Rashid U, Kim I-D, Kang S-M, Lee I-J. Effects of the rhizosphere fungus *Cunninghamella bertholletiae* on the *Solanum lycopersicum* response to diverse abiotic stresses. *International Journal of Molecular Sciences* 23(16):8909, **2022**. <https://doi.org/10.3390/ijms23168909>. (WoS/Scopus)
- 2968.** Kebert M, Kostić S, Vuksanović V, Gavranović Markić A, Kiprović B, Zorić M, Orlović S. Metal- and organ-specific response to heavy metal-induced stress mediated by antioxidant enzymes' activities, polyamines, and plant hormones levels in *Populus deltoides*. *Plants* 11(23):3246, **2022**. <https://doi.org/10.3390/plants11233246>. (WoS/Scopus)
- 2969.** Kenawy El-R, Rashad M, Hosny A, Shendy S, Gad D, Saad-Allah KM. Enhancement of growth and physiological traits under drought stress in Faba bean (*Vicia faba* L.) using nanocomposite. *Journal of Plant Interactions* 17(1):404-418, **2022**. <https://doi.org/10.1080/17429145.2022.2038293>. (WoS/Scopus)
- 2970.** Khalid MF, Morillon R, Anjum MA, Ejaz S, Rao MJ, Ahmad S, Hussain S. Volkamer lemon tetraploid rootstock transmits the salt tolerance when grafted with diploid kinnow mandarin by strong antioxidant defense mechanism and efficient osmotic adjustment. *Journal of Plant Growth Regulation* 41, 1125-1137, **2022**. <https://doi.org/10.1007/s00344-021-10367-6>. (WoS/Scopus)
- 2971.** Khaliq A, Ibrahim MU, Hussain S, Zia Ul Haq M, Al-Huqail AA, Nawaz M, Ali B, Khan F, Ali HA, Siddiqui MH. The hormetic effects of a brassica water extract triggered wheat growth and antioxidative defense under drought stress. *Applied Sciences* 12(9):4582, **2022**. <https://doi.org/10.3390/app12094582>. (WoS/Scopus)
- 2972.** Khan I, Iqbal M, Mahmood A, Maqbool R, Ali M, Aslam MT, Hanif MS, Kohli SA, Negm S, Moustafa M, Chattha MU, Hassan MU. Foliar applied proline and acetic acid improves growth and yield of wheat under salinity stress by improving photosynthetic pigments, physiological traits, antioxidant activities and nutrient uptake. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 50(3), 12820, **2022**. <https://doi.org/10.15835/nbha50312820>. (WoS/Scopus)
- 2973.** Khan I, Muhammad A, Chattha MU, Skalicky M, Bilal Chattha M, Ahsin Ayub M, Rizwan Anwar M, Soufan W, Hassan MU, Rahman MA, Brestic M, Zivcak M, El Sabagh A. Mitigation of salinity-induced oxidative damage, growth, and yield reduction in fine rice by sugarcane press mud application. *Frontiers in Plant Science* 13:840900, **2022**. <https://doi.org/10.3389/fpls.2022.840900>. (WoS/Scopus)
- 2974.** Khan I, Zafar H, Chattha MU, Mahmood A, Maqbool R, Athar F, Alahdal MA, Bibi F, Mahmood F, Hassan MU, Qari SH. Seed priming with different agents mitigate alkalinity induced oxidative damage and improves maize growth. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 50(1), 12615, **2022**. <https://doi.org/10.15835/nbha50112615>. (WoS/Scopus)
- 2975.** Khan S, Akhtar N, Rehman SU, Shujah S, Rha ES, Jamil M. *Bacillus subtilis* synthesized iron oxide nanoparticles (Fe₃O₄ NPs) induced metabolic and anti-oxidative response in rice (*Oryza sativa* L.) under arsenic stress. *Toxics* 10(10):618, **2022**. <https://doi.org/10.3390/toxics10100618>. (WoS/Scopus)
- 2976.** Khan S, Ibrar D, Bashir S, Rashid N, Hasnain Z, Nawaz M, Al-Ghamdi AA, Elshikh MS, Dvořáčková H, Dvořáček J. Application of Moringa leaf extract as a seed priming agent enhances growth and physiological attributes of rice seedlings cultivated under water deficit regime. *Plants* 11(3):261, **2022**. <https://doi.org/10.3390/plants11030261>. (WoS/Scopus)
- 2977.** Khan W-u-D, Shaikat R, Farooq MA, Ashraf MN, Nadeem F, Tanveer M, Hamid Y, Sun N. Iron-doped biochar regulated soil nickel adsorption, wheat growth, its physiology and elemental concentration under contrasting abiotic stresses. *Sustainability* 14(13):7852, **2022**. <https://doi.org/10.3390/su14137852>. (WoS/Scopus)
- 2978.** Khan WuD, Wei X, Ali HH, Zulfiqar F, Chen J, Iqbal R, Zaheer MS, Ali B, Ghafoor S, Rabiya Ue, Waqas M, Ghaffar R, Soufan W and El Sabagh A. Investigating the role of bentonite clay with different soil amendments to minimize the bioaccumulation of heavy metals in *Solanum melongena* L. under the irrigation of tannery wastewater. *Frontiers in Plant Science* 13:958978, **2022**. <https://doi.org/10.3389/fpls.2022.958978>. (WoS/Scopus)
- 2979.** Kharwar S, Bhattacharjee S, Mishra AK. Deciphering salinity tolerance in the cyanobacterium *Anabaena sphaerica*: an evaluation of physiological and biochemical adjustments. *Acta Physiologiae Plantarum* 44, art. 127, **2022**. <https://doi.org/10.1007/s11738-022-03465-9>. (WoS/Scopus)
- 2980.** Kheyri F, Taheri P, Jafarnejad-Farsangi S. Thiamine and Piriformospora indica induce bean resistance against *Rhizoctonia solani*: the role of polyamines in association with iron and reactive oxygen species. *Biological*

- Control vol. 172, art. 104955, **2022**. <https://doi.org/10.1016/j.biocontrol.2022.104955>. (WoS/Scopus)
- 2981.** Khorshidi N, Hassanpour H, Ziyadi H. Static magnetic field improved growth and astaxanthin production in *Haematococcus lacustris* via the regulation of carbohydrate accumulation, H₂O₂ level, and antioxidant defense system. *Journal of Applied Phycology* 34, 2283-2295, **2022**. <https://doi.org/10.1007/s10811-022-02758-3>. (WoS/Scopus)
- 2982.** Kim KY, Kim SM, Kim JY, Choi Y-E. Elucidating the mechanisms underlying the cytotoxic effects of nano-/micro-sized graphene oxide on the microalgae by comparing the physiological and morphological changes in different trophic modes. *Chemosphere* 309(1), art. 136539, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.136539>. (WoS/Scopus)
- 2983.** Kiran S, Furtana GB, Ellialtioglu ŞŞ. Physiological and biochemical assay of drought stress responses in eggplant (*Solanum melongena* L.) inoculated with commercial inoculant of *Azotobacter chroococcum* and *Azotobacter vinelandii*. *Scientia Horticulturae* 305, 111394, **2022**. <https://doi.org/10.1016/j.scienta.2022.111394> (WoS/Scopus)
- 2984.** Kosar F, Alshallash KS, Akram NA, Sadiq M, Ashraf M, Alkhalifah DHM, Abdel Latef AAH, Elkelish A. Trehalose-induced regulations in nutrient status and secondary metabolites of drought-stressed sunflower (*Helianthus annuus* L.) plants. *Plants* 11(20):2780, **2022**. <https://doi.org/10.3390/plants11202780>. (WoS/Scopus)
- 2985.** Krust D, Gusbeth C, Müller ASK, Scherer D, Müller G, Frey W, Nic P. Biological signalling supports biotechnology – pulsed electric fields extract a cell-death inducing factor from *Chlorella vulgaris*. *Bioelectrochemistry* 143, art. 10799, **2022**. <https://doi.org/10.1016/j.bioelechem.2021.107991>. (WoS/Scopus)
- 2986.** Krust MS. Biological response of *Chlorella vulgaris* to pulsed electric field treatment for improvement of protein extraction. PhD Thesis, Karlsruher Instituts für Technologie (KIT), **2022**. <https://scholar.archive.org/work/yszdh7p6jbehjlli5pu36tta4y/access/wayback/https://publikationen.bibliothek.kit.edu/1000146370/148922561> [PhD thesis]
- 2987.** Kumar V, Ameen F, Islam MA, Agrawal S, Motghare A, Dey A, Shah MP, Américo-Pinheiro JHP, Singh S, Ramamurthy PC. Evaluation of cytotoxicity and genotoxicity effects of refractory pollutants of untreated and biometanated distillery effluent using *Allium cepa*. *Environmental Pollution* vol. 300, art. 118975, **2022**. <https://doi.org/10.1016/j.envpol.2022.118975>. (WoS/Scopus)
- 2988.** Kumar V, Singh G, Dwivedi SK. Arsenic and nickel stress response, their bioremediation potential and mechanism of *Trichoderma lixii* isolated from electroplating wastewater. *Geomicrobiology Journal* 39(3-5):186-198, **2022**. <https://doi.org/10.1080/01490451.2021.1956648>. (WoS/Scopus)
- 2989.** Kumbhakar SK, Chauhan R, Singh V, Jadhav SK, Quraishi A. Screening of a new candidate tree legume-*Pithecellobium dulce* (Roxb.) Benth., for lead remediation. *Brazilian Journal of Botany* 45, 929-942, **2022**. <https://doi.org/10.1007/s40415-022-00830-3>. (WoS/Scopus)
- 2990.** Kuru Berk S, Gündoğdu M. Chapter 8. The role of polyamines in horticulture growing. In: Z Gökbayrak, B İşçi, M Keskin (Eds) *Horticulture: Scientific Concepts and Applications*. IKSAD publishing house, ISBN: 978-625-8246-35-3, pp. 149-172, **2022**. [BOOK]
- 2991.** Ladhari A, Zarrelli A, Di Meo MC, Ghannem M, Ben Mimoun M. Physiological mechanisms and adaptation strategies of *Lactuca sativa* L. in response to *Olea europaea* L. and *Ficus carica* L. allelochemicals. *South African Journal of Botany* vol. 147, 106-118, **2022**. <https://doi.org/10.1016/j.sajb.2022.01.002>. (WoS/Scopus)
- 2992.** Lahbouki S, Ben-Laouane R, Anli M, Boutasknit A, Ait-Rahou Y, Ait-El-Mokhtar M, El Gabardi S, Douira A, Wahbi S, Outzourhit A, Meddich A. Arbuscular mycorrhizal fungi and/or organic amendment enhance the tolerance of prickly pear (*Opuntia ficus-indica*) under drought stress. *Journal of Arid Environments* V. 199, art. 104703, **2022**. <https://doi.org/10.1016/j.jaridenv.2021.104703>. (WoS/Scopus)
- 2993.** Lahbouki S, Ech-chatir L, Er-Raki S, Outzourhit A, Meddich A. Improving drought tolerance of *Opuntia ficus-indica* under field using Subsurface Water Retention Technology: Changes in physiological and biochemical parameters. *Canadian Journal of Soil Science* 102, 4, **2022**. <https://doi.org/10.1139/cjss-2022-0022> (WoS/Scopus)
- 2994.** Lahbouki S, Meddich A, Ben-Laouane R, Outzourhit A, Pari L. Subsurface water retention technology promotes drought stress tolerance in field-grown tomato. *Energies* 15(18):6807, **2022**. <https://doi.org/10.3390/en15186807>. (WoS/Scopus)
- 2995.** Lahiji A, Ghodrati AR. Evaluation of water quality loushan olive orchards and negative effects of agriculture on the environment. *Journal of Water Science & Engineering* 11(4), 76-63, **2022**. https://wsej.ahvaz.iau.ir/article_694543.html
- 2996.** Lalay G, Ullah S, Ahmed I. Physiological and biochemical responses of *Brassica napus* L. to drought-induced stress by the application of biochar and Plant Growth Promoting Rhizobacteria. *Microscopy Research and Technique* 85(4):1267-1281, **2022**. <https://doi.org/10.1002/jemt.23993>. (WoS/Scopus)
- 2997.** Langeroodia AS, Tedeschi P, Allevato E, Stazi SR, Aadil RM, Mancinelli R, Radicetti E. Agronomic response of sunflower subjected to biochar and arbuscular mycorrhizal fungi application under drought conditions. *Italian Journal of Agronomy* 17(3):2086, **2022**. <https://doi.org/10.4081/ija.2022.2086>. (WoS/Scopus)
- 2998.** Leal J, Souza A, Borella J, Araujo A, Langaro A, Chapeta A, ES Amorim, GS Silva, S Morran, LHS Zobiole, TA Gaines, De Pinho C. Sumatran fleabane (*Conyza sumatrensis*) resistant to PSI-inhibiting herbicides and physiological responses to paraquat. *Weed Science* 70(1), 46-54, **2022**. <https://doi.org/10.1017/wsc.2021.70>. (WoS/Scopus)
- 2999.** Lee J-H, Goto E. Ozone control as a novel method to improve health-promoting bioactive compounds in

- red leaf lettuce (*Lactuca sativa* L.). *Frontiers in Plant Science* 13:1045239, 2022. <https://doi.org/10.3389/fpls.2022.1045239>. (WoS/Scopus)
3000. Lei S, Huang B. Metabolic regulation of α -Ketoglutarate associated with heat tolerance in perennial ryegrass. *Plant Physiology and Biochemistry* 190, 164-173, 2022. <https://doi.org/10.1016/j.plaphy.2022.09.005>. (WoS/Scopus)
3001. Lei S, Rossi S, Huang B. Metabolic and physiological regulation of aspartic acid-mediated enhancement of heat stress tolerance in perennial ryegrass. *Plants* 11(2):199, 2022. <https://doi.org/10.3390/plants11020199>. (WoS/Scopus)
3002. Leonova T, Shumilina J, Kim A, Frolova N, Wessjohann L, Bilova T, Frolov A. Agar-based polyethylene glycol (PEG) infusion model for pea (*Pisum sativum* L.) - perspectives of translation to legume crop plants. *Biological Communications*, 67(3), 236-244, 2022. <https://doi.org/10.21638/spbu03.2022.309>. (WoS/Scopus)
3003. Li F, Wu Z, Zuo S, Fan L, Wei Z, Ma L, Sun W, Du C, Liu R, Wang P. Application of enzymatic hydrolysate of *Ulva clathrata* as biostimulant improved physiological and metabolic adaptation to salt-alkaline stress in wheat. *Journal of Applied Phycology* 34: 1779-1789, 2022. <https://doi.org/10.1007/s10811-022-02684-4>. (WoS/Scopus)
3004. Li H, Wang H, Zhao J, Zhang L, Li Y, Wang H, Teng H, Yuan Z, Yuan Z. Physio-biochemical and transcriptomic features of Arbuscular mycorrhizal fungi relieving cadmium stress in wheat. *Antioxidants* 11(12):2390, 2022. <https://doi.org/10.3390/antiox11122390>. (WoS/Scopus)
3005. Li HW, Zhang J, Zheng Q, Li B, Li ZS. Comparative study of photosynthetic capacity in lower leaves in the canopy of dwarf and semidwarf wheat. *Photosynthetica* 60 (3): 445-456, 2022. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2919>. (WoS/Scopus)
3006. Li M, Zhang Y, Xu X, Chen Y, Chu J, Yao X. The combined treatments of brassinolide and zeaxanthin better alleviate oxidative damage and improve hypocotyl length, biomass, and the quality of radish sprouts stored at low temperature. *Food Chemistry: X*, Vol. 15, art. 100394, 2022. <https://doi.org/10.1016/j.fochx.2022.100394>. (WoS/Scopus)
3007. Li Q-S, Xie Y-C, Rahman MM, Hashem A, Abd_Allah EF, Wu Q-S. Arbuscular mycorrhizal fungi and endophytic fungi activate leaf antioxidant defense system of lane late navel orange. *Journal of Fungi* 8(3):282, 2022. <https://doi.org/10.3390/jof8030282>. (WoS/Scopus)
3008. Li R, Wu L, Shao Y, Hu Q, Zhang H. Melatonin alleviates copper stress to promote rice seed germination and seedling growth via crosstalk among various defensive response pathways. *Plant Physiology and Biochemistry* 179, 65-77, 2022. <https://doi.org/10.1016/j.plaphy.2022.03.016>. (WoS/Scopus)
3009. Li R, Yang R, Zheng W, Wu L, Zhang C, Zhang H. Melatonin promotes SGT1-involved signals to ameliorate drought stress adaption in rice. *International Journal of Molecular Sciences* 23(2):599, 2022. <https://doi.org/10.3390/ijms23020599>. (WoS/Scopus)
3010. Li R, Zheng W, Yang R, Chen J, Wang H, Ma L, Zhang H. A silicon particle-based courier promotes melatonin-mediated seed tolerance to nickel toxicity in rice. *Environmental Science: Nano* 9(8), 2854-2868, 2022. <https://doi.org/10.1039/D2EN00187J>. (WoS/Scopus)
3011. Li R, Zheng W, Yang R, Hu Q, Ma L, Zhang H. OsSGT1 promotes melatonin-ameliorated seed tolerance to chromium stress by affecting the OsABI5-OsAPX1 transcriptional module in rice. *Plant Journal* 112(1), 151-171, 2022. <https://doi.org/10.1111/tpj.15937>. (WoS/Scopus)
3012. Li Y, Liu M, Yang X, Zhang Y, Hui H, Zhang D, Shu J. Multi-walled carbon nanotubes enhanced the antioxidative system and alleviated salt stress in grape seedlings. *Scientia Horticulturae* v. 293, art. 110698, 2022. <https://doi.org/10.1016/j.scienta.2021.110698>. (WoS/Scopus)
3013. Li Z, Cheng B, Wu X, Zhang Y, Feng G, Peng Y. Spermine-mediated metabolic homeostasis improves growth and stress tolerance in creeping bentgrass (*Agrostis stolonifera*) under water or high-temperature stress. *Frontiers in Plant Science* 13:944358, 2022. <https://doi.org/10.3389/fpls.2022.944358>. (WoS/Scopus)
3014. Li Z, Zeng W, Cheng B, Xu J, Han L, Peng Y. Turf quality and physiological responses to summer stress in four creeping bentgrass cultivars in a subtropical zone. *Plants* 11(5):665, 2022. <https://doi.org/10.3390/plants11050665>. (WoS/Scopus)
3015. Ling Y, Zhao Y, Cheng B, Tan M, Zhang Y, Li Z. Seed priming with chitosan improves germination characteristics associated with alterations in antioxidant defense and dehydration-responsive pathway in white clover under water stress. *Plants* 11(15), 2015, 2022. <https://doi.org/10.3390/plants11152015>. (WoS/Scopus)
3016. Liu D, Shi H, Chen G, Zhang X, Gu T, Zhu M, Tan W. Strategies for anti-oxidative stress and anti-acid stress in bioleaching of LiCoO₂ using an acidophilic microbial consortium. *Extremophiles* 26, art. number 22, 2022. <https://doi.org/10.1007/s00792-022-01270-3>. (WoS/Scopus)
3017. Liu L, Wang Z, Gai Z, Wang Y, Wang B, Zhang P, Liu X, Chen J, Zhang S, Liu D, Zou C, Li C. Exogenous application of melatonin improves salt tolerance of sugar beet (*Beta vulgaris* L.) seedlings. *Acta Physiologiae Plantarum* 44, art. 57, 2022. <https://doi.org/10.1007/s11738-022-03389-4>. (WoS/Scopus)
3018. Liu M-Y, Peng D-l, Su W, Xiang C, Jian J-z, Zhao J, Peng H, Liu S-m, Kong L-n, Dai L-y, Huang W-k, Liu J. Potassium sulphate induces resistance of rice against the root-knot nematode *Meloidogyne graminicola*. *Journal of Integrative Agriculture* 21(11), 3263-3277, 2022. <https://doi.org/10.1016/j.jia.2022.08.002>. (WoS/Scopus)
3019. Liu Y, Cao X, Yue L, Wang C, Tao M, Wang Z, Xing B. Foliar-applied cerium oxide nanomaterials improve maize yield under salinity stress: Reactive oxygen species homeostasis and rhizobacteria regulation. *Environmental Pollution* vol. 299, art. 118900, 2022. <https://doi.org/10.1016/j.envpol.2022.118900>. (WoS/Scopus)

- 3020.** Liu Y-Y, Shi W-S, Liu Y, Gao X-M, Hu B, Sun H-R, Li X-Y, Yang Y, Li X-F, Liu Z-B, Wang J-M. MdPP2C24/37, protein phosphatase type 2Cs from apple, interact with MdPYL2/12 to negatively regulate ABA signaling in transgenic arabidopsis. *International Journal of Molecular Sciences*. 23(22):14375, **2022**. <https://doi.org/10.3390/ijms232214375>. (WoS/Scopus)
- 3021.** Lotfi M, Hamdami N, Dalvi-Isfahan M, Fallah-Joshaqani S. Effects of high voltage electric field on storage life and antioxidant capacity of whole pomegranate fruit. *Innovative Food Science & Emerging Technologies* v. 75, art. 102888, **2022**. <https://doi.org/10.1016/j.ifset.2021.102888>. (WoS/Scopus)
- 3022.** Lou H, Guo C, Fan B, Fu R, Su H, Zhang J, Sun L. Lingonberry (*Vaccinium vitis-idaea* L.) interact with lachnum pygmaeum to mitigate drought and promote growth. *Frontiers in Plant Science* 13:920338, **2022**. <https://doi.org/10.3389/fpls.2022.920338>. (WoS/Scopus)
- 3023.** Luo J, Yan Q, Yang G, Wang Y. Impact of the arbuscular mycorrhizal fungus *Funneliformis mosseae* on the physiological and defence responses of *Canna indica* to copper oxide nanoparticles stress. *Journal of Fungi* 8(5):513, **2022**. <https://doi.org/10.3390/jof8050513>. (WoS/Scopus)
- 3024.** Maassoumi N, Ghanati F, Zare-Maivan H, HA Gavlighi. Metabolic changes network in selenium-treated Astragalus cells derived by glutathione as a core component. *Plant Cell, Tissue and Organ Culture* 149: 455-465, **2022**. <https://doi.org/10.1007/s11240-022-02253-0>. (WoS/Scopus)
- 3025.** Mahmood S, Ahmad W, Ali Z, Eed EM, Khalifa AS, Naeem M, Bibi A, Tahir A, Waqas K, Wahid A. Exploring the potential of moringa leaf extract for mitigation of cadmium stress in *Triticum aestivum* L. *Applied Sciences* 12(16):8199, **2022**. <https://doi.org/10.3390/app12168199>. (WoS/Scopus)
- 3026.** Mahmoud GA, Abdel-Sater MA, Eshraq AA, Nemmat A. Production of terpenoid phytoalexins as a plant response against *Alternaria cerealis* AUMC 14484 controlled by *Trichoderma harzianum*. *Journal of Basic & Applied Mycology (Egypt)* 13: 12-33, **2022** https://aun.aun.edu.eg/journal_files/1028_J_4342.pdf
- 3027.** Mahmoud NE, Abdelhameed RM. Postsynthetic modification of Ti-based metal–organic frameworks with polyamines and its behavior on biochemical constituents of *Sesamum indicum* L. under heat stress conditions. *ACS Agricultural Science & Technology* 2(5), 1023-1041, **2022**. <https://doi.org/10.1021/acsagscitech.2c00169>. (WoS/Scopus)
- 3028.** Maia CF, Silva BRSD, Batista BL, Bajguz A, Lobato AKdS. 24-Epibrassinolide simultaneously stimulates photosynthetic machinery and biomass accumulation in tomato plants under lead stress: essential contributions connected to the antioxidant system and anatomical structures. *Agronomy* 12(9):1985, **2022**. <https://doi.org/10.3390/agronomy12091985>. (WoS/Scopus)
- 3029.** Maksoud MIAA, Bekhit M, El-Sherif DM, Sofy AR, Sofy MR. Gamma radiation-induced synthesis of a novel chitosan/silver/ferrite nanocomposite and their impact on cadmium accumulation and translocation in brassica plant growth. *International Journal of Biological Macromolecules* 194, 306-316, **2022**. <https://doi.org/10.1016/j.ijbiomac.2021.11.197>. (WoS/Scopus)
- 3030.** Manan A, Zafar MM, Ren M, Khurshid M, Sahar A, Rehman A, Firdous H, Youlu Y, Razzaq A, Shakeel A. Genetic analysis of biochemical, fiber yield and quality traits of upland cotton under high-temperature. *Plant Production Science* 25(1):105-119, **2022**. <https://doi.org/10.1080/1343943X.2021.1972013>. (WoS/Scopus)
- 3031.** Manzoor H, Anjam MS, Saeed F, Rasul S, Yousaf S, Kirn A, Qureshi MK, Zafar ZU, Ashraf M, Athar HU. Photosynthetic efficiency and antioxidant defense potential are key players in inducing drought tolerance in transgenic tobacco plants over-expressing AVP1. *Journal of Plant Growth Regulation* 41: 2653-2668, **2022**. <https://doi.org/10.1007/s00344-021-10464-6>. (WoS/Scopus)
- 3032.** Manzoor H, Mehwish, Bukhat S, Rasul S, Rehmani MIA, Noreen S, Athar H-u-R, Zafar ZU, Skalicky M, Soufan W, Brestic M, Habib-ur-Rahman M, Ogbaga CC and EL Sabagh A. Methyl jasmonate alleviated the adverse effects of cadmium stress in pea (*Pisum sativum* L.): a nexus of photosystem II activity and dynamics of redox balance. *Frontiers in Plant Science* 13:860664, **2022**. <https://doi.org/10.3389/fpls.2022.860664>. (WoS/Scopus)
- 3033.** Manzoor M, Yang L, Wu S, El-Shafie H, Haider M, Ahmad J. Feeding preference of *Rhynchophorus ferrugineus* (Oliver) (Coleoptera: Curculionidae) on different date palm cultivars and host biochemical responses to its infestation. *Bulletin of Entomological Research* 112(4), 494-501, **2022**. <https://doi.org/10.1017/S0007485321001012>. (WoS/Scopus)
- 3034.** Maqsood MF, Shahbaz M, Kanwal S, Kaleem M, Shah SMR, Luqman M, Iftikhar I, Zulfiqar U, Tariq A, Naveed SA, Inayat N, Din AMU, Uzair M, Khan MR, Farhat F. Methionine promotes the growth and yield of wheat under water deficit conditions by regulating the antioxidant enzymes, reactive oxygen species, and ions. *Life* 12(7):969, **2022**. <https://doi.org/10.3390/life12070969>. (WoS/Scopus)
- 3035.** Matmarurat G, Chutinanthakun K, Juntawong P, Khamsuk O. Two distinct mechanisms of water and energy conservation confer drought tolerance in chili mutants. *Acta Physiologiae Plantarum* 44, art. 7, **2022**. <https://doi.org/10.1007/s11738-021-03346-7>. (WoS/Scopus)
- 3036.** Maywald NJ, Hernández-Pridyailo A, Ludewig U. Nitrogen improves the recovery of maize plants under repeated drought stress. *Journal of Plant Nutrition and Soil Science* 185(5), 612-621, **2022**. <https://doi.org/10.1002/jpln.202200138>. (WoS/Scopus)
- 3037.** Maywald NJ, Mang M, Pahls N, Neumann G, Ludewig U, Francioli D. Ammonium fertilization increases the susceptibility to fungal leaf and root pathogens in winter wheat. *Frontiers in Plant Science* 13:946584, **2022**. <https://doi.org/10.3389/fpls.2022.946584>. (WoS/Scopus)
- 3038.** Mazhar MW, Ishtiaq M, Hussain I, Parveen A, Bhatti KH, Azeem M, Thind S, Ajaib M, Maqbool M, Sardar T, Muzammil K, Nasir N. Seed nano-priming with Zinc Oxide nanoparticles in rice mitigates drought and enhances agronomic profile. *PLoS ONE* 17(3), e0264967, **2022**. <https://doi.org/10.1371/journal.pone.0264967>

(WoS/Scopus)

- 3039.** Mazhar MW, Ishtiaq M, Maqbool M, Akram R, Shahid A, Shokralla S, Al-Ghobari H, Alataway A, Dewidar AZ, El-Sabroun AM, Elansary HO. Seed priming with iron oxide nanoparticles raises biomass production and agronomic profile of water-stressed flax plants. *Agronomy* 12(5), 982, **2022**. <https://doi.org/10.3390/agronomy12050982> (WoS/Scopus)
- 3040.** Mazhar MW, Ishtiaq M, Maqbool M, Akram R. Seed priming with calcium oxide nanoparticles improves germination, biomass, antioxidant defence and yield traits of canola plants under drought stress. *South African Journal of Botany* v.151, Part A, 889-899, **2022**. <https://doi.org/10.1016/j.sajb.2022.11.017>. (WoS/Scopus)
- 3041.** McInturf SA, Khan MA, Gokul A, Castro-Guerrero NA, Höhner R, Li J, Marjault H-B, Fichman Y, Kunz H-H, Goggin FL, Keyster M, Nechushtai R, Mittler R, Mendoza-Cózatl DG. Cadmium interference with iron sensing reveals transcriptional programs sensitive and insensitive to reactive oxygen species. *Journal of Experimental Botany* v. 73(1), 324-338, **2022**. <https://doi.org/10.1093/jxb/erab393>. (WoS/Scopus)
- 3042.** Mfarrej MFB, Wang X, Saleem MH, Hussain I, Rasheed R, Ashraf MA, Iqbal M, Chattha MS, Alyemeni MN. Hydrogen sulphide and nitric oxide mitigate the negative impacts of waterlogging stress on wheat (*Triticum aestivum* L.). *Plant Biology* 24(4):670-683, **2022**. <https://doi.org/10.1111/plb.13358>. (WoS/Scopus)
- 3043.** Minh NP. Effectiveness of CaCl₂ treatment on quality attributes of banana fruit during storage. *Plant Science Today* 9(1), 206-214, **2022**. <https://doi.org/10.14719/pst.1458>. Source: (WoS/Scopus)
- 3044.** Miras-Moreno B, Senizza B, Regni L, Tolisano C, Proietti P, Trevisan M, Lucini L, Rouphael Y, Del Buono D. Biochemical insights into the ability of Lemna minor L. extract to counteract copper toxicity in maize. *Plants* 11(19):2613, **2022**. <https://doi.org/10.3390/plants11192613>. (WoS/Scopus)
- 3045.** Mirfattahi Z, Eshghi S, Gharaghani A, Etemadi M, Moghadam A. Acetic acid application timing on strawberry: an alleviator for salinity adverse effect. *Acta Physiologiae Plantarum* 44, art. 139, **2022**. <https://doi.org/10.1007/s11738-022-03470-y>. (WoS/Scopus)
- 3046.** Mishra RK, Mishra G, Singh R, Parihar P, Kumar J, Srivastava PK, Prasad SM. Managing arsenic (V) toxicity by phosphate supplementation in rice seedlings: modulations in AsA-GSH cycle and other antioxidant enzymes. *Environmental Science and Pollution Research* 29, 14418-14429, **2022**. <https://doi.org/10.1007/s11356-021-16587-3>. (WoS/Scopus)
- 3047.** Mogazy AM, Hanafy RS. Foliar spray of biosynthesized zinc oxide nanoparticles alleviate salinity stress effect on *Vicia faba* plants. *Journal of Soil Science and Plant Nutrition* 22: 2647-2662, **2022**. <https://doi.org/10.1007/s42729-022-00833-9>. (WoS/Scopus)
- 3048.** Mohammadi H, Aghaee A, Pormohammad P, Ghorbanpour M, Hazrati S. Physiological reaction and chemical composition of *Stachys schtschegleevii* Sosn. essential oil under water deficit. *Acta Scientiarum Polonorum-Hortorum Cultus* 21(2), 103-114, **2022**. <https://doi.org/10.24326/asphc.2022.2.9c> (WoS/Scopus)
- 3049.** Molla SMH, Rastegar S, Omran VG, Khademi O. Ameliorative effect of melatonin against storage chilling injury in pomegranate husk and arils through promoting the antioxidant system. *Scientia Horticulturae* v. 295, art. 110889, **2022**. <https://doi.org/10.1016/j.scienta.2022.110889>. (WoS/Scopus)
- 3050.** Motamedi M, Zahedi M, Karimmojeni H, Motamedi H, Mastinu A. Effect of rhizosphere bacteria on antioxidant enzymes and some biochemical characteristics of *Medicago sativa* L. subjected to herbicide stress. *Acta Physiologiae Plantarum* 44, art. 84, **2022**. <https://doi.org/10.1007/s11738-022-03423-5>. (WoS/Scopus)
- 3051.** Mridha D, Ray I, Sarkar J, De A, Joardar M, Das A, Chowdhury NR, Acharya K, Roychowdhury T. Effect of sulfate application on inhibition of arsenic bioaccumulation in rice (*Oryza sativa* L.) with consequent health risk assessment of cooked rice arsenic on human: A pot to plate study. *Environmental Pollution* 293, art. 118561, **2022**. <https://doi.org/10.1016/j.envpol.2021.118561>. Source: (WoS/Scopus)
- 3052.** Mugani R, El Khalloufi F, Redouane EM, Haida M, Zerriifi SE, Campos A, Kasada M, Woodhouse J, Grossart HP, Vasconcelos V, Oudra B. Bacterioplankton Associated with Toxic Cyanobacteria Promote *Pisum sativum* (Pea) Growth and Nutritional Value through Positive Interactions. *Microorganisms* 10(8), 1511, **2022**. <https://doi.org/10.3390/microorganisms10081511> (WoS/Scopus)
- 3053.** Munawar S, Ghani MA, Ali B, Azam M, Anjum R, Sarwar M, Ahmad T, Noor A, Iqbal Q, Cheema KL, Jahangir MM, Rashid MZ, Ahmad J, Abbas MM. Attenuation of cadmium induced oxidative stress in cucumber seedlings by modulating the photosynthesis and antioxidant machinery through foliar applied glutamic acid. *Horticultural Science (Prague)*, 49: 19–28, **2022**. <https://doi.org/10.17221/41/2021-HORTSCI>. (WoS/Scopus)
- 3054.** Nakhaie A, Habibi G, Vaziri A. Exogenous proline enhances salt tolerance in acclimated *Aloe vera* by modulating photosystem II efficiency and antioxidant defense. *South African Journal of Botany* 147:1171-1180, **2022**. <https://doi.org/10.1016/j.sajb.2020.06.005>. (WoS/Scopus)
- 3055.** Nandagopal JG, Harinarayanan UN, Raghavan S, Girija S. Foliar selenium application mitigates low-temperature stress in chilli (*Capsicum annum* L.) seedlings. *Energy Nexus* 6, 100079, **2022**. <https://doi.org/10.1016/j.nexus.2022.100079>
- 3056.** Naseem Z, Naveed M, Asghar HN, Hameed M. Metal resistant *Enterobacter cloacae* ZA14 enhanced seedling vigor and metal tolerance through improved growth, physiology and antioxidants in tomato (*Solanum lycopersicum*) irrigated with textile effluents. *Sustainability* 14(20):13619, **2022**. <https://doi.org/10.3390/su142013619>. (WoS/Scopus)
- 3057.** Naseer H, Shaikat K, Zahra N, Hafeez MB, Raza A, Nizar M, Qazi MA, Ali Q, Al-Huqail AA, Siddiqui MH, Ali HM. Appraisal of foliar spray of iron and salicylic acid under artificial magnetism on morpho-physiological attributes of pea (*Pisum sativum* L.) plants. *PLoS ONE* 17(4): e0265654, **2022**.

<https://doi.org/10.1371/journal.pone.0265654>. (WoS/Scopus)

- 3058.** Nasir Khan M, AlZuaibr FM. Calcium sustains K⁺-Na⁺ homeostasis through regulating nitrogen metabolism in hydrogen sulfide-dependent manner in tomato roots under salinity. *South African Journal of Botany* vol. 149: 355-365, 2022. <https://doi.org/10.1016/j.sajb.2022.06.015>. (WoS/Scopus)
- 3059.** Nasiri M, Hassanpour H, Sorahinobar M, Niknam V. Impact of Static Magnetic Field on the Callogenesis, Phytochemical Production and Antioxidant enzymes in *Anthemis gilanica*. *Russian Journal of Plant Physiology* 69, art. 77, 2022. <https://doi.org/10.1134/S1021443722040124>. (WoS/Scopus)
- 3060.** Nasiri MH, Rezayian M, Niknam V, Okhovat A. Antioxidative and structural responses of *Melissa officinalis* to salt stress. *Russian Journal of Plant Physiology* 69, art. 152, 2022. <https://doi.org/10.1134/S1021443721101908>. (WoS/Scopus)
- 3061.** Nasser MA, El-Mogy MM, Samaan MSF, Hassan KM, El-Sayed SM, Alsubeie MS, Darwish DBE, Mahmoud SF, Al-Harbi NA, Al-Qahtani SM, Alzuaibr FM, Abd El-Gawad HG. Postharvest exogenous melatonin treatment of table grape berry enhances quality and maintains bioactive compounds during refrigerated storage. *Horticulturae* 8(10):860, 2022. <https://doi.org/10.3390/horticulturae8100860>. (WoS/Scopus)
- 3062.** Navarro JM, Antolinos V, Robles JM and Botía P. Citrus irrigation with desalinated seawater under a climate change scenario. *Frontiers in Plant Science* 13:909083, 2022. <https://doi.org/10.3389/fpls.2022.909083>. (WoS/Scopus)
- 3063.** Naz H, Akram NA, Ashraf M, Hefft DI, Jan BL. Leaf extract of neem (*Azadirachta indica*) alleviates adverse effects of drought in quinoa (*Chenopodium quinoa* Willd.) plants through alterations in biochemical attributes and antioxidants. *Saudi Journal of Biological Sciences* 29(3):1367-1374, 2022. <https://doi.org/10.1016/j.sjbs.2022.01.038>. (WoS/Scopus)
- 3064.** Naz R, Gul F, Zahoor S, Nosheen A, Yasmin H, Keyani R, Shahid M, Hassan MN, Siddiqui MH, Batool S, Anwar Z, Ali N, Roberts TH. Interactive effects of hydrogen sulphide and silicon enhance drought and heat tolerance by modulating hormones, antioxidant defence enzymes and redox status in barley (*Hordeum vulgare* L.). *Plant Biology* 24(4):684-696, 2022. <https://doi.org/10.1111/plb.13374>. (WoS/Scopus)
- 3065.** Naz R, Zaman QU, Nazir S, Komal N, Chen Y, Ashraf K, Al-Huqail AA, Alfagham A, Siddiqui MH, Ali HM, Khan F. Silicon fertilization counteracts salinity-induced damages associated with changes in physio-biochemical modulations in spinach. *PLoS ONE* 17(6), e0267939, 2022. <https://doi.org/10.1371/journal.pone.0267939> (WoS/Scopus)
- 3066.** Nazir MM, Li Q, Noman M, Ulhassan Z, Ali S, Ahmed T, Zeng F, Zhang G. Calcium oxide nanoparticles have the role of alleviating arsenic toxicity of barley. *Frontiers in Plant Science* 13:843795, 2022. <https://doi.org/10.3389/fpls.2022.843795>. (WoS/Scopus)
- 3067.** Nazir MM, Noman M, Ahmed T, Ali S, Ulhassan Z, Zeng F, Zhang G. Exogenous calcium oxide nanoparticles alleviate cadmium toxicity by reducing Cd uptake and enhancing antioxidative capacity in barley seedlings. *Journal of Hazardous Materials* vol. 438, art. 129498, 2022. <https://doi.org/10.1016/j.jhazmat.2022.129498>. (WoS/Scopus)
- 3068.** Neamah SI, Jdayea NA. Positive response of *Hyoscyamus pusillus* callus cultures to exogenous melatonin on biochemical traits and secondary metabolites under drought conditions. *International Journal of Agronomy* v. 2022, Art. ID 7447024, 10 pages, 2022. <https://doi.org/10.1155/2022/7447024>. Source: (WoS/Scopus)
- 3069.** Neha, Twinkle, S Mohapatra, G Sirhindi, V Dogra. Seed priming with brassinolides improves growth and reinforces antioxidative defenses under normal and heat stress conditions in seedlings of *Brassica juncea*. *Physiologia Plantarum* 174(6), e13814, 2022. <https://doi.org/10.1111/ppl.13814>. (WoS/Scopus)
- 3070.** Neshat M, Abbasi A, Hosseinzadeh A, MR Sarikhani, DD Chavan, A Rasoulnia. Plant growth promoting bacteria (PGPR) induce antioxidant tolerance against salinity stress through biochemical and physiological mechanisms. *Physiology and Molecular Biology of Plants* 28: 347-361, 2022. <https://doi.org/10.1007/s12298-022-01128-0>. (WoS/Scopus)
- 3071.** Ngoc TT, Thu VM, Hien NT, Tra HT, Anh HD, Hue TT. Effect of exogenous melatonin on antioxidant enzyme activities and membrane lipid peroxidation in avocado fruit during ripening. *Vietnam Journal of Biotechnology* 20(3), 495-504, 2022. <https://doi.org/10.15625/1811-4989/17191>
- 3072.** Nigam B, Dubey RS, Rathore D. Protective role of exogenously supplied salicylic acid and PGPB (*Stenotrophomonas* sp.) on spinach and soybean cultivars grown under salt stress. *Scientia Horticulturae* 293, art. number 110654, 2022. <https://doi.org/10.1016/j.scienta.2021.110654>. (WoS/Scopus)
- 3073.** Niharika, Singh NB, Khare S, Singh A, Yadav V, Yadav RK. Attenuation of vanillic acid toxicity by foliar application with indole-3-acetic acid in tomato seedlings. *International Journal of Vegetable Science* 28(3):211-232, 2022. <https://doi.org/10.1080/19315260.2021.1935387>. Source: (WoS/Scopus)
- 3074.** Niu J, Chen Z, Guo Z, Xu N, Sui X, Roy M, Kareem HA, Ul Hassan M, Cui J, Wang Q. Exogenous melatonin promotes the growth of alfalfa (*Medicago sativa* L.) under NaCl stress through multiple pathways. *Ecotoxicology and Environmental Safety* vol. 242, art. 113938, 2022. <https://doi.org/10.1016/j.ecoenv.2022.113938>. (WoS/Scopus)
- 3075.** Nizar M, Shaukat K, Zahra N, Hafeez MB, Raza A, Samad A, Ali Q, Siddiqui MH, Ali HM. Exogenous application of salicylic acid and hydrogen peroxide ameliorate cadmium stress in milk thistle by enhancing morpho-physiological attributes grown at two different altitudes. *Frontiers in Plant Science* 12:809183, 2022. <https://doi.org/10.3389/fpls.2021.809183>. (WoS/Scopus)
- 3076.** Nkomo M, Gokul A, Ndimba R, Badiwe M, Keyster M, Klein A. Piperonylic acid alters growth, mineral

- content accumulation and reactive oxygen species-scavenging capacity in chia seedlings. *AoB PLANTS* 14(3), plac025, **2022**. <https://doi.org/10.1093/aobpla/plac025>. (WoS/Scopus)
- 3077.** Omar AZ, Hamdy E, Hamed EA, Hafez E, Abdelkhalek A. The curative activity of some arylidene dihydropyrimidine hydrazones against Tobacco mosaic virus infestation. *Journal of Saudi Chemical Society* 26(4), 101504, **2022**. <https://doi.org/10.1016/j.jscs.2022.101504>. (WoS/Scopus)
- 3078.** Omara AE-D, Hafez EM, Osman HS, Rashwan E, El-Said MAA, Alharbi K, Abd El-Moneim D, Gowayed SM. Collaborative impact of compost and beneficial rhizobacteria on soil properties, physiological attributes, and productivity of wheat subjected to deficit irrigation in salt affected soil. *Plants* 11(7):877, **2022**. <https://doi.org/10.3390/plants11070877>. (WoS/Scopus)
- 3079.** Önder S, Dayan E, Karakurt Y, Tonguç M. Changes in germination, antioxidant enzyme activities and biochemical contents of safflower (*Carthamus tinctorius* L.) under different salinity levels. *Süleyman Demirel University Faculty of Arts and Sciences Journal of Science* 17(1): 185-194, **2022**. <https://doi.org/10.29233/sdufeffd.1090142>.
- 3080.** Oraee A, Tehranifar A. How Do Different Temperature Fluctuations Affect *Alcea rosea* 'nigra' Survival?. *Iranian Journal of Science and Technology, Transactions A: Science* 46(4), 1135-1147, **2022**. <https://doi.org/10.1007/s40995-022-01330-5> (WoS/Scopus)
- 3081.** Ostovan F, Gol A, Javadi A. Protective properties of *Rydingia persica* in reproductive complications induced by diabetes in male rats: An experimental study. *International Journal of Reproductive Biomedicine (IJRM)* 20(2):123-136, **2022**. <http://ijrm.ssu.ac.ir/article-1-2134-en.html>. (WoS/Scopus)
- 3082.** Oubenali A, El Moukhtari A, Lamsaadi N, Farssi O, Mouradi M, Lazali M, Ghoulam C, Farissi M. Low phosphorus availability disturbs growth and photosynthetic-related parameters and induced oxidative stress in chickpea (*Cicer arietinum* L.). *Applied Ecology and Environmental Research* 20(6), 4785-4805, **2022**. http://dx.doi.org/10.15666/aeer/2006_47854805 (WoS/Scopus)
- 3083.** Ouhaddou R, Ben-Laouane R, Lahlali R, Anli M, Ikan C, Boutasknit A, Slimani A, Oufdou K, Baslam M, Ait Barka E, Meddich A. Application of indigenous rhizospheric microorganisms and local compost as enhancers of lettuce growth, development, and salt stress tolerance. *Microorganisms* 10(8):1625, **2022**. <https://doi.org/10.3390/microorganisms10081625>. (WoS/Scopus)
- 3084.** Özdamar FÖ, Furtana GB, Duman H, Tipirdamaz R. Improvement of the Antioxidant Mechanism by Exogenous H₂O₂ in Two genotypes of Eggplant (*Solanum melongena* L.) Under Salt Stress. *Journal of Anatolian Environmental and Animal Sciences* 7(4), 465-471, **2022**. <https://doi.org/10.35229/jaes.1134647>
- 3085.** Öztürk Gökçe ZN, Gökçe AF, Junaid MD, UK Chaudhry. Comparative transcriptomics of drought stress response of taproot meristem region of contrasting purple carrot breeding lines supported by physio-biochemical parameters. *Functional & Integrative Genomics* 22: 697-710, **2022**. <https://doi.org/10.1007/s10142-022-00868-2>. (WoS/Scopus)
- 3086.** Pamuta D, Siangliw M, Sanitchon J, Pengrat J, Siangliw JL, Toojinda T, Theerakulpisut P. Physio-biochemical traits in improved 'KDML105' jasmine rice lines containing drought and salt tolerance gene under drought and salt stress. *Chilean Journal of Agricultural Research* 82(1):97-110, **2022**. <https://oes.chileanjar.cl/files/CJAR210218-82-1-2022.pdf>. (WoS/Scopus)
- 3087.** Pandey A, Kumar S, Singh G, Prasad SM. Regulatory role of gamma-aminobutyric acid in cyanobacteria challenged with UV-B: the implication of nitric oxide. *Plant Stress* vol. 5, art. 100094, **2022**. <https://doi.org/10.1016/j.stress.2022.100094>.
- 3088.** Pandey N, Patel A, Tiwari S, Prasad SM. Differential response of copper nanoparticles and ionic copper on growth, chlorophyll fluorescence, oxidative stress, and antioxidant machinery of two paddy field cyanobacteria. *Ecotoxicology* 31: 933-947, **2022**. <https://doi.org/10.1007/s10646-022-02553-3>. (WoS/Scopus)
- 3089.** Pandey S, Singh VK, Verma N, Prasad SM. Homeostatic influence of calcium and kinetin: Regulation of defense strategies against NaCl stress in cyanobacterium *Nostoc muscorum* ATCC 27893. *South African Journal of Botany* 150, 851-860, **2022**. <https://doi.org/10.1016/j.sajb.2022.08.035>. (WoS/Scopus)
- 3090.** Papadopoulou A, Matsi T, Kamou N, Avdouli D, Mellidou I, Karamanoli K. Decoding the potential of a new *Pseudomonas putida* strain for inducing drought tolerance of tomato (*Solanum lycopersicum*) plants through seed biopriming. *Journal of Plant Physiology* vol. 271, art. 153658, **2022**. <https://doi.org/10.1016/j.jplph.2022.153658>. (WoS/Scopus)
- 3091.** Paul A, Biswas S, Banerjee R, Mukherjee A, Biswas AK. Halopriming imparts salt tolerance by reducing oxidative, osmotic stress and dna damage in five different legume varieties. *Legume Research*, art. ID: LR-4723, **2021**. <https://arccjournals.com/journal/legume-research-an-international-journal/LR-4723>. (WoS/Scopus)
- 3092.** Pereira AAS, Nery FC, Ferreira RA, da Silva VN, Bernardes MM, dos Santos HO, Bicalho EM. Can priming with ascorbic acid or nitric oxide improve the germinability of stored sunflower seeds?. *Journal of Seed Science* v. 44, art. e202244012, **2022**. <http://dx.doi.org/10.1590/2317-1545v42n1221062>. (WoS/Scopus)
- 3093.** Pereira GP, Francisco F, Maia AJ, Botelho RV, Biasi LA, Carvalho RI, Zanette F. Physiological and biochemical changes in 'Fuyu' persimmon buds during dormancy. *Ciência Rural* 52(1), **2022**. <https://doi.org/10.1590/0103-8478cr20200955>.
- 3094.** Pereira YC, Nascimento AN, Aguiar BTd, BRS da Silva, MAM Barbosa, BL Batista, A Bajguz, AKd Lobato. Anatomical modifications modulated by pretreatment with 24-epibrassinolide alleviate boron stress in soybean plants: valuable repercussions on nutrient contents, photosynthesis, and biomass. *Journal of Soil Science and Plant Nutrition* 22, 4533-4550, **2022**. <https://doi.org/10.1007/s42729-022-01053-x>. (WoS/Scopus)

- 3095.** Perveen S, Parvaiz M, Shahbaz M, Saeed M, Zafar S. Triacetonol positively influences growth, yield, biochemical attributes and antioxidant enzymes of two linseed (*Linum usitatissimum* L.) accessions differing in drought tolerance. *Pakistan Journal of Botany* 54(3), **2022**. [http://dx.doi.org/10.30848/PJB2022-3\(2\)](http://dx.doi.org/10.30848/PJB2022-3(2)). (WoS/Scopus)
- 3096.** Perveen S, Parveen A, Saeed M, Arshad R, Zafar S. Interactive effect of glycine, alanine, and calcium nitrate $\text{Ca}(\text{NO}_3)_2$ on wheat (*Triticum aestivum* L.) under lead (Pb) stress. *Environmental Science and Pollution Research* 29: 37954-37968, **2022**. <https://doi.org/10.1007/s11356-021-17348-y>. (WoS/Scopus)
- 3097.** Piracha MA, Ashraf M, Shahzad SM, Imtiaz M, Arif MS, Rizwan MS, Aziz A, Tu S, Albasher G, Alkahtani S, Shakoor A. Alteration in soil arsenic dynamics and toxicity to sunflower (*Helianthus annuus* L.) in response to phosphorus in different textured soils. *Chemosphere* 287, part 4, art. number 132406, **2022**. <https://doi.org/10.1016/j.chemosphere.2021.132406>. (WoS/Scopus)
- 3098.** Popova AV, Borisova P, Mihailova G, Georgieva K. Antioxidative response of *Arabidopsis thaliana* to combined action of low temperature and high light illumination when lutein is missing. *Acta Physiologiae Plantarum* 44, art. 10, **2022**. <https://doi.org/10.1007/s11738-021-03342-x>. (WoS/Scopus)
- 3099.** Prakash V, Rai P, Sharma NC, Singh VP, Tripathi DK, Sharma S, Sahi S. Application of zinc oxide nanoparticles as fertilizer boosts growth in rice plant and alleviates chromium stress by regulating genes involved in regulating oxidative stress. *Chemosphere* vol. 303, Part 1, art. 134554, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.134554>. (WoS/Scopus)
- 3100.** Qasim M, Ahmed W, Safdar U, Maqbool R, Sajid HB, Noor H, Haq MI. Effect of drought stress on fertile tillers of wheat genotypes (*Triticum aestivum* L.). *International Journal of Agriculture and Biosciences* 11(3), 172-180, **2022**. <https://doi.org/10.47278/journal.ijab/2022.024>
- 3101.** Qin C, Shen J, Ahanger MA. Supplementation of nitric oxide and spermidine alleviates the nickel stress-induced damage to growth, chlorophyll metabolism, and photosynthesis by upregulating ascorbate-glutathione and glyoxalase cycle functioning in tomato. *Frontiers in Plant Science* 13, 1039480, **2022**. <https://doi.org/10.3389%2Ffpls.2022.1039480> (WoS/Scopus)
- 3102.** Qu L, Jia W, Dai Z, Xu Z, Cai M, Huang W, Han D, Dang B, Ma X, Gao Y, Xu J. Selenium and molybdenum synergistically alleviate chromium toxicity by modulating Cr uptake and subcellular distribution in *Nicotiana tabacum* L. *Ecotoxicology and Environmental Safety* v. 248, art. 114312, **2022**. <https://doi.org/10.1016/j.ecoenv.2022.114312>. (WoS/Scopus)
- 3103.** Ragaey MM, Sadak MS, Dawood MFA, Mousa NHS, Hanafy RS, Latef AAHA. Role of signaling molecules sodium nitroprusside and arginine in alleviating salt-induced oxidative stress in wheat. *Plants* 11(14):1786, **2022**. <https://doi.org/10.3390/plants11141786>. (WoS/Scopus)
- 3104.** Rahim W, Khan M, Al Azzawi TNI, Pande A, Methela NJ, Ali S, Imran M, Lee D-S, Lee G-M, Mun B-G, Moon Y-S, Lee I-J, Yun B-W. Exogenously applied sodium nitroprusside mitigates lead toxicity in rice by regulating antioxidants and metal stress-related transcripts. *International Journal of Molecular Sciences* 23(17):9729, **2022**. <https://doi.org/10.3390/ijms23179729>. (WoS/Scopus)
- 3105.** Rahou YA, Douira A, Tahiri A-I, Cherkaoui ELM, Benkirane R, Meddich A. Application of plant growth-promoting rhizobacteria combined with compost as a management strategy against *Verticillium dahliae* in tomato. *Canadian Journal of Plant Pathology* 44(6), 806-827, **2022**. <https://doi.org/10.1080/07060661.2022.2089235>. (WoS/Scopus)
- 3106.** Rahul J. Stone Crusher Dust and Its Impact: Accumulation Efficiency of Some Woody Tree Species Around the Stone Crusher Plant (SCP). In: Heggy, E., Bermudez, V., Vermeersch, M. (eds) *Sustainable Energy-Water-Environment Nexus in Deserts. Advances in Science, Technology and Innovation*, pp. 621-627, Springer, Cham. **2022**. https://doi.org/10.1007/978-3-030-76081-6_78 (WoS/Scopus) [book series]
- 3107.** Rahul R, Sharma P. Identification of cadmium tolerant and sensitive genotypes of castor and their contrasting responses to cadmium treatment. *Environmental Science and Pollution Research* 29:16052-16065, **2022**. <https://doi.org/10.1007/s11356-021-16596-2>. (WoS/Scopus)
- 3108.** Rai P, Singh VP, Sharma S, Tripathi DK, Sharma S. Iron oxide nanoparticles impart cross tolerance to arsenate stress in rice roots through involvement of nitric oxide. *Environmental Pollution* 307, art. 119320, **2022**. <https://doi.org/10.1016/j.envpol.2022.119320>. (WoS/Scopus)
- 3109.** Rakbar S, Jabbarzadeh Z, Barin M. Effect of exogenous putrescine on flower growth, post-harvest quality and root mycorrhizal development of gerbera (*Gerbera jamesonii* cv. Dune) cut flowers. *South African Journal of Botany* 150: 641-650, **2022**. <https://doi.org/10.1016/j.sajb.2022.08.002>. (WoS/Scopus)
- 3110.** Ramadan KMA, Alharbi MM, Alenzi AM, El-Beltagi HS, Darwish DBE, Aldaej MI, Shalaby TA, Mansour AT, El-Gabry YAE-G, Ibrahim MFM. Alpha Lipoic acid as a protective mediator for regulating the defensive responses of wheat plants against sodic alkaline stress: physiological, biochemical and molecular aspects. *Plants* 11(6):787, **2022**. <https://doi.org/10.3390/plants11060787>. (WoS/Scopus)
- 3111.** Ramasamy S, Thiruvengadam Nandagopal JG, Balasubramanian M, Girija S. Effect of abscisic acid and selenium foliar sprays on drought mitigation in tomato (*Solanum lycopersicum* L.). *International Conference On Impact Of Innovations In Science And Technology For Societal Development: Materials Science*, Eds Saminathan K, Chandar Shekar B, Narendhirakannan RT, v. 48, part 2, 191-195, **2022**. <https://doi.org/10.1016/j.matpr.2020.06.465>.
- 3112.** Ramzan M, Ayub F, Shah AA, Naz G, Shah AN, Malik A, Sardar R, Telesinski A, Kalaji HM, Dessoky ES, Elgawad HA. Synergistic effect of zinc oxide nanoparticles and *Moringa oleifera* leaf extract alleviates cadmium toxicity in *Linum usitatissimum*: antioxidants and physiochemical studies. *Frontiers in Plant Science*

13:900347, 2022. <https://doi.org/10.3389/fpls.2022.900347>. (WoS/Scopus)

- 3113.** Rangseekaew P, Barros-Rodríguez A, Pathom-Aree W, Manzanera M. Plant Beneficial Deep-Sea Actinobacterium, *Dermaococcus abyssi* MT1. 1T Promote Growth of Tomato (*Solanum lycopersicum*) under Salinity Stress. *Biology* 11(2), 191, 2022. <https://doi.org/10.3390/biology11020191> (WoS/Scopus)
- 3114.** Rao MJ, Duan M, Yang M, Li M, Wang L. Sugarcane rind secondary metabolites and their antioxidant activities in eleven cultivated sugarcane varieties. *Sugar Tech* 24: 1570-1582, 2022. <https://doi.org/10.1007/s12355-021-01097-w>. (WoS/Scopus)
- 3115.** Rasheed R, Ashraf MA, Ahmad SJN, Parveen N, Hussain I, Bashir R. Taurine regulates ROS metabolism, osmotic adjustment, and nutrient uptake to lessen the effects of alkaline stress on *Trifolium alexandrinum* L. plants. *South African Journal of Botany* 148: 482-498, 2022. <https://doi.org/10.1016/j.sajb.2022.05.023>. (WoS/Scopus)
- 3116.** Rashid N, Khan S, Wahid A, Basra SMA, Alwahibi MS, Jacobsen S-E. Impact of natural and synthetic growth enhancers on the productivity and yield of quinoa (*Chenopodium quinoa* Willd.) cultivated under normal and late sown circumstances. *Journal of Agronomy and Crop Science* 208(4):552-566, 2022. <https://doi.org/10.1111/jac.12482>. (WoS/Scopus)
- 3117.** Rashidi R, Afshari A R, Mollazadeh H, Hosseini A. *Rheum turkestanicum* Janisch root extract mitigates 6-OHDA-induced neuronal toxicity against human neuroblastoma SH-SY5Y cells. *Journal of Advances in Medical and Biomedical Research* 30 (143):553-560, 2022. <http://zums.ac.ir/journal/article-1-6545-en.html>. (WoS/Scopus)
- 3118.** Rasool B, Mahmood-ur-Rahman Zubair M, Khan MA, Ramzani PMA, Dradrach A, Turan V, Iqbal M, Khan SA, Tauqeer HM, Farhad M, Virk ZA, Iqbal M. Synergetic efficacy of amending Pb-polluted soil with P-loaded jujube (*Ziziphus mauritiana*) twigs biochar and foliar chitosan application for reducing Pb distribution in Moringa leaf extract and improving its anti-cancer potential. *Water, Air, & Soil Pollution* 233, art. number 344, 2022. <https://doi.org/10.1007/s11270-022-05807-2>. (WoS/Scopus)
- 3119.** Ravello RA, de Oliveira C, Lessa J, Boas LV, de Castro EM, Guilherme LR, Lopes G. Selenium application influenced selenium biofortification and physiological traits in water-deficit common bean plants. *Crop and Pasture Science* 73(2), 44-55, 2022. <https://doi.org/10.1071/CP20519> Source: (WoS/Scopus)
- 3120.** Rawat P, Shankhdhar D, Shankhdhar SC. Synergistic impact of phosphate solubilizing bacteria and phosphorus rates on growth, antioxidative defense system, and yield characteristics of upland rice (*Oryza sativa* L.). *Journal of Plant Growth Regulation* 41, 2449-2461, 2022. <https://doi.org/10.1007/s00344-021-10458-4>. (WoS/Scopus)
- 3121.** Ray I, Mridha D, Sarkar J, Joardar M, Das A, Chowdhury NR, De A, Acharya K, Roychowdhury T. Application of potassium humate to reduce arsenic bioavailability and toxicity in rice plants (*Oryza sativa* L.) during its course of germination and seedling growth. *Environmental Pollution* vol. 313, art. 120066, 2022. <https://doi.org/10.1016/j.envpol.2022.120066>. (WoS/Scopus)
- 3122.** Razavi SM, Ghorbanian A, Abadi A. Impact of drought stress on growth–yield parameters, volatile constituents and physio-biochemical traits of three *Foeniculum vulgare* genotypes. *Agricultural Research* 11, 591-607, 2022. <https://doi.org/10.1007/s40003-021-00606-3>. (WoS/Scopus)
- 3123.** Rehman S, Chattha MU, Khan I, Mahmood A, Hassan MU, Al-Huqail AA, Salem MZM, Ali HM, Hano C, El-Esawi MA. Exogenously applied trehalose augments cadmium stress tolerance and yield of mung bean (*Vigna radiata* L.) grown in soil and hydroponic systems through reducing Cd uptake and enhancing photosynthetic efficiency and antioxidant defense systems. *Plants* 11(6):822, 2022. <https://doi.org/10.3390/plants11060822>. (WoS/Scopus)
- 3124.** Reshma R, Arumugam M. Organic selenium fortification in edible marine microalga *Nannochloropsis oceanica* CASA CC201 for food and feed applications. *Algal Research* vol. 66, art. 102787, 2022. <https://doi.org/10.1016/j.algal.2022.102787>. (WoS/Scopus)
- 3125.** Reyad NE-HA, Elsayed TR, Naguib DM, Azoz SN. Biocontrol of root rot in Geranium with antimycotic rhizobacteria. *Rhizosphere* vol. 24, art. 100607, 2022. <https://doi.org/10.1016/j.rhisph.2022.100607>. (WoS/Scopus)
- 3126.** Riaz M, Zhao S, Kamran M, Ur Rehman N, Mora-Poblete F, Maldonado C, Hamzah Saleem M, Parveen A, Ahmed Al-Ghamdi A, Al-Hemaid FM, Ali S and Elshikh MS. Effect of nano-silicon on the regulation of ascorbate-glutathione contents, antioxidant defense system and growth of copper stressed wheat (*Triticum aestivum* L.) seedlings. *Frontiers in Plant Science* 13:986991, 2022. <https://doi.org/10.3389/fpls.2022.986991>. (WoS/Scopus)
- 3127.** Rocha CdS, Kochi LY, Brito JCM, Maranhão LT, Carneiro DNM, Reis MVd, Gauthier A, Juneau P, Gomes MP. Calla lily production in enrofloxacin-contaminated soil and manure: An attractive alternative coupling income generation with antimicrobial removal from the environment. *Frontiers in Soil Science* 2:1060937, 2022. <https://doi.org/10.3389/fsoil.2022.1060937>.
- 3128.** Rocha CS, Kochi LY, Ribeiro GB, Rocha DC, Carneiro DNM, Gomes MP. Evaluating aquatic macrophytes for removing erythromycin from contaminated water: floating or submerged? *International Journal of Phytoremediation* 24(9), 995-1003, 2022. <https://www.tandfonline.com/doi/abs/10.1080/15226514.2021.1991268?journalCode=bijp20>. (WoS/Scopus)
- 3129.** Rong Z-Y, Jiang D-J, Cao J-L, Hashem A, Abd Allah EF, Alsayed MF, Harsonowati W and Wu Q-S. Endophytic fungus *Serendipita indica* accelerates ascorbate-glutathione cycle of white clover in response to water stress. *Frontiers in Microbiology* 13:967851, 2022. <https://doi.org/10.3389/fmicb.2022.967851>. (WoS/Scopus)
- 3130.** Roy R, Núñez-Delgado A, Wang J, Kader MA, Sarker T, Hasan AK, Dindaroglu T. Cattle manure compost and biochar supplementation improve growth of *Onobrychis viciifolia* in coal-mined spoils under water stress conditions. *Environmental Research* v. 205, art. 112440, 2022. <https://doi.org/10.1016/j.envres.2021.112440>.

(WoS/Scopus)

- 3131.** Roy R, Sultana S, Begum N, D Fornara, M Barmon, R Zhang, T Sarker, MdG Rabbany. Exogenous melatonin reduces water deficit-induced oxidative stress and improves growth performance of *Althaea rosea* grown on coal mine spoils. *Environmental Science and Pollution Research* 29, 61550-61560, **2022**. <https://doi.org/10.1007/s11356-021-14671-2>. **(WoS/Scopus)**
- 3132.** Roy R, Sultana S, Wang J, Mostofa MG, Sarker T, Shah MMR, Hossain MS. Revegetation of coal mine degraded arid areas: The role of a native woody species under optimum water and nutrient resources. *Environmental Research* 204, part A, 111921, **2022**. <https://doi.org/10.1016/j.envres.2021.111921>. **(WoS/Scopus)**
- 3133.** Saad-Allah KM, Sobhy SE, Hassan FAS, Al-Yasi H, Gad D. Assessment of selenium contribution to salt and water stress tolerance in hydroponically grown cotton (*Gossypium barbadense* L.). *Journal of Plant Nutrition* 45(16):2405-2421, **2022**. <https://doi.org/10.1080/01904167.2022.2027978>. **(WoS/Scopus)**
- 3134.** Saber NE, Abdel-Rahman MM, Mabrouk ME, Eldebawy EM, Ismail GS. Silicon Alleviates Cadmium Toxicity in *Triticum aestivum* L. Plants by Modulating Antioxidants, Nutrient Uptake, and Gene Expression. *Egyptian Journal of Botany* 62(2), 319-336, **2022**. <https://dx.doi.org/10.21608/ejbo.2021.59947.1618> **(WoS/Scopus)**
- 3135.** Sadak MS, Sekara A, Al-ashkar I, Habib-ur-Rahman M, Skalicky M, Brestic M, Kumar A, Sabagh AE, Abdelhamid MT. Exogenous aspartic acid alleviates salt stress-induced decline in growth by enhancing antioxidants and compatible solutes while reducing reactive oxygen species in wheat. *Frontiers in Plant Science* 13:987641, **2022**. <https://doi.org/10.3389/fpls.2022.987641>. **(WoS/Scopus)**
- 3136.** Saengchan C, Sangpueak R, Le Thanh T, Phansak P, Buensanteai N. Induced resistance against *Fusarium solani* root rot disease in cassava plant (*Manihot esculenta* Crantz) promoted by salicylic acid and *Bacillus subtilis*. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science* 72(1):516-526, **2022**. <https://doi.org/10.1080/09064710.2021.2018033>. **(WoS/Scopus)**
- 3137.** Saglam A, Demiralay M, Nigar Colak D, Pehlivan Gedik N, Basok O, Kadioglu A. *Pseudomonas putida* KT2440 induces drought tolerance during fruit ripening in tomato. *Bioagro* 34(2), 139-150, **2022**. <https://doi.org/10.51372/bioagro342.4>. **(WoS/Scopus)**
- 3138.** Sahebani N, Gholamrezaee N. The ability of *Meloidogyne javanica* to suppress salicylic acid-induced plant defence responses. *Nematology* 24(5), 499–508, **2022**. <https://doi.org/10.1163/15685411-bja10145> **(WoS/Scopus)**
- 3139.** Sahi N, Mostajeran A, Ghanadian M. Changing in the production of anticancer drugs (vinblastine and vincristine) in *Catharanthus roseus* (L.) G. Don by potassium and ascorbic acid treatments. *Plant, Soil and Environment* 68:18-28, **2022**. <https://doi.org/10.17221/121/2021-PSE>. **(WoS/Scopus)**
- 3140.** Saman M, Sepehri A. *Serendipita indica* (*Piriformospora indica*) inoculation improves photosynthetic performance and antioxidative potential of proso millet (*Panicum miliaceum* L.) under copper stress conditions. *Brazilian Journal of Botany (Revista Brasileira de Botanica)* 45(4), 1177-1182, **2022**. <https://doi.org/10.1007/s40415-022-00839-8> **(WoS/Scopus)**
- 3141.** Santanoo S, Vongcharoen K, Banterng P, Vorasoot N, Jogloy S, Roytrakul S, Theerakulpisut P. Physiological and proteomic responses of cassava to short-term extreme cool and hot temperature. *Plants* 11(17):2307, **2022**. <https://doi.org/10.3390/plants11172307>. **(WoS/Scopus)**
- 3142.** Santos AMd, Vitorino LC, Cruvinel BG, Ávila RG, Vasconcelos Filho SdC, Batista PF, Bessa LA. Impacts of Cd pollution on the vitality, anatomy and physiology of two morphologically different lichen species of the genera *parmotrema* and *usnea*, evaluated under experimental conditions. *Diversity* 14(11): 926, **2022**. <https://doi.org/10.3390/d14110926>. **(WoS/Scopus)**
- 3143.** Santos CS, Freitas AF, Silva GH, Carvalho MA, Santos MD, Carvalho GR, Silva VA. Adaptations to the drought season and impacts on the yield of ‘Híbrido de Timor’ coffee tree in the Minas Gerais State Cerrado (Brazilian Savanna). *Pesquisa Agropecuária Tropical* 52, e72448, **2022**. <https://doi.org/10.1590/1983-40632022v5272448> **(WoS/Scopus)**
- 3144.** Santos T, Bicalho E, Garcia Q. Oxidant system and ABA drive germination in seeds of palm species with differences in desiccation tolerance. *Seed Science Research* 32(3), 157-165, **2022**. <https://doi.org/10.1017/S0960258522000095>. **(WoS/Scopus)**
- 3145.** Sapre S, Gontia-Mishra I, Tiwari S. Plant growth-promoting rhizobacteria ameliorates salinity stress in pea (*Pisum sativum*). *Journal of Plant Growth Regulation* 41:647-656, **2022**. <https://doi.org/10.1007/s00344-021-10329-y>. **(WoS/Scopus)**
- 3146.** Sardar R, Ahmed S, Akbar M, Yasin NA, Li G. Alleviation of cadmium phytotoxicity in triacontanol treated *Coriandrum sativum* L. by modulation of physiochemical attributes, oxidative stress biomarkers and antioxidative system. *Chemosphere* vol. 295, art. 133924, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.133924>. **(WoS/Scopus)**
- 3147.** Sardar R, Ahmed S, Shah AA, Yasin NA. Selenium nanoparticles reduced cadmium uptake, regulated nutritional homeostasis and antioxidative system in *Coriandrum sativum* grown in cadmium toxic conditions. *Chemosphere* 287(3), 132332, **2022**. <https://doi.org/10.1016/j.chemosphere.2021.132332>. **(WoS/Scopus)**
- 3148.** Sardari M, Rezayian M, Niknam V. Comparative study for the effect of selenium and nano-selenium on wheat plants grown under drought stress. *Russian Journal of Plant Physiology* 69, art. 127, **2022**. <https://doi.org/10.1134/S102144372206022X>. **(WoS/Scopus)**
- 3149.** Saruhan Güler N, Terzi R, Demiralay M, K Ozturk, A Kadioglu. Increased dehydrin level decreases leaf rolling grade by altering the reactive oxygen species homeostasis and abscisic acid content in maize subjected to

- osmotic stress. *3 Biotech* 12, 201, **2022**. <https://doi.org/10.1007/s13205-022-03275-3>. (WoS/Scopus)
- 3150.** Sarwar M, Saleem MF, Ali B, Saleem MH, Rizwan M, Usman K, El-Keblawy A, Ali A, Afzal M, Sheteiwy MS, Ali S. Application of potassium, zinc and boron as potential plant growth modulators in *Gossypium hirsutum* L. under heat stress. *Turkish Journal of Agriculture and Forestry* 46, **2022**. https://www.researchgate.net/publication/362443076_Application_of_potassium_zinc_and_boron_as_potential_plant_growth_modulators_in_Gossypium_hirsutum_L_under_heat_stress/references?utm_medium=email&utm_source=researchgate&utm_campaign=re413&loginT=pFAa8vAO-SyfM5j73ogMdZ8C0Ns-OuJKHsJNnVVKcLmzhUbMxqm4bG1A1Q1LWn2krRkjEXGzJk1PM&pli=1&utm_term=re413_p_i_c_pbf_in&utm_content=re413_p_i_c_pbf_in_p3&cp=re413_p_i_c_pbf_in_p3&uid=aem6J8B2ffpRWm1pLqB7sKReeh02qgoJK1Ea&ch=reg. (WoS/Scopus)
- 3151.** Sarwar S, Akram NA, Saleem MH, Zafar S, Alghanem SM, Abualreesh MH, Alatawi A, Ali S. Spatial variations in the biochemical potential of okra [*Abelmoschus esculentus* L. (Moench)] leaf and fruit under field conditions. *PLOS ONE* 17(2): e0259520, **2022**. <https://doi.org/10.1371/journal.pone.0259520>. (WoS/Scopus)
- 3152.** Sattar A, Sher A, Abourehab MAS, Ijaz M, Nawaz M, Ul-Allah S, Abbas T, Shah AN, Imam MS, Abdelsalam NR, Hasan ME, Abbas A, Javaid MM. Application of silicon and biochar alleviates the adversities of arsenic stress in maize by triggering the morpho-physiological and antioxidant defense mechanisms. *Frontiers in Environmental Science* 10: 979049, **2022**. <https://doi.org/10.3389/fenvs.2022.979049>. (WoS/Scopus)
- 3153.** Sattar A, Wang X, Ull-Allah S, Sher A, Ijaz M, Irfan M, Abbas T, Hussain S, Nawaz F, Al-Hashimi A, AlMunqedhi BM, Skalicky M. Foliar application of zinc improves morpho-physiological and antioxidant defense mechanisms, and agronomic grain biofortification of wheat (*Triticum aestivum* L.) under water stress. *Saudi Journal of Biological Sciences* 29(3):1699-1706, **2022**. <https://doi.org/10.1016/j.sjbs.2021.10.061>. (WoS/Scopus)
- 3154.** Savaci G. Variations in biochemical compounds of fresh leaves of *Castanea sativa* in relation to elevation and stand age. *Journal of Soil Science and Plant Nutrition* 22: 2534-2544, **2022**. <https://doi.org/10.1007/s42729-022-00825-9>. (WoS/Scopus)
- 3155.** Sayahi N, Djemal R, Ben Merdes K, Saidii MN, Yengui M, Gdoura R, Ebel C, Aydi S, Mechichi T, Hanin M. Characterization of *Siccibacter* sp. strain C₂ a novel rhizobacterium that enhances tolerance of barley to salt stress. *Current Microbiology* 79, art. number 239, **2022**. <https://doi.org/10.1007/s00284-022-02930-5>. (WoS/Scopus)
- 3156.** Sedaghat M, Hazrati S, Omrani M. Use of zeolite and salicylic acid as an adaptation strategy against drought in wheat plants. *South African Journal of Botany* 146, 111-117, **2022**. <https://doi.org/10.1016/j.sajb.2021.10.001>. (WoS/Scopus)
- 3157.** Sen A, Islam MM, Zaman E, Ghosh UK, Momtaz MB, Islam MA, Urmi TA, Mamun MAA, Rahman MM, Kamal MZU, Rahman GKMM, Haque MM, Murata Y. Agro-morphological, yield and biochemical responses of selected wheat (*Triticum aestivum* L.) genotypes to salt stress. *Agronomy* 12(12):3027, **2022**. <https://doi.org/10.3390/agronomy12123027>. (WoS/Scopus)
- 3158.** Sezgin Muslu A, Sağlam A, Kadioğlu A. Paraquat applied under osmotic stress interferes with proline and polyamine metabolisms in *Zea mays* L. *Cereal Research Communications* 50, 965-972, **2022**. <https://doi.org/10.1007/s42976-022-00260-7>. (WoS/Scopus)
- 3159.** Shah AA, Riaz L, Siddiqui MH, Nazar R, Ahmed S, Yasin NA, Ali A, Mukherjee S, Hussaan M, Javad S, Chaudhry O. Spermine-mediated polyamine metabolism enhances arsenic-stress tolerance in *Phaseolus vulgaris* by expression of zinc-finger proteins related genes and modulation of mineral nutrient homeostasis and antioxidative system. *Environmental Pollution*, v. 300, art. 118941, **2022**. <https://doi.org/10.1016/j.envpol.2022.118941>. (WoS/Scopus)
- 3160.** Shah AA, Shah AN, Bilal Tahir M, Abbas A, Javad S, Ali S, Rizwan M, Alotaibi SS, Kalaji HM, Telesinski A, Javed T, AbdElgawad H. Harzianopyridone supplementation reduced chromium uptake and enhanced activity of antioxidant enzymes in *Vigna radiata* seedlings exposed to chromium toxicity. *Frontiers in Plant Science* 13:881561, **2022**. <https://doi.org/10.3389/fpls.2022.881561>. (WoS/Scopus)
- 3161.** Shah AA, Yasin NA, Mudassir M, Ramzan M, Hussain I, Siddiqui MH, Ali HM, Shabbir Z, Ali A, Ahmed S, Kumar R. Iron oxide nanoparticles and selenium supplementation improve growth and photosynthesis by modulating antioxidant system and gene expression of chlorophyll synthase (CHLG) and protochlorophyllide oxidoreductase (POR) in arsenic-stressed *Cucumis melo*. *Environmental Pollution* vol. 307, art. 119413, **2022**. <https://doi.org/10.1016/j.envpol.2022.119413>. (WoS/Scopus)
- 3162.** Shah W, Zaman N, Ullah S, Nafees M. Calcium chloride enhances growth and physio-biochemical performance of barley (*Hordeum vulgare* L.) under drought-induced stress regimes: a future perspective of climate change in the region. *Journal of Water and Climate Change* 13(9):3357-3378, **2022**. <https://doi.org/10.2166/wcc.2022.134>. (WoS/Scopus)
- 3163.** Shahid S, Ali Q, Ali S, Al-Misned FA, Maqbool S. Water deficit stress tolerance potential of newly developed wheat genotypes for better yield based on agronomic traits and stress tolerance indices: physio-biochemical responses, lipid peroxidation and antioxidative defense mechanism. *Plants* 11(3): 466, **2022**. <https://doi.org/10.3390/plants11030466>. (WoS/Scopus)
- 3164.** Shahkarami P, Ahmadian-Chashmi N, Samari E, Safaie N, Sharifi M. *Piriformospora indica* induces phenylethanoid glycosides production and defense responses in *Scrophularia striata* cell culture. *Plant Cell, Tissue and Organ Culture* 149: 381-395, **2022**. <https://doi.org/10.1007/s11240-021-02213-0>. Source: (WoS/Scopus)
- 3165.** Shahkhali ML, Ehtesami SM, Moradi F. Investigating the Effects of Natural and Artificial Seed

Deterioration on Reactive Oxygen Species, Antioxidant Enzymes, and Seed Germination Characteristics in Local and Improved Rice (*Oryza sativa*) Cultivars Derived from the Farms in Guilan Province. *Iranian Journal of Seed Research* 8(2), 21-40, **2022**. <http://dx.doi.org/10.52547/yujs.8.2.21>

3166. Shaikhaldain HO, Al-Qurainy F, Nadeem M, Khan S, Tarroum M, Salih AM, Alansi S, Al-Hashimi A, Alfagham A, Alkahtani J. Assessment of the impacts of green synthesized silver nanoparticles on *Maerua oblongifolia* shoots under in vitro salt stress. *Materials* 15(14):4784, **2022**. <https://doi.org/10.3390/ma15144784>. (WoS/Scopus)

3167. Shao J, Huang K, Batool M, Idrees F, Afzal R, Haroon M, Noushahi HA, Wu W, Hu Q, Lu X, Huang G, Aamer M, Hassan MU and El Sabagh A. Versatile roles of polyamines in improving abiotic stress tolerance of plants. *Frontiers in Plant Science* 13:1003155, **2022**. <https://doi.org/10.3389/fpls.2022.1003155>. (WoS/Scopus)

3168. Sharifian A, Mirzakhani A, Khaghani S, Kakhaki SF. The combined use of silicon and arbuscular mycorrhizal fungus mitigate the adverse effects of drought stress on *Matthiola incana*. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(4), 12947, **2022**. <https://doi.org/10.15835/nbha50312947>. (WoS/Scopus)

3169. Sharma A, Vishwakarma K, Singh NK, Prakash V, Ramawat N, Prasad R, Sahi S, Singh VP, Tripathi DK, Sharma S. Synergistic action of silicon nanoparticles and indole acetic acid in alleviation of chromium (CrVI) toxicity in *Oryza sativa* seedlings. *Journal of Biotechnology* 343, 71-82, **2022**. <https://doi.org/10.1016/j.jbiotec.2021.09.005>. (WoS/Scopus)

3170. Sharma N, Manhas RK, Bhardwaj R, Ohri P. Bioefficacy of bio-metabolites produced by *Streptomyces* sp. strain MR-14 in ameliorating *Meloidogyne incognita* stress in *Solanum lycopersicum* seedlings. *Journal of Plant Growth Regulation* 41, 3359-3371, **2022**. <https://doi.org/10.1007/s00344-021-10518-9>. (WoS/Scopus)

3171. Sharma N, Manhas RK, Ohri P. *Streptomyces hydrogenans* strain DH-16 alleviates negative impact of *Meloidogyne incognita* stress by modifying physio-biochemical attributes in *Solanum lycopersicum* plants. *Scientific Reports* 12, 15214, **2022**. <https://doi.org/10.1038/s41598-022-19636-0>. (WoS/Scopus)

3172. Sharma P, Chouhan R, Bakshi P, Gandhi SG, Kaur R, Sharma A, Bhardwaj R. Amelioration of chromium-induced oxidative stress by combined treatment of selected plant-growth-promoting Rhizobacteria and Earthworms via modulating the expression of genes related to reactive oxygen species metabolism in *Brassica juncea*. *Frontiers in Microbiology* 13:802512, **2022**. <https://doi.org/10.3389/fmicb.2022.802512>. (WoS/Scopus)

3173. Shaikat K, Baksh G, Zahra N, Hafeez MB, Raza A, Samad A, Nizar M, Wahid A. Foliar application of thiourea, salicylic acid, and kinetin alleviate salinity stress in maize grown under etiolated and de-etiolated conditions. *Discover Food*, 2, 27, **2022**. <https://doi.org/10.1007/s44187-022-00027-3>

3174. Shekari F, Shekari F, Najafi J, Abassi A, Radmanesh Z, Bones AM. Phytotoxic effects of catnip (*Nepeta meyeri* Benth.) on early growth stages development and infection potential of field dodder (*Cuscuta campestris* Yunck). *Plants* 11, 2629, **2022**. <https://doi.org/10.3390/plants11192629>. (WoS/Scopus)

3175. Shibaeva TG, Sherudilo EG, Rubaeva AA, Titov AF. Continuous LED Lighting Enhances Yield and Nutritional Value of Four Genotypes of Brassicaceae Microgreens. *Plants*, 11(2), 176, **2022**. <https://doi.org/10.3390/plants11020176>. (WoS/Scopus)

3176. Shibaeva TG, Sherudilo EG, Rubaeva AA, Titov AF. Effect of end-of production continuous lighting on yield and nutritional value of Brassicaceae microgreens. In: *BIO Web of Conferences*, 48, 02005, EDP Sciences, **2022**. <https://doi.org/10.1051/bioconf/20224802005>

3177. Siddiqui MH, Mukherjee S, Alamri S, Ali HM, Hasan Z, Kalaji HM. Calcium and jasmonic acid exhibit synergistic effects in mitigating arsenic stress in tomato seedlings accompanied by antioxidative defense, increased nutrient accumulation and upregulation of glyoxalase system. *South African Journal of Botany* 150, 14-25, **2022**. <https://doi.org/10.1016/j.sajb.2022.06.030>. (WoS/Scopus)

3178. Siddiqui MH, Mukherjee S, Kumar R, Alansi S, Ali Shah A, Kalaji HM, Javed T, Raza A. Potassium and melatonin-mediated regulation of fructose-1,6-bisphosphatase (FBPase) and sedoheptulose-1,7-bisphosphatase (SBPase) activity improve photosynthetic efficiency, carbon assimilation and modulate glyoxalase system and tolerance to cadmium stress in tomato seedlings. *Plant Physiology and Biochemistry* 171, 49-65, **2022**. <https://doi.org/10.1016/j.plaphy.2021.12.018>. (WoS/Scopus)

3179. Siddiqui ZS, Asim N, Uddin Z. Interactive Effect of organic (Urea-N) and halo (NaCl) priming on photosystem ii efficiencies and physiological tolerance in flax plants under saline environment. *Russian Journal of Plant Physiology* 69, art. 102, **2022**. <https://doi.org/10.1134/S102144372205020X>. (WoS/Scopus)

3180. Siddiqui ZS, Habib A, Umar M, Shams ZI. Effect of *Pythium aphanidermatum* (root rot pathogen) on the physiology of *Luffa cylindrica* (Sponge gourd) and its management by microbial antagonists. *South African Journal of Botany* 146, 614-623, **2022**. <https://doi.org/10.1016/j.sajb.2021.11.038>. (WoS/Scopus)

3181. Siddiqui ZS, Wei X, Umar M, Abideen Z, Zulfikar F, Chen J, Hanif A, Dawar S, Dias DA, Yasmeen R. Scrutinizing the application of saline endophyte to enhance salt tolerance in rice and maize plants. *Frontiers in Plant Science* 12:770084, **2022**. <https://doi.org/10.3389/fpls.2021.770084>. (WoS/Scopus)

3182. Silva JG, Gomes MP, Pereira EG, Bicalho EM, Garcia QS. Initial growth of *Peltophorum dubium* is affected by nitrogen source and manganese concentration. *Journal of Soil Science and Plant Nutrition* 22, 201-211, **2022**. <https://doi.org/10.1007/s42729-021-00644-4>. (WoS/Scopus)

3183. Silva MA, de Sousa GF, Corguinha APB, de Lima Lessa JH, Dinali GS, Oliveira C, Lopes G, Amaral D, Brown P and Guilherme LRG. Selenium biofortification of soybean genotypes in a tropical soil via Se-enriched phosphate fertilizers. *Frontiers in Plant Science* 13:988140, **2022**. <https://doi.org/10.3389/fpls.2022.988140>. (WoS/Scopus)

- 3184.** Simsek Geyik M, Yazicilar B, Bezirganoglu İ. Microscopic and physiological analysis of somatic embryos under *in vitro* culture in *Triticale*. *Icontech International Journal*, 6(1), 73-80, **2022**. <https://doi.org/10.46291/ICONTECHvol6iss1pp73-80>.
- 3185.** Singh A, Banerjee A, Roychoudhury A. Fluoride tolerance in rice is negatively regulated by the 'stress-phytohormone' abscisic acid (ABA), but promoted by ABA-antagonist growth regulators, melatonin, and gibberellic acid. *Protoplasma* 259: 1331-1350, **2022**. <https://doi.org/10.1007/s00709-022-01740-7>. (WoS/Scopus)
- 3186.** Singh A, Sengar RS, Rajput VD, Minkina T, Singh RK. Zinc oxide nanoparticles improve salt tolerance in rice seedlings by improving physiological and biochemical indices. *Agriculture* 12(7):1014, **2022**. <https://doi.org/10.3390/agriculture12071014>. (WoS/Scopus)
- 3187.** Singh DV, Singh RP. Algal consortia based metal detoxification of municipal wastewater: Implication on photosynthetic performance, lipid production, and defense responses. *Science of the Total Environment* 814, art. 151928, **2022**. <https://doi.org/10.1016/j.scitotenv.2021.151928>. (WoS/Scopus)
- 3188.** Singh DV, Upadhyay AK, Singh R, Singh DP. Implication of municipal wastewater on growth kinetics, biochemical profile, and defense system of *Chlorella vulgaris* and *Scenedesmus vacuolatus*. *Environmental Technology & Innovation* vol. 26, art. 102334, **2022**. <https://doi.org/10.1016/j.eti.2022.102334>. (WoS/Scopus)
- 3189.** Singh DV, Upadhyay AK, Singh R, Singh DP. Microalgal competence in urban wastewater management: phycoremediation and lipid production. *International Journal of Phytoremediation* 24(8):831-841, **2022**. <https://doi.org/10.1080/15226514.2021.1979463>. (WoS/Scopus)
- 3190.** Singh G, Dwivedi SK. Biosorptive and biodegradative mechanistic approach for the decolorization of congo red dye by *Aspergillus* species. *Bulletin of Environmental Contamination and Toxicology* 108, 457-467, **2022**. <https://doi.org/10.1007/s00128-021-03380-8>. (WoS/Scopus)
- 3191.** Singh M, Singh P, Prasad SM. α -Ketoglutarate enhanced *Solanum melongena* L. growth: acceleration of nitrogen assimilating enzymes and antioxidant system under arsenate toxicity. *Journal of Plant Growth Regulation* 41, 1699-1713, **2022**. <https://doi.org/10.1007/s00344-021-10405-3>. (WoS/Scopus)
- 3192.** Singh PK, Chakrabarty D, Dwivedi S, Kumar A, Singh SP, Sinam G, Niranjana A, Singh PC, Chatterjee S, Majumdar D, Tiwari M, Tripathi RD. Nitric oxide-mediated alleviation of arsenic stress involving metalloids detoxification and physiological responses in rice (*Oryza sativa* L.). *Environmental Pollution* v. 297, art. 118694, **2022**. <https://doi.org/10.1016/j.envpol.2021.118694>. (WoS/Scopus)
- 3193.** Singh S, Dubey NK, Singh VP. Nitric oxide and hydrogen peroxide independently act in mitigating chromium stress in *Triticum aestivum* L. seedlings: Regulation of cell death, chromium uptake, antioxidant system, sulfur assimilation and proline metabolism. *Plant Physiology and Biochemistry* 183: 76-84, **2022**. <https://doi.org/10.1016/j.plaphy.2022.05.004>. (WoS/Scopus)
- 3194.** Singh S, Prasad SM, Sharma S, Dubey NK, Ramawat N, Prasad R, Singh VP, Tripathi DK, Chauhan DK. Silicon and nitric oxide-mediated mechanisms of cadmium toxicity alleviation in wheat seedlings. *Physiologia Plantarum* 174(5), e13065, **2022**. <https://doi.org/10.1111/ppl.13065>. (WoS/Scopus)
- 3195.** Singh SK, Husain T, Suhel M, Prasad SM, Singh VP. Hydrogen sulphide ameliorates hexavalent chromium toxicity in two cereal crops: Role of antioxidant enzymes and proline metabolism. *Plant Biology* 24(4): 636-641, **2022**. <https://doi.org/10.1111/plb.13413>. (WoS/Scopus)
- 3196.** Sobhy SE, Abo-Kassem EEM, Sewelam NA, Hafez EE, Aseel DG, Saad-Allah KM. Pre-soaking in weed extracts is a reasonable approach to mitigate *Fusarium graminearum* infection in wheat. *Journal of Plant Growth Regulation* 41, 2261-2278, **2022**. <https://doi.org/10.1007/s00344-021-10442-y>. (WoS/Scopus)
- 3197.** Sofy M, Mohamed H, Dawood M, Abu-Elsaoud A, Soliman M. Integrated usage of *Trichoderma harzianum* and biochar to ameliorate salt stress on spinach plants. *Archives of Agronomy and Soil Science* 68(14): 2005-2026, **2022**. <https://doi.org/10.1080/03650340.2021.1949709>. (WoS/Scopus)
- 3198.** Soleymanzadeh R, Iranbakhsh A, Habibi G, Ardebili ZO. Soil supplementation with silicon nanoparticles to alleviate toxicity signs of salinity in strawberry. *Iranian Journal of Plant Physiology* 12(2), 4099-4109, **2022**. https://ijpp.saveh.iau.ir/article_691807_124e3afb7f2313e1f3c20577b5e45543.pdf Source: (WoS/Scopus)
- 3199.** Sorahinobar M, Safaie N, Moradi B. Salicylic acid seed priming enhanced resistance in wheat against *Fusarium graminearum* seedling blight. *Journal of Plant Biology* 65:423-434, **2022**. <https://doi.org/10.1007/s12374-021-09329-y>. (WoS/Scopus)
- 3200.** Soureshjani HK, Nezami A, Nabati J, Oskueian E, Ahmadi-Lahijani MJ. Genetic variations in antioxidant content and chlorophyll fluorescence of chickpea (*Cicer arietinum* L.) genotypes exposed to freezing temperatures. *Acta Physiologiae Plantarum* 44, 138, **2022**. <https://doi.org/10.1007/s11738-022-03476-6>. (WoS/Scopus)
- 3201.** Sousa ACG, Souza BHS, Marchiori PER, Bôas LVV. Characterization of priming, induced resistance, and tolerance to *Spodoptera frugiperda* by silicon fertilization in maize genotypes. *Journal of Pest Science* 95: 1387-1400, **2022**. <https://doi.org/10.1007/s10340-021-01468-y>. (WoS/Scopus)
- 3202.** Sousa VQ, Messias WFS, Pereira YC, BRS da Silva, EMSG Lobato, MN Alyemeni, P Ahmad, AK da Silva Lobato. Pretreatment with 24-epibrassinolide synergistically protects root structures and chloroplastic pigments and upregulates antioxidant enzymes and biomass in Na⁺-stressed tomato plants. *Journal of Plant Growth Regulation* 41:2869-2885, **2022**. <https://doi.org/10.1007/s00344-021-10481-5>. (WoS/Scopus)
- 3203.** Stanković J. Ekofiziološki odgovor mahovina *Atrichum undulatum* (Hedw.) P. Beauv. i *Hypnum cupressiforme* Hedw. na stres izazvan metalima u uslovima in vitro. Универзитет у Београду. **PhD Thesis**, **2022**. <https://nardus.mpn.gov.rs/handle/123456789/20774>
- 3204.** Subotić A, Jevremović S, Milošević S, Trifunović-Momčilov M, Đurić M, Koruga Đ. Physiological

response, oxidative stress assessment and aquaporin genes expression of cherry tomato (*Solanum lycopersicum* L.) exposed to hyper-harmonized fullerene water complex. *Plants* 11(21):2810, **2022**. <https://doi.org/10.3390/plants11212810>. (WoS/Scopus)

3205. Suganthi R, Avudainayagam S. Biochemical and Physiological Response of Brassica Juncea and Nephrolepis Exaltata in Mercury Spiked Soil. 36–43, **2022**, Technoarete Publishers. <https://doi.org/10.36647/978-93-92106-02-6.8> [Book]

3206. Sultana R, Wang X, Azeem M, Hussain T, Mahmood A, Fiaz S and Qasim M. Coumarin-mediated growth regulations, antioxidant enzyme activities, and photosynthetic efficiency of Sorghum bicolor under saline conditions. *Frontiers in Plant Science* 13:799404, **2022**. <https://doi.org/10.3389/fpls.2022.799404>. (WoS/Scopus)

3207. Sun M, Sun S, Mao C, Zhang H, Ou C, Jia Z, Wang Y, Ma W, Li M, Jia S, Mao P. Dynamic responses of antioxidant and glyoxalase systems to seed aging based on full-length transcriptome in oat (*Avena sativa* L.). *Antioxidants* 11(2):395, **2022**. <https://doi.org/10.3390/antiox11020395>. (WoS/Scopus)

3208. Sun W, Wei J, Wu G, Xu H, Chen Y, Yao M, Zhan J, Yan J, Wu N, Chen H, Bu T. CqZF-HD14 enhances drought tolerance in quinoa seedlings through interaction with CqHIPP34 and CqNAC79. *Plant Science* 323, 111406, **2022**. <https://doi.org/10.1016/j.plantsci.2022.111406> (WoS/Scopus)

3209. Sun W, Wu G, Xu H, Wei J, Chen Y, Yao M, Zhan J, Yan J, Chen H, Bu T, Tang Z, Li Q. Malate-mediated CqMADS68 enhances aluminum tolerance in quinoa seedlings through interaction with CqSTOP6, CqALMT6 and CqWRKY88. *Journal of Hazardous Materials* vol. 439, art. 129630, **2022**. <https://doi.org/10.1016/j.jhazmat.2022.129630>. (WoS/Scopus)

3210. Sun W, Yao M, Wang Z, Chen Y, Zhan J, Yan J, Jiang S, Jian S, Chen H, Bu T, Tang Z, Li Q, Zhao H, Wu Q. Involvement of auxin-mediated CqEXPA50 contributes to salt tolerance in quinoa (*Chenopodium quinoa*) by interaction with auxin pathway genes. *International Journal of Molecular Sciences* 23(15):8480, **2022**. <https://doi.org/10.3390/ijms23158480>. (WoS/Scopus)

3211. Sun Y, Li X, Najeeb U, Hou Z, Buttar NA, Yang Z, Ali B, Xu L. Soil applied silicon and manganese combined with foliar application of 5-aminolevulinic acid mediate photosynthetic recovery in Cd-stressed *Salvia miltiorrhiza* by regulating Cd-transporter genes. *Frontiers in Plant Science* 13:1011872, **2022**. <https://doi.org/10.3389/fpls.2022.1011872>. (WoS/Scopus)

3212. Sundararajan S, Shanmugam R, Rajendran V, Sivakumar H-P, Ramalingam S. Sodium nitroprusside and putrescine mitigate PEG-induced drought stress in seedlings of *Solanum lycopersicum*. *Journal of Soil Science and Plant Nutrition* 22, 1019-1032, **2022**. <https://doi.org/10.1007/s42729-021-00710-x>. (WoS/Scopus)

3213. Surgun-Acar Y. Response of soybean (*Glycine max* L.) seedlings to polystyrene nanoplastics: Physiological, biochemical, and molecular perspectives. *Environmental Pollution* vol. 314, art. 120262, **2022**. <https://doi.org/10.1016/j.envpol.2022.120262>. (WoS/Scopus)

3214. Sutulienė R, Ragelienė L, Duchovskis P, Miliauskienė J. The effects of nano-copper, -molybdenum, -boron, and -silica on pea (*Pisum sativum* L.) growth, antioxidant properties, and mineral uptake. *Journal of Soil Science and Plant Nutrition* 22, 801-814, **2022**. <https://doi.org/10.1007/s42729-021-00692-w>. (WoS/Scopus)

3215. Sutulienė R, Ragelienė L, Samuolienė G, Brazaitytė A, Urbutis M, Miliauskienė J. The response of antioxidant system of drought-stressed green pea (*Pisum sativum* L.) affected by watering and foliar spray with silica nanoparticles. *Horticulturae* 8(1):35, **2022**. <https://doi.org/10.3390/horticulturae8010035>. (WoS/Scopus)

3216. Tadjouri H, Medjedded H, Nemmiche S, R Chadli, M Moulay. Stress response induced by cadmium in soybeans (*Glycine max* L.) and health risk assessment. *Plant Physiology Reports* 27: 321-328, **2022**. <https://doi.org/10.1007/s40502-022-00663-y>. (WoS/Scopus)

3217. Taha ST, Saeed AK. Effect of spraying with putrescine and indole acetic acid on two strains of *Antirrhinum majus* L. *Euphrates Journal of Agriculture Science* 14 (4): 283-292, **2022**. <https://www.iasj.net/iasj/article/260600>

3218. Talwar D, Singh K, Kaur N, Dhatt AS. Physio-chemical response of brinjal (*Solanum melongena* L.) genotypes to soil salinity. *Plant Physiology Reports* 27, 521-537, **2022**. <https://doi.org/10.1007/s40502-022-00681-w>. (WoS/Scopus)

3219. Tammam A, Aggan WEL, Badry H, Abou-Shanab R, El-Sawy S. Influence of Local Isolates of Arbuscular Mycorrhizal Fungi on Growth and Physiological Performance in Zea mays Grown in Phosphorus-deficient Calcareous Soil. *Egyptian Journal of Botany* 62(1), 131-148, **2022**. <https://dx.doi.org/10.21608/ejbo.2021.58373.1612> (WoS/Scopus)

3220. Tandra SZ, Hassan L, Hannan A, Jahan J, Sagor GHM. Screening and biochemical responses of tomato (*Lycopersicum esculentum* L.) genotypes for salt tolerance. *Acta Physiologiae Plantarum* 44, art. number 41, **2022**. <https://doi.org/10.1007/s11738-022-03376-9>. (WoS/Scopus)

3221. Tang D, Quan C, Lin Y, Wei K, Qin S, Liang Y, Wei F and Miao J. Physio-morphological, biochemical and transcriptomic analyses provide insights into drought stress responses in *Mesona chinensis* Benth. *Frontiers in Plant Science* 13:809723, **2022**. <https://doi.org/10.3389/fpls.2022.809723>. (WoS/Scopus)

3222. Taratima W, Chuanchumkan C, Maneerattanarungroj P, Trunjaruen A, Theerakulpisut P, Dongsansuk A. Effect of heat stress on some physiological and anatomical characteristics of rice (*Oryza sativa* L.) cv. KDML105 callus and seedling. *Biology*. 11(11):1587, **2022**. <https://doi.org/10.3390/biology11111587>. (WoS/Scopus)

3223. Tauqeer HM, Basharat Z, Ramzani PMA, Farhad M, Lewińska K, Turan V, Karczewska A, Khan SA, Faran G, Iqbal M. *Aspergillus niger*-mediated release of phosphates from fish bone char reduces Pb phytoavailability in Pb-acid batteries polluted soil, and accumulation in fenugreek. *Environmental Pollution* vol. 313, art. 120064, **2022**. <https://doi.org/10.1016/j.envpol.2022.120064>. (WoS/Scopus)

3224. Thye KL, Wan Abdullah WMAN, Balia Yusof ZN, Wee C-Y, Ong-Abdullah J, Loh J-Y, Cheng W-H, Lamasudin DU, Lai K-S. λ -Carrageenan promotes plant growth in banana via enhancement of cellular metabolism, nutrient uptake, and cellular homeostasis. *Scientific Reports* 12, art. 19639, 2022. <https://doi.org/10.1038/s41598-022-21909-7>. (WoS/Scopus)
3225. Tikoria R, Kaur A and Ohri P. Modulation of various phytoconstituents in tomato seedling growth and meloidogyne incognita-induced stress alleviation by vermicompost application. *Frontiers in Environmental Science* 10:891195, 2022. <https://doi.org/10.3389/fenvs.2022.891195>. (WoS/Scopus)
3226. Tikoria R, Kaur A, Ohri P. Potential of vermicompost extract in enhancing the biomass and bioactive components along with mitigation of Meloidogyne incognita-induced stress in tomato. *Environmental Science and Pollution Research* 29: 56023-56036, 2022. <https://doi.org/10.1007/s11356-022-19757-z>. (WoS/Scopus)
3227. Tiwari S, Patel A, Prasad SM. Auxin and cytokinin alleviate chromium-induced oxidative stress in *Nostoc muscorum* and *Anabaena* sp. by modulating ascorbate–glutathione cycle. *Journal of Plant Growth Regulation* 41:2743-2758, 2022. <https://doi.org/10.1007/s00344-021-10471-7>. (WoS/Scopus)
3228. Toubali S, Ait-El-Mokhtar M, Boutasknit A, Anli M, Ait-Rahou Y, Benaffari W, Ben-Ahmed H, Mitsui T, Baslam M, Meddich A. Root reinforcement improved performance, productivity, and grain bioactive quality of field-droughted quinoa (*Chenopodium quinoa*). *Frontiers in Plant Science* 13:860484, 2022. <https://doi.org/10.3389/fpls.2022.860484>. (WoS/Scopus)
3229. Tripathi DK, Kandhol N, Rai P, Mishra V, Pandey S, Deshmukh R, Sahi S, Sharma S, Singh VP. Ethylene renders silver nanoparticles stress tolerance in rice seedlings by regulating endogenous nitric oxide accumulation. *Plant and Cell Physiology* 63(12), 1954-1967, 2022. <https://doi.org/10.1093/pcp/pcac159> (WoS/Scopus)
3230. Turan M, Ekinici M, Kul R, Boynueyri FG, Yildirim E. Mitigation of salinity stress in cucumber seedlings by exogenous hydrogen sulfide. *Journal of Plant Research* 135(3), 517-529, 2022. <https://doi.org/10.1007/s10265-022-01391-y> (WoS/Scopus)
3231. Turan V. Calcite in combination with olive pulp biochar reduces Ni mobility in soil and its distribution in chili plant. *International Journal of Phytoremediation* 24(2):166-176, 2022. <https://doi.org/10.1080/15226514.2021.1929826> (WoS/Scopus)
3232. Turfan N. Comparison of bulb yield, some bioactive compound, and elemental profile of Taşköprü garlic (*Allium sativum* L.) grown in greenhouse and open field conditions. *Journal of Tekirdag Agricultural Faculty* 19(2): 248-261, 2022. <https://dergipark.org.tr/en/pub/jotaf/issue/69918/883014>. Source: (WoS/Scopus)
3233. Uhr Z, Dobrikova A, Borisova P, Yotsova E, Dimitrov E, Chipilsky R, Popova AV. Assessment of drought tolerance of eight varieties of common winter wheat – a comparative study. *Bulgarian Journal of Agricultural Science* 28 (4), 668–676, 2022. https://www.researchgate.net/publication/362861041_Assessment_of_drought_tolerance_of_eight_varieties_of_common_winter_wheat_-_a_comparative_study. Source: (WoS/Scopus)
3234. Ulusu F, Tümer K, Ulusu Y. Antioxidant responses to drought stress in pennyroyal (*Mentha pulegium* L.). *Journal of Scientific Reports–A*, number 51: 26-48, 2022. <https://dergipark.org.tr/en/download/article-file/2550714>. Source:
3235. Umar Olayinka B, Abdulkareem K, Abdulkaki A, Alsamadany H, Alzahrani Y, Isiaka K, Ayinla A, Kolawole O, Idowu A, Odudu F, Ibuowo M, Mustapha O, Sulyman A. Effects of priming on germination and biochemical attributes of three maize lines under saline condition. *Bioagro* 34(3), 233-244, 2022. <http://dx.doi.org/10.51372/bioagro343.6>. (WoS/Scopus)
3236. Uttamrao TM, Topgyal T, Gupta S, Sharma S, Sharma M, Gupta M. Influence of Colletotrichum lindemuthianum infection on the biochemical defence response in leaves of common bean (*Phaseolus vulgaris* L.). *The Pharma Innovation Journal* 11(2), 1897-1900, 2022. <https://www.thepharmajournal.com/archives/2022/vol11issue2/PartAA/11-2-241-799.pdf>
3237. uz Zaman Q, Abbasi A, Tabassum S, Ashraf K, Ahmad Z, Siddiqui MH, Alamri S, Maqsood S, Sultan K. Calcium induced growth, physio-biochemical, antioxidants, osmolytes adjustments and phytoconstituents status in spinach under heat stress. *South African Journal of Botany* vol. 149, 701-711, 2022. <https://doi.org/10.1016/j.sajb.2022.06.065>. (WoS/Scopus)
3238. Vanitha K, Shanthi P, Subrahmaniyan K. Physiological traits as the primary tool for screening salt tolerance in rice. *International Journal of Plant & Soil Science*, 34(23), 1166-1173, 2022. <https://doi.org/10.9734/ijpss/2022/v34i232530>.
3239. Verma KK, Vatsal S, Singh M, Rajput VD, Minkina T. Coping with water stress: effects and adaptive mechanisms to plants. In: *Understanding Abiotic Stresses*, Series: Environmental Science, Engineering and Technology. Eds VD Rajput, KK Verma, T Minkina. Chapter 9, pp. 279-308, 2022. Nova Science Publishers, Inc. ISBN: 978-1-68507-508-8. <https://doi.org/10.52305/UBUJ4024>. [BOOK]
3240. Verma N, Parihar P, Singh R, Prasad SM, Pandey A. Salicylic acid induced signaling against nickel-induced toxicity: Responses of growth, exopolysaccharides, photosystem II photochemistry, nitrogen metabolism status and antioxidant system of *Anabaena* sp. PCC 7120. *South African Journal of Botany* 151, Part A, 185-199, 2022. <https://doi.org/10.1016/j.sajb.2022.09.026>. (WoS/Scopus)
3241. Vitko S, Bauer N, Leljak-Levanić D, Vidaković-Cifrek Ž. Effect of moderate heat stress on Arabidopsis thaliana with modified BPMs expression. *Acta Botanica Croatica* 81(2), 140-148, 2022. <https://doi.org/10.37427/botcro-2022-011> (WoS/Scopus)
3242. Wan Abdullah WMAN, Saidi NB, Yusof MT, Wee C-Y, Loh H-S, Ong-Abdullah J, Lai K-S. Vacuolar processing enzymes modulating susceptibility response to *Fusarium oxysporum* F. sp. cubense tropical race 4

infections in banana. *Frontiers in Plant Science* 12:769855, 2022. <https://doi.org/10.3389/fpls.2021.769855>. (WoS/Scopus)

3243. Wang G, Shen W, Zhang Z, Guo S, Hu J, Feng R, Zhao Q, Du J, Du Y. The effect of neutral salt and alkaline stress with the same Na⁺ concentration on root growth of soybean (*Glycine max* (L.) Merr.) seedlings. *Agronomy* 12(11):2708, 2022. <https://doi.org/10.3390/agronomy12112708>. (WoS/Scopus)

3244. Wang G, Zhang L, Zhang S, Li B, Li J, Wang X, Zhang J, Guan C, Ji J. The combined use of a plant growth promoting *Bacillus* sp. strain and GABA promotes the growth of rice under salt stress by regulating antioxidant enzyme system, enhancing photosynthesis and improving soil enzyme activities. *Microbiological Research* vol. 266, art. 127225, 2022. <https://doi.org/10.1016/j.micres.2022.127225>. (WoS/Scopus)

3245. Wang L, Zhang X, She Y, Hu C, Wang Q, Wu L, You C, Ke J, He H. Physiological adaptation mechanisms to drought and rewatering in water-saving and drought-resistant rice. *International Journal of Molecular Sciences* 23(22):14043, 2022. <https://doi.org/10.3390/ijms232214043>. (WoS/Scopus)

3246. Wang M, Gong S, Fu L, Hu G, Li G, Hu S, Yang J. The involvement of antioxidant enzyme system, nitrogen metabolism and osmoregulatory substances in alleviating salt stress in inbred maize lines and hormone regulation mechanisms. *Plants* 11(12):1547, 2022. <https://doi.org/10.3390/plants11121547>. (WoS/Scopus)

3247. Wang Q, Xia ZQ, Zhang SB, Fu YF, Zhang GX, Lu HD. Elevated temperature during seedling stage in different maize varieties: effect on seedling growth and leaf physiological characteristics. *Russian Journal of Plant Physiology* 69, art. 138, 2022. <https://doi.org/10.1134/S1021443722060334>. (WoS/Scopus)

3248. Wang S, Zheng S, Bian T, Wu T, Li X, Fu H, Sun Z, Li T. Photosynthetic characteristics combined with metabolomics analysis revealed potential mechanisms of cucumber (*Cucumis sativus*) yield reduction induced by different phosphorus stresses. *Scientia Horticulturae* Volume 302, art. 111156, 2022. <https://doi.org/10.1016/j.scienta.2022.111156>. (WoS/Scopus)

3249. Wang W, Liu A, Fu W, Peng D, Wang G, Ji J, Jin C, Guan C. Tobacco-associated with *Methylophilus* sp. FP-6 enhances phytoremediation of benzophenone-3 through regulating soil microbial community, increasing photosynthetic capacity and maintaining redox homeostasis of plant. *Journal of Hazardous Materials* vol. 431, art. 128588, 2022. <https://doi.org/10.1016/j.jhazmat.2022.128588>. (WoS/Scopus)

3250. Wang W, Liu S, Yan M. Synthesis of γ -aminobutyric acid-modified chitooligosaccharide derivative and enhancing salt resistance of wheat seedlings. *Molecules* 27(10):3068, 2022. <https://doi.org/10.3390/molecules27103068>. (WoS/Scopus)

3251. Wang X, Zhou C, Xiao X, Z Guo, C Peng, X Wang. Phytoextraction potential of arsenic and cadmium and response of rhizosphere microbial community by intercropping with two types of hyperaccumulators. *Environmental Science and Pollution Research* 29, 91356-91367, 2022. <https://doi.org/10.1007/s11356-022-21994-1>. (WoS/Scopus)

3252. Wang Y, Liao Y, Quan C, Li Y, Yang S, Ma C, Mo Y, Zheng S, Wang W, Xu Z, Li L, Huang Z, Zhu J, Jia X, Ye X, Yang Z, Sun Y, Liu H, Chen R. C₂H₂-type zinc finger OsZFP15 accelerates seed germination and confers salinity and drought tolerance of rice seedling through ABA catabolism. *Environmental and Experimental Botany* vol. 199, art. 104873, 2022. <https://doi.org/10.1016/j.envexpbot.2022.104873>. (WoS/Scopus)

3253. Wang Y, Liu H, Lin W, Jahan MS, Wang J, Sun J, Jiang J, Gu W, Zou J, Shu S, Guo S. Foliar application of a mixture of putrescine, melatonin, proline, and potassium fulvic acid alleviates high temperature stress of cucumber plants grown in the greenhouse. *Technology in Horticulture 2*: art.6, 2022. <https://doi.org/10.48130/TIH-2022-0006>.

3254. Wang Z, Wang H, Li J, Yu J, Lin H, Dong L. Comparison of quintrione and quinclorac on mechanism of action. *Pesticide Biochemistry and Physiology* v. 181, art. 105007, 2022. <https://doi.org/10.1016/j.pestbp.2021.105007>. (WoS/Scopus)

3255. Waqas Mazhar M, Ishtiaq M, Hussain I, Parveen A, Hayat Bhatti K, Azeem M, Thind S, Ajaib M, Maqbool M, Sardar T, Muzammil K, Nasir N. Seed nano-priming with Zinc Oxide nanoparticles in rice mitigates drought and enhances agronomic profile. *PLoS ONE* 17(3): e0264967, 2022. <https://doi.org/10.1371/journal.pone.0264967>. (WoS/Scopus)

3256. Waqas Mazhar M, Ishtiaq M, Maqbool M, Akram R, Shahid A, Shokralla S, Al-Ghobari H, Alataway A, Dewidar AZ, El-Sabroun AM, Elansary HO. Seed priming with iron oxide nanoparticles raises biomass production and agronomic profile of water-stressed flax plants. *Agronomy* 12(5):982, 2022. <https://doi.org/10.3390/agronomy12050982>. (WoS/Scopus)

3257. Wen D, Bao L, Huang X, Qian X, Chen E, Shen B. OsABT Is involved in abscisic acid signaling pathway and salt tolerance of roots at the rice seedling stage. *International Journal of Molecular Sciences* 23(18):10656, 2022. <https://doi.org/10.3390/ijms231810656>. (WoS/Scopus)

3258. Werrie P-Y, Juillard, A, Heintz C, Brisset M-N, Fauconnier M-L. Phytotoxicity and plant defence induction by *Cinnamomum cassia* essential oils application on *Malus domestica* tree: A molecular approach. *Agronomy* 12, 512, 2022. <https://doi.org/10.3390/agronomy12020512>. (WoS/Scopus)

3259. Werrie PY. Essential oils as potential botanical insecticide against rosy apple aphid (*Dysaphis plantaginea* P.) by trunk injection. **PhD Thesis**. University of Liège, 2022. <https://hdl.handle.net/2268/289893>

3260. Yadav C, Bahuguna RN, Dhankher OP, Singla-Pareek SL, Pareek A. Physiological and molecular signatures reveal differential response of rice genotypes to drought and drought combination with heat and salinity stress. *Physiology and Molecular Biology of Plants* 28(4), 899-910, 2022. <https://doi.org/10.1007/s12298-022-01162-y> (WoS/Scopus)

3261. Yan Z, Li P, Xiao Y, Cao L, Yao L. Phytotoxic effects of allelochemical acacetin on seed germination and seedling growth of selected vegetables and its potential physiological mechanism. *Agronomy* 12(5):1038, **2022**. <https://doi.org/10.3390/agronomy12051038>. (WoS/Scopus)
3262. Yang C, Gao X. Impact of microplastics from polyethylene and biodegradable mulch films on rice (*Oryza sativa* L.). *Science of the Total Environment* v. 828, art. 154579, **2022**. <https://doi.org/10.1016/j.scitotenv.2022.154579>. (WoS/Scopus)
3263. Yazıcılar B, Bezirganoglu İ, Chang YL, Nadar M. CaO and Graphene Oxide Enhances Drought Stress from Callus Tissues of Medicago Sativa L. Cultivars. *Journal of the Institute of Science and Technology*, 12(4), 2450-2458, **2022**. <https://doi.org/10.21597/jist.1125699>
3264. Yetişsin F, Karakaya A. Tuz stresi altındaki mısır fidelerine aseton o-(4 klorofenilsülfonil) oksim ön uygulamasının biyokimyasal parametreler üzerine etkilerinin araştırılması. (Investigation of the effects of acetone o-(4 chlorophenylsulfonyl) oxime pre-application on biochemical parameters of corn seedlings under salt stress) *Artvin Çoruh Üniversitesi Orman Fakültesi Dergisi* 23(1), 74-83, **2022**. <https://doi.org/10.17474/artvinofd.980327>
3265. Yetişsin F, Kardeş İ. Could acetone O-(4-chlorophenylsulfonyl)oxime be a copper chelating and antioxidative molecule on maize seedlings? *International Journal of Phytoremediation* 24(7):721-729, **2022**. <https://doi.org/10.1080/15226514.2021.1970101>. (WoS/Scopus)
3266. Yildirim E, Ekinci M, Turan M, Ağar G, Ors S, Dursun A, Kul R, Akgül G. Physiological and biochemical changes of pepper cultivars under combined salt and drought stress. *Gesunde Pflanzen* 74: 675-683, **2022**. <https://doi.org/10.1007/s10343-022-00642-1>. (WoS/Scopus)
3267. Yu H, Zhong M, Li K, Jiang Y, Liao J, Yang R, Wang L, Lin L, Yin J, Zeng J, Chai S, Zhou Y, Zhang L. Tanshinone IIA alleviates the mitochondrial toxicity of *Salvia miltiorrhiza* Bunge seedlings by regulating the transport capacity of ATP-binding cassette transporter to doxycycline. *Environmental and Experimental Botany* vol. 204, art. 105091, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105091>. (WoS/Scopus)
3268. Yu LL, Liu CJ, Peng Y, He Z-Q, Xu F. New insights into the role of cyanide in the promotion of seed germination in tomato. *BMC Plant Biology* 22, art. 28, **2022**. <https://doi.org/10.1186/s12870-021-03405-8>. (WoS/Scopus)
3269. Yuan H, Hu B, Liu Z, Sun H, Zhou M, Rennenberg H. Physiological responses of black locust-rhizobia symbiosis to water stress. *Physiologia Plantarum* 174(1), e13641, **2022**. <https://doi.org/10.1111/ppl.13641>. (WoS/Scopus)
3270. Zafar MM, Jia X, Shakeel A, Sarfraz Z, Manan A, Imran A, Mo H, Ali A, Youlu Y, Razzaq A, Iqbal MS, Ren M. Unraveling heat tolerance in upland cotton (*Gossypium hirsutum* L.) using univariate and multivariate analysis. *Frontiers in Plant Science* 12:727835, **2022**. <https://doi.org/10.3389/fpls.2021.727835>. (WoS/Scopus)
3271. Zafar MM, Zhang Y, Farooq MA, Ali A, Firdous H, Haseeb M, Fiaz S, Shakeel A, Razzaq A, Ren M. Biochemical and associated agronomic traits in *Gossypium hirsutum* L. under high temperature stress. *Agronomy* 12(6):1310, **2022**. <https://doi.org/10.3390/agronomy12061310>. (WoS/Scopus)
3272. Zafar S, Perveen S, Kamran Khan M, Shaheen MR, Hussain R, Sarwar N, Rashid S, Nafees M, Farid G, Alamri S, Shah AA, Javed T, Irfan M, Siddiqui MH. Effect of zinc nanoparticles seed priming and foliar application on the growth and physio-biochemical indices of spinach (*Spinacia oleracea* L.) under salt stress. *PLoS ONE* 17(2): e0263194, **2022**. <https://doi.org/10.1371/journal.pone.0263194>. (WoS/Scopus)
3273. Zafar Z, Rasheed F, Khan WR, Mohsin M, Rashid MZ, Magiman MM, Raza Z, Rosli Z, Afzal S, Bakar FA. The change in growth, osmolyte production and antioxidant enzymes activity explains the cadmium tolerance in four tree species at the saplings stage. *Forests* 13(9):1343, **2022**. <https://doi.org/10.3390/f13091343>. (WoS/Scopus)
3274. Zahra M, Rasul S, Saeed F, Rasool L, Manzoor H. Exogenous Application of Salicylic acid Mitigates heat-induced Oxidative Stress in Barley (*Hordeum vulgare* L.). *Pakistan Journal of Biochemistry and Biotechnology*, 3(2), **2022**. <https://doi.org/10.52700/pjbb.v3i2.177>.
3275. Zahra N, Wahid A, Hafeez MB, Shaukat K, Shahzad S, Shah T, Alyemeni MN. Plant growth promoters alleviate oxidative damages and improve the growth of milk thistle (*Silybum marianum* L.) under salinity stress. *Journal of Plant Growth Regulation* 41, 3091-3116, **2022**. <https://doi.org/10.1007/s00344-021-10498-w>. (WoS/Scopus)
3276. Zahra S, Hussain M, Zulfiqar S, Ishfaq S, Shaheen T, Akhtar M, Mehboob-ur-Rahman. EMS-based mutants are useful for enhancing drought tolerance in spring wheat. *Cereal Research Communications* 50, 767-778, **2022**. <https://doi.org/10.1007/s42976-021-00220-7>. (WoS/Scopus)
3277. Zalan C. A kitozán és a flagellin22 által indukált lokális és szisztémikus védekezési válaszok etilén-, fény-, valamint napszakfüggésének vizsgálata paradicsom növényekben. **PhD Thesis**, University of Szeged, **2022**. https://doktori.bibl.u-szeged.hu/id/eprint/11468/1/Doktori_disszert%C3%A1ci%C3%B3_Cz%C3%A9kus_Zal%C3%A1n_20220919.pdf
3278. Zhang C, He M, Jiang Z, Liu L, Pu J, Zhang W, Wang S, Xu F. The Xyloglucan Endotransglucosylase/Hydrolase gene XTH22/TCH4 regulates plant growth by disrupting the cell wall homeostasis in *Arabidopsis* under boron deficiency. *International Journal of Molecular Sciences* 23(3):1250, **2022**. <https://doi.org/10.3390/ijms23031250>. (WoS/Scopus)
3279. Zhang R, Yang H, Zhou Z. Incompatible pollen abortion and late-acting self-incompatibility in *Schima superba*. *Scientific Reports* 12, 15598, **2022**. <https://doi.org/10.1038/s41598-022-19946-3>. (WoS/Scopus)

3280. Zhang T, Wang Y, Ma X, Ouyang Z, Deng L, Shen S, et al. Melatonin alleviates copper toxicity via improving ros metabolism and antioxidant defense response in tomato seedlings. *Antioxidants* 11(4), 758, **2022**. <https://doi.org/10.3390/antiox11040758> (WoS/Scopus)
3281. Zhang Y, Zhao S, Liu S, Peng J, Zhang H, Zhao Q, Zheng L, Chen Y, Shen Z, Xu X and Chen C. Enhancing the phytoremediation of heavy metals by combining hyperaccumulator and heavy metal-resistant plant growth-promoting bacteria. *Frontiers in Plant Science* 13:912350, **2022**. <https://doi.org/10.3389/fpls.2022.912350>. (WoS/Scopus)
3282. Zhao C, Shi Y, Xu Y, Lin N, Dong H, Bei L. Effects of bisphenol A on antioxidation and nitrogen assimilation of maize seedlings roots. *Ecotoxicology and Environmental Safety* 247, 114255, **2022**. <https://doi.org/10.1016/j.ecoenv.2022.114255> (WoS/Scopus)
3283. Zhao Q, Chen S, Wang G, Du Y, Zhang Z, Yu G, Ren C, Zhang Y, Du J. Exogenous melatonin enhances soybean (*Glycine max* (L.) Merr.) seedling tolerance to saline-alkali stress by regulating antioxidant response and DNA damage repair. *Physiologia Plantarum* 174(4), e13731, **2022**. <https://doi.org/10.1111/ppl.13731>. (WoS/Scopus)
3284. Zhao X, Huang L-J, Sun X-F, Zhao L-L and Wang P-C. Transcriptomic and metabolomic analyses reveal key metabolites, pathways and candidate genes in *Sophora davidii* (Franch.) skeels seedlings under drought stress. *Frontiers in Plant Science* 13:785702, **2022**. <https://doi.org/10.3389/fpls.2022.785702>. (WoS/Scopus)
3285. Zhao YY, Jiang HJ, Xu FJ, Zhang W, Sun K, Xie X-G, Dai C-C. Soil acidification negatively affects *Arachis hypogaeae* L. growth by inhibiting nodule initiation and nitrogen fixation. *Journal of Soil Science and Plant Nutrition* 22, 571-584, **2022**. <https://doi.org/10.1007/s42729-021-00669-9>. (WoS/Scopus)
3286. Zheng H, Wang J, Cui Y, Guan Z, Yang L, Tang Q, Sun Y, Yang H, Wen X, Mei N, Chen X. Effects of Row Spacing and Planting Pattern on Photosynthesis, Chlorophyll Fluorescence, and Related Enzyme Activities of Maize Ear Leaf in Maize–Soybean Intercropping. *Agronomy* 12(10), 2503, **2022**. <https://doi.org/10.3390/agronomy12102503> (WoS/Scopus)
3287. Zhou X, Zhang X, Ma C, Wu F, Jin X, Dini-Andreote F, Wei Z. Biochar amendment reduces cadmium uptake by stimulating cadmium-resistant PGPR in tomato rhizosphere. *Chemosphere*. Volume 307, Part 4, art. 136138, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.136138>. (WoS/Scopus)
3288. Zhou Z, Wei C, Liu H, Jiao Q, Li G, Zhang J, Zhang B, Jin W, Lin D, Chen G, Yang S. Exogenous ascorbic acid application alleviates cadmium toxicity in seedlings of two wheat (*Triticum aestivum* L.) varieties by reducing cadmium uptake and enhancing antioxidative capacity. *Environmental Science and Pollution Research* 29, 21739-21750, **2022**. <https://doi.org/10.1007/s11356-021-17371-z>. (WoS/Scopus)
3289. Aazami MA, Maleki M, Rasouli F, G Gohari. Protective effects of chitosan based salicylic acid nanocomposite (CS-SA NCs) in grape (*Vitis vinifera* cv. ‘Sultana’) under salinity stress. *Scientific Reports* 13, art. 883, **2023**. <https://doi.org/10.1038/s41598-023-27618-z>. (WoS/Scopus)
3290. Abbasi RP, Rafiq K, Fatima S, Javed MT, Azeem M, Akram MS. In vitro silicon supplementation enhanced acclimatisation and growth of sugarcane (*Saccharum officinarum*) via improved antioxidant and nutrient acquisition patterns in saline soil. *Functional Plant Biology* 51(1), FP22275, **2023**. <https://doi.org/10.1071/FP22275>. (WoS/Scopus)
3291. Abd El-Mageed TA, Ihab R, Rady MM, Belal HEE, Mostafa FA, Galal TM, Masoudi LMA, Ali EF, Roulia M, Mahmoud AEM. A novel nutrient- and antioxidant-based formulation can sustain tomato production under full watering and drought stress in saline soil. *Plants* 12(19):3407, **2023**. <https://doi.org/10.3390/plants12193407>. (WoS/Scopus)
3292. Abd El-Wahed MH, Eissa MA, Almasoudi NM, Abo-Elyousr KAM. Macronutrient-rich biochar induces boron nanoparticles in improving the salt tolerance of pomegranate (*Punica granatum* L.) in arid degraded soils. *Scientia Horticulturae* vol. 313, art. 111908, **2023**. <https://doi.org/10.1016/j.scienta.2023.111908>. (WoS/Scopus)
3293. Abdelkhalek A, Bashir S, El-Gendi H, Elbeaino T, El-Rahim WMA, Moawad H. Protective activity of *Rhizobium leguminosarum* bv. viciae strain 33504-Mat209 against Alfalfa mosaic virus infection in faba bean plants. *Plants* 12(14):2658, **2023**. <https://doi.org/10.3390/plants12142658>. (WoS/Scopus)
3294. Abdelkhalek A, Yassin Y, Abdel-Megeed A, Abd-Elsalam KA, Moawad H, Behiry SI. *Rhizobium leguminosarum* bv. viciae-mediated silver nanoparticles for controlling bean yellow mosaic virus (BYMV) infection in faba bean plants. *Plants* 12(1):45, **2023**. <https://doi.org/10.3390/plants12010045>. (WoS/Scopus)
3295. Abdelkrim S, Abid G, Chaieb O, W Taamalli, K Mannai, F Louati, M Jebara, SH Jebara. Plant growth promoting rhizobacteria modulates the antioxidant defense and the expression of stress-responsive genes providing Pb accumulation and tolerance of grass pea. *Environmental Science and Pollution Research* 30, 10789-10802, **2023**. <https://doi.org/10.1007/s11356-022-22874-4>. (WoS/Scopus)
3296. Aborisade MA, Geng H, Oba BT, Kumar A, Ndudi EA, Battamo AY, Liu J, Chen D, Okimiji OP, Ojekunle OZ, Yang Y, Sun P, Zhao L. Remediation of soil polluted with Pb and Cd and alleviation of oxidative stress in *Brassica rapa* plant using nanoscale zerovalent iron supported with coconut-husk biochar. *Journal of Plant Physiology* v. 287, art. 154023, **2023**. <https://doi.org/10.1016/j.jplph.2023.154023>. (WoS/Scopus)
3297. Aborisade MA, Oba BT, Kumar A, Liu J, Chen D, Okimiji OP, Zhao L. Remediation of metal toxicity and alleviation of toxic metals-induced oxidative stress in *Brassica chinensis* L using biochar-iron nanocomposites. *Plant and Soil* 493, 629-645, **2023**. <https://doi.org/10.1007/s11104-023-06256-4>. (WoS/Scopus)
3298. Aboutalebi S, Zare N, Sheikhzadeh P. Physio-biochemical response of *Borago officinalis* L. roots to cadmium toxicity. *Russian Journal of Plant Physiology* 70(3): 37, **2023**. <https://doi.org/10.1134/S1021443722601781>. WoS and (WoS/Scopus)

- 3299.** Adamczyk S, Chojak-Koźniewska J, Oleszczuk S, Michalski K, Velmala S, Zantis LJ, Bosker T, Zimny J, Adamczyk B, Sowa S. Polystyrene nanoparticles induce concerted response of plant defense mechanisms in plant cells. *Scientific Reports* 13, art. 22423, **2023**. <https://doi.org/10.1038/s41598-023-50104-5>. (WoS/Scopus)
- 3300.** Afzaal Z, Hussain I, Mahmood-ur-Rahman, Ashraf MA, Riaz S. Ascorbic acid and vanillic acid application alleviate the lead toxicity in *Lycopersicon esculentum* by modulating key biochemical attributes and antioxidant defense systems. *Russian Journal of Plant Physiology* 70, art. number 129, **2023**. <https://doi.org/10.1134/S1021443723600769>. (WoS/Scopus)
- 3301.** Agah F, Esmaeili M, Farzam M, Abbasi R. Effects of a growth season rain pulse on physiological parameters and phytochemical compounds of caper (*Capparis spinosa* L.). *Journal of Rangeland Science* 13(1): 112-124, **2023**. <https://doi.org/10.30495/rs.2023.687361>. Source: (WoS/Scopus)
- 3302.** Agha MS, Haroun SA, Abbas MA, MR Sofy, AM Mowafy. Growth and metabolic response of Glycine max to the plant growth-promoting *Enterobacter* Delta PSK and *Bradyrhizobium japonicum* under salinity stress. *Journal of Plant Growth Regulation* 42, 5816-5830, **2023**. <https://doi.org/10.1007/s00344-023-10967-4>. (WoS/Scopus)
- 3303.** Ahmad M, Waraich EA, Shahid H, Ahmad Z, Zulfiqar U, Mahmood N, Al-Ashkar I, Ditta A, El Sabagh A. Exogenously applied potassium enhanced morpho-physiological growth and drought tolerance of wheat by alleviating osmotic imbalance and oxidative damage. *Polish Journal of Environmental Studies* 32(5), 1-13, **2023**. <https://doi.org/10.15244/pjoes/166352>. (WoS/Scopus)
- 3304.** Ahmad M, Waraich EA, Zulfiqar U, Ullah A, Farooq M. Thiourea application increases seed and oil yields in camelina under heat stress by modulating the plant water relations and antioxidant defense system. *Journal of Soil Science and Plant Nutrition* 23, 290-307, **2023**. <https://doi.org/10.1007/s42729-021-00735-2>. (WoS/Scopus)
- 3305.** Ahmed I, Abbasi GH, Jamil M, Malik Z. Exogenous methyl jasmonate acclimate morpho-physiological, ionic and gas exchange attributes of wheat genotypes (*Triticum aestivum* L.) under salt stress. *Polish Journal of Environmental Studies*, 32(1): 1-14. **2023**. <https://doi.org/10.15244/pjoes/152882> Source: (WoS/Scopus)
- 3306.** Ahmed T, Masood HA, Noman M, AL-Huqail AA, Alghanem SMS, Khan MM, Muhammad S, Manzoor N, Rizwan M, Qi X, Abeed AHA, Li B. Biogenic silicon nanoparticles mitigate cadmium (Cd) toxicity in rapeseed (*Brassica napus* L.) by modulating the cellular oxidative stress metabolism and reducing Cd translocation. *Journal of Hazardous Materials* v. 459, art. 132070, **2023**. <https://doi.org/10.1016/j.jhazmat.2023.132070>. (WoS/Scopus)
- 3307.** Ahsan M, Zulfiqar H, Farooq MA, Ali S, Tufail A, Kanwal S, Shaheen MR, Sajid M, Gul H, Jamal A, Saeed MF, Mancinelli R, Radicetti E. Strigolactone (GR24) application positively regulates photosynthetic attributes, stress-related metabolites and antioxidant enzymatic activities of ornamental sunflower (*Helianthus annuus* cv. Vincent's Choice) under salinity stress. *Agriculture* 13, 50, **2023**. <https://doi.org/10.3390/agriculture13010050>. (WoS/Scopus)
- 3308.** Airin AA, Arafat MI, Begum RA, Islam MdR, Seraj ZI. Plant growth-promoting endophytic fungi of the wild halophytic rice *Oryza coarctata*. *Annals of Microbiology* 73, 36, **2023**. <https://doi.org/10.1186/s13213-023-01738-3>. (WoS/Scopus)
- 3309.** Ajmal M, Ullah R, Muhammad Z, Khan MN, Kakar HA, Kaplan A, Okla MK, Saleh IA, Kamal A, Abdullah A, et al. Kinetin capped zinc oxide nanoparticles improve plant growth and ameliorate resistivity to polyethylene glycol (PEG)-induced drought stress in *Vigna radiata* (L.) R. Wilczek (Mung Bean). *Molecules* 28(13):5059, **2023**. <https://doi.org/10.3390/molecules28135059>. (WoS/Scopus)
- 3310.** Akram NA, Bashir R, Ashraf G, Bashir S, Ashraf M, Alyemeni MN, Bajguz A, Ahmad P. Exogenous α -tocopherol regulates the growth and metabolism of eggplant (*Solanum melongena* L.) under drought stress. *Plants* 12(2):237, **2023**. <https://doi.org/10.3390/plants12020237>. (WoS/Scopus)
- 3311.** Aksakal Ö. Silicone alleviates palladium toxicity by modifying palladium uptake, ascorbate–glutathione cycle, and glyoxalase system in maize seedlings. *Journal of Plant Growth Regulation* 42, 3662-3676, **2023**. <https://doi.org/10.1007/s00344-022-10828-6>. (WoS/Scopus)
- 3312.** Al Murad M, Muneer S. Physiological and Molecular analysis revealed the role of silicon in modulating salinity stress in mung bean. *Agriculture* 13(8):1493, **2023**. <https://doi.org/10.3390/agriculture13081493>. (WoS/Scopus)
- 3313.** Alam R, Rasheed R, Ashraf MA, Hussain I, Ali S. Allantoin alleviates chromium phytotoxic effects on wheat by regulating osmolyte accumulation, secondary metabolism, ROS homeostasis and nutrient acquisition. *Journal of Hazardous Materials* v. 458, art. 131920, **2023**. <https://doi.org/10.1016/j.jhazmat.2023.131920>. (WoS/Scopus)
- 3314.** Alamer KH. Combined effect of trehalose and spermidine to alleviate zinc toxicity in *Vigna radiata*. *3 Biotech* 13, 288, **2023**. <https://doi.org/10.1007/s13205-023-03708-7>. (WoS/Scopus)
- 3315.** Alamer KH. Exogenous hydrogen sulfide supplementation alleviates the salinity-stress-mediated growth decline in wheat (*Triticum aestivum* L.) by modulating tolerance mechanisms. *Plants* 12(19):3464, **2023**. <https://doi.org/10.3390/plants12193464>. (WoS/Scopus)
- 3316.** Alani F, Iranbakhsh A, Ebadi M, H Hassanpour, A Hekmat. Simulated microgravity improved secondary metabolism in *Physalis alkekengi* via influencing gene expression and DNA methylation in a light quality-dependent manner. *Acta Physiologiae Plantarum* 45, art. 129, **2023**. <https://doi.org/10.1007/s11738-023-03596-7>. (WoS/Scopus)
- 3317.** Alghamdi SA, Alharby HF, Abdelfattah MA, Mohamed IAA, Hakeem KR, Rady MM, Shaaban A. *Spirulina platensis*-inoculated humified compost boosts rhizosphere soil hydro-physico-chemical properties and atriplex nummularia forage yield and quality in an arid saline calcareous soil. *Journal of Soil Science and Plant*

Nutrition 23, 2215-2236, **2023**. <https://doi.org/10.1007/s42729-023-01174-x>. (WoS/Scopus)

3318. Alghamdi SA, Alharby HF, Bamagoos AA, Zaki S-nS, Abu El-Hassan AMA, Desoky E-SM, Mohamed IAA, Rady MM. Rebalancing nutrients, reinforcing antioxidant and osmoregulatory capacity, and improving yield quality in drought-stressed *Phaseolus vulgaris* by foliar application of a bee-honey solution. *Plants* 12(1):63, **2023**. <https://doi.org/10.3390/plants12010063>. (WoS/Scopus)

3319. ALHaithloul HAS. Comparative studies of the biochemical and molecular responses of Haloxylon ammodendron grown on heavy metal polluted soil in al-jouf region of Saudia Arabi. *Applied Ecology and Environmental Research* 21(6):5369-5387, **2023**. http://dx.doi.org/10.15666/aeer/2106_53695387. (WoS/Scopus)

3320. Alharbi K, Hafez EM, Omara AE-D, Nehela Y. Composted bagasse and/or Cyanobacteria-based bio-stimulants maintain barley growth and productivity under salinity stress. *Plants* 12(9):1827, **2023**. <https://doi.org/10.3390/plants12091827>. (WoS/Scopus)

3321. Alharbi K, Hafez EM, Omara AE-D, Osman HS. Mitigating osmotic stress and enhancing developmental productivity processes in cotton through integrative use of vermicompost and cyanobacteria. *Plants* 12(9):1872, **2023**. <https://doi.org/10.3390/plants12091872>. (WoS/Scopus)

3322. Alharbi K, Hafez EM, Omara AED, Rashwan E, Alshaal T. Zinc oxide nanoparticles and PGPR strengthen salinity tolerance and productivity of wheat irrigated with saline water in sodic-saline soil. *Plant and Soil* 493, 475-495, **2023**. <https://doi.org/10.1007/s11104-023-06245-7>. (WoS/Scopus)

3323. Ali A, Alghanem SMS, Al-Haithloul HAS, Muzammil S, Adrees M, Irfan E, Waseem M, Anayat A, Saqalein M, Rizwan M, Ali S, Abeed AHA. Co-application of copper nanoparticles and metal tolerant *Bacillus* sp. for improving growth of spinach plants in chromium contaminated soil. *Chemosphere* v. 345, art. 140495, **2023**. <https://doi.org/10.1016/j.chemosphere.2023.140495>. (WoS/Scopus)

3324. Ali F, Nawaz M, Anwar M, Iqbal N. Silicic acid and glutathione application improves elevated ozone toxicity tolerance by modulating biomass, senescence, seed quality attributes and oxidative stress indicators in sesame (*Sesamum indicum* L.). *Pakistan Journal of Botany* 55(5), 1647-1660 **2023**. [http://dx.doi.org/10.30848/PJB2023-5\(42\)](http://dx.doi.org/10.30848/PJB2023-5(42)). (WoS/Scopus)

3325. Ali F, Siddiqui ZS, Ansari HH, Zafar U, Wajid D, Abbasi MW, Rao Y. Halophilic soil microbial strains improve the moisture stress tolerance in oilseed crop by sustaining Photosystem II functionality. *Plant Physiology and Biochemistry* vol. 196, 10-22, **2023**. <https://doi.org/10.1016/j.plaphy.2023.01.036>. (WoS/Scopus)

3326. Ali M, Ohri P. Deciphering the synergistic effect of Jasmonic acid and Spermine in mitigating root-knot nematode stress in tomato plants through enhancing growth and activity of antioxidant enzymes. *South African Journal of Botany* 161: 21-35, **2023**. <https://doi.org/10.1016/j.sajb.2023.07.063>. WoS and (WoS/Scopus)

3327. Ali S, Khan AS, Nawaz A, Naz S, Ejaz S, Ullah S. Glutathione application delays surface browning of fresh-cut lotus (*Nelumbo nucifera* Gaertn.) root slices during low temperature storage. *Postharvest Biology and Technology* vol. 200, art. 112311, **2023**. <https://doi.org/10.1016/j.postharvbio.2023.112311>. (WoS/Scopus)

3328. Ali S, Nawaz A, Naz S, Ali M, Ejaz S, Azam M, Razzaq K. Exogenous melatonin mitigates chilling injury in zucchini fruit by enhancing antioxidant system activity, promoting endogenous proline and GABA accumulation, and preserving cell wall stability. *Postharvest Biology and Technology* vol. 204, art. 112445, **2023**. <https://doi.org/10.1016/j.postharvbio.2023.112445>. (WoS/Scopus)

3329. Alkubaisi AF, Ali IM. Role of melatonin application date in some biochemical characteristics of sesame crop affected by irrigation interval. *IOP Conference Series: Earth and Environmental Science* v. 1252, International Collaborative Conference of Modern Agricultural Technologies 2023 (ICCMAT-2023) 03/05/2023 art. 012031, **2023**. <https://iopscience.iop.org/article/10.1088/1755-1315/1252/1/012031>.

3330. Al-Mokadem AZ, Sheta MH, Mancy AG, Hussein H-AA, Kenawy SKM, Sofy AR, Abu-Shahba MS, Mahdy HM, Sofy MR, Al Bakry AF, Agha MS. Synergistic effects of kaolin and silicon nanoparticles for ameliorating deficit irrigation stress in maize plants by upregulating antioxidant defense systems. *Plants* 12(11):2221, **2023**. <https://doi.org/10.3390/plants12112221>. (WoS/Scopus)

3331. Alotibi MM, Alotaibi NM, Hussain GS, Hussain S, Shah SH, Ghoneim AM, Dawar K, Hareem M. Use of zinc quantum dot biochar and AMF for alleviation of Cd stress in maize: Regulation of physiological and biochemical attributes. *Plant Stress* v. 10, art. 100262, **2023**. <https://doi.org/10.1016/j.stress.2023.100262>.

3332. Aloui D, Kalleli F, M'Hamdi M, Manaa M, Abid G, Karmous C. Marine algal extract as a biostimulant to improve tolerance to salinity in lettuce plants. *Emirates Journal of Food and Agriculture* 12(35): 1-18, **2023**. <https://doi.org/10.9755/ejfa.2023.3199>. (WoS/Scopus)

3333. Alp FN, Arikan B, Ozfidan-Konakci C, Ekim R, Yildiztugay E, Turan M. Rare earth element scandium mitigates the chromium toxicity in *Lemna minor* by regulating photosynthetic performance, hormonal balance and antioxidant machinery. *Environmental Pollution* v. 316, Part 2, art. 120636, **2023**. <https://doi.org/10.1016/j.envpol.2022.120636>. (WoS/Scopus)

3334. Alp-Turgut FN, Yildiztugay E, Ozfidan-Konakci C, Sargin I. Amino-functionalized SiO₂ microbeads optimize photosynthetic performance, gene expression, ROS production and antioxidant status in chromium and copper-exposed *Zea mays*. *Journal of Environmental Chemical Engineering* 11(6), art. 111543, **2023**. <https://doi.org/10.1016/j.jece.2023.111543>. (WoS/Scopus)

3335. Alsamadany H, Alharby HF, Al-Zahrani HS, Kuşvuran A, Kuşvuran S, Rady MM. Selenium fortification stimulates antioxidant-and enzyme gene expression-related defense mechanisms in response to saline stress in *Cucurbita pepo*. *Scientia Horticulturae* 312: 111886, **2023**. <https://doi.org/10.1016/j.scienta.2023.111886>. WoS and (WoS/Scopus)

- 3336.** Al-Selwey WA, Alsadon AA, Alenazi MM, Tarroum M, Ibrahim AA, Ahmad A, Osman M, Seleiman MF. Morphological and biochemical response of potatoes to exogenous application of ZnO and SiO₂ nanoparticles in a water deficit environment. *Horticulturae* 9(8):883, **2023**. <https://doi.org/10.3390/horticulturae9080883>. (WoS/Scopus)
- 3337.** Altaf F, Parveen S, Farooq S, ul Haq A, Lone ML, Tahir I, Kaushik P, El-Serehy HA, Allakhverdiev S. Polyamines effectively mitigate senescence in persistent leaves of *Berginia ciliata*—a novel model system. *Functional Plant Biology* 50(2), 136-145, **2023**. <https://doi.org/10.1071/FP21273>. (WoS/Scopus)
- 3338.** Altuntaş C. Effect of dwarf elderberry (*Sambucus ebulus* L.) fruit extract on drought tolerance in maize seedlings. *Artvin Coruh University Journal of Forestry Faculty* 24(2): 98-107, **2023**. <https://ofd.artvin.edu.tr/en/download/article-file/3118510>.
- 3339.** Amani G, Shamili M, Imani A, Mousavi A, Rezai H, Daneshvar S. Overexpression of genes related to the antioxidant responses and salt tolerance of almond (*Prunus Dulcis*) scions. *Erwerbs-Obstbau* 65, 1545–1555, **2023**. <https://doi.org/10.1007/s10341-023-00905-9>. (WoS/Scopus)
- 3340.** Ameri M, Khavari-Nejad RA, Soltani N, Najafi F, Bagheri A, Seyedabadi M. Characterization of the aluminum-resistant microalgae by screening industrial wastewater microorganisms. *Iranian Journal of Fisheries Sciences* 22(1): 178-195, **2023**. <http://ijfro.ir/article-1-4201-fa.html>. (WoS/Scopus)
- 3341.** Amin HA, Younes HA, Shafie RM, Fathallah MM. Molecular characterization and evolution of the resident population of some alfalfa mosaic virus (AMV) isolates in Egypt. *BMC Microbiology* 23, 261, **2023**. <https://doi.org/10.1186/s12866-023-03003-8>. (WoS/Scopus)
- 3342.** Anand V, Kashyap M, Ghosh A, Samadhiya K, Kiran B. A strategy for lipid production in *Scenedesmus* sp. by multiple stresses induction. *Biomass Conversion and Biorefinery* 13, 3037-3047, **2023**. <https://doi.org/10.1007/s13399-021-01392-2>. (WoS/Scopus)
- 3343.** Anand V, Pandey A. Synthesis and characterization of CeO₂ and SiO₂ nanoparticles and their effect on growth parameters and the antioxidant defense system in *Vigna mungo* L. Hepper. *Environmental Science and Pollution Research* 30: 100814-100827, **2023**. <https://doi.org/10.1007/s11356-023-29415-7>. (WoS/Scopus)
- 3344.** Anas M, Saeed M, Elahi M, Naeem K, Shafique MA, Quraishi UM. Histological and ionomics assessment to elucidate tolerance mechanisms of nickel-tolerant and sensitive cultivars of bread wheat (*Triticum aestivum* L.). *Plant Stress* v. 10, art. 100277, **2023**. <https://doi.org/10.1016/j.stress.2023.100277>.
- 3345.** Anjum A, Quraishi A. Enhanced epicurzerenone production via in vitro elicitation of microrhizomes of *Curcuma caesia* Roxb. In *Vitro Cellular & Developmental Biology – Plant* 59, 825-838, **2023**. <https://doi.org/10.1007/s11627-023-10390-0>. (WoS/Scopus)
- 3346.** Anli M, Alahyane A, Mohamed AB, A Boutasknit, R Ben-Laouane, YA Rahou, C El Modafar, A Meddich. Effectiveness of green compost mixed with phosphate sludge on the defense performance of date palm in soil with *Fusarium oxysporum* f. sp. *Albedinis* infestation. *European Journal of Plant Pathology* 165, 287-303, **2023**. <https://doi.org/10.1007/s10658-022-02606-7>. (WoS/Scopus)
- 3347.** Anwar-ul-Haq M, Iftikhar I, Akhtar J, Maqsood M. Role of Exogenous Osmolyte Supplementation in Ameliorating Osmotic and Oxidative Stress and Promoting Growth in Salinity-Stressed Soybean Genotypes. *Journal of Soil Science and Plant Nutrition*. 23, 3682–3694, **2023**. <https://doi.org/10.1007/s42729-023-01289-1>. (WoS/Scopus)
- 3348.** Arian B, Yildiztugay E, Ozfidan-Konakci C. Protective role of quercetin and kaempferol against oxidative damage and photosynthesis inhibition in wheat chloroplasts under arsenic stress. *Physiologia Plantarum* 175(4), art. e13964, **2023**. <https://doi.org/10.1111/pp1.13964>. (WoS/Scopus)
- 3349.** Arian B, Yildiztugay E, Ozfidan-Konakci C. Responses of salicylic acid encapsulation on growth, photosynthetic attributes and ROS scavenging system in *Lactuca sativa* exposed to polycyclic aromatic hydrocarbon pollution. *Plant Physiology and Biochemistry* 203: 108026, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108026>. (WoS/Scopus)
- 3350.** Artur MAS, Faria JMR, José AC, Lira JMSL, Souza KRD, Nery FC, Alvarenga AA. Dormancy breaking and biochemical processes associated with germination of *Erythrina falcata* benth. seeds. *Cerne* v. 29(1), e-103170, **2023**. <https://doi.org/10.1590/01047760202329013170>. (WoS/Scopus)
- 3351.** Ashraf MA, Hafeez A, Rasheed R, Hussain I, Farooq U, Rizwan M, Ali S. Evaluation of physiological and biochemical responses for salt tolerance in wheat (*Triticum aestivum* L.) cultivars. *Journal of Plant Growth Regulation* 42, 4402-4422, **2023**. <https://doi.org/10.1007/s00344-023-10905-4>. (WoS/Scopus)
- 3352.** Ashraf MA, Hafeez A, Rasheed R, Hussain I, Farooq U, Rizwan M, Ali S. Effect of exogenous taurine on growth, oxidative defense, and nickel (Ni) uptake in canola (*Brassica napus* L.) under Ni stress. *Physiology and Molecular Biology of Plants* 29, 1135–1152, **2023**. <https://doi.org/10.1007/s12298-023-01359-9>. (WoS/Scopus)
- 3353.** Ashraf MA, Ibrahim SM, Rasheed R, M Rizwan, I Hussain, S Ali. Effect of seed priming by taurine on growth and chromium (Cr) uptake in canola (*Brassica napus* L.) under Cr stress. *Environmental Science and Pollution Research* 30, 87851-87865, **2023**. <https://doi.org/10.1007/s11356-023-28471-3>. (WoS/Scopus)
- 3354.** Ashraf MA, Rasheed R, Hussain I, FF Qureshi, M Rizwan, S Ali. Allicin decreases phytotoxic effects of petroleum hydrocarbons by regulating oxidative defense and detoxification of cytotoxic compounds in wheat. *Journal of Plant Growth Regulation* 42, 3632-3649, **2023**. <https://doi.org/10.1007/s00344-022-10826-8>. (WoS/Scopus)
- 3355.** Ashraf MA, Rasheed R, Hussain I, MI Shad, W Nazim. Taurine protected *Trifolium alexandrinum* L. plants from damages of individual and interactive effects of chromium and drought stress. *Acta Physiologiae Plantarum*

- 45, art. 103, **2023**. <https://doi.org/10.1007/s11738-023-03583-y>. (WoS/Scopus)
- 3356.** Ashraf MA, Rasheed R, Rizwan M, Hussain I, Aslam R, Qureshi FF, Hafiza BS, Bashir R, Ali S. Effect of exogenous taurine on pea (*Pisum sativum* L.) plants under salinity and iron deficiency stress. *Environmental Research* vol. 223, art. 115448, **2023**. <https://doi.org/10.1016/j.envres.2023.115448>. (WoS/Scopus)
- 3357.** Asija S, Seth T, Umar S, Gupta R. Polyamines and their crosstalk with phytohormones in the regulation of plant defense responses. *Journal of Plant Growth Regulation* 42, 5224-5246, **2023**. <https://doi.org/10.1007/s00344-022-10837-5>. (WoS/Scopus)
- 3358.** Aslam MA, Ahmed S, Saleem M, Sardar R, Shah AA, Siddiqui MH, Shabbir Z. Mitigation of chromium-induced phytotoxicity in 28-homobrassinolide treated *Trigonella corniculata* L. by modulation of oxidative biomarkers and antioxidant system. *Ecotoxicology and Environmental Safety* vol. 263, art. 115354, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.115354>. (WoS/Scopus)
- 3359.** Aslam S, Hussain SB, Baber M, Shaheen S, Aslam S, Waheed R, Seo H, Azhar MT. Estimation of drought tolerance indices in upland cotton under water deficit conditions. *Agronomy* 13(4):984, **2023**. <https://doi.org/10.3390/agronomy13040984>. (WoS/Scopus)
- 3360.** Atif AM, Elzamik FI, Mohamed GM, DA Al-Quwaie, MF Ashkan, FS Alqahtani, EA Motwali, MM Alomran, NK Alharbi, KA El-Tarabily, HM Abdelbasit. Biological control of the root-knot nematode (*Meloidogyne incognita*) on eggplants with various chitinase-producing *Streptomyces* strains. *European Journal of Plant Pathology* 167 371-394, **2023**. <https://doi.org/10.1007/s10658-023-02718-8>. (WoS/Scopus)
- 3361.** Atif M, Perveen S, Parveen A, Zafar S, Batool F, Saeed F. Intervening role of tyrosine in cadmium detoxification, balancing of mineral ions homeostasis, antioxidants, and secondary metabolites in maize. *Journal of Soil Science and Plant Nutrition* 23, 5975-5992, **2023**. <https://doi.org/10.1007/s42729-023-01455-5>. (WoS/Scopus)
- 3362.** Atta MI, Zahra SS, Afzal MK, Abbas N, Hassan MS, Sarwar S, Hussain M, Ahmad W. Analysis of Lead Toxicity on Characteristics of Germination, Embryonic Growth, Biochemical and Oxidative Stress in Maize (*Zea mays* L.) Genotypes. *GU Journal of Phytosciences* 3(4): 240-246, **2023**. <https://jphytosci.com/index.php/GUJP/article/view/159>.
- 3363.** Ávila RG, Magalhães PC, Vitorino LC, Bessa LA, de Souza KRD, Queiroz RB, Jakelaitis A, Teixeira MB. Chitosan induces sorghum tolerance to water deficits by positively regulating photosynthesis and the production of primary metabolites, osmoregulators, and antioxidants. *Journal of Soil Science and Plant Nutrition* 23, 1156-1172, **2023**. <https://doi.org/10.1007/s42729-022-01111-4>. (WoS/Scopus)
- 3364.** Ayan S, Abdaloğlu G, Laaribya S, Turfan N, Çelik ENY, Ouhaddou H, Alaoui A. Variation of biochemical content in the almonds of the endemic Argan tree (*Argania spinosa* (L.) Skeels) populations in Morocco. *Dendrobiology* 90: 47-57, **2023**. <https://doi.org/10.12657/denbio.090.004>. (WoS/Scopus)
- 3365.** Ayvaci U, Koc FN, Cetinkaya H, Dinler BS. Treatment with auxin and paclobutrazol mediates ROS regulation, antioxidant defence system and cell wall response in salt treated soybean. *Brazilian Journal of Botany*, **2023**. <https://doi.org/10.1007/s40415-023-00922-8>. (WoS/Scopus)
- 3366.** Azad N, Ebrahimzadeh H, Behmanesh M, Niknam V. Nitric oxide regulates spearmint (*Mentha spicata* L.) responses to phenolic acids: growth, phenolics, and antioxidant capacity. *Journal of Plant Nutrition* 46(3), 3053-3067, **2023**. <https://doi.org/10.1080/01904167.2023.2171884>. (WoS/Scopus)
- 3367.** Azari SJ, Sorooshzadeh A, Nabati J, Oskoueian E. Relationship between fertilization and planting depths on antioxidant activity in saffron (*Crocus sativus* L.). *Industrial Crops and Products* v. 191, Part A, art. 116004, **2023**. <https://doi.org/10.1016/j.indcrop.2022.116004>. (WoS/Scopus)
- 3368.** Azeem M, Pirjan K, Qasim M, Mahmood A, Javed T, Muhammad H, Yang S, Dong R, Ali B, Rahimi M. Salinity stress improves antioxidant potential by modulating physio-biochemical responses in *Moringa oleifera* Lam. *Scientific Reports* 13, art. 2895, **2023**. <https://doi.org/10.1038/s41598-023-29954-6>. (WoS/Scopus)
- 3369.** Azeem M, Sultana R, Mahmood A, M Qasim, ZS Siddiqui, S Mumtaz, T Javaid, M Umar, MY Adnan, MH Siddiqui. Ascorbic and salicylic acids vitalized growth, biochemical responses, antioxidant enzymes, photosynthetic efficiency, and ionic regulation to alleviate salinity stress in *Sorghum bicolor*. *Journal of Plant Growth Regulation* 42, 5266-5279, **2023**. <https://doi.org/10.1007/s00344-023-10907-2>. (WoS/Scopus)
- 3370.** Bagdi DL, Bagri GK, Jakhar ML, Kakralya BL, Bairwa LN, Rane J. Role of antitranspirants on transpiration rate and physio-biochemical aspects in ber. *The Pharma Innovation Journal* 12(2): 3461-3465, **2023**. <https://www.thepharmajournal.com/archives/?year=2023&vol=12&issue=2&ArticleId=18884>.
- 3371.** Bakhroum GS, Sadak MS, Thabet MS. Induction of tolerance in groundnut plants against drought stress and *Cercospora* leaf spot disease with exogenous application of arginine and sodium nitroprusside under field conditions. *Journal of Soil Science and Plant Nutrition* 23, 6612-6631, **2023**. <https://doi.org/10.1007/s42729-023-01514-x>. (WoS/Scopus)
- 3372.** Bashir R, Iqbal S, Awais M, B Afzal, MB Shakoore, M Iqbal. Thiamine (vitamin B1) helps to regulate wheat growth and yield under water limited conditions by adjusting tissue mineral content, cytosolutes and antioxidative enzymes. *Plant Growth Regulation* 101, 629-642, **2023**. <https://doi.org/10.1007/s10725-023-01045-6>. (WoS/Scopus)
- 3373.** Basit F, Ulhassan Z, Mou Q, Nazir MM, Hu J, Hu W, Song W, Sheteiwy MS, Zhou W, Bhat JA, Jeddi K, Hessini K, Guan Y. Seed priming with nitric oxide and/or spermine mitigate the chromium toxicity in rice (*Oryza sativa*) seedlings by improving the carbon-assimilation and minimising the oxidative damages. *Functional Plant Biology* 50(2), 121-135, **2023**. <https://doi.org/10.1071/FP21268>. (WoS/Scopus)
- 3374.** Begum N, Xiao Y, Wang L, Li D, Irshad A, Zhao T. Arbuscular mycorrhizal fungus *Rhizophagus irregularis*

alleviates drought stress in soybean with overexpressing the GmSPL9d gene by promoting photosynthetic apparatus and regulating the antioxidant system. *Microbiological Research* vol 273, art. 127398, **2023**. <https://doi.org/10.1016/j.micres.2023.127398>. (WoS/Scopus)

3375. Behzadian S, Sahebani N, Karimi S. Relationship between suppression of plant defence systems by *Meloidogyne javanica* with the distance of different parts of the plant from the nematode establishment site. *Nematology* 25, 107-114, **2023**. <https://doi.org/10.1163/15685411-bja10209> (WoS/Scopus)

3376. Belal HEE, Abdelpary MAM, Desoky E-SM, Ali EF, Al Kashgry NAT, Rady MM, Semida WM, Mahmoud AEM, Sayed AAS. Effect of eco-friendly application of bee honey solution on yield, physio-chemical, antioxidants, and enzyme gene expressions in excessive nitrogen-stressed common bean (*Phaseolus vulgaris* L.) plants. *Plants* 12(19):3435, **2023**. <https://doi.org/10.3390/plants12193435>. (WoS/Scopus)

3377. Benaceur I, Admishi Y, Baha L, Meziani R, Jaiti F. Response of a Moroccan *Abelmoschus esculentus* L. ecotype originated from Tafilalet to salt stress at seed germination and plantlet stages. *Plant Physiology Reports* 28, 289-298, **2023**. <https://doi.org/10.1007/s40502-023-00724-w>. Source: (WoS/Scopus)

3378. Benaffari W, Boutasknit A, Anli M, Nasri N, Meddichet A. Application of arbuscular mycorrhizal fungi alone or combined with different composts to improve physiological and biochemical attributes related to drought stress tolerance in quinoa. *Journal of Soil Science and Plant Nutrition* 23, 4250-4266, **2023**. <https://doi.org/10.1007/s42729-023-01345-w>. (WoS/Scopus)

3379. Benaffari W, Meddich A. Inoculation of arbuscular mycorrhizal fungi and plant growth promoting rhizobacteria mediated water stress tolerance in quinoa seeds by modulating the phenolics compounds, stress markers, osmolytes accumulation and antioxidant defense. *Gesunde Pflanzen* 75 2121-2132, **2023**. <https://doi.org/10.1007/s10343-023-00849-w>. (WoS/Scopus)

3380. Bentamra Z, Medjedded H, Nemmiche S, Benkhelifa M, Dos Santos DR. Effect of NPK fertilizer on the biochemical response of tomatoes (*Solanum lycopersicum* L.). *Notulae Scientia Biologicae* 15(3): 11516, **2023**. <https://doi.org/10.55779/nsb15311516>. (WoS/Scopus)

3381. Bezirganoglu İ, Yazıcılar B. Salicylic acid improves somatic embryogenesis system in triticale using mature embryos. *Eurasian Journal of Molecular and Biochemical Sciences* 2(1):14-18, **2023**. <https://dergipark.org.tr/en/pub/ejmbbs/issue/76336/1258364>.

3382. Bhalla S, Bisht A, Garg N. Silicon and arbuscular mycorrhizal species complement in improving soil characteristics, sulfur metabolism and antioxidant defense responses in arsenic stressed *Cajanus cajan* (L.) Millsp. *Archives of Agronomy and Soil Science* 69(14), 2814-2832, **2023**. <https://doi.org/10.1080/03650340.2023.2175354>. (WoS/Scopus)

3383. Bhardwaj I, Garg N. Interplay between phytohormones and *Rhizoglossum* intraradices in reducing Ni phytotoxicity by modulating various defense mechanisms in *Vigna radiata* (L.). *Rhizosphere* vol. 27, art. 100723, **2023**. <https://doi.org/10.1016/j.rhisph.2023.100723>. (WoS/Scopus)

3384. Bhardwaj S, Verma T, Raza A, Kapoor D. Silicon and Nitric oxide-mediated regulation of growth attributes, metabolites and antioxidant defense system of radish (L.) under arsenic stress. *Phyton-International Journal of Experimental Botany* 92(3), 763–782, **2023**. <https://doi.org/10.32604/phyton.2023.025672>. (WoS/Scopus)

3385. Bhat JA, Faizan M, Bhat MA, Sharma G, Rinklebe J, Alyemeni MN, Bajguz A, Ahmad P. Mitigation of arsenic stress in *Brassica juncea* L. using zinc oxide-nanoparticles produced by novel hydrothermal synthesis. *South African Journal of Botany* v. 163, 389-400, **2023**. <https://doi.org/10.1016/j.sajb.2023.10.059>. (WoS/Scopus)

3386. Bhatt U, Soni V. Study of biochemical and biophysical adjustments during transition from desiccation-to-fully-hydrated states in *Riccia gangetica* and *Semibarbula orientalis*. *Vegetos* 36, 550-558, **2023**. <https://doi.org/10.1007/s42535-022-00409-z>. Source: (WoS/Scopus)

3387. Bibi S, Ullah R, Burni T, Ullah Z, Kazi M. Impact of resorcinol and biochar application on the growth attributes, metabolite contents, and antioxidant systems of tomato (*Lycopersicon esculentum* Mill.). *ACS Omega* 8(48), 45750-45762, **2023**. <https://doi.org/10.1021/acsomega.3c06233>. (WoS/Scopus)

3388. Bisht A, Bhalla S, Kumar A, Kaur J, Garg N. Arbuscular mycorrhizae impart Cd tolerance in *Cajanus cajan* (L.) Millsp. by upregulating the expression of metallothionein (*CcMTI*) and phytochelatin synthase (*CcPCS1*) genes. *Journal of Plant Growth Regulation* 42, 3947-3966, **2023**. <https://doi.org/10.1007/s00344-022-10864-2>. (WoS/Scopus)

3389. Bless Y, Ndlovu L, Gcanga E, Niekerk L-A, Nkomo M, Bakare O, Mulaudzi T, Klein A, Gokul A, Keyster M. Methylglyoxal improves zirconium stress tolerance in *Raphanus sativus* seedling shoots by restricting zirconium uptake, reducing oxidative damage, and upregulating glyoxalase I. *Scientific Reports* 13, art. 13618, **2023**. <https://doi.org/10.1038/s41598-023-40788-0>. (WoS/Scopus)

3390. Can H. Melatonin application at different doses changes the physiological responses in favor of cabbage seedlings (*Brassica oleracea* var. capitata) against flooding stress. *Gesunde Pflanzen* 75, 2733-2745, **2023**. <https://doi.org/10.1007/s10343-023-00873-w>. (WoS/Scopus)

3391. Canal SB, Bozkurt MA, Yılmaz H. Humic acid ameliorates phytoremediation, plant growth and antioxidative enzymes in forage turnip (*Brassica rapa* L.). *Plant, Soil and Environment* 69(12):567-576, **2023**. <https://doi.org/10.17221/394/2023-PSE>. (WoS/Scopus)

3392. Cao J-L, He W-X, Zou Y-N Wu, Q-S. An endophytic fungus, *Piriformospora indica*, enhances drought tolerance of trifoliate orange by modulating the antioxidant defense system and composition of fatty acids. *Tree Physiology* 43 (3): 452-466, **2023**. <https://doi.org/10.1093/treephys/tpac126>. (WoS/Scopus)

3393. Carmach C, Castro M, Peñaloza P, Guzmán L, Marchant MJ, Valdebenito S, Kopaitic I. Positive effect of

- green photo-selective filter on graft union formation in tomatoes. *Plants* 12(19): 3402, **2023**. <https://doi.org/10.3390/plants12193402>. (WoS and (WoS/Scopus))
- 3394.** Carrillo JA, Cruz MD, Maldonado AJ, Muñoz CD, García YG, Álvarez KC. Respuesta en el sistema de defensa antioxidante de *Leersia hexandra* Sw. a la exposición de hidrocarburos del petróleo. *Polibotánica* 55, 245-262, **2023**. <https://polibotanica.mx/index.php/polibotanica/article/view/1046>.
- 3395.** Çatav ŞS, Çetin E, Vural E, Bűrün B. Boron toxicity tolerance in barley may be related to intrinsically higher levels of reactive oxygen species in the shoots. *Botanica Serbica* 47 (1): 113–124, **2023**. <https://doi.org/10.2298/BOTSERB2301113C>. (WoS/Scopus)
- 3396.** Çatav ŞS. Nitric oxide improves the germination of wheat seeds exposed to salinity via modulating sugar and proline metabolism. *Biologia* 78: 3073-3083, **2023**. <https://doi.org/10.1007/s11756-023-01507-2>. (WoS/Scopus)
- 3397.** Chai L, Cui C, Zheng B, Zhang J, Jiang J, H Li, L Jiang. Global and comparative proteome analysis of nitrogen-stress responsive proteins in the root, stem and leaf of *Brassica napus*. *Phyton-International Journal of Experimental Botany* 92(3), 645–663, **2023**. <https://doi.org/10.32604/phyton.2023.024717>. (WoS/Scopus)
- 3398.** Chamani M, Naseri B, Rafiee-Dastjerdi H, Emaratpardaz J, Ebadollahi A, Palla F. some physiological effects of nanofertilizers on wheat-aphid interactions. *Plants* 12(14):2602, **2023**. <https://doi.org/10.3390/plants12142602>. (WoS/Scopus)
- 3399.** Chaomurilige, Zu Y, Miyagi A, S-N Hashida, T Ishikawa, M Yamaguchi, M Kawai-Yamada. Loss of chloroplast-localized NAD kinase causes ROS stress in *Arabidopsis thaliana*. *Journal of Plant Research* 136, 97-106, **2023**. <https://doi.org/10.1007/s10265-022-01420-w>. (WoS/Scopus)
- 3400.** Charles DD, René AU, Martin F, Blaise DLJ, Julianne N, Somda I. Plant extracts induced resistance to *Fusarium oxysporum* f.sp. *lycopersici* in tomato. *International Journal of Plant & Soil Science* 35(17), 444–458, **2023**. <https://doi.org/10.9734/ijpss/2023/v35i173229>.
- 3401.** Charoenphun N, Ali AMM, Paulraj B, Venkatachalam K. Effect of aqueous n-butanol treatments on shelf-life extension of longkong fruit during ambient storage. *Horticulturae* 9(8):938, **2023**. <https://doi.org/10.3390/horticulturae9080938>. (WoS/Scopus)
- 3402.** Chaudhary IJ, Nigam B, Rathore D. Effect of elevated ozone on soybean (*Glycine max* L.) cultivar: role of orange juice and synthetic ascorbic acid. *Nature Environment and Pollution Technology* 22(3):1225-1238, **2023**. <https://doi.org/10.46488/NEPT.2023.v22i03.011>. (WoS/Scopus)
- 3403.** Chen C, Chen Z, Chen M, Zhang J, Wang L, Yan X. Leaf cuticular waxes of bermudagrass response to environment-driven adaptations of climate effect inferred from latitude and longitude gradient in China. *Chemistry & Biodiversity* 20(6), art. e202201104, **2023**. <https://doi.org/10.1002/cbdv.202201104>. (WoS/Scopus)
- 3404.** Chen X, Zhao G, Li Y, Wei S, Dong Y, Jiao R. Integrative analysis of the transcriptome and metabolome reveals the mechanism of chinese fir seed germination. *Forests* 14(4):676, **2023**. <https://doi.org/10.3390/fl4040676>. (WoS/Scopus)
- 3405.** Chen Z, Guo Z, Xu N, Cao X, Niu J. Graphene nanoparticles improve alfalfa (*Medicago sativa* L.) growth through multiple metabolic pathways under salinity-stressed environment. *Journal of Plant Physiology* v. 289, art. 154092, **2023**. <https://doi.org/10.1016/j.jplph.2023.154092>. (WoS/Scopus)
- 3406.** Cheng B, Zhou M, Tang T, Hassan MJ, Zhou J, Tan M, Li Z, Peng Y. A *Trifolium repens* flavodoxin-like quinone reductase 1 (TrFQR1) improves plant adaptability to high temperature associated with oxidative homeostasis and lipids remodeling. *The Plant Journal* 115(2), 369-385, **2023**. <https://doi.org/10.1111/tjp.16230>. (WoS/Scopus)
- 3407.** Cipriano PE, da Silva RF, de Oliveira C, de Lima AB, Martins FAD, Celante G, dos Santos AA, Archilha MVL, Pinatto Botelho MF, Faquin V, Guilherme LRG. Sodium selenate, potassium hydroxy-selenide, acetylselenide and their effect on antioxidant metabolism and plant nutrition and yield in sorghum genotypes. *Foods* 12(10):2034, **2023**. <https://doi.org/10.3390/foods12102034>. (WoS/Scopus)
- 3408.** Cipriano PE, da Silva RF, Martins FAD, de Lima AB, de Oliveira C, Faquin V, Guilherme LRG. Selenate fertilization of sorghum via foliar application and its effect on nutrient content and antioxidant metabolism. *Journal of Food Composition and Analysis* vol. 115, art. 104865, **2023**. <https://doi.org/10.1016/j.jfca.2022.104865>. (WoS/Scopus)
- 3409.** Costa ÁVL, Oliveira TFdC, Posso DA, Reissig GN, Parise AG, Barros WS, Souza GM. Systemic signals induced by single and combined abiotic stimuli in common bean plants. *Plants* 12(4):924, **2023**. <https://doi.org/10.3390/plants12040924>. (WoS/Scopus)
- 3410.** Cota-Ungson D, González-García Y, Cadenas-Pliego G, Alpuche-Solís ÁG, Benavides-Mendoza A, Juárez-Maldonado A. Graphene–Cu nanocomposites induce tolerance against *Fusarium oxysporum*, increase antioxidant activity, and decrease stress in tomato plants. *Plants* 12(12):2270, **2023**. <https://doi.org/10.3390/plants12122270>. (WoS/Scopus)
- 3411.** Cunha Neto AR, Paiva PD, Nogueira MR, Nascimento ÂM, Santos HO, Reis MV. Exploring the impact of dry conditioning on the postharvest quality and longevity of torch ginger flower stems. *Acta Botanica Brasilica* 37: e20230100, **2023**. <https://doi.org/10.1590/1677-941X-ABB-2023-0100>. (WoS/Scopus)
- 3412.** Czékus Z, Martics A, Pollák B, Kukri A, Tari I, Ördög A, Poór P. The local and systemic accumulation of ethylene determines the rapid defence responses induced by flg22 in tomato (*Solanum lycopersicum* L.). *Journal of Plant Physiology* 287, 154041, **2023**. <https://doi.org/10.1016/j.jplph.2023.154041>. (WoS/Scopus)
- 3413.** Czékus Z, Milodanovic D, Koprivanacz P, Bela K, López-Climent MF, Gómez-Cadenas A, Poór P. The

- role of salicylic acid on glutathione metabolism under endoplasmic reticulum stress in tomato. *Plant Physiology and Biochemistry* vol. 205, art. 108192, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108192>. (WoS/Scopus)
- 3414.** Dalyan E. Amelioration of the adverse effects of thiram by 24-epibrassinolide in tomato (*Solanum lycopersicum* Mill.). *Archives of Biological Sciences* 75(2): 187-197, **2023**. <https://doi.org/10.2298/ABS230201015D> (WoS/Scopus)
- 3415.** de Andrade FHA, Ferreira AMO, Azevedo LM, de Oliveira Santos M, Carvalho GR, de Resende MLV, Bicalho EM, Silva VA et al. IBA and melatonin increase trigonelline and caffeine during the induction and initiation of adventitious roots in *Coffea arabica* L. cuttings. *Scientific Reports* volume 13, 15151, **2023**. <https://doi.org/10.1038/s41598-023-41288-x>. (WoS/Scopus)
- 3416.** De Palma N, Yendo ACA, Vilasboa J, DS Chacon, AG Fett-Neto. Biochemical responses in leaf tissues of alkaloid producing *Psychotria brachyceras* under multiple stresses. *Journal of Plant Research* 136, 397-412, **2023**. <https://doi.org/10.1007/s10265-023-01441-z>. (WoS/Scopus)
- 3417.** Deng B, Zhao J, He M, Tian S. Curcumin treatment enhances bioactive metabolite accumulation and reduces enzymatic browning in soybean sprouts during storage. *Food Chemistry* 17:100607, **2023**. <https://doi.org/10.1016/j.fochx.2023.100607>. (WoS/Scopus)
- 3418.** Deng B, Zhao J, Zhang Y, Fan Y, Tian S. Exogenous ATP triggers antioxidant defense system and alleviates Cd toxicity in maize seedlings. *Ecotoxicology and Environmental Safety* Vol. 256, art. 114898, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.114898>. (WoS/Scopus)
- 3419.** Dey SR, Kumar P, Singh J. Growth of mustard under open field conditions with salicylic acid and antimicrobial thiourea. *Biopesticides International* 19, 183–192, **2023**. <https://doi.org/10.59467/BI.2023.19.183>. (WoS/Scopus)
- 3420.** Ding S, Zhang H, Zhou C, Bao Y, Xu X, Chen Y, Shen Z, Chen C. Transcriptomic, epigenomic and physiological comparisons reveal key factors for different manganese tolerances in three *Chenopodium ambrosioides* L. populations. *Plant Physiology and Biochemistry* 201: 107883, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107883>. (WoS/Scopus)
- 3421.** dos Santos AM, Bessa LA, Augusto DSS, Vasconcelos Filho SC, Batista PF, Vitorino LC. Biomarkers of pollution by glyphosate in the lichens, *Parmotrema tinctorium* and *Usnea barbata*. *Brazilian Journal of Biology* v. 83, e273069, **2023**. <https://doi.org/10.1590/1519-6984.273069>. (WoS/Scopus)
- 3422.** dos Santos CS, De Freitas AF, da Silva GH, Pennacchi JP, Figueiredo de Carvalho MA, Santos MD, Junqueira de Moraes TS, de Rezende Abrahão JC, Pereira AA, Carvalho GR, Botelho CE. Phenotypic plasticity index as a strategy for selecting water-stress-adapted coffee genotypes. *Plants* 12(23):4029. **2023**. <https://doi.org/10.3390/plants12234029>. (WoS/Scopus)
- 3423.** dos Santos LA, Batista BL, Lobato AKdS. 24-Epibrassinolide delays chlorophyll degradation and stimulates the photosynthetic machinery in magnesium-stressed soybean plants. *Journal of Plant Growth Regulation* 42, 183-198, **2023**. <https://doi.org/10.1007/s00344-021-10539-4>. (WoS/Scopus)
- 3424.** dos Santos LC, Martins GS, dos Santos FR, Almeida IM, Nunes MFPN, Guilherme LRG, Lopes G. Foliar application of selenium and zinc mitigates rice plants against water deficit. In: *Proceedings of 7th International Conference on Selenium in the Environment and Human Health*, 24-27 September **2023**, Bangkok, Thailand. **2023**: 46. <https://www.seleniumbangkok.com/wp-content/uploads/2023/09/Proceedings-of-7th-ICSEHH.pdf#page=51>.
- 3425.** Đurić M, Subotić A, Prokić L, Trifunović-Momčilov M, Milošević S. Alterations in physiological, biochemical, and molecular responses of *impatiens walleriana* to drought by methyl jasmonate foliar application. *Genes*. 14(5):1072, **2023**. <https://doi.org/10.3390/genes14051072>. (WoS/Scopus)
- 3426.** Đurić M, Subotić A, Trifunović-Momčilov M, Milošević S. Improvement of water deficit stress tolerance of *Impatiens walleriana* shoots grown in vitro by methyl jasmonate. *Plant Cell, Tissue and Organ Culture* 154, 351-365, **2023**. <https://doi.org/10.1007/s11240-022-02432-z>. (WoS/Scopus)
- 3427.** Đurić M, Trifunović-Momčilov M, Milošević S, Marković M, Radulović O, Subotić A, Uzelac B. Does sodium nitroprusside alleviate water deficit stress in *impatiens walleriana* shoots grown in vitro? *Agriculture* 13(10):1903, **2023**. <https://doi.org/10.3390/agriculture13101903>. (WoS/Scopus)
- 3428.** Dvojković K, Plavšin I, Novoselović D, Šimić G, Lalić A, Čupić T, Horvat D, Viljevac Vuletić M. Early antioxidative response to desiccant-stimulated drought stress in field-grown traditional wheat varieties. *Plants* 12(2):249, **2023**. <https://doi.org/10.3390/plants12020249>. (WoS/Scopus)
- 3429.** Ebrahimi M, Ehsanzadeh P, Vafadar F. Exogenously applied melatonin and calcium alleviate salt injuries to growth, physiological, and biochemical attributes of *Borago officinalis*. *Journal of Plant Growth Regulation* 42, 6853–6869, **2023**. <https://doi.org/10.1007/s00344-023-10980-7>. WoS and (WoS/Scopus)
- 3430.** Ejaz M, Raja Ni, Khan Sa, Mashwani Zu, Hanif A, Iqbal M, Hussain M, Syed A, Iqbal Rk, Qureshi H, Anwar T. Biosynthesized silver nanoparticles ameliorate biotic stress in rice (*Oryza sativa*) by intrincating biochemical and mineral profile. *Pakistan Journal of Botany* 55(6): 2019-2028, **2023**. <https://mail.pakbs.org/pjbot/papers/1689659123.pdf>. WoS and (WoS/Scopus)
- 3431.** El Boukhari MEM, Barakate M, Drissi B, Bouhia Y, Lyamlouli K. Seaweed extract biostimulants differentially act in mitigating drought stress on faba bean (*Vicia faba* L.). *Journal of Plant Growth Regulation* 42, 5642-5652, **2023**. <https://doi.org/10.1007/s00344-023-10945-w>. (WoS/Scopus)
- 3432.** El-Demerdash FM, Ahmed MM, Baghdadi HH. *Punica granatum* peel extract modulates levofloxacin-induced oxidative stress and testicular damage in rats. *Tissue and Cel.* 85: 102227, **2023**, <https://doi.org/10.1016/j.tice.2023.102227>. (WoS/Scopus)

- 3433.** El Moukhtari A, Cabassa-Hourton C, Crilat E, Carol P, Lamsaadi N, Hidri R, Farissi M, Savouré A. Salt stress is alleviated by either proline or silicon but not by their combination in alfalfa (*Medicago sativa* L.) inoculated with a salt-tolerant ensifer meliloti strain. *Journal of Plant Growth Regulation* 42, 4048-4062, **2023**. <https://doi.org/10.1007/s00344-022-10865-1>. (WoS/Scopus)
- 3434.** El Moukhtari A, Lamsaadi N, Lebreton S, Mouradi M, Cabassa C, Carol P, Savoure A, Farissi M. Silicon improves seed germination and seedling growth and alleviates salt stress in *Medicago sativa* L. by regulating seed reserve mobilization and antioxidant system defense. *Biologia* 78, 1961-1977, **2023**. <https://doi.org/10.1007/s11756-023-01316-7>. (WoS/Scopus)
- 3435.** El-Ballat EM, Elsilk SE, Ali HM, Ali HE, Hano C, El-Esawi MA. Metal-resistant PGPR strain *Azospirillum brasilense* EMCC1454 enhances growth and chromium stress tolerance of chickpea (*Cicer arietinum* L.) by modulating redox potential, osmolytes, antioxidants, and stress-related gene expression. *Plants* 12(11):2110, **2023**. <https://doi.org/10.3390/plants12112110>. (WoS/Scopus)
- 3436.** El-Beltagi HS, El-Yazied AA, El-Gawad HGA, Kandeel M, Shalaby TA, Mansour AT, Al-Harbi NA, Al-Qahtani SM, Alkhateeb AA, Ibrahim MFM. Synergistic impact of melatonin and putrescine interaction in mitigating salinity stress in snap bean seedlings: reduction of oxidative damage and inhibition of polyamine catabolism. *Horticulturae*. 9(2):285, **2023**. <https://doi.org/10.3390/horticulturae9020285>. (WoS/Scopus)
- 3437.** El-Sappah AH, Metwally MAS, Rady MM, Ali HM, Wang L, Maitra P, Ihtisham M, Yan K, Zhao X, Li J, Desoky E-SM. Interplay of silymarin and clove fruit extract effectively enhances cadmium stress tolerance in wheat (*Triticum aestivum*). *Frontiers in Plant Science* 14:1144319, **2023**. <https://doi.org/10.3389/fpls.2023.1144319>. (WoS/Scopus)
- 3438.** Emamverdian A, Ding Y, Barker J, Liu G, Li Y, Mokhberdoran F. Sodium nitroprusside improves bamboo resistance under Mn and Cr toxicity with stimulation of antioxidants activity, relative water content, and metal translocation and accumulation. *International Journal of Molecular Sciences* 24(3):1942, **2023**. <https://doi.org/10.3390/ijms24031942>.
- 3439.** Emamverdian A, Ghorbani A, Li Y, Pehlivan N, Barker J, Ding Y, Liu G, Zargar M. Responsible mechanisms for the restriction of heavy metal toxicity in plants via the co-foliar spraying of nanoparticles. *Agronomy* 13(7):1748, **2023**. <https://doi.org/10.3390/agronomy13071748>. (WoS/Scopus)
- 3440.** Errouh F, Aouabe A, Sadouki A, Chagiri H, Khalisse H, Oudra B, Rodriguez JC, Er-Raki S, Meddich A. Effects of slag-based fertilizer to mitigate salinity stress on greenhouse durum wheat (*Triticum Durum* Desf.) cultivars. *European Scientific Journal*, ESJ, 14, 300, **2023**. <https://ejournal.org/index.php/esj/article/view/16446>.
- 3441.** Ertuğ MM, Yazıcılar B. CaO nanoparticle enhances the seedling growth of *Onobrychis viciifolia* under drought stress via mannitol use. *Biologia* 78, 1119-1127, **2023**. <https://doi.org/10.1007/s11756-023-01313-w>. (WoS/Scopus)
- 3442.** Esmaili S, Sharif M, Ghanati F, Soltani BM, Samari E, Sagharyan M. Exogenous melatonin induces phenolic compounds production in *Linum album* cells by altering nitric oxide and salicylic acid. *Scientific Reports* 13:4158, **2023**. <https://doi.org/10.1038/s41598-023-30954-9>. (WoS/Scopus)
- 3443.** Espinosa F, Ortega A, Espinosa-Vellarino FL, Garrido I. Effect of thallium(I) on growth, nutrient absorption, photosynthetic pigments, and antioxidant response of ditrichia plants. *Antioxidants* 12(3):678, **2023**. <https://doi.org/10.3390/antiox12030678>. (WoS/Scopus)
- 3444.** Estrada-González AJ, Medina-De la Rosa G, Bautista E, Flores J, López-Lozano NE. Physiological regulations of a highly tolerant cactus to dry season modify its rhizospheric microbial communities. *Rhizosphere* vol. 25, art. 100655, **2023**. <https://doi.org/10.1016/j.rhisph.2022.100655>. (WoS/Scopus)
- 3445.** Farahi SM, Yazdi ME, Einafshar E, Akhondi M, Ebadi M, Azimipour S, Mahmoodzadeh H, Iranbakhsh A. The effects of titanium dioxide (TiO₂) nanoparticles on physiological, biochemical, and antioxidant properties of *Vitex* plant (*Vitex agnus-Castus* L). *Heliyon* 9(11), e22155, **2023**. <https://doi.org/10.1016/j.heliyon.2023.e22144>. (WoS/Scopus)
- 3446.** Fal S, Aasfar A, Ouhssain A, Choukri H, Smouni A, El Arroussi H. *Aphanotheca* sp. as promising biostimulant to alleviate heavy metals stress in *Solanum lycopersicum* L. by enhancing physiological, biochemical, and metabolic responses. *Scientific Reports* v. 13, art. 6875, **2023**. <https://doi.org/10.1038/s41598-023-32870-4>. (WoS/Scopus)
- 3447.** Farhat F, Ashaq N, Noman A, Aqeel M, Raja S, Naheed R, Maqsood MF, Haider I, Tariq A. Exogenous Application of moringa leaf extract confers salinity tolerance in sunflower by concerted regulation of antioxidants and secondary metabolites. *Journal of Soil Science and Plant Nutrition* 23, 3806-3822, **2023**. <https://doi.org/10.1007/s42729-023-01301-8>. (WoS/Scopus)
- 3448.** Farooq MA, Chattha WS, Shafique MS, Karamat U, Tabusam J, Zulfikar S, Shakeel A. Transgenerational impact of climatic changes on cotton production. *Frontiers in Plant Science* 14:987514, **2023**. <https://doi.org/10.3389/fpls.2023.987514>. (WoS/Scopus)
- 3449.** Feng K, Sun P, Chen Y, Guo J. Endophytic bacteria promote the growth of *suaeda glauca* in saline-alkali stress: regulation of osmotic pressure and antioxidative defense system. *Journal of Ocean University of China*. 22(4): 1109-1118, **2023**. <https://doi.org/10.1007/s11802-023-5418-7>. (WoS/Scopus)
- 3450.** Fu W, Zheng X, Chen X, Wang W, Liu A, Ji J, Wang G, Guan C. The potential roles of carotenoids in enhancing phytoremediation of bisphenol A contaminated soil by promoting plant physiology and modulating rhizobacterial community of tobacco. *Chemosphere* vol. 316, art. 137807, **2023**. <https://doi.org/10.1016/j.chemosphere.2023.137807>. (WoS/Scopus)
- 3451.** Fu X, Mehmood S, Ahmed W, Ou W, Suo P, Zhang Q, Fu X, Sun Z, Li W. Reducing chromium toxicity in

- chinese cabbage through synergistic effects of silicon and selenium: a study of plant growth, chromium content, and biochemical parameters. *Sustainability* 15(6):5361, **2023**. <https://doi.org/10.3390/su15065361>. (WoS/Scopus)
- 3452.** Gallé Á, Farkas M, Pelsőczy A, Czékus Z, Kukri A, Dorner Z, Ördög A, Csiszár J, Bela K, Poór P. Contribution of glutathione transferases in the selective and light-dependent effect of flumioxazin on winter wheat (*Triticum aestivum* L.) and its typical weed common poppy (*Papaver rhoeas* L.). *Agronomy* 13(8):2053, **2023**. <https://doi.org/10.3390/agronomy13082053>. (WoS/Scopus)
- 3453.** Gao M, Gai C, Li X, Feng X, Lai R, Song Y, Zeng R, Chen D, Chen Y. Waterlogging tolerance of *Actinidia valvata* Dunn is associated with high activities of pyruvate decarboxylase, alcohol dehydrogenase and antioxidant enzymes. *Plants* 12(15):2872, **2023**. <https://doi.org/10.3390/plants12152872>. (WoS/Scopus)
- 3454.** Garoosi MK, Sanjarian F, Chaichi M. The role of γ -aminobutyric acid and salicylic acid in heat stress tolerance under salinity conditions in *Origanum vulgare* L. *PLoS ONE* 18(7): e0288169, **2023**. <https://doi.org/10.1371/journal.pone.0288169>. (WoS/Scopus)
- 3455.** Gautam A, Basant N, Kumar N, Kriti, Singh SN, Dubey AK, Singh G, Kumari B, Shah K, Mallick S. Reducing arsenic uptake in cereal crop plants with sugarcane waste application: A comparative study on the effects on physiology, biochemistry, and grain nutrient status. *Journal of Plant Growth Regulation* 42: 6835-6852, **2023**. <https://doi.org/10.1007/s00344-023-11095-9>. (WoS/Scopus)
- 3456.** Ghani MI, Ali A, Atif MJ, Ali M, Ahanger MA, Chen X and Cheng Z. Different leafy vegetable cropping systems regulate growth, photosynthesis, and PSII functioning in mono-cropped eggplant by altering chemical properties and upregulating the antioxidant system. *Frontiers in Plant Science* 14:1132861, **2023**. <https://doi.org/10.3389/fpls.2023.1132861>. (WoS/Scopus)
- 3457.** Gharib FAE, Ahmed EZ *Spirulina platensis* improves growth, oil content, and antioxidant activity of rosemary plant under cadmium and lead stress. *Scientific Reports* volume 13, art. number 8008, **2023**. <https://doi.org/10.1038/s41598-023-35063-1>. (WoS/Scopus)
- 3458.** Ghassemi-Golezani K, Rahimzadeh S. Biochar-based nutritional nanocomposites: a superior treatment for alleviating salt toxicity and improving physiological performance of dill (*Anethum graveolens*). *Environmental Geochemistry and Health* 45, 3089-3111, **2023**. <https://doi.org/10.1007/s10653-022-01397-4>. (WoS/Scopus)
- 3459.** Ghonaim MM, Attia AM, Aly HG, Mohamed HI, Omran AAA. Agro-morphological, biochemical, and molecular markers of barley genotypes grown under salinity stress conditions. *BMC Plant Biology* 23, 526, **2023**. <https://doi.org/10.1186/s12870-023-04550-y>. (WoS/Scopus)
- 3460.** Ghorbani A, Pishkar L, Saravi KV, Chen M. Melatonin-mediated endogenous nitric oxide coordinately boosts stability through proline and nitrogen metabolism, antioxidant capacity, and Na⁺/K⁺ transporters in tomato under NaCl stress. *Frontiers in Plant Science* 14:1135943, **2023**. <https://doi.org/10.3389/fpls.2023.1135943>. (WoS/Scopus)
- 3461.** Gigaulia P, Tantwai K, Sapre S, Pandey S, Sahu VK, Nema S. Potential of plant growth promoting rhizobacteria for improvement of growth and biochemical status of wheat seedlings under salinity. *Biological Forum* 15(12): 124-131, **2023**.
- 3462.** Gisbert-Mullor R, Padilla YG, Calatayud Á, López-Galarza S. Rootstock-mediated physiological and fruit set responses in pepper under heat stress. *Scientia Horticulturae* Volume 309, art. 111699, **2023**. <https://doi.org/10.1016/j.scienta.2022.111699>. (WoS/Scopus)
- 3463.** Gökçe AF, Gökçe ZN, Junaid MD, Chaudhry UK. Evaluation of biochemical and molecular response of onion breeding lines to drought and salt stresses. *Scientia Horticulturae* 311: 111802, **2023**. <https://doi.org/10.1016/j.scienta.2022.111802> (WoS/Scopus)
- 3464.** Gómez-Santos M, González-García Y, Pérez-Álvarez M, Cadenas-Pliego G, Juárez-Maldonado A. Impact of calcium-silicon nanoparticles on flower quality and biochemical characteristics of *Lilium* under salt stress. *Plant Stress* v. 10, art. 100270, **2023**. <https://doi.org/10.1016/j.stress.2023.100270>.
- 3465.** González-García Y, Escobar-Hernández DI, Benavides-Mendoza A, Morales-Díaz AB, Olivares-Sáenz E, Juárez-Maldonado A. UV-A radiation stimulates tolerance against *Fusarium oxysporum* f. sp. *lycopersici* in tomato plants. *Horticulturae* 9(4):499, **2023**. <https://doi.org/10.3390/horticulturae9040499>. (WoS/Scopus)
- 3466.** Gou C, Huang Q, Rady MM, Wang L, Ihtisham M, El-awady HH, Seif M, Alazizi EMY, Eid RSM, Yan K, Tahri W, Li J, Desoky E-SM, El-Sappah AH. Integrative application of silicon and/or proline improves Sweet corn (*Zea mays* L. *saccharata*) production and antioxidant defense system under salt stress condition. *Scientific Reports* 13, 18315, **2023**. <https://doi.org/10.1038/s41598-023-45003-8>. (WoS/Scopus)
- 3467.** Gul HS, Ulfat M, Zafar ZU, Haider W, Ali Z, Manzoor H, Afzal S, Ashraf M, Athar H-u-R. Photosynthesis and salt exclusion are key physiological processes contributing to salt tolerance of canola (*Brassica napus* L.): evidence from physiology and transcriptome analysis. *Genes* 14(1):3, **2023**. <https://doi.org/10.3390/genes14010003>. (WoS/Scopus)
- 3468.** Gul S, Javed S, Azeem M, Aftab A, Anwaar N, Mehmood T, Zeshan B. Application of *Bacillus subtilis* for the alleviation of salinity stress in different cultivars of wheat (*Triticum aestivum* L.). *Agronomy* 13(2):437, **2023**. <https://doi.org/10.3390/agronomy13020437>. (WoS/Scopus)
- 3469.** Gul V, Cetinkaya H, Dinler BS, Sarioglu F. Comparative analysis of biochemical content, antimicrobial and antioxidant activities of *Hypericum perforatum* L. species is grown in Türkiye. *Pakistan Journal of Botany* 55(4):1-9, **2023**. [http://dx.doi.org/10.30848/PJB2023-4\(38\)](http://dx.doi.org/10.30848/PJB2023-4(38)). (WoS/Scopus)
- 3470.** Gulmez O, Aksakal O, Baris O, Bayram E. *Pseudomonas stutzeri* improves the tolerance of *Lemna minor* to Cu(OH)₂ nanopesticide by regulating the uptake of copper, antioxidant defense mechanisms, and the expression

- of metacaspase-1, chlorophyllase, and stress-responsive genes. *Plant Physiology and Biochemistry* v. 203, art. 108002, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108002>. (WoS/Scopus)
- 3471.** Gulmez O, Tiryaki D, Atici O, Baris O. Boron-resistant *Alternaria alternata* (OG14) mitigates boron stress by improving physiological and antioxidative response in wheat (*Triticum aestivum* L.). *Plant Physiology and Biochemistry* v. 202, art. 107911, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107911>. (WoS/Scopus)
- 3472.** Gupta S, Pandey S, Nandi SP, Singh M. Modulation of ethylene and ROS-scavenging enzymes by multifarious plant growth-promoting endophytes in tomato (*Solanum lycopersicum*) plants to combat *Xanthomonas*-induced stress. *Plant Physiology and Biochemistry* v. 202, art. 107982, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107982>. (WoS/Scopus)
- 3473.** Hafizi A, Fatehi F, Pakzad R. SWATH-based quantitative proteomics gives insight into a significant proteome shift in UCB-1 pistachio rootstock under salt stress. *Scientia Horticulturae* 311, art. 111822, **2023**. <https://doi.org/10.1016/j.scienta.2022.111822>. (WoS/Scopus)
- 3474.** Haghighi AK, Rezayian M, Niknam V, Ganjali MR, Mirmasoumi M. Cerium and samarium blocked antioxidant enzymes in wheat plants. *Scientific Reports* vol. 13, 8252, **2023**. <https://doi.org/10.1038/s41598-023-35561-2>. (WoS/Scopus)
- 3475.** Hajhashemi S, Jahantigh O. Nitric oxide effect on growth, physiological and biochemical processes, flowering, and postharvest performance of *Narcissus tazetta*. *Journal of Plant Growth Regulation* 42: 892-907, **2023**. <https://doi.org/10.1007/s00344-022-10596-3>. (WoS/Scopus)
- 3476.** Hajhashemi S, Rajabpoor S, Schat H. Acid mine drainage (AMD) endangers pomegranate trees nearby a copper mine. *Science of the Total Environment* vol. 889, art. 164269, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.164269>. (WoS/Scopus)
- 3477.** Hallmann EW, Rusaczonok A, Muszyńska E, Ziółkowski D, Kuliński S, Jasek J, Ponder A. Comprehensive analysis and profiling of bioactive compounds, their distribution in organic and conventional basil leaves, and their enzyme activity and antioxidant power: a long-term study. SSRN art. 4630763, **2023**. <https://dx.doi.org/10.2139/ssrn.4630763>
- 3478.** Hamad RB. Effect of trehalose treatment on growth, hydrogen peroxide, and antioxidant enzymes of Tomato (*Solanum lycopersicum* L.) plants under drought stress. *Global Libyan Journal*, **2023**.
- 3479.** Hamdi Ibrahim M, Asmaa Mahdi A, Emad Hamed S, Manal Adel M. Effect of pyruvate and magnetic nanoparticle treatments on growth, bioactive components and biological activity of *Stevia rebaudiana*. *Advances in Crop Science and Technology* 11(9):614, **2023**. <https://www.omicsonline.org/open-access/effect-of-pyruvate-and-magnetic-nanoparticle-treatments-on-growthbioactive-components-and-biological-activity-of-stevia-.pdf>.
- 3480.** Hameed S, Atif M, Perveen S. Role of gibberellins, neem leaf extract, and serine in improving wheat growth and grain yield under drought-triggered oxidative stress. *Physiology and Molecular Biology of Plants* 29, 1675-1691, **2023**. <https://doi.org/10.1007/s12298-023-01402-9>. (WoS/Scopus)
- 3481.** Hanafy RS, Sadak MS. Foliar spray of stigmasterol regulates physiological processes and antioxidant mechanisms to improve yield and quality of sunflower under drought stress. *Journal of Soil Science and Plant Nutrition* 23, 2433-2450, **2023**. <https://doi.org/10.1007/s42729-023-01197-4>. (WoS/Scopus)
- 3482.** Hanife S, Namdjoyan S, Kermanian H. Synergistic effects of exogenous glutathione and calcium on ascorbate–glutathione cycle and glutathione-associated enzymes upregulation under lead stress in *Brassica napus* L. *Environmental Science and Pollution Research* 30, 108979–108991, **2023**. <https://doi.org/10.1007/s11356-023-30000-1> (WoS/Scopus)
- 3483.** Hasani M, Faryabi S, Ehsanzadeh P, Vaghar M. Foliar-applied zinc enhances sesame physiological and yield attributes under different irrigation regimes. *South African Journal of Botany* v. 162, 451-460, **2023**. <https://doi.org/10.1016/j.sajb.2023.09.008>. (WoS/Scopus)
- 3484.** Hashmat S, Tanwir K, Abbas S, Shahid M, Javed MT. *Acinetobacter schindleri* SR-5–1 decipher morpho-physio-biochemical and nutritional improvements to *Pisum sativum* L. and *Linum usitatissimum* L. maintained under wastewater/cadmium stress. *Environmental Science and Pollution Research* 30, 24672-24686, **2023**. <https://doi.org/10.1007/s11356-022-23920-x>. (WoS/Scopus)
- 3485.** Hassani SB, Latifi M, Aliniaefard S, Sohrabi Bonab S, Nasiri Almanghadim N, Jafari S, Mohebbifar E, Ahangir A, Seifikalhor M, Rezadoost H, Bosacchi M, Rastogi A, Bernard F. Response to cadmium toxicity: orchestration of polyamines and microRNAs in maize plant. *Plants* 12(10):1991, **2023**. <https://doi.org/10.3390/plants12101991>. (WoS/Scopus)
- 3486.** Hassanpour H. Growth mechanism of *Matricaria chamomilla* plant under space lighting system: induction of pigment synthesis, enzyme defense system, and antioxidant metabolites. *Space Science and Technology* 16(3): 69-78, **2023**. <https://doi.org/10.30699/jsst.2023.1412>.
- 3487.** Heidari Z, Noruzi P, Rezapour-fard J, Jabbarzadeh Z. Different LED light spectra's and nano-chelated potassium affect the quality traits of Dolce Vita cut roses in soilless culture condition. *Scientific Reports* 13, 6769, **2023**. <https://doi.org/10.1038/s41598-023-34056-4>. (WoS/Scopus)
- 3488.** Hu B, Liu Z, Haensch R, Mithöfer A, Peters FS, Vornam B, Messerer M, Mayer K, Wirén N, Rennenberg H. *Diplodia sapinea* infection reprograms foliar traits of its pine (*Pinus sylvestris* L.) host to death. *Tree Physiology* 43(4), 611-629, **2023**. <https://doi.org/10.1093/treephys/tpac137> (WoS/Scopus)
- 3489.** Huang Q, Yan H, You M, Duan J, Chen M, Xing Y, Hu X, Li X. Enhancing drought tolerance and fruit characteristics in tomato through exogenous melatonin application. *Horticulturae* 9(10):1083, **2023**. <https://doi.org/10.3390/horticulturae9101083>. (WoS/Scopus)

- 3490.** Huang S, Gill S, Ramzan M, MZ Ahmad, S Danish, P Huang, S Al Obaid, SA Alharbi. Uncovering the impact of AM fungi on wheat nutrient uptake, ion homeostasis, oxidative stress, and antioxidant defense under salinity stress. *Scientific Reports* 13, 8249, **2023**. <https://doi.org/10.1038/s41598-023-35148-x>. (WoS/Scopus)
- 3491.** Hussaan M, Abbas S, Ali Q, Akram MS, Tanwir K, Raza A, Hashmat S, Aqeel M, Chaudhary HJ, Javed MT. Elucidating the mechanistic role of zinc-lysine to enhance Cd tolerance in diverse wheat (*Triticum aestivum* L.) cultivars through distinct morpho-physio-biochemical improvements under Cd stress. *Journal of Soil Science and Plant Nutrition* 23, 5419-5437, **2023**. <https://doi.org/10.1007/s42729-023-01411-3>. (WoS/Scopus)
- 3492.** Hussain I, Ayub A, Nayab A, Ashraf MA, Ashraf MA, Hussain S, Siddiqui MH, Sabir MA, Zulfikar U, Khan TH. Exogenous application of silicon and zinc attenuates drought tolerance in *Eruca sativa* L. through increasing chlorophyll pigments, osmoprotectants, and modulating defense mechanisms. *Journal of Plant Growth Regulation*, **2023**. <https://doi.org/10.1007/s00344-023-11116-7>. (WoS/Scopus)
- 3493.** Hussain MA, Naeem A, Pitann B, KH Mühling. High Sulfur (S) Supplementation imparts waterlogging tolerance to oilseed rape (*Brassica napus* L.) through upregulating S metabolism and antioxidant pathways. *Journal of Plant Growth Regulation* 42:75-91-7605, **2023**. <https://doi.org/10.1007/s00344-023-11034-8>. (WoS/Scopus)
- 3494.** Hussain S, Ahmed S, Yasin NA, Akram W, Sardar R, Ahmad A, Li G. In vitro and in silico study of salt stress resilience in *Brassica rapa* through selenium seed priming. *South African Journal of Botany* 160: 504-515, **2023**. <https://doi.org/10.1016/j.sajb.2023.07.024>. (WoS/Scopus)
- 3495.** Hussain S, Sohail H, Noor I, Ahmad S, Ejaz S, Ali MA, Haider ST-A, Sohail M, Jaffer H, Ercisli S, Morillon R, Khalidh MF. Physiological and biochemical determinants of drought tolerance in tetraploid vs diploid sour orange citrus rootstock. *Journal of Horticultural Science and Biotechnology* 98(6):772-785, **2023**. <https://doi.org/10.1080/14620316.2023.2192230>. (WoS/Scopus)
- 3496.** Hussein H-AA, Alshammari SO, Abd El-Sadek ME, Kenawy SKM, Badawy AA. The promotive effect of putrescine on growth, biochemical constituents, and yield of wheat (*Triticum aestivum* L.) plants under water stress. *Agriculture* 13(3):587, **2023**. <https://doi.org/10.3390/agriculture13030587>. (WoS/Scopus)
- 3497.** Ibrahim MU, Khaliq A, Hussain S, Ul Haq MZ, Saqib M. Brassica water extract hormesis improved drought tolerance and antioxidative defense in wheat. *Gesunde Pflanzen* 75, 1665-1677, **2023**. <https://doi.org/10.1007/s10343-022-00820-1>. (WoS/Scopus)
- 3498.** Ibrahim MU, Khaliq A, Hussain S, Zia Ul Haq M. Alleviation of drought stress and mediated antioxidative defense in wheat through moringa leaf extract hormesis. *Arabian Journal of Geosciences* 16, art. 118, **2023**. <https://doi.org/10.1007/s12517-023-11190-x>. (WoS/Scopus)
- 3499.** Ikan C, Ben-Laouane R, Ouhaddou R, Anli M, Boutasknit A, Lahbouki S, Benchakour A, Jaouad A, Bouchdoug M, El Moatasime A, Ouhammou M, Jaouad Y, Baslam M, Meddich A. Interactions between arbuscular mycorrhizal fungus and indigenous compost improve salt stress tolerance in wheat (*Triticum durum*). *South African Journal of Botany* v. 158, 417-428, **2023**. <https://doi.org/10.1016/j.sajb.2023.05.038>. (WoS/Scopus)
- 3500.** Ikana C, Ben-Laouane R, Ouhaddou R, Ghoulam C, Meddich A. Co-inoculation of arbuscular mycorrhizal fungi and plant growth-promoting rhizobacteria can mitigate the effects of drought in wheat plants (*Triticum durum*). *Plant Biosystems* 157(4):907-919, **2023**. <https://doi.org/10.1080/11263504.2023.2229856>. (WoS/Scopus)
- 3501.** Imran M, Mpovo CL, Aaqil Khan M, Shaffique S, Ninson D, Bilal S, Khan M, Kwon E-H, Kang S-M, Yun B-W, Lee I-J. Synergistic effect of melatonin and *Lysinibacillus fusiformis* L. (PLT16) to mitigate drought stress via regulation of hormonal, antioxidants system, and physio-molecular responses in soybean plants. *International Journal of Molecular Sciences* 24(10):8489, **2023**. <https://doi.org/10.3390/ijms24108489>. (WoS/Scopus)
- 3502.** İpek M, Arıkan Ş, Pırlak L, Eşitken A, Şahin M. Determination of morphological and biochemical responses of some cherry rootstocks to calcium stress under in vitro conditions. *Turkish Journal of Agriculture - Food Science and Technology* 11(9), 1648–1655, **2023**. <https://doi.org/10.24925/turjaf.v11i9.1648-1655.6193>.
- 3503.** Iqbal A, Mo Z, Pan S-G, Qi J-Y, Hua T, Imran M, Duan M, Gu Q, Yao X-B, Tang X. Exogenous TiO₂ nanoparticles alleviate Cd toxicity by reducing Cd uptake and regulating plant physiological activity and antioxidant defense systems in rice (*Oryza sativa* L.). *Metabolites* 13(6):765, **2023**. <https://doi.org/10.3390/metabo13060765>. (WoS/Scopus)
- 3504.** Iqbal H, Yaning C, Waqas M, Raza ST, Shareef M, Ahmad Z. Salinity and exogenous H₂O₂ improve gas exchange, osmoregulation, and antioxidant metabolism in quinoa under drought stress. *Physiologia Plantarum* 175(6): e14057, **2023**. <https://doi.org/10.1111/ppl.14057> (WoS/Scopus)
- 3505.** Iqbal J, Perveen S, Parveen A, M Saeed, S Zafar, N Iqbal. Interactive effect of salicylic acid and triacontanol to improve lead stress tolerance in maize (*Zea mays* L.). *Arabian Journal of Geosciences* 16, art. 314, **2023**. <https://doi.org/10.1007/s12517-023-11317-0>. (WoS/Scopus)
- 3506.** Iqbal N, Tanzeem-ul-Haq HS, Gull-e-Faran, Turan V, Iqbal M. Soil amendments and foliar melatonin reduced pb uptake, and oxidative stress, and improved spinach quality in Pb-contaminated soil. *Plants* 12(9):1829, **2023**. <https://doi.org/10.3390/plants12091829>. (WoS/Scopus)
- 3507.** Iram K, Ashraf MA, Ibrahim SM, Rasheed R, Ali S. Coumarin regulated redox homeostasis to facilitate phytoremediation of saline and alkaline soils by bitter melon (*Momordica charantia* L.). *Environmental Science and Pollution Research* v. 30, 3099584-99604, **2023**. <https://doi.org/10.1007/s11356-023-29360-5>. (WoS/Scopus)
- 3508.** Irshad K, Shaheed Siddiqui Z, Chen J, Rao Y, Hamna Ansari H, Wajid D, Nida K, Wei X. Bio-priming with salt tolerant endophytes improved crop tolerance to salt stress via modulating photosystem II and antioxidant activities in a sub-optimal environment. *Frontiers in Plant Science* 14:1082480, **2023**. <https://doi.org/10.3389/fpls.2023.1082480>. (WoS/Scopus)

- 3509.** Ishtiaq M, Mazhar MW, Maqbool M, Hussain T, Hussain SA, Casini R, Abd-ElGawad AM, Elansary HO. Seed priming with the selenium nanoparticles maintains the redox status in the water stressed tomato plants by modulating the antioxidant defense enzymes. *Plants* 12(7):1556, **2023**. <https://doi.org/10.3390/plants12071556>. (WoS/Scopus)
- 3510.** Islam F, Khan MSS, Ahmed S, Abdullah M, Hannan F, Chen J. OsLPXC negatively regulates tolerance to cold stress via modulating oxidative stress, antioxidant defense and JA accumulation in rice. *Free Radical Biology and Medicine* vol. 199, 2-16, **2023**. <https://doi.org/10.1016/j.freeradbiomed.2023.02.008>. (WoS/Scopus)
- 3511.** Islam MM, Jahan K, Sen A, Urmi TA, Haque MM, Ali HM, Siddiqui MH, Murata Y. Exogenous application of calcium ameliorates salinity stress tolerance of tomato (*Solanum lycopersicum* L.) and enhances fruit quality. *Antioxidants* 12(3):558, **2023**. <https://doi.org/10.3390/antiox12030558>. (WoS/Scopus)
- 3512.** Islam S, Mohammad F, Siddiqui MH, Kalaji HM. Salicylic acid and trehalose attenuate salt toxicity in *Brassica juncea* L. by activating the stress defense mechanism. *Environmental Pollution* vol. 326, art. 121467, **2023**. <https://doi.org/10.1016/j.envpol.2023.121467>. (WoS/Scopus)
- 3513.** Islam S, Shah SH, Corpas FJ, Alamri S, Mohammad F. Plant growth regulators mediated mitigation of salt-induced toxicities in mustard (*Brassica juncea* L.) by modifying the inherent defense system. *Plant Physiology and Biochemistry* vol. 196, 1002-1018, **2023**. <https://doi.org/10.1016/j.plaphy.2023.02.053>. (WoS/Scopus)
- 3514.** Islamova R, Yanshin N, Zamyatkina E, Gulk E, Zuy E, Billig S, Birkemeyer C, Tarakhovskaya E. Metabolic adjustment of high intertidal alga *Pelvetia canaliculata* to the tidal cycle includes oscillations of soluble carbohydrates, phlorotannins, and citric acid content. *International Journal of Molecular Sciences*. 24(13):10626, **2023**. <https://doi.org/10.3390/ijms241310626>. (WoS/Scopus)
- 3515.** Ivanov A, Kosobryukhov A, Kreslavski V, Allakhverdiev SI. Changes in the photosynthetic performance, the activity of enzymes of nitrogen metabolism, and proline content in the leaves of wheat plants after exposure to low CO₂ concentration. *Photosynthetica* 61 (SI): 53-65, **2023**. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2962>. (WoS/Scopus)
- 3516.** Jahan S, Tamta S, Shankhdhar SC, Shankhdhar D. Salicylic acid potential to reversing drought induced oxidative stress in *Bacopa monnieri* (L.) through enhancement of bioactive compound (Bacoside-A) and antioxidants including physio-biochemical attributes. *South African Journal of Botany* 161, 617-626, **2023**. <https://doi.org/10.1016/j.sajb.2023.08.050>. (WoS/Scopus)
- 3517.** Jahromi MJB, Abdossi V, Samavat S, Torkashvand AM, Mozafari H. New approach of antioxidant properties of *Zinnia elegans* using bioremediation of Pb-contaminated soils. *Bioremediation Journal* 27(4), 345-362 **2023**. <https://www.tandfonline.com/doi/full/10.1080/10889868.2022.2087592>. (WoS/Scopus)
- 3518.** Jalil S, Ali Q, Khan AU et al. Molecular and biochemical characterization of rice developed through conventional integration of nDart1-0 transposon gene. *Scientific Reports* 13, 8139, **2023**. <https://doi.org/10.1038/s41598-023-35095-7>. (WoS/Scopus)
- 3519.** Jalil S, Nazir MM, AL-Huqail AA, Ali B, Al-Qthanin RN, Asad MAU, Eweda MA, Zulfikar F, Onursal N, Masood HA, Yong JWH, Jin X. Silicon nanoparticles alleviate cadmium toxicity in rice (*Oryza sativa* L.) by modulating the nutritional profile and triggering stress-responsive genetic mechanisms. *Ecotoxicology and Environmental Safety* vol. 268, art. 115699, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.115699>. (WoS/Scopus)
- 3520.** Jalili I, Ebadi A, Askari MA, S KalatehJari, MA Aazami. Foliar application of putrescine, salicylic acid, and ascorbic acid mitigates frost stress damage in *Vitis vinifera* cv. 'Giziluzum'. *BMC Plant Biology* 23, 135, **2023**. <https://doi.org/10.1186/s12870-023-04126-w>. (WoS/Scopus)
- 3521.** Jalili S, Ehsanpour AA, Morteza Javadirad S. Melatonin improves salt tolerance of in vitro root culture of alfalfa (*Medicago sativa* L.). *Biologia* 78, 961-970, **2023**. <https://doi.org/10.1007/s11756-022-01275-5> (WoS/Scopus)
- 3522.** Jam E, Khomari S, Ebadi A, Goli-Kalanpa E, Ghavidel A. Influences of peanut hull-derived biochar, *Trichoderma harzianum* and supplemental phosphorus on hairy vetch growth in Pb- and Zn-contaminated soil. *Environmental Geochemistry and Health* 45, 9411-9432, **2023**. <https://doi.org/10.1007/s10653-023-01606-8>. (WoS/Scopus)
- 3523.** Jan S, Singh B, Bhardwaj R, Singh R, Alsahli AA, Kaushik P, Ahmad P. The pesticide thiamethoxam induced toxicity in *Brassica juncea* and its detoxification by *Pseudomonas putida* through biochemical and molecular modifications. *Chemosphere* v. 342, art. 140111, **2023**. <https://doi.org/10.1016/j.chemosphere.2023.140111>. (WoS/Scopus)
- 3524.** Janah I, Meddich A, Elhasnaoui A, S Khayat, Md Anli, A Boutasknit, S Aissam, K Loutfi. Arbuscular mycorrhizal fungi mitigates salt stress toxicity in *Stevia rebaudiana* Bertoni through the modulation of physiological and biochemical responses. *Journal of Soil Science and Plant Nutrition* 23: 152-162, **2023**. <https://doi.org/10.1007/s42729-021-00690-y>. (WoS/Scopus)
- 3525.** Janicka M, Reda M, Mroczko E, Wdowikowska A, Kabała K. Jasmonic acid effect on *Cucumis sativus* L. growth is related to inhibition of plasma membrane proton pump and the uptake and assimilation of nitrates. *Cells* 12(18):2263, **2023**. <https://doi.org/10.3390/cells12182263>. (WoS/Scopus)
- 3526.** Jebur A, El-Sayed R, El-Demerdash F. Lycopene modulates testicular injury oxidative stress and caspases upregulation induced by fenvalerate in male rats. *Bionatura* 8(4), 76, **2023**. <http://dx.doi.org/10.21931/RB/2023.08.04.76>.
- 3527.** Jebur AB, El-Sayed RA, Abdel-Daim MM, El-Demerdash FM. *Punica granatum* (Pomegranate) peel extract pre-treatment alleviates fenpropathrin-induced testicular injury via suppression of oxidative stress and inflammation in adult male rats. *Toxics* 11(6):504, **2023**. <https://doi.org/10.3390/toxics11060504>. (WoS/Scopus)

- 3528.** Jofré-Fernández I, Matus-Baeza F, Merino-Guzmán C. White-rot fungi scavenge reactive oxygen species, which drives pH-dependent exo-enzymatic mechanisms and promotes CO₂ efflux. *Frontiers in Microbiology* 14:1148750, **2023**. <https://doi.org/10.3389/fmicb.2023.1148750>. (WoS/Scopus)
- 3529.** Juleel R, Ashraf K, Sultan K, Deng G, Rehman M, Siddiqui MH, uz Zaman Q. Soil applied vermicompost improves morpho-physio-biochemical and quality attributes of lettuce under saline conditions. *South African Journal of Botany* 161, 499-511, **2023**. <https://doi.org/10.1016/j.sajb.2023.08.059>. (WoS/Scopus)
- 3530.** Junaid MD, Öztürk Gökçe Z, Gökçe AF. Investigation of drought induced biochemical and gene expression changes in carrot cultivars. *Molecular Biology Reports* 50, 349-359, **2023**. <https://doi.org/10.1007/s11033-022-08050-4>. (WoS/Scopus)
- 3531.** Jurga A, Ratkiewicz K, Wdowikowska A, Reda M, Janicka M, Chohura P, Janiak K. Urine and grey water based liquid fertilizer – Production and the response of plants. *Journal of Environmental Management* vol. 331, art. 117248, **2023**. <https://doi.org/10.1016/j.jenvman.2023.117248>. (WoS/Scopus)
- 3532.** Jurkonienė S, Mockevičiūtė R, Gavelienė V, Šveikauskas V, Zareyan M, Jankovska-Bortkevič E, Jankauskienė J, Žalnierius T, Kozeko L. Proline enhances resistance and recovery of oilseed rape after a simulated prolonged drought. *Plants* 12(14):2718, **2023**. <https://doi.org/10.3390/plants12142718>. (WoS/Scopus)
- 3533.** Kakar HA, Ullah S, Shah W, Ali B, Satti SZ, Ullah R, Muhammad Z, Eldin SM, Ali I, Alwahibi MS, Elshikh MS, Ercisli S. Seed priming modulates physiological and agronomic attributes of maize (*Zea mays* L.) under induced polyethylene glycol osmotic stress. *ACS Omega* 8(25):22788-22808, **2023**. <https://doi.org/10.1021/acsomega.3c01715>. (WoS/Scopus)
- 3534.** Kal Ü, Dal Y, Kayak N, Yavuz D, Türkmen Ö, Seymen M. Application of nitrogen for mitigating the adverse effects of flooding stress in lettuce. *Journal of Plant Nutrition* 46(20):4664-4678, **2023**. <https://doi.org/10.1080/01904167.2023.2240831>. (WoS/Scopus)
- 3535.** Kamal MA, Perveen K, Khan F, Sayyed RZ, Hock OG, Bhatt SC, Singh J, Qamar MO. Effect of different levels of EDTA on phytoextraction of heavy metal and growth of *Brassica juncea* L. *Frontiers in Microbiology* 14:1228117, **2023**. <https://doi.org/10.3389/fmicb.2023.1228117>. (WoS/Scopus)
- 3536.** Kamal R, Mogazy AM. Effect of doping on TiO₂ nanoparticles characteristics: studying of fertilizing effect on cowpea plant growth and yield. *Journal of Soil Science and Plant Nutrition* 23, 325-337, **2023**. <https://doi.org/10.1007/s42729-021-00648-0>. (WoS/Scopus)
- 3537.** Kandhol N, Rai P, Pandey S, Singh S, Sharma S, Corpas FJ, Singh VP, Tripathi DK. Zinc induced regulation of PCR1 gene for cadmium stress resistance in rice roots. *Plant Science* v. 337, art. 111783, **2023**. <https://doi.org/10.1016/j.plantsci.2023.111783>. (WoS/Scopus)
- 3538.** Kapoor RT, Ahmad A, Shakoar A, Paray BA, Ahmad P. Nitric oxide and Strigolactone alleviate mercury-induced oxidative stress in *Lens culinaris* L. by modulating glyoxalase and antioxidant defense system. *Plants* 12(9):1894, **2023**. <https://doi.org/10.3390/plants12091894>. (WoS/Scopus)
- 3539.** Kapoor RT, Elsheikh MA, Alansi S, Shakoar A, Ahmad P. Nitric oxide and hydrogen sulfide alleviates salt incited oxidative stress in *Coriandrum sativum* L. *Journal of King Saud University-Science* 35(10): 102966, **2023**. <https://doi.org/10.1016/j.jksus.2023.102966> WoS and (WoS/Scopus)
- 3540.** Kapoor RT, Hefft DI, Ahmad A, Allakhverdiev S. Nitric oxide and spermidine alleviate arsenic-incited oxidative damage in *Cicer arietinum* by modulating glyoxalase and antioxidant defense system. *Functional Plant Biology* 50(2), 108-120, **2023**. <https://doi.org/10.1071/FP21196>. (WoS/Scopus)
- 3541.** Karataş İ. Optimization of sucrose concentration to promote root proliferation and secondary metabolite accumulation in adventitious root cultures of *Ocimum basilicum*. *In Vitro Cellular & Developmental Biology – Plant* 59:365-377, **2023**. <https://doi.org/10.1007/s11627-023-10341-9>. (WoS/Scopus)
- 3542.** Karcz W, Burdach Z, Rudnicka M. The effects of 1,4-naphthoquinone (NQ) and naphthazarin (5,8-Dihydroxy-1,4-naphthoquinone, DHNQ) individually and in combination on growth and oxidative stress in maize (*Zea mays* L.) seedlings. *Plants* 12(4):900, **2023**. <https://doi.org/10.3390/plants12040900>. (WoS/Scopus)
- 3543.** Karimian Z, Hozhabralsadat MS, Heidari A. Evaluating the ability of green roof plants in capturing air pollutants using biogas-digestate: Exploring physiological, biochemical, and anatomical characteristics. *Environmental Pollution* vol. 333, art. 122071, **2023**. <https://doi.org/10.1016/j.envpol.2023.122071>. (WoS/Scopus)
- 3544.** Kaur H, Nazir F, Hussain SJ, Kaur R, Rajurkar AB, Kumari S, Siddiqui MH, Mahajan M, Khatoon S, Khan MIR. Gibberellic acid alleviates cadmium-induced seed germination inhibition through modulation of carbohydrate metabolism and antioxidant capacity in mung bean seedlings. *Sustainability* 15(4):3790, **2023**. <https://doi.org/10.3390/su15043790>. (WoS/Scopus)
- 3545.** Kaushal K, Ali M, Ohri P. Uncovering the synergistic interplay of melatonin and spermidine in the alleviation of nematode stress in *Solanum lycopersicum*. *Pesticide Biochemistry and Physiology* v. 195, art. 105574, **2023**. <https://doi.org/10.1016/j.pestbp.2023.105574>. (WoS/Scopus)
- 3546.** Kaya C, Ashraf M, Alyemeni MN, Rinklebe J, Ahmad P. Trehalose and NO work together to alleviate Cd toxicity in pepper (*Capsicum annuum* L.) plants by regulating cadmium sequestration and distribution within cells and the antioxidant defense system. *Scientia Horticulturae* vol. 314, art. 111948, **2023**. <https://doi.org/10.1016/j.scienta.2023.111948>. (WoS/Scopus)
- 3547.** Kaya C, Shabala S. Sodium hydrosulfide-mediated upregulation of nitrogen metabolism improves drought stress tolerance in pepper plants. *Environmental and Experimental Botany* 209: 105305, **2023**. <https://doi.org/10.1016/j.envexpbot.2023.105305> (WoS/Scopus)
- 3548.** Kaya C, Ugurlar F, Ashraf M, Alam P, Ahmad P. Nitric oxide and hydrogen sulfide work together to

- improve tolerance to salinity stress in wheat plants by upraising the AsA-GSH cycle. *Plant Physiology and Biochemistry* 194: 651-663, **2023**. <https://doi.org/10.1016/j.plaphy.2022.11.041> (WoS/Scopus)
- 3549.** Kaya C, Ugurlar F, Ashraf M, Alyemeni MN, Moustakas M, Ahmad P. 5-Aminolevulinic acid induces chromium [Cr(VI)] tolerance in tomatoes by alleviating oxidative damage and protecting photosystem II: A mechanistic approach. *Plants* 12(3):502, **2023**. <https://doi.org/10.3390/plants12030502>. (WoS/Scopus)
- 3550.** Kayak N, Kal Ü, Dal Y, D Yavuz, M Seymen. Do proline and glycine betaine mitigate the adverse effects of water stress in spinach?. *Gesunde Pflanzen* 75, 97-113, **2023**. <https://doi.org/10.1007/s10343-022-00675-6>. (WoS/Scopus)
- 3551.** Keleş B, Akbaş F. Morphological, physiological and biochemical responses of safflower (*Carthamus tinctorius* L.) exposed to salinity stress. *Kahramanmaraş Sütçü İmam Üniversitesi Tarım ve Doğa Dergisi (Journal of Agricultural and Natural)* 26(6), 1246-1252, **2023**. <https://doi.org/10.18016/ksutarimdog.vi.1008284>.
- 3552.** Kgang IE, Klein A, Mohamed GG, Mathabe PMK, Belay ZA and Caleb OJ. Enzymatic and proteomic exploration into the inhibitory activities of lemongrass and lemon essential oils against *Botrytis cinerea* (causative pathogen of gray mold). *Frontiers in Microbiology* 13:1101539, **2023**. <https://doi.org/10.3389/fmicb.2022.1101539>. (WoS/Scopus)
- 3553.** Khaledi N, Zare L, Hassani F, Moslemkhani C. Current status of seed-borne *Fusarium* of wheat in Iran and its effect involved in seedling resistance and biochemical indicators. *Indian Phytopathology* 76:689-700, **2023**. <https://doi.org/10.1007/s42360-023-00640-x>. (WoS/Scopus)
- 3554.** Khalid MF, Elezz AA, Jawaid MZ, Ahmed T. Salicylic acid restricts mercury translocation by activating strong antioxidant defense mechanisms in sweet pepper (*Capsicum annum* L.). *Environmental Technology & Innovation* v. 32, art. 103283, **2023**. <https://doi.org/10.1016/j.eti.2023.103283>. (WoS/Scopus)
- 3555.** Khalid N, Saeed A. Physiological responses of seven varieties of soybean [*Glycine max* (L.) Merr.] to salt stress. *Plant Science Today* 10(1), 199-209, **2023**. <https://doi.org/10.14719/pst.1986>. (WoS/Scopus)
- 3556.** Khalifeh N, Sabokdast Nodehi M, Abbasi A, Sobhanverdi S. Mung bean genotypes demonstrate a correlative response at biochemical and molecular level under salinity stress. *Gesunde Pflanzen* 75, 911-919, **2023**. <https://doi.org/10.1007/s10343-022-00735-x>. (WoS/Scopus)
- 3557.** Khan I, Ali SM, Chattha MU, Barbanti L, Calone R, Mahmood A, Albishi TS, Hassan MU, Qari SH. Neem and castor oil-coated urea mitigates salinity effects in wheat by improving physiological responses and plant homeostasis. *Journal of Soil Science and Plant Nutrition* 23, 3915–3931, **2023**. <https://doi.org/10.1007/s42729-023-01311-6>. (WoS/Scopus)
- 3558.** Khan I, Hussan S, Chattha MU, Maqbool R, Mahmood A, Ali M, Aljabri M, Hashem M, Negm S, Moustafa M, Hassan MU, Qari SH. Acetic acid mitigates salinity-induced toxic effects in wheat by maintaining photosynthetic efficiency, antioxidant activities, ionic homeostasis, and synthesis of stress-protection hormones and osmolytes. *Gesunde Pflanzen* 75, 979-992, **2023**. <https://doi.org/10.1007/s10343-022-00759-3>. (WoS/Scopus)
- 3559.** Khan I, Mahmood S, Chattha MU, Bilal Chattha M, Ahmad S, Awan MI, Alqahtani FM, Hashem M, Alhaithloul HAS, Qari SH, Mahmood F, Hassan MU. Organic amendments improved the productivity and bio-fortification of fine rice by improving physiological responses and nutrient homeostasis under salinity stress. *Plants* 12(8):1644, **2023**. <https://doi.org/10.3390/plants12081644>. (WoS/Scopus)
- 3560.** Khan MN, Siddiqui MH, Alhussan KM, El-Alosey AR, AlOmriani MA, Kalaji HM. Titanium dioxide nanoparticles require K⁺ and hydrogen sulfide to regulate nitrogen and carbohydrate metabolism during adaptive response to drought and nickel stress in cucumber. *Environmental Pollution* 334: 122008, **2023**. <https://doi.org/10.1016/j.envpol.2023.122008> (WoS/Scopus)
- 3561.** Khan MN, Siddiqui MH, Mukherjee S, AlSolami MA, Alhussan KM, AlZuaibr FM, Siddiqui ZH, Al-Amri AA, Alsubaie QD. Melatonin involves hydrogen sulfide in the regulation of H⁺-ATPase activity, nitrogen metabolism, and ascorbate-glutathione system under chromium toxicity. *Environmental Pollution* vol. 323, art. 121173, **2023**. <https://doi.org/10.1016/j.envpol.2023.121173>. (WoS/Scopus)
- 3562.** Khan MN. Melatonin regulates mitochondrial enzymes and ascorbate–glutathione system during plant responses to drought stress through involving endogenous calcium. *South African Journal of Botany* v. 162, 622-632, **2023**. <https://doi.org/10.1016/j.sajb.2023.09.032>. (WoS/Scopus)
- 3563.** Khan S, Ibrar D, Hasnain Z, Nawaz M, Rais A, Ullah S, Gul S, Siddiqui MH, Irshad S. Moringa leaf extract mitigates the adverse impacts of drought and improves the yield and grain quality of rice through enhanced physiological, biochemical, and antioxidant activities. *Plants* 12(13):2511, **2023**. <https://doi.org/10.3390/plants12132511>. (WoS/Scopus)
- 3564.** Khan V, Umar S, Iqbal N. Palliating salt stress in mustard through plant-growth-promoting rhizobacteria: regulation of secondary metabolites, osmolytes, antioxidative enzymes and stress ethylene. *Plants* 12(4):705, **2023**. <https://doi.org/10.3390/plants12040705>. (WoS/Scopus)
- 3565.** Khan V, Umar S, Iqbal N. Synergistic action of *Pseudomonas fluorescens* with melatonin attenuates salt toxicity in mustard by regulating antioxidant system and flavonoid profile. *Physiologia Plantarum* 175(6), e14092, **2023**. <https://doi.org/10.1111/pp1.14092>. (WoS/Scopus)
- 3566.** Khan W-u-D, Sharif F, Naeem MA, Farooq MA, Siddiq Z, Imran M. Chitosan polymerized silica composite as a potential silicon source: modulation on antioxidant enzymes, ionic homeostasis, and grain quality in maize plants under Na⁺ stress. *Journal of Plant Growth Regulation* 42, 2374-2388, **2023**. <https://doi.org/10.1007/s00344-022-10711-4>. (WoS/Scopus)
- 3567.** Khan WU, Yasin NA, Ahmad SR, Nazir A, Naeem K, Nadeem QU, Nawaz S, Ijaz M, Tahir A. Burkholderia

- cepacia CS8 improves phytoremediation potential of *Calendula officinalis* for tannery solid waste polluted soil. *International Journal of Phytoremediation* 25: 12, 1656-1668, **2023**. <https://doi.org/10.1080/15226514.2023.2183717> (WoS/Scopus)
- 3568.** Kharkeshi AM, Petroudi ER, Shahmiri FS, Mobasser H, Daneshmand A. Variations of yield, biochemical and antioxidative responses in sesame with silicon and cytokinin treatments under drought stress. *Acta Scientiarum Polonorum Hortorum Cultus* 22(6), 43-54, **2023**. <https://doi.org/10.24326/asp.hc.2023.5048>.
- 3569.** Khavas MS, Rezayian M, Niknam V, Mirmasoumi M. Penconazole and potassium upregulate antioxidant defense to conferring simulated drought tolerance in wheat plants. *Cereal Research Communications*, **2023**. <https://doi.org/10.1007/s42976-023-00428-9>. (WoS/Scopus)
- 3570.** Khosa Q, uz Zaman Q, An T, Ashraf K, Abbasi A, Nazir S, Naz R, Chen Y. Silicon-mediated improvement of biomass yield and physio-biochemical attributes in heat-stressed spinach (*Spinacia oleracea*). *Crop & Pasture Science* 74(3), 230-243, **2023**. <https://www.publish.csiro.au/cp/CP22192>. (WoS/Scopus)
- 3571.** Kiran S, Baysal Furtana G. Responses of eggplant seedlings to combined effects of drought and salinity stress: Effects on photosynthetic pigments and enzymatic and non-enzymatic antioxidants. *Gesunde Pflanzen* 75, 2579-2590, **2023**. <https://doi.org/10.1007/s10343-023-00901-9>. (WoS/Scopus)
- 3572.** Kisiel A, Miller T. Oxidative status of medicago truncatula seedlings after inoculation with rhizobacteria of the genus *Pseudomonas*, *Paenibacillus* and *Sinorhizobium*. *International Journal of Molecular Sciences* 24(5):4781, **2023**. <https://doi.org/10.3390/ijms24054781>. (WoS/Scopus)
- 3573.** Kitamura RSA, Brito JCM, Silva de Assis HC, Gomes MP. Physiological responses and phytoremediation capacity of floating and submerged aquatic macrophytes exposed to ciprofloxacin. *Environmental Science and Pollution Research* 30, 622-639, **2023**. <https://doi.org/10.1007/s11356-022-22253-z>. (WoS/Scopus)
- 3574.** Kitamura RSA, Fusaro T, Marques RZ, Brito JCM, Juneau P, Gomes MP. The use of aquatic macrophytes as a nature-based solution to prevent ciprofloxacin deleterious effects on microalgae. *Water* 15(12):2143, **2023**. <https://doi.org/10.3390/w15122143>. (WoS/Scopus)
- 3575.** Kitamura RSA, Marques RZ, Kubis GC, Kochi LY, Barbato ML, Maranhão LT, Juneau P, Gomes MP. The phytoremediation capacity of *Lemna minor* prevents deleterious effects of anti-HIV drugs to nontarget organisms. *Environmental Pollution* vol. 329, art. 121672, **2023**. <https://doi.org/10.1016/j.envpol.2023.121672>. (WoS/Scopus)
- 3576.** Kitwetch B, Rangseekaew P, Chromkaew Y, Pathom-Aree W, Srinuanpan S. Employing a plant probiotic actinomycete for growth promotion of lettuce (*Lactuca sativa* L. var. *longifolia*) cultivated in a hydroponic system under nutrient limitation. *Plants* 12(22): 3793, **2023**. <https://doi.org/10.3390/plants12223793>. (WoS/Scopus)
- 3577.** Koçak GS, Zeynep GÜ. Determination of the Effects of Heavy Metal Stress on Plant Development and Physiology in Feed Soybean (*Glycine Max* L.). *Selcuk Journal of Agriculture and Food Sciences* 37(3): 430-443, **2023**. <https://dergipark.org.tr/en/pub/selcukjafsci/issue/82043/1411653>
- 3578.** Kocaman A. Effects of foliar application of abscisic acid on antioxidant content, phytohormones in strawberry shoots, and translocation of various heavy metals. *Scientia Horticulturae* vol. 314, art. 111943, **2023**. <https://doi.org/10.1016/j.scienta.2023.111943>. (WoS/Scopus)
- 3579.** Kochi LY, Kitamura RSA, Rocha CS, Brito JCM, Juneau P, Gomes MP. Synergistic removal of ciprofloxacin and sulfamethoxazole by *Lemna minor* and *Salvinia molesta* in mixed culture: implications for phytoremediation of antibiotic-contaminated water. *Water* 15(10):1899, **2023**. <https://doi.org/10.3390/w15101899>. (WoS/Scopus)
- 3580.** Kriti, Kumari B, Singh G, Gautam A, Sinam G, Pal S, Anshu, Mishra K, Mallick S. Enhancement in Ni–Cd phytoremediation efficiency of *Helianthus annuus* L. from battery waste contaminated soil by bacterial augmentation, isolated from e-waste contaminated sites. *International Journal of Environmental Research* vol. 17, art. 18, **2023**. <https://doi.org/10.1007/s41742-023-00508-y>. (WoS/Scopus)
- 3581.** Kucukozdemir U, Dumlu B, Yilmaz O, Turkoglu A, Karagoz H, Kizilgeci F. A study on the determination of cold resistance of barley genotypes with different cold acclimatization different times and growing nature. *Fresenius Environmental Bulletin* 32(6):2452-2459, **2023**. https://www.prt-parlar.de/download_feb_2023/ (WoS/Scopus)
- 3582.** Kumar D, Manhas RK, Ohri P. Deciphering the growth promoting and stress curtailing role of nitric oxide in *Meloidogyne incognita* infested *Solanum lycopersicum* seedlings. *Scientia Horticulturae* vol. 319, art. 112147, **2023**. <https://doi.org/10.1016/j.scienta.2023.112147>. (WoS/Scopus)
- 3583.** Kumar S, Dwivedi A, Pandey AK, Vajpayee P. TiO₂ nanoparticles alter nutrients acquisition, growth, biomacromolecules, oil composition and modulate antioxidant defense system in *Mentha arvensis* L. *Plant Nano Biology* vol. 3, art. 100029, **2023**. <https://doi.org/10.1016/j.plana.2023.100029>.
- 3584.** Lahbouki S, Ben-Laouane R, Outzourhit A, Meddich A. The combination of vermicompost and arbuscular mycorrhizal fungi improves the physiological properties and chemical composition of *Opuntia ficus-indica* under semi-arid conditions in the field. *Arid Land Research and Management* 37(2), 284-309, **2023**. <https://doi.org/10.1080/15324982.2022.2115952>. (WoS/Scopus)
- 3585.** Lahbouki S, Fernando AL, Rodrigues C, Ben-Laouane R, Ait-El-Mokhtar M, Outzourhit A, Meddich A. Effects of humic substances and mycorrhizal fungi on drought-stressed cactus: focus on growth, physiology, and biochemistry. *Plants* 12(24):4156, **2023**. <https://doi.org/10.3390/plants12244156>. (WoS/Scopus)
- 3586.** Lalarukh I, Zahra N, Shahzadi A, MB Hafeez, S Shaheen, A Kausar, A Raza. Role of Aminolevulinic Acid in Mediating Salinity Stress Tolerance in Sunflower (*Helianthus annuus* L.). *Journal of Soil Science and Plant Nutrition* 23, 5345-5359, **2023**. <https://doi.org/10.1007/s42729-023-01406-0>. (WoS/Scopus)

- 3587.** Lally RD, Murphy R, Horgan K. Microbial fermentation products elicit salicylic acid or jasmonic acid related defence pathways in *Solanum lycopersicum*. *Horticulture Environment and Biotechnology* 64:669-681, **2023**. <https://doi.org/10.1007/s13580-022-00501-y>. (WoS/Scopus)
- 3588.** Lamaizi S, Meddich A, Boutasknit A, M Anli, S Lahbouki, L El Fels, Y Ouhdouch, M Hafidi. Application of olive-mill-wastewater-compost in combination with symbiotic microorganisms improves the physiological, biochemical performance and tolerance of tomato (*Solanum lycopersicum*) under drought stress. *Gesunde Pflanzen* 75:1719-1735, **2023**. <https://doi.org/10.1007/s10343-022-00824-x>. (WoS/Scopus)
- 3589.** Lau SE, Pua TL, Saidi NB, Ong-Abdullah J, Lamasudin DU, Tan BC. Combined proteomics and physiological analyses reveal drought and recovery response mechanisms in banana leaves. *Journal of Plant Growth Regulation* 42:7624-7648, **2023**. <https://doi.org/10.1007/s00344-023-11039-3>. (WoS/Scopus)
- 3590.** Li R, Song Y, Wang X, Zheng C, Liu B, Zhang H, Ke J, Wu X, Wu L, Yang R, Jiang M. OsNAC5 orchestrates OsABI5 to fine-tune cold tolerance in rice. *Journal of Integrative Plant Biology*, **2023**. <https://doi.org/10.1111/jipb.13585>. (WoS/Scopus)
- 3591.** Li J, Deng G, Liu H, Wang X, uz Zaman Q, Sultan K, Saud S, El-Kahtany K, Fahad S, Qian F, Chen S. Plant-growth-promoting bioagents: a sustainable tool for improving the soil health, enhancing the growth and antioxidative defense system of tobacco. *Plant Stress* v. 10, art. 100238, **2023**. <https://doi.org/10.1016/j.stress.2023.100238>.
- 3592.** Li J, Li W, Ou W, Ahmed W, Mahmood M, Elnahal ASM, Sultan H, Xin Z, Mehmood S. Alleviating vanadium-induced stress on rice growth using phosphorus-loaded biochar. *Journal of Integrative Agriculture*, **2023**. <https://doi.org/10.1016/j.jia.2023.12.022>. (WoS/Scopus)
- 3593.** Li W, Hu X-Y, Zhu C-S, Guo SX, Li M. Control effect of root exudates from mycorrhizal watermelon seedlings on Fusarium wilt and the bacterial community in continuously cropped soil. *Frontiers in Plant Science* 14:1225897, **2023**. <https://doi.org/10.3389/fpls.2023.1225897>. (WoS/Scopus)
- 3594.** Li Z, Huang C, Han L. Differential regulations of antioxidant metabolism and cold-responsive genes in three bermudagrass genotypes under chilling and freezing stress. *International Journal of Molecular Sciences* 24(18):14070, **2023**. <https://doi.org/10.3390/ijms241814070>. (WoS/Scopus)
- 3595.** Li Z, Zhou M, Zeng W, Zhang Y, Liu L, Liu W, Peng Y. Root metabolites remodeling regulated by γ -aminobutyric acid (GABA) improves adaptability to high temperature in creeping bentgrass. *Plant Soil*, **2023**. <https://doi.org/10.1007/s11104-023-05905-y>. (WoS/Scopus)
- 3596.** Lian H, Qin C, Shen J, Ahanger MA. Alleviation of adverse effects of drought stress on growth and nitrogen metabolism in mungbean (*Vigna radiata*) by sulphur and nitric oxide involves up-regulation of antioxidant and osmolyte metabolism and gene expression. *Plants* 12(17):3082, **2023**. <https://doi.org/10.3390/plants12173082>. (WoS/Scopus)
- 3597.** Liang L, Veksha A, Lisak G. Nanopriming using plastic-derived carbon nanomaterials: boosting growth and salt tolerance of pea (*Pisum sativum* L.). *ACS Agricultural Science & Technology* 3(11), 1081-1091, **2023**. <https://doi.org/10.1021/acsagstech.3c00351>.
- 3598.** Liang SM, Hashem A, Abd-Allah EF, Wu Q-S. Root-associated symbiotic fungi enhance waterlogging tolerance of peach seedlings by increasing flavonoids and activities and gene expression of antioxidant enzymes. *Chemical and Biological Technologies in Agriculture* 10, 124, **2023**. <https://doi.org/10.1186/s40538-023-00500-w>. (WoS/Scopus)
- 3599.** Libron JA, Putri HH, Bore EK, Chepkoech R, AKAGI I, Odama E, Goto K, Tamaru S, Yabuta S, Sakagami JI. Halopriming in the Submergence-tolerant rice variety improved the resilience to salinity and combined salinity-submergence at the seedling stage. *SSRN* 4634193, **2023**. <https://dx.doi.org/10.2139/ssrn.4634193>
- 3600.** Lima JdS, Andrade OVS, Santos LCd, Morais EGd, Martins GS, Mutz YS, Nascimento VL, Marchiori PER, Lopes G, Guilherme LRG. Soybean plants exposed to low concentrations of potassium iodide have better tolerance to water deficit through the antioxidant enzymatic system and photosynthesis modulation. *Plants* 12(13):2555, **2023**. <https://doi.org/10.3390/plants12132555>. (WoS/Scopus)
- 3601.** Liu XQ, Xie MM, Hashem A, Abd-Allah EF, Wu Q-S. Arbuscular mycorrhizal fungi and rhizobia synergistically promote root colonization, plant growth, and nitrogen acquisition. *Plant Growth Regulation* 100, 691-701, **2023**. <https://doi.org/10.1007/s10725-023-00966-6>. (WoS/Scopus)
- 3602.** Liu Z, Liu H, Tan B, Wang X, Chong P. Mitigation of salt stress in *Reaumuria soongarica* seedlings by exogenous Ca^{2+} and NO compound treatment. *Agronomy* 13(8):2124, **2023**. <https://doi.org/10.3390/agronomy13082124>. (WoS/Scopus)
- 3603.** Lou H, Cai H, Fu R, Guo C, Fan B, Hu H, Zhang J, Sun L. Effects of wildfire disturbance on forest soil microbes and colonization of ericoid mycorrhizal fungi in northern China. *Environmental Research* v. 231, part 2, art. 116220, **2023**. <https://doi.org/10.1016/j.envres.2023.116220>. (WoS/Scopus)
- 3604.** Ludwiczak A, Ciarkowska A, Rajabi Dehnavi A, Cárdenas-Pérez S, Piernik A. Growth stage-, organ- and time-dependent salt tolerance of halophyte *Tripolium pannonicum* (Jacq.) Dobrocz. *Life* 13(2):462, **2023**. <https://doi.org/10.3390/life13020462>. (WoS/Scopus)
- 3605.** Luo C, Hu Y, Shu B. Effect of Exogenous Phenolic Substances on Susceptibility of Octoploid Strawberry to Crown Rot. *Journal of Agricultural Science and Technology* 25(3), 673-685, **2023**. <http://jast.modares.ac.ir/article-23-59435-en.html> (WoS/Scopus)
- 3606.** Ma Y, Jie H, Zhao L, Zhang Y, He P, Lv X, Liu X, Xu Y, Jie Y. exogenous xyloglucan oligosaccharides alleviate cadmium toxicity in *Boehmeria nivea* by increasing the cadmium fixation capacity of cell walls. *Agronomy*

- 13(11):2786, 2023. <https://doi.org/10.3390/agronomy13112786>. (WoS/Scopus)
- 3607.** Mahdi SF. The effect of foliar spraying with the amino acid arginine on some vegetative and yield for cowpea plant *Vigna unguiculatal* L. exposed to salt stress. *Journal of Survey in Fisheries Sciences* 10(3S): 2796-2808, 2023. <https://sifisheriessciences.com/journal/index.php/journal/article/view/987> (WoS/Scopus)
- 3608.** Mahmoud N. Biochemical indicators for salt tolerance and their relationship to nutritional compounds in sorghum under ras sudr conditions, South Sinai. *Egyptian Journal of Desert Research* 73(1), 311-341, 2023. <https://doi.org/10.21608/ejdr.2023.188240.1123>.
- 3609.** Mahmoud NE, Abdelhameed RM. Use of titanium dioxide doped multi-wall carbon nanotubes as promoter for the growth, endogenous indices of *Sesamum indicum* L. under heat stress conditions. *Plant Physiology and Biochemistry* v. 201, art. 107844, 2023. <https://doi.org/10.1016/j.plaphy.2023.107844>. (WoS/Scopus)
- 3610.** Mahmud S, Kamruzzaman M, Bhattacharyya S, Alharbi K, Abd El Moneim D, Mostofa MG. Acetic acid positively modulates proline metabolism for mitigating PEG-mediated drought stress in maize and arabidopsis. *Frontiers in Plant Science* 14:1167238, 2023. <https://doi.org/10.3389/fpls.2023.1167238>. (WoS/Scopus)
- 3611.** Maia CF, Pereira YC, da Silva BRS, Batista BL, da Silva Lobato AK. Exogenously applied 24-epibrassinolide favours stomatal performance, ROS detoxification and nutritional balance, alleviating oxidative damage against the photosynthetic apparatus in tomato leaves under nickel stress. *Journal of Plant Growth Regulation* 42, 2196-2211, 2023. <https://doi.org/10.1007/s00344-022-10693-3>. (WoS/Scopus)
- 3612.** Maia RA, Arantes-Garcia L, Pereira EG, Modolo LV, Siqueira-Silva AI, Esteves LVC, França MGC, Oki Y, Fernandes GW. Sunflower physiological adjustments to elevated CO₂ and temperature do not improve reproductive performance and productivity. *Environmental and Experimental Botany* v. 213, art. 105448, 2023. <https://doi.org/10.1016/j.envexpbot.2023.105448>. (WoS/Scopus)
- 3613.** Malik MA, Wani AH, Rashid I, Tahir I, Gulzar I, Shameen F, Mir RR, Ahmad T. Do genotypes ameliorate herbivory stress through silicon amendments differently? A case study of wheat. *Plant Physiology and Biochemistry* vol. 196, 339-349, 2023. <https://doi.org/10.1016/j.plaphy.2023.01.059>. (WoS/Scopus)
- 3614.** Maqsood MF, Shahbaz M, Zulfiqar U, Saman RU, Rehman A, Naz N, Akram M, Haider FU. Enhancing Wheat growth and yield through salicylic acid-mediated regulation of gas exchange, antioxidant defense, and osmoprotection under salt stress. *Stresses* 3(1):372-386, 2023. <https://doi.org/10.3390/stresses3010027>.
- 3615.** Marques RZ, Rodrigues LP, Kaschuk G, Brito JCM, Gomes MP. Protecting soybean yields from enrofloxacin toxicity: The role of *Bradyrhizobium japonicum* inoculation. *Rhizosphere* vol. 28, art. 100813, 2023. <https://doi.org/10.1016/j.rhisph.2023.100813>. (WoS/Scopus)
- 3616.** Martins TdS, Da-Silva CJ, Shimoia EP, Posso DA, Carvalho IR, de Oliveira ACB, do Amarante L. Nitrate supply decreases fermentation and alleviates oxidative and ionic stress in nitrogen-fixing soybean exposed to saline waterlogging. *Functional Plant Biology* 505, 416-433, 2023. <https://doi.org/10.1071/FP22145>. (WoS/Scopus)
- 3617.** Masoabi M, Burger NFV, Botha A-M, Le Roux ML, Vlok M, Snyman S, Van der Vyver C. Overexpression of the Small Ubiquitin-Like Modifier proteaseOTS1 gene enhances drought tolerance in sugarcane(*Saccharum* spp. hybrid). *Plant Biology* 25(7), 1121-1141, 2023. <https://doi.org/10.1111/plb.13585>. (WoS/Scopus)
- 3618.** Masood S, Fayyaz M, Shah G, Rehman M, Rehman M, Khan J, Jahangir MS, Ali R, Rha ES, Jamil M. Biofilm-producing bacteria enhances sodium chloride stress tolerance in maize seedlings. *Journal of Xi'an Shiyou University, Natural Science Edition* 19(11):803-813, 2023.
- 3619.** Mattos DG, Paiva PDdeO, da Silva DPC, dos Reis MV, Neto ARdaC, Paiva R. Precooling and cold storage effects on antioxidant system in calla lily postharvest. *Ciência e Agrotecnologia (Agricultural Sciences)* 47:e018022, 2023. <http://dx.doi.org/10.1590/1413-7054202347018022>.
- 3620.** Mazhar MW, Ishtiaq M, Maqbool M, Ajaib M, Hussain I, Hussain T, Parveen A, Thind S, Sardar T, Akram R, Azeem M, Gulet A. Synergistic application of calcium oxide nanoparticles and farmyard manure induces cadmium tolerance in mung bean (*Vigna radiata* L.) by influencing physiological and biochemical parameters. *PLoS ONE* 18(3): e0282531, 2023. <https://doi.org/10.1371/journal.pone.0282531>. (WoS/Scopus)
- 3621.** Mazhar MW, Ishtiaq M, Maqbool M, Akram R. Seed priming with zinc oxide nanoparticles improves growth, osmolyte accumulation, antioxidant defence and yield quality of water-stressed mung bean plants. *Arid Land Research and Management* 37(2), 222-246, 2023. <https://doi.org/10.1080/15324982.2022.2132547>. (WoS/Scopus)
- 3622.** Mazhar MW, Ishtiaq M, Maqbool M, Atiq Hussain S, Casini R, Abd-ElGawad AM, Elansary HO. Seed nano-priming with calcium oxide maintains the redox state by boosting the antioxidant defense system in water-stressed carom (*Trachyspermum ammi* L.) plants to confer drought tolerance. *Nanomaterials* 13(9):1453, 2023. <https://doi.org/10.3390/nano13091453>. (WoS/Scopus)
- 3623.** Mazhar MW, Ishtiaq M, Maqbool M, Hussain SA. Foliar application of zinc oxide nanoparticles improves rice yield under biotic stress posed by *Magnaporthe oryzae*. *Archives of Phytopathology and Plant Protection* 56(14), 1093-1111, 2023. <https://doi.org/10.1080/03235408.2023.2267658>. Source: (WoS/Scopus)
- 3624.** Mazhar MW, Ishtiaq M, Maqbool M, Ullah F, Sayed SRM, Mahmoud EA. Seed priming with iron oxide nanoparticles improves yield and antioxidant status of garden pea (*Pisum sativum* L.) grown under drought stress. *South African Journal of Botany* 162, 577-587, 2023. <https://doi.org/10.1016/j.sajb.2023.09.047>. (WoS/Scopus)
- 3625.** Meddich A, Sadouki A, Yallouli NEE, Chagiri H, Khalisse H, Oudra B. Performance of Slag-Based Fertilizers in Improving Durum Wheat Tolerance to Water Deficit. *Gesunde Pflanzen* 75, 2541-2551, 2023. <https://doi.org/10.1007/s10343-023-00874-9>. (WoS/Scopus)
- 3626.** Mehmood S, Ahmed W, Mahmood M, Rizwan MS, Asghar RM, Alatalo JM, Imtiaz M, Akmal M,

Abdelrahman H, Ma J, Ali EF. Aquaculture sediments amended with biochar improved soil health and plant growth in a degraded soil. *Marine Pollution Bulletin*, 191: 114899, 2023. <https://doi.org/10.1016/j.marpolbul.2023.114899> (WoS/Scopus)

3627. Meşe Ö, Turfan N, Öner MN. Sapsız meşe tohumlarının bazı kimyasal bileşenlerin belirlenmesi; Demirköy Orman İşletme Müdürlüğü Örneği (Determination of some chemical components of sessile oak seeds; example of Demirköy Forest Enterprise Directorate). *Orman cılık Araştırma Dergisi*, II. Uluslararası Meşe Çalıştayı (Turkish Journal of Forestry Research), 71-78, 2023. <https://doi.org/10.17568/ogmoad.1278224>.

3628. Missaoui K, Ghorbel M, Jrad O, Masmoudi K, Brini F. The wheat lipid transfer protein (TdLTP2) mitigates biotic and abiotic stress damages in transgenic *Arabidopsis thaliana* plants. *Physiological and Molecular Plant Pathology* 127: 102096, 2023. <https://doi.org/10.1016/j.pmpp.2023.102096> (WoS/Scopus)

3629. Mockevičiūtė R, Jurkonienė S, Šveikauskas V, Zareyan M, Jankovska-Bortkevič E, Jankauskienė J, Kozeko L, Gavelienė V. Probiotics, proline and calcium induced protective responses of *Triticum aestivum* under drought stress. *Plants* 12(6):1301, 2023. <https://doi.org/10.3390/plants12061301>. (WoS/Scopus)

3630. Mode AM, Magaji UF, Nzoniwu NA, Wamakko HH, Ahmad I, Dandare SU. Comparative analysis of the antioxidant capacity of milk from different breeds of cow in Nigeria. *International Journal of Biological and Chemical Sciences* 17(2): 600-617, 2023. <https://doi.org/10.4314/ijbcs.v17i2.25>

3631. Mohammadi B, Maboud HE, Seyedi SM. Evaluation of two arms of antioxidant machineries in *Pistacia atlantica* and *Pistacia khinjuk* under different climatic conditions. *Russian Journal of Plant Physiology* vol. 70, art. 42, 2023. <https://doi.org/10.1134/S1021443722602427>. (WoS/Scopus)

3632. Mohd Amnan MA, Teo WFA, Aizat WM, Khaidizar FD, Tan BC. Foliar application of oil palm wood vinegar enhances *Pandanus amaryllifolius* tolerance under drought stress. *Plants* 12(4):785, 2023. <https://doi.org/10.3390/plants12040785>. (WoS/Scopus)

3633. Momeni MM, Kalantar M, Dehghani-Zahedani M. H₂O₂ seed priming improves tolerance to salinity stress in durum wheat. *Cereal Research Communications* 51, 391-401, 2023. <https://doi.org/10.1007/s42976-022-00307-9>. (WoS/Scopus)

3634. Mozaffarinia A, Gol A, Mohammadzadeh A. Hepatoprotective properties of *Cuminum cyminum* seeds powder as post-treatment for acetaminophen-induced injury. *Journal of Advances in Medical & Biomedical Research* 31 (145):170-176, 2023. <http://zums.ac.ir/journal/article-1-6660-en.html>. Source: (WoS/Scopus)

3635. Muhammad HMD, Anjum MA, Ahmad R, Ercisli S. Foliar application of moringa and mint leaf extracts enhances carnation growth and flower yield under saline conditions by improving plant defense mechanism. *Journal of Plant Growth Regulation*, 2023. <https://doi.org/10.1007/s00344-023-11129-2>. (WoS/Scopus)

3636. Mujahid N, Shahbaz M, Kiran A, Wahid MA. Modulations induced by seed priming of Strigolactone (GR24) in morpho-physiological and biochemical attributes of ajwain (*Trachyspermum ammi* L.) under salt stress. *Journal of Plant Growth Regulation* 42, 2893-2906, 2023. <https://doi.org/10.1007/s00344-022-10755-6>. (WoS/Scopus)

3637. Mukhtar MS, Khan W-u-D, Khan AU, Rahman SU, Guo W. Enhancing the wheat growth through micronutrients enriched biochar under salt stress. *Frontiers in Sustainable Food Systems* 7:1102930, 2023. <https://doi.org/10.3389/fsufs.2023.1102930>. (WoS/Scopus)

3638. Musheer N, Jamil A, Choudhary A. Solo and combined applications of fungicides and bio-agents to reduce severity of *Fusarium oxysporum* and induce antioxidant metabolites in *Ocimum tenuiflorum* L. *Journal of Plant Pathology* 105, 237-251, 2023. <https://doi.org/10.1007/s42161-022-01271-3> (WoS/Scopus)

3639. Nabati J, Goldani M, Mohammadi M, Mirmiran SM, Asadi A. The physiology of salt tolerance of lentils genotypes (*Lens culinaris* Medik.) in seedling stage. *Environmental Stresses in Crop Sciences* 16(2): 291-314, 2023. <https://doi.org/10.22077/escs.2022.4579.2042>

3640. Nabati J, Nezami A, Mirmiran SM, Mohammadi M, Hasanfard A. Evaluation of diversity of lentil (*Lens culinaris* Medik.) genotypes under freezing stress in controlled conditions. *Iranian Journal of Pulses Research* 14, 1, 92-111, 2023. <https://doi.org/10.22067/ijpr.v14i1.2208-1042>

3641. Nabizadeh E, Dolatmand N, Haghshenas M, Ahmadi K. Physiological and biochemical changes of maize (*Zea mays* 'MV500') in response to heat stress under levels of salicylic acid. *European Journal of Biology* 82(2), 167-178, 2023. <http://dx.doi.org/10.26650/EurJBiol.2023.1216574>.

3642. Nafees M, Ullah S, Ahmed I. Bioprospecting Biochar and Plant Growth Promoting Rhizobacteria for Alleviating Water Deficit Stress in *Vicia faba* L. *Gesunde Pflanzen* 75, 2563-2577, 2023. <https://doi.org/10.1007/s10343-023-00875-8>. (WoS/Scopus)

3643. Nafees M, Ullah S, Ahmed I. Plant growth-promoting rhizobacteria and biochar as bioeffectors and bioalleviators of drought stress in faba bean (*Vicia faba* L.). *Folia Microbiologica*, 2023. <https://doi.org/10.1007/s12223-023-01103-6>. (WoS/Scopus)

3644. Naom AY, Kang W, Ghanem NF, Abdel-Daim MM, El-Demerdash FM. Actinidia deliciosa as a complementary therapy against nephropathy and oxidative stress in diabetic rats. *Food Science and Human Wellness* 12(6): 1981-1990, 2023. <https://doi.org/10.1016/j.fshw.2023.03.019>. (WoS/Scopus)

3645. Narouizad S, Mozafari H, ASM Javad, K Yaser. The effect of foliar spraying of salicylic acid and silica on improving the quality of date fruit (*Phoenix dactylifera*) mazafati digit. *Journal of Plant Production* 30 (2), 77-97, 2023. https://jopp.gau.ac.ir/article_6475_51e4ab384cf2adeab27a7de05b813136.pdf.

3646. Naseem MBB, Ali Q, Ali S, Khalid MR, Nawaz M. Selenium application reduces cadmium uptake in tomato (*Lycopersicon esculentum* Mill.) by modulating growth, nutrient uptake, gas exchange, root exudates and

- antioxidant profile. *Pakistan Journal of Botany* 55(5), 1-14, **2023**. [http://dx.doi.org/10.30848/PJB2023-5\(6\)](http://dx.doi.org/10.30848/PJB2023-5(6)). (WoS/Scopus)
- 3647.** Naseem Z, Naveed M, Imran M, Saqlain M, Asif M, Bashir M, Alamri S, Siddiqui MH, Brtnicky M, Mustafa A. Elucidating the potential of dye-degrading *Enterobacter cloacae* ZA14 for cultivation of *Solanum lycopersicum* plants with textile effluents. *Water* 15(17):3163, **2023**. <https://doi.org/10.3390/w15173163>. (WoS/Scopus)
- 3648.** Nasir A, Khan MI, Asif M, Nawaz MF, Ahmad I. Farmyard manure enhances phytoremediation and mitigates Pb, Cd, and drought stress in ryegrass. *Sustainability* 15(21):15319, **2023**. <https://doi.org/10.3390/su152115319>. (WoS/Scopus)
- 3649.** Navarro JM, Antolinos V, Botía P, Robles JM. Deficit irrigation applied to lemon trees grafted on two rootstocks and irrigated with desalinated seawater. *Plants* 12(12):2300, **2023**. <https://doi.org/10.3390/plants12122300>. (WoS/Scopus)
- 3650.** Nawaz S, Wahid A, Shahbaz M, Basra SMA. Evaluation of heat stress induced plant metabolites in *Fagopyrum esculentum* Moench. by exogenous application of plant growth promoters. *Energy & Environment*, **2023**. <https://doi.org/10.1177/0958305X231192355>. (WoS/Scopus)
- 3651.** Nazir A, Wahid A. Foliar spray of stress protective chemicals alleviates cobalt toxicity by improving root antioxidant defense in maize (*Zea mays*). *Environmental Science and Pollution Research* 30, 81288-81302, **2023**. <https://doi.org/10.1007/s11356-023-28132-5>. (WoS/Scopus)
- 3652.** Nehela Y, Killiny N. Gamma-aminobutyric acid accumulation contributes to *Citrus sinensis* response against ‘*Candidatus Liberibacter Asiaticus*’ via modulation of multiple metabolic pathways and redox status. *Plants* 12(21):3753, **2023**. <https://doi.org/10.3390/plants12213753>. (WoS/Scopus)
- 3653.** Nematpour A, Eshghizadeh HR. Biochemical responses of sorghum and maize to the impacts of different levels of water deficit and nitrogen supply. *Cereal Research Communications*, **2023**. <https://doi.org/10.1007/s42976-023-00411-4>. (WoS/Scopus)
- 3654.** Neshat M, Chavan DD, Shirmohammadi E, Pourbabaee AA, Zamani F, Torkaman Z. Canola inoculation with *Pseudomonas baetica* R27N3 under salt stress condition improved antioxidant defense and increased expression of salt resistance elements. *Industrial Crops and Products* 206: 117648, **2023**. <https://doi.org/10.1016/j.indcrop.2023.117648> WoS and (WoS/Scopus)
- 3655.** Nessem AA, Ebrahim MKH, Saad-Allah KM, Gad D. Morpho-physiological and biochemical effects of palm pollen extract in alleviation of cadmium and cobalt toxicity in beans (*Phaseolus vulgaris* L.). *Journal of Soil Science and Plant Nutrition* 23, 5279-5299, **2023**. <https://doi.org/10.1007/s42729-023-01401-5>. (WoS/Scopus)
- 3656.** Neto ARC, Paiva PDO, Nogueira MR, Nascimento ÂMP, Santos HO, Reis MV. Exploring the impact of dry conditioning on the postharvest quality and longevity of torch ginger flower stems. *Acta Botanica Brasilica* 37: e20230100, **2023**. <https://doi.org/10.1590/1677-941X-ABB-2023-0100>. (WoS/Scopus)
- 3657.** Niu R, Zhao X, Wang C, Wang F. Physiochemical responses and ecological adaptations of peach to low-temperature stress: assessing the cold resistance of local peach varieties from gansu, China. *Plants* 12(24):4183, **2023**. <https://doi.org/10.3390/plants12244183>. (WoS/Scopus)
- 3658.** Njie A, Dong X, Liu Q, Lu C, Pan X, Zhang W. Melatonin treatment inhibits mango fruit (Cv. ‘Guiqi’) softening by maintaining cell wall and reactive oxygen metabolisms during cold storage. *Postharvest Biology and Technology* v. 205, art. 112500, **2023**. <https://doi.org/10.1016/j.postharvbio.2023.112500>. (WoS/Scopus)
- 3659.** Nogueira MR, Paiva PDdO, Neto ARdC, dos Reis MV, Nascimento ÂMP, Timoteo CdO. Starch-based films for Red Torch ginger inflorescences postharvest conservation. *Ciência e Agrotecnologia (Agricultural Sciences)*, 47:e017822, **2023**. <https://doi.org/10.1590/1413-7054202347017822>.
- 3660.** Nouri Y, Farkhari M. Silymarin production in inoculated *Silybum marianum* L. hairy roots culture with *Piriformospora indica*. *Russian Journal of Plant Physiology* 70, art. 145, **2023**. <https://doi.org/10.1134/S1021443723601520>. (WoS/Scopus)
- 3661.** Nouripour-Sisakht J, Ehsanzadeh P, Ehtemam MH. Physiological, biochemical, and yield attributes of fennel, anise, and ajwain in response to saline irrigation water. *Acta Physiologiae Plantarum* 45, 136, **2023**. <https://doi.org/10.1007/s11738-023-03618-4>. (WoS/Scopus)
- 3662.** Olayinka BU, Abdulbaki AS, Lawal AR, Alsamadany H, Abdulra’uf LB, Ayinla A, Odudu UF. Enhancing germination and seedling growth in salt stressed maize lines through chemical priming. *Basrah Journal of Agricultural Sciences* 36(2), 185-198, **2023**. <https://doi.org/10.37077/25200860.2023.36.2.14>. (WoS/Scopus)
- 3663.** Oliva G, Vigliotta G, Terzaghi M, Guarino F, Cicatelli A, Montagnoli A, Castiglione S. Counteracting action of *Bacillus stratosphericus* and *Staphylococcus succinus* strains against deleterious salt effects on *Zea mays* L. *Frontiers in Microbiology* vol. 14, art. 1171980, **2023**. <https://doi.org/10.3389/fmicb.2023.1171980>. (WoS/Scopus)
- 3664.** Oliveira APdS, Melo YL, de Alencar RS, Viégas PRA, Dias GF, Ferraz RLdS, Sá FVdS, Dantas Neto J, Magalhães ID, Gheyi HR, de Lacerda CF, Melo ASd. Osmoregulatory and antioxidants modulation by salicylic acid and methionine in cowpea plants under the water restriction. *Plants* 12(6):1341, **2023**. <https://doi.org/10.3390/plants12061341>. (WoS/Scopus)
- 3665.** Önder D. Variation in antioxidant capacity, antioxidant activity and mineral composition during flower development of oil-bearing rose (*Rosa damascena* Mill.). *Scientific Reports* 13, 17255, **2023**. <https://doi.org/10.1038/s41598-023-44461-4>. (WoS/Scopus)
- 3666.** Önder S, Yavuz N, Tonguç M. Determination of tolerance and sensitivity of safflower genotypes based on

- germination indices and comparison of biochemical contents under salt stress. *Black Sea Journal of Agriculture*, 6(2): 164-173, **2023**. <https://doi.org/10.47115/bsagriculture.1183604>
- 3667.** Orhan F, Parlak KU, Tabay D, Bozari S. Alleviation of the Cadmium Toxicity by Application of a Microbial Derived Compound, Ectoine. *Water, Air, & Soil Pollution* 234, 534, **2023**. <https://doi.org/10.1007/s11270-023-06562-8>. (WoS/Scopus)
- 3668.** Orocio-Carrillo JA, Rivera-Cruz MC, Juárez-Maldonado A, Bautista-Muñoz CC, González-García Y, Chávez-Álvarez K. Response in the antioxidant defense system of *Leersia hexandra* Sw. to the exposure of petroleum hydrocarbons. *Polibotanica* 55: 245-262, **2023**. <https://www.enrb.ipn.mx/polibotanica/>.
- 3669.** Ou C, Cheng W, Wang Z, Yao X, Yang S. Exogenous melatonin enhances Cd stress tolerance in *Platycladus orientalis* seedlings by improving mineral nutrient uptake and oxidative stress. *Ecotoxicology and Environmental Safety* 252: 114619, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.114619> (WoS/Scopus)
- 3670.** Ouhaddou R, Ech-chatir L, Anli M, R Ben-Laouane, A Boutasknit, A Meddich. Secondary metabolites, osmolytes and antioxidant activity as the main attributes enhanced by biostimulants for growth and resilience of lettuce to drought stress. *Gesunde Pflanzen* 75, 1737-1753, **2023**. <https://doi.org/10.1007/s10343-022-00827-8>. (WoS/Scopus)
- 3671.** Ouhaddou R, Meddich A, Ikan C, Lahlali R, Ait Barka E, Hajirezaei M-R, Duponnois R, Baslam M. Enhancing maize productivity and soil health under salt stress through physiological adaptation and metabolic regulation using indigenous biostimulants. *Plants* 12(21):3703, **2023**. <https://doi.org/10.3390/plants12213703>. (WoS/Scopus)
- 3672.** Ouhibi C, Darwish M, Urban L, Lachaal M, Aarouf J. Nitrogen supply effect on lettuce response to *Botrytis cinerea* and *Sclerotinia minor*. *Journal of Plant Science and Phytopathology* 7: 118-123, **2023**. <https://doi.org/10.29328/journal.jpssp.1001116>.
- 3673.** Özlem ME, TURFAN N, ÖNER MN. Sapsız meşe tohumlarının bazı kimyasal bileşenlerin belirlenmesi; Demirköy Orman İşletme Müdürlüğü Örneği. *Ormancılık Araştırma Dergisi. Turkish Journal of Forestry Research* 10(Özel Sayı): 71-78, **2023**. <https://doi.org/10.17568/ogmoad.1278224>
- 3674.** Paiva PDdO, Silva DPCd, Silva BRd, Sousa IPd, Paiva R, Reis MVd. How scarification, GA3 and Graphene oxide influence the in vitro establishment and development of *Strelitzia*. *Plants* 12(11):2142, **2023**. <https://doi.org/10.3390/plants1211214>. (WoS/Scopus)
- 3675.** Pakzad R, Fatehi F, Kalantar M, Maleki M. Proteomics approach to investigating osmotic stress effects on pistachio. *Frontiers in Plant Science* 13:1041649, **2023**. <https://doi.org/10.3389/fpls.2022.1041649>. (WoS/Scopus)
- 3676.** Pan T, Dong Q, Cai Y, Cai K. Silicon-mediated regulation of cadmium transport and activation of antioxidant defense system enhances *Pennisetum glaucum* resistance to cadmium stress. *Plant Physiology and Biochemistry* 195, 206-213, **2023**. <https://doi.org/10.1016/j.plaphy.2023.01.021>. (WoS/Scopus)
- 3677.** Parkash V, Snider JL, Pilon C, Bag S, Jespersen D, Virk G, Dhillon KK. Differential sensitivities of photosynthetic component processes govern oxidative stress levels and net assimilation rates in virus-infected cotton. *Photosynthesis Research* 158, 41-56, **2023**. <https://doi.org/10.1007/s1120-023-01038-6>. (WoS/Scopus)
- 3678.** Parsa M, Kashanchi M, Zeinali A, Pourfakhraei E. Overexpression of zinc finger (GpZF) transcription factor promotes drought tolerance in grass pea (*Lathyrus sativus* L.). *South African Journal of Botany* vol. 153, 178-187, **2023**. <https://doi.org/10.1016/j.sajb.2022.12.030>. (WoS/Scopus)
- 3679.** Pasquini D, Zampieri E, Ioannou A, Spanos A, Sillo F, Giovannini L, Fotopoulos V, Brunetti C, Lumini E, Balestrini R. Impact of the arbuscular mycorrhizal fungal inoculation on growth and biochemical parameters in *Rosmarinus officinalis* and *Lavandula angustifolia*. *Symbiosis* 91, 107-117, **2023**. <https://doi.org/10.1007/s13199-023-00946-4>. (WoS/Scopus)
- 3680.** Patel A, Tiwari S, Prasad SM. Modulation of salt stress in paddy field cyanobacteria with exogenous application of gibberellic acid: growth behavior and antioxidative status. *Physiology and Molecular Biology of Plants* 29, 51-68, **2023**. <https://doi.org/10.1007/s12298-022-01266-5>. (WoS/Scopus)
- 3681.** Pei Y-Y, Lei L, Fan X-W, Li Y-Z. Effects of high air temperature, drought, and both combinations on maize: A case study. *Plant Science* 327, art. 111543, **2023**. <https://doi.org/10.1016/j.plantsci.2022.111543>. (WoS/Scopus)
- 3682.** Perea-Vélez YS, Carrillo-González R, González-Chávez MadelCA, Vangronsveld J, Monasterio IO, Maruri DT. Citrate-coated cobalt ferrite nanoparticles for the nano-enabled biofortification of wheat. *Food & Function* 14, 4017-4035, **2023**. <https://doi.org/10.1039/D2FO03835H>. (WoS/Scopus)
- 3683.** Pereira-Matos YC, Lima EJdF, Ribeiro AT, Lange CN, Batista BL, El-Beltagi HS, Bajguz A, Lobato AKdS. Exogenous 24-epibrassinolide reverses disturbances in zinc-stressed tomato by synergistically stimulating leaf structures, photosynthesis and growth. *South African Journal of Botany* vol. 159, 447-460, **2023**. <https://doi.org/10.1016/j.sajb.2023.06.034>. (WoS/Scopus)
- 3684.** Polesi LG, de Freitas Fraga HP, Almeida FA, da Silveira V, Guerra MP. Comparative proteomic analysis and antioxidant enzyme activity provide new insights into the embryogenic competence of *Guadua chacoensis* (Bambusoideae, Poaceae). *Journal of Proteomics* vol. 273, art. 104790, **2023**. <https://doi.org/10.1016/j.jprot.2022.104790> (WoS/Scopus)
- 3685.** Polesi LG, Goeten D, Fraga HPdF, Steiner N, Guerra MP. Enzymatic antioxidant system activation assures the viability of *Guadua chacoensis* (Bambusoideae, Poaceae) embryogenic cultures during cryopreservation. *Plants* 12(3):673, **2023**. <https://doi.org/10.3390/plants12030673>. (WoS/Scopus)
- 3686.** Pooam M, El-Ballat EM, Jourdan N, Ali HM, Hano C, Ahmad M, El-Esawi MA. SNAC3 transcription

factor enhances arsenic stress tolerance and grain yield in rice (*Oryza sativa* L.) through regulating physio-biochemical mechanisms, stress-responsive genes, and cryptochrome 1b. *Plants* 12(14):2731, **2023**. <https://doi.org/10.3390/plants12142731>. (WoS/Scopus)

3687. Poomani S, Yadav S, Choudhary R, Singh D, Dahuja A, Yadav SK. Seed priming with humic acid modifies seedling vigor and biochemical response of lentil under heat stress conditions, *Turkish Journal of Agriculture and Forestry* 47(6), Article 20, **2023**. <https://doi.org/10.55730/1300-011X.3147>

3688. Posso DA, da-Silva CJ, Shimoia EP, da Silva Martins T, Reissig GN, de Oliveira ACB, Borella J, van Dongen JT, do Amarante L. Root-hypoxia tolerance in soybean sister-lines plants indicates a better balance in energy use/dissipation and oxidative stress control. *Plant Stress* v. 10, art. 100225, **2023**. <https://doi.org/10.1016/j.stress.2023.100225>.

3689. Priyanka, Dwivedi SK. Hexavalent chromium (Cr⁺⁶) detoxification potential and stress response of fungus *Talaromyces pinophilus* isolated from tannery wastewater. *Environmental Advances* v. 13, art. 100417, **2023**. <https://doi.org/10.1016/j.envadv.2023.100417>.

3690. Qiao S, Song L, Li S, Liu L, Cai H, Si L, Guo C. Overexpression of CcFALDH from spider plant (*Chlorophytum comosum*) enhances the formaldehyde removing capacity of transgenic gloxinia (*Sinningia speciosa*)l. *Environmental Research* vol. 223, art. 115466, **2023**. <https://doi.org/10.1016/j.envres.2023.115466>. (WoS/Scopus)

3691. Queiroz RB, Bessa LA, Ávila RG, Augusto DSS, Oliveira MS, Vitorino LC. Effect of exogenous tryptophan on primary metabolism and oxidative stress and their relationship with seedling germination and vigor of *Glycine max* L. *Agronomy* 13(6):1609, **2023**. <https://doi.org/10.3390/agronomy13061609>. (WoS/Scopus)

3692. Radi AA, Abdel-Wahab DA, Hamada AM, Farghaly FA. The impact of humic acid and moringa treatments on enhancing arsenic tolerance in broccoli plants: modulation of sulphur components and enzymatic antioxidant defense. *Journal of Soil Science and Plant Nutrition* 23, 6721-6737, **2023**. <https://doi.org/10.1007/s42729-023-01529-4>. (WoS/Scopus)

3693. Rady MM, Alharby HF, Tarfayah DAMM, SMA Ahmed. Acidified compost and silymarin-enriched biostimulators integratively improve morpho-physio-biochemistry, antioxidant capacity, and polyamine metabolism enzymes of *Atriplex nummularia* Lindl seedlings under saline-calcareous conditions. *Journal of Soil Science and Plant Nutrition* 23, 4669-4690, **2023**. <https://doi.org/10.1007/s42729-023-01383-4>. (WoS/Scopus)

3694. Rady MM, Alshallash KS, Desoky ES, Taie HA, Mohamed IA, El-Badri AM, Howladar SM, AbdelKhalik A. Synergistic effect of trans-zeatin and silymarin on mitigation of cadmium stress in chili pepper through modulating the activity of antioxidant enzymes and gene expressions. *Journal of Applied Research on Medicinal and Aromatic Plants* 35, 100498, **2023**. <https://doi.org/10.1016/j.jarmap.2023.100498> (WoS/Scopus)

3695. Rady MM, Mossa A-TH, Youssof AMA, Osman ASH, Ahmed SMA, Mohamed IAA. Exploring the reinforcing effect of nano-potassium on the antioxidant defense system reflecting the increased yield and quality of salt-stressed squash plants. *Scientia Horticulturae*, v. 308, art. 111609, **2023**. <https://doi.org/10.1016/j.scienta.2022.111609>. (WoS/Scopus)

3696. Rady MM, Salama MM, Kuşvuran S, Kuşvuran A, Ahmed AF, Ali EF, Farouk HA, Osman AS, Selim KA, Mahmoud AE. Exploring the role of novel biostimulators in suppressing oxidative stress and reinforcing the antioxidant defense systems in cucurbita pepo plants exposed to cadmium and lead toxicity. *Agronomy* 13(7): 1916, **2023**. <https://doi.org/10.3390/agronomy13071916> (WoS/Scopus)

3697. Rady M, Tarfayah D, Ahmed S, Mohamed I. Attenuation of saline-calcareous stress in *Atriplex nummularia* seedlings by treating the soil with an acidified compost. *Labyrinth: Fayoum Journal of Science and Interdisciplinary Studies* 1(1): 21-30, **2023**. <https://doi.org/10.21608/ifjsis.2023.297540>

3698. Rafiee H, Mehrafarin A, Naghdi Badi H, Khalighi-Sigaroodi F, Jabbari E, Ramawat N. Alleviation of low temperatures injury on lemon verbena (*Lippia citriodora* H.B.K.) by exogenous application of adjuvants in anti-chilling formulations. *Journal of Medicinal Plants* 22 (86) :44-61, **2023**. <http://jmp.ir/article-1-3510-en.html>. (WoS/Scopus)

3699. Rahman S, Ahmad I, Nafees M. Mitigation of heavy metal stress in maize (*Zea mays* L.) through application of silicon nanoparticles. *Biocatalysis and Agricultural Biotechnology* 50, art. 102757, **2023**. <https://doi.org/10.1016/j.bcab.2023.102757>. (WoS/Scopus)

3700. Raja V, Qadir SU, Kumar N, Alsahli AA, Rinklebe J, Ahmad P. Melatonin and strigolactone mitigate chromium toxicity through modulation of ascorbate-glutathione pathway and gene expression in tomato. *Plant Physiology and Biochemistry* vol. 201, art. 107872, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107872>. (WoS/Scopus)

3701. Rajapitamahuni S, Lyou ES, Kang BR, Lee TK. Microbial interaction-induced siderophore dynamics lead to phenotypic differentiation of *Staphylococcus aureus*. *Frontiers in Cellular and Infection Microbiology* 13:1277176, **2023**. <https://doi.org/10.3389/fcimb.2023.1277176>. (WoS/Scopus)

3702. Ramzan M, Jamshaid T, Ali L, K Dawar, R Saba, U Jamshaid, S Fahad, SH Salmen, MJ Ansari, S Danish, M Hareem, H Saif, K Shahzad. Modulation of sunflower growth via regulation of antioxidants, oil content and gas exchange by arbuscular mycorrhizal fungi and quantum dot biochar under chromium stress. *BMC Plant Biology* 23, art. 629, **2023**. <https://doi.org/10.1186/s12870-023-04637-6>. (WoS/Scopus)

3703. Ramzan T, Shahbaz M, Maqsood MF, Zulfiqar U, Saman RU, Lili N, Irshad M, Maqsood S, Haider A, Shahzad B, Gaafar A-RZ, Haider FU. Phenylalanine supply alleviates the drought stress in mustard (*Brassica campestris*) by modulating plant growth, photosynthesis and antioxidant defense system. *Plant Physiology and Biochemistry* v. 201, art. 107828, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107828>. (WoS/Scopus)

- 3704.** Rao MJ, Feng B, Ahmad MH, Tahir ul Qamar M, Aslam MZ, Khalid MF, Hussain S, Zhong R, Ali Q, Xu Q, Ma C, Wang L. LC-MS/MS-based metabolomics approach identified novel antioxidant flavonoids associated with drought tolerance in citrus species. *Frontiers in Plant Science* 14:1150854, **2023**. <https://doi.org/10.3389/fpls.2023.1150854>. (WoS/Scopus)
- 3705.** Razi K, Muneer S. Grafting enhances drought tolerance by regulating and mobilizing proteome, transcriptome and molecular physiology in okra genotypes. *Frontiers in Plant Science* 14:1178935, **2023**. <https://doi.org/10.3389/fpls.2023.1178935>. (WoS/Scopus)
- 3706.** Razzaq M, Akram NA, Ali S, Ashraf M. Induction of chromium (Cr) stress tolerance in maize by foliar applied vanillic acid: growth, gas exchange characteristics and antioxidants. *Pakistan Journal of Botany* 55(2): 2023, [http://dx.doi.org/10.30848/PJB2023-2\(13\)](http://dx.doi.org/10.30848/PJB2023-2(13)). (WoS/Scopus)
- 3707.** Rezayian M, Ebrahimzadeh H, Niknam V. Metabolic and physiological changes induced by nitric oxide and its impact on drought tolerance in soybean. *Journal of Plant Growth Regulation* 42, 1905-1918, **2023**. <https://doi.org/10.1007/s00344-022-10668-4>. (WoS/Scopus)
- 3708.** Rezayian M, Niknam V, Arabloo M. Iron nanoparticle regulate succinate dehydrogenase activity in canola plants under drought stress. *Scientific Reports* 13, 9628, **2023**. <https://doi.org/10.1038/s41598-023-36105-4>. (WoS/Scopus)
- 3709.** Rezayian M, Zarinkamar F. Nitric oxide, calmodulin and calcium protein kinase interactions in the response of Brassica napus to salinity stress. *Plant Biology* 25(3), 411-419, **2023**. <https://doi.org/10.1111/plb.13511>. (WoS/Scopus)
- 3710.** Ribeiro AT, Teodoro GS, da Silva KC, Pereira-Matos YC, Batista BL, Lobato AK. 24-Epibrassinolide alleviates drought effects in young Carapa guianensis plants, improving the hydraulic safety margin, gas exchange and antioxidant defence. *Plant Biology* (6): 924-934, **2023**. <https://doi.org/10.1111/plb.13563> (WoS/Scopus)
- 3711.** Rios CO, Siqueira-Silva AI, Pereira EG. Revegetation of mining-impacted sites with a tropical native grass: Constraints of climate seasonality and trace-element accumulation. *Journal of Environmental Management* v. 326, Part A, art. 116655, **2023**. <https://doi.org/10.1016/j.jenvman.2022.116655>. (WoS/Scopus)
- 3712.** Rios GR, Rios CO, de Araújo TO, AI Siqueira-Silva, EG Pereira. Iron excess and nitrogen deprivation influence photosynthetic metabolism in grasses used for mineland rehabilitation. *Theoretical and Experimental Plant Physiology* v. 35, 427-442, **2023**. <https://doi.org/10.1007/s40626-023-00298-w>. (WoS/Scopus)
- 3713.** Rohitha K, Beena R, Jayalekshmy VG, Nivedhitha MS, Vijayakumar A, Gopinath PP. Changes in water stress indicators and antioxidant systems in chilli by chemical seed priming under water stress condition. *Vegetos*, **2023**. <https://doi.org/10.1007/s42535-023-00695-1>. (WoS/Scopus)
- 3714.** Rolim JM, Martins AC, Rosa CP da, Barbosa BS, Martinazzo EG, Pedó T, Aumonde T Z. Physiological and biochemical performance of barley cultivars under water restriction stress at different temperatures. *Research, Society and Development* 12(7), p. e11212741738, **2023**. <https://doi.org/10.33448/rsd-v12i7.41738>.
- 3715.** Roshini D, Anbumalarmathi J. Effect of silicon on morphological, physiological and biochemical characteristics in salinity tolerance in indica rice. *Oryza* 60(1), 175-190, **2023**. <https://doi.org/10.35709/ory.2023.60.1.9>
- 3716.** Rotaru V, Todiraş V. Effects of biopesticide carbocol, funecol and biofertilizer ecolit on photosynthetic pigments and hydrogen peroxide contents in tomato (*Solanum lycopersicum* L.) plants. *Scientific Papers. Series A. Agronomy* 66(1), 829-834, **2023**. https://agronomyjournal.usamv.ro/pdf/2023/issue_1/Art107.pdf
- 3717.** Rukhsar-Ul-Haq, Kausar A, Hussain S, Javed T, Zafar S, Anwar S, Hussain S, Zahra N, Saqib M. Zinc oxide nanoparticles as potential hallmarks for enhancing drought stress tolerance in wheat seedlings. *Plant Physiology and Biochemistry* vol. 195: 341-350, **2023**. <https://doi.org/10.1016/j.plaphy.2023.01.014>. (WoS/Scopus)
- 3718.** Sadak MS, Dawood MG Biofertilizer role in alleviating the deleterious effects of salinity on wheat growth and productivity. *Gesunde Pflanzen* 75, 1207-1219, **2023**. <https://doi.org/10.1007/s10343-022-00783-3>. (WoS/Scopus)
- 3719.** Sadak MS, Hanafy RS, Elkady FMAM, Mogazy AM, Abdelhamid MT. Exogenous calcium reinforces photosynthetic pigment content and osmolyte, enzymatic, and non-enzymatic antioxidants abundance and alleviates salt stress in bread wheat. *Plants* 12(7):1532, **2023**. <https://doi.org/10.3390/plants12071532>. (WoS/Scopus)
- 3720.** Saeed F, Kausar A, Ali Q, Akhter N, Tehseen S. Impact of combined glutathione and Zn application for seed priming in ameliorating the adverse effects of water stress on maize seed germination attributes, metabolite levels, and seedling vigor. *Gesunde Pflanzen* 75, 2147-2168, **2023**. <https://doi.org/10.1007/s10343-023-00831-6>.
- 3721.** Saeed F, Kausar A, Ali Q, Mahmood A, Javed T, Shabbir R, Ali MF. Glutathione and zinc application upregulate the antioxidant system increasing photosynthetic pigments and growth under water stress in maize (*Zea mays* L.). *Brazilian Journal of Botany*, **2023**. <https://doi.org/10.1007/s40415-023-00942-4>. (WoS/Scopus)
- 3722.** Saeed F, Rasul S, Batool S, Zafar ZU, Manzoor H. Exogenous applications of salicylic acid alleviate the damaging effects of heat stress in chili (*Capsicum frutescens* L.) through improved antioxidant defense system. *International Journal of Applied and Experimental Biology* 2(1):59-68, **2023**. <https://doi.org/10.56612/ijaeb.v2i1.51>.
- 3723.** Safari F, Akramian M, Salehi-Arjmand H, Ghorbanpour M. Nitric oxide-induced physiochemical alterations and gene expression in lemon balm (*Melissa officinalis* L.) under water deficit stress. *Journal of Plant Growth Regulation* 42, 5438-5451, **2023**. <https://doi.org/10.1007/s00344-022-10673-7>. (WoS/Scopus)
- 3724.** Sagharyan M, Sharifi M, Samari E. Methyl jasmonate redirects the dynamics of carbohydrates and amino

- acids toward the lignans accumulation in *Linum album* cells. *Plant Physiology and Biochemistry* 198: 107677, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107677> WoS and (WoS/Scopus)
- 3725.** Salehi F, Rahnama A, Meskarbashe M, Khanlou KM, Ghorbanpour M. Physiological and metabolic changes of safflower (*Carthamus tinctorius* L.) cultivars in response to terminal heat stress. *Journal of Plant Growth Regulation* 42, 6585-6600, **2023**. <https://doi.org/10.1007/s00344-023-10911-6>. (WoS/Scopus)
- 3726.** Salma T, Mohamed A, Abderrahim B, Raja B-L, Wissal B, Hela BA, Meddich A. Combined use of mycorrhizae and green compost for reducing the deleterious effects of salt stress in two genotypes of quinoa (*Chenopodium quinoa*). *Journal of Soil Science and Plant Nutrition* 23, 1254-1271, **2023**. <https://doi.org/10.1007/s42729-022-01118-x>. (WoS/Scopus)
- 3727.** Samad A, Shaukat K, Ansari M, Nizar M, Zahra N, Naz A, Iqbal HMW, Raza A, Pesic V, Djalovic I. Role of foliar spray of plant growth regulators in improving photosynthetic pigments and metabolites in *Plantago ovata* (Psyllium) under salt stress—A field appraisal. *BIOCELL* 47(3), 523–532, **2023**. <https://doi.org/10.32604/biocell.2023.023704>. (WoS/Scopus)
- 3728.** Samad A, Shaukat K, Ansari MR, Ahmad HM, Nizar M, Hakeem A, Fiaz S, Alafari HA, Jalal AS, Attia KA, Karataş N. Plant growth regulators ameliorate biochemical and molecular parameters in *Plantago ovata* Forssk. under salt stress. *Turkish Journal of Agriculture and Forestry* 47(5), art. 9, **2023**. <https://doi.org/10.55730/1300-011X.3120>. (WoS/Scopus)
- 3729.** Saman RU, Shahbaz M, Maqsood MF, Lili N, Zulfiqar U, Haider FU, Naz N, Shahzad B. Foliar Application of ethylenediamine tetraacetic acid (EDTA) improves the growth and yield of brown mustard (*Brassica juncea*) by modulating photosynthetic pigments, antioxidant defense, and osmolyte production under lead (Pb) stress. *Plants* 12(1):115, **2023**. <https://doi.org/10.3390/plants12010115>. (WoS/Scopus)
- 3730.** Samanta A, Maity TR, Dey S, Gupta S, Datta S. The effect of pro-oxidant, anti-oxidant and anti-cancerous drug on colchicine induced polyploidy cells of grass pea seedling. *Advances in Zoology and Botany* 11(5), 399 - 407, **2023**. https://www.hrpub.org/journals/article_info.php?aid=13392.
- 3731.** Sami H, Ashraf K, Sultan K, Alamri S, Abbas M, Javied S, uz Zaman Q. Remediation potential of biochar and selenium for mitigating chromium-induced stress in spinach to minimize human health risk. *South African Journal of Botany* v. 163: 237-249, **2023**. <https://doi.org/10.1016/j.sajb.2023.10.049>. (WoS/Scopus)
- 3732.** Sánchez-Quezada V, Gaytán-Martínez M, Recio I, Loarca-Piña G. Avocado seed by-product uses in emulsion-type ingredients with nutraceutical value: Stability, cytotoxicity, nutraceutical properties, and assessment of in vitro oral-gastric digestion. *Food Chemistry* 421: 136118, **2023**. <https://doi.org/10.1016/j.foodchem.2023.136118> (WoS/Scopus)
- 3733.** Santos TRS, Santos JAS, Pereira EG, QS Garcia. Revegetation of an area impacted by iron ore tailings: evaluating fertilization alternatives in native pioneer and secondary trees. *Environmental Science and Pollution Research* 30, 3760-3773, **2023**. <https://doi.org/10.1007/s11356-022-22376-3>. (WoS/Scopus)
- 3734.** Saravanan K, Vidya N, Halka J, Kowsalya K, Appunu C, Gurusaravanan P, Arun M. Mitigation of salt stress in soybean (*Glycine max* (L.) Merrill) using exogenous application of onion extract. *Journal of Soil Science and Plant Nutrition* 23, 5207-5221, **2023**. <https://doi.org/10.1007/s42729-023-01393-2>. (WoS/Scopus)
- 3735.** Sardar H, Khalid Z, Ahsan M, Naz S, Nawaz A, Ahmad R, razzaq k, wabaidur sm, jacquard c, širić i, kumar p, abou fayssal s. enhancement of salinity stress tolerance in lettuce (*Lactuca sativa* L.) via foliar application of nitric oxide. *Plants* 12(5):1115, **2023**. <https://doi.org/10.3390/plants12051115>. (WoS/Scopus)
- 3736.** Sardar H, Ramzan MA, Naz S, S Ali, S Ejaz, R Ahmad, MA Altaf. Exogenous application of melatonin improves the growth and productivity of two broccoli (*Brassica oleracea* L.) cultivars under salt stress. *Journal of Plant Growth Regulation* 42, 5152-5166, **2023**. <https://doi.org/10.1007/s00344-023-10946-9>. (WoS/Scopus)
- 3737.** Sarkar B, Bandyopadhyay P, Das A, Pal S, Hasanuzzaman M, Adak MK. Absciscic acid priming confers salt tolerance in maize seedlings by modulating osmotic adjustment, bond energies, ROS homeostasis, and organic acid metabolism. *Plant Physiology and Biochemistry* vol. 202, art. 107980, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107980>. (WoS/Scopus)
- 3738.** Sattar A, Sher A, Ijaz M, Ul-Allah S, Abbas T, Hussain S, Hussain J, Khalil HB, Alharbi BM, El-Yazied AA, et al. Silicon and strigolactone application alleviates the adversities of cadmium toxicity in maize by modulating morpho-physiological and antioxidants defense mechanisms. *Agronomy* 13(9):2352, **2023**. <https://doi.org/10.3390/agronomy13092352>. (WoS/Scopus)
- 3739.** Sattar A, Sher A, Ijaz M, Ul-Allah S, Hussain S, Rasheed U, Hussain J, Al-Qahtani SM, Al-Harbi NA, Mahmoud SF, Ibrahim MFM. Modulation of antioxidant defense mechanisms and morpho-physiological attributes of wheat through exogenous application of silicon and melatonin under water deficit conditions. *Sustainability* 15(9):7426, **2023**. <https://doi.org/10.3390/su15097426>. (WoS/Scopus)
- 3740.** Seckin Dinler B, Cetinkaya H, Secgin Z. The regulation of glutathione s-transferases by gibberellic acid application in salt treated maize leaves. *Physiology and Molecular Biology of Plants* 29, 69-85, **2023**. <https://doi.org/10.1007/s12298-022-01269-2>. (WoS/Scopus)
- 3741.** Seymen M, Çiçek Arı B, Kal Ü, N Issı, Z Atakul, D Yavuz. Mitigation effects of melatonin applied to cauliflower seedlings under different flooding durations. *Gesunde Pflanzen* 75, 1031-1045, **2023**. <https://doi.org/10.1007/s10343-022-00797-x>. (WoS/Scopus)
- 3742.** Seymen M, Şahin AŞ, Tanrıverdi ÖB. Mitigation effects of proline and glycine betaine to green onion under flooding stress. *Gesunde Pflanzen* 75, 1639-1652, **2023**. <https://doi.org/10.1007/s10343-023-00854-z>. (WoS/Scopus)

- 3743.** Seymen M, Yavuz D, Eroğlu S, Arı BÇ, Tanrıverdi ÖB, Atakul Z, Issı N. Effects of different levels of water salinity on plant growth, biochemical content, and photosynthetic activity in cabbage seedling under water-deficit conditions. *Gesunde Pflanzen*, 75, 871-884, **2023**, <https://doi.org/10.1007/s10343-022-00788-y> (WoS/Scopus)
- 3744.** Shabaan M, Asghar HN, Akhtar MJ, Saleem MF. Assessment of cumulative microbial respiration and their ameliorative role in sustaining maize growth under salt stress. *Plant Physiology and Biochemistry* vol. 196, 33-42, **2023**. <https://doi.org/10.1016/j.plaphy.2023.01.037>. (WoS/Scopus)
- 3745.** Shad MI, Ashraf MA, Rasheed R, I Hussain, S Ali. Exogenous coumarin decreases phytotoxic effects of manganese by regulating ascorbate–glutathione cycle and glyoxalase system to improve photosynthesis and nutrient acquisition in sesame (*Sesamum indicum* L.). *Journal of Soil Science and Plant Nutrition* 23, 251-274, **2023**. <https://doi.org/10.1007/s42729-022-00983-w>. (WoS/Scopus)
- 3746.** Shah AA, Ahmed S, Malik A, Naheed K, Hussain S, Yasin NA, Javad S, Siddiqui MH, Ali HM, Ali A. Potassium silicate and zinc oxide nanoparticles modulate antioxidant system, membranous H⁺-ATPase and nitric oxide content in faba bean (*Vicia faba*) seedlings exposed to arsenic toxicity. *Functional Plant Biology* 50(2), 146-159, **2023**. <https://doi.org/10.1071/FP21301>. (WoS/Scopus)
- 3747.** Shah WH, Rasool A, Padder SA, Singh RK, Prasad M, Tahir I, ul Rehman R, Hakeem KR. Decarboxylation mechanisms of the C4 cycle in foxtail millet observed under salt and selenium treatments. *Plant Growth Regulation* 99, 65-83, **2023**. <https://doi.org/10.1007/s10725-022-00888-9>. (WoS/Scopus)
- 3748.** Shaheen S, Baber M, Aslam S, Aslam S, Shaheen M, Waheed R, Seo H, Azhar MT. Effect of NaCl on morphophysiological and biochemical responses in *Gossypium hirsutum* L. *Agronomy* 13(4):1012, **2023**. <https://doi.org/10.3390/agronomy13041012>. (WoS/Scopus)
- 3749.** Shahroudi E, Zarinkamar F, Rezayian M. Putrescin modulates metabolic and physiological characteristics of *Thymus daenensis* under drought stress. *Scientia Horticulturae* vol. 321, art. 112268, **2023**. <https://doi.org/10.1016/j.scienta.2023.112268>. (WoS/Scopus)
- 3750.** Shahtousi S, Talaee L. The effect of spermine on *Tetranychus urticae*-*Cucumis sativus* interaction. *BMC Plant Biology* 23, 575, **2023**. <https://doi.org/10.1186/s12870-023-04573-5>. (WoS/Scopus)
- 3751.** Shahzad R, Harlina PW, Gallego PP, Flexas J, Ewas M, Leiwen X, Karuniawan A. The seaweed *Ascophyllum nodosum*-based biostimulant enhances salt stress tolerance in rice (*Oryza sativa* L.) by remodeling physiological, biochemical, and metabolic responses. *Journal of Plant Interactions*, 18(1), art. 2266514, **2023**. <https://doi.org/10.1080/17429145.2023.2266514>. (WoS/Scopus)
- 3752.** Shalaby OAEI-S, Farag R, Ibrahim MFM. Effect of hydrogen sulfide and hydrogen peroxide on growth, yield and nutrient content of broccoli plants grown under saline conditions. *Scientia Horticulturae*, v. 316, art. 112035, **2023**. <https://doi.org/10.1016/j.scienta.2023.112035>. (WoS/Scopus)
- 3753.** Shanthi N, Al-Huqail AA, Perveen K, Vaidya G, Bhaskar K, Khan F, Alfagham A. Drought stress alleviation through nutrient management in *Cyamopsis tetragonoloba* L. *Journal of King Saud University – Science* 35(7), art. 102842, **2023**. <https://doi.org/10.1016/j.jksus.2023.102842>. (WoS/Scopus)
- 3754.** Sharf-Eldin AA, Alwutayd KM, El-Yazied AA, El-Beltagi HS, Alharbi BM, Eisa MAM, Alqurashi M, Sharaf M, Al-Harbi NA, Al-Qahtani SM, et al. Response of maize seedlings to silicon dioxide nanoparticles (SiO₂NPs) under drought stress. *Plants* 12(14):2592, **2023**. <https://doi.org/10.3390/plants12142592>. (WoS/Scopus)
- 3755.** Sharma D, Bhardwaj S, Raza A, Singh R, Kapoor D, Sharma NR, Prasad PVV. Alleviatory effects of silicon and 24-epibrassinolide in modulation of growth, osmolytes, metabolites, antioxidant defense system, and gene expression in lead-exposed fenugreek (*Trigonella foenum-graecum* L.) plants. *Agronomy* 13(7):1884, **2023**. <https://doi.org/10.3390/agronomy13071884>. (WoS/Scopus)
- 3756.** Sharma M, Gupta I, Tisarum R, DR Batish, S Cha-um, HP Singh. Paclobutrazol improves the chlorophyll content and antioxidant activities of red rice in response to alkaline stress. *Journal of Soil Science and Plant Nutrition* 23, 6429-6444, **2023**. <https://doi.org/10.1007/s42729-023-01497-9>. (WoS/Scopus)
- 3757.** Sharma S, Rai P, Prakash V, Tripathi S, Tiwari K, Gahlawat N, Tripathi DK, Sharma Sh. Ameliorative effects of Si-SNP synergy to mitigate chromium induced stress in *Brassica juncea*. *Environmental Pollution* v. 335, art. 122031, **2023**. <https://doi.org/10.1016/j.envpol.2023.122031>. (WoS/Scopus)
- 3758.** Shedeed ZA, Farahat EA. Alleviating the toxic effects of Cd and Co on the seed germination and seedling biochemistry of wheat (*Triticum aestivum* L.) using *Azolla pinnata*. *Environmental Science and Pollution Research* 30, 76192-76203, **2023**. <https://doi.org/10.1007/s11356-023-27566-1>. (WoS/Scopus)
- 3759.** Shehu Z, Ayuba SA, Bello ZH, Abubakar M, Shehu A. Comparative studies on the effect of salinity and drought stress on enzymatic antioxidant defense system of two maize (*Zea mays* L.) varieties. *Caliphate Journal of Science and Technology* 5(2): 140-147, **2023**. <https://dx.doi.org/10.4314/cajost.v5i2.8>
- 3760.** Shehzad MA, Hussain I, Akhtar G, Ahmad KS, Nawaz F, Faried HN, Mehmood A. Insights into physiological and metabolic modulations instigated by exogenous sodium nitroprusside and spermidine reveals drought tolerance in *Helianthus annuus* L. *Plant Physiology and Biochemistry* v. 202, art. 107935, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107935>. (WoS/Scopus)
- 3761.** Shibaeva T, Rubaeva A, Sherudilo E, Titov A. The effect of mineral nutrition on yield, nutritional value and consumer safety of radish microgreens under different photoperiods. *BIO Web of Conferences* v. 67, art. 02025, **2023**. <https://doi.org/10.1051/bioconf/20236702025>.
- 3762.** Shibaeva TG, Sherudilo EG, Rubaeva AA, Levkin IA, Titov AF. Effect of abnormal light/dark cycles on the pigment complex of Brassicaceae and Solanaceae plants. *Russian Journal of Plant Physiology* 70, art. 168, **2023**. <https://doi.org/10.1134/S1021443723700310>. (WoS/Scopus)

- 3763.** Siddiqui MH, Mukherjee S, Al-Munqedhi BMA, Kumar R, Kalaji HM. Salicylic acid and silicon impart resilience to lanthanum toxicity in *Brassica juncea* L. seedlings. *Plant Growth Regulation* 100, 453-466, **2023**. <https://doi.org/10.1007/s10725-021-00787-5>. (WoS/Scopus)
- 3764.** Silva BRSD, Lobato EMSG, Santos LAd, Pereira RM, Batista BL, Alyemeni MN, Ahmad P, Lobato AKdS. How different Na^+ concentrations affect anatomical, nutritional physiological, biochemical, and morphological aspects in soybean plants: a multidisciplinary and comparative approach. *Agronomy* 13(1):232, **2023**. <https://doi.org/10.3390/agronomy13010232>. (WoS/Scopus)
- 3765.** Silva VN, Bernardes MM, Pereira AAS, RA Ferreira, EG Pereira, EM Bicalho. Seed priming of *Handroanthus heptaphyllus* for the restoration of the mining fields. *Water, Air, & Soil Pollution* v. 234, art. 31, **2023**. <https://doi.org/10.1007/s11270-022-06032-7>. (WoS/Scopus)
- 3766.** Sınacı C, Çelik A, Yetkin D, Çevik S, Gülera G. Sulfoxaflor insecticide exhibits cytotoxic or genotoxic and apoptotic potential via oxidative stress-associated DNA damage in human blood lymphocytes cell cultures. *Drug and Chemical Toxicology* 46(5), 972-983, **2023**. <https://doi.org/10.1080/01480545.2022.2114006>. (WoS/Scopus)
- 3767.** Singh A, Chakraborty S, Roychoudhury A. Activated charcoal alleviates fluoride stress by restricting fluoride uptake and counteracting oxidative damages in the rice cultivar MTU1010. *Turkish Journal of Botany* Vol. 47(2), art. 3, **2023**. <https://doi.org/10.55730/1300-008X.2749>. (WoS/Scopus)
- 3768.** Singh DV, Singh RP. Effect of different temperature regimes on remediation efficiency, photosynthetic performance and fatty acid profile of algal consortia. *Bioresource Technology Reports* v. 22, art. 101472, **2023**. <https://doi.org/10.1016/j.biteb.2023.101472>. (WoS/Scopus)
- 3769.** Singh G, Kumari B, Singh J, P Kumar, K Kriti, G Sinam, S Pal, SK Behera, N Mishra, S Mallick. A comparative assessment of fluoride uptake and toxicity in four major crop seedlings: reduction of α -amylase activity and gibberellic acid. *Acta Physiologiae Plantarum* volume 45, art. 87, **2023**. <https://doi.org/10.1007/s11738-023-03543-6>. (WoS/Scopus)
- 3770.** Singh P, Singh M, Singh SK, Prasad SM. Application of soil amendments mitigates phytotoxic effects on *Solanum melongena* L. and *Lycopersicon esculentum* L. seedlings exposed to chlorpyrifos and dimethoate pesticides. *Environmental Science and Pollution Research* 30, 59891-59908, **2023**. <https://doi.org/10.1007/s11356-023-26696-w>. (WoS/Scopus)
- 3771.** Singh RP, Yadav P, Kumar A, Hashem A, Avila-Quezada GD, Abd_Allah EF, Gupta RK. Salinity-induced physiochemical alterations to enhance lipid content in oleaginous microalgae *Scenedesmus* sp. BHU1 via two-stage cultivation for biodiesel feedstock. *Microorganisms* 11(8):2064, **2023**. <https://doi.org/10.3390/microorganisms11082064>. (WoS/Scopus)
- 3772.** Singh RR, Ameye M, Haesaert G, Deveux M, Spanoghe P, Audenaert K, Rabasse J-M, Kyndt T. β -Aminobutyric acid induced phytotoxicity and effectiveness against nematode is stereomer-specific and dose-dependent in tomato. *Physiologia Plantarum* 175(1), e13862, **2023**. <https://doi.org/10.1111/ppl.13862>. (WoS/Scopus)
- 3773.** Singh S, Chanotiya CS, Singh A, Vajpayee P, Kalra A. Role of ACC-deaminase synthesizing *Trichoderma harzianum* and plant growth-promoting bacteria in reducing salt-stress in *Ocimum sanctum*. *Physiology and Molecular Biology of Plants* 29, 815-828, **2023**. <https://doi.org/10.1007/s12298-023-01328-2>. (WoS/Scopus)
- 3774.** Singh S, Kandhol N, Pandey S, Singh VP, Tripathi DK, Chauhan DK. Nitric oxide overcomes copper and copper oxide nanoparticle-induced toxicity in *Sorghum vulgare* seedlings through regulation of ROS and proline metabolism. *Functional Plant Biology* 50(2), 183-194, **2023**. <https://doi.org/10.1071/FP22021> (WoS/Scopus)
- 3775.** Slimani A, Raklami A, Benmrid B, Oufdou K, Meddich A. Salt-tolerant plant growth-promoting rhizobacteria mitigate salinity in barley by improving photosynthetic capacity, antioxidant activity, and soil fertility. *Biologia* 78, 3367-3379, **2023**. <https://doi.org/10.1007/s11756-023-01541-0>. (WoS/Scopus)
- 3776.** Slimani A, Raklami A, Oufdou K, Meddich A. Isolation and characterization of PGPR and their potencial for drought alleviation in barley plants. *Gesunde Pflanzen* 75, 377-391, **2023**. <https://doi.org/10.1007/s10343-022-00709-z>. (WoS/Scopus)
- 3777.** Slimani N, Arraouadi S, Hajlaoui H, Borgi MA, Boughattas NEH, De Feo V, Snoussi M. The impact of greenhouse and field growth conditions on *Chenopodium quinoa* wild accessions' response to salt stress: A comparative approach. *Agronomy* 13(9):2303, **2023**. <https://doi.org/10.3390/agronomy13092303>. (WoS/Scopus)
- 3778.** Sneha GR, Annayya, Hembrom BB, E Varghese, RK Yadav, G Abraham. Screening and selection of *Anabaena* spp. for desiccation tolerance through physiological parameters and multivariate analysis. *Journal of Applied Phycology* 35, 1273-1284, **2023**. <https://doi.org/10.1007/s10811-023-02942-z>. (WoS/Scopus)
- 3779.** Sobhy S, Abo-Kassem EM, Saad-Allah KM, Hafez EE. Physiological and molecular effects of calcium and salicylic acid on *Fusarium graminearum*-infected wheat seedlings. *Journal of Plant Growth Regulation* 42, 5796-5815, **2023**. <https://doi.org/10.1007/s00344-023-10966-5>. (WoS/Scopus)
- 3780.** Sohrabi M, Gol A, Khaleghi M. Pre-and post-treatment effects of *Lactobacillus acidophilus* ATCC 4356 on oxidative stress and function of liver in diabetic male rats. *GOVARESH* 28(2): 137-145, **2023**. <http://www.govaresh.org/index.php/dd/article/download/2526/2394> (WoS/Scopus)
- 3781.** Soliman MH, Alnusairi GSH, Khan AA, Alnusaire TS, Fakhr MA, Abdulmajeed AM, Aldesuquy HS, Yahya M, Najeeb U. Biochar and selenium nanoparticles induce water transporter genes for sustaining carbon assimilation and grain production in salt-stressed wheat. *Journal of Plant Growth Regulation* 42, 1522-1543, **2023**. <https://doi.org/10.1007/s00344-022-10636-y>. (WoS/Scopus)
- 3782.** Soltani M, Samari E, Vazirifar S, Chashmi NA, Sharifi M, Fotovat R. Putrescine induces lignans

biosynthesis through changing the oxidative status and reprogramming amino acids and carbohydrates levels in *Linum album* hairy roots. *Plant Cell, Tissue and Organ Culture* 153, 387-402, **2023**. <https://doi.org/10.1007/s11240-023-02479-6>. (WoS/Scopus)

3783. Song X, Xu Z, Zhang J, Liang L, Xiao J, Liang Z, Yu G, Sun B, Huang Z, Tang Y, Lai Y. NO and GSH alleviate the inhibition of low-temperature stress on cowpea seedlings. *Plants* 12(6): 1317, **2023**. <https://doi.org/10.3390/plants12061317> (WoS/Scopus)

3784. Sorahinobar M, Deldari T, Nazem Bokaei Z, Mehdiinia A. Effect of zinc nanoparticles on the growth and biofortification capability of mungbean (*Vigna radiata*) seedlings. *Biologia* 78, 951-960, **2023**. <https://doi.org/10.1007/s11756-022-01269-3>. (WoS/Scopus)

3785. Sousa GFd, Silva MA, Carvalho MRd, Morais EGd, Benevenuto PAN, Van Opbergen GAZ, Van Opbergen GGZ, Guilherme LRG. Foliar selenium application to reduce the induced-drought stress effects in coffee seedlings: induced priming or alleviation effect? *Plants* 12(17):3026, **2023**. <https://doi.org/10.3390/plants12173026>. (WoS/Scopus)

3786. Soussani FE, Boutasknit A, Ben-Laouane R, Benkirane R, Baslam M, Meddich A. Arbuscular mycorrhizal fungi and compost-based biostimulants enhance fitness, physiological responses, yield, and quality traits of drought-stressed tomato plants. *Plants* 12(9):1856, **2023**. <https://doi.org/10.3390/plants12091856>. (WoS/Scopus)

3787. Souza Júnior PC, Marchiori PER, Hippler FWR, Bastos LdaS, Linhares PCA, Sanchez MAP. Boron foliar supplementation as a strategy to attenuate drought stress in soybean. *Annals of Applied Biology* 183(3), 220-230, **2023**. <https://doi.org/10.1111/aab.12848>. (WoS/Scopus)

3788. Sukkhaeng S, Promdang S, Saejiw A, Thanomchat P, Suwanwong S. Allelopathic effects of tamarind husk, lemongrass and citronella residues to suppress emergence and early growth of some weeds. *Australian Journal of Crop Science* 17(2): 146-154, **2023**. <https://search.informit.org/doi/abs/10.3316/informit.036751498538612> (WoS/Scopus)

3789. Sultan K, Perveen S, Parveen A, Atif M, Zafar S. Benzyl amino purine (BAP), Moringa leaf extract and ascorbic acid induced drought stress tolerance in pea (*Pisum sativum* L.). *Gesunde Pflanzen* 75, 2423-2436, **2023**. <https://doi.org/10.1007/s10343-023-00890-9>. (WoS/Scopus)

3790. Sultana R, Khatoon H, Rahman MR, Haque ME, Mustaqim Md. S, Nayma Z, Mukta FA. A comprehensive dataset on the effects of *Nannochloropsis* sp. inclusion diets on water quality and oxidative stress of guppy (*Poecilia reticulata*). *Data in Brief* vol. 46, art. 108820, **2023**. <https://doi.org/10.1016/j.dib.2022.108820>. (WoS/Scopus)

3791. Sultana R, Umber M, Wadood A, Mansoor N. Assessment of harmful effects of arsenic oxide on morphology and biochemistry of water lily plant. *Research Bulletin of Abdus Salam School of Sciences. Extended Abstracts* 1(1), 34-40, **2023**.

3792. Sumera AN, Ikram M, Karim A, Ullah S, Atta S, Naik Nazar SU, Yousuf N. Jasmonic acid impact on botanical and morpho-physiological characteristics of wheat (*Triticum aestivum* L.) infected by Aphid. *Haya Saudi J Life Sci* 8(8): 127-138, **2023**. <https://doi.org/10.36348/sjls.2023.v08i08.001>

3793. Sutulienė R, Brazaitytė A, Małek S, Jasik M, Samuolienė G. Response of oxidative stress and antioxidant system in pea plants exposed to drought and boron nanoparticles. *Antioxidants* 12(2):528, **2023**. <https://doi.org/10.3390/antiox12020528>. (WoS/Scopus)

3794. Sutulienė R, Brazaitytė A, Małek S, Jasik M, Samuolienė G. Biochemical responses of pea plants to drought stress and in the presence of molybdenum trioxide nanoparticles. *Plant Soil* 492, 381-397, **2023**. <https://doi.org/10.1007/s11104-023-06179-0>. (WoS/Scopus)

3795. Suzuki S, Tanaka D, Miyagi A, Takahara K, Kono M, Chaomurilge, Noguchi K, Ishikawa T, Nagano M, Yamaguchi M, Kawai-Yamada M. Loss of peroxisomal NAD kinase 3 (NADK3) affects photorespiration metabolism in *Arabidopsis*. *Journal of Plant Physiology* vol. 283, art. 153950, **2023**. <https://doi.org/10.1016/j.jplph.2023.153950>. (WoS/Scopus)

3796. Tadjouri H, Amiri O, Medjedded H, Nemmiche S, Benati FZ. Ecophysiological responses of *Glycine max* L. under single and combined cadmium and salinity stresses. *Ecotoxicology* 32, 802-810, **2023**. <https://doi.org/10.1007/s10646-023-02688-x>. (WoS/Scopus)

3797. Taha ST, Saeed AKAJM. Effect of foliar spraying with putrescine and indole acetic acid on growth and flowering of two strains of Snapdragon plant cv. 'Opus III/IV'. *Fifth International Conference for Agricultural and Environment Sciences, IOP Conf. Series: Earth and Environmental Science* 1158: 042054, **2023**. <https://iopscience.iop.org/article/10.1088/1755-1315/1158/4/042054>. (WoS/Scopus)

3798. Talubaghi MJ, Daliri MS, Mazloum P, Rameeh V, Mousavi A. Effect of salt stress on growth, physiological and biochemical parameters and activities of antioxidative enzymes of rice cultivars. *Cereal Research Communications* 51, 403-411, **2023**. <https://doi.org/10.1007/s42976-022-00314-w> (WoS/Scopus)

3799. Tantharapornrerk N, Vichitsoonthonkul T, Techavuthiporn C, Photchanachai S. Growth and antioxidant system of *Chinese kale* microgreens in response to different illumination of light sources. *New Zealand Journal of Crop and Horticultural Science* 51(1), 108-122, **2023**. <https://doi.org/10.1080/01140671.2021.1958876>. (WoS/Scopus)

3800. Tarfayah DAMM, Ahmed SMA, Rady MM, Mohamed IAA. Alleviating saline-calcareous stress in *Atriplex nummularia* seedlings by foliar spraying with silymarin-enriched bee-honey solution. *Labyrinth: Fayoum Journal of Science and Interdisciplinary Studies* 1, 11-20, **2023**. <https://doi.org/10.21608/ifsis.2023.296590>

3801. Tarfayah DAMM, Ahmed SMA, Rady MM, Mohamed IAA. Attenuation of saline-calcareous stress in *Atriplex nummularia* seedlings by treating the soil with an acidified compost. *Labyrinth: Fayoum Journal of Science*

and Interdisciplinary Studies 1(1): 21-30, 2023. https://lfjsis.journals.ekb.eg/article_297540.html.

3802. Tavakkol Afshari M, Nezami A, Ahmadi-Lahijani MJ, Nabati J, Karimzadeh Soureshjani H. Effect of planting date and irrigation deficiency on the physiological, biochemical, and yield component of quinoa (*Chenopodium quinoa* Willd) in Mashhad. *Environmental Stresses in Crop Sciences* 16(2): 403-418, 2023. <https://doi.org/10.22077/escs.2022.4695.2056>.

3803. Tavallali V, Karimi S. Developing nano silicon-salicylic acid complex for inducing root-knot nematode resistance in tomato. *Silicon* 15, 7335-7343, 2023. <https://doi.org/10.1007/s12633-023-02589-y>. (WoS/Scopus)

3804. Tayyab M, Wakeel A, Sanaullah M, Basra SMA. Physiological and biochemical characterization of sugar beet against salt-stress. *Pakistan Journal of Agricultural Research* 60(2), 235-247, 2023. <http://www.pakjas.com.pk>.

3805. Thakur K, Garg N. Differential role of silicon and Rhizoglossus intraradices in modulating amide and ureide metabolism of seasonally different legume species subjected to nickel toxicity. *Silicon* 15, 7499-7522, 2023. <https://doi.org/10.1007/s12633-023-02599-w>. (WoS/Scopus)

3806. Thongket T, Kittiwachana W, Chanprem S, Imsabai W. Quality changes during storage of hot-chili seeds primed with different drying speeds. *King Mongkut's Agricultural Journal* 41(3), 2023. <https://doi.org/10.55003/kmaj.2023.12.28.005>.

3807. Thye KL, Wan Abdullah WM, Ong-Abdullah J, Lamasudin DU, Wee CY, Mohd Yusoff MH, Loh JY, Cheng WH, Lai KS. Calcium lignosulfonate modulates physiological and biochemical responses to enhance shoot multiplication in *Vanilla planifolia* Andrews. *Physiology and Molecular Biology of Plants* 29(3): 377-392, 2023. <https://doi.org/10.1007/s12298-023-01293-w> WoS and (WoS/Scopus)

3808. Tian S, Chen Y, Cai Z, Wang Q, Zhang J, Liu Z, Li Y, Zhao X. Effects of harpin and carbendazim on antioxidant accumulation in young jujube leaves. *Open Chemistry* 21(1), art. 20220284, 2023. <https://doi.org/10.1515/chem-2022-0284>. (WoS/Scopus)

3809. Tikoria R, Kaur A, Ohri P. Amelioration of oxidative stress and growth enhancement by application of vermicompost via modulating phyto-constituents in tomato plants during nematode stress. *Journal of Soil Science and Plant Nutrition* 23, 3944-3960, 2023. <https://doi.org/10.1007/s42729-023-01313-4>. (WoS/Scopus)

3810. Tolisano C, Luzi F, Regni L, Proietti P, Puglia D, Gigliotti G, Di Michele A, Priolo D, Del Buono D. A way to valorize pomace from olive oil production: Lignin nanoparticles to biostimulate maize plants. *Environmental Technology & Innovation* v. 31, art. 103216, 2023. <https://doi.org/10.1016/j.eti.2023.103216>. (WoS/Scopus)

3811. Tonguç M, Güler M, Önder S. Germination, reserve metabolism and antioxidant enzyme activities in safflower as affected by seed treatments after accelerated aging. *South African Journal of Botany* vol. 153, 209-218, 2023. <https://doi.org/10.1016/j.sajb.2022.12.021>. (WoS/Scopus)

3812. Torabi S, Karimi F, Razavi K. Phenylpropanoid biosynthetic gene expression in cell suspension culture of *Haplophyllum virgatum* Spach. under chitin treatment. *In Vitro Cellular & Developmental Biology – Plant* 59, 49-60, 2023. <https://doi.org/10.1007/s11627-023-10327-7>. (WoS/Scopus)

3813. Torabi S, Taheri MA and Semsarha F. Alleviative effects of Faradarmani Consciousness Field on *Triticum aestivum* L. under salinity stress. *F1000Research* 9:1089, 2023. <https://doi.org/10.12688/f1000research.25247.4>. Source: (WoS/Scopus)

3814. Torun Ü, Yildirim E, Ekinci M. Effect of drought acclimation on drought stress resistance in okra seedlings. *Erzincan University Journal of Science and Technology* 16(3), 800-810, 2023. <https://doi.org/10.18185/erzifbed.1293492>.

3815. Touzout N. Efficacy of Silicon in Mitigating the Combined Phytotoxic Effects of Salt and Insecticide in *Solanum lycopersicum* L. *Journal of Soil Science and Plant Nutrition* 23, 5048–5059, 2023. <https://doi.org/10.1007/s42729-023-01381-6> (WoS/Scopus)

3816. Touzout N, Ainas M, Alloti R, Boussahoua C, Douma A, Hassein-Bey AH, Brara Z, Tahraoui H, Zhang J, Amrane A. Unveiling the impact of thiophanate-methyl on *Arthrospira platensis*: growth, photosynthetic pigments, biomolecules, and detoxification enzyme activities. *Frontiers in Bioscience (Landmark Ed)* 28(10), 264, 2023. <https://doi.org/10.31083/j.fbl2810264>. (WoS/Scopus)

3817. Trakoonyingcharoen P. Effects of Nitrogen Content on Yield and Phytochemical Concentration of *Andrographis paniculata* Planting in Sandy Soils (in Thai). *Journal of Agricultural Production* 5(2), 30–38, 2023. <https://li01.tci-thaijo.org/index.php/japmju/article/view/254644>

3818. Tran CTM, Al Azzawi TNI, Khan M, Ali S, Moon Y-S, Yun B-W. *Brevundimonas vesicularis* (S1T13) mitigates drought-stress-associated damage in *Arabidopsis thaliana*. *International Journal of Molecular Sciences* 24(23):16590, 2023. <https://doi.org/10.3390/ijms242316590>. (WoS/Scopus)

3819. Trifunović-Momčilov M, Stamenković N, Đurić M, Milošević S, Marković M, Giba Z, Subotić A. Role of sodium nitroprusside on potential mitigation of salt stress in centaury (*Centaurea erythraea* Rafn) shoots grown in vitro. *Life* 13(1):154, 2023. <https://doi.org/10.3390/life13010154>. (WoS/Scopus)

3820. Tufail B, Ashraf K, Abbasi A, Ali HM, Sultan K, Munir T, Khan MT, uz Zaman Q. Effect of selenium on growth, physio-biochemical and yield traits of lettuce under limited water regimes. *Sustainability* 15(8):6804, 2023. <https://doi.org/10.3390/su15086804>. (WoS/Scopus)

3821. Turan M, Ekinci M, Argin S, Brinza M, Yildirim E. Drought stress amelioration in tomato (*Solanum lycopersicum* L.) seedlings by biostimulant as regenerative agent. *Frontiers in Plant Science* 14:1211210, 2023. <https://doi.org/10.3389/fpls.2023.1211210>. (WoS/Scopus)

3822. Turfan N, Düzel Ö. Investigation of foliar L-glutamic application on the resistance to the capacity of the SC2121 tomato variety (*Solanum lycopersicum* L.) to long-term salinity stress. *Yuzuncu Yıl University Journal of*

3823. Turfan N. The effects of exogenous melatonin application on growth rate parameters and bioactive compounds of some spinach cultivars (*Spinacia oleracea* L.) grown under winter conditions. *Applied Ecology and Environmental Research* 21(2):1533-1547, 2023. http://dx.doi.org/10.15666/aeer/2102_15331547. (WoS/Scopus)
3824. Turfan N. The effects of exogenous tyrosine supplement on spinach (*Spinacia oleracea* L.) cultivation under lithium stress. *Mediterranean Agricultural Sciences* 36:101–108, 2023. <https://doi.org/10.29136/mediterranean.1300307>.
3825. Tyagi J, Mishra A, Kumari S, Singh S, Agarwal H, Pudake RN, Varma A, Joshi NC. Deploying a microbial consortium of *Serendipita indica*, *Rhizophagus intraradices*, and *Azotobacter chroococcum* to boost drought tolerance in maize. *Environmental and Experimental Botany* vol. 206, art. 105142, 2023. <https://doi.org/10.1016/j.envexpbot.2022.105142>. (WoS/Scopus)
3826. Ul-Haq R, Kausar A, Hussain S, Javed T, Zafar S, Anwar S, Hussain S, Zahra N, Saqib M. Zinc oxide nanoparticles as potential hallmarks for enhancing drought stress tolerance in wheat seedlings. *Plant Physiology and Biochemistry* 195: 341-150, 2023. <https://doi.org/10.1016/j.plaphy.2023.01.014> (WoS/Scopus)
3827. Ulhassan Z, Yang S, He D, Khan AR, Salam A, Azhar W, Muhammad S, Ali S, Hamid Y, Khan I, Sheteiwy MS, Zhou W. Seed priming with nano-silica effectively ameliorates chromium toxicity in *Brassica napus*. *Journal of Hazardous Materials* v. 458, 131906, 2023. <https://doi.org/10.1016/j.jhazmat.2023.131906>. (WoS/Scopus)
3828. Ullah H, Khan I, Mustafa G, Shehzad J, Hasan M, Saeed U, Chaudhari SK. Molecular characterization and mitigative role of silicon dioxide nanoparticles in *Ocimum basilicum* under lead (Pb) stress. *Silicon* 15, 2551-2565, 2023. <https://doi.org/10.1007/s12633-022-02178-5>. (WoS/Scopus)
3829. Usman S, Yaseen G, Noreen Z, Rizwan M, Noor H, Elansary HO. Melatonin and arginine combined supplementation alleviate salt stress through physiochemical adjustments and improved antioxidant enzymes activity in *Capsicum annuum* L. *Scientia Horticulturae* v. 321, art. 112270, 2023. <https://doi.org/10.1016/j.scienta.2023.112270>. (WoS/Scopus)
3830. Vafadar F, Ehsanzadeh P. Synergistic effects of calcium and melatonin on physiological and phytochemical attributes of *Dracocephalum kotschy* genotypes under salinity stress. *Physiologia Plantarum* 175(3), art. e13912, 2023. <https://doi.org/10.1111/ppl.13912>. (WoS/Scopus)
3831. Vaghela P, Trivedi K, Anand KGV, Brahmabhatt H, Nayak J, Khandhediya K, Prasad K, Moradiya K, Kubavat D, Konwar LJ, Veeragurunathan V, Grace PG, Ghosh A. Scientific basis for the use of minimally processed homogenates of *Kappaphycus alvarezii* (red) and *Sargassum wightii* (brown) seaweeds as crop biostimulants. *Algal Research* vol. 70, art. 102969, 2023. <https://doi.org/10.1016/j.algal.2023.102969>. (WoS/Scopus)
3832. Vega-Ravello R, de Oliveira C, Guilherme LR, Lopes G. Selenium Application for Se Biofortification and for Alleviating Water Deficit in *Phaseolus vulgaris* L. In: Proceedings of 7th International Conference on Selenium in the Environment and Human Health, 24-27 September 2023, Bangkok, Thailand. 44, 2023. <https://www.seleniumbangkok.com/wp-content/uploads/2023/09/Proceedings-of-7th-ICSEHH.pdf#page=51>
3833. Vélez YSP. Interaction of CoFe₂O₄ nanoparticles for wheat and bean fortification. Montecillo, Texcoco, Estado de Mexico, Mexico, 2023. http://193.122.196.39:8080/xmlui/bitstream/handle/10521/4891/Perea_Velez_YS_DC_Edaforologia_2023.pdf?sequence=1&isAllowed=y [Doctoral dissertation]
3834. Verma N, Prasad SM. Modulation of AsA-GSH cycle by exogenous nitric oxide and hydrogen peroxide to minimize the Cd-induced damages in photosynthetic cyanobacteria. *Plant Stress* 10: 100269, 2023. <https://doi.org/10.1016/j.stress.2023.100269> (WoS/Scopus)
3835. Verma N, Tiwari S, Singh VP, Prasad SM. Exploring the potential of hydrogen sulfide in acquisition of aluminium stress tolerance in cyanobacterium *Anabaena* sp. PCC 7120. *Vegetos*, 2023. <https://doi.org/10.1007/s42535-023-00774-3>. (WoS/Scopus)
3836. Verma T, Bhardwaj S, Raza A, Djalovic I, Prasad PVV, Kapoor D. Mitigation of salt stress in Indian mustard (*Brassica juncea* L.) by the application of triacontanol and hydrogen sulfide. *Plant Signaling & Behavior* 18:1, art. 2189371, 2023. <https://doi.org/10.1080/15592324.2023.2189371>. (WoS/Scopus)
3837. Villani A, Loi M, Serio F, FF Montesano, M D'Imperio, S De Leonardis, G Mulè, C Paciolla. Changes in antioxidant metabolism and plant growth of wild rocket *Diplotaxis tenuifolia* (L.) DC cv Dallas leaves as affected by different nutrient supply levels and growing systems. *Journal of Soil Science and Plant Nutrition* 23, 4115-4126, 2023. <https://doi.org/10.1007/s42729-023-01328-x>. (WoS/Scopus)
3838. Vimal SR, Singh JS, Prasad SM. Prospective of Indole-3-Acetic Acid (IAA) and Endophytic Microbe *Bacillus subtilis* Strain SSA4 in Paddy Seedlings Development and Ascorbate–Glutathione (AsA-GSH) Cycle Regulation to Mitigate NaCl Toxicity. *Molecular Biotechnology*, 2023. <https://doi.org/10.1007/s12033-023-00743-w>. (WoS/Scopus)
3839. Virk ZA, Yasin MZ, Gill S, Ilyas MF, Dradrach A, Alamri S, Alfagham AT, Akhtar MS, Iqbal M. Inducing rhizosphere acidification in white willow with *Bacillus* sp. ZV6 enhances Ni phytoextraction from soil and soil quality. *Minerals* 13(9):1178, 2023. <https://doi.org/10.3390/min13091178>. (WoS/Scopus)
3840. Vogel D, Hills P, Moore JP. Strigolactones GR-24 and Nijmegen applications result in reduced susceptibility of tobacco and grapevine plantlets to *Botrytis cinerea* infection. *Plants* 12(18):3202, 2023. <https://doi.org/10.3390/plants12183202>. (WoS/Scopus)
3841. Waheed A, Haxim Y, Kahar G, Islam W, Ahmad M, Khan KA, Ghramh HA, Alqahtani FM, Hashemand M, Daoyuan Z. Jasmonic acid boosts the salt tolerance of kidney beans (*Phaseolus vulgaris* L.) by upregulating its

- osmolytes and antioxidant mechanism. *Environmental Science and Pollution Research* 30, 91237-91246, **2023**. <https://doi.org/10.1007/s11356-023-28632-4>. (WoS/Scopus)
- 3842.** Wahengbam ED, Devi CP, Sharma SK, Roy SS, Maibam A, Dasgupta M, Luikham S, Chongtham T, Ningombam A, Bhupenchandra I, Singh LK, Devi YP, Thokchom S, Khaba CI, Singh NB, Rajashekar Y, Das S, Mohanty S and Sahoo MR. Reactive oxygen species turnover, phenolics metabolism, and some key gene expressions modulate postharvest physiological deterioration in cassava tubers. *Frontiers in Microbiology* 14:1148464, **2023**. <https://doi.org/10.3389/fmicb.2023.1148464>. (WoS/Scopus)
- 3843.** Wang GY, Ahmad S, Wang Y, Wang BW, Huang JH, Jahan MS, Zhou XB, Shi CQ. Multivariate analysis compares and evaluates drought and flooding tolerances of maize germplasm. *Plant Physiology* 193(1), 339-355, **2023**. <https://doi.org/10.1093/plphys/kiad317>. (WoS/Scopus)
- 3844.** Wang H, Chen S, Liu H, Li J, uz Zaman Q, Sultan K, Rehman M, Jeridi M, Siddiqui S, Fahad S, Deng G. Maize straw biochar can alleviate heavy metals stress in potato by improving soil health. *South African Journal of Botany* 162: 391-401, **2023**. <https://doi.org/10.1016/j.sajb.2023.09.024> (WoS/Scopus)
- 3845.** Wang H, Li J, Liu H, Chen S, uz Zaman Q, Rehman M, El-Kahtany K, Fahad S, Deng G, Yang J. Variability in morpho-biochemical, photosynthetic pigmentation, enzymatic and quality attributes of potato for salinity stress tolerance. *Plant Physiology and Biochemistry* v. 203, art. 108036, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108036>. (WoS/Scopus)
- 3846.** Wang Q, Wu Y, Ge J, Xu X, Lei X, Wang J, Wan C, Wang P, Gao X, Gao J. Soil enzyme activities, physiological indicators, agronomic traits and yield of common buckwheat under herbicide combined with safeners. *Science of the Total Environment* v. 903, art. 166261, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.166261>. (WoS/Scopus)
- 3847.** Wang W, Ling Y, Deng L, Yao S, Zeng K. Effect of L-cysteine treatment to induce postharvest disease resistance of *Monilinia fructicola* in plum fruits and the possible mechanisms involved. *Pesticide Biochemistry and Physiology* vol. 191, art. 105367, **2023**. <https://doi.org/10.1016/j.pestbp.2023.105367>. (WoS/Scopus)
- 3848.** Wang WJ, Shi SL, He L, Wu B, Liu CC. Accumulation and functions of polyamines in plants under drought stress. *Acta Prataculturae Sinica* 32(6): 186, **2023**. <http://cyxb.magtech.com.cn/EN/article/downloadArticleFile.do?attachType=PDF&id=6117> (WoS/Scopus)
- 3849.** Wang W, Shi S, Kang W, He L. Enriched endogenous free Spd and Spm in alfalfa (*Medicago sativa* L.) under drought stress enhance drought tolerance by inhibiting H₂O₂ production to increase antioxidant enzyme activity. *Journal of Plant Physiology* v. 291, art. 154139, **2023**. <https://doi.org/10.1016/j.jplph.2023.154139>. (WoS/Scopus)
- 3850.** Wang X, Xu Q, Hu K, Wang G, Shi K. A coculture of enterobacter and comamonas species reduces cadmium accumulation in rice. *Molecular Plant-Microbe Interactions* 36 (2), 95-108, **2023**. <https://doi.org/10.1094/MPMI-09-22-0186-R>. (WoS/Scopus)
- 3851.** Wang Y, Cao J-L, Hashem A, Abd Allah EF and Wu Q-S. Serendipita indica mitigates drought-triggered oxidative burst in trifoliate orange by stimulating antioxidant defense systems. *Frontiers in Plant Science* 14:1247342, **2023**. <https://doi.org/10.3389/fpls.2023.1247342>. (WoS/Scopus)
- 3852.** Wang Y, Qin T, Pu Z, Dekomah SD, Yao P, Sun C, Liu Y, Bi Z, Bai J. Foliar application of chelated sugar alcohol calcium improves photosynthesis and tuber quality under drought stress in potatoes (*Solanum tuberosum* L.). *International Journal of Molecular Sciences* 24(15):12216, **2023**. <https://doi.org/10.3390/ijms241512216>.
- 3853.** Wani KI, Naeem M, Khan MM, Aftab T. Nitric Oxide Induces Antioxidant Machinery, PSII Functioning and Artemisinin Biosynthesis in *Artemisia annua* under Cadmium Stress. *Plant Science* 334, 111754, **2023**. <https://doi.org/10.1016/j.plantsci.2023.111754> (WoS/Scopus)
- 3854.** Waris Z, Noreen Z, Shah AA, Usman S, Shah AN, Rizwan M, Casini R, Elansary HO. Efficacy of γ -aminobutyric acid (GABA) on physio-biochemical attributes of lettuce (*Lactuca sativa* L.) under cadmium toxicity. *Journal of Plant Growth Regulation* 42, 5041-5057, **2023**. <https://doi.org/10.1007/s00344-023-11007-x>. (WoS/Scopus)
- 3855.** Wasaya A, Rehman I, Mohi Ud Din A, Hayder Bin Khalid M, Ahmad Yasir T, Mansoor Javaid M, El-Hefnawy M, Brestic M, Rahman MA, El Sabagh A. Foliar application of putrescine alleviates terminal drought stress by modulating water status, membrane stability, and yield-related traits in wheat (*Triticum aestivum* L.). *Frontiers in Plant Science* vol. 13, art. 1000877, **2023**. <https://doi.org/10.3389/fpls.2022.1000877>. (WoS/Scopus)
- 3856.** Wdowikowska A, Reda M, Kabała K, Chohura P, Jurga A, Janiak K, Janicka M. Water and nutrient recovery for cucumber hydroponic cultivation in simultaneous biological treatment of urine and grey water. *Plants* 12, 1286, **2023**. <https://doi.org/10.3390/plants12061286>. (WoS/Scopus)
- 3857.** Widyawan A, Al-Saleh MA, El Komy MH, Al Dhafer HM, Ibrahim YE. Potential of resistance inducers for citrus huanglongbing management via soil application and assessment of induction of pathogenesis-related protein genes. *Heliyon* 9(9), art. e19715, **2023**. <https://doi.org/10.1016/j.heliyon.2023.e19715>. (WoS/Scopus)
- 3858.** Wu J, Luo J, Wang Y, Peng Y, Yang G, Zhu J. Arbuscular mycorrhiza augments aluminum tolerance in white clover (*Trifolium repens* L.) by strengthening the ascorbate–glutathione cycle and phosphorus acquisition. *Physiology and Molecular Biology of Plants* 29, 1647–1661, **2023**. <https://doi.org/10.1007/s12298-023-01369-7> (WoS/Scopus)
- 3859.** Wu J, Luo J, Wang Y, Y Peng, G Yang, J Zhu. Arbuscular mycorrhiza augments aluminum tolerance in white clover (*Trifolium repens* L.) by strengthening the ascorbate–glutathione cycle and phosphorus acquisition. *Physiology and Molecular Biology of Plants* v. 29, 1647-1661, **2023**. <https://doi.org/10.1007/s12298-023-01369-7>. (WoS/Scopus)

- 3860.** Wu W, Yang H, Shen J, Xing P, Han X, Dong Y, Wu G, Zheng S, Gao K, Yang N, Zhang L, Wu Y. Identification of *Brassica rapa* BrEBF1 homologs and their characterization in cold signaling. *Journal of Plant Physiology* vol. 288, art. 154076, **2023**. <https://doi.org/10.1016/j.jplph.2023.154076>. (WoS/Scopus)
- 3861.** Xu F, Peng Y, He ZQ, L-L Yu. The role of cyanoalanine synthase and alternative oxidase in promoting salt stress tolerance in *Arabidopsis thaliana*. *BMC Plant Biology* 23, 163, **2023**. <https://doi.org/10.1186/s12870-023-04167-1>. (WoS/Scopus)
- 3862.** Xu Z, Pan J, Ullah N, Duan Y, Hao R, Li J, Huang Q, Xu L. 5-Aminolevulinic acid mitigates the chromium-induced changes in *Helianthus annuus* L. as revealed by plant defense system enhancement. *Plant Physiology and Biochemistry* vol. 198 art. 107701, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107701>. (WoS/Scopus)
- 3863.** Yadav P, Singh RP, Alodaini HA, Hatamleh AA, Santoyo G, Kumar A, Gupta RK. Impact of dehydration on the physiochemical properties of *Nostoc calcicola* BOT1 and its untargeted metabolic profiling through UHPLC-HRMS. *Frontiers in Plant Science* 14:1147390, **2023**. <https://doi.org/10.3389/fpls.2023.1147390>. (WoS/Scopus)
- 3864.** Yadav PK, Kumar A, Pandey P, Kumar D, Singh A. Modulations of functional traits of *Spinacia oleracea* plants exposed to cadmium stress by using H₂S as an antidote: a regulatory mechanism. *Physiology and Molecular Biology of Plants* v. 29, 2021-2033, **2023**. <https://doi.org/10.1007/s12298-023-01389-3>. (WoS/Scopus)
- 3865.** Yang X, Zhao J, Zhang Y, Zhang J, Pan Z, Xu X, Weng Y, Su X, Shi M. NaCl regulates goldfish growth and survival at three food supply levels under hypoxia. *Open Chemistry* 21(1), pp. 20230106, **2023**. <https://doi.org/10.1515/chem-2023-0106>. (WoS/Scopus)
- 3866.** Yaşar M, Yetişsin F. Determination of Tolerances of Some Flax Varieties to Different Doses of Salt Concentrations in Early Development Period. *MAS Journal of Applied Sciences* 8(1): 144-157, **2023**. <https://doi.org/10.5281/zenodo.7698369>
- 3867.** Yasir TA, Ateeq M, Wasaya A, Hussain M, Sarwar N, Mubeen K, Aziz M, Iqbal MA, Ogbaga CC, Al-Ashkar I, MdA Rahman, AEI Sabagh. Seed priming and foliar supplementation with β -aminobutyric acid alleviates drought stress through mitigation of oxidative stress and enhancement of antioxidant defense in linseed (*Linum usitatissimum* L.). *Phyton* 92(11), 3113–3131, **2023**. <https://doi.org/10.32604/phyton.2023.029502>. (WoS/Scopus)
- 3868.** Yasmin I, Adhikary S, Hassan L, Sagor G. Biochemical changes of rice genotypes against blast (*Magnaporthe oryzae*) disease and SSR marker validation for resistance genes. *Journal of Phytology* 15, 63–69, **2023**. <https://doi.org/10.25081/jp.2023.v15.7397>. Source: (WoS/Scopus)
- 3869.** Yavuz D, Baştaş KK, Seymen M, Yavuz N, Kurtar ES, Süheri S, Türkmen Ö, Gür A, Kıymacı G. Role of ACC deaminase-producing rhizobacteria in alleviation of water stress in watermelon. *Scientia Horticulturae* 321: 112288, **2023**. <https://doi.org/10.1016/j.scienta.2023.112288> (WoS/Scopus)
- 3870.** Yavuz D, Seymen M, Kal Ü, Atakul Z, Tanrıverdi ÖB, Türkmen Ö, Yavuz N. Agronomic and physio-biochemical responses of lettuce to exogenous sodium nitroprusside (SNP) applied under different irrigation regimes. *Agricultural Water Management* vol. 277, art. 108127, **2023**. <https://doi.org/10.1016/j.agwat.2022.108127>. (WoS/Scopus)
- 3871.** Yeganeh E, Vatankhah E, Toghranegar Z, Amanifar S. Arbuscular mycorrhiza alters metal uptake and the physio-biochemical responses of *Glycyrrhiza glabra* in a lead contaminated soil. *Gesunde Pflanzen* 75, 921-937, **2023**. <https://doi.org/10.1007/s10343-022-00752-w>. (WoS/Scopus)
- 3872.** Yer Çelik EN, Ayan S, Özel HB, Turfan N, Mehmet Yer B, Abdaloğlu. Effects of melatonin applications on Anatolian black pine (*Pinus nigra* J. F. Arnold. subsp. *pallasiana* (Lamb.) Holmboe) afforestation performance in semi-arid areas. *BioResources* 18(2), 2551-2572, **2023**. <http://dx.doi.org/10.15376/biores.18.2.2551-2572>. (WoS/Scopus)
- 3873.** Yetişsin F. Exogenous acetone O-(2-naphthylsulfonyl) oxime improves the adverse effects of excess copper by copper detoxification systems in maize. *International Journal of Phytoremediation* 25(14): 2001-2013, **2023**. <https://doi.org/10.1080/15226514.2023.2234489> WoS and (WoS/Scopus)
- 3874.** Yetişsin F, Korkmaz A. Synthesis and characterization of naphthalene-sulfonate hybrid structures and their effects on abiotic stress indicators in maize. *Anadolu Orman Araştırmaları Dergisi* 9(1), 89-95, **2023**. <https://doi.org/10.53516/ajfr.1257960>.
- 3875.** Yildirim E, Agar G, Ors S, Yuksel EA, Aydin M, Ekinci M, Kul R. Growth, physiological, biochemical and DNA methylation responses to cadmium stress of bean (*Phaseolus vulgaris* L.) grown under different irrigation levels. *Plant Growth Regulation* 101, 537-556, **2023**. <https://doi.org/10.1007/s10725-023-01039-4>. (WoS/Scopus)
- 3876.** Yildirim E, Ekinci M, Turan M, Ors S, Dursun A. Physiological, morphological and biochemical responses of exogenous hydrogen sulfide in salt-stressed tomato seedlings. *Sustainability* 15(2):1098, **2023**. <https://doi.org/10.3390/su15021098>. (WoS/Scopus)
- 3877.** Yilmaz A, Yildirim E, Yilmaz H, Soydemir HE, Güler E, Ciftci V, Yaman M. Use of Arbuscular Mycorrhizal Fungi for Boosting Antioxidant Enzyme Metabolism and Mitigating Saline Stress in Sweet Basil (*Ocimum basilicum* L.). *Sustainability* 15(7):5982, **2023**. <https://doi.org/10.3390/su15075982> . (WoS/Scopus)
- 3878.** Younis AA, Mansour MMF. Hydrogen sulfide priming enhanced salinity tolerance in sunflower by modulating ion hemostasis, cellular redox balance, and gene expression. *BMC Plant Biology* 23, 525, **2023**. <https://doi.org/10.1186/s12870-023-04552-w>. (WoS/Scopus)
- 3879.** Younis M, Akram NA, Latef AAHA, Ashraf M. Appraisal of improvement in physiological and metabolic processes by exogenously applied natural and synthetic ascorbic acid in okra (*Abelmoschus esculentus* L.) fruit subjected to water deficit stress. *Phyton* 92(10), 2761-2784, **2023**. <https://doi.org/10.32604/phyton.2023.028801>. (WoS/Scopus)

- 3880.** Yousaf MI, Hussain Q, Alwahibi MS, Aslam MZ, Khalid MZ, Hussain S, Zafar A, Shah SAS, Abbasi AM, Mehboob A, Riaz MW, Elshikh MS. Impact of heat stress on agro-morphological, physio-chemical and fiber related parameters in upland cotton (*Gossypium hirsutum* L.) genotypes. *Journal of King Saud University – Science* vol. 35(1), art. 102379, **2023**. <https://doi.org/10.1016/j.jksus.2022.102379>. (WoS/Scopus)
- 3881.** Yu H-l, Tian C, Shen R-yan, Zhao h, Yang J, Dong J-g, Zhang L-h, Ma S-j. Herbicidal activity and biochemical characteristics of the botanical drupacine against *Amaranthus retroflexus* L. *Journal of Integrative Agriculture* 22(5), 1434-1444, **2023**. <https://doi.org/10.1016/j.jia.2022.08.120>. (WoS/Scopus)
- 3882.** Yu J, Weng J, Li P, J Huang, L Chang, Q Niu. Physiological and biochemical responses to short-term cold stimulation of pak choi under heat stress. *Plant Growth Regulation* 100, 495-507, **2023**. <https://doi.org/10.1007/s10725-022-00868-z>. (WoS/Scopus)
- 3883.** Zafar MM, Chattha WS, Khan AI, Zafar S, Subhan M, Saleem H, Ali A, Ijaz A, Anwar Z, Qiao F, Shakeel A, Seleiman MF, Wasonga DO, Parvaiz A, Razzaq A, Xuefei J. Drought and heat stress on cotton genotypes suggested agro-physiological and biochemical features for climate resilience. *Frontiers in Plant Science* 14:1265700, **2023**. <https://doi.org/10.3389/fpls.2023.1265700>. (WoS/Scopus)
- 3884.** Zafar Z, Rasheed F, Mushtaq N, Khan MU, Mohsin M, Irshad MA, Summer M, Raza Z, Gailing O. Exogenous application of salicylic acid improves physiological and biochemical attributes of *Morus alba* saplings under soil water deficit. *Forests* 14(2):236, **2023**. <https://doi.org/10.3390/f14020236>.
- 3885.** Zarei S, Ehsanpour AA. Ethylene inhibition with silver nitrate (AgNO₃) and pyrazinamide (PZA) ameliorates in vitro salt tolerance of tomato (*Lycopersicon esculentum* L) plantlets. *Plant Cell, Tissue and Organ Culture* 154, 239-247, **2023**. <https://doi.org/10.1007/s11240-023-02511-9>. (WoS/Scopus)
- 3886.** Zboińska M, Janeczko A, Kabała K. Involvement of NO in V-ATPase regulation in cucumber roots under control and cadmium stress conditions. *Plants* 12(15):2884, **2023**. <https://doi.org/10.3390/plants12152884>. (WoS/Scopus)
- 3887.** Zboińska M, Romero LC, Gotor C, Kabała K. Regulation of V-ATPase by Jasmonic Acid: Possible Role of Persulfidation. *International Journal of Molecular Sciences* 24(18):13896, **2023**. <https://doi.org/10.3390/ijms241813896>. (WoS/Scopus)
- 3888.** Zhang L, Chang Q, Hou X, Wang J, Chen S, Zhang Q, Wang Z, Yin Y, Liu J. The effect of high-temperature stress on the physiological indexes, chloroplast ultrastructure, and photosystems of two herbaceous peony cultivars. *Journal of Plant Growth Regulation* 42, 1631-1646, **2023**. <https://doi.org/10.1007/s00344-022-10647-9>. (WoS/Scopus)
- 3889.** Zhang X-M, Li J-T, Xia Y, Shi X-Q, Liu X-L, Tang M, Tang J, Sun W, Yi Y. Early and late transcriptomic and metabolomic responses of *Rhododendron* ‘Xiaotaohong’ petals to infection with *Alternaria* sp. *International Journal of Molecular Sciences* 24(16):12695, **2023**. <https://doi.org/10.3390/ijms241612695>. (WoS/Scopus)
- 3890.** Zhang Y, Li C, Yao T, M Li, X Lan, Z Wang. Plant growth-promoting rhizobacteria enhance salt tolerance in oat by upregulating the antioxidant system and promoting root growth. *Journal of Plant Growth Regulation* 42, 3568-3581, **2023**. <https://doi.org/10.1007/s00344-022-10821-z>. (WoS/Scopus)
- 3891.** Zhao M, Li N, Chen S, Wu J, He S, Zhao Y, Wang X, Chen X, Zhang C, Fang X, Sun Y, Song B, Liu S, Liu Y, Xu P, Zhang S. GmWAK1, novel wall-associated protein kinase, positively regulates response of soybean to phytophthora sojae infection. *International Journal of Molecular Sciences* 24(1):798, **2023**. <https://doi.org/10.3390/ijms24010798>. (WoS/Scopus)
- 3892.** Zhao Q, Shen W, Gu Y, Hu J, Ma Y, Zhang X, Du Y, Zhang Y, Du J. Exogenous melatonin mitigates saline-alkali stress by decreasing DNA oxidative damage and enhancing photosynthetic carbon metabolism in soybean (*Glycine max* [L.] Merr.) leaves. *Physiologia Plantarum* 175(4), e13983, **2023**. <https://doi.org/10.1111/ppl.13983>. (WoS/Scopus)
- 3893.** Zhou B, Zhang T, Wang F. Unravelling the molecular and biochemical responses in cotton plants to biochar and biofertilizer amendments for Pb toxicity mitigation. *Environmental Science and Pollution Research* 30, 100799-100813, **2023**. <https://doi.org/10.1007/s11356-023-29382-z>. (WoS/Scopus)
- 3894.** Zhou H, Ashworth K, Dodd IC. Exogenous monoterpenes mitigate H₂O₂-induced lipid damage but do not attenuate photosynthetic decline during water deficit in tomato. *Journal of Experimental Botany* 74(17): 5327-5340, **2023**. <https://doi.org/10.1093/jxb/erad219>. (WoS/Scopus)
- 3895.** Zhou L-J, Wang Y, Alqahtani MD, Wu Q-S. Positive changes in fruit quality, leaf antioxidant defense system, and soil fertility of beni-madonna tangor citrus (*Citrus nanko* × *C. amakusa*) after field AMF inoculation. *Horticulturae* 9(12):1324, **2023**. <https://doi.org/10.3390/horticulturae9121324>. (WoS/Scopus)
- 3896.** Zhou Y, Meng F, Zhang J, Zhang H, Han K, Liu C, Gao J, Chen F. Transcriptomic analysis revealing the molecular response to arsenic stress in desert *Eremostachys moluccelloides* Bunge. *Ecotoxicology and Environmental Safety* v. 266, art. 115608, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.115608>. (WoS/Scopus)
- 3897.** Zohaib M, Ashraf K, Fatima K, Sultan K, Gaafar A-RZ, Hodhod MS, Zaman Qu. Humic acid and selenium supplementation modulate the growth and antioxidant potential of chili under cadmium stress. *Agronomy* 13(10):2554, **2023**. <https://doi.org/10.3390/agronomy13102554>. (WoS/Scopus)
- 3898.** Zulfiqar F, Moosa A, Ali HM, Ferrante A, Nazir MM, Makhzoum A, Soliman TMA. Preharvest melatonin application mitigates arsenic-induced oxidative stress and improves vase life of tuberose (*Polianthes tuberosa* L.) cut flowers. *South African Journal of Botany* vol. 163, 330-337, **2023**. <https://doi.org/10.1016/j.sajb.2023.10.042>. (WoS/Scopus)
- 3899.** Zulfiqar F, Moosa A, Ferrante A, Nafees M, Darras A, Nazir MM, Abid I, Soliman TMA. Exogenous foliar

- application of melatonin mitigates salt induced oxidative stress and promotes growth in *Gerbera jamesonii*. *South African Journal of Botany* 161, 678-684, 2023. <https://doi.org/10.1016/j.sajb.2023.08.055>. (WoS/Scopus)
- 3900.** Zulfikar F, Moosa A, Ferrante A, Nafees M, Darras A, Nazir MM, AlShaqhaa MA, Elsaid FG. Melatonin and salicylic acid synergistically improve arsenic induced oxidative stress tolerance in ornamental sword lily. *Scientia Horticulturae* v. 322, art. 112389, 2023. <https://doi.org/10.1016/j.scienta.2023.112389>. (WoS/Scopus)
- 3901.** Ahmadzai F, Shaukat K, Akram HM, MR Ansari, N Zahra, A Samad, M Nizar, MB Hafeez, A Raza. Evaluating the morpho-physiological responses of stevia (*Stevia rebaudiana*) to foliar application of various plant growth promoters under drought stress. *Gesunde Pflanzen* 76, 181-194, 2024. <https://doi.org/10.1007/s10343-023-00928-y>. (WoS/Scopus)
- 3902.** Akenous FZ, Anli M, Meddich A. Arbuscular mycorrhizal fungi as solubilizers of rock phosphate and compost application improve date palm (*Phoenix dactylifera* L.)'s resilience to drought. *Gesunde Pflanzen* 76, 161-179, 2024. <https://doi.org/10.1007/s10343-023-00927-z>. (WoS/Scopus)
- 3903.** Kayak N. The effect on morpho-physiological and biochemical characteristics of cauliflower and cabbage harvested at different times under flooding stress conditions. *Gesunde Pflanzen* 76, 145-159, 2024. <https://doi.org/10.1007/s10343-023-00948-8>. (WoS/Scopus)
- 3904.** Lopes JML, Nascimento LSQ, Souza VC, de Matos EM, Fortini EA, Grazul RM, Santos MO, Soltis DE, Soltis PS, Otoni WC, Viccini LF. Water stress modulates terpene biosynthesis and morphophysiology at different ploidal levels in *Lippia alba* (Mill.) N. E. Brown (Verbenaceae). *Protoplasma* 261, 227-243, 2024. <https://doi.org/10.1007/s00709-023-01890-2>. (WoS/Scopus)
- 3905.** Pourhabibian S, Iranbakhsh A, Ebadi M, H Hassanpour, A Hekmat. Alteration in the callogenesis, tropene alkaloid formation, and gene expression in *Hyoscyamus niger* under clinorotation. *Protoplasma* 261, 293-302, 2024. <https://doi.org/10.1007/s00709-023-01894-y>. (WoS/Scopus)
- 3906.** Abboud S, Ouni A, Abdallah RAB, Bchir A, Abdelwaheb SB, Tlili D, Dbara S. Unraveling the effect of phenolic extract derived from olive mill solid wastes on agro-physiological and biochemical traits of pomegranate and its associated rhizospheric soil properties. *Journal of Hazardous Materials*, art. 134234, 2024. <https://doi.org/10.1016/j.jhazmat.2024.134234>. (WoS/Scopus)
- 3907.** Abdulbaki AS, Alsamadany H, Alzahrani Y, Alharby HF, Olayinka BU. Seed priming of pepper (*Capsicum Annuum* L.) with β -aminobutyric acid (BABA) alleviates drought stress. *Pakistan Journal of Botany* 56(2), 2024. [http://dx.doi.org/10.30848/PJB2024-2\(31\)](http://dx.doi.org/10.30848/PJB2024-2(31)). (WoS/Scopus)
- 3908.** Abid G, Jebara M, Deboe F, Vertommen D, Pyr dit Ruys S, Ghouli E, Jebara SH, Ouertani RN, El Ayed M, de Oliveira AC, Muhovski Y. Comparative physiological, biochemical and proteomic analyses reveal key proteins and crucial regulatory pathways related to drought stress tolerance in faba bean (*Vicia faba* L.) leaves. *Current Plant Biology* vol. 37, art. 100320, 2024. <https://doi.org/10.1016/j.cpb.2024.100320>. (WoS/Scopus)
- 3909.** Acila S, Derouiche S, Alloui N. Embryo growth alteration and oxidative stress responses in germinating *Cucurbita pepo* seeds exposed to cadmium and copper toxicity. *Scientific Reports* 14, art. 8608, 2024. <https://doi.org/10.1038/s41598-024-58635-1>. (WoS/Scopus)
- 3910.** Ahmadzai F, Shaukat K, Akram HM, MR Ansari, N Zahra, A Samad, M Nizar, MB Hafeez, A Raza. Evaluating the morpho-physiological responses of stevia (*Stevia rebaudiana*) to foliar application of various plant growth promoters under drought stress. *Gesunde Pflanzen* 76, 181-194, 2024. <https://doi.org/10.1007/s10343-023-00928-y>. (WoS/Scopus)
- 3911.** Ahsan M, Younis A, Raheel M, Khalid I, Abbas HT, Ashraf W, Mihoub A, Radicetti E, Saeed MF, Ali S, Valipour M, Jamal A. Morpho-physiological and enzymatic responses of zinnia (*Zinnia elegans* L.) to different metal hoarded wastewaters. *Journal of Soil Science and Plant Nutrition*, 2024. <https://doi.org/10.1007/s42729-024-01717-w>. (WoS/Scopus)
- 3912.** Akin S, Kaya C. Asparagine and nitric oxide jointly enhance antioxidant capacity and nitrogen metabolism to improve drought resistance in cotton: Evidence from long-term field trials. *Food and Energy Security* 13(1), art. e502, 2024. <https://doi.org/10.1002/fes3.502>. (WoS/Scopus)
- 3913.** Ali HH, Bibi S, Zaheer MS, Iqbal R, Khan WudD, Mustafa AEI-ZMA, Elshikh MS. Control of copper-induced physiological damage in okra (*Abelmoschus esculentus* L.) via *Bacillus subtilis* and Farmyard Manure: a step towards sustainable agriculture. *Plant Stress* 11, art. 100309, 2024. <https://doi.org/10.1016/j.stress.2023.100309>. (WoS/Scopus)
- 3914.** Ali S, Nawaz A, Hussain B, Ejaz S, Sardar H. Carboxymethyl cellulose coating maintains quality of harvested aonla fruit by regulating oxidative stress and ascorbate-glutathione cycle. *Postharvest Biology and Technology* v. 207, art. 112621, 2024. <https://doi.org/10.1016/j.postharvbio.2023.112621>. (WoS/Scopus)
- 3915.** Ali S, S Ishtiaq, A Nawaz, S Naz, S Ejaz, MW Haider, AA Shah, MM Ali, S Javad. Layer by layer application of chitosan and carboxymethyl cellulose coatings delays ripening of mango fruit by suppressing cell wall polysaccharides disassembly. *International Journal of Biological Macromolecules* v. 256, Part 1, art. 128429, 2024. <https://doi.org/10.1016/j.ijbiomac.2023.128429>. (WoS/Scopus)
- 3916.** Al-Khayri JM, Khedr EH. Augmenting apricot fruit quality and prolonging storage life via modulating ethylene metabolism and antioxidants with 1-(3-phenyl-propyl) cyclopropene and psyllium treatments. *The Journal of Horticultural Science and Biotechnology*, 1-17, 2024. <https://doi.org/10.1080/14620316.2024.2338130>. (WoS/Scopus)
- 3917.** Alomrani SO, Kaleem M, Aslam M, Habib F, Jamal A, Waseem M, Javed T, Wahid A. Copper nanoparticles alleviate cadmium stress in *Solanum melongena* through endogenous melatonin and regulation of some physiochemical attributes. *Scientia Horticulturae* v. 323, art. 112546, 2024.

<https://doi.org/10.1016/j.scienta.2023.112546>. (WoS/Scopus)

3918. Al-Rubaiee SHA, Jasim AH, Alshummary AM. Response of mungbean yield to amino acids and silicon spraying. *AIP Conference Proceedings* 3079(1), art. 020001, **2024**. <https://doi.org/10.1063/5.0202492>.

3919. Alsubaie QD, Al-Amri AA, Siddiqui MH, Alamri S. Strigolactone and nitric oxide collaborate synergistically to boost tomato seedling resilience to arsenic toxicity via modulating physiology and the antioxidant system. *Plant Physiology and Biochemistry*, art. 108412, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108412>. (WoS/Scopus)

3920. Altansambar N, Sezgin Muslu A, Kadioglu A. The combined application of rutin and silicon alleviates osmotic stress in maize seedlings by triggering accumulation of osmolytes and antioxidants' defense mechanisms. *Physiology and Molecular Biology of Plants*, **2024**. <https://doi.org/10.1007/s12298-024-01430-z>. (WoS/Scopus) and

3921. Anwar T, Qureshi H, Jabeen M, Zaman W, Ali HM. Mitigation of cadmium-induced stress in maize via synergistic application of biochar and gibberellic acid to enhance morpho-physiological and biochemical traits. *BMC Plant Biology* 24, 192, **2024**. <https://doi.org/10.1186/s12870-024-04805-2>. (WoS/Scopus)

3922. Assobhi B, Ennasry H, Latique S, Kara M, Mhamdi MA, Bahhou J. Influence of salinity, nitrogen and phosphorus concentrations on the physiological and biochemical characteristics of two Chlorophyceae isolated from Fez freshwater, Morocco. *Scientific Reports* 14, 8259, **2024**. <https://doi.org/10.1038/s41598-024-58864-4>. (WoS/Scopus)

3923. Atif M, Perveen S. Maize grain nutritional quality amelioration with seed-applied thiamine and indole-3-acetic acid under arsenic toxicity. *Environment, Development and Sustainability* 26: 7827-7855, **2024**. <https://doi.org/10.1007/s10668-023-03037-y>. (WoS/Scopus)

3924. Atta N, Shahbaz M, Farhat F, Maqsood MF, Zulfiqar U, Naz N, Ahmed MM, Ul Hassan N, Mujahid N, Mustafa A El-Zaher MA, Elshikh MS, Chaudhary T. Proline-mediated redox regulation in wheat for mitigating nickel-induced stress and soil decontamination. *Scientific Reports* 14, 456, **2024**. <https://doi.org/10.1038/s41598-023-50576-5>. (WoS/Scopus)

3925. Ayaz A, Jalal A, Qian Z, Khan KA, Liu L, Hu C, Li Y, Hou X. Investigating the effects of tauroursodeoxycholic acid (TUDCA) in mitigating endoplasmic reticulum stress and cellular responses in Pak choi. *Physiologia Plantarum* 176(2), e14246, **2024**. <https://doi.org/10.1111/ppl.14246>. (WoS/Scopus)

3926. Ayyoub A, Ali Q, Zafar S, Zhanakhmetova D, Afzal B, Liesche J. The dual function of lysine as iron-chelator and active compound benefits productivity and drought tolerance of *Nigella sativa* L. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-023-11217-3>. (WoS/Scopus)

3927. Azimzadeh Z, Hassani A, Mandoulakani BA, Sepehr E. Physiological, biochemical, and antioxidant responses of oregano subspecies (*Origanum vulgare* L. ssp. *gracile* and ssp. *vulgare*) to NaCl stress. *Acta Physiologiae Plantarum* 46, art. 14, **2024**. <https://doi.org/10.1007/s11738-023-03636-2>. (WoS/Scopus)

3928. Balasubramanian M, Girija S. Overexpression of AtMYB12 transcription factor simultaneously enhances quercetin-dependent metabolites in radish callus. *Heliyon* 10(8), art. E27053, **2024**. <https://doi.org/10.1016/j.heliyon.2024.e27053>. (WoS/Scopus)

3929. Baloch H, Sabir IA, SK Leghari, Saddiq MS, Alam P, Khan S, Fatima EM, Sajid M, Raza MH, Arif M, Ayoub M, Iqbal R. Moringa leaf extract enhances the growth and yield characteristics of buckwheat genotypes by modulating the biochemical and physiological activities. *Asian Journal of Agriculture and Biology* xxxx(x): 2023328, **2024**. <https://doi.org/10.35495/ajab.2023.328>. (WoS/Scopus)

3930. Bao W-W, Chen X, Li R-N, Li M, Xie C-J, Dou M-R, Zhang K-Z, Wang J, Gao Z-X, Liu Z-D, Xu Y. Comprehensive assessment of drought resistance and recovery in kiwifruit genotypes using multivariate analysis. *The Plant Journal*, **2024**. <https://doi.org/10.1111/tplj.16746>. (WoS/Scopus)

3931. Bastiani MO, Guidorizi KA, Benedetti L, Rockenbach D, Caratti FC, Zabala-Pardo DM, Avila LA, Souza GM, Lamego FP. Drought tolerance in tough lovegrass (*Eragrostis plana*): Understanding mechanisms and competitive ability. *Weed Research*, **2024**. <https://doi.org/10.1111/wre.12568>. (WoS/Scopus)

3932. Benaceur I, Meziani R, El Fadile J, Hoinkis J, Canas Kurz E, Hellriegel U, Jaiti F. Salt Stress Induces Contrasting Physiological and Biochemical Effects on Four Elite Date Palm Cultivars (*Phoenix dactylifera* L.) from Southeast Morocco. *Plants* 13(2):186, **2024**. <https://doi.org/10.3390/plants13020186>. (WoS/Scopus)

3933. Bernardes MM, Pereira AAS, Ferreira RA, da Silva VN, Nery FC, Bicalho EM. Unveiling how the offspring of sunflower plants cultivated with cadmium and manganese cope with environmental conditions similar to those experienced by their parents. *Environmental and Experimental Botany*, art. 105681, **2024**. <https://doi.org/10.1016/j.envexpbot.2024.105681>. (WoS/Scopus)

3934. Bognár S, Jovanović D, Putnik P, Despotović V, Ivetić T, Bajac B, Tóth E, Finčur N, Maksimović I, Putnik-Delić M, Zec N, Deák C, Kozma G, Banić N, Jagodić I, Merkulov DŠ. Solar-driven removal of selected organics with binary ZnO based nanomaterials from aquatic environment: chemometric and toxicological assessments on wheat. *Journal of Environmental Chemical Engineering*, art. 112016, **2024**. <https://doi.org/10.1016/j.jece.2024.112016>. (WoS/Scopus)

3935. Bolat I, Korkmaz K, Dogan M, Turan M, Kaya C, Hajizadeh HS, Kaya O. Enhancing drought, heat shock, and combined stress tolerance in Myrobalan 29C rootstocks with foliar application of potassium nitrate. *BMC Plant Biology* 24, art. 140, **2024**. <https://doi.org/10.1186/s12870-024-04811-4>. (WoS/Scopus)

3936. Boutasknit A, Ait-El-Mokhtar M, Fassih B, Ben-Laouane R, Wahbi S, Meddich A. Effect of Arbuscular mycorrhizal fungi and rock phosphate on growth, physiology, and biochemistry of carob under water stress and

after rehydration in vermicompost-amended soil. *Metabolites* 14(4):202, **2024**. <https://doi.org/10.3390/metabo14040202>. (WoS/Scopus)

3937. Brengi S. Alleviation of copper stress in tomato plants using proline and melatonin in an open soilless system. *Alexandria Science Exchange Journal* 45(1), 175-190, **2024**. <https://doi.org/10.21608/asejaqisae.2024.349483>.

3938. Chattha MU, Iqbal L, Khan I, Wang LH, Nawaz M, Ali B, Fang S, Ul Haq MI, Hassan MU, Rasheed A, Buttar NA, Hashem A, Abd Allah EF. Regulating effects of exogenous salicylic acid application on wheat growth under saline and heat stress conditions. *Applied Ecology and Environmental Research* 22(2):1315-1337, **2024**. http://dx.doi.org/10.15666/aeer/2202_13151337. (WoS/Scopus)

3939. Chaudhry UK, Öztürk ZN, Gökçe AF. Assessment of salt and drought stress on the biochemical and molecular functioning of onion cultivars. *Molecular Biology Reports* 51, art. 37, **2024**. <https://doi.org/10.1007/s11033-023-08923-2>. (WoS/Scopus)

3940. Chaves JTL, da Silva Dias G, Pereira MM, da Silva Bastos L, Souza MIA, Vieira LFA, de Paula ACCFF, Marco CA, Marchiori PER, Bicalho EM. New perspective on the use of α -Bisabolol for weed control. *Journal of Agricultural and Food Chemistry*, **2024**. <https://doi.org/10.1021/acs.jafc.3c08566>. (WoS/Scopus)

3941. Cheema A, Garg N. Arbuscular mycorrhizae reduced arsenic induced oxidative stress by coordinating nutrient uptake and proline-glutathione levels in *Cicer arietinum* L. (chickpea). *Ecotoxicology*, **2024**. <https://doi.org/10.1007/s10646-024-02739-x>. (WoS/Scopus)

3942. Chen H, Han C, Liu Z, Guy RD, Yu F. Physiological and biochemical response analysis of *Styrax tonkinensis* seedlings to waterlogging stress. *Plant Physiology and Biochemistry* vol. 210, art. 108587, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108587>. (WoS/Scopus)

3943. Chen Z, Guo Z, Han M, Feng Y, Ma J. Integrated physiological and transcriptomic analyzes reveal the duality of TiO₂ nanoparticles on alfalfa (*Medicago sativa* L.). *Ecotoxicology and Environmental Safety* v. 272, art. 116059, **2024**. <https://doi.org/10.1016/j.ecoenv.2024.116059>. (WoS/Scopus)

3944. Cheng B, Hassan MJ, Peng D, Huang T, Peng Y, Li Z. Spermidine or spermine pretreatment regulates organic metabolites and ions homeostasis in favor of white clover seed germination against salt toxicity. *Plant Physiology and Biochemistry* 207, art. 108379, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108379>. (WoS/Scopus)

3945. Choe H, Kantharaj V, Lee K-A, Shin Y, Chohra H, Yoon Y-E, Kim Y-N, Lee YB. Morpho-physiological, biochemical, and molecular responses of lettuce (*Lactuca Sativa* L.) seedlings to chlortetracycline stress. *Environmental and Experimental Botany* v. 219, art. 105615, **2024**. <https://doi.org/10.1016/j.envexpbot.2023.105615>. (WoS/Scopus)

3946. Chowdhury SN, Sani NH, Siddique AB, Hossain S, Yong JWH. Synergistic effects of biochar and potassium co-application on growth, physiological attributes, and antioxidant defense mechanisms of wheat under water deficit conditions. *Plant Stress*, art. 100452, **2024**. <https://doi.org/10.1016/j.stress.2024.100452>. (WoS/Scopus)

3947. Danaeipour R, Sharifi M, Noori A. Responses to lead stress in *Scrophularia striata*: insights into antioxidative defence mechanisms and changes in flavonoids profile. *Functional Plant Biology* 51, art. FP23236, **2024**. <https://doi.org/10.1071/FP23236>. (WoS/Scopus)

3948. Darras AI, Kostirva A, Dimiza K, Apostolou M, Malamas I, Kargakou V, Kartsonas E. Improvement of drought resistance of *osteospermum ecklonis* plants as a physiological and biochemical response to low doses of UV-C irradiation. *Horticulturae* 10(2):189, **2024**. <https://doi.org/10.3390/horticulturae10020189>. (WoS/Scopus)

3949. De Palma N, Fett-Neto AG. A semi-quantitative histochemical method for assessment of biochemical responses to osmotic stress in *Coffea arabica* leaf disks. *Protoplasma*, **2024**. <https://doi.org/10.1007/s00709-024-01941-2>. (WoS/Scopus)

3950. de Souza Junior C, Monteiro FA. Nitrate fertilization enhances manganese phytoextraction in Tanzania guinea grass: a novel hyperaccumulator plant?. *Environmental Science and Pollution Research*, **2024**. <https://doi.org/10.1007/s11356-023-31548-8>. (WoS/Scopus)

3951. Deng S, Wu Y, Zeng Q, Zhang A, Duan M, Deng M. Effects of Cd stress on morphological and physiological characteristics of maize seedlings. *Agronomy* 14(2):379, **2024**. <https://doi.org/10.3390/agronomy14020379>. (WoS/Scopus)

3952. Dey S, Raychaudhuri SS. Methyl jasmonate improves selenium tolerance via regulating ROS signalling, hormonal crosstalk and phenylpropanoid pathway in *Plantago ovata*. *Plant Physiology and Biochemistry* 209, art. 108533, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108533>. (WoS/Scopus)

3953. Ding S, Liang Y, Wang M, Hu R, Song Z, Xu X, Zheng L, Shen Z, Chen C. Less is more: A new strategy combining nanomaterials and PGPB to promote plant growth and phytoremediation in contaminated soil. *Journal of Hazardous Materials* vol. 469, art. 134110, **2024**. <https://doi.org/10.1016/j.jhazmat.2024.134110>. (WoS/Scopus)

3954. Dinler BS, Cetinkaya H, Koc FN, Gül V, Sefaoğlu F. Effects of titanium dioxide nanoparticles against salt and heat stress in safflower cultivars. *Acta Botanica Brasilica* 38: e20230136, **2024**. <https://doi.org/10.1590/1677-941X-ABB-2023-0136>. (WoS/Scopus)

3955. Direk A, Arian B, Ozfidan-Konakci C, Yildiztugay E, Uysal A. Effects of *Bacillus cereus* on physiological and biochemical characteristics of wheat under arsenic and cadmium stress: A biological agent to reduce heavy metal stress. *Plant Stress*, art. 100458, **2024**. <https://doi.org/10.1016/j.stress.2024.100458>. (WoS/Scopus)

3956. do Carmo MAP, dos Santos HO, eOliveira JBR, da Silva IG, dos Santos Guaraldo MM, Pereira WVS. Signaling molecules for increasing *Urochloa ruziziensis* tolerance to abiotic stresses. *Journal of Soil Science and Plant Nutrition*, **2024**. <https://doi.org/10.1007/s42729-023-01592-x>. (WoS/Scopus)

- 3957.** dos Santos BF, de Araújo TO, Rios CO, Siqueira-Silva AI, Pereira EG. Sustained growth and phosphorus efficiency under iron excess in *Paspalum densum*, a C4 grass for mining site revegetation. *South African Journal of Botany* 164: 31-38, **2024**. <https://doi.org/10.1016/j.sajb.2023.11.039>. (WoS/Scopus)
- 3958.** Dubey A, Malla MA, Kumar A, Khan ML, Kumari S. Seed bio-priming with ACC deaminase-producing bacterial strains alleviates impact of drought stress in soybean (*Glycine max* (L.) Merr.). *Rhizosphere*, art. 100873, **2024**. <https://doi.org/10.1016/j.rhisph.2024.100873>. (WoS/Scopus)
- 3959.** Duhan L, Manoharlal R, Kumar D, Kumari D, Saini M, Saiprasad GVS, Chhillar AK, Pasrija R. Phytohormones mediated antifungal resistance against *Fusarium oxysporum*. *Acta Physiologiae Plantarum* v. 46, art. 37, **2024**. <https://doi.org/10.1007/s11738-024-03659-3>. (WoS/Scopus)
- 3960.** Đurić M, Jevremović S, Trifunović-Momčilov M, Milošević S, Subotić A, Jerinić-Prodanović D. Physiological and oxidative stress response of carrot (*Daucus carota* L.) to jumping plant-louse *Bactericera trigonica* Hodkinson (Hemiptera: Psylloidea) infestation. *BMC Plant Biology* 24, art. 243, **2024**. <https://doi.org/10.1186/s12870-024-04946-4>. (WoS/Scopus)
- 3961.** El-Beltagi HS, Alwutayd KM, Rasheed U, Sattar A, Ali Q, Alharbi BM, Al-Hawas GH, Abbas ZK, Darwish DBE, Mahmoud SF, Al-Shaqhaa MA, El-Yazied AA, Hamada MMA. Sole and combined foliar application of silicon and putrescine alleviates the negative effects of drought stress in maize by modulating the morpho-physiological and antioxidant defence mechanisms. *Plant, Soil and Environment*, **2024**. <https://doi.org/10.17221/423/2023-PSE>. (WoS/Scopus)
- 3962.** El-Demerdash FM, Ahmed MM, El-Sayed RA, Mohamed TM, Gerges MN. Nephroprotective effects of silymarin and its fabricated nanoparticles against aluminum-induced oxidative stress, hyperlipidemia, and genotoxicity. *Environmental Toxicology*, **2024**. <https://doi.org/10.1002/tox.24223>. (WoS/Scopus)
- 3963.** Elsherif DE, Safhi FA, Khalifa AM, Ragab GA. Upregulated synthesis and production of bioactive compounds in *Lotus arabicus* L. by in vitro feeding with dried powder of date palm seeds. *BMC Plant Biology* 24, art. 225, **2024**. <https://doi.org/10.1186/s12870-024-04919-7>. (WoS/Scopus)
- 3964.** Fahad S, Ali I, Hussain I, D Ahmad, S Saud, K Dawar, S Danish, R Datta, S Hassan, H Liu, MT Harrison et al. Modulation of maize growth, yield and soil enzymes activities by introducing wheat straw mulching and tillage practices. *Plant and Soil* 496: 699-719, **2024**. <https://doi.org/10.1007/s11104-023-06394-9>. (WoS/Scopus)
- 3965.** Fatima S, Khan MO, Iqbal N, Iqbal MM, Qamar H, Imtiaz M, Hundleby P, Wei Z, Ahmad N. Studying salt-induced shifts in gene expression patterns of glucosinolate transporters and glucosinolate accumulation in two contrasting brassica species. *Metabolites* 14(4):179, **2024**. <https://doi.org/10.3390/metabo14040179>. (WoS/Scopus)
- 3966.** Ferreira AMO, Dias Gd, Chaves JTL, DS Pereira, EM Bicalho. Role of superoxide signaling in seed germination of *Urochloa* species. *Brazilian Journal of Botany* 47: 47-54, **2024**. <https://doi.org/10.1007/s40415-023-00967-9>. (WoS/Scopus)
- 3967.** Fiaz K, Maqsood MF, Shahbaz M, Zulfiqar U, Naz N, Gaafar A-RZ, Tariq A, Farhat F, Haider FU, Shahzad B. Application of thiourea ameliorates drought induced oxidative injury in *Linum usitatissimum* L. by regulating antioxidant defense machinery and nutrients absorption. *Heliyon*, **2024**. <https://doi.org/10.1016/j.heliyon.2024.e25510>. (WoS/Scopus)
- 3968.** García-García AL, Rodríguez-Ramos R, Borges AA, Boto A, Jiménez-Arias D. Foliar treatment with MSB (menadione sodium bisulphite) to increase artemisinin content in *Artemisia annua* plants. *Scientia Horticulturae* v. 328, art. 112913, **2024**. <https://doi.org/10.1016/j.scienta.2024.112913>. (WoS/Scopus)
- 3969.** Gharib FAEL, Osama K, Sattar AMAE, Ahmed EZ. Impact of *Chlorella vulgaris*, *Nannochloropsis salina*, and *Arthrospira platensis* as bio-stimulants on common bean plant growth, yield and antioxidant capacity. *Scientific Reports* 14, 1398, **2024**. <https://doi.org/10.1038/s41598-023-50040-4>. (WoS/Scopus)
- 3970.** Ghassemi-Golezani K, Mousavi SA, Farhangi-Abriz S. Enriched biochars with silicon and calcium nanoparticles mitigated salt toxicity and improved safflower plant performance. *International Journal of Phytoremediation*, **2024**. <https://doi.org/10.1080/15226514.2024.2321167>. (WoS/Scopus)
- 3971.** Gholizadeh F, Mirzaghaderi G, Marashi SH, Janda T. Polyamines-mediated amelioration of cold treatment in wheat: Insights from morpho-physiological and biochemical features and PAO genes expression analyses. *Plant Stress* v. 11, art. 100402, **2024**. <https://doi.org/10.1016/j.stress.2024.100402>. (WoS/Scopus)
- 3972.** Gigaulia P, Tantwai K, Sapre S, Pandey S, Upadhyay AK, Nema S. Efficacy of plant growth promoting Rhizobacteria to improve the biochemical properties and development of wheat seedlings under drought stress control. *Journal of Global Agriculture and Ecology*, 16(1), 42–50, **2024**. <https://doi.org/10.56557/jogae/2024/v16i18528>.
- 3973.** Habermann E, de Oliveira EAD, Bianconi ME, Contin DR, Lemos MTO, Campos JV, Costa P, Oliveira KS, Riul BN, Bonifácio-Anacleto F, Viciado DO, Approbato AU, Alzate-Marin AL, Prado RdM, Costa KAdP, Martinez CA. Balancing trade-offs: Enhanced carbon assimilation and productivity with reduced nutritional value in a well-watered C4 pasture under a warmer CO2-enriched atmosphere. *Plant Physiology and Biochemistry*, art. 108408, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108408>. (WoS/Scopus)
- 3974.** Hafeez A, Rasheed R, Rizwan M, Habib N, Zafar S, Shad MI, Ali S, Ashraf MA. Taurine enervates nickel stress in *Lagenaria siceraria* by regulating redox balance, methylglyoxal detoxification, H2S production, and nickel uptake. *Journal of Soil Science and Plant Nutrition*, **2024**. <https://doi.org/10.1007/s42729-023-01603-x>. (WoS/Scopus)
- 3975.** Hallmann E, Rusaczek A, Muszyńska E, Ziółkowski D, Kuliński S, Jasek J, Ponder A. A long-term study on chemical compounds and their location in sweet basil leaves from organic and conventional producers. *Foods*

13(3):383, 2024. <https://doi.org/10.3390/foods13030383>. (WoS/Scopus)

3976. Hamoud YA, Shaghaleh H, Chang T, Zhang K, Al-Rejaie SS. Physio-biochemical responses of rice to smart nitrogen fertilizer nano-hydrogel under drought stress and flooding alternation: An eco-friendly innovative approach to enhance the grain quality. *South African Journal of Botany* 168, 270-285, 2024. <https://doi.org/10.1016/j.sajb.2024.03.031>. (WoS/Scopus)

3977. Handa AP, Vian A, Singh HP, RK Kohli, S Kaur, DR Batish. Effect of 2850 MHz electromagnetic field radiation on the early growth, antioxidant activity, and secondary metabolite profile of red and green cabbage (*Brassica oleracea* L.). *Environmental Science and Pollution Research* 31, 2465-7480, 2024. <https://doi.org/10.1007/s11356-023-31434-3>. (WoS/Scopus)

3978. Hayat A, Anas M, Shaheen Z, Falak A, Quraishi UM. Comparative morpho-physiological traits, antioxidant defense and nutritional profiling under Cd stress of japonica-indica elite rice (*Oryza sativa* L.) cultivars. *Journal of Crop Science and Biotechnology* 27: 175-186, 2024. <https://doi.org/10.1007/s12892-023-00220-5>. (WoS/Scopus)

3979. Hayat U, din Ku, Haider A, Ramzan T, Shahzad BA, Ahmad M, Zulfiqar U, Maqsood MF, Hussain S, Alwahibi MS, Elshikh MS. Salicylic acid-induced antioxidant defense system alleviates cadmium toxicity in wheat. *Journal of Soil Science and Plant Nutrition*, 2024. <https://doi.org/10.1007/s42729-024-01732-x>. (WoS/Scopus)

3980. He J, Zhang B, Yan W, Lai Y, Tang Y, Han Y, Liu J. Deciphering vanadium speciation in smelting ash and adaptive responses of soil microorganisms. *ACS Nano*, 2024. <https://doi.org/10.1021/acsnano.3c11204>. (WoS/Scopus)

3981. He M, Zhou J, Lyu D, Xu G, Qin S. Exogenous spermidine alleviated low-temperature damage by affecting polyamine metabolism and antioxidant levels in apples. *Plants* 13(8):1100, 2024. <https://doi.org/10.3390/plants13081100>.

3982. Hussain M, Hafeez A, AL-Huqail AA, Alsudays IM, Alghanem SMS, Ashraf MA, Rasheed R, Rizwan M, Abeer AHA. Effect of hesperidin on growth, photosynthesis, antioxidant systems and uptake of cadmium, copper, chromium and zinc by *Celosia argentea* plants. *Plant Physiology and Biochemistry* v. 207, art. 108433, 2024. <https://doi.org/10.1016/j.plaphy.2024.108433>. (WoS/Scopus)

3983. Hussain M, Kaousar R, Ali S, Shan C, Wang G, Wang S, Lan Y. Tryptophan seed treatment improves morphological, biochemical, and photosynthetic attributes of the sunflower under cadmium stress. *Plants* 13(2):237, 2024. <https://doi.org/10.3390/plants13020237>. (WoS/Scopus)

3984. Hussain M, Kaousar R, Haq SIU, Shan C, Wang G, Rafique N, Shizhou W, Lan Y. Zinc-oxide nanoparticles ameliorated the phytotoxic hazards of cadmium toxicity in maize plants by regulating primary metabolites and antioxidants activity. *Frontiers in Plant Science* 15:1346427, 2024. <https://doi.org/10.3389/fpls.2024.1346427>. (WoS/Scopus)

3985. Hussain R, Shehzadi I, Sadiq M, Ahmad A, Akram NA, Garcia-Caparrós P. Leaf extract of neem (*Azadirachta indica* Adr. Juss.) modulates morphological and biochemical characteristics in maize (*Zea mays* L.) under water deficit stress. *International Journal of Applied and Experimental Biology* 3(2), 2024. <https://doi.org/10.56612/ijaaeb.v1i1.59>.

3986. Hussain S, Ahmed S, Akram W, Ahmad A, Yasin NA, Fu M, Li G, Sardar R. The potential of selenium to induce salt stress tolerance in *Brassica rapa*: Evaluation of biochemical, physiological and molecular phenomenon. *Plant Stress* v. 11, art. 100331, 2024. <https://doi.org/10.1016/j.stress.2023.100331>. (WoS/Scopus)

3987. Hussain S, Ahmed S, Akram W, Sardar R, Abbas M, Yasin NA. Selenium-priming mediated growth and yield improvement of turnip under saline conditions. *International Journal of Phytoremediation* 26(5), 710-726, 2024. <https://doi.org/10.1080/15226514.2023.2261548>. (WoS/Scopus)

3988. Hussein HAA. Response mechanisms of tolerant and sensitive faba bean (*Vicia faba*) cultivars to nitric oxide. *Journal of Soil Science and Plant Nutrition* 24, 749-760, 2024. <https://doi.org/10.1007/s42729-023-01580-1>. (WoS/Scopus)

3989. Ibrahim H, Ismail GS, Migahid MM, Ghazy MA, Nasr M. Dual phytoremediation and biochar production by *Eichhornia crassipes* in hydroponic system receiving different 1, 4-dioxane dosages. *International Journal of Phytoremediation* 26(4): 546-556, 2024. <https://doi.org/10.1080/15226514.2023.2253915> WoS and Scopus

3990. İlhan D, Yazıcılar B, Geyik MS, Atıcı O, Bezirganoglu I. In vitro studies of salt tolerance at the physiological and molecular levels in two cultivars of emmer wheat (*Triticum dicoccum* Schrank ex Schübl). *Journal of Soil Science and Plant Nutrition*, 2024. <https://doi.org/10.1007/s42729-024-01678-0>. (WoS/Scopus)

3991. Iqbal H, Yaning C. Redox priming could be an appropriate technique to minimize drought induced adversities in quinoa. *Frontiers in Plant Science* 15:1253677, 2024. <https://doi.org/10.3389/fpls.2024.1253677>. (WoS/Scopus)

3992. Iqbal N, Ördög A, Koprivanacz P, Kukri A, Czékus Z, Poór P. Salicylic acid- and ethylene-dependent effects of the ER stress-inducer tunicamycin on the photosynthetic light reactions in tomato plants. *Journal of Plant Physiology* v. 295, art. 154222, 2024. <https://doi.org/10.1016/j.jplph.2024.154222>. (WoS/Scopus)

3993. Iqbal R, Shahbaz M, Mansha MZ, Ikram K, Khalid I, Tariq U, Siddiqui MH, Gaafar A-RZ, Hodhod MS, Ashraf K, uz Zaman Q. Enhancing crop resilience through thiamine: implications for sustainable agriculture in drought-stressed radish. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 52(1), 13472, 2024. <https://doi.org/10.15835/nbha52113472>. (WoS/Scopus)

3994. Jabeen A, Narejo GA, Mirbahar AA, Yasin S, Afzal T, Sadia H. Effect of foliar-applied Si in alleviating cadmium toxicity to different *Raya* (*Brassica Juncea* L.) genotypes. *Silicon*, 2024. <https://doi.org/10.1007/s12633-024-02949-2>. (WoS/Scopus)

- 3995.** Jamshidi Goharizi K, Momeni MM, Karami S, G Meru, M Nazari, S Ghanaei, A Moeinzadeh. H₂O₂ leaf priming improves tolerance to cold stress in pistachio rootstocks. *Acta Physiologiae Plantarum* 46, art. 23, **2024**. <https://doi.org/10.1007/s11738-024-03650-y>. (WoS/Scopus)
- 3996.** Janejobkhet J, Pongprayoon W, Obsuwan K, S Jaiyindee, S Maksup. Multifaceted response mechanisms of *Oryza sativa* L. 'KDML105' to high arsenite and arsenate stress levels. *Environmental Science and Pollution Research*, **2024**. <https://doi.org/10.1007/s11356-024-32122-6>. (WoS/Scopus)
- 3997.** Ji J, Zhang J, Wang X, Song W, Ma B, Wang R, Li T, Wang G, Guan C, Gao X. The alleviation of salt stress on rice through increasing photosynthetic capacity, maintaining redox homeostasis and regulating soil enzyme activities by *Enterobacter* sp. JIV1 assisted with putrescine. *Microbiological Research*. vol. 280, art. 127590, **2024**. <https://doi.org/10.1016/j.micres.2023.127590>. (WoS/Scopus)
- 3998.** Jiang L, Yun M, Ma Y, Qu T. Melatonin mitigates water deficit stress in *Cenchrus alopecuroides* (L.) thunb through up-regulating gene expression related to the photosynthetic rate, flavonoid synthesis, and the assimilatory sulfate reduction pathway. *Plants* 13(5):716, **2024**. <https://doi.org/10.3390/plants13050716>. (WoS/Scopus)
- 3999.** Jumba T, Phetcharaburanin J, Suksawat M, Pattanagul K, Pattanagul W. Metabolic profiles and some physiological traits of three rice cultivars differing in salinity tolerance under salinity stress at the germination stage. *Asian Journal of Agriculture and Biology* **2024**(1), 1-12, **2024**. <https://doi.org/10.35495/ajab.2023.088>. Scopus
- 4000.** Kacienė G, Dikšaitytė A, Januškaitienė I, Miškelytė D, Sujetovienė G, Dagiliūtė R, Žaltauskaitė J. Veterinary antibiotics differ in phytotoxicity on oilseed rape grown over a wide range of concentrations. *Chemosphere* vol. 356, art. 141977, **2024**. <https://doi.org/10.1016/j.chemosphere.2024.141977>. (WoS/Scopus)
- 4001.** Kalleku JN, Ihsan S, Al-Azzawi TNI, Khan M, Hussain A, Chebitok F, AK Das, Y-S Moon, B-G Mun, I-J Lee, S Ali, B-W Yun. Halotolerant *Pseudomonas koreensis* S4T10 mitigate salt and drought stress in *Arabidopsis thaliana*. *Physiologia Plantarum*, 176(2), e14258, **2024**. <https://doi.org/10.1111/ppl.14258>. (WoS/Scopus)
- 4002.** Kandhol N, Srivastava A, Rai P, Sharma S, Pandey S, Singh VP, Tripathi DK. Cytokinin and indole-3-acetic acid crosstalk is indispensable for silicon mediated chromium stress tolerance in roots of wheat seedlings. *Journal of Hazardous Materials* v. 468, art. 133134, **2024**. <https://doi.org/10.1016/j.jhazmat.2023.133134>. (WoS/Scopus)
- 4003.** Kanwal R, Maqsood MF, Shahbaz M, Naz N, Zulfiqar U, Ali MF, Jamil M, Khalid F, Ali Q, Sabir MA, Chaudhary T, HM Ali, Alsakkaf WAA. Exogenous ascorbic acid as a potent regulator of antioxidants, osmoprotectants, and lipid peroxidation in pea under salt stress. *BMC Plant Biology* 24, art. 247, **2024**. <https://doi.org/10.1186/s12870-024-04947-3>. (WoS/Scopus)
- 4004.** Kapoor RT, Hasanuzzaman M. Unlocking the potential of co-application of steel slag and biochar in mitigation of arsenic-induced oxidative stress by modulating antioxidant and glyoxalase system in *Abelmoschus esculentus* L. *Chemosphere* v. 351, art. 141232, **2024**. <https://doi.org/10.1016/j.chemosphere.2024.141232>. (WoS/Scopus)
- 4005.** Kaur R, Yadu B, Chauhan NS, Parihar AS, Keshavkant S. Nano zinc oxide mediated resuscitation of aged *Cajanus cajan* via modulating aquaporin, cell cycle regulatory genes and hormonal responses. *Plant Cell Reports* 43, 110, **2024**. <https://doi.org/10.1007/s00299-024-03202-1>. (WoS/Scopus)
- 4006.** Kaya C, Akin S, Sarioğlu A, Ashraf M, Alyemeni MN, Ahmad P. Enhancement of soybean tolerance to water stress through regulation of nitrogen and antioxidant defence mechanisms mediated by the synergistic role of salicylic acid and thiourea. *Plant Physiology and Biochemistry* art. 108320, **2024**. <https://doi.org/10.1016/j.plaphy.2023.108320>. (WoS/Scopus)
- 4007.** Kaya C, Shabala S. Melatonin improves drought stress tolerance of pepper (*Capsicum annuum*) plants via upregulating nitrogen metabolism. *Functional Plant Biology* 51(1), art. FP23060, **2024**. <https://doi.org/10.1071/FP23060>. (WoS/Scopus)
- 4008.** Khan MN, AlSolami MA, Siddiqui ZH, AlOmran MM, Kalaji HM. Regulation of Na⁺/H⁺ antiport system and nitrogen metabolism by melatonin and endogenous hydrogen sulfide confers resilience to drought and salt stress. *South African Journal of Botany* vol. 164: 152-166, **2024**. <https://doi.org/10.1016/j.sajb.2023.11.033>. (WoS/Scopus)
- 4009.** Khan MN, Siddiqui MH, AlSolami MA, Siddiqui ZH. Melatonin-regulated heat shock proteins and mitochondrial ATP synthase induce drought tolerance through sustaining ROS homeostasis in H₂S-dependent manner. *Plant Physiology and Biochemistry* v. 206, art. 108231, **2024**. <https://doi.org/10.1016/j.plaphy.2023.108231>. (WoS/Scopus)
- 4010.** Khan R, Sarwar MJ, Shabaan M, Asghar HN, Zulfiqar U, Iftikhar I, Aijaz N, Haider FU, Chaudhary T, Soufan W. Exploring the synergistic effects of indole acetic acid (IAA) and compost in the phytostabilization of nickel (Ni) in cauliflower rhizosphere. *BMC Plant Biology* 24, 275, **2024**. <https://doi.org/10.1186/s12870-024-04920-0>. (WoS/Scopus)
- 4011.** Khan V. Princi, Mubashshir M, S Umar, N Iqbal. Methyl jasmonate and *Pseudomonas fluorescens* synergistically boost antioxidative defense, secondary metabolites, and osmolyte production to enhance drought resilience in mustard. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-024-11310-1>. (WoS/Scopus)
- 4012.** Khan Z, Jan R, Asif S, Farooq M, Jang Y-H, Kim E-G, Kim N, Kim K-M. Exogenous melatonin induces salt and drought stress tolerance in rice by promoting plant growth and defense system. *Scientific Reports* 14, 1214, **2024**. <https://doi.org/10.1038/s41598-024-51369-0>. (WoS/Scopus)
- 4013.** Kim JY, Kim KY, Jung WS, Kim HS, Oh B, Park J, Choi YE. Effects of micro-sized biodegradable plastics on *Microcystis aeruginosa*. *Science of the Total Environment* v. 912, art. 169044, **2024**.

- 4014.** Kiratlı H, Seymen M, Kıymacı G. Determination of tolerance to flooding stress in melon cultivars by agronomic and physio-biochemical responses. *Genetic Resources and Crop Evolution* 71, 1643-1657, **2024**. <https://doi.org/10.1007/s10722-023-01728-z>. (WoS/Scopus)
- 4015.** Koç C, Ulusu F, Ulusu Y. Physio-biochemical responses of registered bread wheat (*Triticum aestivum* L.) genotypes to drought stress: Variations in antioxidant parameters and photosynthetic pigment amounts. *Anatolian Journal of Botany* 8(1):1-10, **2024**. <https://doi.org/10.30616/ajb.1369278>.
- 4016.** Krishnasamy R, Natesh R, Obbineni JM. Efficient ROS scavenging improves the growth and yield in black gram (*Vigna mungo* (L.) Hepper) after seed priming and treatment using biosynthesized silver nanoparticles with *Pongamia pinnata* (L.) Pierre leaf extract. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-024-11276-0>. (WoS/Scopus)
- 4017.** Kumar V, Kumar A, Meenakshi, Gupta U, Narayan S, Shirke PA, Sanyal I. Overexpressing the glutaredoxin (CaGrx) gene enhances the antioxidant defences and improves drought tolerance in chickpea (*Cicer arietinum* L.). *Plant Cell, Tissue and Organ Culture* 156(2):34, **2024**. <https://doi.org/10.1007/s11240-023-02651-y> WoS and Scopus
- 4018.** Kumari A, Sutariya JA, Rathore AP, Rathore MS. The novel chaperonin 10 like protein (SbCPN10L) from *Salicornia brachiata* (Roxb.) augment the heat stress tolerance in transgenic tobacco. *Gene*, art. 148139, **2024**. <https://doi.org/10.1016/j.gene.2024.148139>. (WoS/Scopus)
- 4019.** Labulo AH, David OA, Terna AD, Omotosho TP, Tanko NS, Hassan I, Oluwole BR, Odebode A. Modulation of physiological and biochemical activities of *Eugenia uniflora* by green-synthesized silver nanoparticle and melatonin under drought stress. *Plant Biotechnology Reports*, **2024**. <https://doi.org/10.1007/s11816-024-00887-4>. (WoS/Scopus)
- 4020.** Lara TS, Correia TS, de Oliveira C, Lessa JHdL, de Souza KRD, Corguinha APB, da Silva EC Jr., Martins FAD, Lopes G, Guilherme LRG. Selenium application provides nutritional and metabolic benefits to wheat plants. *Agronomy* 14(3):462, **2024**. <https://doi.org/10.3390/agronomy14030462>. (WoS/Scopus)
- 4021.** Li R, Song Y, Wang X, Zheng C, Liu B, Zhang H, Ke J, Wu X, Wu L, Yang R, Jiang M. OsNAC5 orchestrates OsABI5 to fine-tune cold tolerance in rice. *Journal of Integrative Plant Biology* 66(4):660-682, **2024**. <https://doi.org/10.1111/jipb.13585>. (WoS/Scopus)
- 4022.** Li W, Wu H, Hua J, Zhu C, Guo S. Arbuscular mycorrhizal fungi enhanced resistance to low temperature weak-light stress in snapdragon (*Antirrhinum majus* L.) through physiological and transcriptomic responses. *Frontiers in Plant Science* 15:1330032, **2024**. <https://doi.org/10.3389/fpls.2024.1330032>. (WoS/Scopus)
- 4023.** Li Y, Sheng Y, Shu J, Hao S, Wang J, Huang Q, He K, Qi J, Liu J. Effects of nano-silica and multi-walled carbon nanotubes on grape seedlings under salt stress. *Agronomy* 14(3):622, **2024**. <https://doi.org/10.3390/agronomy14030622>. (WoS/Scopus)
- 4024.** Li Z, Zhou M, Qi H, Cheng B, Hassan MJ. Foliar application of diethyl aminoethyl hexanoate (DA-6) alleviated summer bentgrass decline and heat damage to creeping bentgrass. *Crop Science* 64(2), 1039-1050, **2024**. <https://doi.org/10.1002/csc2.21182>. (WoS/Scopus)
- 4025.** Lin J, Lin L, Shi J, Zhou M, Yuan Y, Li Z. Growth and metabolic differences in the potential of phytoremediation between two hybrid bermudagrasses in roots, stems, and leaves under cadmium stress. *Environmental and Experimental Botany*, art. 105767, **2024**. <https://doi.org/10.1016/j.envexpbot.2024.105767>. (WoS/Scopus)
- 4026.** Ling Y, Tan M, Xi Y, Li Z. Differential drought tolerance among dichondra (*Dichondra repens*) genotypes in relation to alterations in chlorophyll metabolism, osmotic adjustment, and accumulation of organic metabolites. *Protoplasma*, **2024**. <https://doi.org/10.1007/s00709-024-01943-0>. (WoS/Scopus)
- 4027.** Liu L, Assaha DVM, Islam MS, Rajendran K, Theivasigamani P, Soufan W, Ayman ES, Ueda A. Effect of NaCl on physiological, biochemical, and ionic parameters of naked oat (*Avena nuda* L.) line Bayou1. *Frontiers in Sustainable Food Systems* 7:1336350, **2024**. <https://doi.org/10.3389/fsufs.2023.1336350>. (WoS/Scopus)
- 4028.** Liu L, Jin Y, Chen M, Lian H, Liu Y, Yin Q, Wang H. A study of soil-borne *Fusarium* Wilt in continuous cropping *Chrysanthemum* cultivar ‘Guangyu’ in Henan, China. *Journal of Fungi* 10(1):14, **2024**. <https://doi.org/10.3390/jof10010014>. (WoS/Scopus)
- 4029.** Liu R, Hu B, Dannenmann M, Giesemann A, Geilfus C-M, Li C, Gao L, Flemetakis E, Haensch R, Wang D, Rennenberg H. Significance of phosphorus deficiency for the mitigation of mercury toxicity in the *Robinia pseudoacacia* L.–rhizobia symbiotic association. *Journal of Hazardous Materials* v. 467, art. 133717, **2024**. <https://doi.org/10.1016/j.jhazmat.2024.133717>. (WoS/Scopus)
- 4030.** Liu XQ, Liu Z, Zou YN, Alqahtani MD, Wu Q-S. Defense responses and symbiotic functional initiation in trifoliate orange–arbuscular mycorrhizal fungi interaction. *Chemical and Biological Technologies in Agriculture* 11, art. 3, **2024**. <https://doi.org/10.1186/s40538-023-00526-0>. (WoS/Scopus)
- 4031.** Liu Z, Cao MA, Kuča K, Alqahtani MD, Muthuramalingam P, Wu Q-S. Cloning of CAT genes in Satsuma mandarin and their expression characteristics in response to environmental stress and arbuscular mycorrhizal fungi. *Plant Cell Reports* 43, art. 123, **2024**. <https://doi.org/10.1007/s00299-024-03218-7>. (WoS/Scopus)
- 4032.** Lopes Filho WRL, Rodrigues FHS, Chaves RPF, Cunha RL, Costa LC, Pinheiro HA. Repeated water deficit events trigger adjustments in enzymatic antioxidant system in oil palm. *Theoretical and Experimental Plant Physiology*, **2024**. <https://doi.org/10.1007/s40626-024-00316-5>. (WoS/Scopus)
- 4033.** Manne H, Kumari N, Yashveer S, Nain S, Duhan J, Avtar R, Sushil, Jattan M, Rani B, Alsahli AA, Ali S.

Mitigation of lead toxicity in *Brassica juncea* L. by sulphur application – Via various biochemical and transcriptomic strategies. *Journal of King Saud University - Science*, art. 103175, **2024**. <https://doi.org/10.1016/j.jksus.2024.103175>. (WoS/Scopus)

4034. Mariam I, Krikianni E, Rantzos C, Bettiga M, Christakopoulos P, Rova U, Matsakas L, Patel A. Transcriptomics aids in uncovering the metabolic shifts and molecular machinery of *Schizochytrium limacinum* during biotransformation of hydrophobic substrates to docosaheptaenoic acid. *Microbial Cell Factories* 23, 97, **2024**. <https://doi.org/10.1186/s12934-024-02381-6>. (WoS/Scopus)

4035. Maryam H, Abbasi GH, Waseem M, Ahmed T, Rizwan M. Preparation and characterization of green silicon nanoparticles and their effects on growth and lead (Pb) accumulation in maize (*Zea mays* L.). *Environmental Pollution* v. 346, art. 123691, **2024**. <https://doi.org/10.1016/j.envpol.2024.123691>. (WoS/Scopus)

4036. Matloob H, Hameed M. Osmoregulation facilitated by leaf structural and functional traits in malabar nut (*Justicia adhatoda* L.) along elevation gradient. *Pakistan Journal of Botany* 56(4), **2024**. [http://dx.doi.org/10.30848/PJB2024-4\(2\)](http://dx.doi.org/10.30848/PJB2024-4(2)). (WoS/Scopus)

4037. Mehrabi SS, Sabokdast M, Bihanta MR, Soorni J, Mirmazloun I. Strigolactone-mediated amelioration of salinity stress in bread wheat: insights from phytochemical and ion channels related genes expression analyses. *Plant Stress* v. 11, art. 100324, **2024**. <https://doi.org/10.1016/j.stress.2023.100324>. (WoS/Scopus)

4038. Mirrani HM, Noreen Z, Usman S, Shah AA, Mahmoud EA, Elansary HO, Aslam M, Waqas A, Javed T. Magnesium nanoparticles extirpate salt stress in carrots (*Daucus carota* L.) through metabolomics regulations. *Plant Physiology and Biochemistry*, art. 108383, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108383>. (WoS/Scopus)

4039. Mofidi SSH, Naghavi MR, Sabokdast M, Jariani P, Zargar M, Cornish K. Effect of drought stress on natural rubber biosynthesis and quality in *Taraxacum kok-saghyz* roots. *PLoS ONE* 19(1): e0295694, **2024**. <https://doi.org/10.1371/journal.pone.0295694>. (WoS/Scopus)

4040. Mohammadi H, Parviz L, Beyrami A, Anosheh-Bonab F, Ghorbanpour M,. Exposure to TiO₂ nanoparticles (NPs) and zeolite stimulates growth, physiology, and phytochemical characteristics and elevates *Mentha piperita* L. tolerance to salinity stress. *Industrial Crops and Products* vol. 211, art. 118228, **2024**. <https://doi.org/10.1016/j.indcrop.2024.118228>. (WoS/Scopus)

4041. Mridha D, Sarkar J, Majumdar A, Sarkar K, Maiti A, Acharya K, Das M, Chen H, Niazi NK, Roychowdhury T. Evaluation of iron-modified biochar on arsenic accumulation by rice: a pathway to assess human health risk from cooked rice. *Environmental Science and Pollution Research*, **2024**. <https://doi.org/10.1007/s11356-024-32644-z>. (WoS/Scopus)

4042. Mueller HM, Franzisky BL, Messerer M, Du B, Lux T, White PJ, Carpentier SC, Winkler JB, Schnitzler J-P, El-Serehy HA et al. Integrative multi-omics analyses of date palm (*Phoenix dactylifera*) roots and leaves reveal how the halophyte land plant copes with sea water. *The Plant Genome* 17(1), e20372, **2024**. <https://doi.org/10.1002/tpg2.20372>. (WoS/Scopus)

4043. Naveed F, Nawaz A, Ali S, Ejaz S. Xanthan gum coating delays ripening and softening of jujube fruit by reducing oxidative stress and suppressing cell wall polysaccharides disassembly. *Postharvest Biology and Technology* v. 209, art. 112689, **2024**. <https://doi.org/10.1016/j.postharvbio.2023.112689>. (WoS/Scopus)

4044. Nawaz M, Saleem MH, Khalid MR, AliB, Fahad S. Nitric oxide reduces cadmium uptake in wheat (*Triticum aestivum* L.) by modulating growth, mineral uptake, yield attributes, and antioxidant profile. *Environmental Science and Pollution Research*, **2024**. <https://doi.org/10.1007/s11356-024-31875-4>. (WoS/Scopus)

4045. Nida K, Siddiqui ZS, Salman ZA, Aftab A, Abid R, Abideen Z, Siddiqui MH. Scrutinize the integrated role of *Azotobacter vinelandii* in nitrogen assimilation, photosystem II functionality and aerenchyma formation of *Zea mays* under moisture stress environment. *Plant Stress* v. 11, art. 100378, **2024**. <https://doi.org/10.1016/j.stress.2024.100378>. (WoS/Scopus)

4046. Noreen S, Saleem S, Iqbal U, Mahmood S, Akhter MS, Akbar N, El-Sheikh M, Kaushik P. Moringa olifera leaf extract increases physio-biochemical properties, growth and yield of *Pisum sativum* grown under salinity stress. *Journal of King Saud University - Science* 36(2):103056, **2024**. <https://doi.org/10.1016/j.jksus.2023.103056>. (WoS/Scopus)

4047. Noreen S, Saleem S, Iqbal U, Mahmood S, Akhter MS, Akbar N, El-Sheikh M, Kaushik P. Moringa olifera leaf extract increases physio-biochemical properties, growth and yield of *Pisum sativum* grown under salinity stress. *Journal of King Saud University-Science* 36(2), art. 103056, **2024**. <https://doi.org/10.1016/j.jksus.2023.103056>. (WoS/Scopus)

4048. Oloumi H, Zamani A, Ghotbzadeh S, Mozaffari H. Zinc and copper toxicity in basil (*Ocimum basilicum* L.) seedlings: role of melatonin in mitigating stress. *Plant Stress*, art. 100365, **2024**. <https://doi.org/10.1016/j.stress.2024.100365>. (WoS/Scopus)

4049. Oraee A, Tehranifar A. Increasing the resistance of the hollyhock plant to cold stress: silicon or selenium. *Journal of Plant Nutrition*, **2024**. <https://doi.org/10.1080/01904167.2024.2304164>. (WoS/Scopus)

4050. Orocio-Carrillo JA, Rivera-Cruz MC, Juárez-Mandonado A, Bautista-Muñoz CC, Trujillo-Narcía A, García-González Y, Cadenas-Villegas S. Crude oil induces plant growth and antioxidant production in *Leersia hexandra* Sw. *Plant, Soil and Environment*, **2024**. <https://doi.org/10.17221/311/2023-PSE>. (WoS/Scopus)

4051. Ozfidan-Konakci C, Yildiztugay E, Arıkan-Abdulveli B, Alp-Turgut FN, Baslak C, Yıldırım M. The characterization of plant derived-carbon dots and its responses on chlorophyll a fluorescence kinetics, radical accumulation in guard cells, cellular redox state and antioxidant system in chromium stressed-*Lactuca sativa*. *Chemosphere* vol. 356, art. 141937, **2024**. <https://doi.org/10.1016/j.chemosphere.2024.141937>. (WoS/Scopus)

- 4052.** Parkash V, Snider JL, Virk G, Dhillon KK, Lee JM. Diffusional and biochemical limitations to photosynthesis under water deficit for field-grown cotton. *Physiologia Plantarum* 176(2), e.14281, **2024**. <https://doi.org/10.1111/ppl.14281>. (WoS/Scopus)
- 4053.** Parveen A, Perveen S, Tariq S, M Atif, F Saeed, S Zafar. Protective role of manganese, proline and rice straw extract in wheat against drought driven oxidative stress. *Acta Physiologiae Plantarum* 46, 28, **2024**. <https://doi.org/10.1007/s11738-024-03655-7>. (WoS/Scopus)
- 4054.** Pontes CVS, dos Santos AHA, Lopes LKC, MAM Barbosa, A Bajguz, AKS Lobato. Exogenous serotonin and 24-epibrassinolide boost root protection and suppress oxidative damages occasioned by severe water deficit in soybean seedlings. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-023-11220-8>. (WoS/Scopus)
- 4055.** Qin C, Lian H, Zhang B, He Z, Alsahli AA, Ahanger MA. Synergistic influence of selenium and silicon supplementation prevents the oxidative effects of arsenic stress in wheat. *Journal of Hazardous Materials* v. 465, 133304, **2024**. <https://doi.org/10.1016/j.jhazmat.2023.133304> (WoS/Scopus)
- 4056.** Rahib A, Karhib MM, Nasr HM, El-Sayed RA, Abdel-Daim MM, Jebur AB, El-Demerdash FM. Citrus reticulata peel extract mitigates oxidative stress and liver injury induced by abamectin in rats. *Tissue and Cell* vol. 87, art. 102321, **2024**. <https://doi.org/10.1016/j.tice.2024.102321>. (WoS/Scopus)
- 4057.** Rahman A, NA Akram, M Iqbal. **2024**. Phenolic compound vanillic acid modulates growth and defense system of cabbage (*Brassica oleracea* var. Capitata L.) under drought stress. *Pakistan Journal of Botany* 56(5), **2024**. [http://dx.doi.org/10.30848/PJB2024-5\(27\)](http://dx.doi.org/10.30848/PJB2024-5(27)). (WoS/Scopus)
- 4058.** Rajabi Dehnavi A, Zahedi M, Piernik A. Understanding salinity stress responses in sorghum: exploring genotype variability and salt tolerance mechanisms. *Frontiers in Plant Science* 14:1296286, **2024**. <https://doi.org/10.3389/fpls.2023.1296286>. (WoS/Scopus)
- 4059.** Rguez S, Sellami IH, Abid G, Papetti A, Hammami M, Souissi F, Chaouachi M, Muhovski Y, Msaada K, Djébali N. Tetraclinis articulata essential oil emulsion use as alternative to chemical fungicide to control tomato grey mould disease. *International Journal of Environmental Health Research* 34(2):1100-1112, **2024**. <https://doi.org/10.1080/09603123.2023.2199973>. (WoS/Scopus)
- 4060.** Rizwan M, Nawaz A, Irshad S, Manoharadas S. Exogenously applied melatonin enhanced chromium tolerance in pepper by up-regulating the photosynthetic apparatus and antioxidant machinery. *Scientia Horticulturae* 323:112468, **2024**. <https://doi.org/10.1016/j.scienta.2023.112468> WoS and Scopus
- 4061.** Rocha DC, Kochi LY, Kitamura RSA, Brito JCM, Nogueira KS, Gomes MP. Unveiling the impact of antimicrobial-infused water on hydroponic baby leafy vegetables (lettuce, rocket, and watercress): Physiological effects and food safety. *Journal of Environmental Chemical Engineering* 12(2), art. 112335, **2024**. <https://doi.org/10.1016/j.jece.2024.112335>. (WoS/Scopus)
- 4062.** Rostami F, Salehi R, Torkashvand AM, Moradi P, JARI SK. Study the effects of different culture media on germination, morphological, physiological and photosynthetic characteristics of tomato (*Solanum lycopersicum* L.). *Seybold Report* 19(02):9-20, **2024**. https://seyboldreport.org/article_overview?id=MDIyMDI0MDgwNjMyMjIzNDA1. (WoS/Scopus)
- 4063.** Saeed M, Anas M, Quraishi UM, Malik RN. Arsenic accumulation pattern in water-soil-rice systems: A study of tolerance mechanisms and associated health risks. *Science of the Total Environment* v. 907, art. 167916, **2024**. <https://doi.org/10.1016/j.scitotenv.2023.167916>. (WoS/Scopus)
- 4064.** Saeed M, Quraishi UM, Landberg T, M Greger, RN Malik. Phenomic profiling to reveal tolerance mechanisms and regulation of ascorbate–glutathione cycle in wheat varieties (*Triticum aestivum* L.) under arsenic stress. *Environmental Geochemistry and Health* 46, 2, **2024**. <https://doi.org/10.1007/s10653-023-01784-5>. (WoS/Scopus)
- 4065.** Sagharyan M, Sharifi M. Metabolic and physiological changes induced by exogenous phenylalanine in *Linum album* cells. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-024-11307-w>. (WoS/Scopus)
- 4066.** Saleh MA. Nickel toxicity mitigation by supplementation of acetylcholine in wheat: Growth, photosynthetic and antioxidant activities. *South African Journal of Botany* vol. 164: 231-241, **2024**. <https://doi.org/10.1016/j.sajb.2023.11.044>. (WoS/Scopus)
- 4067.** Salehi-Eskandari B, Kazemi Renani S, Hajhashemi S. Evaluation of physiological and morphological responses of *Salix alba* and *Salix babylonica* to witches' broom gall. *European Journal of Plant Pathology*, **2024**. <https://doi.org/10.1007/s10658-024-02833-0>. (WoS/Scopus)
- 4068.** Santana BÍD, Paiva R, Reis MV, LV Vilas-Boas, Matos EM, de Campos JMS. Seed cryopreservation without vitrification (PVS2) induces oxidative stimuli to promote endoreplication in red pitaya seedlings. *Plant Cell, Tissue and Organ Culture* 156, 11, **2024**. <https://doi.org/10.1007/s11240-023-02642-z>. (WoS/Scopus)
- 4069.** Saqib M, Shahzad U, Abid Z, Zulfiqar F, Tiwari RK, Lal MK, Khan WA, El-Sheikh MA, Altaf MA. Melatonin alleviates cadmium phytotoxicity through regulation of growth, photosynthesis, and antioxidant potential in two pepper genotypes. *Acta Physiologiae Plantarum* 46, 49, **2024**. <https://doi.org/10.1007/s11738-024-03672-6>. (WoS/Scopus)
- 4070.** Sardari M, Ghanati F, Mobasheri H, Hajnorouzi A. Sound waves alter the viability of tobacco cells via changes in cytosolic calcium, membrane integrity, and cell wall composition. *PLoS ONE* 19(3): e0299055, **2024**. <https://doi.org/10.1371/journal.pone.0299055>. (WoS/Scopus)
- 4071.** Sarkar B, Das A, Pal S, Sil SK, Hasanuzzaman M, Adak MK. Insights into the mechanism of abscisic acid-

- induced 2, 4-D tolerance in maize (*Zea mays* L.) seedlings: Study on the regulation of osmolytes, fluorescence, photosynthetic carbon reactions, and antioxidant metabolism. *Plant Stress* v. 11, art. 100396, **2024**. <https://doi.org/10.1016/j.stress.2024.100396>. (WoS/Scopus)
- 4072.** Sayed EG, Desoukey SF, Desouky AF, Farag MF, EL-kholy RI, Azoz SN. Synergistic influence of arbuscular mycorrhizal fungi inoculation with nanoparticle foliar application enhances chili (*Capsicum annuum* L.) antioxidant enzymes, anatomical characteristics, and productivity under cold-stress conditions. *Plants* 13(4):517, **2024**. <https://doi.org/10.3390/plants13040517>. (WoS/Scopus)
- 4073.** Seymen M, Alkhateb R, Mutlu A, Yavuz D. Do exogenous melatonin and nitric oxide mitigate the adverse effects of flooding stress in spinach? *Scientia Horticulturae* v. 330, art. 113081, **2024**. <https://doi.org/10.1016/j.scienta.2024.113081>. (WoS/Scopus)
- 4074.** Seymen M, Burak Ö, Tanrıverdi, Yavuz D, Kıymacı G, Türkmen Ö, Kurtar ES, Yavuz N, Kal Ü. Water stress during seedling growth: examining physiological, biochemical and agronomic dynamics in *Cucumis melo*. *Pakistan Journal of Agricultural Sciences* 61(1), 73-83, **2024**. <https://www.pakjas.com.pk/TableOfContents>. WoS and Scopus
- 4075.** Seymen M, Erçetin M, Yavuz D, Kıymacı G, Kayak N, Mutlu A, Kurtar ES. Agronomic and physio-biochemical responses to exogenous nitric oxide (NO) application in cauliflower under water stress conditions. *Scientia Horticulturae* v. 331, art. 113116, **2024**. <https://doi.org/10.1016/j.scienta.2024.113116>. (WoS/Scopus)
- 4076.** Seymen M, Yavuz D, Can H, Kıymacı G, Türkmen Ö, Paksoy M, Yavuz N, Kayak N, Kurta ES. Molecular and physiological responses to exogenously applied melatonin in spinach under deficit irrigation conditions. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-023-11226-2>. (WoS/Scopus)
- 4077.** Shahraki SH, Ahmadi T, Jamali B, Rahimi M. The biochemical and growth-associated traits of basil (*Ocimum basilicum* L.) affected by silver nanoparticles and silver. *BMC Plant Biology* 24, art. 92, **2024**. <https://doi.org/10.1186/s12870-024-04770-w>. (WoS/Scopus)
- 4078.** Shahzad R, Harlina P W, Khan SU, Ihtisham M, Khan AH, Husain FM, Karuniawan A. Physio-biochemical and transcriptomics analyses reveal molecular mechanisms of enhanced UV-B stress tolerance in rice induced by titanium dioxide nanoparticles. *Journal of Plant Interactions* 19(1), art. 2328713, **2024**. <https://doi.org/10.1080/17429145.2024.2328713>. (WoS/Scopus)
- 4079.** Shalaby OA, El-Sayed Ramadan M. Mycorrhizal colonization and calcium spraying modulate physiological and antioxidant responses to improve pepper growth and yield under salinity stress. *Rhizosphere*, art. 100852, **2024**. <https://doi.org/10.1016/j.rhisph.2024.100852>. (WoS/Scopus)
- 4080.** Shibaeva TG, Sherudilo EG, Ikkonen E, Rubaeva AA, Levkin IA, Titov AF. Effects of extended light/dark cycles on solanaceae plants. *Plants* 13(2):244, **2024**. <https://doi.org/10.3390/plants13020244>. (WoS/Scopus)
- 4081.** Siddiqui MH, Mukherjee S, Gupta RK, Bhatt R, Kesawat MS. Potassium and jasmonic acid —Induced nitrogen and sulfur metabolisms improve resilience against arsenate toxicity in tomato seedlings. *South African Journal of Botany* v. 167, 285-300, **2024**. <https://doi.org/10.1016/j.sajb.2024.02.013>. (WoS/Scopus)
- 4082.** Siddiqui ZS, Nida K, Cho J-I, Rehman Y, Abideen Z. Physiological and photochemical profiling of soybean plant using biological and chemical methods of treatment against biotic stress management. *Plant Physiology and Biochemistry* vol. 208, art. 108454, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108454>. (WoS/Scopus)
- 4083.** Sielska A, Cembrowska-Lech D, Kowalska-Górska M, Czerniawski R, Krepski T, Skuza L. Effects of copper nanoparticles on oxidative stress genes and their enzyme activities in common carp (*Cyprinus carpio*). *The European Zoological Journal* 91(1), 354–365, **2024**. <https://doi.org/10.1080/24750263.2024.2332290>. (WoS/Scopus)
- 4084.** Singh G, Patel A, Tiwari S, Pandey A, Kumar S, Prasad SM. Nitric oxide and 5-aminolevulinic acid up-regulate growth, PS II photochemistry and antioxidant activity in UV-B stressed cyanobacterium *Nostoc muscorum*. *Plant Stress* v. 11, art. 100332, **2024**. <https://doi.org/10.1016/j.stress.2023.100332>.
- 4085.** Slimani A, Oufdou K, Meddich A. Intercropping and co-inoculation of beneficial microorganisms of soils improve drought tolerance in barley and alfalfa plants. *Journal of Crop Health* 76, 471–485, **2024**. <https://doi.org/10.1007/s10343-023-00949-7>. (WoS/Scopus)
- 4086.** Soleimani SH, Namdjoyan S, Ahangar H. Selenium enrichment and quality improvement of *Origanum vulgare* plants grown under in vitro condition with salicylic acid. *Journal of Plant Nutrition*, **2024**. <https://doi.org/10.1080/01904167.2024.2320204>. (WoS/Scopus)
- 4087.** Soleymanifar S, Ehsanpour AA, Ghasemi R, Schat H. The effect of L-histidine on nickel translocation and the activities of antioxidant enzymes in hyperaccumulator (*Odontarrhena inflata*) and non-accumulator (*Aurinaria saxatilis*) plants. *Plant and Soil* 495:411-428, **2024**. <https://doi.org/10.1007/s11104-023-06340-9>. (WoS/Scopus)
- 4088.** Stanojković JN, Ćosić MV, Božović DP, Sabovljević AD, Sabovljević MS, Čučulović AA, Vujičić MM. Effects of cesium on physiological traits of the catherine's moss *Atrichum undulatum* Hedw. *Plants* 13(1):54, **2024**. <https://doi.org/10.3390/plants13010054>. (WoS/Scopus)
- 4089.** Stefanakis MK, Giannakoula AE, Ouzounidou G, Papaioannou C, Lianopoulou V, Philotheou-Panou E. The effect of salinity and drought on the essential oil yield and quality of various plant species of the Lamiaceae family (*Mentha spicata* L., *Origanum dictamnus* L., *Origanum onites* L.). *Horticulturae* 10(3):265. **2024**. <https://doi.org/10.3390/horticulturae10030265>. (WoS/Scopus)
- 4090.** Suhel M, Husain T, Prasad SM, Singh VP. GABA and nitric oxide reduce AsV toxicity in tomato and brinjal seedlings by regulating sulfur assimilation and proline metabolism. *Plant Stress* 11, art. 100338, **2023**.

<https://doi.org/10.1016/j.stress.2023.100338>.

4091. Tabassum M, Noreen Z, Aslam M, Shah AN, Usman S, Waqas A, Alsherif EA, Korany SM, Nazim M. Chitosan modulated antioxidant activity, inorganic ions homeostasis and endogenous melatonin to improve yield of *Pisum sativum* L. accessions under salt stress. *Scientia Horticulturae* v. 323, art. 112509, **2024**. <https://doi.org/10.1016/j.scienta.2023.112509>. (WoS/Scopus)

4092. Tesema AA, Mekonen DA. Responses of Niger [*Guizotia abyssinica* (L.f.) Cass.] to cadmium and nickel stress. *Vegetos* 37: 239-249, **2024**. <https://doi.org/10.1007/s42535-023-00591-8>. (WoS/Scopus)

4093. Wang D, Wu W-J, Tian X, Xiang N, Hashem A, Abd_Allah EF, Wu Q-S, Zou Y-N. AMF improves response to waterlogging stress in cucumber. *Rhizosphere* vol. 30, art. 100891, **2024**. <https://doi.org/10.1016/j.rhisp.2024.100891>. (WoS/Scopus)

4094. Wang H, Liu H, Li J, Chen S, Zaman Q, Sultan K, Rehman M, Saud S, El-Kahtany K, Fahad S, Deng G, Chen A. Combined passivators regulate physiological, antioxidant potential and metals accumulation in potato grown in metals contaminated soil. *Science of the Total Environment* 912, art. 168956, **2024**. <https://doi.org/10.1016/j.scitotenv.2023.168956>. (WoS/Scopus)

4095. Wang X, Wu M, Yu S, Zhai L, Zhu X, Yu L, Zhang Y. Comprehensive analysis of the aldehyde dehydrogenase gene family in *Phaseolus vulgaris* L. and their response to saline-alkali stress. *Frontiers in Plant Science* 15:1283845, **2024**. <https://doi.org/10.3389/fpls.2024.1283845>. (WoS/Scopus)

4096. Xue J, Wang Y, Yang Z, Huang Z, Yao Y, Liu L, Zeng C, Liu Z, Yan M. Exogenous cysteine alleviates cadmium stress better than sulfate by enhancing nonenzymatic antioxidant system in *Brassica juncea*. *Scientia Horticulturae* v. 328, art. 112943, **2024**. <https://doi.org/10.1016/j.scienta.2024.112943>. (WoS/Scopus)

4097. Yadav N, Kumar A, Sawariya M, Kumar N, Mehra H, Kumar S, Kaur V, Arya SS. Effect of GA3 and calcium on growth, biochemical, and fatty acid composition of linseed under chloride-dominated salinity. *Environmental Science and Pollution Research*, **2024**. <https://doi.org/10.1007/s11356-024-32325-x>. (WoS/Scopus)

4098. Yang Z, Chen J, Tang B, Lu Y, Ho S-H, Wang Y, Chen C, Shen L. Metabolic interpretation of NaCl stress-induced lipid accumulation in microalgae for promising biodiesel production with saline wastewater. *Chemical Engineering Science* 284, art. 119447, **2024**. <https://doi.org/10.1016/j.ces.2023.119447>. (WoS/Scopus)

4099. Yazdi M, Bagheri A, Moshtaghi N, Sharifi A. Investigation of morphophysiological changes of barley (*Hordeum vulgare* L.) under drought stress in greenhouse conditions. *Environmental Stresses in Crop Sciences* 16(4), 1071-1087, **2024**. <https://doi.org/10.22077/escs.2023.5277.2133>

4100. Younis M, Akram NA, Ashraf M, El-Sheikh MA, Khan ZU. Impact of ascorbic acid-rich phyto-extracts on growth, yield and physio-biochemistry of okra [*Abelmoschus esculentus* (L.) Moench.] subjected to drought stress. *Journal of King Saud University - Science*, art. 103195, **2024**. <https://doi.org/10.1016/j.jksus.2024.103195>. (WoS/Scopus)

4101. Yuan Y, Tan M, Zhou M, Hassan MJ, Lin L, Lin J, Zhang Y, Li Z. Drought priming-induced stress memory improves subsequent drought or heat tolerance via activation of γ -aminobutyric acid-regulated pathways in creeping bentgrass. *Plant Biology*, **2024**. <https://doi.org/10.1111/plb.13636>. (WoS/Scopus)

4102. Yuce M, Yildirim E, Ekinici M, Turan M, İlhan E, Aydın M, Agar G, Ucar S. N-acetyl-cysteine mitigates arsenic stress in lettuce: Molecular, biochemical, and physiological perspective. *Plant Physiology and Biochemistry*, art. 108390, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108390>. (WoS/Scopus)

4103. Zafar F, Noreen Z, Shah AA, Usman S. Co-application of humic acid, potassium dihydrogen phosphate, and melatonin to ameliorate the effects of drought stress on barley (*Hordeum vulgare* L.). *Journal of Soil Science and Plant Nutrition* 24, 618-634, **2024**. <https://doi.org/10.1007/s42729-023-01570-3>. (WoS/Scopus)

4104. Zafar S, Farooq A, Batool S, Tariq T, Hasan M, Mustafa G. Green synthesis of iron oxide nanoparticles for mitigation of chromium stress and anti-oxidative potential in *Triticum aestivum*. *Hybrid Advances*, art. 100156, **2024**. <https://doi.org/10.1016/j.hybadv.2024.100156>.

4105. Zafar S, Hasnain Z, Danish S, ML Battaglia, S Fahad, MJ Ansari, SA Alharbi. Modulations of wheat growth by selenium nanoparticles under salinity stress. *BMC Plant Biology* 24, art. 35, **2024**. <https://doi.org/10.1186/s12870-024-04720-6>. (WoS/Scopus)

4106. Zafar S, Khan S, Ibrar D, Khan MK, Hasnain Z, Mehmood K, Rais A, Gul S, Irshad S, Nawaz M. Application of zinc nanoparticles as seed priming agent improves growth and yield of wheat seedlings grown under salinity stress by enhanced antioxidants activities and gas exchange attributes. *Cereal Research Communications*, **2024**. <https://doi.org/10.1007/s42976-024-00499-2>. (WoS/Scopus)

4107. Zahedi SM, Harfi T, Marjani M, M Vaculik, M Amini, S Sarikhani. Various forms of foliar applied zinc improve drought acclimation in pomegranate: response of photosynthesis, osmoregulation and antioxidant defense. *Journal of Soil Science and Plant Nutrition*, **2024**. <https://doi.org/10.1007/s42729-024-01694-0>. (WoS/Scopus)

4108. Zahid A, ul din K, Ahmad M, U Hayat, U Zulfiqar, SMH Askri, MZ Anjum, MF Maqsood, N Aijaz, T Chaudhary, HM Ali. Exogenous application of sulfur-rich thiourea (STU) to alleviate the adverse effects of cobalt stress in wheat. *BMC Plant Biology* 24, 126, **2024**. <https://doi.org/10.1186/s12870-024-04795-1>. (WoS/Scopus)

4109. Zanganeh L, Hassanpour M, Madadi H, Razmjou J, Behnamian M. Nanofertilizers and plant metabolites: investigating their influence on trophic interactions in the cucumber-melon aphid-green lacewing. *Plant Stress*, art. 100436, **2024**. <https://doi.org/10.1016/j.stress.2024.100436>. (WoS/Scopus)

4110. Zhang X, Zeng Q, Yang Q, Luo X, Feng Y, Wang Q, Zhang F, Zhang L, Liu Q. DgHDA6 enhances the cold tolerance in chrysanthemum by improving ROS scavenging capacity. *Ecotoxicology and Environmental Safety* 269, art. 115737, **2024**. <https://doi.org/10.1016/j.ecoenv.2023.115737>. (WoS/Scopus)

4111. Zhang Y, Li J, Yu S, Li W, Dou Y, Zhang C. Adenosine triphosphate alleviates high temperature-enhanced glyphosate toxicity in maize seedlings. *Plant Physiology and Biochemistry* vol. 210, art. 108550, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108550>. (WoS/Scopus)
4112. Zhou R, Wang S, Liu P, Cui Y, Hu Z, Liu C, Zhang Z, Yang M, Li X, Wu X, Chen Q, Zhao Y. Genome-wide characterization of soybean malate dehydrogenase genes reveals a positive role of GmMDH2 in salt stress response. *Journal of Integrative Agriculture*, **2024**. <https://doi.org/10.1016/j.jia.2023.12.036>. (WoS/Scopus)
4113. Zohaib M, Ahraf K, Fatima K, Komal N, Sultan khawar, Arshad A, Zaman Q uz. Humic acid supplementation improves salt tolerance in chili by modulating morpho-physio-biochemical variables. *International Journal of Applied and Experimental Biology* 1(1), **2024**. <https://doi.org/10.56612/ijaaeb.v1i1.84>.
4114. Zulfiqar F, Moosa A, Ferrante A, Darras A, Ahmed T, Jalil S, Al-Ashkar I, El Sabagh A. Melatonin seed priming improves growth and physio-biochemical aspects of *Zinnia elegans* under salt stress. *Scientia Horticulturae* vol. 323, art. 112495, **2024**. <https://doi.org/10.1016/j.scienta.2023.112495>. (WoS/Scopus)

Georgieva K, Tsonev T, Velikova V, Yordanov I - Photosynthetic activity during high temperature treatment of pea plants. *Journal of Plant Physiology* 157: 169-176, 2000

4115. Gerhard M - Der Einfluss strobilurinhaltiger Fungizide auf physiologische Abläufe der Ertragsbildung an Winterweizensorten. (PhD Thesis), Lehrstuhl für Phytopathologie der Technischen Universität München, **2001**
4116. Salvucci ME, Crafts-Brandner SJ - Relationship between the heat tolerance of photosynthesis and the thermal stability of rubisco activase in plants from contrasting thermal environments. *Plant Physiology* 134 (4): 1460-1470, **2004** (WoS/Scopus)
4117. Camejo D, Alarcón JJ, Torres W, Jiménez A, Sevilla F - Changes in the chlorophyll fluorescence parameters and superoxide dismutase activity during heat shock treatment and the recovery period in tomato plants. *Cultivos Tropicales* 26 (4): 53-59, **2005**
4118. Percival GC - The use of chlorophyll fluorescence to identify chemical and environmental stress in leaf tissue of three oak (*Quercus*) species. *Journal of Arboriculture* 31 (5): 215-227, **2005**
4119. Huve K, Bichele I, Tobias M, Niinemets U - Heat sensitivity of photosynthetic electron transport varies during the day due to changes in sugars and osmotic potential. *Plant Cell and Environment* 29 (2): 212-228, **2006** (WoS/Scopus)
4120. Percival GC, Kelly N - Penconazole induced heat tolerance in scots pine (*Pinus sylvestris*) and evergreen oak (*Quercus ilex*). *Arboriculture and Urban Forestry* 36 (5): 212-220, **2010** (WoS/Scopus)
4121. Mathur S, Jajoo A, Mehta P, Bharti S - Analysis of elevated temperature-induced inhibition of photosystem II using chlorophyll a fluorescence induction kinetics in wheat leaves (*Triticum aestivum*). *Plant Biology* 13 (1): 1-6, **2011** (WoS/Scopus)
4122. Boksaczanin KL, Frągkostefanakis S. Perspectives on deciphering mechanisms underlying plant heat stress response and thermotolerance. *Frontiers in plant science* 4, 315, **2012** (WoS/Scopus)
4123. Čaňová I, Ďurkovič J, Hladká D, Lukáčik I – Changes in stomatal characteristics and photochemical efficiency during leaf development in six species of *Sorbus*. *Photosynthetica* 50(4): 635-640, **2012** (WoS/Scopus)
4124. Guidi L, Degl'Innocenti E - Ch.10. Chlorophyll a fluorescence in abiotic stress, pp. 359-398, In: (B. Venkateswarlu, Arun K. Shanker, Chitra Shanker and M. Maheswari, eds.). *Crop Stress and its Management: Perspectives and Strategies*, **2012**, Springer (book)
4125. Rym BD - Ch.2. Photosynthetic Behavior of Microalgae in Response to Environmental Factors, pp. 23-46. In: *Applied Photosynthesis* (Ed. MM Najafpour), InTech, Rijeka, Croatia **2012** (book)
4126. Seubma P, Kasemsap P, van Kooten O, Harbinson J - Effects of high temperature exposure on chlorophyll fluorescence of *Phalaenopsis* leaves. *Chiang Mai University Journal of Natural Sciences* 11 (1) SPECIAL ISSUE, 409-420, **2012** (WoS/Scopus)
4127. Camejo D. Changes in the chlorophyll fluorescence parameters and superoxide dismutase activity during heat shock treatment and the recovery period in tomato plants. *Instituto Nacional de Ciencias Agrícolas* 26(4), 53-59, **2013**.
4128. Gotame TP, Andersen L, Petersen KK, Pedersen HL, Ottosen C-O, Graham J - Chlorophyll fluorescence and flowering behaviour of annual-fruited raspberry cultivars under elevated temperature regimes. *European Journal of Horticultural Science* 78 (5), 193-202, **2013** (WoS/Scopus)
4129. Janka E - On the Understanding of Climate Tolerance and Early Plant Stress Detection in Greenhouse Cultivation. (Ph.D. Thesis). Aarhus University, Department of Food Science, Faculty of Science and Technology, **2013**
4130. Janka E, Körner O, Rosenqvist E, Ottosen C-O - High temperature stress monitoring and detection using chlorophyll a fluorescence and infrared thermography in chrysanthemum (*Dendranthema grandiflora*). *Plant Physiology and Biochemistry* 67, 87-94, **2013** (WoS/Scopus)
4131. Mathur S, Mehta P, Jajoo A - Effects of dual stress (high salt and high temperature) on the photochemical efficiency of wheat leaves (*Triticum aestivum*). *Physiology and Molecular Biology of Plants* 19 (2): 179-188, **2013** (WoS/Scopus)
4132. Ajigboye OO, Murchie E, Ray RV. Foliar application of isopyrazam and epoxiconazole improves photosystem II efficiency, biomass and yield in winter wheat, *Pesticide Biochemistry and Physiology* 114(1):52-60, **2014** (WoS/Scopus)

- 4133.** Gautam A, Agrawal D, SaiPrasad SV, Jajoo A - A quick method to screen high and low yielding wheat cultivars exposed to high temperature. *Physiology and Molecular Biology of Plants*, 20 (4), 533-537, **2014** (WoS/Scopus)
- 4134.** Azam F, Chang X, Jing R. Mapping QTL for chlorophyll fluorescence kinetics parameters at seedling stage as indicators of heat tolerance in wheat, *Euphytica*, 202, 2, 245-258, **2015** (WoS/Scopus)
- 4135.** Wang Z, Ai J, Chen L, Fan S, He W, Qin H, Zhao Y. Activity of Photosystems II in Leaves of *Actinidia arguta* under Different Temperature Treatments, *Xibei Zhiwu Xuebao*, 35, 2, 329-334, **2015**
- 4136.** Guidi, L., Landi, M., Penella, C., Calatayud, A. Application of modulated chlorophyll fluorescence and modulated chlorophyll fluorescence imaging to study the environmental stresses effect. *Annali di Botanica*, 6, 5-22, **2016** (WoS/Scopus)
- 4137.** Digrado A, Bachy A, Mozaffar A, Schoon N, Bussotti F, Amelynck C, Dalcq A-C., Fauconnier, M-L Aubinet M, Heinesch B, du Jardin P, Delaplace P. Long-term measurements of chlorophyll a fluorescence using the JIP-test show that combined abiotic stresses influence the photosynthetic performance of the perennial ryegrass (*Lolium perenne*) in a managed temperate grassland. *Physiologia Plantarum*, 161, 3, 355-371, **2017** (WoS/Scopus)
- 4138.** Jumrani, K., Bhatia, V. S., & Pandey, G. P. (2017). Impact of elevated temperatures on specific leaf weight, stomatal density, photosynthesis and chlorophyll fluorescence in soybean. *Photosynthesis Research*, 131(3), 333-350, **2017** (WoS/Scopus)
- 4139.** Patil S, Pandit R, Lali A. Photosynthetic acclimation of *Chlorella saccharophila* to heat stress. *Phycological Research*, 65, 160-165, **2017** (WoS/Scopus)
- 4140.** Percival GC. Abiotic stress. In: Ferrini F, Konijnendijk van den Bosch CC, Fini A (Eds.), *Routledge Handbook of Urban Forestry*, Chapter 17, pp. 237-250, **2017**. <https://www.routledgehandbooks.com/doi/10.4324/9781315627106.ch17>. (BOOK) (WoS/Scopus)
- 4141.** Jumrani K, Bhatia V S, Pandey GP. Impact of elevated temperatures on specific leaf weight, stomatal density, photosynthesis and chlorophyll fluorescence in soybean. *Photosynthesis Research* 131(3): 333-350, **2017**. (WoS/Scopus)
- 4142.** Konôpková A, Kurjak D, Kmet' J, Klumpp R, Longauer R, Ditmarová Ľ, Gömöry D. Differences in photochemistry and response to heat stress between silver fir (*Abies alba* Mill.) provenances. *Trees - Structure and Function* 32(1):73-86. **2018**. <https://doi.org/10.1007/s00468-017-1612-9>. (WoS/Scopus)
- 4143.** Kurjak D, Konôpková A, Kmet' J, Macková M, Frýdl J, Živčák M, Palmroth S, Ditmarová Ľ, Gömöry D. Variation in the performance and thermostability of photosystem II in European beech (*Fagus sylvatica* L.) provenances is influenced more by acclimation than by adaptation. *European Journal of Forest Research* 138:79-92, **2019**. <https://doi.org/10.1007/s10342-018-1155-7> (WoS/Scopus)
- 4144.** Shapira O, Chernouvanov S, Neuberger I, Levy S, Rubinovich L. Physiological characterization of young 'Hass' avocado plant leaves following exposure to high temperatures and low light intensity. *Plants* 10(8), 1562, **2021**. <https://doi.org/10.3390/plants10081562>. (WoS/Scopus)
- 4145.** Cataldo E, Fucile M, Mattii GB. Effects of kaolin and shading net on the ecophysiology and berry composition of sauvignon blanc grapevines. *Agriculture* 12(4):491, **2022**. <https://doi.org/10.3390/agriculture12040491>. (WoS/Scopus)
- 4146.** Chaudhary S, Devi P, HanumanthaRao B, Jha UC, Sharma KD, Prasad PVV, Kumar S, Siddique KHM and Nayyar H. Physiological and molecular approaches for developing thermotolerance in vegetable crops: a growth, yield and sustenance perspective. *Frontiers in Plant Science* 13:878498, **2022**. <https://doi.org/10.3389/fpls.2022.878498>. (WoS/Scopus)
- 4147.** Osorio E, Davis AR, Bueckert RA. High temperature disturbs ovule development in field pea (*Pisum sativum* L.). *Botany* 100(1), 47-61, **2022**. <https://doi.org/10.1139/cjb-2021-0078>. (WoS/Scopus)
- 4148.** Jumrani K, Bhatia VS, Kataria S, Rastogi A. The interactive effect of high temperature and water deficit stress on nitrogen fixation, photosynthesis, chlorophyll fluorescence, seed yield and quality in soybean (*Glycine max*). *Plant Physiology Reports* 29: 125-140, **2024**. <https://doi.org/10.1007/s40502-023-00763-3>. (WoS/Scopus)
- 4149.** Cui Y, Zhao Y, Ouyang S, Shao C, Li L, Duan H. A bibliometric analysis unveils valuable insights into the past, present, and future dynamics of plant acclimation to temperature. *Phyton-International Journal of Experimental Botany* 93(2), 291-312, **2024**. <https://doi.org/10.32604/phyton.2024.047281>. (WoS/Scopus)

[Yordanov I, Velikova V, Tsonev T - Plant responses to drought, acclimation, and stress tolerance \(review\). *Photosynthetica* 38 \(1\), 171-186, 2000](#)

- 4150.** Berova M, Kerin V, Stoilova Tz - Effect of water deficit on the growth of bean (*Phaseolus vulgaris* L.) and cowpea (*Vigna unguiculata* L.). *Annual report of the bean improvement cooperative* 44: 47-48, **2001**
- 4151.** Zlatev Z, Vassilev A, Berova M - Physiological response of two sunflower genotypes to drought. *Scientific Works, Agricultural University- Plovdiv*, XLVI (2): 271-276, **2001**
- 4152.** Берова М, Керин В, Стоилова Ц Промени във фотосинтетичната активност и газообмена при фасул и вигна в условия на засушаване. В: *Постижения и перспективи на водния режим и минералното хранене на растенията България*, том 2: 168-170, **2001**
- 4153.** Златев З, Берова М, Василев А Влияние на идуцирания воден дефицит листния газообмен и водообмена на млади пшенични растения. В: *Постижения и перспективи на водния режим и минералното хранене на растенията България*. том 2: 78-81, **2001**

4154. Egert M, Tevini M – Influence of drought on some physiological parameters symptomatic for oxidative stress in leaves of chives (*Allium schoenoprasum*). *Environment and Experimental of Botany* 48 (1): 43-49, **2002 (WoS/Scopus)**
4155. Fuchs MA, Geiger DR, Reynolds TL, Bourque JE - Mechanisms of glyphosate toxicity in velvetleaf (*Abutilon theophrasti medikus*). *Pesticide Biochemistry and Physiology* 74 (1): 27-39, **2002 (WoS/Scopus)**
4156. Llorens L, Penuelas J, Emmett B - Developmental instability and gas exchange responses of a heathland shrub to experimental drought and warming. *International Journal of Plant Sciences* 163 (6): 959-967, **2002 (WoS/Scopus)**
4157. Poulson ME, Donahue RA, Konvalinka J, Boeger MRT - Enhanced tolerance of photosynthesis to high-light and drought stress in *Pseudotsuga menziesii* seedlings grown in ultraviolet-B radiation. *Tree Physiology* 22 (12): 829-838, **2002 (WoS/Scopus)**
4158. Zhao HJ, Zou Q - Protective effects of exogenous antioxidants and phenolic compounds on photosynthesis of wheat leaves under high irradiance and oxidative stress. *Photosynthetica* 40 (4): 523-527, **2002 (WoS/Scopus)**
4159. Berova M, Zlatev Z - Physiological response of paclobutrazol-treated triticale plants to water stress. *Biologia Plantarum* 46 (1): 133-136, **2003 (WoS/Scopus)**
4160. Biswal UC, Raval MK – In: *Chloroplast Biogenesis: From Proplastid to Gerontoplast*. ISBN 1-4020-1602-6 Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, The Netherlands, **2003, 345p. (book)**
4161. Cha-um S, Mosaleeyanon K, Supaibulwatana K, Kirdmanee Ch - A more efficient transplanting system for Thai Neem (*Azadirachta siamensis* Val.) by reducing relative humidity. *Science Asia* 29: 189-196, **2003**
4162. Gonzalez RP - Estimacion de parametros geneticos para tolerancia a sequia en chile cora *Capsicum Annuum* L. (PhD Thesis), Universidad de Colima - Mexico, **2003**
4163. Hsu SY, Kao CH - Differential effect of sorbitol and polyethylene glycol on antioxidant enzymes in rice leaves. *Plant Growth Regulation* 39 (1): 83-90, **2003 (WoS/Scopus)**
4164. Llorens L, Penuelas J, Estiarte M – Ecophysiological responses of two Mediterranean shrubs, *Erica multiflora* and *Globularia alypum*, to experimentally drier and warmer conditions. *Physiologia Plantarum* 119: 231-243, **2003 (WoS/Scopus)**
4165. Mudrik V, Kosobrukhov A, Knyazeva I, Pigulevskaya T - Changes in the photosynthetic characteristics of Plantago major plants caused by soil drought stress. *Plant Growth Regulation* 40 (1): 1-6, **2003 (WoS/Scopus)**
4166. Pshybytko NL, Kalituho LN, Zhavoronkova NB, Kabashnikova LF - Effect of heat shock and water deficit on the state of chloroplast photosynthetic membranes in the Hordeum vulgare leaves of different ages. *Biologicheskie Membrany* 20 (2): 121-127, **2003 (WoS/Scopus)**
4167. Shangguan Z, Xue Q - Mechanisms of physiological regulation for improving dryland crop water use. *Agricultural Sciences in China* 2(9): 957-963, **2003**
4168. Urban O - Physiological impacts of elevated CO₂ concentrations ranging from molecular to whole plant responses. *Photosynthetica* 41(1): 9-20, **2003 (review) (WoS/Scopus)**
4169. Chen G-X, Liu S-H, Zhang C-J, Lu C-G - Effects of drought on photosynthetic characteristics of flag leaves of a newly-developed super-high-yield rice hybrid. *Photosynthetica* 42(4): 573-578, **2004 (WoS/Scopus)**
4170. Choluj D, Karwowska R, Jasinska M, Haber G - Growth and dry matter partitioning in sugar beet plants (*Beta vulgaris* L.) under moderate drought. *Plant Soil and Environment* 50 (6): 265-272, **2004 (WoS/Scopus)**
4171. Díaz VCL, González-Rodríguez AM, Parrondo MSJ, Méndez DM - La ecofisiología como herramienta forestal. Aplicación al cultivo tradicional y alternativo de pino canario tras 20 meses de plantación. *Cuad Soc Esp Cienc For* 20: 123-128, **2004**
4172. Hwang HJ, Kim EM, Rhew TH, Lee CH - Reversible photoinactivation of photosystem II during desiccation of barley (*Hordeum vulgare* L. cv. Albori) leaves in the light. *Journal of Plant Biology* 47 (2): 142-148, **2004 (WoS/Scopus)**
4173. Kosobryukhov AA, Bil' KY, Nishio JN - Sugar beet photosynthesis under conditions of increasing water deficiency in soil and protective effects of a low-molecular-weight alcohol. *Applied Biochemistry and Microbiology* 40 (6): 581-587, **2004 (WoS/Scopus)**
4174. Li YG, Li LH, Jiang GM, Niu SL, Liu MZ, Gao LM, Peng Y, Jiang CD - Traits of chlorophyll fluorescence in 99 plant species from the sparse-elm grassland in Hunshandak Sandland. *Photosynthetica* 42 (2): 243-249, **2004 (WoS/Scopus)**
4175. Llorens L, Penuelas J, Beier C, Emmett B, Estiarte M, Tietema A - Effects of an experimental increase of temperature and drought on the photosynthetic performance of two ericaceous shrub species along a north-south European gradient. *Ecosystems* 7 (6): 613-624, **2004 (WoS/Scopus)**
4176. Llorens L, Penuelas J, Estiarte M, Bruna P - Contrasting growth changes in two dominant species of a Mediterranean shrubland submitted to experimental drought and warming. *Annals of Botany* 94 (6): 843-853, **2004 (WoS/Scopus)**
4177. Monakhova OF, Chernyad'ev II - Effects of cytokinin preparations on the stability of the photosynthetic apparatus of two wheat cultivars experiencing water deficiency. *Applied Biochemistry and Microbiology* 40 (6): 573-580, **2004 (WoS/Scopus)**
4178. Peeva V, Maslenkova L - Thermoluminescence study of photosystem II activity in Haberlea rhodopensis and spinach leaves during desiccation. *Plant Biology* 6 (3): 319-324, **2004 (WoS/Scopus)**
4179. Rahman M, Gul S, Ahmad I - Effects of water stress on growth and photosynthetic pigments of corn (*Zea mays* L.) cultivars. *International Journal of Agriculture & Biology* 6 (4): 652-655, **2004 (WoS/Scopus)**
4180. Syros T, Yupsanis T, Omirou M, Economou A - Photosynthetic response and peroxidases in relation to water and nutrient deficiency in gerbera. *Environmental and Experimental Botany* 52 (1): 23-31, **2004 (WoS/Scopus)**
4181. Upadhyaya H, Panda SK - Responses of *Camellia sinensis* to drought and rehydration. *Biologia plantarum*

48 (4): 597-600, **2004 (WoS/Scopus)**

4182. Valladares F, Aranda I, Sánchez-Gómez D – La luz como factor ecológico y evolutivo para las plantas y su interacción con el agua. Capítulo 12. In: *Ecología del bosque mediterráneo en un mundo cambiante*. Valladares F (ed.), Ministerio de Medio Ambiente, EGRAF, S.A, Madrid. ISBN: 84-8014-552-8, pp: 335-369, **2004 (book)**

4183. Bhattarai SP – The physiology of water use efficiency of crops subjected to subsurface drip irrigation, oxygation and salinity in a heavy clay soil. (**PhD Thesis**) Central Queensland University, Australia, **2005**

4184. Blodner C, Skroppa T, Johnsen O, Polle A - Freezing tolerance in two Norway spruce (*Picea abies* [L.] Karst.) progenies is physiologically correlated with drought tolerance. *Journal of Plant Physiology* 162 (5): 549-558, **2005 (WoS/Scopus)**

4185. Chernyad'ev II - Effect of water stress on the photosynthetic apparatus of plants and the protective role of cytokinins: A review. *Applied Biochemistry and Microbiology* 41 (2): 115-128, **2005 (review) (WoS/Scopus)**

4186. Gong H, Zhu X, Chen K, Wang S, Zhang C - Silicon alleviates oxidative damage of wheat plants in pots under drought. *Plant Science* 169 (2): 313-321, **2005 (WoS/Scopus)**

4187. He J-S, Zhang Q-B, Bazzaz FA - Differential drought responses between saplings and adult trees in four co-occurring species of New England. *Trees - Structure and Function* 19 (4): 442-450, **2005 (WoS/Scopus)**

4188. Krivosudská Eleonóra, Brestič Marián - Charakteristika vybraných genotypov cícera baranieho v podmienkach vodného stresu [Characteristics of selected genotypes of chickpea in water stress conditions]. *Nové poznatky z genetiky a šľachtienia poľnohospodárskych rastlín. Zborník z 12. odborného seminára, Piešťany*: VURV, 184-185, **2005 (book)**

4189. Mottonen M, Lehto T, Rita H, Aphalo P - Recovery of Norway spruce (*Picea abies*) seedlings from repeated drought as affected by boron nutrition. *Trees-Structure and Function* 19 (2): 213-223, **2005 (WoS/Scopus)**

4190. Pimienta-Barrios E, Zañudo-Hernández J, Nobel PS - Effects of young cladodes on the gas exchange of basal cladodes of *Opuntia ficus-indica* (Cactaceae) under wet and dry conditions. *International Journal of Plant Sciences* 166 (6): 961-968, **2005 (WoS/Scopus)**

4191. Ratnayaka HH, Ratnayaka HH - Gas exchange and leaf ultrastructure of tinnevely senna, *Cassia angustifolia*, under drought and nitrogen stress. *Crop Science* 45 (3): 840-847, **2005 (WoS/Scopus)**

4192. Scheirs J, De Bruyn L - Plant-mediated effects of drought stress on host preference and performance of a grass miner. *Oikos* 108 (2): 371-385, **2005 (WoS/Scopus)**

4193. Zlatev Z, Lidon FC – Effects of water deficit on plant growth, water relations and photosynthesis. *Biologia Vegetal E Agro-industrial* 2: 235-252, **2005 (review) (WoS/Scopus)**

4194. Archaux F, Wolters V - Impact of summer drought on forest biodiversity: what do we know? *Annals of Forest Science* 63 (6): 645-652, **2006 (review) (WoS/Scopus)**

4195. Bacelar EA, Santos DL, Moutinho-Pereira JM, Goncalves BC, Ferreira HF, Correia CM - Immediate responses and adaptative strategies of three olive cultivars under contrasting water availability regimes: Changes on structure and chemical composition of foliage and oxidative damage. *Plant Science* 170 (3): 596-605, **2006 (WoS/Scopus)**

4196. Baquedano FJ, Castillo FJ - Comparative ecophysiological effects of drought on seedlings of the Mediterranean water-saver *Pinus halepensis* and water-spenders *Quercus coccifera* and *Quercus ilex*. *Trees-Structure and Function* 20 (6): 689-700, **2006 (WoS/Scopus)**

4197. Chernyadev II, Monakhova OF - Activity of NADP-dependent glyceraldehyde-phosphate dehydrogenase and phosphoenolpyruvate carboxylase in wheat leaves under water stress. *Applied Biochemistry and Microbiology*, 42 (3): 312-319, **2006 (WoS/Scopus)**

4198. dos Santos MG, Ribeiro RV, de Oliveira RF, Machado EC, Pimentel C - The role of inorganic phosphate on photosynthesis recovery of common bean after a mild water deficit Source: *Plant Science* 170 (3): 659-664, **2006 (WoS/Scopus)**

4199. dos Santos MG, Ribeiro RV, Teixeira MG, de Oliveira RF, Pimentel C - Foliar phosphorus supply and CO₂ assimilation in common bean (*Phaseolus vulgaris* L.) under water deficit. *Brazilian Journal of Plant Physiology* 18 (3): 407-411, **2006 (WoS/Scopus)**

4200. Fang XW, Yuan JL, Wang G, Zhao ZG - Fruit production of shrub, *Caragana korshinskii*, following above-ground partial shoot removal: mechanisms underlying compensation. *Plant Ecology* 187 (2): 213-225, **2006 (WoS/Scopus)**

4201. Hassan IA - Effects of water stress and high temperature on gas exchange and chlorophyll fluorescence in *Triticum aestivum* L. *Photosynthetica* 44 (2): 312-315, **2006 (WoS/Scopus)**

4202. Koonjah SS, Walker S, Singels A, Van Antwerpen R, Nayamuth R - A quantitative study of water stress effect on sugarcane photosynthesis. *Proc.S.Afr. Sug. Technol. Ass.* 80, 148-158, **2006 (WoS/Scopus)**

4203. Mena-Petite A, Lacuesta M, Muñoz-Rueda A - Ammonium assimilation in *Pinus radiata* seedlings: Effects of storage treatments, transplanting stress and water regimes after planting under simulated field conditions. *Environmental and Experimental Botany* 55 (1-2): 1-14, **2006 (WoS/Scopus)**

4204. Poulson ME, Boeger MRT, Donahue RA - Response of photosynthesis to high light and drought for *Arabidopsis thaliana* grown under a UV-B enhanced light regime. *Photosynthesis Research* 90 (1): 79-90, **2006 (WoS/Scopus)**

4205. Pshibytko NL, Zenevich LA, Kabashnikova LF - Changes in the photosynthetic apparatus during fusarium wilt of tomato. *Russian Journal of Plant Physiology* 53 (1): 25-31, **2006 (WoS/Scopus)**

4206. Rouhi V - Seed germination of *Prunus scoparia* (Spach) C.K. Schneider and drought stress evaluation based on ecophysiological parameters and growth characteristics for three contrasting almond species (*P. dulcis* (Miller) D. Webb, *P. lycioides* (Spach) C.K. Schneider and *P. scoparia* (Spach) C.K. Schneider). Ghent University. Belgium, **2006 (PhD Thesis)**

4207. Zeinalov Y – A brief history of the investigations on photosynthesis in Bulgaria. *Photosynthesis Research* 88: 195-204, **2006 (WoS/Scopus)**

4208. Acquaaah G – In: *Principles of Plant Genetics and Breeding*, Chapter 21: Breeding for resistance to abiotic stresses, ISBN 13:978-1-4051-3646-4 Blackwell Publ **2007**, 567p. ([book](#))

4209. Hura T, Grzesiak S, Hura K, Thiemt E, Tokarz K, Wedzony M - Physiological and biochemical tools useful in drought-tolerance detection in genotypes of winter triticale: Accumulation of ferulic acid correlates with drought tolerance. *Annals of Botany* 100 (4): 767-775, **2007 (WoS/Scopus)**

4210. Hura T, Hura K, Grzesiak M, Rzepka A - Effect of long-term drought stress on leaf gas exchange and fluorescence parameters in C3 and C4 plants. *Acta Physiologiae Plantarum* 29 (2): 103-113, **2007 (WoS/Scopus)**

4211. Lee JH, Lee YB, Yang EY, Choi EY - **2007**. A controlled irrigation method using integrated solar radiation has effect on both the production and quality of single-node cutting rose 'Versillia'. *Proceedings of the International Symposium on Advances in Environmental Control, Automation and Cultivation Systems for Sustainable, High-Quality Crop Production Under Protected Cultivation* (761): 379-385. edited by Cantliffe, DJ, presented at International Symposium on Advances in Environmental Control, Automation and Cultivation Systems for Sustainable, High-Quality Crop Production Under Protected Cultivation in Seoul, South Korea, Aug 13-19, 2006

4212. Li YG, Jiang GM, Liu MZ, Niu SL, Gao LM, Cao XC - Photosynthetic response to precipitation/rainfall in predominant tree (*Ulmus pumila*) seedlings in Hunshandak Sandland, China. *Photosynthetica* 45 (1): 133-138, **2007 (WoS/Scopus)**

4213. Merewitz E, Huang B - Ch.8. Biotechnology in Plant Tolerance to Heat and Drought Stress, pp. 105-125, In: *Plant Stress and Biotechnology* (Eds.: D. Thangadurai, W. Tang, S.-Q. Song) Oxford Book Company, Jaipur, India, **2007 (book)**

4214. Oukarroum A, El Madidi S, Schansker G, Strasser RJ - Probing the responses of barley cultivars (*Hordeum vulgare* L.) by chlorophyll a fluorescence OLKJIP under drought stress and re-watering. *Environmental And Experimental Botany* 60 (3): 438-446, **2007 (WoS/Scopus)**

4215. Rouhi V. Samson R, Lemeur R, Van Damme P - Photosynthetic gas exchange characteristics in three different almond species during drought stress and subsequent recovery. *Environmental and Experimental Botany* 59 (2): 117-129, **2007 (WoS/Scopus)**

4216. Vitale M, Anselmi S, Salvatori E, Manes F - New approaches to study the relationship between stomatal conductance and environmental factors under Mediterranean climatic conditions. *Atmospheric Environment* 41 (26): 5385-5397, **2007 (WoS/Scopus)**

4217. Xu HX, Weng XY, Yang Y - Effect of phosphorus deficiency on the photosynthetic characteristics of rice plants. *Russian Journal of Plant Physiology* 54 (6): 741-748, **2007 (WoS/Scopus)**

4218. Zhang W, He K, Wang Y, Wang B, Deng J, Zhou Y, Zhong X, Li Z - Effects of light radiation intensity on photosynthetic characteristics and water use efficiency of *Platycladus orientalis* and *Pinus tabulaeformis* seedlings. *Frontiers of Forestry in China* 2 (2): 192-197, **2007 (WoS/Scopus)**

4219. Abraham EM, Meyer WA, Bonos SA, Huang BR - Differential responses of hybrid bluegrass and kentucky bluegrass to drought and heat stress. *Hortscience* 43 (7): 2191-2195, **2008 (WoS/Scopus)**

4220. Choluj D, Karwowska R, Ciszewska A, Jasinska M - Influence of long-term drought stress on osmolyte accumulation in sugar beet (*Beta vulgaris* L.) plants. *Acta Physiologiae Plantarum* 30 (5): 679-687, **2008 (WoS/Scopus)**

4221. Costa RCL, Lobato AKS, Oliveira Neto CF, Maia PSP, Alves GAR, Laughinghouse HD - Biochemical and physiological responses in two *Vigna unguiculata* (L.) Walp. cultivars under water stress. *Journal of Agronomy* 7 (1): 98-101, **2008 (WoS/Scopus)**

4222. de Brito LKFL, Silveira JAG, de Lima LLF, Timoteo ARD, Chagas RM, de Macedo CEC - Alterations on the profile of nitrogenous fractions in sugarcane calluses induced by water deficit. *Pesquisa Agropecuaria Brasileira* 43 (6): 683-690, **2008 (WoS/Scopus)**

4223. Fang XW, Li JH, Xiong YC, Xu DH, Fan XW, Li FM - Responses of *Caragana korshinskii* Kom. to shoot removal: mechanisms underlying regrowth. *Ecological Research* 23 (5): 863-871, **2008 (WoS/Scopus)**

4224. Janda T, Cseplo A, Nemeth C, Vida G, Pogany M, Szalai G, Veisz O - Combined effect of water stress and infection with the necrotrophic fungal pathogen *Drechslera tritici-repentis* on growth and antioxidant activity in wheat. *Cereal Research Communications* 36 (1): 53-64, **2008 (WoS/Scopus)**

4225. Kirova E, Tzvetkova N, Vaseva I, Ignatov G - Photosynthetic responses of nitrate-fed and nitrogen-fixing soybeans to progressive water stress. *Journal of Plant Nutrition* 31 (3): 445-458, **2008 (WoS/Scopus)**

4226. Linke R, Richter K, Haumann J, Schneider W, Weihs P - Occurrence of repeated drought events: can repetitive stress situations and recovery from drought be traced with leaf reflectance? *Periodicum Biologorum* 110 (3): 219-229, **2008 (WoS/Scopus)**

4227. Lobato AKS, Oliveira Neto CF, Costa RCL, Santos Filho BG, Cruz FJR, Laughinghouse IV HD - Biochemical and physiological behavior of *Vigna unguiculata* (L.) Walp. under water stress during the vegetative phase. *Asian Journal of Plant Sciences* 7 (1): 44-49, **2008**

4228. Noormets A, Desai AR, Cook BD, Euskirchen ES, Ricciuto DM, Davis KJ, Bolstad PV, Schmid HP, Vogel CV, Carey EV, Su HB, Chen J - Moisture sensitivity of ecosystem respiration: Comparison of 14 forest ecosystems in the Upper Great Lakes Region, USA. *Agricultural and Forest Meteorology* 148 (2): 216-230, **2008 (WoS/Scopus)**

4229. Rauf S - Breeding sunflower (*Helianthus annuus* L.) for drought tolerance. *Communications in Biometry and Crop Science* 3(1): 29-44, **2008 (WoS/Scopus)**

- 4230.** Richards CL, Walls RL, Bailey JP, Parameswaran R, George T, Pigliucci M - Plasticity in salt tolerance traits allows for invasion of novel habitat by Japanese knotweed s. l. (*Fallopia japonica* and *F. bohemica*, Polygonaceae). *American Journal of Botany* 95 (8): 931-942, **2008 (WoS/Scopus)**
- 4231.** Rincon A, Valladares F, Gimeno TE, Pueyo JJ - Water stress responses of two Mediterranean tree species influenced by native soil microorganisms and inoculation with a plant growth promoting rhizobacterium. *Tree Physiology* 28 (11): 1693-1701, **2008 (WoS/Scopus)**
- 4232.** Safarnejad A - Morphological and biochemical response to osmotic stress in alfalfa (*Medicago sativa* L.). *Pakistan Journal of Botany* 40(2): 735-746, **2008 (WoS/Scopus)**
- 4233.** Slot M, Zaragoza-Castells J, Atkin OK - Transient shade and drought have divergent impacts on the temperature sensitivity of dark respiration in leaves of *Geum urbanum*. *Functional Plant Biology* 35 (11): 1135-1146, **2008 (WoS/Scopus)**
- 4234.** Sousa EB - Indicadores físico-químicos para seleção de plantas de algodão herbáceo tolerantes à seca. Universidade Federal Rural de Pernambuco, Brasil. Departamento de Biologia. **2008 (PhD Thesis)** of Eric Beserra de Melo Sousa)
- 4235.** Suja G, Parida A - Isolation and characterization of photosystem 2 PsbR gene and its promoter from drought-tolerant plant *Prosopis juliflora*. *Photosynthetica* 46 (4): 525-530, **2008 (WoS/Scopus)**
- 4236.** Zhao W, Chen S-P, Lin G-H - Compensatory growth responses to clipping defoliation in *Leymus chinensis* (Poaceae) under nutrient addition and water deficiency conditions. *Plant Ecology* 196: 85-99, **2008 (WoS/Scopus)**
- 4237.** Узунов З, Марковска Ю, Недковска М, Горинова Н - Сравнителна характеристика на *Mentha piperita* и *Mentha spicata*, отгледани върху замърсени почви от района на КЦМ – Пловдив. Сб. Международна научна конференция "Предизвикателствата пред Българската наука и Европейското изследователско пространство" 5 - 6 юни **2008 г.**
- 4238.** Allan E, Pannell JR - Rapid divergence in physiological and life-history traits between northern and southern populations of the British introduced neo-species, *Senecio squalidus*. *OIKOS* 118 (7): 1053-1061, **2009 (WoS/Scopus)**
- 4239.** Barsi DC, Major JE, Mosseler A, Campbell M - Genetic variation and control of chloroplast pigment concentrations and related needle-level traits in *Picea rubens*, *Picea mariana*, and their hybrids: Moisture and light environmental effects. *Trees - Structure and Function* 23 (3), 555-571, **2009 (WoS/Scopus)**
- 4240.** Carlin SD - Mecanismos fisiológicos de cana-de-açúcar sob efeito da interação dos estresses hídrico e ácido no solo. Ph.D. Thesis - Universidade Estadual Paulista "Julio De Mesquita Filho" Faculdade De Ciências Agrárias E Veterinárias Campus De Jaboticabal, Sao Paulo, Brasil. **2009 (Ph.D. Thesis)**
- 4241.** Chernyad'ev II - The protective action of cytokinins on the photosynthetic machinery and productivity of plants under stress. *Applied Biochemistry and Microbiology* 45 (4): 351-362, **2009 (review) (WoS/Scopus)**
- 4242.** Ghassemi-Golezani K, Ghanehpour S, Mohammadi-Nasab AD - Effects of water limitation on growth and grain filling of faba bean cultivars. *Journal of Food Agriculture & Environment* 7 (3-4): 442-447, Part 1, **2009 (WoS/Scopus)**
- 4243.** Li YZ, Sun CB, Huang ZB, Pan JL, Wang L, Fan XW - Mechanisms of progressive water deficit tolerance and growth recovery of chinese maize foundation genotypes Huangzao 4 and Chang 7-2, which are proposed on the basis of comparison of physiological and transcriptomic responses. *Plant and Cell Physiology* 50 (12): 2092-2111, **2009 (WoS/Scopus)**
- 4244.** Mao SY, Jiang CD, Zhang WH, Shi L, Zhang JZ, Chow WS, Yang JC - Water translocation between ramets of strawberry during soil drying and its effects on photosynthetic performance. *Physiologia Plantarum* 137 (3): 225-234, **2009 (WoS/Scopus)**
- 4245.** Prieto P, Penuelas J, Llusia J, Asensio D, Estiarte M - Effects of experimental warming and drought on biomass accumulation in a Mediterranean shrubland. *Plant Ecology* 205 (2): 179-191, **2009 (WoS/Scopus)**
- 4246.** Prieto P, Penuelas J, Llusia J, Asensio D, Estiarte M - Effects of long-term experimental night-time warming and drought on photosynthesis, Fv/Fm and stomatal conductance in the dominant species of a Mediterranean shrubland. *Acta Physiologiae Plantarum* 31 (4): 729-739, **2009 (WoS/Scopus)**
- 4247.** Sangtarash MH, Qaderi MM, Chinnappa CC, Reid DM - Differential sensitivity of canola (*Brassica napus*) seedlings to ultraviolet-B radiation, water stress and abscisic acid. *Environmental and Experimental Botany* 66 (2): 212-219, **2009 (WoS/Scopus)**
- 4248.** Santos MG, Ribeiro RV, Machado EC, Pimentel C - Photosynthetic parameters and leaf water potential of five common bean genotypes under mild water deficit. *Biologia Plantarum* 53 (2): 229-236, **2009 (WoS/Scopus)**
- 4249.** Sendall KM, Vourlitis GL, Lobo, FA - Seasonal variation in the maximum rate of leaf gas exchange of canopy and understory tree species in an Amazonian semi-deciduous forest. *Brazilian Journal of Plant Physiology* 21 (1), pp. 65-74, **2009 (WoS/Scopus)**
- 4250.** Shem K, Catherine M, Ong C - Gas exchange responses of *Eucalyptus*, C-africana and G-robusta to varying soil moisture content in semi-arid (Thika) Kenya. *Agroforestry Systems* 75 (3): 239-249, **2009 (WoS/Scopus)**
- 4251.** Abedi T, Pakniyat H - Antioxidant enzyme changes in response to drought stress in ten cultivars of oilseed rape (*Brassica napus* L.). *Czech Journal of Genetics and Plant Breeding* 46 (1): 27-34, **2010 (WoS/Scopus)**
- 4252.** Badr-uz-Zaman, Salim M, Asghar R - Role of Ca²⁺ on growth of *Brassica campestris* L. and *B. juncea* (L.) Czern & Coss under Na⁺ stress. *Journal of Integrative Plant Biology* 52: 549-555, **2010 (WoS/Scopus)**
- 4253.** Bano A, Rashida Batool R, Dazzo F - Adaptation of chickpea to desiccation stress is enhanced by symbiotic rhizobia. *Symbiosis* 50 (3): 129-133, **2010 (WoS/Scopus)**

- 4254.** Bonosi L, Ghelardini L, Weih M - Growth responses of 15 *Salix* genotypes to temporary water stress are different from the responses to permanent water shortage. *Trees-structure and function* 24 (5): 843-854, **2010 (WoS/Scopus)**
- 4255.** de Melo AS, Suassuna JF, Fernandes PD, Brito MEB, Suassuna AF, Aguiar AD - Vegetative growth, stomatal resistance, photosynthetic efficiency and yield of watermelon plants under different water levels. *Acta Scientiarum-Agronomy* 32 (1): 73-79, **2010 (WoS/Scopus)**
- 4256.** Dias MC, Bruggemann W - Limitations of photosynthesis in *Phaseolus vulgaris* under drought stress: gas exchange, chlorophyll fluorescence and Calvin cycle enzymes. *Photosynthetica* 48 (1): 96-102, **2010 (WoS/Scopus)**
- 4257.** Genet H, Breda N, Dufrene E - Age-related variation in carbon allocation at tree and stand scales in beech (*Fagus sylvatica* L.) and sessile oak (*Quercus petraea* (Matt.) Liebl.) using a chronosequence approach. *Tree Physiology* 30 (2): 177-192, **2010 (review) (WoS/Scopus)**
- 4258.** Hura T, Hura K, Grzesiak S, Banaszak Z - Simulation of osmotic stress during the early stages of triticale development as a promising laboratory test for screening drought resistance. *Cereal Research Communications* 38 (3): 327-334, **2010 (WoS/Scopus)**
- 4259.** Martins MD, Nogueira RJMC, Neto ADD, dos Santos MG - Growth of the neem (*Azadirachta indica* a. juss. - meliaceae) seedlings under water deficit. *Revista Arvore* 34 (5): 771-779, **2010 (WoS/Scopus)**
- 4260.** Masoumi A, Kafi M, Khazaei H, Davari K - Effect of drought stress on water status, electrolyte leakage and enzymatic antioxidants of kochia (*Kochia scoparia*) under saline condition. *Pak J Bot* 42(5): 3517-3524, **2010 (WoS/Scopus)**
- 4261.** Mielke MS, Schaffer B, Li C - Use of a SPAD meter to estimate chlorophyll content in *Eugenia uniflora* L. leaves as affected by contrasting light environments and soil flooding. *Photosynthetica* 48 (3): 332-338, **2010 (WoS/Scopus)**
- 4262.** Onemli F, Gucer T - Response to drought of some wild species of helianthus at seedling growth stage. *Helia* 33 (53): 45-54, **2010 (WoS/Scopus)**
- 4263.** Pei ZF, Ming DF, Liu D, Wan GL, Geng XX, Gong HJ, Zhou WJ - Silicon improves the tolerance to water-deficit stress induced by polyethylene glycol in wheat (*Triticum aestivum* L.) seedlings. *Journal of Plant Growth Regulation* 29 (1): 106-115, **2010 (WoS/Scopus)**
- 4264.** Qaderi MM, Basraon NK, Chinnappa CC, Reid DM - Combined effects of temperature, ultraviolet-b radiation, and watering regime on growth and physiological processes in canola (*Brassica napus*) seedlings. *International Journal of Plant Sciences* 171 (5): 466-481, **2010 (WoS/Scopus)**
- 4265.** Sanchez-Rodriguez E, Rubio-Wilhelmi M, Cervilla LM, Blasco B, Rios JJ, Rosales MA, Romero L, Ruiz JM - Genotypic differences in some physiological parameters symptomatic for oxidative stress under moderate drought in tomato plants. *Plant Science* 178 (1): 30-40, **2010 (WoS/Scopus)**
- 4266.** Santos CF, Lima GPP, Morgado LB - Tolerância e caracterização bioquímica em feijão-caupi submetido a estresse hídrico na pré-floração. *Naturalia*, Rio Claro 33: 34-44, **2010**
- 4267.** Solovchenko A – Screening pigments: General questions. In: *Photoprotection in Plants*, Springer Series in Biophysics 14: pp. 9-31, Chapter 2, **2010 (book)**
- 4268.** Xu Z-F, Hu T-X, Zhang L, Zhang Y-B, Xian J-R, Wang K-Y - Short-term gas exchange responses of *Betula utilis* to simulated global warming in a timberline ecotone, eastern Tibetan Plateau, China. *Chinese Journal of Plant Ecology* 34 (3): 263-270, **2010 (WoS/Scopus)**
- 4269.** Yuan S-F, Tang H-P - Research advances in the eco-physiological characteristics of ephemerals adaptation to habitats. *Acta Prataculturae Sinica* 19(1): 240-247, **2010**
- 4270.** Zellnig G, Perktold A, Zechmann B - Fine structural quantification of drought-stressed *Picea abies* (L.) organelles based on 3D reconstructions. *Protoplasma* 243 (1-4): 129-136 Sp. Iss, **2010 (WoS/Scopus)**
- 4271.** Zhang MP, Zhang CJ, Yu GH, Jiang YZ, Strasser RJ, Yuan ZY, Yang XS, Chen GX - Changes in chloroplast ultrastructure, fatty acid components of thylakoid membrane and chlorophyll a fluorescence transient in flag leaves of a super-high-yield hybrid rice and its parents during the reproductive stage. *Journal of Plant Physiology* 167 (4): 277-285, **2010 (WoS/Scopus)**
- 4272.** Zhang S, Chen FG, Peng SM, Ma WJ, Korpelainen H, Li CY - Comparative physiological, ultrastructural and proteomic analyses reveal sexual differences in the responses of *Populus cathayana* under drought stress. *Proteomics* 10 (14): 2661-2677, **2010 (WoS/Scopus)**
- 4273.** Aimar D, Calafat M, Andrade AM, Carassay L, Abdala GI, Molas ML – Drought tolerance and stress hormones: from model organisms to forage crops. In: *Plants and Environment*, Eds. HKN Vasanthaiah and D. Kambiranda, Chapter 6, pp. 137-164, **2011 (book)**
- 4274.** Andreello M - Estimation et analyse de la taille efficace de populations structurées en classes d'âge ou en stades (**PhD Thesis**), Université de Grenoble, **2011**
- 4275.** Chaturvedi RK, Raghubanshi AS, Singh JS - Leaf attributes and tree growth in a tropical dry forest. *Journal of Vegetation Science* 22 (5), 917-931, **2011 (WoS/Scopus)**
- 4276.** Chmura DJ, Anderson PD, Howe GT, Harrington CA, Halofsky JE, Peterson DL, Shaw DC, St Clair JB - Forest responses to climate change in the northwestern United States: Ecophysiological foundations for adaptive management. *Forest Ecology and Management* 261 (7): 1121-1142, **2011 (review) (WoS/Scopus)**
- 4277.** Daffalla HH, Abdellatif E, Elhadi EA, Khalafalla MM - Effect of growth regulators on *in vitro* morphogenic response of *Boscia Senegalensis* (Pers.) Lam. poir. using mature zygotic embryos explants. *Biotechnology Research International* Article ID 710758, 8 pages, doi:10.4061/2011/710758, **2011 (WoS/Scopus)**
- 4278.** Firouzabadi MB, Farrokhi N, Parsaeyan M - Sequential path analysis of some yield and quality

- components in sugar beet grown in normal and drought conditions. *Italian Journal of Agronomy* Vol. 6:e39, 45-51, **2011 (WoS/Scopus)**
- 4279.** Hamanishi ET, Campbell MM - Genome-wide responses to drought in forest trees. *Forestry* 84 (3), 273-283, **2011 (WoS/Scopus)**
- 4280.** Ishibashi Y, Yamaguchi H, Yuasa T, Iwaya-Inoue M, Arima S, Zheng SH - Hydrogen peroxide spraying alleviates drought stress in soybean plants. *Journal of Plant Physiology* 168 (13), 1562-1567, **2011 (WoS/Scopus)**
- 4281.** Javed N, Ashraf M, Akram NA, Al-Qurainy F - Alleviation of adverse effects of drought stress on growth and some potential physiological attributes in maize (*Zea mays* L.) by seed electromagnetic treatment. *Photochemistry and Photobiology* 87 (6): 1354-1362, **2011 (WoS/Scopus)**
- 4282.** Khalafalla MM, Daffalla HM, Abdellatif E, Agabna E, El-Shemy HA - Establishment of an in vitro micropropagation protocol for *Boscia senegalensis* (Pers.) Lam. ex Poir. *Journal of Zhejiang University - SCIENCE B (Biomedicine & Biotechnology)* 12(4): 303-312, **2011**
- 4283.** Khayatnezhad M, Zaeifzadeh M, Gholamin R - Effect of end-season drought stress on chlorophyll fluorescence and content of antioxidant enzyme superoxide dismutase enzyme (SOD) in susceptible and tolerant genotypes of durum wheat. *African Journal of Agricultural Research* 6 (30): 6397-6406, **2011**
- 4284.** Kim J, van Iersel MW - Slowly-developing drought stress increases photosynthetic acclimation of *Catharanthus roseus*. *Physiologia Plantarum* 143(2): 166-177, **2011 (WoS/Scopus)**
- 4285.** Kwak M.J, Lee SH, Woo SY - Physiological and biochemical traits of different water and light intensities on cork oak (*Quercus suber* L.) seedlings. *African Journal of Biotechnology* 10(68): 15305-15319, **2011**
- 4286.** Kwak MJ, Lee SH, Woo SY - Growth and anatomical characteristics of different water and light intensities on cork oak (*Quercus suber* L.) seedlings. *African Journal of Biotechnology* 10(53): 10964-10979, **2011**
- 4287.** Li D-M, Zhang J, Sun W-J, Li Q, Dai A-H, Bai J-G - 5-Aminolevulinic acid pretreatment mitigates drought stress of cucumber leaves through altering antioxidant enzyme activity. *Scientia Horticulturae* 130 (4): 820-828, **2011 (WoS/Scopus)**
- 4288.** Li Q, Liu X, Yue M, Zhang XF, Zhang RC - Effects of physiological integration on photosynthetic efficiency of *Trifolium repens* in response to heterogeneous UV-B radiation. *Photosynthetica* 49 (4): 539-545, **2011 (WoS/Scopus)**
- 4289.** Liu SH, Chen GX, Yin JJ, Lu CG - Response of the flag leaves of a super-hybrid rice variety to drought stress during grain filling period. *Journal of Agronomy and Crop Science* 197 (4): 322-328, **2011 (WoS/Scopus)**
- 4290.** Luo Y, Zhao X, Zhou R, Zuo X, Zhang J, Li Y - Physiological acclimation of two psammophytes to repeated soil drought and rewatering. *Acta Physiologiae Plantarum* 33 (1): 79-91, **2011 (WoS/Scopus)**
- 4291.** Madukwe DK, Onuh MO, Christo IEC - Agronomic and physiological performance of Bambara Groundnut (*Vigna subterranea* (L.) Verdc) in southeastern Nigeria. *World Journal of Agricultural Sciences* 7 (2): 166-171, **2011 (WoS/Scopus)**
- 4292.** Miransari M - Ch. 17. Role of Phytohormone Signaling During Stress, pp. 381-394, In: (Parvaiz Ahmad, M.N.V. Prasad, Editors) *Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change*, Springer, New York, Dordrecht, Heidelberg, London, **2011**
- 4293.** Ogaya R, Peñuelas J, Asensio D, Llusià J - Chlorophyll fluorescence responses to temperature and water availability in two co-dominant Mediterranean shrub and tree species in a long-term field experiment simulating climate change. *Environmental and Experimental Botany* 71(2): 123-127, **2011 (WoS/Scopus)**
- 4294.** Osório ML, Osório J, Vieira AC, Gonçalves S, Romano A - Influence of enhanced temperature on photosynthesis, photooxidative damage, and antioxidant strategies in *Ceratonia siliqua* L. seedlings subjected to water deficit and rewatering. *Photosynthetica* 49(1), 3-12, **2011 (WoS/Scopus)**
- 4295.** Redillas MCFR, Strasser RJ, Jeong JS, Kim YS, Kim JK - The use of JIP test to evaluate drought-tolerance of transgenic rice overexpressing OsNAC10. *Plant Biotechnology Reports* 5 (2): 169-175, **2011 (WoS/Scopus)**
- 4296.** Robredo A, Pérez-López U, Miranda-Apodaca J, Lacuesta M, Mena-Petite A, Muñoz-Rueda A - Elevated CO₂ reduces the drought effect on nitrogen metabolism in barley plants during drought and subsequent recovery. *Environmental and Experimental Botany* 71 (3): 399-408, **2011 (WoS/Scopus)**
- 4297.** Rowley ER, Mockler TC - Ch. 9. Plant Abiotic Stress: Insights from the Genomics Era, In: (Eds. A. Kumar Shanker and B. Venkateswarlu) *Abiotic Stress Response in Plants – Physiological, Biochemical and Genetic Perspectives*, pp. 221-268, **2011 (book)**
- 4298.** Singh G - Evaluation of Irrigation practices for growth, biomass production, and nutrient partitioning in *Eucalyptus camaldulensis* plants in Indian dry zone. *Journal of Sustainable Forestry* 30, 6, 564-583, **2011 (WoS/Scopus)**
- 4299.** Solanki R - Interaction of zinc and copper on mobilization of food reserves in germinating seeds of *Vigna mungo* (L.) Hepper. Maharshi Dayanand University **2011 (PhD Thesis)**
- 4300.** Toscano St - Risposta di specie ornamentali allo stress idrico, (Response of ornamental plants to water stress). **Dottorato di ricerca**, Università Degli Studi Di Catania **2011 (PhD Thesis)**
- 4301.** Zhong DH, Du HM Wang ZL, Huang BR - Genotypic variation in fatty acid composition and unsaturation levels in bermudagrass associated with leaf dehydration tolerance. *Journal of the American Society for Horticultural Science* 136 (1): 35-40, **2011 (WoS/Scopus)**
- 4302.** Abdi N, Darvishzadeh R, Jafari M, Pirzad A, Haddadi P - Genetic analysis and QTL mapping of agromorphological traits in sunflower (*Helianthus annuus* L.) under two contrasting water treatment conditions. *Plant*

- 4303.** Andrello M, Bizoux JP, Barbet-Massin M, Gaudeul M, Nicole F, Till-Bottraud I - Effects of management regimes and extreme climatic events on plant population viability in *Eryngium alpinum*. *Biological Conservation* 147 (1):99-106; 10.1016/j.biocon.2011.12.012, **2012 (WoS/Scopus)**
- 4304.** Chaudhry V, Srivastava S, Chauhan PS, Singh PC, Mishra A, Nautiyal CS – Charrep 6. Plant Growth Promoting Rhizobacteria-Mediated Amelioration of Abiotic and Biotic Stresses for Increasing Crop Productivity, pp. 133-153, In: (Narendra Tuteja, Sarvajeet Singh Gill, Renu Tuteja, eds) *Improving Crop Productivity in Sustainable Agriculture*, Wiley-VCH Verlag GmbH & Co. KGaA, **2012 (book)**
- 4305.** De Oliveira LM, Da Silva JN, Coelho CCR, Silva JES, Barbosa RR, Neto CFO - Acúmulo de prolina em plantas de jenipapo sob déficit hídrico. *XXII Congresso Brasileiro de Fruticultura*, Bento Gonçalves 22-26 Oct. **2012**
- 4306.** Dhal Y, Deo B, Sahu RK - Antioxidant activity of enzymatic extracts of *Curcuma zedoaria* (Christm.). *International Journal of Pharmacy and Pharmaceutical Sciences* 4 (3): 343-346, **2012 (WoS/Scopus)**
- 4307.** Edwards CE, Ewers BE, McClung CR, Lou P, Weinig C - Quantitative variation in water-use efficiency across water regimes and its relationship with circadian, vegetative, reproductive, and leaf gas-exchange traits. *Molecular Plant* 5 (3): 653-668, **2012 (WoS/Scopus)**
- 4308.** Ghassemi-Golezani K, Asadi-Danalo A, Shafagh-Kalvanagh J - Seed vigour and field performance of lentil (*Lens culinaris* Medik.) under different irrigation treatments. *Research on Crops* 13 (1):113-117, **2012 (WoS/Scopus)**
- 4309.** Guarnaschelli AB, Garau AM, Lemcoff JH – Water stress and afforestation: a contribution to ameliorate forest seedling performance during the establishment. In: *Water Stress* (I.S.S. Rahman and H. Hasegawa, eds). InTech, Croatia, ISBN 978-953-307-963-9, pp 73-110, **2012 (book)**
- 4310.** Gursoy M, Balkan A, Ulukan H - Ecophysiological responses to stresses in plants: A general approach, *Pakistan Journal of Biological Sciences* 15 (11), 506-516, **2012 (WoS/Scopus)**
- 4311.** Hadi H, Khazaei F, Babaei N, Daneshian J, Hamidi A – Evaluation of water deficit on seed size and seedling growth of sunflower cultivars. *International Journal of AgriScience* 2 (3): 280-290, **2012(WoS/Scopus)**
- 4312.** Kulac S, Nzokou P, Guney D, Cregg BM, Turna I - Growth and physiological response of Fraser fir [*Abies fraseri* (Pursh) Poke] seedlings to water stress: seasonal and diurnal variations in photosynthetic pigments and carbohydrate concentr. *Hortscience* 47 (10):1512-1519, **2012 (WoS/Scopus)**
- 4313.** Linke R - Ch.7. Drought stress and the need for drought stress sensing in a world of global climate change In: *Irrigation Systems and Practices in Challenging Environments* (Teang Shui Lee, Ed.). InTech, pp. 114-178, **2012 (book)**
- 4314.** Lisar SYS, Motafakkerazad R, Hossain MM – Water stress in Plants: causes, effects and responses. In: *Water Stress* (I.S.S. Rahman and H. Hasegawa, eds). InTech, Croatia, ISBN 978-953-307-963-9, pp 1-14, **2012 (book)**
- 4315.** Maiti R, Rajkumar D, Vidyasagar P - Screening of rice varieties for drought resistance at seedling stage. *Research on Crops* 13(3): 790-794, **2012 (WoS/Scopus)**
- 4316.** Merewitz EB, Belanger FC, Warnke SE, Huang BR - Identification of quantitative trait loci linked to drought tolerance in a colonial x creeping bentgrass hybrid population. *Crop Science* 52(4): 1891-1901, **2012 (WoS/Scopus)**
- 4317.** Miransari M - Ch. 17. Role of Phytohormone Signaling During Stress, pp. 381-394, In: (Parvaiz Ahmad, M.N.V. Prasad, Editors) *Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change*, **2012**, Springer, New York, Dordrecht, Heidelberg, London. **(book)**
- 4318.** Rosales MA, Ocampo E, Rodríguez-Valentín R, Olvera-Carrillo Y, Acosta-Gallegos J, Covarrubias AA - Physiological analysis of common bean (*Phaseolus vulgaris* L.) cultivars uncovers characteristics related to terminal drought resistance. *Plant Physiology and Biochemistry* 56: 24-34, **2012 (WoS/Scopus)**
- 4319.** Sanfuentes C, Sierra-Almeida A, Cavieres LA - Effect of the increase in temperature in the photosynthesis of a high-andean species at two elevations. *Gayana Botanica* 69 (1):37-45, **2012**
- 4320.** Sharafi S, Ghasemi S, Jouyban Z, Akhlaghi S. Effect of water stress on agronomic traits of cactus pear (*Opuntia ficus indica* L.) *Life Science Journal*, 9 (1 Suppl.), 83-87, **2012 (WoS/Scopus)**
- 4321.** Sohrabi Y, Heidari G, Weisany W, Golezani KG, Mohammadi K - Changes of antioxidative enzymes, lipid peroxidation and chlorophyll content in chickpea types colonized by different Glomus species under drought stress. *Symbiosis* 56 (1): 5-18, **2012**, DOI:10.1007/s13199-012-0152-8. **(WoS/Scopus)**
- 4322.** Suresh K, Nagamani C, Kantha DL, Kumar MK - Changes in photosynthetic activity in five common hybrids of oil palm (*Elaeis guineensis* Jacq.) seedlings under water deficit. *Photosynthetica* 50(4): 549-556, **2012 (WoS/Scopus)**
- 4323.** Vitale M, Mancini M, Matteucci G, Francesconi F, Valenti R, Attorre F - Model-based assessment of ecological adaptations of three forest tree species growing in Italy and impact on carbon and water balance at national scale under current and future climate scenarios. *Iforest-Biogeosciences and Forestry* 5: 235-246, 10.3832/ifor0634-005, **2012 (WoS/Scopus)**
- 4324.** Wang C, Guo Y, Wang C, Liu H, Niu D, Wang Y. Guo J - Enhancement of tomato (*Lycopersicon esculentum*) tolerance to drought stress by plant-growth-promoting rhizobacterium (PGPR) *Bacillus cereus* AR156. *Journal of Agricultural Biotechnology* 20 (10):1097-1105, **2012 (WoS/Scopus)**

- 4325.** Wang ZX, Chen L, Ai J, Qin HY, Liu YX, Xu PL, Jiao ZQ, Zhao Y, Zhang QT - Photosynthesis and activity of photosystem II in response to drought stress in Amur Grape (*Vitis amurensis* Rupr.). *Photosynthetica* 50 (2):189-196, **2012 (WoS/Scopus)**
- 4326.** Xu Z, Hu T, Zhang Y - Effects of experimental warming on phenology, growth and gas exchange of treeline birch (*Betula utilis*) saplings, Eastern Tibetan Plateau, China. *European Journal Forest Research* 131(3), 811-819, **2012 (WoS/Scopus)**
- 4327.** Yogamaya D, Bandita D, Sahu R.K. - Comparative antioxidant activity of non-enzymatic and enzymatic extracts of *Curcuma caesia* Roxb. - an important medicinal plant, *Research Journal of Biotechnology*, 7 (4), 17-22, **2012 (WoS/Scopus)**
- 4328.** Zhang S, Chen LH, Duan BL, Korpelainen H, Li CY - Populus cathayana males exhibit more efficient protective mechanisms than females under drought stress. *Forest Ecology and Management* 275: 68-78, **2012 (WoS/Scopus)**
- 4329.** Zlatev Z, Lidon F.C. - An overview on drought induced changes in plant growth, water relations and photosynthesis, *Emir. J. Food Agric.* 24 (1), 57-72, **2012 (WoS/Scopus)**
- 4330.** Al-Jbawi E, Abbas F. The effect of length during drought stress on sugar beet (*Beta vulgaris* L.) yield and quality. *Persian Gulf Crop Protection* 2 (1), 35-43, **2013**
- 4331.** Anderson VM - *Calendula officinalis* growth and production of secondary compounds in greenhouse and soil-based herbal organic production systems. Theses and Dissertations - Plant and Soil Sciences. Paper 26, **2013**, UKnowledge, University of Kentucky. ([Theses](#))
- 4332.** Ashraf M, Ali Q, Ashraf MA - Assessment of variation in drought tolerance using some key physiological criteria in potential wheat (*Triticum aestivum* L.) cultivars of different geographic origins. *Archives of Agronomy and Soil Science* 59(11), 1503-1516, **2013 (WoS/Scopus)**
- 4333.** Bano Q, Ilyas N, Bano A, Zafar N, Akram A - Effect of *Azospirillum* inoculation on maize (*Zea mays* L.) under drought stress. *Pak. J. Bot* 45 (S1): 13-20, **2013 (WoS/Scopus)**
- 4334.** Bhaskaran J, Panneerselvam R - Accelerated reactive oxygen scavenging system and membrane integrity of two panicum species varying in salt tolerance. *Cell Biochemistry and Biophysics* 67(3): 885-892, **2013 (WoS/Scopus)**
- 4335.** Bhatt RM, Rao NKS, Harish DM, Srilakshmi - Significance of grafting in improving tolerance to abiotic stresses in vegetable crops under climate change scenario. In: *Climate-Resilient Horticulture: Adaptation and Mitigation, Strategies* (Editors: Harish Chandra Prasad Singh, Nadiynayakanahally Krishnamurthy Sriniv Rao, Kodthalu Seetharamaiah Shivashankar), pp 159-175, Springer, **2013 (book)**
- 4336.** de Paula MT, dos Santos Filho BG, Cordeiro YEM, Conde RA, Gomes das Neves PAPF - Ecofisiologia do mogno Brasileiro (*Swietenia macrophylla* King) em sistemas agroflorestais no município de Santa Bárbara-Pa. Enciclopédia Biosfera. Centro Científico Conhecer - Goiânia, 9 (16): 813-824, **2013**
- 4337.** Fani E - Effect of drought stress on leaf minerals in alfalfa in climatic conditions of the South West Iran. *International Journal of Agriculture: Research and Review* 3 (3), 608-609, **2013 (WoS/Scopus)**
- 4338.** Fischer S, Wilckens R, Jara J, Aranda M - Controlled water stress to improve functional and nutritional quality in quinoa seed. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 12 (5), 457-468, **2013**
- 4339.** Fischer S, Wilckens R, Jara J, Aranda M - Variation in antioxidant capacity of quinoa (*Chenopodium quinoa* Will) subjected to drought stress. *Industrial Crops and Products* 46: 341-349, DOI: 10.1016/j.indcrop.2013.01.037, **2013 (WoS/Scopus)**
- 4340.** Fu QS, Yang RC, Wang HS, Zhao B, Zhou CL, Ren SX, Guo YD - Leaf morphological and ultrastructural performance of eggplant (*Solanum melongena* L.) in response to water stress. *Photosynthetica* 51 (1):109-114; 10.1007/s11099-013-0005-6, **2013 (WoS/Scopus)**
- 4341.** Ghasemi S, Ramezani M, Mirmiran SM - The effect of various water application Strategies on clad-ode development of *Opuntia ficus-indica*. *Journal of Agriculture and Food Technology* 3(7): 1-4, **2013**
- 4342.** Ghasemi-Golezani K, Jabbarpour-Bonyadi Z, Shafagh-Kolvanagh J, Nikpour-Rashidabad N - Effects of water stress and hydro-priming duration on field performance of lentil. *International Journal of Farming and Allied Sciences* 2 (21), 922-925, **2013 (WoS/Scopus)**
- 4343.** Guha A, Sengupta D, Reddy AR - Polyphasic chlorophyll *a* fluorescence kinetics and leaf protein analyses to track dynamics of photosynthetic performance in mulberry during progressive drought. *Journal of Photochemistry and Photobiology B: Biology* 119, 71-83, **2013 (WoS/Scopus)**
- 4344.** Hu L, Wang Z, Huang B - Effects of cytokinin and potassium on stomatal and photosynthetic recovery of kentucky bluegrass from drought stress. *Crop Science*, 53 (1), 221-231, **2013 (WoS/Scopus)**
- 4345.** Hu W, Yan X, Xiao Y, Zeng J, Qi H, Ogwen JO - 24-Epibrassinosteroid alleviate drought-induced inhibition of photosynthesis in *Capsicum annuum*. *Scientia Horticulturae* 150: 232-237, **2013 (WoS/Scopus)**
- 4346.** Huang C, Zhao S, Wang L, Anjum SA, Chen M, Zhou H, Zou C - Alteration in chlorophyll fluorescence, lipid peroxidation and antioxidant enzymes activities in hybrid ramie (*Boehmeria nivea* L.) under drought stress. *Australian Journal of Crop Science* 7 (5), 594-599, **2013 (WoS/Scopus)**
- 4347.** Jeyaramraja PR, Thushara SS - Sequence of physiological responses in groundnut (*Arachis hypogaea* L.) subjected to soil moisture deficit. *Photosynthetica* 51 (3), 395-403, **2013 (WoS/Scopus)**
- 4348.** Juzoń K, Skrzypek E, Czyczło-Mysza I, Marcińska I - Effect of soil drought on the yield structure, protein

- and phenolics content in *Pisum sativum* and *Lupinus luteus*. *Acta Agronomica Hungarica* 61(4): 267-278, **2013**
- 4349.** Kausar B, Arshad M, Shahzad A, Komatsu S – Proteomics analysis of sensitive and tolerant barley genotypes under drought stress. *Amino Acids* 44(2): 345-359, **2013**, DOI 10.1007/s00726-012-1338-3 (WoS/Scopus)
- 4350.** Khoshro HH, Taleei A, Bihamta MR, Shahbazi M, Abbasi A - Expression analysis of the genes involved in osmotic adjustment in bread wheat (*Triticum aestivum* L.) cultivars under terminal drought stress conditions. *Journal of Crop Science and Biotechnology* 16 (3): 173-181, **2013** (WoS/Scopus)
- 4351.** Kumar S, Sairam RK, Prabhu KV - Physiological traits for high temperature stress tolerance in *Brassica juncea*. *Indian Journal of Plant Physiology* 18(1): 89-93, **2013**
- 4352.** Li L, Wang L, Wu J, Jing RL, Wang S - Drought tolerance in common bean germplasm at bud stage. *Journal of Plant Genetic Resources* 14(4), **2013**, http://d.wanfangdata.com.cn/periodical_zwyczyxb201304004.aspx (WoS/Scopus)
- 4353.** Mantovani E.C, Delazari F.T, Dias L.E, de Assis I.R, Vieira G.H.S, Landim F.M. - Eficiência no uso da água de duas cultivares de batata-doce em resposta a diferentes lâminas de irrigação. *Horticultura Brasileira*, 31 (4), 602-606, **2013**. (WoS/Scopus)
- 4354.** Martinkova J, Hejnak V, Hnilicka F - Effect of water deficit on sink strength of spring barley (*Hordeum vulgare* L.) ears. *Research on Crops* 14 (1): 62-71, **2013** (WoS/Scopus)
- 4355.** Masood A, Iqbal N, Mohd A, Khan MIR, Fatma M, Khan NA. Variation in carbohydrate accumulation in two cultivars of mustard and its association with salt tolerance. *Journal of Functional and Environmental Botany* 3 (2), 94-102, **2013** (WoS/Scopus)
- 4356.** Morsy AS, Mohamed NE - Using silicon to ameliorate the deleterious effects of drought on wheat (*Triticum aestivum* L.) *Stem Cell*. 4 (2), 1-8, **2013** (WoS/Scopus)
- 4357.** Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG - Photosynthesis in Nature: A New Look. In: *Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments* (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione), pp 561-686, Springer, **2013** (book)
- 4358.** Mwendia SW, Yunusa IAM, Whalley RDB, Sindel BM, Kenney D, Kariuki IW - Use of plant water relations to assess forage quality and growth for two cultivars of Napier grass (*Pennisetum purpureum*) subjected to different levels of soil water supply and temperature regimes. *Crop and Pasture Science* 64, 1008–1019, **2013** <http://dx.doi.org/10.1071/CP13254> (WoS/Scopus)
- 4359.** Nezhadahmadi A, Prodhan ZH, Faruq G. Drought tolerance in wheat (Review). *The Scientific World Journal* vol. 2013, Article ID 610721, **2013** <http://dx.doi.org/10.1155/2013/610721>
- 4360.** Novo LAB, González L - The effects of variable soil moisture on the phytoextraction of Cd and Zn by *Brassica juncea*. *Fresenius Environmental Bulletin* 22 (1a): 299-304. **2013** (WoS/Scopus)
- 4361.** Olaiya CO, Gbadegesin MA, Nwauzoma AB - Bioregulators as tools for plant growth, development, defence and improvement. *African Journal of Biotechnology*, 12(32): 4987-4999, **2013** (review)
- 4362.** Oliveira LM, da Silva JN, Coelho CCR, Neves MG, da Silva RTL, Neto CFO. Pigmentos fotossintetizantes, aminoácidos e proteínas em plantas jovens de graviola submetida ao déficit hídrico. *Agroecossistemas* 5 (1): 39-44, **2013** (WoS/Scopus)
- 4363.** Osório ML, Gonçalves S, Coelho N, Romano A, Osório J. How to monitor the acclimatization of micropropagated plants - From in vitro to the field? *Acta Horticulturae* 988: 65-70, **2013** (WoS/Scopus)
- 4364.** Pál M, Szalai G, Kovács V, Gondor OK, Janda T – Ch.10. Salicylic acid-mediated abiotic stress tolerance. In: *Salicylic Acid. Plant Growth and Development* (eds. Shamsul Hayat, Aqil Ahmad, Mohammed Nasser Alyemeni), 183-247, Springer, **2013** (book)
- 4365.** Seghatoleslami MJ, Mousavi SG, Barzgaran T - Effect of irrigation and planting date on morpho-physiological traits and yield of roselle (*Hibiscus sabdariffa*). *The Journal of Animal & Plant Sciences* 23 (1), 256-260, **2013** (WoS/Scopus)
- 4366.** Sengupta D, Guha A, Reddy AR - Interdependence of plant water status with photosynthetic performance and root defense responses in *Vigna radiata* (L.) Wilczek under progressive drought stress and recovery. *Journal of Photochemistry and Photobiology B: Biology* 127: 170–181, **2013** (WoS/Scopus)
- 4367.** Silva MA, Jifon JL, dos Santos CM, Jadoski CJ, da Silva JAG - Photosynthetic capacity and water use efficiency in sugarcane genotypes subject to water deficit during early growth phase. *Braz. arch. biol. technol.* 56 (5), 735-748, **2013** (WoS/Scopus)
- 4368.** Silva M.A, C.M. Dos Santos, M.T. Arantes, M.C. Brunelli, L.A. De Holanda - Respostas fisiológicas de cultivares de cana-de-açúcar submetidas à deficiência hídrica e a reidratação, *Revista Caatinga, Mossoró*, 26 (3), 28–35, **2013**.
- 4369.** Sun JM, Meyer W, Cross J, Huang BR - Growth and physiological traits of canopy and root systems associated with drought resistance in tall fescue. *Crop Science* 53(2): 575-584, DOI: 10.2135/cropsci2012.05.0292, **2013** (WoS/Scopus)
- 4370.** Sun XP, Yan HL, Kang XY, Ma FW - Growth, gas exchange, and water-use efficiency response of two young apple cultivars to drought stress in two scion-one rootstock grafting system. *Photosynthetica* 51 (3), 404-410, **2013** (WoS/Scopus)
- 4371.** Wang W, Zeng W, Chen W, Yang Y, Zeng H. Effects of forest age on soil autotrophic and heterotrophic

- respiration differ between evergreen and deciduous forests. *PLoS ONE* 8 (11), e80937, **2013 (WoS/Scopus)**
- 4372.** Wyjciek M, Dresler S, Jawor E, Kowalczyk K, Tukiendorf A - Morphological, physiological, and genetic variation between metallicolous and nonmetallicolous populations of *Dianthus carthusianorum*. *Chemosphere* 90(3): 1249-1257, DOI: 10.1016/j.chemosphere.2012.09.068, **2013 (WoS/Scopus)**
- 4373.** Xu L, Yu J, Han L, Huang B - Photosynthetic enzyme activities and gene expression associated with drought tolerance and post-drought recovery in kentucky bluegrass. *Environmental and Experimental Botany* 89: 28-35, doi:10.1016/j.envexpbot.2012.12.001, **2013 (WoS/Scopus)**
- 4374.** Zhu C, Chen Y, Li W, Ma J, Ma X - Effects of groundwater depth on photochemical performance of populus euphratica in arid regions of china. *Pak. J. Bot.* 45(6), 1849-1855, **2013 (WoS/Scopus)**
- 4375.** Zlatev ZS - Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris* L.), *Emirates Journal of Food and Agriculture* 25 (12), 1014-1023, **2013 (WoS/Scopus)**
- 4376.** Ahanger MA, Tyagi SR, Wani MR, Ahmad P - Drought tolerance: Role of organic osmolytes, growth regulators, and mineral nutrients, In: *Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment* (Editors: Parvaiz Ahmad, Mohd Rafiq Wani), vol.1, pp 25-55, Springer New York, **2014 (BOOK) (WoS/Scopus)**
- 4377.** Amri M, El Ouni MH, Salem MB. Waterlogging affect the development, yield and components, chlorophyll content and chlorophyll fluorescence of six bread wheat genotypes (*Triticum aestivum* L.). *Bulgarian Journal of Agricultural Science* 20(3): 647-657, **2014. (WoS/Scopus)**
- 4378.** Batra N.G, Sharma V, Kumari N. - Drought-induced changes in chlorophyll fluorescence, photosynthetic pigments, and thylakoid membrane proteins of *Vigna radiata*, *Journal of Plant Interactions*, 9 (1), 712-721, **2014. (WoS/Scopus)**
- 4379.** Benigno S.M, Dixon K.W, Stevens J.C. - Seedling mortality during biphasic drought in sandy Mediterranean soils, *Functional Plant Biology*, 41 (12), 1239-1248, **2014. (WoS/Scopus)**
- 4380.** Canavar Ö, Götz K-P, Ellmer F, Chimilewski FM, Kaynak MA - Determination of the relationship between water use efficiency, carbon isotope discrimination and proline in sunflower genotypes under drought stress. *Australian Journal of Crop Science* 8 (2): 232-242, **2014 (WoS/Scopus)**
- 4381.** Chaturvedi RK, Raghubanshi AS, Singh JS. Relative effects of different leaf attributes on sapling growth in tropical dry forest. *Journal of Plant Ecology* 7(6): 544-558, **2014. DOI: 10.1093/jpe/rtt053. (WoS/Scopus)**
- 4382.** Feller U, Vaseva I - Extreme climatic events: impacts of drought and high temperature on physiological processes in agronomically important plants. *Frontiers in Environmental Science, Agroecology and Land Use Systems*, **2014 (review) 2, 2014, art.39, 1-17.**
- 4383.** Forlin A. Caratterizzazione metabolomica di organismi vegetali naturali e geneticamente modificati. **Thesis.** Università Ca'Foscari Venezia. **2014**
- 4384.** Habibi G - Silicon supplementation improves drought tolerance in canola plants. *Russian Journal of Plant Physiology* 61 (6), 784-791, **2014 (WoS/Scopus)**
- 4385.** Jabasingh C, Saravana Babu S - Impact of water stress on protein content of *Zea mays* L. *Journal of Academia and Industrial Research (JAIR)* 2 (12): 679-682, **2014**
- 4386.** Jagadish KSV, Kadam NN, Xiao G, Melgar RJ, Bahuguna RN, Quinones C, Tamilselvan A, Prasad PVV - Agronomic and physiological responses to high temperature, drought, and elevated CO₂ interactions in cereals. *Advances in Agronomy* 127: 111-156, **2014 (WoS/Scopus)**
- 4387.** Kang S-M, Radhakrishnan R, Khan AL, Kim M-J, Park J-M, Kim B-R, Shin D-H, Lee I-J - Gibberellin secreting rhizobacterium, *Pseudomonas putida* H-2-3 modulates the hormonal and stress physiology of soybean to improve the plant growth under saline and drought conditions. *Plant Physiology and Biochemistry* 84: 115-124, **2014 (WoS/Scopus)**
- 4388.** Kheradmand MA, Fahraji SS, Fatahi E, Raoofi MM - Effect of water stress on oil yield and some characteristics of *brassica napus*. *International Research Journal of Applied and Basic Sciences* 8 (9), 1447-1453, **2014**
- 4389.** Koocheki A, Seyyedi S.M, Eyni M.J. - Irrigation levels and dense planting affect flower yield and phosphorus concentration of saffron corms under semi-arid region of Mashhad, Northeast Iran, *Scientia Horticulturae*, 180, 147-155, **2014. (WoS/Scopus)**
- 4390.** Kovács V, Gondor OK, Szalai G, Majláth I, Janda T, Pál M - UV-B radiation modifies the acclimation processes to drought or cadmium in wheat. *Environmental and Experimental Botany* 100, 122-131, **2014. <http://dx.doi.org/10.1016/j.envexpbot.2013.12.019> (WoS/Scopus)**
- 4391.** Li L, Wang L-F, Wu J, Jing R-L, Wang S-M - Physiological characteristics of drought resistance in common bean (*Phaseolus vulgaris* L.), *Acta Agronomica Sinica (Chaina)* 40(4): 702-710, **2014, DOI: 10.3724/SP.J.1006.2014.00702 (WoS/Scopus)**
- 4392.** Luo Y, Zhao X, Qu H, Zuo X, Wang S, Huang W, Luo Y, Chen M - Photosynthetic performance and growth traits in *Pennisetum centrasiticum* exposed to drought and rewatering under different soil nutrient regimes. *Acta Physiologiae Plantarum* 36(2): 381-388, **2014 (WoS/Scopus)**
- 4393.** Maraghni M, Gorai M, Neffati M, Van Labeke MC - Differential responses to drought stress in leaves and roots of wild jujube, *Ziziphus lotus*. *Acta Physiologiae Plantarum* 36(4): 945-953, **2014 (WoS/Scopus)**
- 4394.** Martín MMS, Olesen JE, Porter JR. A genotype, environment and management (GxExM) analysis of adaptation in winter wheat to climate change in Denmark. *Agricultural and Forest Meteorology* 187:1-13, **2014.**

4395. Montesino-San Martin M, Olesen, J.E, Porter JR - A genotype, environment and management (GxExM) analysis of adaptation in winter wheat to climate change in Denmark. *Agricultural and Forest Meteorology*, 187: 1-13, **2014**
4396. Nilanthi D, Ranawake AL, Senadhipathy DD - Effects of water stress on the growth and reproduction of black gram (*Vigna mungo* L.). *Tropical Agricultural Research & Extension* 17(1), 45-48, **2014**
4397. Peltier DMP, Ibáñez I. Patterns and variability in seedling carbon assimilation: Implications for tree recruitment under climate change. *Tree Physiology* 35(1):71-85, **2014**. DOI: 10.1093/treephys/tpu103, (WoS/Scopus)
4398. Sarafraz-Ardakani M-R, Khavari-Nejad R-A, Moradi F, Najafi F - Absciscic acid and cytokinin-induced osmotic and antioxidant regulation in two drought-tolerant and drought-sensitive cultivars of wheat during grain filling under water deficit in field conditions. *Not Sci Biol*, 6(3): 354-362, **2014**
4399. Serra I, Strever A, Myburgh PA, Deloire A - Review: the interaction between rootstocks and cultivars (*Vitis vinifera* L.) to enhance drought tolerance in grapevine. *Australian Journal of Grape and Wine Research* 20(1): 1-14, **2014**. (WoS/Scopus)
4400. Sheikhpour S, Moradi H, Koohmareh I, Rigi K, Keshtehgar A - Effect of water stress on crop yield. *Journal of Novel Applied Sciences* 3 (2), 206-208, **2014**
4401. Shirani Rad AH, Bitarafan Z, Rahmani F, Taherkhani T, Moradi Aghdam A, Nasr Esfahani S - Evaluation of spring rapeseed (*Brassica napus* L.) cultivars for different planting dates and irrigation regimes. *The Journal of Animal & Plant Sciences* 24(4): 1166-1172, **2014** (WoS/Scopus)
4402. Wang Z, Zhai M, Mao G, Sun Y, Hu D. Physiological and biochemical responses of Shaanxi main walnut cultivar "Xiangling" to water stress. *Acta Agriculturae Boreali-occidentalis Sinica*, 23 (10), 145-151, **2014**
4403. Wang Z-X, Chen L, Ai J, Liu Y-X, He W, Xu P-L, Qin H-Y, Zhao Y. Effects of different drought stress on photosynthesis and activity of photosystem II in leaves of Amur grape (*Vitis amurensis*), *Zhiwu Shengli Xuebao/Plant Physiology Journal*, 50 (8), 1171-1176, **2014**. (WoS/Scopus)
4404. Wu S, Hu C, Tan Q, Nie Z, Sun X - Effects of molybdenum on water utilization, antioxidative defense system and osmotic-adjustment ability in winter wheat (*Triticum aestivum*) under drought stress. *Plant Physiology and Biochemistry* 83, 365-374, **2014**, doi: 10.1016/j.plaphy.2014.08.022 (WoS/Scopus)
4405. Yang P-M, Huang Q-C, Qin G-Y, Zhao S-P, Zhou J-G - Different drought-stress responses in photosynthesis and reactive oxygen metabolism between autotetraploid and diploid rice. *Photosynthetica* 52(2), 193-202 **2014**, DOI: 10.1007/s11099-014-0020-2 (WoS/Scopus)
4406. Abu-Elsaoud AM, Hassan HM. Assessment and calibration of non-invasive leaf chlorophyll meter for wheat (*Triticum aestivum* L.) under the effect of ultraviolet radiations, *American-Eurasian Journal of Sustainable Agriculture*, 9, 8, 12-21, **2015**
4407. Andrade JCF, Terto J, Silva JV, Almeida C. Expression profiles of sugarcane under drought conditions: Variation in gene regulation. *Genetics and Molecular Biology* 38(4): 465-469, **2015** (WoS/Scopus)
4408. Carvajal DE, Loayza AP, Squeo FA. Contrasting responses to water-deficit among *Encelia canescens* populations distributed along an aridity gradient, *American Journal of Botany*, 102, 9, 1552-1557, **2015** (WoS/Scopus)
4409. Chibarabada TP, Modi AT, Mabhaudhi T. Water use characteristics of a bambara groundnut (*Vigna subterranea* L. Verde) landrace during seedling establishment, *Water SA*, 41, 4, 472-482, **2015** (WoS/Scopus)
4410. Chmura DJ, Guzicka M, McCulloh KA, Zytowski R. Limited variation found among Norway spruce half-sib families in physiological response to drought and resistance to embolism. *Tree Physiology* 36(2): 252-266, **2015**. DOI: 10.1093/treephys/tpv141. (WoS/Scopus)
4411. Choudhary M, Manjhi J, Sinha A. Effect of drought stress in various enzymes of *Pennisetum glaucum*. *Int J Appl Sci Biotechnol*, 3(1), 134-138, **2015**
4412. Dahanayake N, Ranawake AL, Senadhipathy DD. Effects of water stress on the growth and reproduction of black gram (*Vigna mungo* L.). *Tropical Agricultural Research and Extension*, 17, 1, 45-48, **2015**
4413. Deus KE, AC Lanna, FRM Abreu, RDD Silveira, WJ Pereira, C Brondani, RP Vianello. Molecular and biochemical characterization of superoxide dismutase (SOD) in upland rice under drought, *Australian Journal of Crop Science*, 9 (8), 744-753, **2015** (WoS/Scopus)
4414. Dunić JA, Lepeduš H, Šimić D, Lalić A, Mlinarić S, Kovačević J, Cesar V. Physiological response to different irradiation regimes during barley seedlings growth followed by drought stress under non-photoinhibitory light. *Journal of Agricultural Science*. 7, 6, 69-83, **2015** (WoS/Scopus)
4415. El-Shabrawi HM, Bakry BA, Ahmed MA, Abou-El-Lail M. Humic and oxalic acid stimulates grain yield and induces accumulation of plastidial carbohydrate metabolism enzymes in wheat grown under sandy soil conditions. *Agricultural Sciences*. 6, 175-185, **2015**.
4416. Esmailpour A, Van Labeke M-C, Samson R, Van Damme P. Osmotic stress affects physiological responses and growth characteristics of three pistachio cultivars. *Acta Physiologiae Plantarum*. 37:123, **2015** DOI 10.1007/s11738-015-1876-x. (WoS/Scopus)
4417. Gao J, Zhang R, Wang W, Li Z, Xue J. Effects of drought stress on performance of photosystem II in maize seedling stage. *Chinese Journal of Applied Ecology* 26(5): 1391-1396, **2015** (WoS/Scopus)
4418. Ghaed-Rahimi L, Heidari B, Dadkhodaie A. Genotype × environment interactions for wheat grain yield and

antioxidant changes in association with drought stress, *Archives of Agronomy and Soil Science*, 61, 2, 153-171, **2015 (WoS/Scopus)**

4419. Gilson A. Dynamique saisonniere et repartition du Carbone et de l'Azote: de l'organe au peuplement. Role des reserves et eets de l'age chez le chene sessile (*Quercus petraea*), Universite Paris Sud - Paris XI, **2015 (PhD Thesis)**

4420. Habibi G. Contrastive response of *Brassica napus* L. to exogenous salicylic acid, selenium and silicon supplementation under water stress. *Archives of Biological Sciences*. 67(2), 397-404, **2015 (WoS/Scopus)**

4421. Haider G, Koyro H.-W, Azam F, Steffens D, Müller C, Kammann C. Biochar but not humic acid product amendment affected maize yields via improving plant-soil moisture relations, *Plant and Soil*, 395, 141-157, **2015 (WoS/Scopus)**

4422. Javadzadeh SM. The effects of irrigation intervals on yield, yield components and water use efficiency of roselle (*Hibiscus sabdariffa* L.). *Direct Research Journal of Agricultural and Food Science (DRJAFS)*, 3 (5), 98-105, **2015**

4423. Kazemeini SA, Mohamadi S, Pirasteh-Anosheh H. Growth and Photosynthesis Responses of Safflower Cultivars to Water Stress at two Developmental Stages, *Biological Forum*, 7, 2, 923-929, **2015**

4424. Khalatbari AA, Jaafar HZE, Khalatbari AM, Mahmood M, Othman R. Wild type and *vte4* mutant *Arabidopsis thaliana* responses to different water frequencies: genetic engineering towards stress tolerance. *Journal of Soil Science and Plant Nutrition* 15(4):991-1006, **2015 (WoS/Scopus)**

4425. Kumar S, Gokulakrishnan BJ, Prakash M. Effect of drought stress on seed yield and bio-physical characters in mungbean (*Vignaradiata* L.) Wilczek. *International Journal of Tropical Agriculture* 33(2): 853-864, **2015**

4426. Li J, Qi X, Xu C, Wang C, Liu H, Sun P. Sort-term responses of leaf gas exchange characteristics to drought stress of *Cotinus coggygia* seedlings, *Scientia Silvae Sinicae*, 51, 1, 29-41, **2015 (WoS/Scopus)**

4427. Li X, Yang S-H, Yang Y-Q, Yin X, Sun X-D, Yang Y-P. Comparative physiological and molecular analyses of intraspecific differences of *Stipa purpurea* (Poaceae) response to drought, *Plant Diversity and Resources*, 37(4), 439-452, **2015**

4428. Li Z, Wu T, Chen H, Tang M. Effect of arbuscular mycorrhizal inoculation on water status and photosynthesis of *Populus cathayana* males and females under water stress, *Physiologia Plantarum* 155(2): 192–204, **2015 (WoS/Scopus)**

4429. Liang Y, Nikolic M, Bélanger R, Gong H, Song A. - Ch.7: Silicon-Mediated Tolerance to Drought and Low-Temperature Stress. In: *Silicon in Agriculture. From Theory to Practice*, pp. 143-159, Springer, **2015 (BOOK) (WoS/Scopus)**

4430. Ma P, Bai T-H, Ma F-W. Effects of progressive drought on photosynthesis and partitioning of absorbed light in apple trees. *Journal of Integrative Agriculture* 14 (4), 681-690, **2015 (WoS/Scopus)**

4431. Maghsoudi K, Emam Y, Ashraf M, Influence of foliar application of silicon on chlorophyll fluorescence, photosynthetic pigments, and growth in water-stressed wheat cultivars differing in drought tolerance, *Turkish Journal of Botany*, 39, 4, 625-634, **2015 (WoS/Scopus)**

4432. Pandey M, Chikara SK. Effect of salinity and drought stress on growth parameters, glycoside content and expression level of vital genes in steviol glycosides biosynthesis pathway of *Stevia rebaudiana* (Bertoni), *International Journal of Genetics*, 7, 1, 153-160, **2015 (WoS/Scopus)**

4433. Peltier DMP, Ibanez I. Patterns and variability in seedling carbon assimilation: implications for tree recruitment under climate change, *Tree Physiology*, 35, 1, 71-85, **2015 (WoS/Scopus)**

4434. Possen BJHM, Heinonen J, Anttonen MJ, RousiM, Kontunen-Soppela S, Oksanen E, Vapaavuori EM. Trait syndromes underlying stand-level differences in growth and acclimation in 10 silver birch (*Betula pendula* Roth) genotypes. *Forest Ecology and Management* 343, 123-135, **2015. (WoS/Scopus)**

4435. Rakić T, Gajić G, Lazarević M, Stevanović B. Effects of different light intensities, CO₂ concentrations, temperatures and drought stress on photosynthetic activity in two paleoendemic resurrection plant species *Ramonda serbica* and *R. nathaliae*, *Environmental and Experimental Botany* 109:63-72, **2015 (WoS/Scopus)**

4436. Riemann M, Dhakarey R, Hazman M, Miro B, Kohli A, Nick P. Exploring jasmonates in the hormonal network of drought and salinity responses. *Frontiers in Plant Science*, 6, 1077, **2015 (WoS/Scopus)**

4437. Rossini M, Panigada C, Cilia C, Meroni M, Busetto L, Cogliati S, Amaducci S, Colombo R. Discriminating Irrigated and Rainfed Maize with Diurnal Fluorescence and Canopy Temperature Airborne Maps. *ISPRS International Journal of Geo-Information* 4(2), 626-646, **2015. (WoS/Scopus)**

4438. Rossini M, Panigada C, Cilia C, Meroni M, Busetto L, Cogliati S, Amaducci S, Colombo R. Discriminating Irrigated and Rainfed Maize with Diurnal Fluorescence and Canopy Temperature Airborne Maps. *ISPRS International Journal of Geo-Information* 4, 2, 626-646, **2015 (WoS/Scopus)**

4439. Scalabrin E, Radaelli M, Rizzato G, Bogani P, Buiatti M, Gambaro A, Capodaglio G. Metabolomic analysis of wild and transgenic *Nicotiana glauca* plants exposed to abiotic stresses: unraveling metabolic responses. *Analytical and Bioanalytical Chemistry*, 407, 21, 6357-6368, **2015 (WoS/Scopus)**

4440. Scalabrin E. Chemical characterization of plant materials and development of analytical methodologies for metabolite determination. **PhD Thesis**, Universita Ca'Foscari Venecia, **2015.**

4441. Sidana S, Bose J, Shabala L, Shabala S. Nitric Oxide in Drought Stress Signalling and Tolerance in Plants. In: *Nitric Oxide Action in Abiotic Stress Responses in Plants* (eds. M.N. Khan, M. Mobin, F. Mohammad, F.J. Corpas). 95-114, Springer, **2015 (BOOK) (WoS/Scopus)**

4442. Tedeschini E, Proietti P, Timorato V, D'Amato R, Nasini L, Dei Buono D, Businelli D, Frenguelli G. Selenium as stressor and antioxidant affects pollen performance in *Olea europaea*. *Flora: Morphology, Distribution, Functional Ecology of Plants*. 215, 16-22, **2015 (WoS/Scopus)**
4443. Toklu F. Effects of different priming treatments on seed germination properties, yield components and grain yield of lentil (*Lens culinaris* Medik.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 43(1):153-158, **2015 (WoS/Scopus)**
4444. Topbjerg HB, Kaminski KP, Korup K, Nielsen KL, Kirk HG, Andersen MN, Liu FL. Screening for intrinsic water use efficiency in a potato dihaploid mapping population under progressive drought conditions, *Acta Agriculturae Scandinavica Section B-Soil and Plant Science*, 65, 5, 400-411, **2015 (WoS/Scopus)**
4445. Wu S, Hu C, Tan Q, Li L, Shi K, Zheng Y, Sun X. Drought stress tolerance mediated by zinc-induced antioxidative defense and osmotic adjustment in cotton (*Gossypium Hirsutum*), *Acta Physiologiae Plantarum*, 37, 167, **2015 (WoS/Scopus)**
4446. Zhang RH, Zhang XH, Camberato JJ, Xue JQ. Photosynthetic performance of maize hybrids to drought stress, *Russian Journal of Plant Physiology*, 62, 6, 788-796, **2015 (WoS/Scopus)**
4447. Zhang X-H, Gao J, Du W-L, Zhang R-H, Xue J-Q. Effects of drought stress on photosynthetic characteristics of maize hybrids at seedling stage. *Acta Agronomica Sinica* (China) 41(1):154-151, **2015 (WoS/Scopus)**
4448. Abid M, Haddad M, Khaled AB, Mansour E, Bachar K, Lacheheb B, Ferchichi A. Water relations and gas exchange in alfalfa leaves under drought conditions in Southern Tunisian oases, *Polish Journal of Environmental Studies*, 25, 917-924, **2016 (WoS/Scopus)**
4449. Ali Z, Sarwat SS, Karim I, Faridi R, Jaskani MJ, Khan AA. Functions of plant's BZIP transcription factors, *Pakistan Journal of Agricultural Sciences*, 53, 2, 303-314, **2016 (WoS/Scopus)**
4450. Anderson VM, Archbold DD, Geneve RL, Ingram DL, Jacobsen KL. Fertility source and drought stress effects on plant growth and essential oil production of *Calendula officinalis*, *HortScience*, 51, 4, 342-348, **2016 (WoS/Scopus)**
4451. Anev S, Ivanova A, Tzvetkova N, Panayotov M, Yurukov S. Stomatal control on photosynthesis in drought-treated subalpine pine saplings, *Genetics and Plant Physiology*, 6, 1-2, 43-53, **2016**
4452. Armand N, Amiri H, Ismaili A. The effects of spraying methanol solution and drought stress on level of antioxidant enzyme activity, growth, biomass and yield of beans (*Phaseolus vulgaris* L. cv.COS16), *Legume Research*, 39, 3, art. no. LR-242, 385-395, **2016 (WoS/Scopus)**
4453. Ashrafi N, Nejad R. Stomatal Movement in Response to Root Zone Temperature in Purple Heart (*Tradescantia pallida*), *Journal of Ornamental Plants*, 6, 3, 133-139, **2016**
4454. Banik P, Zeng W, Tai H, Bizimungu B, Tanino K. Effects of drought acclimation on drought stress resistance in potato (*Solanum tuberosum* L.) genotypes, *Environmental and Experimental Botany*, 126, 76-89, **2016**, DOI: [10.1016/j.envexpbot.2016.01.008](https://doi.org/10.1016/j.envexpbot.2016.01.008) **(WoS/Scopus)**
4455. Basu S, Ramegowda V, Kumar A, Pereira A. Plant adaptation to drought stress. *F1000Research* 5: art. No. 1554. doi:[10.12688/f1000research.7678.1](https://doi.org/10.12688/f1000research.7678.1), **2016 (WoS/Scopus)**
4456. Batra NG, Kumari N, Sharma V. Photosynthetic performance of ocimum sanctum morphotypes in a semiarid region. *Journal of Herbs, Spices and Medicinal Plants* 22(3): 211-224, **2016**. DOI: [10.1080/10496475.2016.1163309](https://doi.org/10.1080/10496475.2016.1163309). **(WoS/Scopus)**
4457. Bayar E, Deligöz A. The responses of water potential, total carbohydrate content and photosynthetic pigments of kermes oak (*Quercus coccifera* L.) to summer drought, *Proceedings of International Forestry Symposium* (IFS 2016) 07-10 December 2016, Kastamonu/Turkey, 171-176, **2016**
4458. Ben Hamed S, Lefi E, Chaieb M. Physiological responses of *Pistacia vera* L. versus *Pistacia atlantica* Desf. to water stress conditions under arid bioclimate in Tunisia, *Scientia Horticulturae*, 203, 224-230, **2016 (WoS/Scopus)**
4459. Boughalleb F, Abdellaoui R, Brahim NB, Neffati M. Growth, photosynthesis, water use efficiency, and osmoregulation of the wild species *Astragalus gombiformis* Pomel. under water deficit, *Brazilian Journal of Botany*, 39, 1, 147-156, **2016 (WoS/Scopus)**
4460. Búfalo J, Rodrigues TM, de Almeida LFR, dos Santos Tozin LR, Marques MOM, Boaro CSF. PEG-induced osmotic stress in *Mentha x piperita* L.: Structural features and metabolic responses, *Plant Physiology and Biochemistry*, 105, 174-184, **2016 (WoS/Scopus)**
4461. Burgess P, Huang B. Mechanisms of Hormone Regulation for Drought Tolerance, In *Plants, In: Drought Stress Tolerance in Plants* (Editors: MA Hossain, SH Wani, S Bhattacharjee, DJ Burritt, LP Tran), Vol 1, 45-75, Springer, **2016 (WoS/Scopus)**
4462. Chakhchar A, Lamaoui M, Aissam S, Ferradous A, Wahbi S, El Mousadik A, Saad I-K, Abdelkarim F-M, El Modafar C. Differential physiological and antioxidative responses to drought stress and recovery among four contrasting *Argania spinosa* ecotypes, *Journal of Plant Interactions*, 11, 1, 30-40, **2016 (WoS/Scopus)**
4463. Chmura DJ, Guzicka M, McCulloh KA, Zytowskiak R. Limited variation found among Norway spruce half-sib families in physiological response to drought and resistance to embolism, *Tree Physiology*, 36(2), 252-266, **2016**, doi: [10.1093/treephys/tpv141](https://doi.org/10.1093/treephys/tpv141) **(WoS/Scopus)**
4464. Ding GH, Ma DR, Yang G, Zhang FM, Bai LM, Sun SC, Jiang SK, Wang TT, Xia TS, Chen WF. Responses of the photosynthetic system of drought-tolerance weedy rice to drought stress at the seedling stage, *Shengtai Xuebao/ Acta Ecologica Sinica*, 36, 1, 226-234, **2016 (WoS/Scopus)**

- 4465.** Farber M, Attia Z, Weiss D. Cytokinin activity increases stomatal density and transpiration rate in tomato, *Journal of Experimental Botany* 67(22), 6351-6362, **2016 (WoS/Scopus)**
- 4466.** Feller U. Drought stress and carbon assimilation in a warming climate: Reversible and irreversible impacts, *Journal of Plant Physiology*, 203, 84-94, **2016 (Review) (WoS/Scopus)**
- 4467.** Gharibi S, Tabatabaei BES, Saeidi G, Goli SAH. Effect of drought stress on total phenolic, lipid peroxidation, and antioxidant activity of *Achillea species*, *Applied Biochemistry and Biotechnology*, 178, 4, 796-809, **2016 (WoS/Scopus)**
- 4468.** Gitz III DC, Baker JT, Lascano RJ. Scaling Leaf Measurements to Estimate Whole Canopy Gas Exchanges of Cotton, *American Journal of Plant Sciences*, 7, 1952-1963, **2016**
- 4469.** Gugger PF, Peñalosa-Ramírez JM, Wright JW, Sork VL. Whole-transcriptome response to water stress in a California endemic oak, *Quercus lobata*, *Tree Physiology* 37, 632-644, **2016**, doi:10.1093/treephys/tpw122 **(WoS/Scopus)**
- 4470.** Guo J, Xu W, Yu X, Shen H, Li H, Cheng D, Liu A, Liu J, Liu C, Zhao S, Song J. Cuticular wax accumulation Is associated with drought tolerance in wheat near-isogenic lines, *Frontiers in Plant Science*, 7, Art. 1809, **2016 (WoS/Scopus)**
- 4471.** Hamed SB, Lefi E, Chaieb M - Physiological responses of *Pistacia vera* L. versus *Pistacia atlantica* Desf. to water stress conditions under arid bioclimate in Tunisia. *Scientia Horticulturae* 203:224-230, **2016**, DOI: 10.1016/j.scienta.2016.03.019 **(WoS/Scopus)**
- 4472.** Huseynova IM, Allahverdiev TI, Babayev HG, Aliyeva DR, Rustamova SM, Aliyev JA. Chapter 30. Wheat: Approaches to improve under water stress, In: *Water Stress and Crop Plants: A Sustainable Approach* (ed. Parvaz Ahmad), 506-542, Wiley Blackwell, **2016 (WoS/Scopus)**
- 4473.** Huseynova IM, Rustamova SM, Aliyeva DR, Babayev HG, Aliyev JA. Photosynthesis, antioxidant protection, and drought tolerance in plants, Chapter 15 in *Drought Stress Tolerance in Plants*, Vol 1, *Physiology and Biochemistry* (MA Hossain, SH Wani, S Bhattacharjee, DJ Burritt, L-SP Tran, Editors), pp. 349-378, Springer, **2016 (WoS/Scopus)**
- 4474.** Huseynova IM, Rustamova SM, Suleymanov SY, Aliyeva DR, Mammadov AC, Aliyev JA. Drought-induced changes in photosynthetic apparatus and antioxidant components of wheat (*Triticum durum* Desf.) varieties, *Photosynthesis Research*, 130, 215-223, **2016 (WoS/Scopus)**
- 4475.** Hussain MI, Lyra D-A, Farooq M, Nikolodakis N, Khalid N. Salt and drought stresses in safflower: a review, *Agronomy for Sustainable Development*, 36, 1 (4), 1-31, **2016 (review) (WoS/Scopus)**
- 4476.** Kaur A, Sraw PK, Kukal SS. Climatic variability impact on wheat-based cropping systems of South Asia: Adaptation and mitigation, In: *Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability* (Editors: M Ahmed, CO Stockle), pp 353-370, Springer, **2016**
- 4477.** Kaur V, Singh S, Behl RK. Heat and drought tolerance in wheat: Integration of physiological and genetic platforms for better performance under stress (**Review**), *Journal of Crop Breeding and Genetics*, 2, 1, 1-14, **2016**
- 4478.** Khalid M, Afzal F, Gul A, Ahanger MA, Ahmad P. Analysis of novel haplotype variation at TaDREB-D1 and TaCwi-D1 genes influencing drought tolerance in bread/synthetic wheat derivatives: An overview. In: Parvaiz Ahmad (Ed.), *Water Stress and Crop Plants: A Sustainable Approach* 1-2, Chapter 15, pp. 206-226, **2016**. <https://doi.org/10.1002/9781119054450.ch15>. (Book Chapter). **(WoS/Scopus)**
- 4479.** Khan NH, Ahsan M, Naveed M, Sadaqat HA, Javed I –Genetics of drought tolerance at seedling and maturity stages in *Zea mays* L. *Spanish Journal of Agricultural Research* 14(3), e0705, **2016** <http://dx.doi.org/10.5424/sjar/2016143-8505> **(WoS/Scopus)**
- 4480.** Khattab H, El Marid Z. Environmental alterations in biofuel generating molecules in *Zilla spinosa*, *Zeitschrift für Naturforschung C, Journal of Biosciences*, 72(3-4), 77-91, **2016**, DOI: [10.1515/znc-2016-0151](https://doi.org/10.1515/znc-2016-0151)
- 4481.** Lee TY, Woo SY, Kwak MJ, Inkyin K, Lee KE, Jang JH, Kim IR. Photosynthesis and chlorophyll fluorescence responses of *Populus sibirica* to water deficit in a desertification area in Mongolia, *Photosynthetica*, 54, 2, 317-320, **2016 (WoS/Scopus)**
- 4482.** Li X, Yang Y, Yang S, Sun X, Yin X, Zhao Y, Yang Y. Comparative proteomics analyses of intraspecific differences in the response of *Stipa purpurea* to drought, *Plant Diversity*, 38, 2, 101-117, **2016** doi: [10.1016/j.pld.2016.03.002](https://doi.org/10.1016/j.pld.2016.03.002) **(WoS/Scopus)**
- 4483.** Li Y, Wan, Z, Xu X, Han W, Wang Q, Zou D. Leaf margin analysis of Chinese woody plants and the constraints on its application to palaeoclimatic reconstruction. *Global Ecology and Biogeography* 25(12):1401-1415, **2016**. DOI: [10.1111/geb.12498](https://doi.org/10.1111/geb.12498). **(WoS/Scopus)**
- 4484.** Ma X, Xia H, Liu Y, Wei H, Zheng X, Song C, Chen L, Liu H, Luo L. Transcriptomic and metabolomic studies disclose key metabolism pathways contributing to well-maintained photosynthesis under the drought and the consequent drought-tolerance in rice, *Frontiers in Plant Science*, 7, art. 1886, 1-18, **2016 (WoS/Scopus)**
- 4485.** Mantoan LPB, Almeida LFR, Macedo AC, Ferreira G, Boaro CSF - Photosynthetic adjustment after rehydration in *Annona emarginata*. *Acta Physiologiae Plantarum* 38(6), art. No. 157, **2016**, DOI: [10.1007/s11738-016-2171-1](https://doi.org/10.1007/s11738-016-2171-1) **(WoS/Scopus)**
- 4486.** Martins AP, de Andrade Costa SEVG, Anghinoni I, Kunrath TR, Cecagno D, Reicher JM, Balerini F, Dillenburg LR, Carvalho PCF. Soil moisture and soybean physiology affected by drought in an integrated crop-livestock system, *Pesquisa Agropecuária Brasileira*, 51, 8, 978-989, **2016 (WoS/Scopus)**
- 4487.** Metzger C, Nilsson MB, Peichl M, Jansson P-E. - Parameter interactions and sensitivity analysis for modelling carbon heat and water fluxes in a natural peatland, using CoupModel v5, *Geoscientific Model*

- 4488.** Meyer-Grünefeld Mt, Belz K, Calvo L, Marcos E, von Oheimb G, Härdtle W. Marginal Calluna populations are more resistant to climate change, but not under high-nitrogen loads, *Plant Ecology*, 217, 1, 111-122, **2016 (WoS/Scopus)**
- 4489.** Mishra PK, Paroha S, Mishra RP. A review on effects of storage on the quality and viability characteristics of major oil seeds, *International Journal of Current Research and Academic Review*, 4, 1, 108-121, **2016**
- 4490.** Paul K. Screening and characterization of plant physiological traits using photosynthetic and phenotyping tools, **PhD Thesis**, Faculty of Science and Informatics, University of Szeged, Szeged, Hungary, **2016**
- 4491.** Pekcan V, Evci G, Yilmaz MI, Nalcaiyi ASB, Erdal ŞÇ, Cicek N, Ekmekci Y, Kaya Y. Effects of drought on morphological traits of some sunflower lines, *Ekin Journal of Crop Breeding and Genetics*, 2, 2, 54-68, **2016**
- 4492.** Rahmani F, Padervand A-H. Differential response to physiological drought stress in tolerant and susceptible cultivars of canola, *Indian Journal of Plant Physiology* 21(3), 333-340, **2016 (WoS/Scopus)**
- 4493.** Rodolfo Junior F, Ribeiro Junior WQ, Ramos MLG, Rocha OC, Batista FPS, De Lima CA. Physiological responses in varieties of ratoon sugarcane submitted to water deficit. *IRRIGA* 21(4): 806-816, **2016**. DOI: [10.15809/irriga.2016v21n4p806-816](https://doi.org/10.15809/irriga.2016v21n4p806-816). **(WoS/Scopus)**
- 4494.** Rosenblatt AE, Schmitz OJ. Climate change, nutrition, and bottom-Up and top-down food web processes, *Trends in Ecology & Evolution*, 31, 12, 965-975, **2016 (WoS/Scopus)**
- 4495.** Scalabrin E, Radaelli M, Capodaglio G. Simultaneous determination of shikimic acid, salicylic acid and jasmonic acid in wild and transgenic *Nicotiana langsdorffii* plants exposed to abiotic stresses, *Plant Physiology and Biochemistry*, 103, 53-60, **2016 (WoS/Scopus)**
- 4496.** Shivashankara KS, Pavithra KC, Geetha GA. Antioxidant Protection Mechanism During Abiotic Stresses, In: *Abiotic Stress Physiology of Horticultural Crops*, Editors: N.K. Srinivasa Rao, K.S. Shivashankara, R. H. Laxman), 47-69, **2016 (BOOK) (WoS/Scopus)**
- 4497.** Sun ZW, Ren LK, Fan JW, Li Q, Wang KJ, Guo MM, Wang L, Li J, Zhang GX, Yang ZY, Chen F, Li XN. Salt response of photosynthetic electron transport system in wheat cultivars with contrasting tolerance, *Plant, Soil and Environment*, 62, 11, 515-521, **2016 (WoS/Scopus)**
- 4498.** Tang B, Yin C, Wang Y, Sun Y, Liu Q. Positive effects of night warming on physiology of coniferous trees in late growing season: Leaf and root, *Acta Oecologica*, 73, 21-30, **2016 (WoS/Scopus)**
- 4499.** Valim JOS, Teixeira NC, Santos NA, Oliveira MGA, Campos WG. Drought-induced acclimatization of a fast-growing plant decreases insect performance in leaf-chewing and sap-sucking guilds, *Arthropod-Plant Interactions*, 10, 4, 351-363, **2016 (WoS/Scopus)**
- 4500.** Wang C, Li C, Wei H, Xie Y, Han W. Effects of long-term periodic submergence on photosynthesis and growth of *Taxodium distichum* and *Taxodium ascendens* saplings in the hydro-fluctuation zone of the three Gorges reservoir of China, *PLOS ONE*, 11, 9, e0162867, **2016 (WoS/Scopus)**
- 4501.** Wang Y, Feng Y, Wang H, Zhong M, Chen W, Du H. Physiological and proteomic analyses of two *Gracilaria lemaneiformis* strains in response to high-temperature stress, *Journal of Applied Phycology*, 28, 3, 1847-1858, **2016 (WoS/Scopus)**
- 4502.** Xu W, Shen H, Guo J, Yu X-C, Li X, Yang Y-H, Ma X, Zhao S-J, Song J-M. Drought Resistance of wheat NILs with different cuticular wax contents in flag leaf, *Acta Agronomica Sinica*, 42(11), 1700-1707, **2016 (WoS/Scopus)**
- 4503.** Yun SJ, Han S, Han SH, Kim S, Li G, Park M, Son Y. Short-term effects of warming treatment and precipitation manipulation on the ecophysiological responses of *Pinus densiflora* seedlings, *Turkish Journal of Agriculture and Forestry*, 40, 4, 621-630, **2016 (WoS/Scopus)**
- 4504.** Yurekli F, Kirecci OA. The relationship between nitric oxide and plant hormones in snp administrated sunflower plants under salt stress condition. *Acta Sci. Pol. Hortorum Cultus*, 15(6), 177-191, **2016 (WoS/Scopus)**
- 4505.** Zakhidov E, Nematov S, Kuvondikov V. Monitoring of the Drought Tolerance of Various Cotton Genotypes Using Chlorophyll Fluorescence, Chapter 5 In book: *Applied Photosynthesis - New Progress*, Publisher: InTech, Editors: Mohammad Mahdi Najafpour, pp.91-110, **2016 (BOOK)**
- 4506.** Zeng F, Zhang B, Lu Y, Li C, Liu B, An G, Gao X. Morpho-physiological responses of *Alhagi sparsifolia* Shap. (Leguminosae) seedlings to progressive drought stress, *Pakistan Journal of Botany* 48(2), 429-438, **2016 (WoS/Scopus)**
- 4507.** Zhang W, Hu H, Zhang S-B - Divergent adaptive strategies by two co-occurring epiphytic orchids to water stress: escape or avoidance? *Frontiers in Plant Science* 7, art. no. 588, **2016**, DOI: [10.3389/fpls.2016.00588](https://doi.org/10.3389/fpls.2016.00588) **(WoS/Scopus)**
- 4508.** Zhou X, Zhou L, Nie Y, Fu Y, Du Z, Shao J, Zheng Z, Wang X - Similar responses of soil carbon storage to drought and irrigation in terrestrial ecosystems but with contrasting mechanisms: A meta-analysis. *Agriculture Ecosystems & Environment* 228, 70-81, **2016**, DOI: [10.1016/j.agee.2016.04.030](https://doi.org/10.1016/j.agee.2016.04.030) **(WoS/Scopus)**
- 4509.** Abdelaal KAA, Hafez YM, El Sabagh A, Saneoka H. Ameliorative effects of abscisic acid and yeast on morpho-physiological and yield characteristics of maize plant (*Zea mays* L.) under water deficit conditions, *Fresenius Environmental Bulletin*, 26, 12, 7372-7383, **2017 (WoS/Scopus)**
- 4510.** Aghabeigi M, Khodadadi M – Effect of clodinafop-propargyl and mesosulfuron-methyl herbicides on wild oat (*Avena ludoviciana*) control under moisture stress condition. *International Journal of Plant & Soil Science* 20(5): 1-7, Article no-IJPSS.38451, **2017**

- 4511.** Aguata FM, Trachsel S, Pérez LG, Burgueño J, Crossa J, Balzarini M, Gouache D, Bogard M, Campos G. Use of hyperspectral image data outperforms vegetation Indices in prediction of maize yield. *Crop Sci*, 57, 2517-2524, **2017 (WoS/Scopus)**
- 4512.** Alobaidy MG. Effect of putrescine and 24-epibrassinolide on growth, yield and chemical compositions of cotton plant grown under drought stress conditions, [PhD Thesis](#), Faculty of Agriculture, Cairo University, **2017**
- 4513.** Atay E, Hucbourg B, Drevet A, Lauri P.-E. - Investigating effects of over-irrigation and deficit irrigation on yield and fruit quality in Pink Lady™ ‘Rosy Glow’ apple. *Acta Sci. Pol. Hortorum Cultus* 16(4): 45-51, **2017 (WoS/Scopus)**
- 4514.** Babeanu C, Soare M, Corneanu M, Dragoi M. Effects of drought stress on some oxidoreductase enzymes and proline content in leaves of *Salix* genotypes, *Advances in Biotechnology, SGEM2017 Conference Proceedings*, 17, 61, 665-670, **2017 (WoS/Scopus)**
- 4515.** Basu S, Giri RK, Benazir I, Kumar S, Rajwanshi R, Dwivedi SK, Kumar G. Comprehensive physiological analyses and reactive oxygen species profiling in drought tolerant rice genotypes under salinity stress, *Physiology and Molecular Biology of Plants* 23(4), 837-850, **2017 (WoS/Scopus)**
- 4516.** Bennett HM. Climate change and tropical sponges: The effect of elevated pco2 and temperature on the sponge holobiont, [PhD Thesis](#), Victoria University of Wellington, **2017**
- 4517.** Bhor V. Photosystem II responses to soil moisture deficit and high intensity radiation in soybean (*Glycine max* L.), [Thesis](#), Indira Gandhi Krishi Vishwavidhyalaya, Raipur, **2017**
- 4518.** Catoni R, Gratani L, Bracco F, Granata M – How water supply during leaf development drives water stress response in *Corylus avellane* saplings. *Scientia Horticulturae* 214, 122-132, **2017, (WoS/Scopus)**
[DOI:10.1016/j.scienta.2016.11.022](https://doi.org/10.1016/j.scienta.2016.11.022)
- 4519.** Devi EL, Kumar S, Singh TB, Sharma SK, Beemrote A, Devi CP, Chongtham SK, Singh CH, Yumlembam RA, Haribhushan A, Prakash N, Wani SH. Adaptation Strategies and Defence Mechanisms of Plants During Environmental Stress, 359-413. In: Ghorbanpour M, Varma A. (eds) *Medicinal Plants and Environmental Challenges*. Springer, Cham, **2017 (BOOK) (WoS/Scopus)**
- 4520.** Fahad S, Bajwa AA, Nazir U, Anjum SA, Farooq A, Zohaib A, Sadia S, Nasim W, Adkins S, Saud S, Ihsan MZ, Alharby H, Wu C, Wang D and Huang J - Crop production under drought and heat stress: plant responses and management options. *Front. Plant Sci.* 8: art. No. 1147, **2017, doi: 10.3389/fpls.2017.01147 (Review) (WoS/Scopus)**
- 4521.** Guggen PF, Peñaloza-Ramírez JM, Wright JW, Sork VL. Whole-transcriptome response to water stress in a California endemic oak, *Quercus lobata*, *Tree physiology*, 37, 5, 632-644, **2017 (WoS/Scopus)**
- 4522.** Habibi G, Iizade Z. - Selenium in lemon balm plants: Productivity, phytotoxicity and drought alleviation. *Journal of Plant Nutrition* 40(11): 1557-1568, **2017 (WoS/Scopus)**
- 4523.** Hakeem A, Liu Y, Zhang L, Si T, Jiang D. Induction of osmotic stress resistance by seed osmo-priming in winter wheat (*Triticum aestivum* L.) during post-germinative stages, *Seed Sci. & Technol*, 45, 2, 1-14, **2017 (WoS/Scopus)**
- 4524.** He J, Lim RMP, Dass SHJ, Yam TW. Photosynthetic acclimation of *Grammatophyllum speciosum* to growth irradiance under natural conditions in Singapore. *Botanical Studies* 58(1): art. No.58, **2017 (WoS/Scopus)**
- 4525.** Kałużewicz A, Krzesiński W, Spiżewski T, Zaworska A. Effect of biostimulants on several physiological characteristics and chlorophyll content in broccoli under drought stress and re-watering, *Notulae Botanicae Horti Agrobotanici*, 45, 1, 197-202, **2017 (WoS/Scopus)**
- 4526.** Kaur A, Sraw PK, Kukal SS – Climatic variability impact on wheat-based cropping systems of South Asia: Adaptation and mitigation. In: *Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability*; Eds. M. Ahmed, C.O. Stockle, Springer International Publishing, pp. 353-370, **2017 (book)**
https://doi.org/10.1007/978-3-319-32059-5_14
- 4527.** Khalili M, Nagharvi MR – Proteins involved in the molecular mechanisms of plant photosynthesis under drought stress. *International Journal of Agriculture and Biosciences* 6(1), 42-48, **2017 (Review)**
- 4528.** Khan A, Anwar Y, Hasan MM, Iqbal A, Ali M, Alharby H, Hakeem KR, Hasanuzzaman M. Attenuation of drought stress in Brassica seedlings with exogenous application of Ca²⁺ and H₂O₂, *Plants*, 6, 2, 20, 1-13, **2017 (WoS/Scopus)**
- 4529.** Khatlab H, El Marid Z. Environmental alterations in biofuel generating molecules in *Zilla spinosa*, *Zeitschrift für Naturforschung C*, 72, (3-4), 77-91, **2017 (WoS/Scopus)**
- 4530.** Krzesiński W, Spiżewski T, Kałużewicz A, Frąszczak B, Zaworska A, Lisiecka J, Suszy RKNS. Cauliflower's response to drought stress, *Nauka Przyroda Technologie*, 10, 4, 44, 1-10, **2017**
- 4531.** Lamalakshmi Devi E, Kumar S, Basanta Singh T, Sharma SK, Beemrote A, Devi CP, Chongtham SK, Singh CH, Yumlembam RA, Haribhushan A, Prakash N, Wani SH. Adaptation strategies and defence mechanisms of plants during environmental stress. In: Ghorbanpour M, Varma A (eds) *Medicinal Plants and Environmental Challenges*, Springer, Cham, pp. 359-413, **2017. DOI: 10.1007/978-3-319-68717-9_20. (Book Chapter) (WoS/Scopus)**
- 4532.** Lee TY, Je SM, Kwak MJ, Akhmadi K, Tumurbaatar E, Khaine I, Lee HK, Jang JH, Kim HN, Ahn HJ, Woo SY. Physiological responses of *Populus sibirica* to different irrigation regimes for reforestation in arid area, *South African Journal of Botany*, 112, 329-335, **2017 (WoS/Scopus)**
- 4533.** Li Z, Yu J, Peng Y, Huang B. Metabolic pathways regulated by abscisic acid, salicylic acid and gamma-aminobutyric acid in association with improved drought tolerance in creeping bentgrass (*Agrostis stolonifera*),

- 4534.** Li Z, Zhang Y, Zhang X, Merewitz E, Peng Y, Ma X, Huang L, Yan Y. Metabolic pathways regulated by chitosan contributing to drought resistance in white clover. *Journal of Proteome Research* 16(8): 3039-3052, **2017**. doi: [10.1021/acs.jproteome.7b00334](https://doi.org/10.1021/acs.jproteome.7b00334). **(WoS/Scopus)**
- 4535.** Lin W. Drought Responses in Loblolly Pine (*Pinus taeda* L.) as Inferred from Analyses of Range-wide Tree Ring Isotopic Composition, [PhD Thesis](#), North Carolina State University, **2017**
- 4536.** Maghsoodi M, Razmjoo J, Gheysari M. Application of biochemical markers for the assessment of drought tolerance in alfalfa (*Medicago sativa* L.) cultivars, *Grassland Science*, 63, 3-14, **2017 (WoS/Scopus)**
- 4537.** Malhotra C, Kapoor RT, Ganjewala D, NB Singh - Sodium silicate mediated response of antioxidative defense system in *Lycopersicon esculentum* mill. under water stress. *International Journal of Phytomedicine* 9 (2): 364-378, **2017**, DOI:[10.5138/09750185.2108](https://doi.org/10.5138/09750185.2108)
- 4538.** Matuszak-Slamani R, Mila A. Evaluation of cell membrane permeability of barley seedlings in conditions of water deficit. *Acta Agroph*, 24(3), 465-473, **2017**
- 4539.** Mikołajczak K, Kuczyńska A, Krajewski P, Sawikowska A, Surma M, Ogródowicz P, Adamski T, Krystkowiak K, Górny AG, Kempa M, Szarejko I, Guzy-Wróbelska J, Gudyś K. Quantitative trait loci for plant height in Maresi × CamB barley population and their associations with yield-related traits under different water regimes, *Journal of Applied Genetics*, 58(1), 23-35, **2017 (WoS/Scopus)**
- 4540.** Mohamed HI, Latif HH. Improvement of drought tolerance of soybean plants by using methyl jasmonate, *Physiology and Molecular Biology of Plants*, 23(3), 545-556, **2017**, DOI: [10.1007/s12298-017-0451-x](https://doi.org/10.1007/s12298-017-0451-x) **(WoS/Scopus)**
- 4541.** Mwendia SW, Yunusa IAM, Sindel BM, Whalley RDB, Kariuki IW. Assessment of Napier grass accessions in lowland and highland tropical environments of East Africa: water stress indices, water use and water use efficiency. *Journal of the Science of Food and Agriculture* 97(6): 1953-1961, **2017**. DOI: [10.1002/jsfa.8004](https://doi.org/10.1002/jsfa.8004) **(WoS/Scopus)**
- 4542.** Nasim S, Shabbir G, Ilyas M, Cheema NM, Shah MKN. Contemplation of wheat genotypes for enhanced antioxidant enzyme activity, *Pakistan Journal of Botany*, 49, 2, 647-653, **2017 (WoS/Scopus)**
- 4543.** Okello OP, Gweyi JPO, Nawiri MP, Musila W. Effects of water stress on phenolic content and antioxidant activity of African nightshades. *Biofarmasi J Nat Prod Biochem* 15(2), 79-95, **2017** DOI: [10.13057/biofar/f150204](https://doi.org/10.13057/biofar/f150204)
- 4544.** Pavlovic RZ. Biohemijski mehanizmi otpornosti klonova topole (*Populus* spp.) na vodni stress, [PhD Thesis](#), Univerzitet u Novom Sadu Prirodno-Matematički Fakultet, Novi Sad, **2017**
- 4545.** Peñaloza-Ramírez JM, Gugger PF, Wright JW, Sork VL. Whole-transcriptome response to water stress in a California endemic oak, *Quercus lobata*, *Tree Physiology*, 37(5), 632-644, **2017**
- 4546.** Qian C, Zhang W, Zhong X, Li F, Shi Z. Comparative studies on the photosynthetic characteristics of two maize (*Zea mays* L.) near-isogenic lines differing in their susceptibility to low light intensity, *Emirates Journal of Food and Agriculture*, 29, 4, 300-311, **2017 (WoS/Scopus)**
- 4547.** Rodríguez-Pérez L, Núñez LCE, Moreno FLP. Drought stress affects physiological parameters but not tuber yield in three andean potato (*Solanum tuberosum* L.) cultivars. *Agronomia Colombiana* 35(2): 158-170, **2017**. DOI: [10.15446/agron.colomb.v35n2.65901](https://doi.org/10.15446/agron.colomb.v35n2.65901). **(WoS/Scopus)**
- 4548.** Sharma M, Gupta SK, Majumder B, Maurya VK, Deeba F, Alam A, Pandey V. Salicylic acid mediated growth, physiological and proteomic responses in two wheat varieties under drought stress, *Journal of Proteomics*, 163, 28-51, **2017 (WoS/Scopus)**
- 4549.** Song H, Li Y, Zhou L, Xu Z, Zhou G. Maize leaf functional responses to drought episode and rewatering, *BioRxiv*, 170258, doi: <https://doi.org/10.1101/170258>, **2017**
- 4550.** Taran N, Storozhenko V, Svetlova N, Batsmanova L, Shvartau V, Kovalenko M. Effect of zinc and copper nanoparticles on drought resistance of wheat seedlings, *Nanoscale Research Letters*, 12, 60, 1-6, **2017 (WoS/Scopus)**
- 4551.** von Rein I. Plant and soil microbial responses to drought stress in different ecosystems: the importance of maintaining the continuum, [PhD Thesis](#), Lebenswissenschaftlichen Fakultät der Humboldt-Universität zu Berlin, **2017**
- 4552.** Wang X, Liu F-L, Jiang D. Priming: A promising strategy for crop production in response to future climate. *Journal of Integrative Agriculture* 16 (12): 2709-2716, **2017**. DOI: [10.1016/S2095-3119\(17\)61786-6](https://doi.org/10.1016/S2095-3119(17)61786-6) **(Review)** **(WoS/Scopus)**
- 4553.** Xiao W, Fu-lai, Jiang D. Priming: A promising strategy for crop production in response to future climate, *Journal of Integrative Agriculture*, 16, 12, 2709-2716, **2017** [Review](#) [https://doi.org/10.1016/S2095-3119\(17\)61786-6](https://doi.org/10.1016/S2095-3119(17)61786-6)
- 4554.** Zhang W, Cao Z, Xie Z, Lang D, Zhou L, Chu Y, Zhao Q, Zhang X, Zhao Y. Effect of water stress on roots biomass and secondary metabolites in the medicinal plant *Stellaria dichotoma* L. var. lanceolata Bge, *Scientia Horticulturae*, 224, 280-285, **2017 (WoS/Scopus)**
- 4555.** Zhao CY, Si JH, Feng Q, Deo RC, Yu TF, Li PD. Physiological response to salinity stress and tolerance mechanics of *Populus euphratica*, *Environmental Monitoring and Assessment*, 189, 533, **2017 (WoS/Scopus)**
- 4556.** Симон ЕВ. Влияние мелатонина на рост и развитие *Cucumis sativus* L. сорта изящный в условиях атмосферной засухи, [диссертация](#), Томский Государственный Университет, **2017**
- 4557.** Amitha Kunikullaya G, Suresh J, Balakrishnan S, Kumar M, Jeyakumar P, Kumaravadivel N,

- Jegadeeswari V. Effect of water stress on photosynthetic parameters of cocoa (*Theobroma cacao* L.) genotypes. *International Journal of Chemical Studies* 6(6): 1021-1025, **2018** <http://www.chemijournal.com/archives/2018/vol6issue6/PartR/6-6-81-848.pdf>
- 4558.** Aydinsakir K. Yield and quality characteristics of drip-irrigated soybean under different irrigation levels. *Agronomy Journal* 110(4): 1473-1481, **2018** [doi:10.2134/agronj2017.12.0748](https://doi.org/10.2134/agronj2017.12.0748)
- 4559.** Baczek-Kwinta R, Borek M, Zmuda K. Genotypic differentiation of oxidoreductive response of seedlings and mature plants of spring barley in drought. *Oxidation Communications* 41(3), 419–428. **2018 (WoS/Scopus)**
- 4560.** Bagues M, Sarabi B, Ghashghaie J, Souli I, Nagaz K. The validity of carbon isotope discrimination as a screening criterion for grain yield in two barley landraces under deficit irrigation with saline water in southern Tunisia. *Plant Biotechnology* 35(3): 193-206, **2018** DOI: 10.5511/plantbiotechnology.18.0502a (WoS/Scopus)
- 4561.** Basso V, Pereira MF, Maillard F, Mallerma J, Mangeot-Peter L, Zhang F, Bonnot C. Facing global change: the millennium challenge for plant scientists. *New Phytologist* 220: 25–29, **2018, (WoS/Scopus)**
- 4562.** Belaid AH, Maurice S, Fréville H, Carbonell D, Imbert E. Predicting population viability of the narrow endemic Mediterranean plant *Centaurea corymbosa* under climate change. *Biological Conservation* 223: 19-33, **2018** <https://doi.org/10.1016/j.biocon.2018.04.019>
- 4563.** Biju B, Fuentes S, Gupta D. The use of infrared thermal imaging as a non-destructive screening tool for identifying drought-tolerant lentil genotypes. *Plant Physiology and Biochemistry* 127: 11-24, **2018**, <https://doi.org/10.1016/j.plaphy.2018.03.005> (WoS/Scopus)
- 4564.** Drine S, Smedley M, Ferchichi A, Harwood W. Sequence and expression variation in the dehydrin6 gene in barley varieties contrasting in response to drought stress. *South African Journal of Botany* 119, 278-285, **2018**. <https://doi.org/10.1016/j.sajb.2018.09.021> (WoS/Scopus)
- 4565.** Eisvand HR, Kamaei H, Nazarian F. Chlorophyll fluorescence, yield and yield components of bread wheat affected by phosphate bio-fertilizer, zinc and boron under late-season heat stress. *Photosynthetica* 56(4): 1287-1296, **2018**. <https://doi.org/10.1007/s11099-018-0829-1> (WoS/Scopus)
- 4566.** Früchtenichta E, Neumann L, Klein N, Bonal D, Brüggemann W. Response of *Quercus robur* and two potential climate change winners - *Quercus pubescens* and *Quercus ilex* - To two years summer drought in a semi-controlled competition study: I - Tree water status. *Environmental and Experimental Botany* 152: 107-117, **2018**. <https://doi.org/10.1016/j.envexpbot.2018.01.002> (WoS/Scopus)
- 4567.** Gopal K, Girja T, Vinod K, Pandey SD, Vishal N. Climate resilience in litchi (*Litchi chinensis*) orchards in Bihar through soil manipulations. *Indian Journal of Soil Conservation* 46(2): 190-198, **2018** Print ISSN : 0970-3349. Online ISSN : 0976-1721
- 4568.** Hadjou Belaid A, Maurice S, Fréville H, Carbonell D, Imbert E. Predicting population viability of the narrow endemic Mediterranean plant *Centaurea corymbosa* under climate change. *Biological Conservation* 223: 19-33, **2018**. DOI: 10.1016/j.biocon.2018.04.019 (WoS/Scopus)
- 4569.** Hasanuzzaman M, Mahmud JA, Anee TI, Nahar K, Islam MT. Drought stress tolerance in wheat: omics approaches in understanding and enhancing antioxidant defense. In: Zargar S, Zargar M. (eds) *Abiotic Stress-Mediated Sensing and Signaling in Plants: An Omics Perspective*. Springer, Singapore, pp.267-307, **2018**, https://doi.org/10.1007/978-981-10-7479-0_10 (WoS/Scopus)
- 4570.** Hema Bindu G, Selvakumar G, Shivashankara KS, Sunil Kumar N. Osmotolerant plant growth promoting bacterial inoculation enhances the antioxidant enzyme levels of tomato plants under water stress conditions. *International Journal of Current Microbiology and Applied Science* 7(01): 2824-2833, **2018**. [doi: https://doi.org/10.20546/ijcmas.2018.701.337](https://doi.org/10.20546/ijcmas.2018.701.337)
- 4571.** Hu L, Bi A, Hu Z, Amombo E, Li H, Fu J. Antioxidant metabolism, photosystem II, and fatty acid composition of two tall fescue genotypes with different heat tolerance under high temperature stress. *Frontiers Plant Science* 9: 1242, **2018**, [doi: 10.3389/fpls.2018.01242](https://doi.org/10.3389/fpls.2018.01242) (WoS/Scopus)
- 4572.** John SP, Hasenstein KH. Biochemical responses of the desiccation-tolerant resurrection fern *Pleopeltis polypodioides* to dehydration and rehydration. *Journal of Plant Physiology* 228: 12-18, **2018 (WoS/Scopus)**
- 4573.** Joshi H, Meena D, Tank HK. Nanotechnology in agriculture: A Review. *International Journal of Current Microbiology and Applied Sciences* 7(12): 1763-1770, **2018**. <https://doi.org/10.20546/ijcmas.2018.712.205>.
- 4574.** Kanta C, Sharma IP. Antioxidant defense system in medicinal plants against abiotic stress. In: *Research Trends in Medicinal Plant Sciences*, v. 2. Hussain M, Ed. AkiNik Publications, New Delhi, Chapter 7, pp. 145-160, **2018 (book)**
- 4575.** Kireççi OA, Yürekli F. The effect of salts stress, some plant hormones and SNP applications on signal molecules in *Helianthus annuus* L. leaves. *KSU J. Agric Nat* 21(5):665-671, **2018**
- 4576.** Kumari A, Hemantaranjan A. Morpho-physiological attributes of wheat (*Triticum aestivum* L.) genotypes as influenced by brassinosteroids under heat stress. *Journal of Pharmacognosy and Phytochemistry* 7(6): 2111-2115, **2018**. www.phytojournal.com
- 4577.** Lee HB, Lim SH, Lim NH, An SK, Kim KS. Growth and CO₂ exchange in young *Phalaenopsis* orchids grown under different levels of humidity during the vegetative period. *Horticulture, Environment and Biotechnology* 59(1): 37-43, **2018**. <https://doi.org/10.1007/s13580-018-0005-3> (WoS/Scopus)
- 4578.** Li J-W, Chen X-D, Hu X-Y, Ma L, Zhang S-B. Comparative physiological and proteomic analyses reveal different adaptive strategies by *Cymbidium sinense* and *C. tracyanum* to drought, *Planta*, 24(1), 69-97, **2018 (WoS/Scopus)**
- 4579.** Li Z, Li X, Rubert-Nason KF, Yang Q, Fu Q, Feng J, Shi S. Photosynthetic acclimation of an evergreen

broadleaved shrub (*Ammopiptanthus mongolicus*) to seasonal climate extremes on the Alxa Plateau, a cold desert ecosystem. *Trees – Structure and Function* 32(2): 603-614, **2018**. <https://doi.org/10.1007/s00468-018-1659-2> (WoS/Scopus)

4580. Liu Y, Lei S, Cheng L, Cheng W, Bian Z. Effects of soil water content on stomatal conductance, transpiration, and photosynthetic rate of *Caragana korshinskii* under the influence of coal mining subsidence. *Shengtai Xuebao/ Acta Ecologica Sinica* 38 (9): 3069-3077, **2018**. DOI: [10.5846/stxb201703160442](https://doi.org/10.5846/stxb201703160442). (WoS/Scopus)

4581. Liu Y-L, Guo X-S, Ma M-S, Yu X-F. Maize seedlings response to drought stress and re-watering: abscisic acid, a key regulator of physio-biochemical traits and gas exchange parameters. *Pak J Bot* 50(6), 2131-2139, **2018** (WoS/Scopus)

4582. Ma X, He Q, Zhou G. Sequence of changes in maize responding to soil water deficit and related critical thresholds. *Frontiers in Plant Science* 9: 511, **2018**, doi: [10.3389/fpls.2018.00511](https://doi.org/10.3389/fpls.2018.00511) (WoS/Scopus)

4583. Malinowska K, Myśków B, Czyczyło-Mysza I, Górska M. Study on changes and relationships of physiological and morphological parameters of rye subjected to soil drought stress. *Acta Agrophysica* 25(3): 261-275, **2018**. doi: [10.31545/aagr/93584](https://doi.org/10.31545/aagr/93584)

4584. Marcos FCC, Silveira NM, Marchiori PER, Machado EC, Souza GM, Landell MGA, Ribeiro RV. Drought tolerance of sugarcane propagules is improved when origin material faces water deficit. *PLOS ONE* 13(12): e0206716, **2018**. <https://doi.org/10.1371/journal.pone.0206716>

4585. Nalina M, Saroja S, Rajkumar R, Radhakrishnan B, Chandrashekar KN. Variations in quality constituents of green tea leaves in response to drought stress under south Indian condition. *Scientia Horticulturae* 233, 359-369, **2018** (WoS/Scopus)

4586. Nam S, Lee D-H, Kim J. Effect of substrate volumetric water content on performance of ardisia pusilla grown in indoor conditions. *Flower Res J* 26(3): 124-131, **2018** DOI <https://doi.org/10.11623/frj.2018.26.3.06>

4587. Narváez-Ortiz WA, Lieth JH, Grattan SR, Benavides-Mendoza A, Evans RY, Preciado-Rangel P, Valenzuela-García JR, Gonzalez-Fuentes JA. Implications of physiological integration of stolon interconnected plants for salinity management in soilless strawberry production. *Scientia Horticulturae* 241: 124-130, **2018**. DOI: [10.1016/j.scienta.2018.06.098](https://doi.org/10.1016/j.scienta.2018.06.098). (WoS/Scopus)

4588. Nikraves M, Kholdebarin B, Sattari TN, Najafi. Ameliorative effects of nitric oxide on oilseed rape (*Brassica napus* L.) under water stress. *Iranian Journal of Science and Technology, Transactions A: Science* 42(1): 289-296, **2018**. <https://doi.org/10.1007/s40995-018-0507-y> (WoS/Scopus)

4589. Rodríguez P, Galindo A, Collado-González J, Medina S, Corell M, Memmi H, Giron IF, Centeno A, Martín-Palomo MJ, Cruz ZN, Carbonell-Barrachina A, Hernandez F, Torrecillas A, oriana A, Pérez-López D. Fruit response to water-scarcity and biochemical changes: Water relations and biochemical changes. In: IF Garcia Tejero, & VH Duran Zuazo (Eds.), *Water Scarcity and Sustainable Agriculture in Semiarid Environment: Tools, Strategies, and Challenges for Woody Crops*, Chapter 15, pp. 349-375, **2018**. Elsevier. <https://doi.org/10.1016/B978-0-12-813164-0.00015-6> (BOOK)

4590. Sallam A, Mourad AMI, Hussain W, Baenziger PS. Genetic variation in drought tolerance at seedling stage and grain yield in low environments in wheat (*Triticum aestivum* L.). *Euphytica* 214: 169, **2018**. <https://doi.org/10.1007/s10681-018-2245-9> (WoS/Scopus)

4591. Sebastiana M, da Silva AB, Matos AR, Alcântara A, Silvestre S, Malhó R. Ectomycorrhizal inoculation with *Pisolithus tinctorius* reduces stress induced by drought in cork oak. *Mycorrhiza* 28:247-258, **2018**. <https://doi.org/10.1007/s00572-018-0823-2> (WoS/Scopus)

4592. Sellami D, Bouadila S, Boughanmi H, Salem-Fnayou AB. Comparative study of the performance of two heating ways in the greenhouse production. International Conference on Green Energy & Environmental Engineering (GEEE-2018). *Proceedings of Engineering and Technology – PET* v. 37, 64-69, **2018**

4593. Sharifi RS, Khalilzadeh R. Effects of cycocel on growth, some physiological traits and yield of wheat (*Triticum aestivum* L.) under salt stress. *Journal of Plant Physiology and Breeding* 8(1): 11-23, **2018**. https://breeding.tabrizu.ac.ir/article_9456.html.

4594. Shim D, Song KE, Park CY, Jeon SH, Hwang JG, Kang E-j, Kim JC, Shim S. Effects of hydrogen peroxide on germination and early growth of sorghum (*Sorghum bicolor*). *Korean J. Crop Sci.* 63(2): 140-148, **2018**. DOI: <https://doi.org/10.7740/kjcs.2018.63.2.140>

4595. Singh B, Kukreja S, Goutam U. Milestones achieved in response to drought stress through reverse genetic approaches. *F1000Research* 7: 1311, **2018**, <https://doi.org/10.12688/f1000research.15606.1>

4596. Song H, Li Y, Zhou L, Xu Z, Zhoua G. Maize leaf functional responses to drought episode and rewatering. *Agricultural and Forest Meteorology* 24: 57-70, **2018** DOI: [10.1016/j.agrformet.2017.11.023](https://doi.org/10.1016/j.agrformet.2017.11.023) (WoS/Scopus)

4597. Starý T. Transcriptomic and proteomic changes within the course of defence reaction in plants. Masaryk University, Brno **2018**. [PhD Thesis]

4598. Storozhenko V, Svetlova N, Kovalenko M, Batsmanova L, Taran N. Induction of wheat seedlings resistance of different ecotypes to the effect of a drought simulated by a colloidal solution of Cu²⁺ and Zn²⁺ nanoparticles. *Bulletin of Taras Shevchenko National University of Kyiv, Series: Biology* 76(2), **2018**. <http://biovestnik.com/index.php/biology/article/view/362>.

4599. Sun R-Z, Lin C-T, Zhang X-F, Duan L-X, Qi X-Q, Gong Y-H, Deng X. Acclimation-induced metabolic reprogramming contributes to rapid desiccation tolerance acquisition in *Boea hygrometrica*. *Environmental and Experimental Botany* 148: 70-84, **2018**, <https://doi.org/10.1016/j.envexpbot.2018.01.008> (WoS/Scopus)

4600. Tahir A, Sattar S, Saif R, Tahir S, Qadir M, Sultana R. A review on the morphological and yield contributing traits of Pulses under drought stress. *RND Journals - Innovation in Research & Development* 1(1): 19 pages, **2018**. http://rndjournals.com/uploads/documents/file_526_26.pdf
4601. Tahir MHN, Azhar MT, Wang XJ. Breeding considerations. In: Plant Breeding. Chapter 6, pp. 79-90. Managing editors: IA Khan and M Farooq, Editors: AS Khan, Z Ali and Noor-ul-Islam. University of Agriculture, Faisalabad, Pakistan, **2018**. (BOOK) <http://onlinebooks.uaf.edu.pk/>
4602. Tiwari GS, Pareek N, Raverkar KP. Increased heat and drought stress under climate change and their impact on physiological growth and development of crops: A review. *Indian Journal of Agricultural Sciences* 88 (12): 1818-1825, **2018**. (Review) (WoS/Scopus)
4603. Wu YJ, Ren C, Tian Y, Zha TS, Liu P, Bai YJ, Ma JY, Lai ZR, Bourque CP-A. Photosynthetic gas-exchange and PSII photochemical acclimation to drought in a native and non-native xerophytic species (*Artemisia ordosica* and *Salix psammophila*). *Ecological Indicators* 94(1), 130-138, **2018**, <https://doi.org/10.1016/j.ecolind.2018.06.040> (WoS/Scopus)
4604. Yousefvand M, Mohammadi K, Sarajoughi M, Pasar B, Fayyaz F. Effect of different levels of drought stress on some properties of thyme species. *Pestology* 42 (5): 32-38, **2018**. (WoS/Scopus)
4605. Zhao CY, Si JH, Feng Q, Yu TF, Deo RC, Luo H. Effects of ecological water transport on photosynthesis and chlorophyll fluorescence of *Populus euphratica*. *Water Science & Technology: Water Supply* 18(5), 1747-1756, **2018** (WoS/Scopus)
4606. Zhou H, Hussain SS, Hackenberg M, Bazanova N, Eini O, Li J, Gustafson P, Shi B. Identification and characterisation of a previously unknown drought tolerance-associated microRNA in barley. *The Plant Journal* 95(1): 138-149, **2018**, <https://doi.org/10.1111/tpj.13938> (WoS/Scopus)
4607. Aghaiee N, Zarei L, Cheghamirza K. Evaluation of some morpho-physiological characteristics in strawberry under different moisture stress regimes. *Journal of Berry Research* 9(1): 83-93, **2019**; <https://DOI.org/10.3233/JBR-180306> (WoS/Scopus)
4608. Alhoshan M, Zahedi M, Ramin AA, Sabzalian MR. Exogenous application of salicylic acid and glycine betaine as tools to enhance biomass and tolerance of potato cultivars. *Gesunde Pflanzen* 1, **2019**. <https://DOI.org/10.1007/s10343-018-00438-2> (WoS/Scopus)
4609. Amin AB, Rathnayake KN, Yim WC, Garcia TM, Wone B, Cushman JC and Wone BWM Crassulacean acid metabolism abiotic stress-responsive transcription factors: a potential genetic engineering approach for improving crop tolerance to abiotic stress. *Frontiers in Plant Science* 10: 129, **2019**. <https://doi.org/10.3389/fpls.2019.00129>. (WoS/Scopus)
4610. Amiri F, Gholipouri A, Kheirkhah M, Mirjalili MH. Eco-physiology of *Ziziphora clinopodioides* Lam. (Lamiaceae) from Iran. *Annali di Botanica Ann. Bot. (Roma)*, 9: 63-72, **2019**. <https://doi.org/10.13133/2239-3129/14577>. (WoS/Scopus)
4611. Bukhari SAH, Peerzada AM, Javed MH, Dawood M, Hussain N, Ahmad S. Growth and development dynamics in agronomic crops under environmental stress. In: Hasanuzzaman M. (eds) *Agronomic Crops*. Springer, Singapor. Online ISBN 978-981-32-9151-5. Pages 83-114, **2019**. https://doi.org/10.1007/978-981-32-9151-5_6. [e-BOOK] (WoS/Scopus)
4612. Chakhchar A, Lamaoui M, Aissam S, Ferradous A, Wahbi S, El Mousadik A, Ibensouda-Koraichi S, Filali-Maltouf A, El Modafar C. Physiological and carbohydrate metabolism traits for discrimination of drought-tolerant elite ecotypes of *Argania spinosa*. *Plant Physiology Reports* 24: 388-398, **2019**. <https://doi.org/10.1007/s40502-019-00463-x>.
4613. Cui Y-N, Xia Z-R, Ma Q, Wang W-Y, Chai W-W, Wang S-M. The synergistic effects of sodium and potassium on the xerophyte *Apocynum venetum* in response to drought stress. *Plant Physiology and Biochemistry* 135: 489-498, **2019**. <https://doi.org/10.1016/j.plaphy.2018.11.011>. (WoS/Scopus)
4614. Ding S, Cai Z, Du H, Wang H. Genome-wide analysis of tcp family genes in *Zea mays* L. Identified a role for ZmTCP42 in drought tolerance. *International Journal of Molecular Sciences* 20(11):2762, **2019**. <https://doi.org/10.3390/ijms20112762>. (WoS/Scopus)
4615. Gao J, Luo Q, Sun C, Hu H, Wang F, Tian Z, Jiang D, Cao W Dai T. Low nitrogen priming enhances photosynthesis adaptation to water-deficit stress in winter wheat (*Triticum aestivum* L.) seedlings. *Frontiers in Plant Science* 10: 818, **2019**. <https://doi.org/10.3389/fpls.2019.00818>. (WoS/Scopus)
4616. Ghaffari H, Tadayon MR, Nadeem M, Cheema M, Razmjoo J. Proline-mediated changes in antioxidant enzymatic activities and the physiology of sugar beet under drought stress. *Acta Physiologia Plantarum* 41: 23, **2019**. <https://doi.org/10.1007/s11738-019-2815-z> (WoS/Scopus)
4617. Guo X, Zhang L, Wang X, Zhang M, Xi Y, Wang A, Zhu J. Overexpression of *Saussurea involucre* dehydrin gene SiDHN promotes cold and drought tolerance in transgenic tomato plants. *PLoS ONE* 14(11): e0225090, **2019**. <https://doi.org/10.1371/journal.pone.0225090>. (WoS/Scopus)
4618. Hou H, Zhao L, Zheng X, Gautam M, Yue M, Hou J, Chen Z, Wang P, Li L. Dynamic changes in histone modification are associated with upregulation of Hsf and rRNA genes during heat stress in maize seedlings. *Protoplasma* 256(5): 1245-1256, **2019**. <https://doi.org/10.1007/s00709-019-01364-4> (WoS/Scopus)
4619. Hussein H-AA, Mekki BB, El-Sadek ME, El Lateef EE. Effect of L-Ornithine application on improving drought tolerance in sugar beet plants. *Heliyon* 5, e02631, **2019**. <https://doi.org/10.1016/j.heliyon.2019.e02631>. (WoS/Scopus)
4620. Iftikhar MS, Talha GM, Shahzad R, Jamil S, Jameel S, Aleem M, Iqbal MZ. Early response of the cotton

- (*Gossypium hirsutum*) genotypes against drought stress. *International Journal of Biosciences* 14(2): 537-544, **2019**. <http://dx.doi.org/10.12692/ijb/14.2.537-544>
- 4621.** Jumrani K, Bhatia VS. Interactive effect of temperature and water stress on physiological and biochemical processes in soybean. *Physiology and Molecular Biology of Plants* 25(3): 667-681, **2019**. <https://doi.org/10.1007/s12298-019-00657-5> (WoS/Scopus)
- 4622.** Kamenetsky Goldstein R. Geophyte cultivation in changing climate: environmental effects on development and production. Book series: *Acta Horticulturae* 1237: 277-286. **2019**. https://www.actahort.org/books/1237/1237_36.htm. (WoS/Scopus)
- 4623.** Kankarla V, Shukla MK, VanLeeuwen D, Schutte BJ, Picchioni GA. Growth, evapotranspiration, and ion uptake characteristics of alfalfa and triticale irrigated with brackish groundwater and desalination concentrate. *Agronomy - Basel* 9(12), 789, **2019**. <https://doi.org/10.3390/agronomy9120789>. (WoS/Scopus)
- 4624.** Karimi SM. A comparative study on guard cell function of the glycophyte *Arabidopsis thaliana* and the halophyte *Thellungiella salsuginea* under saline growth conditions. **PhD Thesis**, Julius-Maximilians-Universität Würzburg, Würzburg, Germany, **2019**. https://opus.bibliothek.uni-wuerzburg.de/files/19094/Karimi_Thesis_PhD.pdf.
- 4625.** Khan N, Bano A, Babar MA. Metabolic and physiological changes induced by plant growth regulators and plant growth promoting rhizobacteria and their impact on drought tolerance in *Cicer arietinum* L. *PLoS ONE* 14(3): e0213040, **2019**. <https://doi.org/10.1371/journal.pone.0213040> (WoS/Scopus)
- 4626.** Kim SG, Lee J-S, Bae HH, Kim J-T, Son B-Y, Kim S-L, Baek S-B, Shin S, Jeon W-T. Physiological and proteomic analyses of Korean F1 maize (*Zea mays* L.) hybrids under water-deficit stress during flowering. *Applied Biological Chemistry* 62: 32, **2019**. <https://doi.org/10.1186/s13765-019-0438-0> (WoS/Scopus)
- 4627.** Kirecci OA, Yurekli F, Yilmaz O. The effects of SNP and some plant hormones on sunflower (*Helianthus annuus* L.) seedling leaves exposed to salt stress. *Progress in Nutrition* 21(3): 662-671, **2019**. <https://mattioli1885journals.com/index.php/progressinnutrition/article/view/7645>. (WoS/Scopus)
- 4628.** Kireççi OA, Yürekli F. The effects of salt stress, nitric oxide and hormone applications on antioxidant defense in sunflower plant leaves. *KSÜ Tarım ve Doğa Derg* 22(3): 360-369, **2019**. <https://DOI.org/10.18016/ksutarimdogavi.457992>.
- 4629.** Kucukbasmaci A, Sabir A. Long-term impact of deficit irrigation on the physiology and growth of grapevine cv. 'Prima'. grafted on various rootstocks. *Acta Scientiarum Polonorum-Hortorum Cultus* 18(4), 57-70, **2019**. <https://doi.org/10.24326/asphc.2019.4.6>. (WoS/Scopus)
- 4630.** Li F, Deng J, Nzabanita C, Li Y, Duan T. Growth and physiological responses of perennial ryegrass to an AMF and an *Epichloë* endophyte under different soil water contents. *Symbiosis* 79(2): 151-161, **2019**. <https://doi.org/10.1007/s13199-019-00633-3> (WoS/Scopus)
- 4631.** Li Y, Liu P, Ni X. Molecular evolution and functional analysis of rubredoxin-like proteins in plants. *BioMed Research International* Article ID 2932585, 14 pages, **2019**. <https://doi.org/10.1155/2019/2932585> (WoS/Scopus)
- 4632.** Madadi D, Ebadi A, Baneh HD, Abdossi V, Hadadinejad M. Effect of rootstocks on morphological and physiological traits of Sultana grapevine under moisture stress conditions. *Indian Journal of Horticulture* 76(1), 50-59, **2019**. <https://DOI.org/10.5958/0974-0112.2019.00008.2> (WoS/Scopus)
- 4633.** Maghsoudi K, Emam Y, Ashraf M, Pessarakli M, Arvin MJ. Silicon application positively alters pollen grain area, osmoregulation and antioxidant enzyme activities in wheat plants under water deficit conditions. *Journal of Plant Nutrition* 42(17): 2121-2132, **2019**. <https://doi.org/10.1080/01904167.2019.1648677>. (WoS/Scopus)
- 4634.** Marozas V, Augustaitis A, Pivoras A, Baumgarten M, Mozgeris G, Sasnauskienė J, Dautartė A, Abraitienė J, Bičenkienė S, Mordas G, Ulevičius V, Matyssek R. Comparative analyses of gas exchange characteristics and chlorophyll fluorescence of three dominant tree species during the vegetation season in hemi-boreal zone, Lithuania. *Journal of Agricultural Meteorology* 75(1):3-12, **2019**, <https://doi.org/10.2480/agrmet.D-18-00004> (WoS/Scopus)
- 4635.** Mohammadi S, Ebrahimzadeh H, Niknam V, Zahed Z. Age-dependent responses in cellular mechanisms and essential oil production in sweet *Ferula assafoetida* under prolonged drought stress. *Journal of Plant Interactions*, 14:1, 324-333, **2019**. <https://doi.org/10.1080/17429145.2019.1632946> (WoS/Scopus)
- 4636.** Motazedian A, Kazemeini SA, Bahrani MJ. Sweet corn growth and GrainYield as influenced by irrigation and wheat residue management. *Agricultural Water Management* 224, 105748, **2019**. <https://doi.org/10.1016/j.agwat.2019.105748>. (WoS/Scopus)
- 4637.** Nemeskéri E, Helyes L. Physiological responses of selected vegetable crop species to water stress. Review. *Agronomy* 9(8), 447. **2019**. <https://doi.org/10.3390/agronomy9080447>. (WoS/Scopus)
- 4638.** Opazo I, Toro G, Solis S, Salvatierra A, Franck N, Albornoz F, Pimentel P. Late reduction on transpiration is an important trait for water deficit tolerance in interspecific *Prunus* rootstock hybrids. *Theoretical and Experimental Plant Physiology* 31(4):493-506, **2019**. <https://doi.org/10.1007/s40626-019-00162-w>. (WoS/Scopus)
- 4639.** Qadeer U, Ahmed M, Hassan F, Akmal M, Aslam MA, Raza MA, Ahmad S, Shah GA, Iqbal N, Hayat R. Impact of nitrogen addition on spring wheat physiological and agronomic traits under contrasting environmental conditions. *Preprints* 2019100129, **2019**. <https://doi.org/10.20944/preprints201910.0129.v1>.
- 4640.** Qadeer U, Ahmed M, Hassan F, Akmal M. Impact of nitrogen addition on physiological, crop total nitrogen, efficiencies and agronomic traits of the wheat crop under rainfed conditions. *Sustainability* 11(12), 6486, **2019**. <https://doi.org/10.3390/su11226486>. (WoS/Scopus)
- 4641.** Ramzan M, Ahsan M, Sadaqat HA, Awan FS. Genetic inheritance of grain yield and its related traits in maize (*Zea mays* L.) under water deficit. *Applied Ecology and Environmental Research* 17(6): 13975-13988, **2019**.

DOI: http://dx.doi.org/10.15666/aecer/1706_1397513988. (WoS/Scopus)

- 4642.** Seleiman MF. Use of plant nutrients in improving abiotic stress tolerance in wheat. In: Hasanuzzaman M, Nahar K, Hossain M (eds) *Wheat Production in Changing Environments* 481-495, **2019**. Springer, Singapore. https://doi.org/10.1007/978-981-13-6883-7_19 **BOOK**
- 4643.** Shukla PS, Mantin EG, Adil M, Bajpai S, Critchley AT and Prithiviraj B. Ascophyllum nodosum-based biostimulants: sustainable applications in agriculture for the stimulation of plant growth, stress tolerance, and disease management. *Frontiers in Plant Science* 10: 655, **2019**. <https://doi.org/10.3389/fpls.2019.00655>. (WoS/Scopus)
- 4644.** Signorelli S, Corpas FJ, Rodríguez-Ruiz M, Valderrama R, Barroso JB, Borsani O, Monza J. Drought stress triggers the accumulation of NO and SNOs in cortical cells of *Lotus japonicus* L. roots and the nitration of proteins with relevant metabolic function. *Environmental and Experimental Botany* 161: 228-241, **2019**, <https://doi.org/10.1016/j.envexpbot.2018.08.007> (WoS/Scopus)
- 4645.** Soureshjani HK, Nezami A, Kafi M, Tadayon M. Responses of two common bean (*Phaseolus vulgaris* L.) genotypes to deficit irrigation. *Agricultural Water Management* 213: 270-279, **2019** <https://doi.org/10.1016/j.agwat.2018.09.038> (WoS/Scopus)
- 4646.** Srihartanto E, Indradewa D. Effects of planting time and cultivar on leaf physiology and seed yield of soybean (*Glycine max* (L.) Merr). Caraka Tani: *Journal of Sustainable Agriculture*. 34(2), 115-127, **2019**. <https://jurnal.uns.ac.id/carakatani/article/view/28974>
- 4647.** Taha MG, El-Danasoury MM, El-hamamsy SM, Gad-allah MM. Enzyme activity, protein profile and seedling characteristics in lupine (*Lupinus termis* L.) under salt stress. *Journal of Biological Chemistry and Environmental Science* 14(4), 171-193, **2019**.
- 4648.** Tahir A, Qadir M, Saif R, Sattar S, Tahir S. Morphological and yield response of pulses against drought stress: A Review. *Turkish Journal of Agriculture - Food Science and Technology* 7(2): 202-208, **2019**. DOI: <https://doi.org/10.24925/turjaf.v7i2.202-208.2178>
- 4649.** Trabelsi L, Gargouri K, Hassena AB, Mbadra Ch, Ghrab M, Ncube B, Van Staden J, Gargouri R. Impact of drought and salinity on olive water status and physiological performance in an arid climate. *Agricultural Water Management* 213:749-759, **2019**, <https://doi.org/10.1016/j.agwat.2018.11.025> (WoS/Scopus)
- 4650.** Veres S, Zsombik L, Juhász C. Regulation effect of different water supply to the nitrogen and carbon metabolism. In: *Abiotic and Biotic Stress in Plants*. **2019**, IntechOpen, DOI: 10.5772/intechopen.84751. Available from: <https://www.intechopen.com/online-first/regulation-effect-of-different-water-supply-to-the-nitrogen-and-carbon-metabolism> **BOOK**
- 4651.** Wang Q, Lin F, Wei SH, Meng XX, Yin ZG, Guo YF, Yang GD. Effects of drought stress on endogenous hormones and osmoregulatory substances of common bean (*Phaseolus vulgaris* L.) at seedling stage. *Applied Ecology and Environmental Research* 17 (2): 4447-4457, **2019**; http://dx.doi.org/10.15666/aecer1702_4447445 (WoS/Scopus)
- 4652.** Xia H, Luo Z, Xiong J, Ma X, Lou Q, Wei H, Qiu J, Yang H, Liu G, Fan L, Chen L, Luo L. Bi-directional selection in upland rice leads to its adaptive differentiation from lowland rice on drought resistance and productivity. *Molecular Plant* 12(2): 170-184, **2019**. DOI:<https://doi.org/10.1016/j.molp.2018.12.011> (WoS/Scopus)
- 4653.** Zha Q, Xi X, He Y, Jiang A, Fang X - Water limitation mitigates high-temperature stress injuries in grapevine cultivars through changes in photosystem II efficiency and antioxidant enzyme pathways. *Acta Physiologiae Plantarum* 41: 83, **2019**. <https://doi.org/10.1007/s11738-019-2875-0> (WoS/Scopus)
- 4654.** Zhang W, Xie Z, Zhang X, Lang D, Zhang X. Growth-promoting bacteria alleviates drought stress of *G. uralensis* through improving photosynthesis characteristics and water status. *Journal of Plant Interactions* 14: 1, 580-589, **2019**. <https://doi.org/10.1080/17429145.2019.1680752>. (WoS/Scopus)
- 4655.** Zhao J, Pan L, Zhou M, Yang Z, Meng Y, Zhang X. Comparative physiological and transcriptomic analyses reveal mechanisms of improved osmotic stress tolerance in annual ryegrass by exogenous chitosan. *Genes* 10(11), 853, **2019**, <https://doi.org/10.3390/genes10110853>. (WoS/Scopus)
- 4656.** Zotova L, Kurishbayev A, Jatayev S, Goncharov NP, Shamambayeva N, Kashapov A, Nuralov A, Otemissova A, Sereda S, Shvidchenko V, Lopato S, Schramm C, Jenkins C, Soole K, Langridge P, Shavrukov Y. The general transcription repressor Tadr1 is co-expressed with Tavrnl and Taft1 in bread wheat under drought. *Frontiers in Genetics* 10: 63, **2019**. <https://doi.org/10.3389/fgene.2019.00063>. (WoS/Scopus)
- 4657.** An J-P, Zhang X-W, Bi S-Q, You C-X, Wang X-F, Hao Y-J. The ERF transcription factor MdERF38 promotes drought stress-induced anthocyanin biosynthesis in apple. *The Plant Journal* 101(3), 573-589, **2020**. <https://doi.org/10.1111/tpj.14555>. (WoS/Scopus)
- 4658.** Asadi AA, Valizadeh M, Mohammadi SA, Khodarahmi M. Genetic analysis of response to water deficit stress based on physiological traits in wheat. *Plant Genetic Research* 6(2), 1-20, **2020**. <https://pgr.lu.ac.ir/article-1-118-en.html>.
- 4659.** Asadi W, Rasouli M, Gholami M, Maleki M. Effect of some cultivars of native grapevine as rootstocks and triachenetanol on the physiology of 'Bidaneh Sefid' grapevine scion (*Vitis vinifera* L.), under drought stress. *Iranian Journal of Horticultural Science* 51(2), 413-428. **2020**. DOI: 10.22059/ijhs.2019.269570.1539.
- 4660.** Baqer RA, Al-Kaaby HK, Adul-Qadir LH. Antioxidant responses in wheat plants (*Triticum aestivum* L.) treated with thiourea. *Plant Archives* 20 (Supplement 2), 717-722, **2020**. <http://www.plantarchives.org/>. (WoS/Scopus)
- 4661.** Basal O, Szabo. Ameliorating drought stress effects on soybean physiology and yield by hydrogen peroxide.

4662. Brunetti C, Gori A, Moura BB, Loreto F, Sebastiani F, Giordani E, Ferrini F. Phenotypic plasticity of two *M. oleifera* ecotypes from different climatic zones under water stress and re-watering. *Conservation Physiology* 8(1), coaa028, 2020. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7154184/>. (WoS/Scopus)
4663. Carvalho FEL, Silveira JAG. **Chapter 4** - H₂O₂-retrograde signaling as a pivotal mechanism to understand priming and cross stress tolerance in plants. In: *Priming-Mediated Stress and Cross-Stress Tolerance in Crop Plants*, Eds MA Hossain, F Liu, D Burritt, M Fujita, B Huang. eBook ISBN: 9780128178935, Paperback ISBN: 9780128178928, Academic Press, 362 pages. Chapter 4 pp. 57-78, 2020. <https://doi.org/10.1016/B978-0-12-817892-8.00004-0>. (WoS/Scopus)
4664. Cho C, Kim KH, Seo M-S, Choi M-S, Chun J, Jin M, Kim D-Y. Development and characterization of EMS-induced mutants with enhanced salt tolerance in silage maize. *Korean Journal of Crop Science* 65(4): 406-415, 2020. <https://doi.org/10.7740/kjcs.2020.65.4.406>.
4665. Choudhary RL, Jat RS, KAVITA Y, Singh VV. Physiological trait diversity for drought tolerance in Indian mustard (*Brassica juncea*) and genotypes mapping. *Journal of Oilseeds Research* 37(4), 2020. <https://epubs.icar.org.in/index.php/JOR/article/view/136751>.
4666. Ciężkowski W, Szporak-Wasilewska S, Kleniewska M, Józwiak J, Gnatowski T, Dąbrowski P, Góraj M, Szatyłowicz J, Ignar S, Chormański J. Remotely sensed land surface temperature-based water stress index for wetland habitats. *Remote Sensing* 12(4), 631, 2020. <https://doi.org/10.3390/rs12040631>. (WoS/Scopus)
4667. Deng J, Li F, Duan TY. *Claroideoglomus etunicatum* reduces leaf spot incidence and improves drought stress resistance in perennial ryegrass. *Australasian Plant Pathology* 49, 147-157, 2020. <https://doi.org/10.1007/s13313-020-00685-w>. (WoS/Scopus)
4668. Fani E, Hajhashemi S. Effect of foliar application of silica on some physiological traits of (*Physorrhynchus chamaerapistrum* L.) medicinal plant. *Bi-Quarterly Journal of Plant Production* 10(1), 92-100, 2020.
4669. Feigl G, Molnár Á, Oláh D, Kolbert Z. Role of nitric oxide in plant abiotic stress tolerance. In: *Improving Abiotic Stress Tolerance in Plants*. Eds MIR Khan, A Singh, P Poór. Boca Raton, CRC Press. Chapter 8, p. 131-151, 2020. <https://doi.org/10.1201/9780429027505>. eBook ISBN: 9780429027505.
4670. Ghahremani A, Pirbalouti AG, Mozafari H, Habibi D, Sani B. Phytochemical and morpho-physiological traits of mullein as a new medicinal crop under different planting pattern and soil moisture conditions. *Industrial Crops and Products* v. 145, art. number 111976, 2020. <https://doi.org/10.1016/j.indcrop.2019.111976>. (WoS/Scopus)
4671. Gruszka D, Janeczko A, Puła J, Lepiarczyk A, Pocięcha E. Impact of drought exerted during spike development on tillering, yield parameters and grain chemical composition in semi-dwarf barley mutants deficient in the brassinosteroid metabolism. *Agronomy* 10 (10), 1595, 2020. <https://doi.org/10.3390/agronomy10101595>. (WoS/Scopus)
4672. Gruszka D, Pocięcha E, Jurczyk B, Dziurka M, Oliwa J, Sadura I, Janeczko A. Insights into metabolic reactions of semi-dwarf, barley brassinosteroid mutants to drought. *International Journal of Molecular Sciences* 21(14), 5096, 2020. <https://doi.org/10.3390/ijms21145096>. (WoS/Scopus)
4673. Gupta RK. Impact of climatic change on vegetable crops and its mitigation strategies. *Journal of Medicinal Plants Studies* 8(2), 151-153, 2020. <https://www.plantsjournal.com/archives/?year=2020&vol=8&issue=2&part=B&ArticleId=1204>.
4674. Hartman S. Trapped in the rhizosphere: root-bacterial interactions modulate ethylene signaling. *Plant Physiology* 183, 443-444, 2020. <https://doi.org/10.1104/pp.20.00379>. (WoS/Scopus)
4675. Hassan AM, Mansour NE, Alzoheiry AM. Optimize irrigation water use of green peas under deficit irrigation in semi-arid regions. *MISR Journal of Agricultural Engineering* 37(3): 285-296, 2020. https://mjae.journals.ekb.eg/article_104414.html.
4676. Helal NM, Alharby HF, Alharbi BM, Bamagoos AA, Hashim AM. *Thymelaea hirsuta* and *Echinops spinosus*: xerophytic plants with high potential for first-generation biodiesel production. *Sustainability* 12(3), 1137, 2020. <https://doi.org/10.3390/su12031137>. (WoS/Scopus)
4677. Hosseinpour M, Ebadi A, Habibi H, Nabizadeh E, Jahanbakhsh S. Enhancing enzymatic and nonenzymatic response of *Echinacea purpurea* by exogenous 24-epibrassinolide under drought stress. *Industrial Crops and Products* v. 146, art. 112045, 2020. <https://doi.org/10.1016/j.indcrop.2019.112045>. (WoS/Scopus)
4678. Hussain MS, Nawaz MF, Tanvir MA, Noor-E-Hira. Comparative effect of drought on *Eucalyptus camaldulensis* and *Tamarix aphylla* at early stages of growth. *Sarhad Journal of Agriculture* 36(2), 559-566, 2020. <http://researcherslinks.com/current-issues/Comparative-Effect-of-Drought-on-Eucalyptus-camaldulensis-and-Tamarix-aphylla-at-Early-Stages-of-Growth/14/1/2923>. (WoS/Scopus)
4679. Iqbal A, Fahad S, Iqbal M, Alamzeb M, Ahmad A, Anwar S, Khan AA, Amanullah, Arif M, Inamullah, Shaheenshah, Saeed M, Song M. Special adaptive features of plant species in response to drought. In: M. Hasanuzzaman and M. Tanveer (eds.), *Salt and Drought Stress Tolerance in Plants*, Signaling and Communication in Plants. pp. 77-118, Springer Nature Switzerland AG, 2020. https://doi.org/10.1007/978-3-030-40277-8_4. [BOOK]
4680. Iwualaa E, Odjegbab V, Sharmac V, Alam A. Drought stress modulates expression of aquaporin gene and photosynthetic efficiency in *Pennisetum glaucum* (L.) R. Br. genotypes. *Current Plant Biology* 21, art. number

- 100131, 2020. <https://doi.org/10.1016/j.cpb.2019.100131>. (WoS/Scopus)
4681. Jang J, Woo SY, Kwak MJ, Je SM, Lee JK, Kim IR. Evaluation of bioenergy potential and relative impact of microclimate conditions for sustainable fuel pellets production and carbon sequestration of short-rotation forestry (*Populus × canadensis* Moench.) in Reclaimed Land, South Korea: Three-Year Monitoring. *Sustainability* 12(15), 6244, 2020. <https://doi.org/10.3390/su12156244>. (WoS/Scopus)
4682. Jeyaramraja PR, Fantahun W. Differential responses of certain ethiopian groundnut (*Arachis hypogaea* L.) varieties varying in drought tolerance, to terminal drought stress. *Journal of Experimental Biology and Agricultural Sciences* 8(2), 185-192, 2020. [http://dx.doi.org/10.18006/2020.8\(2\).185.192](http://dx.doi.org/10.18006/2020.8(2).185.192). (WoS/Scopus)
4683. Jha UC, Nayyar H, Jha R, Nath CP, Datta D. Chickpea breeding for abiotic stress: breeding tools and 'omics' approaches for enhancing genetic gain. In: Gosal SS, Wani SH (eds) *Accelerated Plant Breeding*, Volume 3, pp. 211-234, 2020. Springer, Cham. https://doi.org/10.1007/978-3-030-47306-8_8. (WoS/Scopus)
4684. Jing J, Guo S, Li Y, Li W. The alleviating effect of exogenous polyamines on heat stress susceptibility of different heat resistant wheat (*Triticum aestivum* L.) varieties. *Scientific Reports* 10, art. number 7467, 2020. <https://doi.org/10.1038/s41598-020-64468-5>. (WoS/Scopus)
4685. Kaur S, Kumar P. Ameliorative effect of trichoderma, rhizobium and mycorrhiza on internodal length, leaf area and total soluble protein in mung bean (*Vigna radiata* [L.] R. Wilazek) under drought stress. *Journal of Pharmacognosy and Phytochemistry* 9(4): 971-977, 2020. <http://www.phytojournal.com/archives/2020/vol9issue4/PartN/9-3-457-267.pdf>. (WoS/Scopus)
4686. Kimondo JW. An evaluation of antioxidant and anti-inflammatory effects of natural foods and medicinal plants of the Ilkisonko massai community, Kenya. 2020. [PhD thesis]
4687. Li F, Duan T, Li Y. Effects of the fungal endophyte *Epichloë festucae* var. lolii on growth and physiological responses of perennial ryegrass cv. Fairway to combined drought and pathogen stresses. *Microorganisms* 8(12), 1917, 2020. <https://doi.org/10.3390/microorganisms8121917>. (WoS/Scopus)
4688. Li H, Wang J-q, Liu Q. Photosynthesis product allocation and yield in sweet potato with spraying exogenous hormones under drought stress. *Journal of Plant Physiology* v. 253, art. number 153265, 2020. <https://doi.org/10.1016/j.jplph.2020.153265>. (WoS/Scopus)
4689. Li P, Zhu Y, Song X, Song F. Negative effects of long-term moderate salinity and short-term drought stress on the photosynthetic performance of Hybrid *Pennisetum*. *Plant Physiology and Biochemistry* 155, 93-104, 2020. <https://doi.org/10.1016/j.plaphy.2020.06.033>. (WoS/Scopus)
4690. Lian H, Qin C, He Z, Niu J, Zhang C, Sang T, Li H, Zhang S. A synergistic increase in water and nitrogen use efficiencies in winter wheat cultivars released between the 1940s and the 2010s for cultivation in the drylands of the shaanxi Province in China. *Agricultural Water Management* v. 240, art. 106308, 2020. <https://doi.org/10.1016/j.agwat.2020.106308>. (WoS/Scopus)
4691. Liu Y, Su L, Wang Q, Zhang J, Shan Y, Deng M. Chapter Six - Comprehensive and quantitative analysis of growth characteristics of winter wheat in China based on growing degree days. *Advances in Agronomy* 159, 237-273, 2020. <https://doi.org/10.1016/bs.agron.2019.07.007>. (WoS/Scopus)
4692. Malan C. Comparing the photochemical potential of quinoa to maize under water stress conditions. PhD Thesis. North-West University, Potchefstroom, South Africa, 2020. <http://repository.nwu.ac.za/bitstream/handle/10394/34782/Malan%20C%2022775366.pdf?sequence=1>.
4693. Mawlong I, Singh VV, Ram B, Garg P, Rani R, Kumar MSS, Gurung B, Rai PK. Screening of advanced breeding lines for high temperature tolerance using biochemical parameters in Indian mustard (*Brassica juncea*). *Indian Journal of Agricultural Sciences* 90(8): 1503-1516, 2020. <http://epubs.icar.org.in/ejournal/index.php/IJAgS/article/view/105949>. (WoS/Scopus)
4694. Mi J, Gregorich EG, Xu S, McLaughlin NB, Liu J. Effect of bentonite as a soil amendment on field water-holding capacity, and millet photosynthesis and grain quality. *Scientific Reports* 10, Art. number 18282, 2020. <https://doi.org/10.1038/s41598-020-75350-9>. (WoS/Scopus)
4695. Moolphuerk N, Pattanagul W. Pretreatment with different molecular weight chitosan Pretreatment with different molecular weight chitosans encourages different molecular weight chitosans encourages drought tolerance in rice (*Oryza sativa* L.) seedling. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 48(4), 2072-2084. 2020. <https://www.notulaeobotanicae.ro/index.php/nbha/article/view/12018>. (WoS/Scopus)
4696. Mota I, Sánchez-Sánchez J, Pedro LG, Sousa MJ. Composition variation of the essential oil from *Ocimum basilicum* L. cv. Genovese Gigante in response to *Glomus* intraradices and mild water stress at different stages of growth. *Biochemical Systematics and Ecology* 90, art. number 104021, 2020. <https://doi.org/10.1016/j.bse.2020.104021>. (WoS/Scopus)
4697. Moustafa-Farag M, Mohamed HI, Mahmoud A, Elkelish A, Misra AN, Guy KM, Kamran M, Ai S, Zhang M. Salicylic acid stimulates antioxidant defense and osmolyte metabolism to alleviate oxidative stress in watermelons under excess boron. *Plants* 9(6), 724, 2020. <https://doi.org/10.3390/plants9060724>. (WoS/Scopus)
4698. Możdżeń K, Barabasz-Krasny B, Zandi P, Kliszcz A, Puła J. Effect of aqueous extracts from *Solidago canadensis* l. leaves on germination and early growth stages of three cultivars of *Raphanus sativus* L. Var. *Radicula* Pers. *Plants* 9(11), 1549, 2020. <https://doi.org/10.3390/plants9111549>. (WoS/Scopus)
4699. Nadal M, Roig-Oliver M, Bota J, Flexas J. Leaf age-dependent elastic adjustment and photosynthetic performance under drought stress in *Arbutus unedo* seedlings. *Flora* v. 271, art. number 151662, 2020. <https://doi.org/10.1016/j.flora.2020.151662>. (WoS/Scopus)
4700. Nam S, Kang S, Kim J. Maintaining a constant soil moisture level can enhance the growth and phenolic

- content of sweet basil better than fluctuating irrigation. *Agricultural Water Management* v. 238, art. Number 106203, 2020. <https://doi.org/10.1016/j.agwat.2020.106203>. (WoS/Scopus)
4701. Nenko NI, Ilyina IA, Petrov VS, Kiseleva GK, Zaporozhets NM, Sokolova VV. Drought resistance of grape varieties of various ecological and geographical origin. *Horticulture and viticulture* 5: 37-41, 2020 (In Russ.) <https://doi.org/10.31676/0235-2591-2020-5-37-41>.
4702. Niron H, Barlas N, Salih B, Türet M. Comparative Transcriptome, Metabolome, and Ionome Analysis of Two Contrasting Common Bean Genotypes in Saline Conditions. *Frontiers in Plant Science* 11:599501, 2020. <https://doi.org/10.3389/fpls.2020.599501>. (WoS/Scopus)
4703. Opazo I, Toro G, Salvatierra A, Pastenes C, Pimentel P. Rootstocks modulate the physiology and growth responses to water deficit and long-term recovery in grafted stone fruit trees. *Agricultural Water Management* v. 228, art. No 105897, 2020. <https://doi.org/10.1016/j.agwat.2019.105897>. (WoS/Scopus)
4704. Patrick EM, Koge JW, Zwartz E, Wesonga JM, Atela JO, Toniu C, Kilelu C, Goosen H, Coninx I, Koomen I. Climate-resilient horticulture for sustainable county development in Kenya. *3R Research Report 010, Wageningen University and Research*, Wageningen, 2020. <https://doi.org/10.18174/520856>.
4705. Rai AC, Rai KK. Drought stress and its mitigation and management strategies in crop plants. In: Roychowdhury R, Choudhury S, Hasanuzzaman M, Srivastava S (eds) *Sustainable Agriculture in the Era of Climate Change*. Springer, Cham, pp. 143-168, 2020. https://doi.org/10.1007/978-3-030-45669-6_6.
4706. Rana MS, Bhandana P, Sun X-C, Imran M, Shaaban M, Moussa MG, Saleem MH, Elyamine AM, Binyamin R, Alam M, Afzal J, Khan I, UdDin I, Ahmad I, Uounas M, Kamran M, Hu C-X. Molybdenum as an essential element for crops: an overview. *Biomedical Journal of Scientific & Technical Research (BJSTR)* 24(5): 18535-18535, 2020. <http://dx.doi.org/10.26717/BJSTR.2020.24.004104>. (WoS/Scopus) [REVIEW]
4707. Rani A, Devi P, Jha UC, Sharma KD, Siddique KHM and Nayyar H. Developing climate-resilient chickpea involving physiological and molecular approaches with a focus on temperature and drought stresses. *Frontiers in Plant Science* 10: 1759, 2020. Review. <https://doi.org/10.3389/fpls.2019.01759>. (WoS/Scopus) [REVIEW]
4708. Rasheed R, Yasmeen H, Hussain I, Iqbal M, Ashraf MA, Parveen A. Exogenously applied 5-aminolevulinic acid modulates growth, secondary metabolism and oxidative defense in sunflower under water deficit stress. *Physiology and Molecular Biology of Plants* 26, 489-499, 2020. <https://doi.org/10.1007/s12298-019-00756-3>. (WoS/Scopus)
4709. Ray RL, Ampim PAY, Gao M. Crop protection under drought stress. In: Jabran K, Florentine S, Chauhan B (eds) *Crop Protection Under Changing Climate*. Springer, Cham. pp. 145-170, 2020. https://doi.org/10.1007/978-3-030-46111-9_6. (WoS/Scopus)
4710. Sadiq Y, Zaid A, Khan MMA. Adaptive physiological responses of plants under abiotic stresses: Role of phytohormones. In: Hasanuzzaman M. (ed.) *Plant Ecophysiology and Adaptation under Climate Change: Mechanisms and Perspectives I*. Springer, Singapore, pp. 797-824, 2020. https://doi.org/10.1007/978-981-15-2156-0_28. (WoS/Scopus)
4711. Scalabrin E, Radaelli M, Capodaglio G. Effects of water deficit and heat stress on *Nicotiana langsdorffii* metabolomic pattern modified by insertion of rolD gene from *Agrobacterium rhizogenes*. *Metabolites* 10(8), 310, 2020. <https://doi.org/10.3390/metabo10080310>. (WoS/Scopus)
4712. Shafique F, Ali Q, Malik A. Effects of water deficit on maize seedlings growth traits. *Biological and Clinical Sciences Research Journal* 1, e028, 2020, DOI: <https://doi.org/10.54112/bcsrj.v2020i1.28>.
4713. Shaheen T, Bilal MJ, Ijaz U, Nahid N. Improving cotton crop tolerance to drought stress through molecular approaches. In: Hasanuzzaman M. (ed.) *Plant Ecophysiology and Adaptation under Climate Change: Mechanisms and Perspectives II*. Springer, Singapore, pp. 17-37, 2020. https://doi.org/10.1007/978-981-15-2172-0_2. (WoS/Scopus)
4714. Taria S, Rane J, Alam B, Kumar M, Babar R, Anugari H, Rajarajan K, Singh NP. Combining IR imaging, chlorophyll fluorescence and phenomic approach for assessing diurnal canopy temperature dynamics and desiccation stress management in *Azadirachta indica* and *Terminalia mantaly*. *Agroforestry Systems* 94, 941-951, 2020. <https://doi.org/10.1007/s10457-019-00461-w>. (WoS/Scopus)
4715. Teixeira NC, Valim JOS, Oliveira MGA, Campos WG. Combined effects of soil silicon and drought stress on host plant chemical and ultrastructural quality for leaf-chewing and sap-sucking insects. *Journal of Agronomy and Crop Science* 206(2), 187-201, 2020. <https://doi.org/10.1111/jac.12386>. (WoS/Scopus)
4716. Wojtyła Ł, Paluch-Lubawa E, Sobieszczuk-Nowicka E, Garnczarska M. Drought stress memory and subsequent drought tolerance in plants. Chapter 7, pp. 115-132. In: *Priming-Mediated Stress and Cross-Stress Tolerance in Crop Plants*. Eds. MA Hossain, F Liu, D Burritt, M Fujita, B Huang. Academic Press, Science, 362 pages, 2020. <https://doi.org/10.1016/B978-0-12-817892-8.00007-6>. (WoS/Scopus)
4717. Xia H, Ma X, Xu K, Wang L, Liu H, Chen L, Luo L. Temporal transcriptomic differences between tolerant and susceptible genotypes contribute to rice drought tolerance. *BMC Genomics* 21, article number 776, 2020. <https://doi.org/10.1186/s12864-020-07193-7>. (WoS/Scopus)
4718. Xiao S, Liu L, Zhang Y, Sun H, Zhang K, Bai Z, Dong H, Liu Y, Li C. Tandem mass tag-based (TMT) quantitative proteomics analysis reveals the response of fine roots to drought stress in cotton (*Gossypium hirsutum* L.). *BMC Plant Biology* 20: 328, 2020. <https://doi.org/10.1186/s12870-020-02531-z>. (WoS/Scopus)
4719. Yang A, Akhtar SS, Fu Q, Naveed M, Iqbal S, Roitsch T, Jacobsen S-E. *Burkholderia phytofirmans* PsJN stimulate growth and yield of Quinoa under salinity stress. *Plants* 9(6), 672, 2020. <https://doi.org/10.3390/plants9060672>. (WoS/Scopus)

4720. Zlatev Z, Berova M, Krastev V, Svetleva D, Parvanova P, Miteva D, Mitrovska Z, Chankova S. Drought tolerance of bulgarian common bean genotypes, characterized by some physiological and biochemical parameters. *Agricultural Sciences* (Agricultural University – Plovdiv) 12(27), 15-24, **2020**. http://agrarninauki.au-plovdiv.bg/2020/issue-27/03_27/.
4721. Ali MMAEH, Mansour E, Awaad HA. Drought tolerance in some field crops: state of the art review. In: Awaad H, Abu-hashim M, Negm A. (eds) *Mitigating Environmental Stresses for Agricultural Sustainability in Egypt*. Springer Water. Springer, Cham. Pp. 17-62, **2021**. https://doi.org/10.1007/978-3-030-64323-2_2. [e-BOOK]
4722. Amri M, Abbes Z, Trabelsi I, Ghanem ME, Mentag R, Kharrat M. Chlorophyll content and fluorescence as physiological parameters for monitoring *Orobanche foetida* Poir. infection in faba bean. *PLoS ONE* 16(5): e0241527, **2021**. <https://doi.org/10.1371/journal.pone.0241527>. (WoS/Scopus)
4723. Asmath AMM, Sujanthika V, Asmiya A. Adopted drought mitigation strategies on paddy cultivation in ampara district. *Regional Symposium on Disaster Risk Management* - **2021**. https://www.researchgate.net/publication/367530406_ADOPTED_DROUGHT_MITIGATION_STRATEGIES_FOR_PADDY_CULTIVATION_IN_AMPARA_DISTRICT.
4724. Aydinsakir K, Dinc N, Buyuktas D, M Kocaturk, CF Ozkan, C Karaca. Water productivity of soybeans under regulated surface and subsurface drip irrigation conditions. *Irrigation Science* 39: 773-787, **2021**. <https://doi.org/10.1007/s00271-021-00744-0>. (WoS/Scopus)
4725. Bardehji S, Eshghizadeh HR, Zahedi M, Sabzalian MR, Gheisari M. The combined effect of nitrogen fertilizer and sowing season on response to water-limited stress in barley (*Hordeum vulgare* L.). *The Journal of Agricultural Science* 159(1-2): 31-49, **2021**. <https://doi.org/10.1017/S0021859621000149>.
4726. Bastug R, Karaca C, Buyuktas D, Aydinsakir K, Dinc N. The effects of deficit irrigation practices on evapotranspiration, yield and quality characteristics of two sesame varieties (*Sesamum indicum* L.) grown in lysimeters under the Mediterranean climate conditions. *Irrigation Science* 39: 587-606, **2021**. <https://doi.org/10.1007/s00271-021-00732-4>. (WoS/Scopus)
4727. Bhattacharya A. Effect of Soil Water Deficit on Growth and Development of Plants: A Review. In: *Soil Water Deficit and Physiological Issues in Plants*. 393-488. Springer Singapore Pte Ltd, ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p, **2021**. https://doi.org/10.1007/978-981-33-6276-5_5. (WoS/Scopus)
4728. Bhattacharya A. Effect of soil water deficit on nitrogen metabolism in plants: A Review, pp. 193-285. In: *Soil Water Deficit and Physiological Issues in Plants*. Springer, Singapore, , ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p, **2021**. https://doi.org/10.1007/978-981-33-6276-5_3. [e-BOOK] (WoS/Scopus)
4729. Bhattacharya A. Effect of soil water deficits on plant–water relationship: A Review, pp.1-98. In: *Soil Water Deficit and Physiological Issues in Plants*. Springer Singapore Pte Ltd, ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p, **2021**. https://doi.org/10.1007/978-981-33-6276-5_1. [e-BOOK] (WoS/Scopus)
4730. Bhattacharya A. Effects of Soil Water Deficit on Carbon Metabolism of Plants: A Review. In: *Soil Water Deficit and Physiological Issues in Plants*. 99-192. Springer Singapore Pte Ltd, ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p, **2021**. https://doi.org/10.1007/978-981-33-6276-5_2.
4731. Cuza P. Evaluation of the thermotolerance of the leaves of oak species spread in the Republic of Moldova using the electrolyte leakage method. *Studia Universitatis Moldavia* 1(141), 50-57, **2021**. <http://doi.org/10.5281/zenodo.4980271>.
4732. Dalal VK. Impact of urban ecology and related stresses on photosynthetic activities of plants. *Journal of Plant Biology and Crop Research* 4(2): 1044, **2021**.
4733. Darabi F, Abbasi N, Zarea MJ. Evaluation of the effect of putrescine and brassinosteroid on induction of drought tolerance and physiological changes in basil plant (*Ocimum basilicum* L.). *Environmental Stresses in Crop Sciences* 13(4), 1183-1202, **2021**. https://escs.birjand.ac.ir/article_1498_en.html.
4734. De Luca A, Corell M, Chivet M, Parrado MA, Pardo JM, Leidi EO. Reassessing the role of potassium in tomato grown with water shortages. *Horticulturae* 7, 20, **2021**. <https://doi.org/10.3390/horticulturae7020020>. (WoS/Scopus)
4735. de Sousa GO, Viégas IJM, JR Galvão, SS Conceição, TKM Yakuwa, MJB Pacheco, TC Viana. Biochemical modulations in açai palm (*Euterpe oleracea* Mart.) under vegetative stages in an agroforestry system of the Amazon. *Journal of Plant Nutrition and Soil Science* 184, 76–87, **2021**. <http://dx.doi.org/10.1002/jpln.202000240>. (WoS/Scopus)
4736. Demiralay M. Yerel (Artvin-Şavşat) ve Tescilli Domates Çeşitlerinde Kuraklık Stresine Karşı Tolerans Seviyelerinin Araştırılması (Investigation of Tolerance Levels Against Drought Stress in Local (Artvin Şavşat) and Registered Tomato Variet). *BEÜ Fen Bilimleri Dergisi (BEU Journal of Science)* 10 (4), 1474-1485, **2021**. <https://doi.org/10.17798/bitlisfen.960504>.
4737. Dolfi M, Dini C, Morosi S, Comparini D, Masi E, Pandolfi C, Mancuso S. Electrical signaling related to water stress acclimation. *Sensing and Bio-Sensing Research* v. 32, art. 100420, **2021**. <https://doi.org/10.1016/j.sbsr.2021.100420>. (WoS/Scopus)
4738. Faiq MH, Noori MS. Utilization of phytohormones for successful crop production under environmental stress conditions. *Journal of Scientific Agriculture*, 5, 60–66, **2021**. <https://doi.org/10.25081/jsa.2021.v5.7281>.
4739. Gaber AA, Abou-Hadid AF, El-Gabry YA, Ebid MHM. Morphological and physiological study for sugarcane early selection to drought tolerance. *Plant Archives* 21(1): 1935-1944, **2021**. <https://doi.org/10.51470/PLANTARCHIVES.2021.v21.no1.269>. (WoS/Scopus)
4740. Goharrizi KJ, Hamblin MR, Karami S, Nazari M. Physiological, biochemical, and metabolic responses of

abiotic plant stress: salinity and drought. *Turkish Journal of Botany* 45(7), art. 4, 2021. <https://doi.org/10.3906/bot-2108-30>. (WoS/Scopus)

4741. Hannachi S, Werbrouck S, Bahrini I, Abdelgadir A, Affan Siddiqui H. Agronomical, physiological and biochemical characterization of in vitro selected eggplant somaclonal variants under NaCl stress. *Plants* 10, 2544, 2021. <https://doi.org/10.3390/plants10112544>. (WoS/Scopus)

4742. Heidarpour Monfared A, Pourmajidian MR, Rejali F, Hojati M, Ramak P. 2021. The impact of biological inputs on drought stress resistance in *Celtis caucasica* L. *Environmental Sciences* 19(2): 39-56, 2021. <https://dx.doi.org/10.52547/envs.31318>.

4743. Illes A, Bojtor C, Szeles A, Mousavi SMN, Toth B, Nagy J. Analyzing the effect of intensive and low-input agrotechnical support for the physiological, phenometric, and yield parameters of different maize hybrids using multivariate statistical methods. *International Journal of Agronomy* article ID 6682573, 2021. <https://doi.org/10.1155/2021/6682573>. (WoS/Scopus)

4744. Ippolito TA, Herrick JE, Dossa EL, Garba M, Ouattara M, Singh U, Stewart ZP, Prasad PVV, Oumarou IA, Neff JC. A comparison of approaches to regional land-use capability analysis for agricultural land-planning. *Land* 10(5): 458, 2021. <https://doi.org/10.3390/land10050458>. (WoS/Scopus)

4745. Kumar M, Kumari M, Solankey SS. Impact of climate change on Bulb crops production and mitigation strategies, Pages 163-174. In: *Advances in Research on Vegetable Production Under a Changing Climate* Vol. 1, Editors: Solankey SS, Kumari M, Kumar M. Springer, 2021. <https://doi.org/10.1007/978-3-030-63497-1>. [eBOOK]

4746. Lateef D, Mustafa K, Tahir N. Screening of Iraqi barley accessions under PEG-induced drought conditions. *ALL LIFE* 14(1), 308-332, 2021. <https://doi.org/10.1080/26895293.2021.1917456>. (WoS/Scopus)

4747. Li Z, Su X, Chen Y, Fan X, He L, Guo J, Wang Y, Yang Q. Melatonin improves drought resistance in maize seedlings by enhancing the antioxidant system and regulating abscisic acid metabolism to maintain stomatal opening under PEG-induced drought. *Journal of Plant Biology* 64: 299-312, 2021. <https://doi.org/10.1007/s12374-021-09297-3>. (WoS/Scopus)

4748. Liaqat S, Saddique MAB, Sher MA, Ali Z. Chapter 6 - Utilization of wild ancestors for biotic and abiotic stress tolerance in barley. In: *Wild Germplasm for Genetic Improvement in Crop Plants*. Eds MT Azhar, SH Wani. Academic Press - Elsevier. ISBN: 978-0-12-822137-2. Pp. 101-114, 2021. <https://doi.org/10.1016/B978-0-12-822137-2.00006-0>. [BOOK] (WoS/Scopus)

4749. Lukić, N. Effects of drought and flooding stress to antioxidative defence system in two maize (*Zea mays* L.) hybrids. University of Novi Sad (Serbia), 2021. **PhD Thesis**.

4750. Luo R. The timing and extent of water limitation structures trophic interactions in a terrestrial plant-insect system. Doctoral dissertation, University of Toronto, Canada, 2021. <https://www.proquest.com/openview/1967ed99d86138be55390a1dcb427e29/1?pq-origsite=gscholar&cbl=18750&diss=y>. [PhD Thesis]

4751. Madurapperumage A, Tang L, Thavarajah P, Bridges W, Shipe E, Vandemark G, Thavarajah D. Chickpea (*Cicer arietinum* L.) as a source of essential fatty acids – a biofortification approach. *Frontiers in Plant Science* 12: 734980, 2021. <https://doi.org/10.3389/fpls.2021.734980>. (WoS/Scopus)

4752. Marok MA, Marok-Alim D, Rey P. Contribution of functional genomics to identify the genetic basis of water-deficit tolerance in barley and the related molecular mechanisms. *Journal of Agronomy and Crop Science* 207(6): 913-935, 2021. <https://doi.org/10.1111/jac.12526>. (WoS/Scopus)

4753. Mashiq PK, Moatshe-Mashiq OG, Safi K, Molosiwa O. Maize (*Zea mays* L.) agro-physiological response to varying nitrogen regime in Botswana. *Journal of Agricultural and Crop Research* 9(12), 268-275, 2021. https://doi.org/10.33495/jacr_v9i12.21.162.

4754. Motyleva SM, Gins MS, Kabashnikova LF, Kozak NV, Tetyannikov NV, Panischeva DV, Mertvisheva ME, Domanskaya IN, Pilipovich TS. Drought effects on the physiological and biochemical parameters of amaranth (C-3) and actinidia (C-4) plants. *SABRAO Journal of Breeding and Genetics* 53 (2) 248-262, 2021. (WoS/Scopus)

4755. Nalina M, Saroja S, Chakravarthi, M. et al. Water deficit-induced oxidative stress and differential response in antioxidant enzymes of tolerant and susceptible tea cultivars under field condition. *Acta Physiologiae Plantarum* 43, art. 10, 2021. <https://doi.org/10.1007/s11738-020-03174-1>. (WoS/Scopus)

4756. Neimane S, Celma S, Zuševica A, Lazdiņa D, Ievinsh G. The effect of wood ash application on growth, leaf morphological and physiological traits of trees planted in a cutaway peatland. *Mires and Peat* 27, Article 22, 1-12, 2021. http://mires-and-peat.net/media/map27/map_27_22.pdf. (WoS/Scopus)

4757. Panhwar NA, Mierzwa-Hersztek M, Baloch GM, Soomro ZA, Sial MA, Demiraj E, Panhwar SA, Afzal A, Lahori AH. Water stress affects the some morpho-physiological traits of twenty wheat (*Triticum aestivum* L.) genotypes under field condition. *Sustainability* 13(24), 13736, 2021. <https://doi.org/10.3390/su132413736>. (WoS/Scopus)

4758. Parveen A, Rai GK, Bagati S, Rai PK, Singh P. Morphological, physiological, biochemical and molecular responses of plants to drought stress. In: Rai GK, Kumar RR, Bagati S (eds) *Abiotic Stress Tolerance Mechanisms in Plants*. CRC Press Taylor & Francis Group. pp. 321-340, 2021. [BOOK]

4759. Qaseem MF, Qureshi R, Shaheen H, Waheed A. Multivariate analysis for yield and proline content in wheat under lab and field conditions. *Pakistan Journal of Botany* 53(1): 227-239, 2021. [http://dx.doi.org/10.30848/PJB2021-1\(29\)](http://dx.doi.org/10.30848/PJB2021-1(29)). (WoS/Scopus)

4760. Rebi A, Ashfaq S, Raza A, Hafeez-U-Rehman, Nazar S, Warraich IA, Siddiq S, Arif M, Raza N, Pervez A, Ibrar M, Ahmad, Kausar R, Naz A. Effect of drought on morpho-physiological responses of plant and select

the best cultivar with maximum drought tolerance potential. *Natural Volatiles & Essential Oils* 8(5): 13445-13456, **2021**.

4761. Reginaldo FPS, Bueno PCP, Costa de ICM, Roque de A, Fett-Neto AG, Cavalheiro AJ, Giordani RB. Molecular networking discloses the chemical diversity of flavonoids and selaginellins in *Selaginella convoluta*. *Planta Medica* 87(01/02): 113-123, **2021**. <https://www.thieme-connect.com/products/ejournals/abstract/10.1055/a-1315-0666>. (WoS/Scopus)

4762. Reginaldo FPS, Freire R, Costa ICM, da Silva IB, Roque AA, Hallwass F, Castro-Gamboa I, Fett-Neto AG, Cavalheiro AJ, Giordani RB. NMR-based metabolite profiling of *Selaginella convoluta* in different hydration states and the unprecedented occurrence of anabasin in lycophytes. *Phytochemistry Letters* 43, 75-79, **2021**. <https://doi.org/10.1016/j.phytol.2021.03.016>. (WoS/Scopus)

4763. Rida S, Maafi O, López-Malvar A, Revilla P, Riache M, Djemel A. Genetics of germination and seedling traits under drought stress in a MAGIC population of maize. *Plants* 10, 1786, **2021**. <https://doi.org/10.3390/plants10091786>. (WoS/Scopus)

4764. Ruiz VL, Rocha LR, Savé R. Tolerancia a la sequía de *Paspalum notatum* sometido a defoliación. (Drought tolerance of *Paspalum notatum* subjected to defoliation). *Ecosistemas* 30(3): 2204, **2021**. <https://doi.org/10.7818/ECOS.2204>. (WoS/Scopus)

4765. Sahithi BM, Razi K, Al Murad M, Vinothkumar A, Saravanan J, Benjamin LK, Jeong BR, Muneer S. Comparative physiological and proteomic analysis deciphering tolerance and homeostatic signaling pathways in *Chrysanthemum* under drought stress. *Physiologia Plantarum* 172(2): 289-303, **2021**. <https://doi.org/10.1111/ppl.13142>. (WoS/Scopus)

4766. Samutoğlu N, Baştuğ R, Karaca C, Büyüktaş D. The effects of different levels of irrigation practices on quinoa II: Vegetative growth, yield and quality parameters. *Mediterranean Agricultural Sciences* 34(1): 71-78, **2021**. <https://dergipark.org.tr/en/pub/mediterranean/issue/61102/733814>.

4767. Sathee L, Jha SK, Rajput OS, Singh D, Kumar S, Kumar A. Expression dynamics of genes encoding nitrate and ammonium assimilation enzymes in rice genotypes exposed to reproductive stage salinity stress. *Plant Physiology and Biochemistry* 165: 161-172, **2021**. <https://doi.org/10.1016/j.plaphy.2021.05.013>. (WoS/Scopus)

4768. Shin YK, Bhandari SR, Lee JG. Monitoring of salinity, temperature, and drought stress in grafted watermelon seedlings using chlorophyll fluorescence. *Frontiers in Plant Science* 12: 786309, **2021**. <https://doi.org/10.3389/fpls.2021.786309>. (WoS/Scopus)

4769. Silalert P, Pattanagul W. Foliar application of melatonin alleviates the effects of drought stress in rice (*Oryza sativa* L.) seedlings. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 49(3), 12417, **2021**. <https://doi.org/10.15835/nbha49312417>. (WoS/Scopus)

4770. Song X, Zhou G, He Q. Critical leaf water content for maize photosynthesis under drought stress and its response to rewatering. *Sustainability* 13, 7218, **2021**. <https://doi.org/10.3390/su13137218>. (WoS/Scopus)

4771. Thapa DB, Subedi M, Sharma SR, Rana CB, Joshi BR, Giri R, Paudel AP. Bread wheat improvement for rainfed condition of Mid-Hills of Nepal. In: RB KC, D Thapa, TB Karki, B Pokhrel, R Darai, BK Joshi, S Baidhya, ASR Bajracharya, SP Vista, K Timsina, S Subedi, P Paneru (eds). *Proceedings of the 31th National Winter Crops Workshop, held on 20-21 May, 2019 at National Agricultural Research Institute, Khumaltar, Lalitpur, Nepal*. Nepal Agricultural Research Council. pp.282-292, **2021**.

4772. Tiwari A, Punetha S, Kesarvani K. Drought stress and its impact on plant mechanism. *International Journal of Plant Sciences* 16 (AAEBSSD): 95-112, **2021**.

4773. Wang L, Liu Z, Guo J, Wang Y, Ma J, Yu S, Yu P, Xu L. Estimate canopy transpiration in larch plantations via the interactions among reference evapotranspiration, leaf area index, and soil moisture. *Forest Ecology and Management* v. 481, art. 118749, **2021**. <https://doi.org/10.1016/j.foreco.2020.118749>. (WoS/Scopus)

4774. Wang Y, Fang Z, Yang L, Chan Z. Transcriptional variation analysis of Arabidopsis ecotypes in response to drought and salt stresses dissects commonly regulated networks. *Physiologia Plantarum* 172(1): 77-90, **2021**. <https://doi.org/10.1111/ppl.13295>. (WoS/Scopus)

4775. Wang Z, Zhang Q, Qin J, Xiao G, Zhu S, Hu T. *OsLEA1a* overexpression enhances tolerance to diverse abiotic stresses by inhibiting cell membrane damage and enhancing ROS scavenging capacity in transgenic rice. *Functional Plant Biology* 48(9): 860-870, **2021**. <https://doi.org/10.1071/FP20231>. (WoS/Scopus)

4776. Wu L, Chang Y, Wang L, Wang S, Wu J. Genome-wide association analysis of drought resistance based on seed germination vigor and germination rate at the bud stage in common bean. *Agronomy Journal* 113(4): 2980-2990, **2021**. <https://doi.org/10.1002/agj2.20683>. (WoS/Scopus)

4777. Wu L, Chang Y, Wang L, Wu J, Wang S. Genetic dissection of drought resistance based on root traits at the bud stage in common bean. *Theoretical and Applied Genetics* 134: 1047-1061, **2021**. <https://doi.org/10.1007/s00122-020-03750-6>. (WoS/Scopus)

4778. Zhao M, Ren Y, Wei W, Yang J, Zhong Q, Li Z. Metabolite analysis of Jerusalem artichoke (*Helianthus tuberosus* L.) seedlings in response to polyethylene glycol-simulated drought stress. *International Journal of Molecular Sciences* 22(7), 3294, **2021**. <https://doi.org/10.3390/ijms22073294>. (WoS/Scopus)

4779. Zia R, Nawaz MS, Yousaf S, Amin I, Hakim S, Mirza MS, Imran A. Seed inoculation of desert-plant growth-promoting rhizobacteria induce biochemical alterations and develop resistance against water stress in wheat. *Physiologia Plantarum* 172:990-1006, **2021**. <https://doi.org/10.1111/ppl.13362>. (WoS/Scopus)

4780. Zong J, Li L, Yao X, Chen J, Wang H, Zhao X, Liu J. Performance of five typical warm-season turfgrasses and their influence on soil bacterial community under a simulated tropical coral island environment. *Land*

- Degradation & Development* 32(14): 3920-3929, 2021. <https://doi.org/10.1002/ldr.4012>. (WoS/Scopus)
4781. Abu-Tahon MA, Mogazy AM, Isaa GS. Resistance assessment and enzymatic responses of common bean (*Phaseolus vulgaris* L) against *Rhizoctonia solani* damping-off in response to seed presoaking in *Vitex agnus-castus* L. oils and foliar spray with zinc oxide nanoparticle. *South African Journal of Botany* 146, 77-89, 2022. <https://doi.org/10.1016/j.sajb.2021.10.009>. (WoS/Scopus)
4782. Ahad A, Arshad M, Ahmad N, Ilyas M, Batool TS, Ejaz M, Gul A, Ozturk M. Abiotic stress tolerance in wheat with emphasis on drought. *Journal of Cereal Research*, 14(Spl1): 17-41, 2022. <https://epubs.icar.org.in/index.php/JWR/article/view/126890>.
4783. Alsaedi AH, MM Elgarawany, SJ Alameer. The role of nano-silica in reducing the negative impact of different shocks on cucumber plant growth. *Journal of Soil Sciences and Agricultural Engineering, Mansoura Univ.* 13(8): 265 - 274, 2022. https://www.jssae.journals.ekb.eg/article_253957.html.
4784. Armbruster L. The Na-acetyltransferase NAA50 regulates fertility and stress responses in *Arabidopsis thaliana*. Ruperto Carola University Heidelberg, Germany, **PhD thesis**, 2022. <https://archiv.ub.uni-heidelberg.de/volltextserver/31717/1/Armbruster-2022.pdf>.
4785. Avinash P, Gurjar D. Breeding and agronomical approaches for the management of drought stress in sunflower. *The Pharma Innovation Journal* SP-11(5):1694-1699, 2022. <https://www.thepharmajournal.com/archives/2022/vol11issue5S/PartW/S-11-5-204-665.pdf>.
4786. Awad M, Moustafa-Farag M, Liu Z, RM El-Shazoly. Combined effect of biochar and salicylic acid in alleviating heavy metal stress, antioxidant enhancement, and chinese mustard growth in a contaminated soil. *Journal of Soil Science and Plant Nutrition* 22, 4194-4206, 2022. <https://doi.org/10.1007/s42729-022-01018-0>. (WoS/Scopus)
4787. Banakar SN, PrasannaKumar MK, Mahesh HB, Buella Parivallal P, Puneeth ME, Gautam C, Pramesh D, Shiva Kumara TN, Girish TR, Nori S, Narayan SS. Red-seaweed biostimulants differentially alleviate the impact of fungicidal stress in rice (*Oryza sativa* L.). *Scientific Reports* 12, 5993, 2022. <https://doi.org/10.1038/s41598-022-10010-8>. (WoS/Scopus)
4788. Bekka S, Tayeb-Hammani K, Boucekkine I, El-Amin Aissiou MY, Djazouli ZE. Adaptation strategies of *Moringa oleifera* under drought and salinity stresses. *Ukrainian Journal of Ecology* 12(4), 8-16, 2022. <https://www.ujecology.com/articles/adaptation-strategies-of-emmoreinga-oleiferaem-under-drought-and-salinity-stresses-91429.html>.
4789. Chumber M, Jhanji S. Morpho-physiological and biochemical characterization of Chrysanthemum varieties for early flowering under heat stress. *South African Journal of Botany* 146, 603-613, 2022. <https://doi.org/10.1016/j.sajb.2021.11.035>. (WoS/Scopus)
4790. Cordoba-Novoa HA, Pérez-Trujillo MM, Rincón BEC, Flórez-Velasco N, Magnitskiy S, Fonseca LPM. Shading reduces water deficits in strawberry (*Fragaria X Ananassa*) plants during vegetative growth. *International Journal of Fruit Science* 22(1), 725-740, 2022. <https://doi.org/10.1080/15538362.2022.2114056>. (WoS/Scopus)
4791. Cui X, He W, Christensen MJ, Yue J, Zeng F, Zhang X, Nan Z, Xia C. Absciscic acid may play a critical role in the moderating effect of *Epichloë* endophyte on *Achnatherum inebrians* under drought stress. *Journal of Fungi* 8, 1140, 2022. <https://doi.org/10.3390/jof8111140>. (WoS/Scopus)
4792. Dalal VK, Singh J, Soni SK. The regulation of photosynthesis by drought revealed through omics studies. In: Dalal VK, Misra AN (Eds) *Biochemistry and Molecular Biology in the Post Genomic Era. A Closer Look at Photosynthesis*. Chapter 6, pp. 149-172, 2022. <https://doi.org/10.52305/TOGT5511>. [BOOK]
4793. Dhansu P, Raja AK, Vengavasi K, Kumar R, Pazhany AS, Kumar A, Kumar N, Mann A, Pandey SK. Physiological and molecular adaptation of sugarcane under drought vis-a-vis root system traits. In: Eyvaz APM, Albahnasawi A, Tekbaş M, Gürbulak E, eds. *Drought - Impacts and Management*. London: IntechOpen, 2022. Available from: <https://www.intechopen.com/online-first/81241>. [BOOK]
4794. Farmahini Farahani A, A Tavili, H Azarnivand, AA Jafari. Effect of priming and nano particles application on seedling emergence, establishment, growth and physiological characteristics of *Sanguisorba minor* Scop. and *Agropyron intermedium* (Host) P. Beauv forage species under drought stress in natural field. *Journal of Rangeland* 16(1): 236-255, 2022. <https://rangelandsrm.ir/article-1-683-fa.pdf>.
4795. Ghasemi M, Arzani K, Yadollahi A, Hokmabadi H, Agha-Alikhani M. Response of pistachio (*Pistacia vera* L.) seedling rootstocks to salicylic acid foliar application under water stress. *Journal of Nuts* 13(1): 41-56, 2022. (WoS/Scopus) http://ijnrs.damghaniau.ac.ir/article_688137_919d5d7f099d6da2842caaa71ca97034.pdf.
4796. Ghassemi-Golezani K, Ardalan N, Raei Y, Dalil B. Effects of zeolite, vermiculite, and superabsorbent application on agronomic and physiological traits of safflower in response to water stress. *Journal of Plant Physiology and Breeding* 12(1): 15-27, 2022. https://www.researchgate.net/publication/360962529_Improving_some_physiological_and_yield_parameters_of_safflower_by_foliar_sprays_of_Fe_and_Zn_under_drought_stress.
4797. Gicklhorn TS, Boal CW, Borsdorf PK. Lesser prairie-chicken (*Tympanuchus pallidicinctus*) use of man-made water sources. *Southwestern Naturalist* 65(3-4), 197-204, 2022. <https://doi.org/10.1894/0038-4909-65.3-4.197>. (WoS/Scopus)
4798. Hannachi S, Signore A, Adnan M, Mechi L. Single and associated effects of drought and heat stresses on physiological, biochemical and antioxidant machinery of four eggplant cultivars. *Plants* 11(18):2404, 2022. <https://doi.org/10.3390/plants11182404>. (WoS/Scopus)
4799. Han Z, Zhang Y, Zhang H, Ge X, Gu D, Liu X, Bai J, Ma Z, Tan Y, Zhu F, Xia S, Du J, Tan Y, Shu X,

- Tang J, Sun Y. Impacts of drought and rehydration cycles on isoprene emissions in *Populus nigra* seedlings. *International Journal of Environmental Research and Public Health* 19(21): 14528, 2022. <https://doi.org/10.3390/ijerph192114528>. (WoS/Scopus)
4800. Jang J, Leung DWM. The morpho-physio-biochemical attributes of urban trees for resilience in regional ecosystems in cities: A mini-review. *Urban Science* 6(2): 37, 2022. <https://doi.org/10.3390/urbansci6020037>.
4801. Jené L, Mirabent C, Campillos S, Munné-Bosch S. Impact of environmental conditions, stress severity and dose application on caffeine-related improved lentil productivity. *Environmental and Experimental Botany* vol. 203, art. 105064, 2022. <https://doi.org/10.1016/j.envexpbot.2022.105064>. (WoS/Scopus)
4802. Jin C, Zha T, Bourque CP-A, Liu P, Jia X, Tian Y, Li X, Liu X, Guo X, Xu M, Kang X, Guo Z, Wang N. Key stress indicators from chlorophyll fluorescence in five desert plant species. *Ecological Indicators* vol. 145, art. 109679, 2022. <https://doi.org/10.1016/j.ecolind.2022.109679>. (WoS/Scopus)
4803. Jovanić BR, Radenković B, Despotović-Zrakić M, Bogdanović Z, Barać D. Effect of UV-B radiation on chlorophyll fluorescence, photosynthetic activity and relative chlorophyll content of five different corn hybrids. *Journal of Photochemistry and Photobiology* v. 10, art. 100115, 2022. <https://doi.org/10.1016/j.jpap.2022.100115>. (WoS/Scopus)
4804. Kapoor R, Hilli HJ, Amandeep. Oats: Role and Responses Under Abiotic Stress. In: Abdel Latef AAH (eds) *Sustainable Remedies for Abiotic Stress in Cereals*. Springer, Singapore. pp. 149-169, 2022. https://doi.org/10.1007/978-981-19-5121-3_7. [BOOK] (WoS/Scopus)
4805. Khaled KAM, Habiba RMM, Bashasha JA, Abd El-Aziz MH. Identification and mapping of QTL associated with some traits related for drought tolerance in wheat using SSR markers. *Beni-Suef University Journal of Basic and Applied Sciences* 11, 38, 2022. <https://doi.org/10.1186/s43088-022-00212-4>.
4806. Koç İ, Nzokou P, Cregg B. Biomass allocation and nutrient use efficiency in response to water stress: insight from experimental manipulation of balsam fir, concolor fir and white pine transplants. *New Forests* 53, 915-933, 2022. <https://doi.org/10.1007/s11056-021-09894-7>. (WoS/Scopus)
4807. Lacavé G, Soto-Maldonado C, Walter A, Zúñiga-Hansen M, Pérez-Torres E. Effect of drought stress on bioactives and starch in chilean potato landraces. *Potato Research* 65, 757-776, 2022. <https://doi.org/10.1007/s11540-022-09547-y>. (WoS/Scopus)
4808. Li X, Zhou S, Liu Z, Lu L, Dang H, Li H, Chu B, Chen P, Ma Z, Zhao S, Li Z, van Nocker S, Ma F, Guan Q. Fine-tuning of SUMOylation modulates drought tolerance of apple. *Plant Biotechnology Journal* 20(5): 903-919, 2022. <https://doi.org/10.1111/pbi.13772>. (WoS/Scopus)
4809. Luo R, Gilbert B. Timing of short-term drought structures plant-herbivore dynamics. *Oikos* e08860, 1-10, 2022. <https://doi.org/10.1111/oik.08860>. (WoS/Scopus)
4810. Mahdy RE, Alghamdi SA, Amro A, Tammam SA. Changes in carbon and nitrogen metabolites before, at, and after anthesis for wheat cultivars in response to reduced soil water and zinc foliar application. *Plants* 11, 1261, 2022. <https://doi.org/10.3390/plants11091261>. (WoS/Scopus)
4811. Martínez-García PJ, O Kodad, H Gouta, SR Devin, AS Prudencio, M Rubio, P Martínez-Gómez. Genomic designing for drought tolerant almond varieties. In: Kole C (eds) *Genomic Designing for Abiotic Stress Resistant Fruit Crops*. Springer, Cham. pp.161-175, 2022. https://doi.org/10.1007/978-3-031-09875-8_5. [BOOK]
4812. Megala R, Kalarani MK, Jeyakumar P, Senthil N, Pushpam R. Exogenous melatonin application mitigates the adverse impact of drought stress at panicle initiation and anthesis stages in rice (*Oryza sativa*). *Research on Crops*, 23(4): 711-718, 2022. <http://dx.doi.org/10.31830/2348-7542.2022.ROC-836>. (WoS/Scopus)
4813. Mu Q, Dong M, Xu J, Cao Y, Ding Y, Sun S, Cai H. Photosynthesis of winter wheat effectively reflected multiple physiological responses under short-term drought-rewatering conditions. *Journal of the Science of Food and Agriculture* 102(6), 2472-2483, 2022. <https://doi.org/10.1002/jsfa.11587>. (WoS/Scopus)
4814. Pandey K, Kumar RS, Prasad P, Pande V, Trivedi PK, Shirke PA. Coordinated regulation of photosynthesis and sugar metabolism in guar increases tolerance to drought. *Environmental and Experimental Botany* v. 194, art. 104701, 2022. <https://doi.org/10.1016/j.envexpbot.2021.104701>. (WoS/Scopus)
4815. Patil P, Shrivastav SP, Landge R, Patil K, Salunkhe H. Heat stress and tolerance in wheat: A review. *The Pharma Innovation Journal* SP-11(7): 362-368, 2022. <https://www.thepharmajournal.com/archives/2022/vol11issue7S/PartE/S-11-6-79-371.pdf>.
4816. Paul SK. Agronomic management of sugar beet. In: Misra V, Srivastava S, Mall AK (eds) *Sugar Beet Cultivation, Management and Processing*. Springer, Singapore, Book chapter pp.257-274 2022. https://doi.org/10.1007/978-981-19-2730-0_13. [BOOK] (WoS/Scopus)
4817. Rauschkolb R, Henres L, Lou C, Godefroid S, Dixon L, Durka W, Bossdorf O, Ensslin A, Scheepens JF. Historical comparisons show evolutionary changes in drought responses in European plant species after two decades of climate change. *Basic and Applied Ecology* 58, 26-38, 2022. <https://doi.org/10.1016/j.baae.2021.11.003>. (WoS/Scopus)
4818. Sarhan MGR, Abd El-Gayed SSh. A supplementary potassium foliar spray enhanced cotton tolerance to water deficit. *Egyptian Journal of Agricultural Research* 100(4), 616-625, 2022. https://ejar.journals.ekb.eg/article_268562.html.
4819. Sellami D, Boughanmi H, Bouadila S, Lazaar M, Ben Salem-Fnayou A. The effectiveness of using two sustainable night heating modes on greenhouse cultivation. *Journal of Biotechnology and its Applications* 1(1): 1-8, 2022. <https://www.scivisionpub.com/pdfs/the-effectiveness-of-using-two-sustainable-night-heating-modes-on-greenhouse-cultivation-2045.pdf>.

4820. Shah MN, Hussain S, Ali H, Khan M, Bukhari A, Ali S, Naveed M, Sohail M. Comparative screening of hybrids and synthetic maize (*Zea mays* L.) cultivars for drought-sensitive and drought-tolerant under different irrigation regimes. *Journal of Plant and Environment* 4(1): 09-17, **2022**. <https://doi.org/10.33687/jpe.004.01.3995>.
4821. Sellami D, Boughanmi H, Bouadila S, Lazaar M, Ben Salem-Fnayou A. The effectiveness of using two sustainable night heating modes on greenhouse cultivation. *Journal of Biotechnology and its Applications* 1(1): 1-8, **2022**. <https://www.scivisionpub.com/pdfs/the-effectiveness-of-using-two-sustainable-night-heating-modes-on-greenhouse-cultivation-2045.pdf>.
4822. Thokchom A, Hazarika BN. Morpho-physiological and biochemical changes under drought stress in strawberry: A Review. *Agricultural Reviews* art. ID R-2295, **2022**. <https://arccjournals.com/journal/agricultural-reviews/R-2295>.
4823. Vaghar MS. The effect of foliar feeding of iron, zinc and manganese nanochelates on chlorophyll fluorescence, iron, zinc and manganese concentration in seeds and soybean yield. *Applied Biology* 12(46), 105-126, **2022**. https://sjoapb.qom.iau.ir/article_700454_e08fa56aad9d678ff51f1bd2c4bf8675.pdf.
4824. Verma KK, Song XP, Lin B, Guo D-J, Singh M, Rajput VD, Singh RK, Singh P, Sharma A, Malviya MK, Chen G-L, Li Y-R. Silicon induced drought tolerance in crop plants: physiological adaptation strategies. *Silicon* 14: 2473-2487, **2022**. <https://doi.org/10.1007/s12633-021-01071-x>. (WoS/Scopus)
4825. Verma KK, Vatsal S, Singh M, Rajput VD, Minkina T. Coping with water stress: effects and adaptive mechanisms to plants. In: *Understanding Abiotic Stresses, Series: Environmental Science, Engineering and Technology*. Eds VD Rajput, KK Verma, T Minkina. Chapter 9, pp. 279-308, **2022**. Nova Science Publishers, Inc. ISBN: 978-1-68507-508-8. <https://doi.org/10.52305/UBUJ4024>. [BOOK]
4826. Wang X, Liu Y, Li H, Wang F, Xia P, Li W, Zhang X, Zhang N, Guo Y-D. SISNAT2, a chloroplast-localized acetyltransferase, is involved in Rubisco lysine acetylation and negatively regulates drought stress tolerance in tomato. *Environmental and Experimental Botany* vol. 201, art. 105003, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105003>. (WoS/Scopus)
4827. Wu Z, Chang P, Zhao J, Li D, Wang W, Cui X, Li M. Physiological and transcriptional responses of seed germination to moderate drought in *Apocynum venetum*. *Frontiers in Ecology and Evolution* 10: 975771, **2022**. <https://doi.org/10.3389/fevo.2022.975771>. (WoS/Scopus)
4828. Zhao S, Wu Z, Lai M, Zhao M, Lin B. Determination of optimum humidity for air-curing of cigar tobacco leaves during the browning period. *Industrial Crops and Products* vol. 183, art. 114939, **2022**. <https://doi.org/10.1016/j.indcrop.2022.114939>. (WoS/Scopus)
4829. Zhu X, Liu T, Xu K, Chen C. The impact of high temperature and drought stress on the yield of major staple crops in northern China. *Journal of Environmental Management* vol. 314, art. 115092, **2022**. <https://doi.org/10.1016/j.jenvman.2022.115092>. (WoS/Scopus)
4830. Кузнецова НФ, Клушевская ЕС Механизмы выживания *Pinus sylvestris* L. в засуху на техногенно загрязненной территории. *Принципы экологии* 2, 68–77, **2022**. <https://cyberleninka.ru/article/n/mehanizmy-vyzhivaniya-pinus-sylvestris-l-v-zasuhu-na-tehnogenno-zagryaznennoy-territorii/viewer>.
4831. Петров ВС, Ильина ИА, Панкин МИ, Ненько НИ, Руссо ДЭ, Красильников АА, Сундырева МА, Мишко АЕ, Киселева ГК, Мarmorштейн АА, Цику ДМ, Лукьянов АА, Казахмедов РЭ. Методология системного управления продукционным потенциалом ампелоценозов в условиях изменения климата и интенсификации производства. *Научные Труды Северо-Кавказского Федерального Научного Центра Садоводства, Виноградарства, Виноделия* 34: 99-112, **2022**. <https://doi.org/10.30679/2587-9847-2022-34-99-112>.
4832. Agrawal Y, Agarwal D, Ilyas A, Sharma S, Myskova A, Poddar NK. Chapter 15 - Patterns of protein expression in wheat under stress conditions and its identification by proteomics tools. In: Khan MK, Pandey A, Hamurcu M, Gupta OP, Gezgin S (Eds) *Abiotic Stresses in Wheat*, Academic Press, pp. 247-258, **2023**. ISBN 9780323953689. <https://doi.org/10.1016/B978-0-323-95368-9.00026-6>. [BOOK chapter]
4833. Akhtar S, Sangam S, Chattopadhyay T, Naik A, Solankey SS. Emerging obstacles of vegetable production due to climate change and mitigation strategies. In: Solankey, S.S, Kumari, M. (eds) *Advances in Research on Vegetable Production Under a Changing Climate* Vol. 2. Advances in Olericulture. Springer, Cham. Pp. 31-69, **2023**. https://doi.org/10.1007/978-3-031-20840-9_2. [BOOK chapter]
4834. Arab MM, Askari H, Aliniaefard S, Mokhtassi-Bidgoli A, Estaji A, Sadat-Hosseini M, Sohrabi SS, Mesgaran MB, Leslie CA, Brown PJ, Vahdati K. Natural variation in photosynthesis and water use efficiency of locally adapted Persian walnut populations under drought stress and recovery. *Plant Physiology and Biochemistry* vol. 201, art. 107859, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107859>. (WoS/Scopus)
4835. Asayesh ZM, Arzani K, Mokhtassi-Bidgoli A, Abdollahi H. Gas exchanges and physiological responses differ among ‘Pyrodwarf’ clonal and ‘Dargazi’ seedling pear (*Pyrus communis* L.) rootstocks in response to drought stress. *Journal of Soil Science and Plant Nutrition* 23, 64-69-6484, **2023**. <https://doi.org/10.1007/s42729-023-01502-1>. (WoS/Scopus)
4836. Bianchi D, Ricciardi V, Pozzoli C, Grossi D, Caramanico L, Pindo M, Stefani E, Cestaro A, Brancadoro L, De Lorenzis G. Physiological and transcriptomic evaluation of drought effect on own-rooted and grafted grapevine rootstock (1103P and 101-14MGt). *Plants* 12(5): 1080, **2023**. <https://doi.org/10.3390/plants12051080>. (WoS/Scopus)
4837. Bukharov AF, Fedosov AY, Ivanova MI. Impacts of climate change on vegetable production and ways to overcome them. *Vegetable crops of Russia* 3: 41-49, **2023**. (In Russ.) <https://doi.org/10.18619/2072-9146-2023-3-41-49>.
4838. Celiktopuz E. Determination of drought tolerance of different strawberry genotypes. *PeerJ* 11:e14972,

2023. <https://doi.org/10.7717/peerj.14972>. (WoS/Scopus)
4839. Chaimala A, Jogloy S, Vorasoot N, Holbrook CC, Kvien CK. The roles of net photosynthetic rate and transpiration efficiency on economic yield of Jerusalem artichoke (*Helianthus tuberosus* L.) genotypes under different drought durations during the terminal growth stages. *Agronomy* 13(7):1882, 2023. <https://doi.org/10.3390/agronomy13071882>. (WoS/Scopus)
4840. Chanaphai P, Jongrunklang N, Puangbut D, Songsri P. Response of photosynthetic and root traits of sugarcane genotypes under drought and recovery conditions. *Sugar Tech* 25, 1102-1114, 2023. <https://doi.org/10.1007/s12355-023-01288-7>. (WoS/Scopus)
4841. de Sousa Leite T, Oliveira de Freitas RM, da Silva Dias N, Dombroski JLD, Nogueira NW. The interplay between leaf water potential and osmotic adjustment on photosynthetic and growth parameters of tropical dry forest trees. *Journal of Forestry Research* 34, 177-186, 2023. <https://doi.org/10.1007/s11676-022-01495-0>. (WoS/Scopus)
4842. Dogra S, Chand G, Sinha BK, Banoo M, Kouser F, Kumari M, Sharma M. Effect of drought stress on antioxidants activity in response to yield and its attributes in different Brassica juncea (L) cultivars. *AMA, Agricultural Mechanization in Asia, Africa and Latin America* 54(4), 2023. (WoS/Scopus)
4843. Fogaça AM, Castro AG de, Barbosa EAA. Physiological and morphological responses of two beans common genotype to water stress at different phenological stages. *Bioscience Journal* vol. 39, pp. e39053, 2023. <https://doi.org/10.14393/BJ-v39n0a2023-59855>. (WoS/Scopus)
4844. Gama PBS, Wilson JO. Impact of drought on growth, nodulation and yield in some soybean [*Glycine max* (L.) Merrill] genotypes. In: Rusu T (Ed.) *Emerging Issues in Agricultural Sciences* Vol. 9. Chapter 10, pp. 144-163, 2023. [Book]
4845. Golinejad S, Mirjalili MH, Rezaeost H, Ghorbanpour M. Molecular, biochemical, and metabolic changes induced by gold nanoparticles in *Taxus baccata* L. cell culture. *Industrial Crops and Products* v. 192, art. 115988, 2023. <https://doi.org/10.1016/j.indcrop.2022.115988>. (WoS/Scopus)
4846. Graeff V, Müller A, Junges F, Bauer D, de Oliveira MT, Schmitt JL. Climatic triggers of the phenophases of *Elaphoglossum macrophyllum* in Southern Brazil. *Rodriguésia* 74: e00482023, 2023. <https://doi.org/10.1590/2175-7860202374085>.
4847. Guo R, Zhang N, Wang L, Lin T, Zheng Z, Cui J, Tian L. Subsoiling depth affects the morphological and physiological traits of roots in film-mulched and drip-irrigated cotton. *Soil and Tillage Research* v. 234, art. 105826, 2023. <https://doi.org/10.1016/j.still.2023.105826>. (WoS/Scopus)
4848. Han X, Wang J, Zhang L. Coordination of hydraulic and leaf-level gas exchange traits during water-deficit acclimation in apple rootstocks. *Physiologia Plantarum* 175(5), art. e14037, 2023. <https://doi.org/10.1111/ppl.14037>. (WoS/Scopus)
4849. Hu C, Mascoli V, Elias E, Croce R. The photosynthetic apparatus of the CAM plant *Tillandsia flabellata* and its response to water deficit. *Journal of Plant Physiology* v. 282, art. 153945, 2023. <https://doi.org/10.1016/j.jplph.2023.153945>. (WoS/Scopus)
4850. Huan X, Wang X, Zou S, Zhao K, Han Y, Wang S. Transcription factor ERF194 modulates the stress-related physiology to enhance drought tolerance of poplar. *International Journal of Molecular Sciences* 24(1): 788, 2023. <https://doi.org/10.3390/ijms24010788>. (WoS/Scopus)
4851. Húdoková H, Fleischer P JR, Ježík M, Marešová J, Pšidová E, Mukarram M, Ditmarová I, Sliacka-Konôpková A, Jamnická G. Can seedlings of Norway spruce (*Picea abies* L. H. Karst.) populations withstand changed climate conditions? *Photosynthetica* 61(3): 328-341, 2023. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2973>. (WoS/Scopus)
4852. Ikromova U. Tashqi Muhit Omillarining Bug'doy O'simligiga Ta'siri. Инновационные исследования в современном мире: теория и практика 2(24): 26-29, 2023. <https://in-academy.uz/index.php/zdit/article/view/20150>.
4853. Jadhav SS, Kumari R, Mahtha SK, Purama RK, Lamba V, Yadav G. Metabolomics and molecular physiology perspective for drought and salinity stress tolerance. Book chapter 13. In: Choudhury S, Moulick D (Eds), *Response of Field Crops to Abiotic Stress: Current Status and Future Prospects* (1st ed.). CRC Press, pp. 153-166, 2023. eBook: ISBN9781003258063. <https://doi.org/10.1201/9781003258063>. [BOOK] (WoS/Scopus)
4854. Jalili S, Arzani K, Prudencio AS, Salazar JA, Martínez-García PJ, Bouzari N, Martínez-Gómez P. Integrated morphological, physiological and molecular analysis of the drought response in cultivated and wild *Prunus* L. subgenera *cerasus* species. *Plant Molecular Biology Reporter* 41, 440-453, 2023. <https://doi.org/10.1007/s11105-023-01379-5>. (WoS/Scopus)
4855. Khaleghi E, Zamani Dehbari M, Moallemi N. The Effect of foliar application of putrescine on the morphological and physiological characteristics of lime seedlings (*Citrus aurantifolia*) under drought stress. *Journal of Horticultural Science*, 38(1), 195-211, 2023. <https://doi.org/10.22067/jhs.2023.83972.1284>. (WoS/Scopus)
4856. Kumar R, Sharma L, Kushwah JK, Bamanaya BS. Impact of climate change on perennial vegetables production and mitigation strategies. In: Solankey SS, Kumari M (eds) *Advances in Research on Vegetable Production Under a Changing Climate Vol. 2. Advances in Olericulture*. Springer, Cham. Pp. 127-147, 2023. https://doi.org/10.1007/978-3-031-20840-9_6. [BOOK chapter]
4857. Lagiotis G, Madesis P, Stavridou E. Echoes of a stressful past: abiotic stress memory in crop plants towards enhanced adaptation. *Agriculture* 13(11): 2090, 2023. <https://doi.org/10.3390/agriculture13112090>. (WoS/Scopus)

4858. Langaroudi IK, Piri S, Chaeikar SS, Salehi B. Evaluating drought stress tolerance in different *Camellia sinensis* L. cultivars and effect of melatonin on strengthening antioxidant system. *Scientia Horticulturae* vol. 307, art. 111517, **2023**. <https://doi.org/10.1016/j.scienta.2022.111517>. (WoS/Scopus)
4859. Lehrer M A, Hawkins JS. Plant height shapes hydraulic architecture but does not predict metaxylem area under drought in *Sorghum bicolor*. *Plant Direct* 7(5), e498, **2023**. <https://doi.org/10.1002/pld3.498>. (WoS/Scopus)
4860. Li C, Chen S, Wang Y. Physiological and proteomic changes of *Castanopsis fissa* in response to drought stress. *Scientific Reports* 13, 12567, **2023**. <https://doi.org/10.1038/s41598-023-39235-x>. (WoS/Scopus)
4861. Mahdi DZ, Ahmad KF, Asif AM, Ahamd MM, Amjad M, Rafiq WF. Physiological modulation of plants by salicylic acid under drought stress - A review. *SKUAST Journal of Research* 25(1), 1-12, **2023**. <http://dx.doi.org/10.5958/2349-297X.2023.00001.6>.
4862. Masrahi AS, Alasmari A, Shahin MG, Qumsani AT, Oraby HF, Awad-Allah MMA. Role of arbuscular mycorrhizal fungi and phosphate solubilizing bacteria in improving yield, yield components, and nutrients uptake of barley under salinity soil. *Agriculture*. 13(3): 537, **2023**. <https://doi.org/10.3390/agriculture13030537>. (WoS/Scopus)
4863. Nie S, Yang Z, Xiao C, Yang R, Wang D. Physiological and transcriptomic analyses of the effects of SIBRI1 expression levels on the drought tolerance of tomato seedlings. *Journal of Plant Growth Regulation* 42, 795-809, **2023**. <https://doi.org/10.1007/s00344-022-10587-4>. (WoS/Scopus)
4864. Njatang DK, Djourdebbé FB, Wadou NDA. Climate variability, armed conflicts and child malnutrition in sub-saharan Africa: A spatial analysis in Ethiopia, Kenya and Nigeria. *Heliyon*, 9(11), E21672, **2023**. <https://doi.org/10.1016/j.heliyon.2023.e21672>. (WoS/Scopus)
4865. Obročník O, Bárek V. Dendrometric evaluation of *Helianthus annuus* under water deficit conditions. *Journal of Water and Land Development*, 59 (X–XII): 50–53, **2023**. <https://doi.org/10.24425/jwld.2023.147228> (WoS/Scopus)
4866. Pandiyan M, Sivaji M, Yuvaraj M, Krishnaveni A, Sivakumar C, Jamuna E. Molecular and physiological approaches for effective management of drought in black gram. In: Muthu Arjuna Samy P, Ramasamy A, Chinnusamy V, Sunil Kumar B (eds) *Legumes: Physiology and Molecular Biology of Abiotic Stress Tolerance*. Springer, Singapore. pp. 259-278, **2023**. https://doi.org/10.1007/978-981-19-5817-5_10. [BOOK chapter]
4867. Rezayian M, Ebrahimzadeh H, Niknam V. Metabolic and physiological changes induced by nitric oxide and its impact on drought tolerance in soybean. *Journal of Plant Growth Regulation* 42, 1905-1918, **2023**. <https://doi.org/10.1007/s00344-022-10668-4>. (WoS/Scopus)
4868. Ribera-Fonseca A, Palacios-Peralta C, González-Villagra J, M Reyes-Díaz, I Serra. How could cover crops and deficit irrigation improve water use efficiency and oenological properties of southern chile vineyards?. *Journal of Soil Science and Plant Nutrition* 23, 6851-6865, **2023**. <https://doi.org/10.1007/s42729-023-01549-0>. (WoS/Scopus)
4869. Roy S, Rakshit. Chapter 17 Impact of climate change on productivity of field crops. In: Choudhury S, Moulick D (Eds) *Response of field crops to abiotic stress. Current Status and Future Prospects*. pp. 211-221, **2023**. ISBN: 9781003258063 (ebk) DOI: 10.1201/9781003258063. [BOOK] (WoS/Scopus)
4870. Shahzad A, Gul H, Ahsan M, Wang D, Fahad S. Comparative genetic evaluation of maize inbred lines at seedling and maturity stages under drought stress. *Journal of Plant Growth Regulation* 42, 989-1005, **2023**. <https://doi.org/10.1007/s00344-022-10608-2>. (WoS/Scopus)
4871. Sharma S, Gupta DN, Kushwah AS, Sharma AK, Prasad R. Identification and characterization of the *Cyamopsis tetragonoloba* transcription factor MYC (CtMYC) under drought stress. *Gene* vol. 882, art. 147654, **2023**. <https://doi.org/10.1016/j.gene.2023.147654>. (WoS/Scopus)
4872. Solankey SS, Kumari M, Singh HK, Ray PK, Akhtar S, Saha B. Advances in research trends in vegetables under a changing climate: a way forward. In: Solankey SS, Kumar, M (eds) *Advances in Research on Vegetable Production Under a Changing Climate* Vol. 2. Advances in Olericulture. Springer, Cham. Pp. 1-29, **2023**. https://doi.org/10.1007/978-3-031-20840-9_1. [BOOK chapter]
4873. Sunil Kumar B, Saravanan KR, Sudhakar P, Anandan R, Sathiyarayanan G, Gokulakrishnan J, Prakash M. Stress memory and its mitigation via responses through physiological and biochemical traits in mung bean under moisture stress. In: Muthu Arjuna Samy P, Ramasamy A, Chinnusamy V, Sunil Kumar B (eds) *Legumes: Physiology and Molecular Biology of Abiotic Stress Tolerance*. Springer, Singapore. pp. 323-343, **2023**. https://doi.org/10.1007/978-981-19-5817-5_13. [BOOK]
4874. Széles A, Horváth É, Simon K, Zagyi P, Huzsvai L. Maize production under drought stress: nutrient supply, yield prediction. *Plants* 12(18): 3301, **2023**. <https://doi.org/10.3390/plants12183301>. (WoS/Scopus)
4875. Tadele KT, Zeressa GW. Biostimulants and phytohormones improve productivity and quality of medicinal plants under abiotic stress. In: Husen, A, Iqbal, M. (eds) *Medicinal Plants*. Springer, Singapore. Pp. 335-362, **2023**. https://doi.org/10.1007/978-981-19-5611-9_13. [BOOK]
4876. Tavakkol Afshari M, Nezami A, Ahmadi-Lahijani MJ, Nabati J, Karimzadeh Soureshjani H. Effect of planting date and irrigation deficiency on the physiological, biochemical, and yield component of quinoa (*Chenopodium quinoa* Willd) in Mashhad. *Environmental Stresses in Crop Sciences* 16(2): 403-418, **2023**. <https://doi.org/10.22077/escs.2022.4695.2056>.
4877. Wagay NA, Rafiq S, Khan A, Kaloo ZA, Malik AR, Pulate PV. Impact of phenolics on drought stress and expression of phenylpropanoid pathway genes. In: Lone R, Khan S, Mohammed Al-Sadi A (eds) *Plant Phenolics in Abiotic Stress Management*. Springer, Singapore. Pp. 265-285, **2023**. <https://doi.org/10.1007/978-981-19-6426->

8_13. [BOOK] (WoS/Scopus)

- 4878.** Wu Y, Meng S, Liu C, Gao W and Liang X-Z. A bibliometric analysis of research for climate impact on agriculture. *Frontiers in Sustainable Food Systems* 7: 1191305, **2023**. <https://doi.org/10.3389/fsufs.2023.1191305>. (WoS/Scopus)
- 4879.** Yang X, Liao X, Di D, Shi W. A Review of drought disturbance on socioeconomic development. *Water* 15(22): 3912, **2023**. <https://doi.org/10.3390/w15223912>. (WoS/Scopus)
- 4880.** Zhang T-Y, Di D-R, Liao X-L, Shi W-Y. Response of forest plant diversity to drought: A Review. *Water* 15(19): 3486, **2023**. <https://doi.org/10.3390/w15193486>. (WoS/Scopus)
- 4881.** Zhu X, Zhang M, Wang B, X Song, X Wang, X Wei. Non-targeted metabolomics analysis of metabolite changes in two quinoa genotypes under drought stress. *BMC Plant Biology* 23, art. 503, **2023**. <https://doi.org/10.1186/s12870-023-04467-6>. (WoS/Scopus)
- 4882.** Zubair M, Rehman Z, Hussain SB, Azhar MF. Determining the growing potential of *Jatropha curcas* and *Pongamia pinnata* under various water regimes. *Asian Journal of Research in Agriculture and Forestry* 9(4), 259-267, **2023**. <https://doi.org/10.9734/ajraf/2023/v9i4254>.
- 4883.** D'Addazio V, dos Santos RAA, Souza AFC, Fernandes AA, da Silva MB, Schmildt ER, Falqueto AR. Combining biometric, biochemistry, and photosynthetic measurements to analyze the performance of two black pepper cultivars under water deficit. *Communications in Soil Science and Plant Analysis* 55(1), 40-56, **2024**. <https://doi.org/10.1080/00103624.2023.2260412>. (WoS/Scopus)
- 4884.** Gupta AK, Arawal M, Yadav H, Mishra G, Gupta R, Singh A, Katiyar D, Singh P. Drought stress and its tolerance mechanism in wheat. *International Journal of Environment and Climate Change* 14(1), 529-544, **2024**. <http://journal.edit4journal.com/id/eprint/2564/1/Katiyar1412023IJECC109112.pdf>.
- 4885.** Ibrahim NM, Ismail SA, Abd El-Latif KM. The impact of irrigation levels with normal and magnetic water, bio fertilization on garlic growth, yield and storage. *Journal of Plant Production* 15(3):91-100, **2024**. https://jpp.journals.ekb.eg/article_346108_6279c17d7c583d96e907947d599b91b3.pdf.
- 4886.** Jumrani K, Bhatia VS, Kataria S, Rastogi A. The interactive effect of high temperature and water deficit stress on nitrogen fixation, photosynthesis, chlorophyll fluorescence, seed yield and quality in soybean (*Glycine max*). *Plant Physiology Reports* 29: 125-140, **2024**. <https://doi.org/10.1007/s40502-023-00763-3>. (WoS/Scopus)
- 4887.** Kencharaddi HG, Suresha PG, Soregaon CD, Kumar A. Chapter 7: Breeding and molecular approaches for drought-resilient crops. In: A Singh, S Pandey (Eds) *Climate-Resilient Agriculture. A Molecular Perspective*, 1st Edition. Apple Academic Press, New York, 564 pages. Pp. 227-265, **2024**. <https://doi.org/10.1201/9781003455271>. [BOOK chapter]
- 4888.** Opazo I, Pimentel P, Salvatierra A, M Ortiz, G Toro, M Garrido-Salinas. Water stress tolerance is coordinated with water use capacity and growth under water deficit across six fruit tree species. *Irrigation Science*, **2024**. <https://doi.org/10.1007/s00271-024-00915-9>. (WoS/Scopus)
- 4889.** Raypah ME, Nasru MIM, Nazim MHH, Omar AF, Muncan J, Zahir SADM, Jamlos MF, Jasim HM. Reflectance spectra for identifying stress in different parts of leaf: a case study on oil palm seedlings. *International Journal of Remote Sensing* 45(3), 954-980, **2024**. <https://doi.org/10.1080/01431161.2024.2305626>. (WoS/Scopus)
- 4890.** Yao Y, Xia L, Yang L, Liu R, Zhang S. Drought responses and carbon allocation strategies of poplar with different leaf maturity. *Physiologia Plantarum* 176(1), e14224, **2024**. <https://doi.org/10.1111/ppl.14224>. (WoS/Scopus)
- 4891.** Zhang F, Wang C, Yao J-L, Xing C, Xu K, Zhang Z, Chen Q, Qiao Q, Dong H, Han C, Lin L, Zhang S, Huang X. PbHsfC1a-coordinates ABA biosynthesis and H₂O₂ signalling pathways to improve drought tolerance in *Pyrus betulaefolia*. *Plant Biotechnology Journal* 22(5):1177-1197, **2024**. <https://doi.org/10.1111/pbi.14255>. (WoS/Scopus)

Yordanov I, Velikova V - Photoinhibition of photosystem I (review). *Bulgarian Journal of Plant Physiology* 26 (1-2): 70-92, 2000

- 4892.** Zhou YH, Yu JQ, Huang LF, Nogués S - The relationship between CO₂ assimilation, photosynthetic electron transport and water-water cycle in chill-exposed cucumber leaves under low light and subsequent recovery. *Plant, Cell and Environment* 27 (12): 1503-1514, **2004** (WoS/Scopus)
- 4893.** Ren L-L, Gao H-Y - Effects of chilling stress under weak light on functions of photosystems in leaves of wild soybean and cultivar soybean. *Journal of Plant Physiology and Molecular Biology* 33 (4): 333-340, **2007**
- 4894.** Sun S, Zhang L-T, Wang J-X, Wang S-M, Gao H-J, Gao, H-Y - Effects of low temperature and weak light on the functions of photosystem in *Prunus armeniaca* L. leaves in solar greenhouse. *Chinese Journal of Applied Ecology* 19 (3): 512-516, **2008** (WoS/Scopus)
- 4895.** Salas-Leiva JS, Dupré E - Cryopreservation of the microalgae *Chaetoceros calcitrans* (Paulsen): analysis of the effect of DMSO temperature and light regime during different equilibrium periods. *Lat Am J Aquat Res* 39(2): 271-279, **2011**
- 4896.** Jiang YP, Huang LF, Cheng F, Zhou YH, Xia XJ, Mao WH, Shi K, Yu JQ - Brassinosteroids accelerate recovery of photosynthetic apparatus from cold stress by balancing the electron partitioning, carboxylation and redox homeostasis in cucumber. *Physiologia Plantarum* 148 (1): 133-145, **2013** <https://doi.org/10.1111/j.1399-3054.2012.01696.x> (WoS/Scopus)
- 4897.** Šeršen F, Kráľová K - EPR Spectroscopy - A Valuable Tool to Study Photosynthesizing Organisms Exposed to Abiotic Stresses. In: *Photosynthesis*, (ed. Zvy Dubinsky), 247-283, **2013** Intech

- 4898.** Yaakoubi H, Hamdani S, Bekalé L, Carpentier R. Protective action of spermine and spermidine against photoinhibition of Photosystem I in isolated thylakoid membranes. *PLoS ONE* 9 (11), e112893, **2014 (WoS/Scopus)**
- 4899.** Kalisz A, Jezdinsky A, Pokluda R, Sękara A, Grabowska A, Gil J – Impacts of chilling on photosynthesis and chlorophyll pigment content in juvenile basil cultivars. *Horticulture, Environment and Biotechnology* 57 (4), 330-339, **2016 (WoS/Scopus)**
- 4900.** Torres-Olivar V, Valdez-Aguilar LA, Cárdenas-Flores A, Lira-Saldivar H, Hernández-Suárez M, Ibarra-Jiménez L, Effect of colored plastic mulch on growth, yield and nutrient status in cucumber under shade house and open field conditions. *Journal of Plant Nutrition*, 39, 14, 2144-2152, **2016**, <https://doi.org/10.1080/01904167.2016.1201108> **(WoS/Scopus)**
- 4901.** Mirmohades M. Insight into Catalytic Intermediates Relevant for Water Splitting, **PhD Thesis**, Uppsala University, **2016**
- 4902.** Kono M, Oguchi R, Terashima I. Photoinhibition of PSI and PSII in nature and in the laboratory: Ecological Approaches. In: Progress in Botany. Springer, Berlin, Heidelberg. Book series, pp. 1-52, **2022**. https://doi.org/10.1007/124_2022_67. **[BOOK]**

Doncheva S, Stoyanova Z, Velikova V - The influence of succinate on zinc toxicity of pea plants. Journal of Plant Nutrition 24 (6): 789-806, 2001

- 4903.** Päivöke AEA – Responses of *Pisum sativum* to soil arsenate, lead and zinc: a greenhouse study of mineral elements, phytase activity, ATP and chlorophylls. (**PhD Thesis**), University of Helsinki, **2003**
- 4904.** Ananieva K, Malbeck J, Kaminek M, van Staden J - Methyl jasmonate down-regulates endogenous cytokinin levels in cotyledons of *Cucurbita pepo* (zucchini) seedlings. *Physiologia Plantarum* 122 (4): 496-503, **2004 (WoS/Scopus)**
- 4905.** Barcelo J, Poschenncder Ch - Structural and Ultrastructural Changes in Heavy Metal Exposed Plants (Chapter 9). In: *Heavy Metal Stress in Plants: From Biomolecules to Ecosystems*, ed. MNV Prasad. Springer-Verlag Berlin Heidelberg **2004**, pp. 223-248 (**book**)
- 4906.** Mysliwa-Kurczak B, Prasad MNV, Strzatkka K - Photosynthesis in Heavy Metal Stressed Plants (Chapter 6) In: *Heavy Metal Stress in Plants: From Biomolecules to Ecosystems*, ed. MNV Prasad, Springer-Verlag Berlin Heidelberg **2004**, pp. 146-181 (**book**)
- 4907.** Nemeskéri E, Györi Z - Micronutrients and yield quality of pea (*Pisum sativum* L.) varieties susceptible to *Fusarium oxysporum*. *Acta Agronomica Hungarica* 53, (2): 211-222, **2005 (WoS/Scopus)**
- 4908.** Tsonev T, Lidon FC – Effect of Zn pollution on plant growth and photosynthesis. *Biologia Vegetal E Agro-industrial* 2: 223-234, **2005 (review)**
- 4909.** Kral'ova K, Masarovicova E, Lesikova J, Ondrejovicova I - Effects of Cd(II) and Zn(II) complexes with bioactive ligands on some photosynthesizing organisms. *Chemical Papers-Chemicke Zvesti* 60 (2): 149-153, **2006**
- 4910.** Mao LX, Henderson G, Bourgeois WJ, Vaughn JA, Laine RA - Vetiver oil and nootkatone effects on the growth of pea and citrus. *Industrial Crops and Products* 23 (3): 327-332, **2006 (WoS/Scopus)**
- 4911.** Král'ová K, Masarovičová E, Růriková D, Györyová K - Effect of ligand structure of carboxylatozinc(II) complexes on growth and zinc bioaccumulation in *Zea mays* L. plants. *Fresenius Environmental Bulletin* 16 (8): 851-855, **2007 (WoS/Scopus)**
- 4912.** Arora N, Bhardwaj R, Sharma P, Arora HK, Arora P - Amelioration of zinc toxicity by 28-homobrassinolide in *Zea mays* L. *Can J Pure and Applied Sci* 2:503-509, **2008**
- 4913.** Urnebese CE, Motajo AF - Accumulation, tolerance and impact of aluminium, copper and zinc on growth and nitrate reductase activity of *Ceratophyllum demersum* (Hornwort). *Journal of Environmental Biology* 29 (2): 197-200, **2008 (WoS/Scopus)**
- 4914.** Mishra PK, Prakash V - Antioxidant modulation in response to zinc induced oxidative stress at different pH in *Glycine max* L. cv. Merrill. *American-Eurasian J Agric & Environ Sci* 6 (4): 485-493, **2009**
- 4915.** Liberato MAR – Metabolismo energético e emissão de compostos Orgânicos voláteis por hevea spruceana (benth.) Müll. Arg. Em diferentes ecossistemas inundáveis da amazônia Central. **PhD Thesis**, Instituto Nacional de Pesquisas da Amazônia, Manaus – AM, **2010**
- 4916.** Solymosi K, Bertrand M - Soil metals, chloroplasts, and secure crop production: a **review**. *Agronomy for Sustainable Development* 32 (1): 245-272, **2012**, DOI: 10.1007/s13593-011-0019-z **(WoS/Scopus)**
- 4917.** Tsonev T, Lidon F – Zinc in plants – An overview. *Emir J Food Agric* 24 (4): 322-333, **2012 (WoS/Scopus)**
- 4918.** Ali S, Farooq MA, Yasmeen T, Hussain S, Arif MS, Abbas F, Bharwana SA, Zhang, GP - The influence of silicon on barley growth, photosynthesis and ultra-structure under chromium stress. *Ecotoxicology and Environmental Safety* 89: 66-72, DOI: 10.1016/j.ecoenv.2012.11.015, **2013 (WoS/Scopus)**
- 4919.** Hafeez B, Khanif YM, Saleem M - Role of zinc in plant nutrition- A **review**. *American Journal of Experimental Agriculture* 3(2): 374-391, **2013**
- 4920.** Willick IR - Absence of phosphoenolpyruvate carboxylase at PPC3 increases sensitivity of *Arabidopsis thaliana* to cadmium. The University of Western Ontario, **2013**
- 4921.** Chibuike GU, Obiora SC. Heavy metal polluted soils: Effect on plants and bioremediation methods (**Review**). *Applied and Environmental Soil Science*. **2014**, Article ID 752708, 12 pages. **(WoS/Scopus)**

- 4922.** Ranjani R, Adam S, Murthy SDS. Zinc induced alterations in the photosystem II mediated photochemistry of cyanobacterium *Spirulina Platensis*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 5(2):1039-1044, **2014**. (WoS/Scopus)
- 4923.** Bhaduri AM, Fulekar MH. Biochemical and RAPD Analysis of Hibiscus rosa sinensis Induced by Heavy Metals. *Soil and Sediment Contamination* 24, 4, 411-422, **2015** (WoS/Scopus)
- 4924.** De Giudici G, Medas D, Meneghini C, Casu MA, Gianoncelli A, Iadecola A, Podda S, Lattanzi P. Microscopic biomineralization processes and Zn bioavailability: a synchrotron-based investigation of *Pistacia lentiscus* L. roots, *Environmental Science and Pollution Research*, 22, 24, 19352-19361, **2015** (WoS/Scopus)
- 4925.** Hawrylak-Nowak B, Dresler S, Matraszek R, Exogenous malic and acetic acids reduce cadmium phytotoxicity and enhance cadmium accumulation in roots of sunflower plants, *Plant Physiology and Biochemistry*, 94, 225-234, **2015** (WoS/Scopus)
- 4926.** Mahdavi A, Khermandar K. Differential expression of zinc accumulation during two growing seasons of *Acacia victoriae*. *Journal of Forestry Research*, 26, 3, 663-671, **2015** (WoS/Scopus)
- 4927.** Yahub M, Akhtar R, Muhammad U, Bibi S, Talimand H, Aslam MM, Khan P, Shakir SK. Effects of Road Side Pollution on Vegetation – A Mini-Review, *Journal of Bio-Molecular Sciences*, 3, 3, 97-106, **2015**
- 4928.** Belouchrani AS, Mameri N, Abdi N, Grib H, Lounici H, Drouiche N. Phytoremediation of soil contaminated with Zn using Canola (*Brassica napus* L), *Ecological Engineering*, 95, 43-49, **2016** (WoS/Scopus)
- 4929.** Gautam M, Pandey D, Agrawal SB, Agrawal M. Metals from mining and metallurgical industries and their toxicological impacts on plants. In *Plant Responses to Xenobiotics* (Editors: A. Singh, S.M. Prasad, R.P. Singh), pp. 231-272, Springer Singapore, **2016** (BOOK) (WoS/Scopus)
- 4930.** Glińska S, Gapińska M, Michlewska S, Skiba E, Kubicki J. Analysis of *Triticum aestivum* seedling response to the excess of zinc, *Protoplasma* 253(2), 367-377, **2016** DOI 10.1007/s00709-015-0816-3 (WoS/Scopus)
- 4931.** Solymosi K, Bertrand M. Heavy metals and plastid metabolism. *Handbook of Plant and Crop Stress*, Third Edition, Chapter 26, pp. 675-711, **2016**. (WoS/Scopus)
- 4932.** Thakur J. To study the recovery of L-Cysteine using halloysite nanotubes after heavy metal removal, In 2nd International Conference on Emerging Technologies: Micro to Nano 2015 (Etmn-2015): Contributory papers presented in 2nd International Conference on Emerging Technologies: Micro to Nano 2015 (Vol. 1724, No. 1, p. 020046). AIP Publishing, **2016** (WoS/Scopus)
- 4933.** Cui Z, Li C, He Y, Li X, Ren Q. Responses of growth, photosynthesis of *Ulmus pumila* 'Jinye' and *Shepherdia argentea* to soil zinc contamination, *Scientia Silvae Sinicae*, 53, 9, 114-122, **2017** (WoS/Scopus)
- 4934.** Doğaroğlu Z, Köleli N. Effects of tio2 and zno nanoparticles on germination and antioxidant system of wheat (*Triticum aestivum* L.). *Applied Ecology and Environmental Research*, 15(3), 1499-1510, **2017** (WoS/Scopus)
- 4935.** Fahimirad S, Hatami M. Heavy Metal-Mediated Changes in Growth and Phytochemicals of Edible and Medicinal Plants. In *Medicinal Plants and Environmental Challenges* (pp. 189-214). Springer, Cham, **2017** (BOOK) (WoS/Scopus)
- 4936.** Masarovičová E., Kráľová K. Essential Elements and Toxic Metals in Some Crops, Medicinal Plants, and Trees. In *Phytoremediation* (pp. 183-255). Springer International Publishing, **2017** (BOOK) (WoS/Scopus)
- 4937.** Vodka MV – Chloroplasts ultrastructural changes as biomarkers of acid rain and heavy metals pollution. *Biotechnologia Acta* 10(3), 57-64, **2017**
- 4938.** Asadi Ghalehni H, Poozesh V. Effect of sulfur application on growth, photosynthetic pigments, antioxidant activity and arsenic accumulation in Coriander (*Coriandrum sativum*) under arsenic stress. *Journal of Chemical Health Risks*, 8, 4, 265-76, **2018** http://www.jchr.org/index.php/JCHR/login/article_544686.html
- 4939.** Athokpam HS, Ralte L, Chongtham N, Singh NB, Devi KN, Singh NG, Sharma PT. Status and forms of zinc in acidic soils of Imphal West District, Manipur (India). *Int. J. Curr. Microbiol. App. Sci.*, 7, 4, 2349-58, **2018** https://www.researchgate.net/profile/Naorem_Singh2/publication/324667599_Status_and_Forms_of_Zinc_in_Acidic_Soils_of_Imphal_West_District_Manipur_India/links/5ae0647fa6fdcc293590f68e/Status-and-Forms-of-Zinc-in-Acidic-Soils-of-Imphal-West-District-Ma
- 4940.** García-Gómez C, Obrador A, González D, Babín M, Fernández MD. Comparative study of the phytotoxicity of ZnO nanoparticles and Zn accumulation in nine crops grown in a calcareous soil and an acidic soil. *Science of the Total Environment* 644:770-780, **2018**. DOI: 10.1016/j.scitotenv.2018.06.356. (WoS/Scopus)
- 4941.** Kapoor D, Sharma DK, Riat AK. Responses of plants against heavy metal-induced ROS: A Review. *International Journal of Research in Pharmaceutical Sciences*, 9, 4, 1324-30, **2018** (WoS/Scopus) <https://pharmascope.org/index.php/ijrps/article/view/1680>
- 4942.** Koul B, Taak P. Soil Pollution: Causes and Consequences. In: *Biotechnological Strategies for Effective Remediation of Polluted Soils*, pp. 1-37. Springer, Singapore, **2018** https://link.springer.com/chapter/10.1007/978-981-13-2420-8_1
- 4943.** Mahmoud KMA, Mahmoud HA, Sayed SSM. Potential role of *Ceratophyllum demersum* in bioaccumulation and tolerance of some heavy metals. *Egyptian Journal of Aquatic Biology and Fisheries*, 22 (4), pp. 1-12, **2018**. DOI: 10.21608/ejabf.2018.9738 (WoS/Scopus)
- 4944.** Galal A. Exogenous application of zinc mitigates the deleterious effects in eggplant grown under salinity stress. *Journal of Plant Nutrition* 42(8):915-927, **2019**. <https://doi.org/10.1080/01904167.2019.1584221>. (WoS/Scopus)

4945. Gupta N, Yadav KK, Kumar V, Kumar S, Chadd RP, Kumar A. Trace elements in soil-vegetables interface: Translocation, bioaccumulation, toxicity and amelioration - A review. *Science of the Total Environment* 651(2):2927-2942, **2019**. <https://doi.org/10.1016/j.scitotenv.2018.10.047>. (WoS/Scopus)
4946. Kosik-Bogacka DI, Łanocha-Arendarczyk N. Zinc, Zn. In: Kalisińska E. (eds) Mammals and Birds as Bioindicators of Trace Element Contaminations in Terrestrial Environments. Springer, Cham. pp.363-411, **2019**. https://doi.org/10.1007/978-3-030-00121-6_11.
4947. Mahmoud MAM. Effects of single and combined seaweeds diets on growth performance and ammonia-nitrogen production of the sea cucumber *Holothuria impatiens* Forskaal, 1775. *Egyptian Journal of Aquatic Biology & Fisheries* 23(1):275-284, **2019**. https://ejabf.journals.ekb.eg/article_26981.html. (WoS/Scopus)
4948. Moustakas M, Bayçu G, Gevrek N, Moustaka J, Csáti I, Rognes SE. Spatiotemporal heterogeneity of photosystem II function during acclimation to zinc exposure and mineral nutrition changes in the hyperaccumulator *Noccaea caerulescens*. *Environmental Science and Pollution Research* 26:6613–6624, **2019**. <https://doi.org/10.1007/s11356-019-04126-0>. (WoS/Scopus)
4949. Sarangthem I, Sharma LD, Oinam N, Punilkumar L. Distribution of zinc fractions in paddy fields of Manipur. *Journal of Pharmacognosy and Phytochemistry* 8(3): 2500-2503, **2019**. https://www.researchgate.net/profile/Laimayum_Devarishi_Sharma/publication/333878855_Distribution_of_zinc_fractions_in_paddy_fields_of_Manipur/links/5d0a5b19299b1f539cfd63b/Distribution-of-zinc-fractions-in-paddy-fields-of-Manipur.pdf.
4950. Sperdouli I, Moustaka J, Antonoglou O, Adamakis I-DS, Dendrinou-Samara C, Moustakas M. Leaf age-dependent effects of foliar-sprayed CuZn nanoparticles on photosynthetic efficiency and ROS generation in *Arabidopsis thaliana*. *Materials* 12(5), 2498, **2019**. <https://doi.org/10.3390/ma12152498>. (WoS/Scopus)
4951. Alexakis DE. Contaminated land by wildfire effect on ultramafic soil and associated human health and ecological risk. *Land* 9(11), 409, **2020**. <https://doi.org/10.3390/land9110409>. (WoS/Scopus)
4952. Alexakis DE. Suburban areas in flames: Dispersion of potentially toxic elements from burned vegetation and buildings. Estimation of the associated ecological and human health risk. *Environmental Research* 183, 109153, **2020**. <https://doi.org/10.1016/j.envres.2020.109153>. (WoS/Scopus)
4953. Ashfaq F, Farooq S, Chopra P, Chhillar H, Khan MIR. Improving heavy metal tolerance through plant growth regulators and osmoprotectants in plants. In: Improving Abiotic Stress Tolerance in Plants. Eds MIR Khan, A Singh, P Poór. Boca Raton, CRC Press. Chapter 5, p. 69-98, **2020**. <https://doi.org/10.1201/9780429027505>. eBook ISBN: 9780429027505.
4954. Athokpam HS, Ralte L, Chongtham N, Singh NB, Devi KN, Singh NG, Sharma PT. Critical limits of zinc in relation to the growth of pea (*Pisum sativum* L.) in acid soils of Imphal west district, Manipur (India). *Indian Journal of Agricultural Research* 54(6), 815-819, **2020**. (WoS/Scopus) https://www.researchgate.net/profile/Naoem_Singh2/publication/347462527_A-5341_1-5_SHORT_COMMUNICATION_Critical_Limits_of_Zinc_in_Relation_to_the_Growth_of_Pea_Pisum_sativum_L_in_Acid_Soils_of_Imphal_West_District_Manipur_India/links/5fdcbfa845851553a0cdd204/A-5341-1-5-SHORT-COMMUNICATION-Critical-Limits-of-Zinc-in-Relation-to-the-Growth-of-Pea-Pisum-sativum-L-in-Acid-Soils-of-Imphal-West-District-Manipur-India.pdf
4955. Okerefor U, Makhatha M, Mekuto L, Uche-Okerefor N, Sebola T, Mavumengwana V. Toxic metal implications on agricultural soils, plants, animals, aquatic life and human health. *International Journal of Environmental Research and Public Health* 17(7), 2204, **2020**. <https://doi.org/10.3390/ijerph17072204>. (WoS/Scopus)
4956. Rehman R, Khan B, Aziz T, Gul FZ, Nasreen S, Zia M. Postponement growth and antioxidative response of Brassica nigra on CuO and ZnO nanoparticles exposure under soil conditions. *IET Nanobiotechnology* 14(5), 423 – 427, **2020**. <https://doi.org/10.1049/iet-nbt.2019.0357>. (WoS/Scopus)
4957. Alexakis DE, Bathrellos GD, Skilodimou HD, Gamvroula DE. Spatial distribution and evaluation of arsenic and zinc content in the soil of a karst landscape. *Sustainability* 13(12):6976, **2021**. <https://doi.org/10.3390/su13126976>. (WoS/Scopus)
4958. Díaz-Pontones DM, Corona-Carrillo JI, Herrera-Miranda C, González S. Excess Zinc alters cell wall class III peroxidase activity and flavonoid content in the maize scutellum. *Plants* 10(2):197, **2021**. <https://doi.org/10.3390/plants10020197>. (WoS/Scopus)
4959. Kumar A, Chaturvedi AK, Surendran U, Shabnam AA, Singh A, Vinodakumar SN, Tamuly B, Malyan SK, Khan SA, Cabral-Pinto MMS, Raja P, Yadav KK. Chapter 3 - Mechanistic overview of metal tolerance in edible plants: A physiological and molecular perspective. *Handbook of Bioremediation Physiological, Molecular and Biotechnological Interventions*, pp. 23-47, **2021**. <https://doi.org/10.1016/B978-0-12-819382-2.00003-X>. (WoS/Scopus)
4960. Okwunodulu FU, Ufearoh SM, Mgbemena NM, Amaike AE. Adsorption of Zn²⁺ onto unmodified and citric acid modified groundnut seed shell from aqueous solution. *Journal of Chemical Society of Nigeria* 46(3), **2021**. <https://doi.org/10.46602/jcsn.v46i3.625>.
4961. Shen J, Wang Z, Su Y, Wang T. Associations between population epigenetic differentiation and environmental factors in the exotic weed mile-a-minute (*Mikania micrantha*). *Weed Science* 69(3), 307-332, **2021**. <https://doi.org/10.1017/wsc.2021.13>. (WoS/Scopus)
4962. Verma P, Kumar S, Shakya M, Sandhu SS. VAM: An Alternate strategy for bioremediation of polluted environment. In: Panpatte DG, Jhala YK (eds) *Microbial Rejuvenation of Polluted Environment. Microorganisms for Sustainability*, vol 25. Springer, Singapore, **2021**. https://doi.org/10.1007/978-981-15-7447-4_6. [BOOK]

4963. Akram MA, Sajid M, Ahmad A, Waqar M, Kusar S, Iqbal A, Latif MU. Effect of foliar spray of ascorbic acid on nodulation, gas exchange attributes and mineral ion contents of *Pisum sativum* under zinc stress. *Plant Protection*, 6(2): 101-111, **2022**. <https://doi.org/10.33804/pp.006.02.4201>
4964. Kumar P, Chongtham N, Athokpam HS, Singh NB, Sanatomba A, Singh NG. Forms and status of zinc in the acidic soils of Imphal East District, Manipur (India). *The Pharma Innovation Journal*, 11(4): 964-968, **2022**. <https://www.thepharmajournal.com/archives/2022/vol11issue4/PartN/11-4-2-848.pdf> **SOURCE:**
4965. Moustakas M, Dobrikova A, Sperdouli I, Hanč A, Adamakis ID, Moustaka J, Apostolova E. A hormetic spatiotemporal photosystem II response mechanism of *Salvia* to excess zinc exposure. *International Journal of Molecular Sciences*. 23(19): 11232, **2022**. <https://doi.org/10.3390/ijms231911232> **(WoS/Scopus)**
4966. Sharma P, Dutta D, Udayan A, Nadda AK, Lam SS, Kumar S. Role of microbes in bioaccumulation of heavy metals in municipal solid waste: Impacts on plant and human being. *Environmental Pollution*. 305, 119248. **2022**. <https://doi.org/10.1016/j.envpol.2022.119248> **(WoS/Scopus)**
4967. Sperdouli I, Adamakis ID, Dobrikova A, Apostolova E, Hanč A, Moustakas M. Excess Zinc supply reduces cadmium uptake and mitigates cadmium toxicity effects on chloroplast structure, oxidative stress, and photosystem ii photochemical efficiency in *Salvia sclarea* Plants. *Toxics*, 10(1): 36, **2022**. <https://doi.org/10.3390/toxics10010036> **(WoS/Scopus)**
4968. Kamberi N, Rizani H, Alidema F, Tasholli E, Arifi Z. The Effect of zinc sulfate on stem growth, root and seed germination at different concentrations in peas. *Journal of Namibian Studies* 35(1), 1587-1595, **2023**. <https://doi.org/10.59670/jns.v35i.3810>. **(WoS/Scopus)**
4969. Rehman MUr, Ahmad N, Ullah A, Pangilinan PJM, Alebachew ED. Hazardous effects of heavy metal toxicity on soil and plants and their bioremediation: A review. *Agricultural Sciences* (Agricultural University – Plovdiv) 15(38), 12-32, **2023**. <http://agrarinauki.au-plovdiv.bg/2023/issue-38/2-38/>. **[Review]**
4970. Shamsi IH, Zhang Q, Ma Z, Noreen S, Akhter MS, Iqbal U, Adil MF, Karim MF, Ullah N. Zinc toxicity and tolerance in plants: Insights from omics studies. Chapter 13. In: Hossain MA, Hossain AKMZ, Bourgerie S, Fujita M, Dhankher OP, Haris P (Eds) *Heavy Metal Toxicity and Tolerance in Plants: A Biological, Omics, and Genetic Engineering Approach*. John Wiley & Sons Ltd. Print ISBN:9781119906469 |Online ISBN:9781119906506. pp. 275-292, **2023**. <https://doi.org/10.1002/9781119906506.ch13>. **[BOOK]**

[Loreto F, Velikova V, Stella D, Tricoli D, Di Marco G - Measurements of mitochondrial respiration in the light and estimation of its refixation in C₃ and C₄ leaves. PS2001 Proceedings 12th International Congress of Photosynthesis, August 18-23 August, Brisbane, Australia, S29-004, 2001](#)

4971. Gifford RM - Plant respiration in productivity models: conceptualisation, representation and issues for global terrestrial carbon-cycle research. *Functional Plant Biology* 30(2): 171-186, **2003 (WoS/Scopus)**
4972. Gilmanov TG, Tieszen LL, Wylie BK, Flanagan LB, Frank AB, Haferkamp MR, Meyers TP, Morgan JA – Interaction of CO₂ flux and remotely-sensed data for primary production and ecosystem respiration analyses in the Northern Great Plains: potential for quantitative spatial extrapolation. *Global Ecology and Biogeography* 14 (3): 271-292, **2005 (review) (WoS/Scopus)**

[Loreto F, Velikova V, Di Marco G - Respiration in the light measured by ¹²CO₂ emission in ¹³CO₂ atmosphere in maize leaves. Australian Journal of Plant Physiology 28 \(11\): 1103-1108, 2001](#)

4973. Ghashghaie J, Badeck F-W, Lanigan G, Nogués S, Tcherkez G, Deleéns E, Cornic G, Griffiths H - Carbon isotope fractionation during dark respiration and photorespiration in C₃ plants. *Phytochemistry Reviews* 2 (1-2) , 145-161, **2003 (review) (WoS/Scopus)**
4974. Gifford RM - Plant respiration in productivity models: conceptualisation, representation and issues for global terrestrial carbon-cycle research. *Functional Plant Biology* 30(2): 171-186, **2003 (WoS/Scopus)**
4975. Rebmann C – Kohlendioxid, Wasserdampf und Energieaustausch eines Fichtenwaldes in Mittelgebirgslage in Nordostbayern. **PhD Thesis** - Universität Bayreuth, **2003**
4976. Schnyder H, Schauffele R, Lotscher M, Gebbing T - Disentangling CO₂ fluxes: direct measurements of mesocosm-scale natural abundance (CO₂)-C-13/(CO₂)-C-12 gas exchange, C-13 discrimination, and labelling of CO₂ exchange flux components in controlled environments. *Plant Cell and Environment* 26 (11): 1863-1874, **2003 (WoS/Scopus)**
4977. Siebke K, Ghannoum O, Conroy JP, Badger MR, von Caemmerer S - Photosynthetic oxygen exchange in C-4 grasses: the role of oxygen as electron acceptor. *Plant Cell and Environment* 26 (12): 1963-1972, **2003 (WoS/Scopus)**
4978. Atkin OK, Bruhn D, Hurry VM, Tjoelker MG - The hot and the cold: unravelling the variable response of plant respiration to temperature. *Functional Plant Biology* 32 (2): 87-105, **2005 (review) (WoS/Scopus)**
4979. DeLucia EH, Moore DJ, Hamilton JG, Thomas RB, Springer CJ, Norby RJ - The Changing Role of Forests in the Global Carbon Cycle: Responding to Elevated Carbon Dioxide in the Atmosphere. In: Climate Change and Global Food Security (Books in Soils, Plants, and the Environment), eds Rattan Lal, Norman Uphoff, Bobby A. Stewart, and David O. Hansen, CRC Press Taylor & Francis Group, Boca Raton, FL 33487-2742, **2005**, pp. 187-222 **(book)**
4980. Gilmanov TG, Tieszen LL, Wylie BK, Flanagan LB, Frank AB, Haferkamp MR, Meyers TP, Morgan JA – Interaction of CO₂ flux and remotely-sensed data for primary production and ecosystem respiration analyses in

the Northern Great Plains: potential for quantitative spatial extrapolation. *Global Ecology and Biogeography* 14 (3): 271-292, **2005** ([review](#)) (**WoS/Scopus**)

4981. Hurry V, Igamberdiev AU, Keerberg O, Pärnik T, Atkin OK, Zaragoza-Castells J, Gardeström P – Respiration in photosynthetic cells: gas exchange components, interactions with photorespiration and the operation of mitochondria in the light. In: *Plant Respiration: From Cell to Ecosystem (Advances in Photosynthesis and Respiration)*. eds Hans Lambers and Miquel Ribas-Carbo, ISBN-13 978-1-4020-3588-3 Springer P.O. Box 17,3300 AA Dordrecht, The Netherlands **2005**, pp. 43-61 ([book](#))

4982. Kelly GJ – Photosynthesis, carbon metabolism: The Calvin cycle's golden jubilee. In: *Progress in Botany / Volume 66 (Progress in Botany)*. eds K. Esser, U. Lüttge, W. Beyschlag, and J. Murata, ISBN 3-540-22474-2 Springer-Verlag Berlin Heidelberg New York **2005**, pp. 218-245 ([book](#))

4983. Knohl A, Buchmann N - Partitioning the net CO₂ flux of a deciduous forest into respiration and assimilation using stable carbon isotopes. *Global Biogeochemical Cycles* 19 (4): Art. No. GB4008, **2005** (**WoS/Scopus**)

4984. Pieruschka R – Effect of internal leaf structures on gas exchange of leaves. Heinrich-Heine-Universität Düsseldorf, [PhD Thesis](#), **2005**

4985. Reichstein M, Falge E, Baldocchi D, Papale D, Aubinet M, Berbigier P, Bernhofer C, Buchmann N, Gilmanov T, Granier A, Grunwald T, Havrankova K, Ilvesniemi H, Janous D, Knohl A, Laurila T, Lohila A, Loustau D, Matteucci G, Meyers T, Miglietta F, Ourcival JM, Pumpanen J, Rambal S, Rotenberg E, Sanz M, Tenhunen J, Seufert G, Vaccari F, Vesala T, Yakir D, Valentini R - On the separation of net ecosystem exchange into assimilation and ecosystem respiration: review and improved algorithm. *Global Change Biology* 11 (9): 1424-1439, **2005** (**WoS/Scopus**)

4986. Schulze E-D, Beck E, Müller-Hohenstein K, Lawlor D – Autecology: Whole Plant Ecology (Chapter 2, 2.4. Carbon Balance). In: *Plant Ecology*, ISBN 3-540-20833-X Springer-Verlag, Berlin Heidelberg New York **2005**, pp. 347-396 ([book](#))

4987. Atkin OK, Scheurwater I, Pons TL - High thermal acclimation potential of both photosynthesis and respiration in two lowland *Plantago* species in contrast to an alpine congeneric. *Global Change Biology* 12 (3): 500-515, **2006** (**WoS/Scopus**)

4988. Chapin FS, Woodwell GM, Randerson JT, Rastetter EB, Lovett GM, Baldocchi DD, Clark DA, Harmon ME, Schimel DS, Valentini R, Wirth C, Aber JD, Cole JJ, Goulden ML, Harden JW, Heimann M, Howarth RW, Matson PA, McGuire AD, Melillo JM, Mooney HA, Neff JC, Houghton RA, Pace ML, Ryan MG, Running SW, Sala OE, Schlesinger WH, Schulze ED - Reconciling carbon-cycle concepts, terminology, and methods. *Ecosystems* 9 (7): 1041-1050, **2006** (**WoS/Scopus**)

4989. Kelly GJ - Photosynthesis: Carbon Metabolism from DNA to Deoxyribose. In: *Thirty Years of Photosynthesis: 1974 - 2004*, eds Grahame J. Kelly & Erwin Latzko. ISBN-10 3-540-28382-X Springer-Verlag Berlin Heidelberg New York **2006**, pp. 330-357 ([book](#))

4990. Krauser AC – Transport phenomena in plant-internal processes: growth and carbon dioxide transport. Ruprecht – Karls – Universität Heidelberg. [PhD Thesis](#), **2006**

4991. Osorio M, Breia E, Rodrigues A, Osorio J, Le Roux X, Daudet FA, Ferreira I, Chaves MM - Limitations to carbon assimilation by mild drought in nectarine trees growing under field conditions. *Environmental and Experimental Botany* 55 (3): 235-247, **2006** (**WoS/Scopus**)

4992. Warren C - Estimating the internal conductance to CO₂ movement. *Functional Plant Biology* 33 (5): 431-442, **2006**

4993. Litton CM, Raich JW, Ryan MG - Carbon allocation in forest ecosystems. *Global Change Biology* 13 (10): 2089-2109, **2007** ([review](#)) (**WoS/Scopus**)

4994. Ma SY, Baldocchi DD, Xu LK, Hehn T - Inter-annual variability in carbon dioxide exchange of an oak/grass savanna and open grassland in California. *Agricultural and Forest Meteorology* 147 (3-4): 157-171, **2007** (**WoS/Scopus**)

4995. Pärnik T, Keerberg O - Advanced radiogasometric method for the determination of the rates of photorespiratory and respiratory decarboxylations of primary and stored photosynthates under steady-state photosynthesis. *Physiologia Plantarum* 129 (1): 34-44, **2007** (**WoS/Scopus**)

4996. Pärnik T, Ivanova H, Keerberg O - Photorespiratory and respiratory decarboxylations in leaves of C-3 plants under different CO₂ concentrations and irradiances. *Plant Cell and Environment* 30 (12): 1535-1544, **2007** (**WoS/Scopus**)

4997. Athar HUR, Khan A, Ashraf M - Exogenously applied ascorbic acid alleviates salt-induced oxidative stress in wheat. *Environmental and Experimental Botany* 63 (1-3): 224-231, **2008** (**WoS/Scopus**)

4998. Knohl A, Soe ARB, Kutsch WL, Gockede M, Buchmann N Representative estimates of soil and ecosystem respiration in an old beech forest. *Plant and Soil* 302 (1-2): 189-202, **2008** (**WoS/Scopus**)

4999. Ribas-Carbo M, Giles L, Flexas J, Briggs W, Berry JA - Phytochrome-driven changes in respiratory electron transport partitioning in soybean (*Glycine max* L.) cotyledons. *Plant Biology* 10 (3): 281-287, **2008** (**WoS/Scopus**)

5000. Arafat AA, Khafagy MA, El-Banna MF - The effect of glycinebetaine or ascorbic acid on grain germination and leaf structure of sorghum plants grown under salinity stress. *Australian Journal of Crop Science* 3 (5): 294-304, **2009** (**WoS/Scopus**)

5001. Atkin O, Millar H, Turnbull M - Plant respiration in a changing world. *New Phytologist* 187 (2): 269-272, **2010** (**WoS/Scopus**)

5002. Goh C, Satoh K, Kikuchi S, Kim SC, Ko SM, Kang HG, Jeon JS, Kim CS, Park YI - Mitochondrial activity in illuminated leaves of chlorophyll-deficient mutant rice (OsCHLH) seedlings. *Plant Biotechnology Reports* 4 (4): 281-291, **2010** (**WoS/Scopus**)

- 5003.** Lasslop G, Reichstein M, Papale D, Richardson AD, Arneeth A, Barr A, Stoy P, Wohlfahrt G - Separation of net ecosystem exchange into assimilation and respiration using a light response curve approach: critical issues and global evaluation. *Global Change Biology* 16 (1): 187-208, **2010** (review) (WoS/Scopus)
- 5004.** Pieruschka R, Chavarria-Krauser A, Schurr U, Jahnke S - Photosynthesis in lightfleck areas of homobaric and heterobaric leaves. *Journal of Experimental Botany* 61 (4): 1031-1039, **2010** (WoS/Scopus)
- 5005.** Ribas-Carbo M, Flexas J, Robinson SA, Tcherkez GGB - In vivo measurement of plant respiration. Web essay 11.9 for Taiz L and Zeiger E (eds), In: *A Companion to Plant Physiology*, 5th edition. **2010** (BOOK)
- 5006.** Bruhn D, Mikkelsen TN, Herbst M, Kutsch WL, Ball MC, Pilegaard K - Estimating daytime ecosystem respiration from eddy-flux data. *Biosystems* 103 (2): 309-313, Sp. Iss. SI, **2011** (WoS/Scopus)
- 5007.** Yin X, Sun Z, Struik PC, Gu J - Evaluating a new method to estimate the rate of leaf respiration in the light by analysis of combined gas exchange and chlorophyll fluorescence measurements. *J Exp Bot* 62 (10): 3489-3499, **2011** (WoS/Scopus)
- 5008.** Atkin OK, Turnbull MH, Zaragoza-Castells J, Fyllas NM, Lloyd J, Meir P, Griffin KL - Light inhibition of leaf respiration as soil fertility declines along a post-glacial chronosequence in New Zealand: an analysis using the Kok method. *Plant and Soil* 367(1-2), 163-182, **2013** (WoS/Scopus)
- 5009.** Busch FA, Sage TL, Cousins AB, Sage RF - C₃ plants enhance rates of photosynthesis by reassimilating photorespired and respired CO₂. *Plant, Cell & Environment* 36 (1): 200-212, **2013** (WoS/Scopus)
- 5010.** Heskell MA, Atkin OK, Turnbull MH, Griffin KL. Bringing the Kok effect to light: A review on the integration of daytime respiration and net ecosystem exchange. *Ecosphere* 4 (8), Article 98. **2013** <http://dx.doi.org/10.1890/ES13-00120.1> (WoS/Scopus)
- 5011.** Walker BJ, Cousins AB. Influence of temperature on measurements of the CO₂ compensation point: differences between the Laik and O₂-exchange methods. *Journal of Experimental Botany* 64 (7), 1893-1905, **2013** (WoS/Scopus)
- 5012.** Bowling, DR; Ballantyne, AP; Miller, JB; Burns, SP; Conway, TJ; Menzer, O; Stephens, BB; Vaughn, BH - Ecological processes dominate the C-13 land disequilibrium in a Rocky Mountain subalpine forest. *Global Biogeochemical Cycles* 28 (4), 352-370, **2014** (WoS/Scopus)
- 5013.** Kang H-J, Li H, Quan W, Ouyang Z. Causes of decreasing mitochondrial respiration under light in four crops. *Chinese Journal of Plant Ecology*. 38 (10), 1110-1116, **2014**.
- 5014.** Kang H, Li H, Tao Y, Ouyang Z. Photosynthetic refixing of CO₂ is responsible for the apparent disparity between mitochondrial respiration in the light and in the dark. *Acta Physiologiae Plantarum* 36 (12), 3157-3162, **2014**. (WoS/Scopus)
- 5015.** Nadeem M, Mollier A, Morel C, Prud'homme L, Vives A, Pellerin S. Remobilization of seed phosphorus reserves and their role in attaining phosphorus autotrophy in maize (*Zea mays* L.) seedlings. *Seed Science Research* 24 (3), 187-194, **2014**. (WoS/Scopus)
- 5016.** Sun J, Guan D, Wu J, Jing Y, Yuan F, Wang A, Jin C. Day and night respiration of three tree species in a temperate forest of northeastern China. *iForest - Biogeosciences and Forestry* 480-487, **2014** (WoS/Scopus)
- 5017.** Sun J, Wu J, Guan D, Yao F, Yuan F, Wang A, Jin C. Estimating daytime ecosystem respiration to improve estimates of gross primary production of a temperate forest. *PLoS ONE* 9(11), e113512, **2014** (WoS/Scopus)
- 5018.** Kang HJ, Li H, Tao YL, Zhang HL, Quan W, Ouyang Z. Discussion on simultaneous measurements of leaf gas exchange and chlorophyll fluorescence for estimating photosynthetic electron allocation. *Shengtai Xuebao/Acta Ecologica Sinica* 35(4):1217-1224, **2015**. DOI: [10.5846/stxb201304220774](https://doi.org/10.5846/stxb201304220774) (WoS/Scopus)
- 5019.** Sun J, Guan D, Wu J, Jing Y, Yuan F, Wang A, Jin C. Day and night respiration of three tree species in a temperate forest of northeastern China, *iForest*, 8, 25-32, **2015** (WoS/Scopus)
- 5020.** Way DA, Oren R, Kroner Y. The space-time continuum: the effects of elevated CO₂ and temperature on trees and the importance of scaling. *Plant, Cell & Environment*, 38, 6, 991-1007, **2015** (WoS/Scopus)
- 5021.** Yang Q, Li X, Li Z, Shi S, Feng J. A Study the carbon balance of heteromorphic leave *Populus euphratica*, *Journal of Yunnan University*, 37, 4, 607-615, **2015**
- 5022.** Hikosaka K, Noguchi K, Terashima I. Modeling leaf gas exchange. In Canopy Photosynthesis: From Basics to Applications (Editors: K. Hikosaka, Ü. Niinemets, Ni.P.R. Anten), Volume 42 of the series *Advances in Photosynthesis and Respiration*, pp. 61-100, Springer Netherlands, **2016**
- 5023.** Jia J, S Li, Xu C, H Li, W Shi, A Polle, TX Liu, C Peng, ZB Luo. Physiological and transcriptional regulation in poplar roots and leaves during acclimation to high temperature and drought. *Physiologia Plantarum* 157(1), 38-53, **2016**, DOI: [10.1111/ppl.12400](https://doi.org/10.1111/ppl.12400) (WoS/Scopus)
- 5024.** Kumar RR, Goswami S, Gupta R, Verma P, Singh K, Singh JP, Kumar M, Sharma SK, Pathak H, Rai RD. The stress of suicide: Temporal and spatial expression of putative heat shock protein 70 protect the cells from heat injury in wheat (*Triticum aestivum*), *Journal of Plant Growth Regulation* 35(1), 65-82, **2016** (WoS/Scopus)
- 5025.** Li X, Li Z, Liu H, Shi S, Feng J. Foliage respiratory characteristics of 5 evergreen tree species native to the temperate deciduous evergreen mixed forest of North American. *Linye Kexue/Scientia Silvae Sinicae* 52(4):1-10, **2016**. DOI: [10.11707/j.1001-7488.20160401](https://doi.org/10.11707/j.1001-7488.20160401) (WoS/Scopus)
- 5026.** Gong XY, Schaeufele R, Lehmeier CA, Tcherkez G, Schnyder H. Atmospheric CO₂ mole fraction affects stand-scale carbon use efficiency of sunflower by stimulating respiration in light, *Plant, Cell & Environment*, 40(3), 401-412, **2017**, DOI: [10.1111/pce.12886](https://doi.org/10.1111/pce.12886) (WoS/Scopus)

- 5027.** Tcherkez G, Gauthier P, Buckley TN, Busch FA, Barbour MM, Bruhn D, eskel MA, Gong XY, Crous KY, Griffin K, Way D, Turnbull M, Adams MA, Atkin OK, Farquhar GD, Cornic G - Leaf day respiration: low CO₂ flux but high significance for metabolism and carbon balance. *New Phytologist* 216(4): 986-1001, **2017**, DOI: [10.1111/nph.14816](https://doi.org/10.1111/nph.14816) (**Review**) (**WoS/Scopus**)
- 5028.** Fasbender L, Yáñez-Serrano AM, Kreuzwieser J, Dubbert D, Werner C. Real-time carbon allocation into biogenic volatile organic compounds (BVOCs) and respiratory carbon dioxide (CO₂) traced by PTR-TOF-MS, ¹³CO₂ laser spectroscopy and ¹³C-pyruvate labelling. *PLoS ONE* 13(9): e0204398, **2018**. <https://doi.org/10.1371/journal.pone.0204398> (**WoS/Scopus**)
- 5029.** Gong XY, Tcherkez G, Wenig J, Schäufele R, Schnyder H. Determination of leaf respiration in the light: comparison between an isotopic disequilibrium method and the Laisk method. *New Phytologist* 218(4), 1371-1382, **2018**, <https://doi.org/10.1111/nph.15126>. (**WoS/Scopus**)
- 5030.** Haworth M, Marino G, Centritto M. An introductory guide to gas exchange analysis of photosynthesis and its application to plant phenotyping and precision irrigation to enhance water use efficiency. *Journal of Water and Climate Change* 9(4):776-808, **2018**. <https://doi.org/10.2166/wcc.2018.152> (**WoS/Scopus**)
- 5031.** Berghuijs HNC, Yin X, Tri Ho Q, Retta MA, Nicolai BM, Struik PC. Using a reaction-diffusion model to estimate day respiration and reassimilation of (photo)respired CO₂ in leaves. *New Phytologist* 223:619-631, **2019**. <https://doi.org/10.1111/nph.15857> (**WoS/Scopus**)
- 5032.** Coas O, Shah S, Ivakov A, Gaju O, Wilson PB, Posch BC, Bryant CJ, Negrini ACA, Evans JR, Condon AG, Silva-Pérez V, Reynolds MP, Pogson BJ, Millar AH, Furbank RT, Atkin OK. Predicting dark respiration rates of wheat leaves from hyperspectral reflectance. *Plant, Cell and Environment* 42(7):2133-2150, **2019**. <https://doi.org/10.1111/pce.13544> (**WoS/Scopus**)
- 5033.** Keenan TF, Migliavacca M, Papale D, Baldocchi D, Reichstein M, Torn M, Wutzler T. Widespread inhibition of daytime ecosystem respiration. *Nature Ecology & Evolution* 3:407-415, **2019**. <https://doi.org/10.1038/s41559-019-0809-2>. **SOURCE:** (**WoS/Scopus**)
- 5034.** Küstner L, Nägele T, Heyer AG. Mathematical modeling of diurnal patterns of carbon allocation to shoot and root in *Arabidopsis thaliana*. *npj Systems Biology and Applications* 5, Article number: 4, **2019**. <https://doi.org/10.1038/s41540-018-0080-1>. (**WoS/Scopus**)
- 5035.** Leuschner C. Drought response of European beech (*Fagus sylvatica* L.) - A review. *Perspectives in Plant Ecology, Evolution and Systematics* v. 47, art. number 125576, December **2020**. <https://doi.org/10.1016/j.ppees.2020.125576>. (**WoS/Scopus**)
- 5036.** Yin X, Niu Y, van der Putten, Struik PC. The Kok effect revisited. *New Phytologist* 227(6), 1764-1775, **2020**. <https://doi.org/10.1111/nph.16638>. (**WoS/Scopus**)
- 5037.** Bergman ME, González-Cabanelas D, Wright LP, Walker BJ, Phillips MA. Isotope ratio-based quantification of carbon assimilation highlights the role of plastidial isoprenoid precursor availability in photosynthesis. *Plant Methods* 17, art. 32, **2021**. <https://doi.org/10.1186/s13007-021-00731-8>. (**WoS/Scopus**)
- 5038.** Sharkey TD. Pentose phosphate pathway reactions in photosynthesizing cells. *Cells* 10(6):1547, **2021**. <https://doi.org/10.3390/cells10061547>. (**WoS/Scopus**)
- 5039.** Souza DC, Jardine KJ, Rodrigues JVFC, Gimenez BO, Rogers A, McDowell N, Walker AP, Higuchi N, Sampaio-Filho IJ, Chambers J. Canopy position influences the degree of light suppression of leaf respiration in abundant tree genera in the Amazon forest. *Frontiers in Forests and Global Change* 4:723539, **2021**. <https://doi.org/10.3389/ffgc.2021.723539>. (**WoS/Scopus**)
- 5040.** Ul Haq I, Ijaz S, Khan NA. Chapter 5 - Environmental influences and productivity of *Dalbergia sissoo*. In: Ijaz S, Ul Haq I (Eds.). *Dalbergia sissoo: Biology, Ecology and Sustainable Agroforestry* (1st ed.). CRC Press, **2021**. <https://doi.org/10.1201/9781003175940>. [**BOOK**]
- 5041.** Banh ATM, Thiele B, Chlubek A, Hombach T, Kleist E, Matsubara S. Combination of long-term ¹³CO₂ labeling and isotopolog profiling allows turnover analysis of photosynthetic pigments in *Arabidopsis* leaves. *Plant Methods* 18, 114, **2022**. <https://doi.org/10.1186/s13007-022-00946-3>. (**WoS/Scopus**)
- 5042.** Fan Y, Asao S, Furbank RT, von Caemmerer S, Day DA, Tcherkez G, Sage TL, Sage RF, Atkin OK. The crucial roles of mitochondria in supporting C₄ photosynthesis. *New Phytologist* 233(3), 1083-1096, **2022**. <https://doi.org/10.1111/nph.17818>. (**WoS/Scopus**) [**Review**]
- 5043.** Jardine KJ, Lei J, Som S, Souza D, Clendinen CS, Mehta H, Handakumbura P, Bill M, Young RP. Light-dependence of formate (C1) and acetate (C2) transport and oxidation in poplar trees. *Plants* 11(16):2080, **2022**. <https://doi.org/10.3390/plants11162080>. (**WoS/Scopus**)
- 5044.** Sreekumar A, Sashna NC, Harilal CC. Diurnal flux in CO₂ associated with *Pongamia pinnata* (L.) Pierre grown under controlled microclimatic conditions. *Ecology, Environment and Conservation*, 28 (October Suppl. Issue), S495-S506, **2022**. <http://www.envirobiotechjournals.com/EEC/EEC-81.pdf>.
- 5045.** Xua Y, Wieloch T, Kaste JAM, Shachar-Hill Y, Sharkey TD. Reimport of carbon from cytosolic and vacuolar sugar pools into the Calvin-Benson cycle explains photosynthesis labeling anomalies. *Proceedings of the National Academy of Sciences of USA* 119 (11), e2121531119, **2022**. <https://doi.org/10.1073/pnas.2121531119>. (**WoS/Scopus**)
- 5046.** Liu BY, Wang X, Liu Q, Xu YN, Arslan AM, Zheng DM, Li L, Gong XY. Response of leaf day respiration in C₄ plants to irradiance and vapour pressure deficit. *Crop and Environment* 3(2): 101-111, **2024**. <https://doi.org/10.1016/j.crope.2023.12.001>.

[Loreto F, Velikova V - Isoprene produced by leaves protects the photosynthetic apparatus against ozone damage, quenches ozone products, and reduces lipid peroxidation of cellular membranes. *Plant Physiology* 127: 1781-1787, 2001](#)

5047. Affek HP, Yakir D - Protection by isoprene against singlet oxygen in leaves. *Plant Physiology* 129: 269-277, **2002**. (WoS/Scopus)

5048. Pichersky E, Gershenzon J - The formation and function of plant volatiles: perfumes for pollinator attraction and defense. *Current Opinion in Plant Biology* 5 (3): 237-243, **2002 (review)** (WoS/Scopus)

5049. Rennenberg H, Schnitzler JP – VOCs – helping trees withstand global change? *New Phytologist* 155 (2): 197-199, **2002** (WoS/Scopus)

5050. Affek HP, Yakir D – Natural abundance carbon isotope composition of isoprene reflects incomplete coupling between isoprene synthesis and photosynthetic carbon flow. *Plant Physiology* 131: 1727-1736, **2003 (WoS/Scopus)**

5051. Andersen CP - Source-sink balance and carbon allocation below ground in plants exposed to ozone. *New Phytologist* 157 (2): 213-228, **2003 (WoS/Scopus)**

5052. Chen F, Tholl D, D'Auria JC, Farooq A, Pichersky E, Gershenzon J – Biosynthesis and emission of terpenoid volatiles from *Arabidopsis* flowers. *Plant Cell* 15 (2): 481-494, **2003 (WoS/Scopus)**

5053. Havaux M, Lutz C, Grimm B - Chloroplast membrane photostability in chlP transgenic tobacco plants deficient in tocopherols. *Plant Physiology* 132 (1): 300-310, **2003 (WoS/Scopus)**

5054. Martin DM, Gershenzon J, Bohlmann J - Induction of volatile terpene biosynthesis and diurnal emission by methyl jasmonate in foliage of Norway spruce. *Plant Physiology* 132 (3): 1586-1599, **2003 (WoS/Scopus)**

5055. Staudt M, Joffre R, Rambal S - How growth conditions affect the capacity of *Quercus ilex* leaves to emit monoterpenes. *New Phytologist* 158 (1): 61-73, **2003 (WoS/Scopus)**

5056. Sunkar R, Bartels D, Kirch HH - Overexpression of a stress-inducible aldehyde dehydrogenase gene from *Arabidopsis thaliana* in transgenic plants improves stress tolerance. *The Plant Journal* 35 (4): 452-464, **2003 (WoS/Scopus)**

5057. Wolfertz M, Sharkey TD, Boland W, Kühnemann F, Yeh S, Weise SE – Biochemical regulation of isoprene emission. *Plant Cell and Environment* 26: 1357-1364, **2003 (WoS/Scopus)**

5058. Dudareva N, Pichersky E, Gershenzon J - Biochemistry of plant volatiles. *Plant Physiology* 135 (4): 1893-1902, **2004 (review)** (WoS/Scopus)

5059. Harley P, Vasconcellos P, Vierling L, Pinheiro CCD, Greenberg J, Guenther A, Klinger L, De Almeida SS, Neill D, Baker T, Phillips O, Malhi Y - Variation in potential for isoprene emissions among Neotropical forest sites. *Global Change Biology* 10 (5): 630-650, **2004 (WoS/Scopus)**

5060. Kuhn U, Rottenberger S, Biesenthal T, Wolf A, Schebeske G, Ciccioli P, Kesselmeier J - Strong correlation between isoprene emission and gross photosynthetic capacity during leaf phenology of the tropical tree species *Hymenaea courbaril* with fundamental changes in volatile organic compounds emission composition during early leaf development. *Plant Cell and Environment* 27 (12): 1469-1485, **2004 (WoS/Scopus)**

5061. Penuelas J, Llusia J - Plant VOC emissions: making use of the unavoidable. *Trends In Ecology & Evolution* 19 (8): 402-404, **2004 (WoS/Scopus)**

5062. Pinelli P, Tricoli D – A new approach to ozone plant fumigation: The Web-O₃-Fumigation. Isoprenereponse to a gradient of ozone stress in leaves of *Quercus pubescens*. *Forest* 1 (2): 100-108, **2004**. [online] URL:<http://www.sisef.it> **SOURCE: Web of Science**

5063. Pressley SN - Isoprene flux measurements above a northern hardwood forest. **PhD Thesis** Washington state University, **2004**

5064. Schnitzler JP, Steinbrecher R, Zimmer I, Steigner D, Fladung M - Hybridization of European oaks (*Quercus ilex* x *Q. robur*) results in a mixed isoprenoid emitter type. *Plant Cell And Environment* 27 (5): 585-593, **2004 (WoS/Scopus)**

5065. Staudt M, Mir C, Joffre R, Rambal S, Bonin A, Landais D, Lumaret R - Isoprenoid emissions of *Quercus* spp. (*Q. suber* and *Q. ilex*) in mixed stands contrasting in interspecific genetic introgression. *New Phytologist* 163 (3): 573-584, **2004 (WoS/Scopus)**

5066. Tholl D, Chen F, Gershenzon J, Pichersky E – *Arabidopsis thaliana*, a model system for investigating volatile terpene biosynthesis, regulation and function. In: *Secondary Metabolism in Model Systems*, Volume 38: Recent Advances in Phytochemistry. ed John Romeo. ISBN 0-08044501-2 Elsevier **2004**, pp. 1-18 (**book series**) (WoS/Scopus)

5067. Wolfertz M, Sharkey TD, Boland W, Kuhnemann F - Rapid regulation of the methylerythritol 4-phosphate pathway during isoprene synthesis. *Plant Physiology* 135 (4): 1939-1945, **2004 (WoS/Scopus)**

5068. Yang SL, Wang J, Cong W, Cai ZL, Fan OY - Effects of bisulfite and sulfite on the microalga *Botryococcus braunii*. *Enzyme and Microbial Technology* 35 (1): 46-50, **2004 (WoS/Scopus)**

5069. Baier, M, Kandlbinder A, Golldack D, Dietz KJ - Oxidative stress and ozone: perception, signalling and response. *Plant Cell and Environment* 28 (8): 1012-1020, **2005 (review)** (WoS/Scopus)

5070. Baraldi R, Rapparini F, Facini O, Spano D, Duce P - Isoprenoid emissions and physiological activities of Mediterranean macchia vegetation under field conditions. *Journal of Mediterranean Ecology* 6 (1), 3-9, **2005 SOURCE: Web of Science**

5071. Beauchamp J, Wisthaler A, Hansel A, Kleist E, Miebach M, Niinemets Ü, Schurr U, Wild J – Ozone induced emissions of biogenic VOC from tobacco: relationships between ozone uptake and emission of LOX

- products. *Plant Cell and Environment* 28 (10): 1334-1343, **2005 (WoS/Scopus)**
- 5072.** Bouvier F, Rahier A, Camara B - Biogenesis, molecular regulation and function of plant isoprenoids. *Progress in Lipid Research* 44 (6): 357-429, **2005 (review) (WoS/Scopus)**
- 5073.** Copolovici LO, Filella I, Llusia J, Niinemets U, Penuelas J - The capacity for thermal protection of photosynthetic electron transport varies for different monoterpenes in *Quercus ilex*. *Plant Physiology* 139 (1): 485-496, **2005 (WoS/Scopus)**
- 5074.** Dipierro N, Mondelli D, Paciolla C, Brunetti G, Dipierro S - Changes in the ascorbate system in the response of pumpkin (*Cucurbita pepo* L.) roots to aluminium stress. *Journal of Plant Physiology* 162 (5): 529-536, **2005 (WoS/Scopus)**
- 5075.** Ferrieri RA, Gray DW, Babst BA, Schueller MJ, Schlyer DJ, Thorpe MR, Orians CM, Lerdau M - Use of carbon-11 in *Populus* shows that exogenous jasmonic acid increases biosynthesis of isoprene from recently fixed carbon. *Plant Cell and Environment* 28 (5): 591-602, **2005 (WoS/Scopus)**
- 5076.** Fiscus, EL, Booker FL, Burkey KO - Crop responses to ozone: uptake, modes of action, carbon assimilation and partitioning. *Plant Cell and Environment* 28 (8): 997-1011, **2005 (WoS/Scopus)**
- 5077.** Gupta P, Duplessis, S, White H, Karnosky DF, Martin F, Podila GK - Gene expression patterns of trembling aspen trees following long-term exposure to interacting elevated CO₂ and tropospheric O₃. *New Phytologist* 167 (1): 129-142, **2005 (WoS/Scopus)**
- 5078.** Jung S, Back K - Herbicidal and antioxidant responses of transgenic rice overexpressing *Myxococcus xanthus* protoporphyrinogen oxidase. *Plant Physiology and Biochemistry* 43 (5): 423-430, **2005 (WoS/Scopus)**
- 5079.** Llusia J, Penuelas J, Asensio D, Munne-Bosch S - Airborne limonene confers limited thermotolerance to *Quercus ilex*. *Physiologia Plantarum* 123 (1): 40-48, **2005 (WoS/Scopus)**
- 5080.** Mayrhofer S, Teuber M, Zimmer I, Louis S, Fischbach RJ, Schnitzler RP - Diurnal and seasonal variation of isoprene biosynthesis-related genes in Grey poplar leaves. *Plant Physiology* 139 (1): 474-484, **2005 (WoS/Scopus)**
- 5081.** Nagegowda, DA, Ramalingam S, Hemmerlin A, Bach TJ, Chye ML - *Brassica juncea* HMG-CoA synthase: localization of mRNA and protein. *Planta* 221 (6): 844-856, **2005 (WoS/Scopus)**
- 5082.** Owen SM, Peñuelas J - Opportunistic emissions of volatile isoprenoids. *Trends in Plant Science* 10 (9): 420-426, **2005 (review) (WoS/Scopus)**
- 5083.** Padhy PK, Varshney CK - Isoprene emission from tropical tree species. *Environmental Pollution* 135 (1): 101-109, **2005 (WoS/Scopus)**
- 5084.** Penuelas J, Llusia J, Asensio D, Munne-Bosch S - Linking isoprene with plant thermotolerance, antioxidants and monoterpene emissions. *Plant Cell and Environment* 28 (3): 278-286, **2005 (WoS/Scopus)**
- 5085.** Pressley S, Lamb B, Westberg H, Flaherty J, Chen J, Vogel C - Long-term isoprene flux measurements above a northern hardwood forest. *Journal of Geophysical Research-Atmospheres* 110 No. D7, D07301, **2005 (WoS/Scopus)**
- 5086.** Rinnan R, Rinnan A, Holopainen T, Holopainen JK, Pasanen P - Emission of non-methane volatile organic compounds (VOCs) from boreal peatland microcosms - effects of ozone exposure. *Atmospheric Environment* 39 (5): 921-930, **2005 (WoS/Scopus)**
- 5087.** Schnitzler J-P, Zimmer I, Bachl A, Arend M, Fromm J, Fischbach RJ - Biochemical properties of isoprene synthase in poplar (*Populus x canescens*). *Planta* 222: 777-786, **2005 (WoS/Scopus)**
- 5088.** Sharkey TD - Effects of moderate heat stress on photosynthesis: importance of thylakoid reactions, rubisco deactivation, reactive oxygen species, and thermotolerance provided by isoprene. *Plant Cell and Environment* 28 (3): 269-277, **2005 (WoS/Scopus)**
- 5089.** Sharkey TD, Yeh S, Wiberley AE, Falbel TG, Gong DM, Fernandez DE - Evolution of the isoprene biosynthetic pathway in kudzu. *Plant Physiology* 137 (2): 700-712, **2005 (WoS/Scopus)**
- 5090.** Swiezewska E, Danikiewicz W - Polyisoprenoids: Structure, biosynthesis and function. *Progress in Lipid Research* 44 (4): 235-258, **2005 (WoS/Scopus)**
- 5091.** Tholl D, Chen F, Petri J, Gershenzon J, Pichersky E - Two sesquiterpene synthases are responsible for the complex mixture of sesquiterpenes emitted from *Arabidopsis* flowers. *The Plant Journal* 42 (5): 757-771, **2005 (WoS/Scopus)**
- 5092.** Wiberley AE, Linskey AR, Falbel TG, Sharkey TD - Development of the capacity for isoprene emission in kudzu. *Plant, Cell and Environment* 28 (7): 898-905, **2005 (WoS/Scopus)**
- 5093.** Altimir N - The ozone transfer between atmosphere and vegetation. A study on Scots pine in the field. Department of Forest Ecology Faculty of Agriculture and Forestry University of Helsinki (**PhD Thesis**), **2006**
- 5094.** Altimir N, Kolari P, Tuovinen JP, Vesala T, Back J, Suni T, Kulmala M, Hari P - Foliage surface ozone deposition: a role for surface moisture? *Biogeosciences* 3 (2): 209-228, **2006 (WoS/Scopus)**
- 5095.** Dudareva N, Negre F, Nagegowda DA, Orlova I - Plant volatiles: Recent advances and future perspectives. *Critical Reviews in Plant Sciences* 25 (5): 417-440, **2006 (review) (WoS/Scopus)**
- 5096.** Kotchoni SO, Kuhns C, Ditzer A, Kirch HH, Bartels D - Over-expression of different aldehyde dehydrogenase genes in *Arabidopsis thaliana* confers tolerance to abiotic stress and protects plants against lipid peroxidation and oxidative stress. *Plant Cell and Environment* 29 (6): 1033-1048, **2006 (WoS/Scopus)**
- 5097.** Lafuente EO - Strategies d'émission de composés organiques volatils (cov) par quatre espèces végétales méditerranéennes. Effet de plusieurs facteurs écologiques sur l'émission et le stockage de terpenes. UNIVERSITE DE PROVENCE, Marseille (**PhD Thesis**), **2006**
- 5098.** Magel E, Mayrhofer S, Muller A, Zimmer I, Hampp R, Schnitzler JP - Photosynthesis and substrate supply for isoprene biosynthesis in poplar leaves. *Atmospheric Environment*, 40: S138-S151 Suppl. 1, **2006 (WoS/Scopus)**

- 5099.** Mancuso S, Mugnai S - Long-distance signal transmission in trees. In: *Communication in Plants*. eds. František Baluška, Stefano Mancuso and Dieter Volkmann. ISBN-10 3-540-28475-3 Springer Berlin Heidelberg **2006**, pp. 333-349 ([book](#))
- 5100.** Owen SM, Penuelas J - Response to Farn and Jones: Volatile isoprenoids, a special case of secondary metabolism. *Trends in Plant Science* 11 (3): 113-114, **2006** (**WoS/Scopus**)
- 5101.** Rudzinski K – Heterogeneous and aqueous-phase transformation of isoprene. In: *Environmental Simulation Chambers: Application to Atmospheric Chemical Processes* (I. Barnes and K. J. Rudzinski, eds.), **2006**, Springer, pp. 261-277 ([book series](#)) **SOURCE: Web of Science**
- 5102.** Tambunan P, Baba S, Kuniyoshi A, Iwasaki H, Nakamura T, Yamasaki H, Oku H - Isoprene emission from tropical trees in Okinawa Island, Japan. *Chemosphere* 65 (11): 2138-2144, **2006** (**WoS/Scopus**)
- 5103.** Tholl D, Pichersky E – Biosynthesis of volatile terpenes in the flowers of the model plant *Arabidopsis thaliana*. In: *Biology of Floral Scent*, (Natalia Dudareva and Eran Pichersky, eds), CRC Press Taylor & Francis Group, Boca Raton, FL 33487-2742, **2006**, pp. 79-90, ([book](#)) (**WoS/Scopus**)
- 5104.** Agati G, Matteini P, Goti A, Tattini M - Chloroplast-located flavonoids can scavenge singlet oxygen. *New Phytologist* 174 (1): 77-89, **2007** (**WoS/Scopus**)
- 5105.** Baptista P, Martins A, Pais MS, Tavares RM, Lino-Neto T - Involvement of reactive oxygen species during early stages of ectomycorrhiza establishment between *Castanea sativa* and *Pisolithus tinctorius*. *Mycorrhiza* 17 (3), 185-193, **2007** (**WoS/Scopus**)
- 5106.** Behnke K, Ehrling B, Teuber M, Bauerfeind M, Louis S, Hänsch R, Polle A, Bohlmann J, Schnitzler J – Transgenic, non-isoprene emitting poplars don't like it hot. *The plant Journal* 51 (3): 485-499, **2007** (**WoS/Scopus**)
- 5107.** Blande JD, Tiiva P, Oksanen E, Holopainen JK - Emission of herbivore-induced volatile terpenoids from two hybrid aspen (*Populus tremula x tremuloides*) clones under ambient and elevated ozone concentrations in the field. *Global Change Biology* 13 (12): 2538-2550, **2007** (**WoS/Scopus**)
- 5108.** Dominguez-Taylor P, Ruiz-Suarez LG, Rosas-Perez I, Hernández-Solis JM, Steinbrecher R - Monoterpene and isoprene emissions from typical tree species in forests around Mexico City. *Atmospheric Environment* 41 (13), 2780-2790, **2007** (**WoS/Scopus**)
- 5109.** Ducruet J-M, Peeva V, Havaux, M - Chlorophyll thermofluorescence and thermoluminescence as complementary tools for the study of temperature stress in plants. *Photosynthesis Research* 94 (1): 159-171, **2007** (**WoS/Scopus**)
- 5110.** Edwards GD, Shepson PB, Grossenbacher JW, Wells JM, Patterson GE, Barkett DJ, Pressley S, Karl T, Apel E - Development of an automated cylindrical ion trap mass spectrometer for the determination of atmospheric volatile organic compounds. *Analytical Chemistry* 79 (13), 5040-5050, **2007** (**WoS/Scopus**)
- 5111.** González DC – *Cydia pomonella* (L.) behaviour and responses to host volatiles. Universitat de Lleida **2007** ([PhD Thesis](#))
- 5112.** Lichtenthaler HK - Biosynthesis, accumulation and emission of carotenoids, α -tocopherol, plastoquinone, and isoprene in leaves under high photosynthetic irradiance. *Photosynthesis Research* 92 (2): 163-179, **2007** ([review](#)) (**WoS/Scopus**)
- 5113.** Loivamaki M, Gilmer F, Fischbach RJ, Sorgel C, Bachl A, Walter A, Schnitzler JP - Arabidopsis, a model to study biological functions of isoprene emission? *Plant Physiology* 144 (2), 1066-1078, **2007** (**WoS/Scopus**)
- 5114.** Loivamaki M, Louis S, Cinege G, Zimmer I, Fischbach RJ, Schnitzler JP - Circadian rhythms of isoprene biosynthesis in Grey poplar leaves. *Plant Physiology* 143 (1): 540-551, **2007** (**WoS/Scopus**)
- 5115.** Manes F, Vitale M, Fabi AM, De Santis F, Zona D - Estimates of potential ozone stomatal uptake in mature trees of *Quercus ilex* in a Mediterranean climate. *Environmental and Experimental Botany* 59 (2): 235-241, **2007** (**WoS/Scopus**)
- 5116.** Marin-Loaiza JC, Cespedes CL - Volatile compounds from plants. Origin, emission, effects, analysis and agro applications. *Revista Fitotecnica Mexicana* 30 (4): 327-351, **2007** ([review](#)) (**WoS/Scopus**)
- 5117.** Munne-Bosch S, Penuelas J, Llusia J - Deficiency in salicylic acid alters isoprenoid accumulation in water-stressed NahG transgenic Arabidopsis plants. *Plant Science* 172 (4): 756-762, **2007** (**WoS/Scopus**)
- 5118.** Niinemets Ü - Photosynthesis and resource distribution through plant canopies. *Plant, Cell and Environment* 30 (9): 1052-1071, **2007** (**WoS/Scopus**)
- 5119.** Pakdaman BS, Mohammadi Goltapeh E, Sepehrifar R, Pouriesia M, Rahirni Fard M, Moradi F, Modarres SAM - Cellular membranes, the sites for the antifungal activity of the herbicide sethoxydim. *Pakistan Journal of Biological Sciences* 10 (15): 2480-2484, **2007** **Web of Science and Scopus**
- 5120.** Pegoraro E, Potosnak, MJ, Monson RK, Rey A, Barron-Gafford G, Osmond CB - The effect of elevated CO₂, soil and atmospheric water deficit and seasonal phenology on leaf and ecosystem isoprene emission. *Functional Plant Biology* 34, (9): 774-784, **2007** (**WoS/Scopus**)
- 5121.** Predieri S, Rapparini F - Terpene emission in tissue culture. *Plant Cell, Tissue and Organ Culture* 91 (2): 87-95, **2007** (**WoS/Scopus**)
- 5122.** Tabaldi LA, Nicoloso FT, Castro GY, Cargnelutti D, Gonçalves JF, Rauber R, Skrebsky EC, Schetinger MRC, Morsch VM, Bisognin DA - Physiological and oxidative stress responses of four potato clones to aluminum in nutrient solution. *Brazilian Journal of Plant Physiology* 19(3):211-222, **2007** **Web of Science and Scopus**
- 5123.** Tiiva P, Rinnan R, Faubert P, Räsänen J, Holopainen T, Kyrö E, Holopainen JK – Isoprene emission from a subarctic peatland under enhanced UV-B radiation. *New Phytologist* 176 (2): 346-355, **2007** (**WoS/Scopus**)
- 5124.** Tiiva P, Rinnan R, Holopainen T, Mörsky SK, Holopainen JK - Isoprene emissions from boreal peatland microcosms; effects of elevated ozone concentration in an open field experiment. *Atmospheric Environment*, 41

(18): 3819-3828, **2007 (WoS/Scopus)**

5125. Altimir N, Vesala T, Aalto T, Back J, Hari P - Stomatal-scale modelling of the competition between ozone sinks at the air-leaf interface. *Tellus Series B-Chemical and Physical Meteorology* 60 (3): 381-391, **2008 Web of Science and Scopus**

5126. Arneth A, Monson RK, Schurgers G, Niinemets U, Palmer PI - Why are estimates of global terrestrial isoprene emissions so similar (and why is this not so for monoterpenes)? *Atmospheric Chemistry and Physics* 8 (16): 4605-4620, **2008 (WoS/Scopus)**

5127. Azevedo H, Lino-Neto T, Tavares RM - The necrotroph *Botrytis cinerea* induces a non-host type II resistance mechanism in *Pinus pinaster* suspension-cultured cells. *Plant and Cell Physiology* 49 (3): 386-395, **2008 (WoS/Scopus)**

5128. Biswas DK, Xu H, Li YG, Sun JZ, Wang XZ, Han XG, Jiang GM - Genotypic differences in leaf biochemical, physiological and growth responses to ozone in 20 winter wheat cultivars released over the past 60 years. *Global Change Biology* 14 (1): 46-59, **2008 (WoS/Scopus)**

5129. Chye M-L - Understanding isoprenoid biochemistry. In: Teaching innovations in lipid science (RJ Weselake, ed.), CRC Press Taylor & Francis Group, Boca Raton, FL 33487-2742, pp. 123-134, **2008 (book) (WoS/Scopus)**

5130. Fares S - An investigation of ozone uptake by plants and antioxidant effect of plant isoprenoids. Università degli Studi della Toscana, **PhD Thesis**, **2008**.

5131. Freystein K, Salisch M, Reisser W - Algal biofilms on tree bark to monitor airborne pollutants. *Biologia* 63 (6): 866-872, **2008 <https://doi.org/10.2478/s11756-008-0114-z> (WoS/Scopus)**

5132. Gershenson J - Insects turn up their noses at sweating plants. *Proceedings of The National Academy of Sciences of The United States of America* 105 (45): 17211-17212, **2008 (WoS/Scopus)**

5133. Heil M - Indirect defence via tritrophic interactions. *New Phytologist* 178 (1): 41-61, **2008 (review) (WoS/Scopus)**

5134. Huang WZ, Ma XR, Wang QL, Gao YF, Xue Y, Niu XL, Yu GR, Liu YS - Significant improvement of stress tolerance in tobacco plants by overexpressing a stress-responsive aldehyde dehydrogenase gene from maize (*Zea mays*). *Plant Molecular Biology* 68 (4-5): 451-463, **2008 (WoS/Scopus)**

5135. Il Jung H, Kuk YI, Back K, Burgos NR - Resistance pattern and antioxidant enzyme profiles of protoporphyrinogen oxidase (PROTOX) inhibitor-resistant transgenic rice. *Pesticide Biochemistry and Physiology* 91 (1): 53-65, **2008 (WoS/Scopus)**

5136. Jin KS, Jun M, Park MJ, Ok S, Jeong JH, Kang HS, Jo WK, Lim HJ, Jeong WS - Promises and risks of unsaturated volatile organic compounds: Limonene, pinene, and isoprene. *Food Science and Biotechnology* 17 (3): 447-456, **2008 (review) (WoS/Scopus)**

5137. Lambers H, Chapin III FS, Pons TL - Effects of radiation and temperature. In: *Plant Physiological Ecology*, Second Edition, Springer New York, pp. 237-246, **(book, on p. 245), 2008 (WoS/Scopus)**

5138. Laothawornkitkul J, Paul ND, Vickers CE, Possell M, Taylor JE, Mullineaux PM, Hewitt CN - Isoprene emissions influence herbivore feeding decisions. *Plant Cell and Environment* 31 (10): 1410-1415, **2008 (WoS/Scopus)**

5139. Li MJ, Ma FW, Zhang M, Pu F - Distribution and metabolism of ascorbic acid in apple fruits (*Malus domestica* Borkh cv. Gala). *Plant Science* 174 (6): 606-612, **2008 (WoS/Scopus)**

5140. Loivamäki M - Molecular biological and (eco)physiological studies on isoprene emission in Arabidopsis and Grey poplar. Freiburg im Breisgau, **2008 (PhD Thesis)**

5141. Loivamäki M, Mumm R, Dicke M, Schnitzler JP - Isoprene interferes with the attraction of bodyguards by herbaceous plants. *Proceedings of The National Academy of Sciences of The United States of America* 105 (45): 17430-17435, **2008 (WoS/Scopus)**

5142. Mumm R, Posthumus MA, Dicke M - Significance of terpenoids in induced indirect plant defence against herbivorous arthropods. *Plant Cell and Environment* 31 (4): 575-585, **2008 (WoS/Scopus)**

5143. Poli D, Goldoni M, Caglieri A, Ceresa G, Acampa O, Carbognani P, Rusca M, Corradi M - Breath analysis in non small cell lung cancer patients after surgical tumour resection. *Acta Biomed* 79; Suppl 1: 64-72, **2008**

5144. Puckette MC, Tang YH, Mahalingam R - Transcriptomic changes induced by acute ozone in resistant and sensitive *Medicago truncatula* accessions. *BMC Plant Biology* 8:46 doi:10.1186/1471-2229-8-46, **2008 (WoS/Scopus)**

5145. Sharkey TD, Wiberley AE, Donohue AR - Isoprene emission from plants: Why and how. *Annals of Botany* 101 (1): 5-18, **2008 (review) (WoS/Scopus)**

5146. Teuber M, Zimmer I, Kreuzwieser J, Ache P, Polle A, Rennenberg H, Schnitzler JP - VOC emissions of Grey poplar leaves as affected by salt stress and different N sources. *Plant Biology* 10 (1): 86-96, **2008 (WoS/Scopus)**

5147. Tiiva P, Faubert P, Michelsen A, Holopainen T, Holopainen JK, Rinnan R - Climatic warming increases isoprene emission from a subarctic heath. *New Phytologist* 180 (4): 853-863, **2008 (WoS/Scopus)**

5148. Wiberley AE - Molecular and biochemical regulation of isoprene emission from plants. University of Wisconsin - Madison **2008 (PhD Thesis)**

5149. Azevedo H, Amorim-Silva V, Tavares RM - Effect of salt on ROS homeostasis, lipid peroxidation and antioxidant mechanisms in *Pinus pinaster* suspension cells. *Annals of Forest Science* 66 (2): art. no.-211, **2009 (WoS/Scopus)**

5150. Baptista P, Ferreira S, Soares E, Coelho V, Bastos MD - Tolerance and stress response of *Macrolepiota procera* to nickel. *Journal of Agricultural and Food Chemistry* 57 (15): 7145-7152, **2009 (WoS/Scopus)**

5151. Behnke K - Transgene Ansätze zur Aufklärung der Isoprenemission in Pappel. Albert Ludwigs Universität

- Freiburg i. Brsg, Fakultät für Forst und Umweltwissenschaften. KIT Scientific Publishing, **2009 (PhD Thesis)**
- 5152.** Behnke K, Kleist E, Uerlings R, Wildt J, Rennenberg H, Schnitzler JP - RNAi-mediated suppression of isoprene biosynthesis in hybrid poplar impacts ozone tolerance. *Tree Physiology* 29 (5): 725-736, **2009 (WoS/Scopus)**
- 5153.** Blande JD, Turunen K, Holopainen JK - Pine weevil feeding on Norway spruce bark has a stronger impact on needle VOC emissions than enhanced ultraviolet-B radiation. *Environmental Pollution* 157 (1): 174-180, **2009 (WoS/Scopus)**
- 5154.** Chen JW, Bai KD, Cao KF - Inhibition of monoterpene biosynthesis accelerates oxidative stress and leads to enhancement of antioxidant defenses in leaves of rubber tree (*Hevea brasiliensis*). *Acta Physiologiae Plantarum* 31 (1): 95-101, **2009 (WoS/Scopus)**
- 5155.** Cieslik S, Omasa K, Paoletti E - Why and how terrestrial plants exchange gases with air. *Plant Biology* 11: 24-34, Suppl. 1, **2009 (review) (WoS/Scopus)**
- 5156.** Cinege G, Louis S, Haensch R, Schnitzler JP - Regulation of isoprene synthase promoter by environmental and internal factors. *Plant Molecular Biology* 69 (5): 593-604, **2009 (WoS/Scopus)**
- 5157.** Goncalves JF, Tabaldi LA, Cargnelutti D, Pereira LB, Maldaner J, Becker AG, Rossato LV, Rauber R, Bagatini MD, Bisognin DA, Schetinger MRC, Nicoloso FT - Cadmium-induced oxidative stress in two potato cultivars. *Biomaterials* 22 (5): 779-792, **2009 (WoS/Scopus)**
- 5158.** Hartikainen K, Nerg AM, Kivimaenpää M, Kontunen-Soppela S, Maenpää M, Oksanen E, Rousi M, Holopainen T - Emissions of volatile organic compounds and leaf structural characteristics of European aspen (*Populus tremula*) grown under elevated ozone and temperature. *Tree Physiology* 29 (9): 1163-1173, **2009 (WoS/Scopus)**
- 5159.** Heath RL, Lefohn AS, Musselman RC - Temporal processes that contribute to nonlinearity in vegetation responses to ozone exposure and dose. *Atmospheric Environment* 43 (18): 2919-2928, **2009 (WoS/Scopus)**
- 5160.** Himanen SJ, Nerg AM, Nissinen A, Pinto DM, Stewart CN, Poppy GM, Holopainen JK - Effects of elevated carbon dioxide and ozone on volatile terpenoid emissions and multitrophic communication of transgenic insecticidal oilseed rape (*Brassica napus*). *New Phytologist* 181 (1): 174-186, **2009 (WoS/Scopus)**
- 5161.** Iriti M, Faoro F - Chemical diversity and defence metabolism: How plants cope with pathogens and ozone Pollution. *International Journal of Molecular Sciences* 10 (8): 3371-3399, **2009 (review) (WoS/Scopus)**
- 5162.** Iriti M, Faoro F - Ozone-induced changes in plant secondary metabolism. In: *Environmental Science and Engineering. Climate Change and Crops*. Springer Berlin Heidelberg. DOI10.1007/978-3-540-88246-6, Pp.245-268, **2009 (book)**
- 5163.** Keenan T, Niinemets U, Sabate S, Gracia C, Penuelas J - Process based inventory of isoprenoid emissions from European forests: model comparisons, current knowledge and uncertainties. *Atmospheric Chemistry and Physics* 9 (12): 4053-4076, **2009 (review) (WoS/Scopus)**
- 5164.** Laothawornkitkul J, Taylor JE, Paul ND, Hewitt CN - Biogenic volatile organic compounds in the Earth system. *New Phytologist* 183 (1): 27-51, **2009 (review) (WoS/Scopus)**
- 5165.** Levesque-Tremblay G, Havaux M, Ouellet F - The chloroplastic lipocalin AtCHL prevents lipid peroxidation and protects Arabidopsis against oxidative stress. *Plant Journal* 60 (4): 691-702, **2009 (WoS/Scopus)**
- 5166.** Li DW, Chen Y, Shi Y, He XY, Chen X - Impact of elevated CO₂ and O₃ concentrations on biogenic volatile organic compounds emissions from *Ginkgo biloba*. *Bulletin of Environmental Contamination and Toxicology* 82 (4): 473-477, **2009 (WoS/Scopus)**
- 5167.** Li MJ, Liang D, Pu F, Ma FW, Hou CM, Lu T - Ascorbate levels and the activity of key enzymes in ascorbate biosynthesis and recycling in the leaves of 22 Chinese persimmon cultivars. *Scientia Horticulturae* 120 (2): 250-256, **2009 (WoS/Scopus)**
- 5168.** Lichtenthaler HK - Biosynthesis and accumulation of isoprenoid carotenoids and chlorophylls and emission of isoprene by leaf chloroplasts. *Bulletin of the Georgian National Academy of Sciences* 3 (3), 81-94, **2009 Web of Science and Scopus**
- 5169.** Llorens L, Llusia J, Murchie EH, Penuelas J, Beerling DJ - Monoterpene emissions and photoinhibition of "living fossil" trees grown under CO₂ enrichment in a simulated Cretaceous polar environment. *Journal of Geophysical Research-Biogeosciences* 114: art. no.-G01005, **2009 (WoS/Scopus)**
- 5170.** Ozden M, Demirel U, Kahraman A - Effects of proline on antioxidant system in leaves of grapevine (*Vitis vinifera* L.) exposed to oxidative stress by H₂O₂. *Scientia Horticulturae* 119 (2): 163-168, **2009 (WoS/Scopus)**
- 5171.** Pacifico F, Harrison SP, Jones CD, Sitch - Isoprene emissions and climate. *Atmospheric Environment* 43: 6121-6135, **2009 (review) (WoS/Scopus)**
- 5172.** Rasulov B, Huve K, Valbe M, Laisk A, Niinemets U - Evidence that light, carbon dioxide, and oxygen dependencies of leaf isoprene emission are driven by energy status in hybrid aspen. *Plant Physiology* 151 (1): 448-460, **2009 (review) (WoS/Scopus)**
- 5173.** Ryan A, Cojocariu C, Possell M, Davies WJ, Hewitt CN - Defining hybrid poplar (*Populus deltoides* x *Populus trichocarpa*) tolerance to ozone: identifying key parameters. *Plant Cell and Environment* 32 (1): 31-45, **2009 (WoS/Scopus)**
- 5174.** Sharkey TD - The future of isoprene research. *Bulletin of the Georgian National Academy of Sciences* 3 (3), 106-113, **2009 (WoS/Scopus)**
- 5175.** Shin JH, Kim SR, An G - Rice aldehyde dehydrogenase7 is needed for seed maturation and viability. *Plant Physiology* 149 (2): 905-915, **2009 (WoS/Scopus)**

- 5176.** Young PJ, Arneth A, Schurgers G, Zeng G, Pyle JA - The CO₂ inhibition of terrestrial isoprene emission significantly affects future ozone projections. *Atmospheric Chemistry and Physics* 9 (8): 2793-2803, **2009** (WoS/Scopus)
- 5177.** Yuan JS, Himanen SJ, Holopainen JK, Chen F, Stewart CN - Smelling global climate change: mitigation of function for plant volatile organic compounds. *Trends in Ecology & Evolution* 24 (6): 323-331, **2009** (review) (WoS/Scopus)
- 5178.** Zuccarini P - Tropospheric ozone as a fungal elicitor. *Journal of Biosciences* 34 (1): 125-138, **2009** (review) (WoS/Scopus)
- 5179.** Achary VMM, Panda BB - Aluminium-induced DNA damage and adaptive response to genotoxic stress in plant cells are mediated through reactive oxygen intermediates. *Mutagenesis* 25 (2): 201-209, **2010** SOURCE: Web of Science
- 5180.** Alshatwi AA, Al Obaid MA, Al Sedairy SA, Al-Assaf AH, Zhang JJ, Lei KY - Tomato powder is more protective than lycopene supplement against lipid peroxidation in rats. *Nutrition Research* 30 (1): 66-73, **2010** SOURCE: Web of Science
- 5181.** Arneth A, Sitch S, Bondeau A, Butterbach-Bahl K, Foster P, Gedney N, de Noblet-Ducoudre N, Prentice IC, Sanderson M, Thonicke K, Wania R, Zaehle S - From biota to chemistry and climate: towards a comprehensive description of trace gas exchange between the biosphere and atmosphere. *Biogeosciences* 7 (1): 121-149, **2010** (review) (WoS/Scopus)
- 5182.** Behnke K, Loivamaki M, Zimmer I, Rennenberg H, Schnitzler JP, Louis S - Isoprene emission protects photosynthesis in sunfleck exposed *Grey poplar*. *Photosynthesis Research* 104 (1): 5-17, Sp. Iss. SI, **2010** (WoS/Scopus)
- 5183.** Blanch J-S - Changes in terpene production and emission in response to climate change and eutrophication. Universitat Autònoma de Barcelona, **PhD Thesis**, **2010**
- 5184.** Calgaroto NS, Castro GY, Cargnelutti D, Pereira LB, Goncalves JF, Rossato LV, Antes FG, Dressler VL, Flores EMM, Schetinger MRC, Nicoloso FT - Antioxidant system activation by mercury in *Pfaffia glomerata* plantlets. *Biomaterials* 23 (2): 295-305, **2010** (WoS/Scopus)
- 5185.** Darbah JNT, Sharkey TD, Calfapietra C, Karnosky DF - Differential response of aspen and birch trees to heat stress under elevated carbon dioxide. *Environmental Pollution* 158 (4): 1008-1014, Sp. Iss. SI. presented at Meeting on Facing the Future in Rhineland, WI, APR 02-04, 2008, **2010** (WoS/Scopus)
- 5186.** Deng XP, Xia Y, Hu W, Zhang HX, Shen ZG - Cadmium-induced oxidative damage and protective effects of N-acetyl-L-cysteine against cadmium toxicity in *Solanum nigrum* L. *Journal of Hazardous Materials* 180 (1-3): 722-729, **2010** (WoS/Scopus)
- 5187.** Exton DA, Smith DJ, McGenity TJ, Steinke M, Hills AJ, Suggett DJ - Application of a Fast Isoprene Sensor (FIS) for measuring isoprene production from marine samples. *Limnology and Oceanography: Methods* 8, 185-195, **2010** (WoS/Scopus)
- 5188.** Ghirardo A - Studies of plant terpenoid biosynthesis using ¹³C stable isotope labeling techniques. Albert-Ludwigs-Universität Freiburg, Germany, **PhD thesis**, **2010**
- 5189.** Golldack D, Lücking I, Süthoff U - Adaptation to a changing environment: The regulatory role of small RNAs. In: *Progress in Botany 71. Genetics, Physiology, Systematics, Ecology*. (Lüttge U, Beyschlag W, Büdel B, Francis D, Eds.). Springer-Verlag Berlin Heidelberg **2010**, ISBN 978-642-02166-4, DOI 10.1007/978-3-642-02167-1, pp. 135-156 (book series) SOURCE: Web of Science
- 5190.** Grote R - The relation between volatile carbon emissions from forests, and forestry under future climate conditions. *Allgemeine Forst Und Jagdzeitung* 181 (3-4): 77-81, **2010** (WoS/Scopus)
- 5191.** Gür A, Demirel U, Özden M, Kahraman A, Copur O - Diurnal gradual heat stress affects antioxidant enzymes, proline accumulation and some physiological components in cotton (*Gossypium hirsutum* L.). *African Journal of Biotechnology* 9 (7): 1008-1015, **2010** (WoS/Scopus)
- 5192.** Heil M - Within plant signalling by volatiles triggers systemic defences. In: *Plant Communication from an Ecological Perspective, Signaling and Communication in Plants*, F. Baluška and V. Ninkovic (eds.), DOI 10.1007/978-3-642-12162-3_7, # Springer-Verlag Berlin Heidelberg, **2010**, pp. 99-112 (BOOK)
- 5193.** Heil M, Karban R - Explaining evolution of plant communication by airborne signals. *Trends In Ecology & Evolution* 25 (3): 137-144, **2010** (WoS/Scopus)
- 5194.** Holopainen JK, Gershenzon J - Multiple stress factors and the emission of plant VOCs. *Trends in Plant Science* 15 (3): 176-184, **2010** (review) (WoS/Scopus)
- 5195.** Huang M - Molecular and Functional Analysis of Volatile Isoprenoids in Arabidopsis. Biologisch-Pharmazeutischen Fakultät der Friedrich-Schiller-Universität Jena, **Thesis** **2010**
- 5196.** Hunova I, Novotny R, Uhlirova H, Vrablik T, Horalek J, Lomsky B, Sramek V - The impact of ambient ozone on mountain spruce forests in the Czech Republic as indicated by malondialdehyde. *Environmental Pollution* 158 (7): 2393-2401, **2010** (WoS/Scopus)
- 5197.** Jardine K, Abrell L, Kurc SA, Huxman T, Ortega J, Guenther A - Volatile organic compound emissions from *Larrea tridentata* (creosotebush). *Atmospheric Chemistry and Physics* 10 (24): 12191-12206, **2010** (WoS/Scopus)
- 5198.** Köksal M, Zimmer I, Schnitzler J-P, Christianson DW - Structure of isoprene synthase illuminates the chemical mechanism of teragram atmospheric carbon emission. *Journal Molecular Biology* 402, 363-373, **2010** (WoS/Scopus)
- 5199.** Li MJ, Ma FW, Guo CM, Liu J - Ascorbic acid formation and profiling of genes expressed in its synthesis and recycling in apple leaves of different ages. *Plant Physiology and Biochemistry* 48 (4): 216-224, **2010** (WoS/Scopus)
- 5200.** Lichtenthaler HK - Biosynthesis and emission of isoprene, methylbutanol and other volatile plant isoprenoids. In: *The Chemistry and Biology of Volatiles*. A. Herrmann (Ed.). John Wiley & Sons Ltd, West Sussex,

PO19 8SQ, United Kindom, pp. 11-48, **2010 (book) (WoS/Scopus)**

- 5201.** Llusia J, Penuelas J, Sardans J, Owen SM, Niinemets U - Measurement of volatile terpene emissions in 70 dominant vascular plant species in Hawaii: aliens emit more than natives. *Global Ecology and Biogeography* 19 (6): 863-874, **2010 (WoS/Scopus)**
- 5202.** Nagegowda DA, Rhodes D, Dudareva N – Chapter 10. The role of the methyl-erythritol-phosphate (MEP) pathway in rhythmic emission of volatiles. In: *The Chloroplasts. Advances in Photosynthesis and Respiration. Basics and Applications*, Volume 31 (Eds. Rebeiz CA, Benning C, Bohnert HJ, H Daniell, Hooper JK, Lichtenthaler HK, Portis AR, Tripathy BC), Springer Netherlands, DOI10.1007/978-90-481-8531-3, ISSN1572-0233, ISBN978-90-481-8530-6 (Print) 978-90-481-8531-3 (Online), pp.139-153, **2010 (book)**
- 5203.** Niinemets U, Arneth A, Kuhn U, Monson RK, Penuelas J, Staudt M - The emission factor of volatile isoprenoids: stress, acclimation, and developmental responses. *Biogeosciences* 7 (7): 2203-2223, **2010 (review) (WoS/Scopus)**
- 5204.** Ninkovic V – Volatile interaction between undamaged plants: A short cut to coexistence. In: *Plant Communication from an Ecological Perspective. Signaling and Communication in Plants* (Eds. F. Baluška and V. Ninkovic), pp. 75-86, DOI: 10.1007/978-3-642-12162-3_5. Springer-Verlag Berlin Heidelberg, **2010 (book series) SOURCE: Web of Science**
- 5205.** Patakas AA, Zotos A, Beis AS - Production, localisation and possible roles of nitric oxide in drought-stressed grapevines. *Australian Journal of Grape and Wine Research* 16 (1): 203-209, **2010 (WoS/Scopus)**
- 5206.** Pateraki I, Kanellis AK - Stress and developmental responses of terpenoid biosynthetic genes in *Cistus creticus* subsp *creticus*. *Plant Cell Reports* 29 (6): 629-641, **2010 (WoS/Scopus)**
- 5207.** Pereira LB, Mazzanti CMA, Gonçalves JF, Cargnelutti D, Tabaldi LA, Becker AG, Calgaroto NS, Farias JG, Battisti V, Bohrer D, Nicoloso FT, Morsch VM, Schetinger MRC - Aluminum-induced oxidative stress in cucumber. *Plant Physiology and Biochemistry* 48(8): 683-689, **2010 (WoS/Scopus)**
- 5208.** Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt, CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010 (WoS/Scopus)**
- 5209.** Sardans J, Llusia J, Niinemets U, Owen S, Penuelas J - Foliar mono- and sesquiterpene contents in relation to leaf economic spectrum in native and alien species in Oahu (Hawai'i). *Journal of Chemical Ecology* 36 (2): 210-226, **2010 (WoS/Scopus)**
- 5210.** Schnitzler JP, Louis S, Behnke K, Loivamaki M - Poplar volatiles - biosynthesis, regulation and (eco)physiology of isoprene and stress-induced isoprenoids. *Plant Biology* 12 (2): 302-316, **2010 (review) (WoS/Scopus)**
- 5211.** Sukovich DJ - Hydrocarbon Biosynthesis by Bacteria: Genes and Hydrocarbon Products. The University of Minnesota **PhD Thesis, 2010**
- 5212.** Vickers CE, Possell M, Hewitt CN, Mullineaux PM - Genetic structure and regulation of isoprene synthase in Poplar (*Populus* spp.). *Plant Molecular Biology* 73 (4-5): 547-558, **2010 (WoS/Scopus)**
- 5213.** Winters AJ - The composition and emission of volatile organic compounds in *Eucalyptus* spp. leaves. School of Biological, Earth and Environmental Sciences University of New South Wales, **PhD Thesis, 2010**
- 5214.** Zhao PF, Zhu YH, Wang W - Evaluation and improvement of spectrophotometric assays of TTC reduction: maize (*Zea mays*) embryo as an example. *Acta Physiologiae Plantarum* 32 (4): 815-819, **2010 (WoS/Scopus)**
- 5215.** Araque JFC, Garces MIP, Prieto DA, Stashenko E - Microscopic anatomy and volatile secondary metabolites at three stages of development of the inflorescences of *Lantana camara* (Verbenaceae). *Revista de Biologia Tropical* 59 (1): 473-486, **2011 (WoS/Scopus)**
- 5216.** Biteur N, Aoues A, Kharoubi O, Slimani M - Oxidative stress induction by lead in leaves of radish (*Raphanus sativus*) seedlings. *Notulae Scientia Biologicae* 3(4):93-99, **2011**
- 5217.** Bossche JV - Modelling van BVOC emissies van een gemengd boscossysteem. University of Gent, **PhD Thesis, 2011**
- 5218.** Calgaroto NS, Cargnelutti D, Rossato LV, Farias JG, Nunes ST, Tabaldi LA, Antes FG, Flores EMM, Schetinger MRC, Nicoloso FT - Zinc alleviates mercury-induced oxidative stress in *Pfaffia glomerata* (Spreng.) Pedersen. *BioMetals* 24 (5), 959-971, **2011 (WoS/Scopus)**
- 5219.** Castilhos G, Farias JG, Schneider AD, de Oliveira PH, Nicoloso FT, Schetinger MRC, Delatorre CA - Aluminum-stress response in oat genotypes with monogenic tolerance. *Environmental and Experimental Botany* 74: 114-121, **2011 (WoS/Scopus)**
- 5220.** Darbah JNT, Jones WS, Burton AJ, Nagy J, Kubiske ME - Acute O(3) damage on first year coppice sprouts of aspen and maple sprouts in an open-air experiment. *Journal of Environmental Monitoring* 13 (9): 2436-2442, **2011 (WoS/Scopus)**
- 5221.** Del Buono D, Ioli G, Nasini L, Proietti P - A comparative study on the interference of two herbicides in wheat and italian ryegrass and on their antioxidant activities and detoxification rates. *Journal of Agricultural and Food Chemistry* 59 (22): 12109-12115, **2011 (WoS/Scopus)**
- 5222.** Ghosh N, Adak MK, Ghosh PD, Gupta S, Sen Gupta DN, Mandal C - Differential responses of two rice varieties to salt stress. *Plant Biotechnology Reports* 5(1), 89-103, **2011 (WoS/Scopus)**
- 5223.** Glinwood R, Ninkovic V, Pettersson J - Chemical interaction between undamaged plants - Effects on herbivores and natural enemies. *Phytochemistry* 72 (13), Special Issue: SI, 1683-1689, **2011 (review) (WoS/Scopus)**
- 5224.** Hadacek F, Bachmann G, Engelmeier D, Chobot V - Hormesis and a chemical raison d'etre for secondary plant metabolites. *Dose-Response* 9 (1): 79-116, **2011 (WoS/Scopus)**

- 5225.** Holopainen JK - Can forest trees compensate for stress-generated growth losses by induced production of volatile compounds? *Tree Physiol* 31(12): 1356-1377, **2011** ([review](#)) (**WoS/Scopus**)
- 5226.** Lu XG, Liu XH, Li SF, Wang XJ, Zhang LH - Possible mechanisms of warming effects for amelioration of superficial scald development on 'Fuji' apples. *Postharvest Biology and Technology* 62 (1): 43-49, **2011** (**WoS/Scopus**)
- 5227.** Maenpää M, Riikonen J, Kontunen-Soppela S, Rousi M, Oksanen E - Vertical profiles reveal impact of ozone and temperature on carbon assimilation of *Betula pendula* and *Populus tremula*. *Tree Physiology* 31 (8): 808-818, **2011** (**WoS/Scopus**)
- 5228.** Mochalski P, King J, Kupferthaler A, Unterkofler K, Hinterhuber H, Amann A - Measurement of isoprene solubility in water, human blood and plasma by multiple headspace extraction gas chromatography coupled with solid phase microextraction. *Journal of Breath Research* 5 (4): article number 046010, **2011** (**WoS/Scopus**)
- 5229.** Nazari M, Amiri RM, Ramezanzpour SS - Study on the activity and relative gene expression of catalase and peroxidase enzymes in the Iranian chickpea genotypes under cold stress, *Genetics in the 3rd millennium* 9(1): 2290-2299, **2011**
- 5230.** Niinemets Ü, Kuhn U, Harley PC, Staudt M, Arneth A, Cescatti A, Ciccioli P, Copolovici L, Geron C, Guenther A, Kesselmeier J, Lerdau MT, Monson RK, J Peñuelas - Estimations of isoprenoid emission capacity from enclosure studies: measurements, data processing, quality and standardized measurement protocols. *Biogeosciences* 8: 2209-2246, **2011** (**WoS/Scopus**)
- 5231.** Ozden M, Karaaslan M - Effects of cytokinin on callus proliferation associated with physiological and biochemical changes in *Vitis vinifera* L. *Acta Physiologiae Plantarum* 33 (4): 1451-1459, **2011** (**WoS/Scopus**)
- 5232.** Panda KK, Acharya VMM, Krishnaveni R, Padhi BK, Sarangi SN, Sahu SN, Panda BB - In vitro biosynthesis and genotoxicity bioassay of silver nanoparticles using plants. *Toxicology in Vitro* 25 (5): 1097-1105, **2011** (**WoS/Scopus**)
- 5233.** Pereira LB, Mazzanti CMA, Cargnelutti D, Rossato LV, Gonçalves JF, Calgaroto N, Dressler V, Nicoloso FT, Federizzi LC, Morsch VM, Schetinger MRC - Differential responses of oat genotypes: oxidative stress provoked by aluminum. *BioMetals* 24 (1): 73-83, **2011** (**WoS/Scopus**)
- 5234.** Rai R, Rajput M, Agrawal M, Agrawal SB - Gaseous air pollutants: A review on current and future trends of emissions and impact on agriculture. *Journal of Scientific Research* 55: 77-102, **2011** ([review](#)) (**WoS/Scopus**)
- 5235.** Rasulov B, Huve K, Laisk A, Niinemets U - Induction of a longer term component of isoprene release in darkened aspen leaves: origin and regulation under different environmental conditions. *Plant Physiology* 156 (2): 816-831, **2011** (**WoS/Scopus**)
- 5236.** Spinelli F, Cellini A, Marchetti L, Nagesh KM, Piovene C – Chapter 16 - Emission and function of volatile organic compounds in response to abiotic stress, abiotic stress in plants. In: *Mechanisms and Adaptations*, Prof. Arun Shanker (Ed.), ISBN: 978-953-307-394-1, InTech, pp. 368-394, **2011**, ([BOOK](#))
- 5237.** Tonello LS - Estresse oxidativo em trigo causado por diferentes disponibilidades de fósforo em solução hidropônica. Universidade Federal Do Rio Grande Do Sul, Porto Alegre (RS), Brasil, **PhD Thesis**, **2011**
- 5238.** Vickers CE, Possell M, Laothawornkitkul J, Ryan AC, Hewitt CN, Mullineaux PM - Isoprene synthesis in plants: lessons from a transgenic tobacco model. *Plant Cell and Environment* 34 (6): 1043-1053, **2011** (**WoS/Scopus**)
- 5239.** Way DA, Schnitzler JP, Monson RK, Jackson RB - Enhanced isoprene-related tolerance of heat- and light-stressed photosynthesis at low, but not high, CO₂ concentrations. *Oecologia* 166 (1): 273-282, **2011** (**WoS/Scopus**)
- 5240.** Wolkerstorfer SV, Wonisch A, Stankova T, Tsvetkova N, Tausz M - Seasonal variations of gas exchange, photosynthetic pigments, and antioxidants in Turkey oak (*Quercus cerris* L.) and Hungarian oak (*Quercus frainetto* Ten.) of different age. *Trees* 25:1043-1052, **2011** (**WoS/Scopus**)
- 5241.** Wu X, Liu H, Wang W, Chen S, Hu X, Li C - Proteomic analysis of seed viability in maize. *Acta Physiologiae Plantarum* 33(1), 181-191, **2011** (**WoS/Scopus**)
- 5242.** Zhang FQ, Zhang HX, Xia Y, Wang GP, Xu LL, Shen ZG - Exogenous application of salicylic acid alleviates cadmium toxicity and reduces hydrogen peroxide accumulation in root apoplasts of *Phaseolus aureus* and *Vicia sativa*. *Plant Cell Reports* 30 (8), 1475-1483, **2011** (**WoS/Scopus**)
- 5243.** Zheng YH, Li YG, Xia WR, Xu H, Su BY, Jiang GM, Ning TY - Responses of gas exchange, cellular membrane integrity, and antioxidant enzymes activities of salinity-stressed winter wheat to ozone pollution. *Photosynthetica* 49 (3): 389-396, **2011** (**WoS/Scopus**)
- 5244.** Achary VMM, Parinandi NL, Panda BB - Aluminum induces oxidative burst, cell wall NADH peroxidase activity, and DNA damage in root cells of *Allium cepa* L. *Environmental and Molecular Mutagenesis* 53(7): 550-560, DOI: [10.1002/em.21719](#), **2012** (**WoS/Scopus**)
- 5245.** Achary VMM, Patnaik AR, Panda BB - Oxidative biomarkers in leaf tissue of barley seedlings in response to aluminum stress. *Ecotoxicology and Environmental Safety* 75 (1): 16-26, **2012** (**WoS/Scopus**)
- 5246.** Bai B, Sikron N, Gendler T, Kazachkova Y, Barak S, Grafi G, Khozin-Goldberg I, Fait A - Ecotypic variability in the metabolic response of seeds to diurnal hydration-dehydration cycles and its relationship to seed vigor. *Plant and Cell Physiology* 53(1): 38-52, **2012** (**WoS/Scopus**)
- 5247.** Beis A, Patakas A - Relative contribution of photoprotection and anti-oxidative mechanisms to differential drought adaptation ability in grapevines. *Environmental and Experimental Botany* 78: 173-183, **2012** (**WoS/Scopus**)
- 5248.** Cicatelli A, Lingua G, Todeschini V, Biondi S, Torrigiani P, Castiglione S - Arbuscular mycorrhizal fungi modulate the leaf transcriptome of a *Populus alba* L. clone grown on a zinc and copper-contaminated soil.

- 5249.** Dizengremel P, Vaultier M-N, Le Thiec D, Cabané M, Bagard M, Gérant D, Gérard J, Dghim AA, Richet N, Afif D, Pireaux J-C, Hasenfratz-Sauder M-P, Jolivet Y - Phosphoenolpyruvate is at the crossroads of leaf metabolic responses to ozone stress. *New Phytologist* 195 (3):512-517, **2012** (WoS/Scopus)
- 5250.** Exton DA, Suggett DJ, Steinke M, McGenity TJ - Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary. *Global Biogeochemical Cycles* 26, Article Number: GB2012, **2012** (WoS/Scopus)
- 5251.** Faraldos JA, Gonzalez V, Li A, Yu F, Köksal M, Christianson DW, Allemann RK - Probing the mechanism of 1,4-conjugate elimination reactions catalyzed by terpene synthases. *Journal of the American Chemical Society* 134: 20844-20848, **2012** (WoS/Scopus)
- 5252.** Gil M, Pontin M, Berli F, Bottini R, Piccoli P - Metabolism of terpenes in the response of grape (*Vitis vinifera* L.) leaf tissues to UV-B radiation. *Phytochemistry* 77:89-98, **2012** (WoS/Scopus)
- 5253.** Hameed A, Hussain T, Gulzar S, Aziz I, Gul B, Khan MA - Salt tolerance of a cash crop halophyte *Suaeda fruticosa*: biochemical responses to salt and exogenous chemical treatments. *Acta Physiologiae Plantarum* 34(6): 2331-2340, DOI: 10.1007/s11738-012-1035-6, **2012** (WoS/Scopus)
- 5254.** Hartikainen K, Kivimaenpää M, Nerg AM, Holopainen T - Significance of leaf structure and emission of volatile organic compounds in ozone tolerance of oat and wheat. *Botany-Botanique* 90, (2): 121-135, **2012**, DOI: [10.1139/B11-090](https://doi.org/10.1139/B11-090) SOURCE: Web of Science
- 5255.** Hartikainen K, Riikonen J, Nerg AM, Kivimaenpää M, Ahonen V, Tervahauta A, Karenlampi S, Maenpää M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T - Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: [10.1016/j.envexpbot.2012.04.014](https://doi.org/10.1016/j.envexpbot.2012.04.014), **2012** (WoS/Scopus)
- 5256.** Kumar RR, Goswami S, Sharma SK, Singh K, Gadpayle KA, Kumar N, Rai GK, Singh M, Rai RD - Protection against heat stress in wheat involves change in cell membrane stability, antioxidant enzymes, osmolyte, H₂O₂ and transcript of heat shock protein. *International Journal of Plant Physiology and Biochemistry* 4 (4): 83-91, **2012** (WoS/Scopus)
- 5257.** Kumar RR, Sharma SK, Gadpayle KA, Singh K, Sivaranjani R, Goswami S, Rai RD - Mechanism of action of hydrogen peroxide in wheat thermotolerance - interaction between antioxidant isoenzymes, proline and cell membrane. *African Journal of Biotechnology* 11 (78): 14368-14379, **2012** (WoS/Scopus)
- 5258.** Llusia J, Llorens L, Bernal M, Verdager D, Penuelas J - Effects of UV radiation and water limitation on the volatile terpene emission rates, photosynthesis rates, and stomatal conductance in four Mediterranean species. *Acta Physiologiae Plantarum* 34 (2): 757-769, **2012**, DOI: 10.1007/s11738-011-0876-8 (WoS/Scopus)
- 5259.** Nanayakkara NMC - Study of the effect of abiotic and biotic stress on the growth development and Secondary metabolism of medicinal plant species. Università Degli Studi Di Milano *PhD Thesis*, **2012**
- 5260.** Nazari M, Maali Amiri R, Mehraban FH, Khaneghah HZ - Change in antioxidant responses against oxidative damage in black chickpea following cold acclimation. *Russian Journal of Plant Physiology* 59 (2): 183-189, **2012** (WoS/Scopus)
- 5261.** Pallozi E – BVOC emission responses to acute short-wave monochromatic radiations. *PhD Thesis*, Tuscia University, Viterbo (Italy), **2012**
- 5262.** Puckette M, Iyer NJ, Tang YH, Dai XB, Zhao P, Mahalingam R - Differential mRNA translation in *Medicago truncatula* accessions with contrasting responses to ozone-induced oxidative stress. *Molecular Plant* 5 (1): 187-204, **2012**, DOI: 10.1093/mp/ssr069 (WoS/Scopus)
- 5263.** Rai R, Agrawal M - Impact of tropospheric ozone on crop plants. *Proceedings of the National Academy of Sciences India Section B-Biological Sciences* 82(2):241-257, **2012** (review) (WoS/Scopus)
- 5264.** Rossato LV, Nicoloso FT, Farias JG, Cargnelli D, Tabaldi LA, Antes FG, Dressler VL, Morsch VM, Schetinger MRC - Effects of lead on the growth, lead accumulation and physiological responses of *Pluchea sagittalis*. *Ecotoxicology* 21 (1): 111-123, **2012** (WoS/Scopus)
- 5265.** Sahu GK, Upadhyay S, Sahoo BB - Mercury induced phytotoxicity and oxidative stress in wheat (*Triticum aestivum* L.) plants. *Physiology and Molecular Biology of Plants* 18 (1): pp 21-31, **2012** (WoS/Scopus)
- 5266.** Šimpraga M – Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees. *PhD Thesis*, Ghent University, Belgium, **2012**
- 5267.** Sun ZH, Copolovici L, Niinemets U - Can the capacity for isoprene emission acclimate to environmental modifications during autumn senescence in temperate deciduous tree species *Populus tremula*? *Journal of Plant Research* 125 (2): 263-274, **2012**, DOI: [10.1007/s10265-011-0429-7](https://doi.org/10.1007/s10265-011-0429-7) (WoS/Scopus)
- 5268.** Sun ZH, Niinemets U, Huve K, Noe SM, Rasulov B, Copolovici L, Vislap V - Enhanced isoprene emission capacity and altered light responsiveness in aspen grown under elevated atmospheric CO₂ concentration. *Global Change Biology* 18(11): 3423-3440, **2012** (review) (WoS/Scopus)
- 5269.** Way DA, Pearcy RW - Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: 10.1093/treephys/tps064, **2012** (Review) (WoS/Scopus)
- 5270.** Weisany W, Sohrabi Y, Heidari G, Siosemardeh A, Ghassemi-Golezani K - Changes in antioxidant enzymes activity and plant performance by salinity stress and zinc application in soybean (*Glycine max* L.). *Plant Omics Journal* 5(2): 60-67, **2012**
- 5271.** Xia Y, Qi Y, Yuan YX, Wang GP, Cui J, Chen YH, Zhang HS, Shen ZG - Overexpression of *Elsholtzia*

haichowensis metallothionein 1 (EhMT1) in tobacco plants enhances copper tolerance and accumulation in root cytoplasm and decreases hydrogen peroxide production. *Journal of Hazardous Materials* 233: 65-71, **2012**. DOI: 10.1016/j.jhazmat.2012.06.047

5272. Xu Sheng, Chen Wei, Huang Yanqing, He Xingyuan - Responses of growth, photosynthesis and VOC emissions of *Pinus tabulaeformis* Carr. exposure to elevated CO₂ and/or elevated O₃ in an urban area. *Bullerin of Environmental Contamination and Toxicology* 88(3):443-4438, **2012**, DOI 10.1007/s00128-011-0462-1 (WoS/Scopus)

5273. Yang J, Xian M, Su S, Zhao G, Nie Q, Jiang X, Zheng Y, Liu W - Enhancing production of bio-isoprene using hybrid MVA pathway and isoprene synthase in *E. coli*. *PLoS ONE* 7(4): e33509. doi:10.1371/journal.pone.0033509, **2012** (WoS/Scopus)

5274. Ye L, Fu X, Ge F - Enhanced sensitivity to higher ozone in a pathogen-resistant tobacco cultivar *Journal of Experimental Botany* 63 (3), **2012**, DOI:10.1093/jxb/err361 (WoS/Scopus)

5275. Zhao F-Y, Han M-M, Zhang S-Y, Wang K, Zhang C-R, Liu T, Liu W - Hydrogen peroxide-mediated growth of the root system occurs via auxin signaling modification and variations in the expression of cell-cycle genes in rice seedlings exposed to cadmium stress. *Journal of Integrative Plant Biology* 54 (12): 991–1006, **2012** err361 (WoS/Scopus)

5276. Zurbriggen A, Kirst H, Melis A - Isoprene production via the Mevalonic acid pathway in *Escherichia coli* (Bacteria). *Bioenergy Research* (4): 814-828, DOI: 10.1007/s12155-012-9192-4, **2012** (WoS/Scopus)

5277. Akacha M, Boughanmi NG, Haouala R - Effects of *Melia Azedarach* leaves extracts on radish growth and oxidative status - *International Journal of Botany and Research* 3(2): 29-42, **2013**

5278. Asthir B, Thapar R, Farooq M, Bains NS - Exogenous application of thiourea improves the performance of late sown wheat by inducing terminal heat resistance. *International Journal of Agriculture and Biology* 15: 1337–1342, **2013** SOURCE: Web of Science

5279. Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschütz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M - Isoprene function in two contrasting poplars under salt and sunflecks. *Tree Physiology* 33(6), 562-578, **2013** (WoS/Scopus)

5280. Bryan AM, Steiner AL. Canopy controls on the forest-atmosphere exchange of biogenic ozone and aerosol precursors. *Michigan Journal of Sustainability* 1(1): 31-49, **2013** <http://dx.doi.org/10.3998/mjs.12333712.0001.005>

5281. Christou A, Manganaris GA, Papadopoulos I, Fotopoulos V. Hydrogen sulfide induces systemic tolerance to salinity and non-ionic osmotic stress in strawberry plants through modification of reactive species biosynthesis and transcriptional regulation of multiple defence pathways *Journal of Exerimenatl Botany* 64 (7), 1953-1966, **2013** (WoS/Scopus)

5282. Echer G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A - Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiology* 161 (4): 1952-1969, DOI: 10.1104/pp.112.208470, **2013** (WoS/Scopus)

5283. Exton DA, Suggett DJ, McGenity TJ, Steinke M - Chlorophyll-normalized isoprene production in laboratory cultures of marine microalgae and implications for global models. *Limnology and Oceanography* 58 (4): 1301-1311, **2013** (WoS/Scopus)

5284. Farias JG, Frescura VDS, Tedesco SB, Farias ILG, Barzotto F, Dalla Possa JS, Schetinger MRC, Nicoloso FT - *Uncaria tomentosa* reduces lipid peroxidation and DNA-damage from chemotherapy. *Latin American Journal of Pharmacy* 32(3): 340-345, **2013** (WoS/Scopus)

5285. Girotto E, Ceretta CA, Rossato LV, Farias JG, Tiecher TL, De Conti L, Schmatz R, Brunetto G, Schetinger MRC, Nicoloso FT – Triggered antioxidant defense mechanism in maize grown in soil with accumulation of Cu and Zn due to intensive application of pig slurry. *Ecotoxicology and Environmental Safety* 93, 145-155, **2013** (WoS/Scopus)

5286. Gomes T, Pereira JA, Ramalhosa E, Casal S, Baptista P - Effect of fresh spent coffee grounds on the oxidative stress and antioxidant response in lettuce plants. *Innovar y Producir para el Futuro. VII Congreso Iberico de Agroingenieria y Ciencias Hortícolas, Madrid, 23-29 August 2013*. Ref. N° P042. <http://hdl.handle.net/10198/8720>

5287. Hess BM, Xue JF, Markillie LM, Taylor RC, Wiley HS, Ahring BK, Linggi B - Coregulation of terpenoid pathway genes and prediction of isoprene production in *Bacillus subtilis* using transcriptomics. *PLoS ONE* 8(6), Article Number: e66104, **2013** (WoS/Scopus)

5288. Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C - Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *Journal of Experimental Botany* 64(12), 3697-3709, **2013** (WoS/Scopus)

5289. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. **2013**. <http://www.uav.ro/jour/index.php/sbe/article/view/168>

5290. Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ - Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. *Journal of Breath Research* 7(3), Article Number: 036007, DOI: 10.1088/1752-7155/7/3/036007, **2013** (WoS/Scopus)

5291. Kivimäenpää M, Riikonen J, Ahonen V, Tervahauta A, Holopainen T - Sensitivity of Norway spruce physiology and terpenoid emission dynamics to elevated ozone and elevated temperature under open-field exposure. *Environmental and Experimental Botany* 90, 32-42, **2013** (WoS/Scopus)

5292. Kovač-Andrić E, Gvozdić V, Muharemović H. Assessment of variations of O₃ concentrations in Kopački

- Rit Nature Park, Eastern Croatia. *Croatica Chemica Acta* 86 (1), 109-115, **2013 (WoS/Scopus)**
- 5293.** Koyro H-W, Hussain T, Huchzermeyer B, Khan MA - Photosynthetic and growth responses of a perennial halophytic grass *Panicum turgidum* to increasing NaCl concentrations. *Environmental and Experimental Botany* 91, 22-29, **2013 (WoS/Scopus)**
- 5294.** Kumar RR, Goswami S, Sharma SK, Singh K, Gadpayle KA, Singh SD, Pathak H, Rai RD - Differential expression of heat shock protein and alteration in osmolyte accumulation under heat stress in wheat. *Journal of Plant Biochemistry and Biotechnology* 22 (1): 16-26, **2013 (WoS/Scopus)**
- 5295.** Kumari S, Priya P, Misra G, Yadav G - Structural and biochemical perspectives in plant isoprenoid biosynthesis. *Phytochemistry Reviews* 12(2), 255-291, **2013 (WoS/Scopus)**
- 5296.** Llusia J, Sardans J, Niinemets Ü, Owen SM, Peñuelas J - A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits. *Plant Biosystems* 148(2): 307-317, **2013 (WoS/Scopus)**
- 5297.** Lu XG, Liu XH, Zhao B - Relationship of superficial scald in 'fuji' apples to changes of reactive oxygen species metabolism in response to ventilation treatment. *Asian Journal of Chemistry* 25(1): 32-36, **2013 (WoS/Scopus)**
- 5298.** Lu XG, Ma YP, Zhang LH, Liu XH - Interactions of α -farnesene, conjugated trienols, and anti-oxidant activity during the development of superficial scald in 'Fuji' apple. *Journal of Horticultural Science and Biotechnology*, 88(3): 277-284, **2013 (WoS/Scopus)**
- 5299.** Mandal C, Ghosh N, Adak MK, Dey N. Interaction of polyamine on oxidative stress induced by exogenously applied hydrogen peroxide in *Salvinia natans* Linn. *Theoretical and Experimental Plant Physiology* 25(3), 203-212, **2013 (WoS/Scopus)**
- 5300.** Maroua Akacha, Néziha Ghanem Boughanmi, Rabiaa Haouala. Effects of *Melia azedarach* leaves extracts on radish growth and oxidative status. *International Journal of Botany and Research* 3 (2), 29-42, **2013**
- 5301.** Martins N, Gonçalves S, Romano A. Aluminum inhibits root growth and induces hydrogen peroxide accumulation in *Plantago algarbiensis* and *P. almogravensis* seedlings. *Protoplasma* 250 (6), 1295-1302, **2013 (WoS/Scopus)**
- 5302.** Martins N, Osorio ML, Goncalves S, Osorio J, Romano A - Differences in Al tolerance between *Plantago algarbiensis* and *P. almogravensis* reflect their ability to respond to oxidative stress. *Biometals* 26(3), 427-437, **2013 (WoS/Scopus)**
- 5303.** Mehr ZS, Bahabadi SE. Physiological and antioxidant responses of coriander (*Coriandrum sativum* L.) to salinity. *International Journal of Agriculture and Crop Sciences* 5 (4), 344-348, **2013 (WoS/Scopus)**
- 5304.** Miresmailli S, Zeri M, Zangerl AR, Bernacchi CJ, Berenbaum MR, DeLucia EH - Impacts of herbaceous bioenergy crops on atmospheric volatile organic composition and potential consequences for global climate change. *Global Change Biology Bioenergy* 5(4), 375-383, **2013 (WoS/Scopus)**
- 5305.** Morrison EC - Methyl Halide and Biogenic Volatile Organic Compound Fluxes from Perennial Bioenergy Crops and Annual Arable Crops. **PhD Thesis**, The University of Edinburgh, **2013**
- 5306.** Nieuwenhuizen NJ, Green SA, Chen XY, Bailleul EJD, Matich AJ, Wang MY, Atkinson RG - Functional genomics reveals that a compact terpene synthase gene family can account for terpene volatile production in apple. *Plant Physiology* 161(2): 787-804, **2013, DOI: 10.1104/pp.112.208249 (WoS/Scopus)**
- 5307.** Osorio ML, Goncalves S, Coelho N, Osorio J, Romano A - Morphological, physiological and oxidative stress markers during acclimatization and field transfer of micropropagated *Tuberaria major* plants. *Plant Cell Tissue and Organ Culture* 115(1), 85-97, **2013 (WoS/Scopus)**
- 5308.** Owen SM, Peñuelas J - Volatile isoprenoid emission potentials are correlated with essential isoprenoid concentrations in five plant species. *Acta Physiologiae Plantarum* 35(11), 3109-3125, **2013 (WoS/Scopus)**
- 5309.** Patnaik AR, Achary VMM, Panda BB - Chromium (VI)-induced hormesis and genotoxicity are mediated through oxidative stress in root cells of *Allium cepa* L. *Plant Growth Regulation* 71(2), 157-170, **2013 (WoS/Scopus)**
- 5310.** Rady MM, Seif El-Yazal MA. Response of "Anna" apple dormant buds and carbohydrate metabolism during floral bud break to onion extract. *Scientia Horticulturae* 155, 78-84, **2013 (WoS/Scopus)**
- 5311.** Rozenkranz M, Schnitzler J-P – Genetic engineering of BVOC emissions from trees. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 4: pp. 95-118, **2013 (book)**
- 5312.** Scott CE. The biogeochemical impacts of forests and the implications for climate change mitigation. University of Leeds, UK, **2013. (PhD Thesis)**
- 5313.** Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L - Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. *Evolution* 67 (4): 1026-1040, DOI: 10.1111/evo.12013, **2013 (WoS/Scopus)**
- 5314.** Sun Z – Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science, **2013 (PhD Thesis)**
- 5315.** Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM - Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* × *Populus tremuloides*). *New Phytologist* 198: 788-800, **2013 (WoS/Scopus)**

- 5316.** Um HY, Kong HG, Lee HJ, Choi HK, Park EJ, Kim ST, Murugiyan S, Chung E, Kang KY, Lee S-W - Altered gene expression and intracellular changes of the viable but nonculturable state in *Ralstonia solanacearum* by copper treatment. *Plant Pathology Journal* 29(4): 374-385, **2013 (WoS/Scopus)**
- 5317.** Xu XZ, Guo RR, Cheng CX, Zhang HJ, Zhang YC, Wang XP - Overexpression of ALDH2B8, an aldehyde dehydrogenase gene from grapevine, sustains *Arabidopsis* growth upon salt stress and protects plants against oxidative stress. *Plant Cell Tissue and Organ Culture* 114(2), 187-196, **2013 (WoS/Scopus)**
- 5318.** Alves EG, Harley P, de C. Gonçalves JF, da Silva Moura CE, Jardine K. Effects of light and temperature on isoprene emission at different leaf developmental stages of *eschweilera coriacea* in central Amazon. *Acta Amazonica* 44 (1), 9-18, **2014 (WoS/Scopus)**
- 5319.** Anjum, NA; Duarte, AC; Pereira, E; Ahmad, I - Oxidative stress status, antioxidant metabolism and polypeptide patterns in *Juncus maritimus* shoots exhibiting differential mercury burdens in Ria de Aveiro coastal lagoon (Portugal). *Environmental Science and Pollution Research* 21 (10), 6652-6661, **2014 (WoS/Scopus)**
- 5320.** Anjum, NA; Israr, M; Duarte, AC; Pereira, ME; Ahmad, I - *Halimione portulacoides* (L.) physiological/biochemical characterization for its adaptive responses to environmental mercury exposure. *Environmental Research* 131, 39-49, **2014 (WoS/Scopus)**
- 5321.** Anjum, NA; Singh, N; Singh, MK; Sayeed, I; Duarte, AC; Pereira, E; Ahmad, I - Single-bilayer graphene oxide sheet impacts and underlying potential mechanism assessment in germinating faba bean (*Vicia faba* L.). *Science of the Total Environment* 472, 834-841, **2014 (WoS/Scopus)**
- 5322.** Anjum, NA; Umar, S; Iqbal, M - Assessment of cadmium accumulation, toxicity, and tolerance in Brassicaceae and Fabaceae plants-implications for phytoremediation. *Environmental Science and Pollution Research* 21 (17), 10286-10293, **2014 (WoS/Scopus)**
- 5323.** Baczewska AH, Dmuchowski W, Jozwiak A, Gozdowski D, Brągoszewska P, Dąbrowski P, Swieżewska E. Effect of salt stress on prenol lipids in the leaves of *Tilia* 'Euchlora'. *Dendrobiology*. 72, 177–186, **2014. (WoS/Scopus)**
- 5324.** Brunetti, C; Ferrini, F; Fini, A; Tattini, M - New evidence for the functional roles of volatile and non-volatile isoprenoids in stressed plants. *Agrochimica* 58, SI, 61-76, **2014 (WoS/Scopus)**
- 5325.** Cardoso-Gustavson, P; Bolsoni, VP; de Oliveira, DP; Guaratini, MTG; Aidar, MPM; Marabesi, MA; Alves, ES; de Souza, SR - Ozone-induced responses in *croton floribundus* spreng. (Euphorbiaceae): Metabolic cross-talk between volatile organic compounds and calcium oxalate crystal formation. *PLOS ONE* 9 (8), Article Number: e105072, **2014, DOI: 10.1371/journal.pone.0105072 (WoS/Scopus)**
- 5326.** Christou, A; Filippou, P; Manganaris, GA; Fotopoulos, V - Sodium hydrosulfide induces systemic thermotolerance to strawberry plants through transcriptional regulation of heat shock proteins and aquaporin. *BMC PLANT BIOLOGY* 14, Article Number: 42, **2014 (WoS/Scopus)**
- 5327.** Christou, A; Manganaris, GA; Fotopoulos, V - Systemic mitigation of salt stress by hydrogen peroxide and sodium nitroprusside in strawberry plants via transcriptional regulation of enzymatic and non-enzymatic antioxidants. *Environmental and Experimental Botany* 107, 46-54, **2014 (WoS/Scopus)**
- 5328.** Dani KGS – On the physiology and evolution of volatile isoprenoid emission in plants. Macquarie University, Australia, **PhD Thesis, 2014**
- 5329.** Dinler BS, Antoniou C, Fotopoulos V. Interplay between GST and nitric oxide in the early response of soybean (*Glycine max* L.) plants to salinity stress. *Journal of Plant Physiology*. 171, 1740–1747, **2014. (WoS/Scopus)**
- 5330.** El-Yazal, MAS; Rady, MM - Exogenous onion extract hastens bud break, positively alters enzyme activity, hormone, amino acids and phenol contents, and improves fruit quality in 'Anna' apple trees. *Scientia Horticulturae* 169, 154-160, **2014 (WoS/Scopus)**
- 5331.** Genard-Zielinski A-C, Ormeño E, Boissard C, Fernandez C. Isoprene emissions from downy oak under water limitation during an entire growing season: What cost for growth? *PLoS ONE* 9 (11), e112418, **2014. (WoS/Scopus)**
- 5332.** Ghirardo, A; Wright, LP; Bi, Z; Rosenkranz, M; Pulido, P; Rodriguez-Concepcion, M; Niinemets, U; Bruggemann, N; Gershenzon, J; Schnitzler, JP - Metabolic flux analysis of plastidic isoprenoid biosynthesis in poplar leaves emitting and nonemitting isoprene. *Plant Physiology* 165 (1), 37-51, **2014 (WoS/Scopus)**
- 5333.** Hameed, A; Rasheed, A; Gul, B; Khan, MA - Salinity inhibits seed germination of perennial halophytes *Limonium stocksii* and *Suaeda fruticosa* by reducing water uptake and ascorbate dependent antioxidant system. *Environmental and Experimental Botany* 107, 32-38, **2014 (WoS/Scopus)**
- 5334.** Hartikainen K – Effects of elevated temperature and/or ozone on leaf structural characteristics and volatile organic compound emissions of northern deciduous tree and crop species. **PhD in Forestry and Natural Sciences No 140, University of Eastern Finland, 2014 (PhD Thesis)**
- 5335.** Jardine K, Chambers J, Alves EG, Teixeira A, Garcia S, Holm J, Higuchi N, Manzi A, Abrell L, Fuentes JD, Nielsen LK, Torn MS, Vickers CE. Dynamic balancing of isoprene carbon sources reflects photosynthetic and photorespiratory responses to temperature stress. *Plant Physiol*. 166(4), 2051-2064, **2014. (WoS/Scopus)**
- 5336.** Karban, R; Yang, LH; Edwards, KF - Volatile communication between plants that affects herbivory: a meta-analysis. *Ecology Letters* 17 (1), 44-52, **2014 (WoS/Scopus)**
- 5337.** Kumar RR, Goswami S, Gadpayle KA, Singh K, Sharma SK, Singh GP, Pathak H, Rai RD. Ascorbic acid at pre-anthesis modulate the thermotolerance level of wheat (*Triticum aestivum*) pollen under heat stress. *Journal of Plant Biochemistry and Biotechnology* 23(3), 293-306, **2014 DOI 10.1007/s13562-013-0214-x (WoS/Scopus)**
- 5338.** Kumar RR, Sharma SK, Rai GK, Singh K, Choudhury M, Dhawan G, Singh GP, Goswami S, Pathak H, Rai RD. Exogenous application of putrescine at pre-anthesis enhances the thermotolerance of wheat (*Triticum aestivum* L.). *Indian Journal of Biochemistry & Biophysics*. 51, 396-406, **2014. (WoS/Scopus)**

- 5339.** Kumar, RR; Goswami, S; Gadpayle, KA; Singh, K; Sharma, SK; Singh, GP; Pathak, H; Rai, RD - Ascorbic acid at pre-anthesis modulate the thermotolerance level of wheat (*Triticum aestivum*) pollen under heat stress. *Journal of Plant Biochemistry and Biotechnology* 23 (3), 293-306, **2014 (WoS/Scopus)**
- 5340.** Llusia, J; Sardans, J; Niinemets, U; Owen, SM; Penuelas, J - A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits. *Plant Biosystems* 148 (2), 307-317, **2014 (WoS/Scopus)**
- 5341.** Lu, XA; Ma, YP; Liu, XH - Effects of hydrogen peroxide accumulation, lipid peroxidation, and polyphenol oxidation during superficial scald development in 'Fuji' apples. *Horticulture Environment and Biotechnology* 55 (4), 299-307, **2014**
- 5342.** Mariem W, Kilani BR, Benet G, Abdelbasset L, Stanley L, Poschenrieder C, Chedly A, Tahar G. How does NaCl improve tolerance to cadmium in the halophyte *Sesuvium portulacastrum*? *Chemosphere*. 117, 243–250, **2014. (WoS/Scopus)**
- 5343.** Martins, F; Pereira, JA; Baptista, P - Oxidative stress response of *Beauveria bassiana* to Bordeaux mixture and its influence on fungus growth and development. *Pest Management Science* 70 (8), 1220-1227, **2014 Web of Science and Scopus**
- 5344.** Matyssek R, Kozovits AR, Schnitzler J-P, Pretzsch H, Dieler J, Wieser G. Forest trees under air pollution as a factor of climate change. *Trees in a Changing Environment. Plant Ecophysiology*. 9, 117-163, **2014 (Review). (WoS/Scopus)**
- 5345.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014 (Thesis)**
- 5346.** Miotto A, Ceretta CA, Brunetto G, Nicoloso FT, Girotto E, Farias JG, Tiecher TL, De Conti L, Trentin G. Copper uptake, accumulation and physiological changes in adult grapevines in response to excess copper in soil. *Plant and Soil* 374 (1-2), 593-610, **2014 (WoS/Scopus)**
- 5347.** Nejjadsadeghi L, Maali-Amiri R, Zeinali H, Ramezanpour S, Sadeghzade B. Comparative analysis of physio-biochemical responses to cold stress in tetraploid and hexaploid wheat. *Cell Biochemistry and Biophysics*. 70 (1), 399-408, **2014. (WoS/Scopus)**
- 5348.** Niinemets, U; Fares, S; Harley, P; Jardine, KJ - Bidirectional exchange of biogenic volatiles with vegetation: emission sources, reactions, breakdown and deposition. *Plant Cell and Environment* 37 (8), SI, 1790-1809, **2014 (Review) (WoS/Scopus)**
- 5349.** Nyasembe, VO; Torto, B - Volatile phytochemicals as mosquito semiochemicals. *Phytochemistry Letters* 8, 196-201, **2014 (WoS/Scopus)**
- 5350.** Patel AD, Lalcheta K, Gill SS, Tuteja N – Salinity tolerance *Avicennia officinalis* L. (Acanthaceae) from Gujarat Coasts of India. In: *Climate Change and Plant Abiotic Stress Tolerance* (Eds. N. Tuteja and S.S. Gill), Wiley-VCH Verlag GmbH & Co. KGaA, Boschstr. 12, 69469 Weinheim, Germany, Chapter 8, pp: 189-208, **2014 (book) (Scopus)**
- 5351.** Pu, F; Ren, XL - Ascorbate levels and activities of enzymes related to the glutathione-ascorbate cycle in fruits of Chinese persimmon cultivars. *Horticulture Environment and Biotechnology* 55 (4), 315-321, **2014**
- 5352.** Song W, Staudt M, Bourgeois I, Williams J. Laboratory and field measurements of enantiomeric monoterpene emissions as a function of chemotype, light and temperature. *Biogeosciences*. 11 (5), 1435-1447, **2014. (WoS/Scopus)**
- 5353.** Souza M, Lemos M, Brito D, Fernandes M, Castro R, Souza S. Production and quality of menthol mint essential oil and antifungal and antigerminative activity. *American Journal of Plant Sciences*. 5, 3311-3318, **2014. (WoS/Scopus)**
- 5354.** Tang, W; Sun, JQ; Liu, J; Liu, FF; Yan, J; Gou, XJ; Lu, BR; Liu, YS - RNAi-directed downregulation of betaine aldehyde dehydrogenase 1 (OsBADH1) results in decreased stress tolerance and increased oxidative markers without affecting glycine betaine biosynthesis in rice (*Oryza sativa*). *Plant Molecular Biology* 86 (4-5), 443-454, **2014 (WoS/Scopus)**
- 5355.** Zhang, J; Zhang, M; Tian, SK; Lu, LL; Shohag, MJI; Yang, XE - Metallothionein 2 (SaMT2) from *Sedum alfredii* hance confers increased Cd tolerance and accumulation in yeast and tobacco. *PLOS ONE* 9 (7), Article Number e102750, **2014, DOI: 10.1371/journal.pone.0102750 (WoS/Scopus)**
- 5356.** Zhao, FY; Han, MM; Zhang, SY; Ren, J; Hu, F; Wang, X - MAPKs as a cross point in H₂O₂ and auxin signaling under combined cadmium and zinc stress in rice roots. *Russian Journal of Plant Physiology* 61 (5), 608-618, **2014 (WoS/Scopus)**
- 5357.** Zhou L, Xie G, Zhang Z, Huang F, Gao S, Zhang S. Responses of two maize inbred lines of different aluminium tolerance to Al-induced oxidative stress. *Chinese Journal of Applied and Environmental Biology* 20 (4), 669-674, **2014. (WoS/Scopus)**
- 5358.** Anjum NA, Umar S, Aref IM, Iqbal M. Managing the pools of cellular redox buffers and the control of oxidative stress during the ontogeny of drought-exposed mungbean (*Vigna radiata* L.) – role of sulfur nutrition, *Frontiers in Environmental Science*, 2, 00066, **2015 (WoS/Scopus)**
- 5359.** Asthir B, Thapar R, Bains NS, Farooq M. Biochemical responses of thiourea in ameliorating high temperature stress by enhancing antioxidant defense system in wheat, *Russian Journal of Plant Physiology* 62, 6, 875-882, **2015 (WoS/Scopus)**
- 5360.** Babitha KC, Ramu SV, Nataraja KN, Sheshshayee MS, Udayakumar M. EcbZIP60, a basic leucine zipper transcription factor from *Eleusine coracana* L. improves abiotic stress tolerance in tobacco by activating unfolded protein response pathway, *Molecular Breeding*, 35, 181, **2015 (WoS/Scopus)**
- 5361.** Babitha KC, Vemanna RS, Nataraja KN, Udayakumar M. Overexpression of EcbHLH57 Transcription

Factor from *Eleusine coracana* L. in Tobacco Confers Tolerance to Salt, Oxidative and Drought Stress, *PLoS ONE*, 10, 9, e0137098, **2015 (WoS/Scopus)**

5362. Banerjee S, Adak MK. Studies on some biomarkers for submergence tolerance in rice cultivars, *Iranian Journal of Plant Physiology*, 5, 2, 1273-1280, **2015 (WoS/Scopus)**

5363. Bouaziz D, Jbir R, Charfeddine S, Saidi MN, Gargouri-Bouazid R. The StDREB1 transcription factor is involved in oxidative stress response and enhances tolerance to salt stress, *Plant Cell, Tissue and Organ Culture*, 121, 1, 237-248, **2015 (WoS/Scopus)**

5364. Burdon RCF, Raguso RA, Kessler A, Parachnowitsch AL. Spatiotemporal floral scent variation of *Penstemon digitalis*, *Journal of Chemical Ecology*, 41, 7, 641-650, **2015 (WoS/Scopus)**

5365. Cerqueira RC, Costa JM, Chaves MM, Rodrigues JD. Fisiologia e metabolismo foliar em duas variedades de videira sujeitas a um ciclo de déficit hídrico e reidratação, *Brazilian Journal of Agricultural Sciences / Revista Brasileira de Ciências Agrárias*, 10, 2, 211-217, **2015**

5366. Exton DA, McGenity TJ, Steinke M, Smith DJ, Suggett DJ. Uncovering the volatile nature of tropical coastal marine ecosystems in a changing world. *Global Change Biology*, 21, 4, 1383-1394, **2015 (WoS/Scopus)**

5367. Figueiró ADA, Reese N, Gonzalez Hernandez JL, Pacheco MT, Martinelli JA, Federizzi LC, Delatorre CA. Reactive oxygen species are not increased in resistant oat genotypes challenged by crown rust isolates, *Journal of Phytopathology*, 163, 10, 795-806, **2015 (WoS/Scopus)**

5368. Goswami S, Kumar RR, Shorma SK, Kala YK, Singh RG, Dhavan G, Rai GK, Singh GP, Pathak H, Rai RD. Calcium triggers protein kinases-induced signal transduction for augmenting the thermotolerance of developing wheat (*Triticum aestivum*) grain under the heat stress, *Journal of Plant Biochemistry and Biotechnology*, 24, 4, 441-452, **2015 (WoS/Scopus)**

5369. Hameed A, Gulzar S, Aziz I, Hussain T, Gul B, Khan MA. Effects of salinity and ascorbic acid on growth, water status and antioxidant system in a perennial halophyte, *AoB PLANTS* 7: ply004, **2015 doi: 10.1093/aobpla/plv004 (WoS/Scopus)**

5370. Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes, *Journal of Bioenergetics and Biomembranes*, 47, 5, 419-429, **2015 (WoS/Scopus)**

5371. Jardine KJ, Chambers JQ, Holm J, Jardine AB, Fontes CG, Zorzanelli RF, Meyers KT, de Souza VF, Garcia S, Gimenez BO, Piva LRO, Higuchi N, Artaxo P, Martin S, Manzi AO. Green leaf volatile emissions during high temperature and drought stress in a Central Amazon rainforest, *Plants*, 4, 3, 678-690, **2015 (WoS/Scopus)**

5372. Kaya C, Ashraf M, Sonmez O, Tuna AL, Aydemir S. Exogenously applied nitric oxide confers tolerance to salinity-induced oxidative stress in two maize (*Zea mays* L.) cultivars differing in salinity tolerance, *Turkish Journal of Agriculture and Forestry*, 39, 909-919, **2015, doi:10.3906/tar-1411-26 (WoS/Scopus)**

5373. Kaya C, Ashraf M, Sonmez O, Tuna AL, Polat T, Aydemir S. Exogenous application of thiamin promotes growth and antioxidative defense system at initial phases of development in salt-stressed plants of two maize cultivars differing in salinity tolerance, *Acta Physiologiae Plantarum*, 37, 1741, **2015 (WoS/Scopus)**

5374. Kaya C, Ashraf M, Sonmez O. Promotive effect of exogenously applied thiourea on key physiological parameters and oxidative defense mechanism in salt-stressed *Zea mays* L. plants, *Turkish Journal of Botany* 39, 786-795, **2015 (WoS/Scopus)**

5375. Kaya C, Ashraf M. Exogenous application of nitric oxide promotes growth and oxidative defense system in highly boron stressed tomato plants bearing fruit, *Scientia Horticulturae*, 185, 43-47, **2015 (WoS/Scopus)**

5376. Ke Q, Wang Z, Ji CY, Jeong JC, Lee H-S, Li H, Xu B, Deng X, Kwak S-S. Transgenic poplar expressing *Arabidopsis YUCCA6* exhibits auxin-overproduction phenotypes and increased tolerance to abiotic stress, *Plant Physiology and Biochemistry*, 94, 19-27, **2015 (WoS/Scopus)**

5377. Khazaei M, Maali-Amiri R, Talei AR, Ramezanzpour S. Differential transcript accumulation of dhydrin and beta-glucosidase genes to cold-induced oxidative stress in chickpea, *Journal of Agricultural Science and Thechnology* 17(3), 725-734, **2015 (WoS/Scopus)**

5378. Liu J, Shi X, Qian M, Zheng L, Lian C, Xia Y, Shen Z. Copper-induced hydrogen peroxide upregulation of a metallothionein gene, *OsMT2c*, from *Oryza sativa* L. confers copper tolerance in *Arabidopsis thaliana*, *Journal of Hazardous Materials*, 294, 99-108, **2015 (WoS/Scopus)**

5379. Lotfi A, Jahanbakhshian Z, Fang J, Faghihi F, Seyedi SM. The effect of salinity stress on survival percentage and physiological characteristics in three varieties of pistachio (*Pistacia vera* L), *Biologia* 70(9), 1185-1192, **2015 (WoS/Scopus)**

5380. Murugan K, Aswathy JM, Krishnan VG, Greeshma M, Greeshma GM. Heavy metal accumulation by *Asterella khasiana* (GRIFF) grolle and *Cyathodium cavernarum kunze* (Bryophytes) from neyyar wildlife sanctuary (Kerala) and it's adaptive mechanism, *International Journal of Biology, Farmacy and Allied Sciences*, 4, 4, 1914-1927, **2015 Web of Science**

5381. Nejadsadeghi L, Maali-Amiri R, Zeinali H, Ramezanzpour S, Sadeghzade B. Membrane fatty acid compositions and cold-induced responses in tetraploid and hexaploid wheats. *Molecular Biology Reports*, 42, 363-372, **2015 (WoS/Scopus)**

5382. Nogués I, Medori M, Calfapietra C - Limitations of monoterpene emissions and their antioxidant role in *Cistus* sp. under mild and severe treatments of drought and warming. *Environmental and Experimental Botany* 119: 76-86, **2015, <http://dx.doi.org/10.1016/j.envexpbot.2015.06.001> (WoS/Scopus)**

5383. Norastehnia A, S Mahdavi. Chloride in high concentration can affect tobacco seedlings as an oxidative stress agent, *Fresenius Environmental Bulletin*, 24, 4a, 1420-1424, **2015 (WoS/Scopus)**

- 5384.** Oku H, Inafuku M, Ishikawa T, Takamine T, Ishmael M, Fukuta M - Molecular cloning and biochemical characterization of isoprene synthases from the tropical trees *Ficus virgata*, *Ficus septica*, and *Casuarina equisetifolia*. *Journal of Plant Research*, 128, 5, 849-861, **2015 (WoS/Scopus)**
- 5385.** Palliotti A, Tombesi S, Frioni T, Silvestroni O, Lanari V, D'Onofrio C, Matarese F, Bellincontro A, Poni S. Physiological parameters and protective energy dissipation mechanisms expressed in the leaves of two *Vitis vinifera* L. genotypes under multiple summer stresses, *Journal of Plant Physiology*, 185, 84-92, **2015 (WoS/Scopus)**
- 5386.** Pollastrini M, Luchi N, Michelozzi M, Gerosa G, Marzuoli R, Bussotti F, Capretti P. Early physiological responses of *Pinus pinea* L. seedlings infected by *Heterobasidion* sp.pl. in an ozone-enriched atmospheric environment, *Tree Physiology*, 35, 3, 331-340, **2015 (WoS/Scopus)**
- 5387.** Rajaeian SO, Ehsanpour AA. Physiological responses of tobacco plants (*Nicotiana rustica*) pretreated with ethanolamine to salt stress, *Russian Journal of Plant Physiology*, 62, 2, 246-252, **2015 (WoS/Scopus)**
- 5388.** Rasulov B, Bichele I, Hüve K, Vislap V, Niinemets U - Acclimation of isoprene emission and photosynthesis to growth temperature in hybrid aspen: Resolving structural and physiological controls. *Plant, Cell and Environment* 38 (4), 751-766, **2015 (WoS/Scopus)**
- 5389.** Rasulov B, Talts E, Kännaste A, Niinemets U - Bisphosphonate inhibitors reveal a large elasticity of plastidic isoprenoid synthesis pathway in isoprene-emitting hybrid aspen. *Plant Physiology* 168, 532-548, **2015 (WoS/Scopus)**
- 5390.** Rosenkranz M, Pugh TAM, Schnitzler J-P, Arneth A. Effect of land-use change and management on biogenic volatile organic compound emissions – selecting climate-smart cultivars, *Plant, Cell & Environment*, 38, 9, 1896-1912, DOI: [10.1111/pce.12453](https://doi.org/10.1111/pce.12453), **2015 (WoS/Scopus)**
- 5391.** Sardans J, Llusia J, Owen SM, Niinemets Ü, Peñuelas J. Screening study of leaf terpene concentration of 75 Borneo rainforest plant Species: relationships with leaf elemental concentrations and morphology, *Records of Natural Products*, 9, 1, 19-40, **2015 (WoS/Scopus)**
- 5392.** Saleem AR. Eco-physiological responses of velvet bean (*Mucuna pruriens* L.) To inoculation with rhizobacteria containing acc-deaminase under drought stress. Arid Agriculture University Rawalpindi, Pakistan, **2015 (PhD Thesis)**
- 5393.** Teskey R, Wertin T, Bauweraerts I, Ameye M, McGuire MA, Steppe K - Responses of tree species to heat waves and extreme heat events. *Plant Cell Environ* 38(9),1699-1712, **2015 doi: [10.1111/pce.12417](https://doi.org/10.1111/pce.12417) (review) (WoS/Scopus)**
- 5394.** Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel J, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P. Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology*, 169 (1), pp. 560-575, **2015, DOI: [10.1104/pp.15.00871](https://doi.org/10.1104/pp.15.00871) (WoS/Scopus)**
- 5395.** Xu L, Yu F. Corolla structure and fragrance components in *Styrax tonkinensis*, *Trees*, 29, 4, 1127-1134, **2015**
- 5396.** Xu S, He X, Chen W, Huang Y, Zhao Y, Li B. Differential sensitivity of four urban tree species to elevated O₃, *Urban Forestry & Urban Greening*, 14, 4, 1166-1173, **2015 (WoS/Scopus)**
- 5397.** Zare H, Mohsenzadeh S, Moradshahi A. Effects of electromagnetic waves with high frequency (940MHz) cause increase catalase and H₂O₂ in *Zea mays* L, *International Journal of Agriculture and Crop Sciences*, 8, 4, 642-649, **2015**
- 5398.** Zuo Z, Chen Z, Shi M, Zhu Y, Bai Y, Wang Y. Reactive oxygen species contribute to the release of volatile organic compounds from *Chlamydomonas reinhardtii* during programmed cell death, *Phycological Research*, 63, 1, 37-42, **2015 (WoS/Scopus)**
- 5399.** Adamski JM, Cargnelutti D, Sperotto RA, Terra TF, Rosa LM, Cruz RP, Fett JP. Identification and physiological characterization of two sister lines of indica rice (*Oryza sativa* L.) with contrasting levels of cold tolerance, *Canadian Journal of Plant Science*, 96, 2, 197-214, **2016 (WoS/Scopus)**
- 5400.** Adnan MY, Hussain T, Asrar H, Hameed A, Gul B, Nielsen BL, Khan MA. *Desmostachya bipinnata* manages photosynthesis and oxidative stress at moderate salinity. *Flora-Morphology, Distribution, Functional Ecology of Plants*, 225, 1-9, **2016 (WoS/Scopus)**
- 5401.** Amdouni T, Abdallah SB, Msilini N, Fernandez X - Effect of salt stress on the antimicrobial activity of *Ruta chalepensis* essential oils. *Acta Physiologiae Plantarum* 38(6), 147, 1-13, **2016, DOI: [10.1007/s11738-016-2167-x](https://doi.org/10.1007/s11738-016-2167-x). (WoS/Scopus)**
- 5402.** Arab L, Kreuzwieser J, Kruse J, Zimmer I, Ache P, Alfarraj S, Al-Rasheid KAS, Schnitzler J-P, Hedrich R, Rennenberg H. Acclimation to heat and drought - Lessons to learn from the date palm (*Phoenix dactylifera*), *Environmental and Experimental Botany*, 125, 20-30, **2016 (WoS/Scopus)**
- 5403.** Calfapietra C, Morani A, Sgrigna G, Di Giovanni S, Muzzini V, Pallozzi E, Guidolotti G, Nowak D, Fares S - Removal of ozone by urban and peri-urban forests: Evidence from laboratory, field, and modeling approaches. *Journal of Environmental Quality* 45, 224-233, **2016 doi:10.2134/jeq2015.01.0061 (WoS)**
- 5404.** Christou A, Antoniou C, Christodoulou C, Hapeshi E, Stavrou I, Michael C, Fatta-Kassinou D, Fotopoulos V. Stress-related phenomena and detoxification mechanisms induced by common pharmaceuticals in alfalfa (*Medicago sativa* L.) plants, *Science of the Total Environment*, 557-558, 652-664, **2016 (WoS/Scopus)**
- 5405.** Dal Santo S, Palliotti A, Zenoni S, Tornielli GB, Fasoli M, Paci P, Tombesi S, Frioni T, Silvestroni O, Bellincontro A, d'Onofrio C, Matarese F, Gatti M, Poni S, Pezzotti M. Distinct transcriptome responses to water

- limitation in isohydric and anisohydric grapevine cultivars. *BMC Genomics*, 17, 1, 815, **2016 (WoS/Scopus)**
- 5406.** Dhir B. Air Pollutants and Photosynthetic Efficiency of Plants. In *Plant Responses to Air Pollution* (Editors: U. Kulshrestha, P. Saxena), pp. 71-84, Springer Singapore, (**Book**), **2016 (WoS/Scopus)**
- 5407.** Ghosh M, Jana A, Sinha S, Jothiramajayam M, Nag A, Chakraborty A, Mukherjee A, Mukherjee A - Effects of ZnO nanoparticles in plants: cytotoxicity, genotoxicity, deregulation of antioxidant defenses, and cell-cycle arrest. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 807, 25-32, **2016**, DOI: [10.1016/j.mrgentox.2016.07.006](https://doi.org/10.1016/j.mrgentox.2016.07.006)
- 5408.** Giroto E, Ceretta CA, Rossato LV, Farias JG, Brunetto G, Miotto A, Tiecher TL, de Conti L, Lourenzi CR, Schmatz R, Giachini A, Nicoloso FT - Biochemical changes in black oat (*avena strigosa* schreb) cultivated in vineyard soils contaminated with copper. *Plant Physiology and Biochemistry* 103: 199-207, **2016**, DOI: [10.1016/j.plaphy.2016.02.030](https://doi.org/10.1016/j.plaphy.2016.02.030) (**WoS/Scopus**)
- 5409.** Goh H-H, Khairudin K, Sukiran NA, Normah MN, Baharum SN. Metabolite profiling reveals temperature effects on the VOCs and flavonoids of different plant populations, *Plant Biology* 18(1), 130-139, **2016**, doi: [10.1111/plb.12403](https://doi.org/10.1111/plb.12403) (**WoS/Scopus**)
- 5410.** González-Fernández I, Elvira S, Calatayud V, Calvo E, Aparicio P, Sánchez M, Alonso R, Bermejo VB. Ozone effects on the physiology and marketable biomass of leafy vegetables under Mediterranean conditions: Spinach (*Spinacia oleracea* L.) and Swiss chard (*Beta vulgaris* L. var. *cycla*), *Agriculture, Ecosystems & Environment*, 235, 215-228, **2016 (WoS/Scopus)**
- 5411.** Grohs M, Marchesan E, Roso R, Moraes BS. Attenuation of low-temperature stress in rice seedlings, *Pesquisa Agropecuária Tropical*, 46, 2, 197-205, **2016 (WoS/Scopus)**
- 5412.** Guidolotti G, Rey A, Medori M, Calfapietra C. Isoprenoids emission in *Stipa tenacissima* L.: Photosynthetic control and the effect of UV light, *Environmental Pollution* 208(B), 336-344, **2016** doi: [10.1016/j.envpol.2015.09.053](https://doi.org/10.1016/j.envpol.2015.09.053) (**WoS/Scopus**)
- 5413.** Harvey CM, Sharkey TD. Exogenous isoprene modulates gene expression in unstressed *Arabidopsis thaliana* plants, *Plant, Cell & Environment* 39(6), 1251-1263, **2016**, doi: [10.1111/pce.12660](https://doi.org/10.1111/pce.12660) (**WoS/Scopus**)
- 5414.** Ignacio González-Fernández, Susana Elvira, Vicent Calatayud, Esperanza Calvo, Pedro Aparicio, Miguel Sánchez, Rocío Alonso, Victoria Bermejo Bermejo, Ozone effects on the physiology and marketable biomass of leafy vegetables under Mediterranean conditions: Spinach (*Spinacia oleracea* L.) and Swiss chard (*Beta vulgaris* L. var. *cycla*), *Agriculture, Ecosystems & Environment* 235, 215-228, **2016 (WoS/Scopus)**
- 5415.** Jardine AB. A especiação dos monoterpenos em uma floresta da Amazônia central. **PhD Thesis**, Instituto Nacional de Pesquisas da Amazônia, Manaus, Brasil, **2016**
- 5416.** Jardine K, Jardine A. Biogenic volatile organic compounds in Amazonian forest ecosystems. In *Interactions Between Biosphere, Atmosphere and Human Land Use in the Amazon Basin*, Volume 227, **book** series Ecological Studies (pp. 19-33), Springer Berlin Heidelberg, **2016 Web of Science**
- 5417.** Jardine KJ, Jardine AB, Souza VF, Carneiro V, Ceron JV, Gimenez BO, Soares CP, Durgante FM, Higuchi N, Manzi AO, Gonçalves JF, Garcia S, Martin S, Zorzanelli RF, Piva LR, Chambers JQ. Methanol and isoprene emissions from the fast growing tropical pioneer species *Vismia guianensis* (Aubl.) Pers.(Hypericaceae) in the central Amazon forest. *Atmospheric Chemistry and Physics*, 16, 10, 6441-6452, **2016 (WoS/Scopus)**
- 5418.** Joubert C, Young PR, Eyéghé-Bickong, Viver MA - Field-grown grapevine berries use carotenoids and the associated xanthophyll cycles to acclimate to UV exposure differentially in high and low light (shade) conditions. *Frontiers in Plant Science* 7(286), **2016**, DOI: [10.3389/fpls.2016.00786](https://doi.org/10.3389/fpls.2016.00786) (**WoS/Scopus**)
- 5419.** Ke Q, Wang Z, Ji CY, Jeong JC, Lee H-S, Li H, Xu B, Deng X, Kwak S-S. Transgenic poplar expressing *codA* exhibits enhanced growth and abiotic stress tolerance, *Plant Physiology and Biochemistry*, 100, 75-84, **2016 (WoS/Scopus)**
- 5420.** Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:[10.1007/s11738-016-2241-4](https://doi.org/10.1007/s11738-016-2241-4) (**WoS/Scopus**)
- 5421.** Kovač-Andrić E, Arh G. Atmospheric VOCs measurement in Nature Reserve Kopački rit, Croatia, Air Quality, *Atmosphere & Health*, 9, 6, 681–686, **2016**
- 5422.** Kumar ES, Aruna B, Lodha RS, Viswanath KK, Palaka BK, Vijayalakshmi D, Ampasala DR, Prasad DVR. Influence of drought stress and mechanical wounding on lipoxygenase activity and biochemical changes in horse gram (*Macrotyloma uniflorum*), *International Journal of Plant, Animal and Environmental Sciences*, 6, 4, 90-98, **2016 (WoS/Scopus)**
- 5423.** Kumar M, Basu A, Kumari P, Jha S, Mitra A. Tobacco plantlets ameliorate oxidative stress upon expression of a cryptogein gene, *Plant Cell, Tissue and Organ Culture*, 125, 3, 553-570, **2016 (WoS/Scopus)**
- 5424.** Li H, Ding X, Wang C, Ke H, Wu Z, Wang Y, Liu H, Guo J. Control of Tomato yellow leaf curl virus disease by *Enterobacter asburiae* BQ9 as a result of priming plant resistance in tomatoes, *Turkish Journal of Biology*, 40, 150-159, **2016**, doi:[10.3906/biy-1502-12](https://doi.org/10.3906/biy-1502-12) (**WoS/Scopus**)
- 5425.** Mahajan P, Batish DR, Singh HP, Kohli RK. β -Pinene partially ameliorates Cr(VI)-inhibited growth and biochemical changes in emerging seedlings, *Plant Growth Regulation* 79(2), 243-249, **2016 (WoS/Scopus)**
- 5426.** Mukherjee C, Samanta T, Mitra A. Redirection of metabolite biosynthesis from hydroxybenzoates to volatile terpenoids in green hairy roots of *Daucus carota*, *Planta* 243(2), 305-320, **2016**, doi: [10.1007/s00425-015-2403-4](https://doi.org/10.1007/s00425-015-2403-4) (**WoS/Scopus**)
- 5427.** Nowicki M, Kłosińska U, Szczechura W, Markiewicz M, Sowik I, Michalczyk L, Kozik EU. Cellular and

biochemical mechanisms of cucumber resistance against *Pseudoperonospora cubensis*. Proceedings of Cucurbitaceae 2016, the Xith EUCARPIA Meeting on Genetics and Breeding of Cucurbitaceae, July 24-28, 2016, Warsaw, Poland. 128-131, **2016**

5428. Panda KK, Achary VMM, Phaomie G, Sahu HK, Parinandi NL, Panda BB. Polyvinyl polypyrrolidone attenuates genotoxicity of silver nanoparticles synthesized via green route, tested in *Lathyrus sativus* L. root bioassay, *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, 806, 11-23, **2016 (WoS/Scopus)**

5429. Park KY, Kim EY, Seo YS, Kim WT. Constitutive expression of CaPLA1 conferred enhanced growth and grain yield in transgenic rice plants, *Plant Molecular Biology*, 90, 4-5, 517-532, **2016 (WoS/Scopus)**

5430. Pazouki L, Kanagendran A, Li S, Kännaste, Memari HR, Bichele R, Niinemets U – Mono- and sesquiterpene release from tomato (*Solanum lycopersicum*) leaves upon mild and severe stress and through recovery: From gene expression to emission responses. *Environment and Experimental Botany* 132, 1-15, **2016**, <http://dx.doi.org/10.1016/j.envexpbot.2016.08.003> **(WoS/Scopus)**

5431. Qin L, Kang WH, Qi YL, Zhang ZW, Wang N. The influence of silicon application on growth and photosynthesis response of salt stressed grapevines (*Vitis vinifera* L.). *Acta Physiologiae Plantarum*, 38, 68, 1-9, **2016 (WoS/Scopus)**

5432. Rajeshwari A, Roy B, Chandrasekaran, Mukherjee NA. Cytogenetic evaluation of gold nanorods using *Allium cepa* test, *Plant Physiology and Biochemistry*, 109, 209-219, **2016 (WoS/Scopus)**

5433. Rajeshwari A, Suresh S, Chandrasekaran N, Mukherjee A. Toxicity evaluation of gold nanoparticles using an *Allium cepa* bioassay, *RSC Advances* 6, 29, 24000-24009, **2016 (WoS/Scopus)**

5434. Ramu VS, Paramanatham A, Ramegowda V, Mohan-Raju B, Udayakumar M, Senthil-Kumar M. Transcriptome Analysis of Sunflower Genotypes with Contrasting Oxidative Stress Tolerance Reveals Individual- and Combined- Biotic and Abiotic Stress Tolerance Mechanisms, *PLoS ONE*, 11, 6, e0157522, **2016 (WoS/Scopus)**

5435. Rao S, Shekhawat GS – Phytotoxicity and oxidative stress perspective of two selected nanoparticles in *Brassica juncea*. *3 Biotech* 6: 244, 1-12. **2016. DOI 10.1007/s13205-016-0550-3 (WoS/Scopus)**

5436. Rudziński KJ, Szmigielski R, Kuznietsova I, Wach P, Staszek D. Aqueous-phase story of isoprene—A mini-review and reaction with HONO, *Atmospheric Environment* 130, 163-171, **2016**, DOI: [10.1016/j.atmosenv.2015.12.027](https://doi.org/10.1016/j.atmosenv.2015.12.027) **(WoS/Scopus)**

5437. Rui H, Chen C, Zhang X, Shen Z, Zhang F. Cd-induced oxidative stress and lignification in the roots of two *Vicia sativa* L. varieties with different Cd tolerances, *Journal of Hazardous Materials*, 301, 304-313, **2016 (WoS/Scopus)**

5438. Saadi S, Kharoubi O, Bennaama N, Kazouz H, Aoues A, Slimani M. Lead Induced Oxidative Stress and Development Change on *Coriandrum sativum*, *International Journal of Plant & Soil Science*, 11, 1, 1-10, **2016 (WoS/Scopus)**

5439. Shahabivand S, Maivan HZ, Mahmoudi E, Soltani BM, Sharifi M, Aliloo AA. Antioxidant activity and gene expression associated with cadmium toxicity in wheat affected by mycorrhizal fungus, *Žemdirbystė*, 103, 1, 53-60, **2016 (WoS/Scopus)**

5440. Shekarchian A, Etemad V, Bihamta MR, Assareh MH. Effects of salicylic acid on physiological traits of myrtle seedlings in salt stress condition, *Advances in Environmental Sciences - International Journal of the Bioflux Society*, 8, 1, 14-23, **2016**

5441. Siedlecka JK, Kania M, Masnyk M, Cmoch P, Lozinska I, Czarnocki Z, Skorupinska-Tudek K, Danikiewicz W, Swiezewska E. Isoprenoid alcohols are susceptible to oxidation with singlet oxygen and hydroxyl radicals, *Lipids* 51(2), 229-244, **2016**, doi: [10.1007/s11745-015-4104-y](https://doi.org/10.1007/s11745-015-4104-y) **(WoS/Scopus)**

5442. Souid A, Morena G, Longo V, Pucci L, Bellani L, Smaoui A, Abdelly C, Ben Hamed K. Salt tolerance of the halophyte *Limonium delicatulum* is more associated with antioxidant enzyme activities than phenolic compounds, *Functional Plant Biology*, 43, 7, 607-619, **2016 (WoS/Scopus)**

5443. Stempkowski LA, de Macedo FF, Divensi LJ, Cargnelutti D, Deboni TC. Atividade antioxidante de feijoeiro exposto à aplicação de tintura e preparados homeopáticos de carqueja. *Anais da Jic-Jornada de Iniciação Científica e Tecnológica*, 6(1), **2016**

5444. Tindaş İ, Demirel U – Physiological responses of potato to short-term drought treatment. *Turkish Journal of Agriculture – Food Science and Technology* 4(7), 618-627, **2016**

5445. Venugopal A, Golari D, Venu-Babu P, Singhal RK, Panda BB. Radio-tolerance of finger millet *Eleusine coracana* (L.) Gaertn cultivars to ionizing radiation, *The Nucleus* 59, 1, 41-51, **2016 (WoS/Scopus)**

5446. Wang B, Shugart HH, Shuman JK, Lerdau MT. Forests and ozone: productivity, carbon storage, and feedbacks, *Scientific Reports*, 6, 22133, **2016 (WoS/Scopus)**

5447. Ye J, Wang S, Deng X, Yin L, Xiong B, Wang X. Melatonin increased maize (*Zea mays* L.) seedling drought tolerance by alleviating drought-induced photosynthetic inhibition and oxidative damage, *Acta Physiologiae Plantarum*, 38, 2, 1-13, **2016 (WoS/Scopus)**

5448. Yuan H, Cheung CYM, Poolman MG, Hilbers PAJ, van Riel NAW. A genome-scale metabolic network reconstruction of tomato (*Solanum lycopersicum* L.) and its application to photorespiratory metabolism, *The Plant Journal* 85(2), 289-304, **2016**, doi: [10.1111/tpj.13075](https://doi.org/10.1111/tpj.13075) **(WoS/Scopus)**

5449. Yue X, Keenan TF, Munger W, Unger N. Limited effect of ozone reductions on the 20-year photosynthesis trend at Harvard forest, *Global change biology*, 22, 3750–3759, **2016 (WoS/Scopus)**

- 5450.** Zeinali N, Altarawneh M, Li D, Al-Nuairat J, Dlugogorski BZ – New mechanistic insights: Why do plants produce isoprene. *ACS OMEGA* 1, 220-225, **2016** (WoS/copus)
- 5451.** Abedini R, GhaneGolmohammadi F, PishkamRad R, Pourabed E, Jafarnezhad A, Shobbar ZS, Shahbazi M. Plant dehydrins: shedding light on structure and expression patterns of dehydrin gene family in barley, *Journal of Plant Research*, 130, 4, 747-763, **2017** (Scopus)
- 5452.** Antoniou C, Chatzimichail G, Xenofontos R, Pavlou JJ, Panagiotou E, Christou A, Fotopoulos V. Melatonin systemically ameliorates drought stress-induced damage in *Medicago sativa* plants by modulating nitro-oxidative homeostasis and proline metabolism, *Journal of Pineal Research*, 62, 4, e12401, **2017** (Scopus)
- 5453.** Bahmani R, Kim D, Lee BD, Hwang S. Over-expression of tobacco UBC1 encoding a ubiquitin-conjugating enzyme increases cadmium tolerance by activating the 20S/26S proteasome and by decreasing Cd accumulation and oxidative stress in tobacco (*Nicotiana tabacum*), *Plant Molecular Biology* 94(4-5):433-451, **2017** (WoS/Scopus)
- 5454.** Barta CE, Bolander B, Bilby SR, Brown JH, Brown RN, Duryee AM, Edelman DR, Gray CE, Cossett C, Haddock AG, Helsel MM, Jones AD, Klingseis ME, Leslie K, Miles EW, Prawitz RA. In situ dark adaptation enhances the efficiency of DNA extraction from mature pin oak (*Quercus palustris*) leaves, facilitating the identification of partial sequences of the 18s rRNA and isoprene synthase (IspS) genes, *Plants*, 6, 4, 52, 1-25, **2017** (WoS/Scopus)
- 5455.** Banerjee A, Mittra B, Das AB. Biochemical basis of aluminum induced resistance in wheat against *Fusarium oxysporum*. *Indian Journal of Plant Physiology*, 22(1), 56-62, doi:10.1007/s40502-016-0251-2, **2017** (WoS/Scopus)
- 5456.** Bonacina C, Trevizan CB, Stracieri J, dos Santos TB, Gonçalves JE, Gazim ZC, de Souza, SGH. Changes in growth, oxidative metabolism and essential oil composition of lemon balm (*Melissa officinalis* L.) subjected to salt stress, *Australian Journal of Crop Science*, 11, 12, 1665-1674, **2017** (WoS/Scopus)
- 5457.** Bonn B, Kreuzwieser J, Sander F, Yousefpour R, Baggio T, Adewale O. The uncertain role of biogenic VOC for boundary-layer ozone concentration: example investigation of emissions from two forest types with a box model, *Climate*, 5, 4, 78, 1-21, **2017** (WoS/Scopus)
- 5458.** Bouaziz D, Charfeddine S, Jbir R, Hammami A, Kamoun L, Gargouri-Bouazid R. Effects of phosphogypsum on the growth of potato plants overexpressing the StDREB1 transcription factor, *Plant Cell, Tissue and Organ Culture* (PCTOC), 130, 1, 197-207, **2017** (WoS/Scopus)
- 5459.** Charfeddine M, Charfeddine S, Bouaziz D, Messaoud RB, Bouzid RG. The effect of cadmium on transgenic potato (*Solanum tuberosum*) plants overexpressing the StDREB transcription factors, *Plant Cell, Tissue and Organ Culture*, 128(3), 521-541, **2017**, doi:10.1007/s11240-016-1130-2 (WoS/Scopus)
- 5460.** Chrysargyris A, Drouza C, Tzortzakis N. Optimization of potassium fertilization/nutrition for growth, physiological development, essential oil composition and antioxidant activity of *Lavandula angustifolia* Mill, *Journal of Soil Science and Plant Nutrition*, 17, 2, 291-306, **2017** (WoS/Scopus)
- 5461.** Chrysargyris A, Nikolaidou E, Stamatakis A, Tzortzakis N. Vegetative, physiological, nutritional and antioxidant behavior of spearmint (*Mentha spicata* L.) in response to different nitrogen supply in hydroponics, *Journal of Applied Research on Medicinal and Aromatic Plants*, 6, 52-61, **2017**
- 5462.** Chrysargyris A, Xylia P, Botsaris G, Tzortzakis N. Antioxidant and antibacterial activities, mineral and essential oil composition of spearmint (*Mentha spicata* L.) affected by the potassium levels, *Industrial Crops and Products*, 103, 202-212, **2017** (WoS/Scopus)
- 5463.** Feng Z, Li P. Effects of ozone on Chinese trees. In: (Ed. T.Izuta), *Air Pollution Impacts on Plants in East Asia*, pp. 195-219, Springer Japan, (book) **2017** (WoS/Scopus)
- 5464.** Ghosh I, Mukherjee A, Mukherjee A. In planta genotoxicity of nZVI: influence of colloidal stability on uptake, DNA damage, oxidative stress and cell death, *Mutagenesis* 32(3):371-387, **2017** (WoS/Scopus)
- 5465.** Gonçalves S, Martins N, Romano A. Physiological traits and oxidative stress markers during acclimatization of micropropagated plants from two endangered *Plantago* species: *P. algarbiensis* Samp. and *P. almogravensis* Franco, *In Vitro Cellular & Developmental Biology-Plant*, 53, 3, 249-255, **2017** (WoS/Scopus)
- 5466.** Hu S, Yu Y, Chen Q, Mu G, Shen Z, Zheng L. OsMYB45 plays an important role in rice resistance to cadmium stress, *Plant Science*, 264, 1-8, **2017** (WoS/Scopus)
- 5467.** Jabre L. JSource Sector Analysis of Marine and Other Volatile Organic Compounds on Sable Island, Nova Scotia, Canada, Thesis, Dalhousie University, Hlifax, Nova Scotia, **2017**
- 5468.** Jardine KJ, Jardine AB, Holm JA, Lombardozzi DL, Negron-Juarez RI, Martin ST, Beller HR, Gimenez BO, Higuchi N, Chambers JQ. Monoterpene ‘thermometer’ of tropical forest-atmosphere response to climate warming, *Plant, Cell & Environment*, 40(3), 41-452, DOI: 10.1111/pce.12879, **2017** (WoS/Scopus)
- 5469.** Khalil-Ur-Rehman M, Wang W, Xu YS, Haider MS, Li CX, Tao JM. Comparative study on reagents involved in grape bud break and their effects on different metabolites and related gene expression during winter, *Frontiers in Plant Science* 8, art. No. 1340, **2017** (WoS/Scopus)
- 5470.** Loay J – Source sector analysis of marine and other volatile organic compounds on stable island, Nova Scotia, Canada. Thesis for the degree of Master of Applied Science, Dalhousie University, Halifax, Nova Scotia. **2017** (thesis)
- 5471.** Marchezan MG, Avila LA, Agostinetto D, Schaedler CE, Langaro AC, Oliveira C, Zimmer M, Schreiber F. Morphological and biochemical alterations of paddy rice in response to stress caused by herbicides and total plant submersion, *Planta Daninha* 35, art. No. e017139830, **2017** (WoS/Scopus)

- 5472.** Marchezan MG, Avila LA, Schaedle, CE, Amarante L, Scherner A, Schreiber F. Biochemical alterations of weeds in response to stress caused by herbicides and total plant submersion. *Planta Daninha* 35, art. no. e017168751, **2017**. DOI: [10.1590/S0100-83582017350100085](https://doi.org/10.1590/S0100-83582017350100085). (WoS/Scopus)
- 5473.** Meena RK, Jangra S, Wadhwa Z. Role of Plant Volatiles in Defense and Communication, *International Journal of Current Microbiology and Applied Sciences*, 6, 4, 300-313, **2017**
- 5474.** Milewska-Hendel A, Baczewska AH, Sala K, Dmuchowski W, Brągoszewska P, Gozdowski D, Jozwak A, Chojnacki T, Swieżewska E, Kurczynska E. Quantitative and qualitative characteristics of cell wall components and prenol lipids in the leaves of *Tilia x euchlora* trees growing under salt stress, *PLoS ONE*, 12, 2, e0172682, **2017** (WoS/Scopus)
- 5475.** Murphy G – Isoprene degradation in the terrestrial environment. University of Essex, UK, **2017** **PhD Thesis**
- 5476.** Paciello P, Mencarelli F, Palliotti A, Ceccantoni B, Thibon C, Darriet P, Pasquini M, Bellincontro A. Nebulized water cooling of the canopy affects leaf temperature, berry composition and wine quality of Sauvignon blanc, *Journal of the Science of Food and Agriculture*, 97(4), 1267-1275, **2017**, doi:10.1002/jsfa.7860 **SOURCE:WoS and Scopus**
- 5477.** Paciello P, Mencarelli F, Palliotti A, Ceccantoni B, Thibon C, Darriet P, Pasquini M, Bellincontro A. Nebulized water cooling of the canopy affects leaf temperature, berry composition and wine quality of Sauvignon blanc, *Journal of the Science of Food and Agriculture*, 97, 4, 1267-1275, **2017** (WoS/Scopus)
- 5478.** Panda KK, Golari D, Venugopal A, Achary VMM, Phaomei G, Parinandi NL, Sahu HK, Panda BB. Green synthesized zinc oxide (ZnO) nanoparticles induce oxidative stress and DNA damage in *Lathyrus sativus* L. root bioassay system. *Antioxidants*, 6, 2, 35, 1-16, **2017** (WoS/Scopus)
- 5479.** Patel N, Singh S. Effect of salinity on antioxidant, proline and ion content in *Luffa acutangula*, *Trends in Biosciences*, 10, 6, 1426-1430, **2017** (WoS/Scopus)
- 5480.** Pooja M, Pradeep ANR, Hungund SP, Sagar C, Ponnuvel KM, Awasthi AK, Trivedy K. Oxidative stress and cytotoxicity elicited lipid peroxidation in hemocytes of *Bombyx mori* larva infested with dipteran parasitoid, *Exorista bombycis*, *Acta Parasitologica*, 62, 4, 717-727, **2017** (WoS/Scopus)
- 5481.** Priester JH, Moritz SC, Espinosa K, Ge Y, Wang Y, Nisbet RM, Schimel JP, Goggi AS, Gardea-Torresdey JL, Holden PA. Damage assessment for soybean cultivated in soil with either CeO₂ or ZnO manufactured nanomaterials, *Science of the Total Environment*, 579, 1756-1768, **2017** (WoS/Scopus)
- 5482.** Rani K, Arya SS, Devi S, Kaur V. Plant volatiles and defense. In: Volatiles and Food Security, Choudhary D, Sharma A, Agarwal P, Varma A, Tuteja N (eds). Springer, Singapore, pp. 113-134, **2017**, DOI https://doi.org/10.1007/978-981-10-5553-9_7 **(BOOK)** (WoS/Scopus)
- 5483.** Rekik I, Chaabane Z, Missaoui A, Bouket AC, Luptakova L, Elleuch A, Belbahri L. Effects of untreated and treated wastewater at the morphological, physiological and biochemical levels on seed germination and development of sorghum (*Sorghum bicolor* (L.) Moench), alfalfa (*Medicago sativa* L.) and fescue (*Festuca arundinacea* Schreb.), *Journal of Hazardous Materials*, 326, 165-176, **2017** (WoS/Scopus)
- 5484.** Rossi L, Borghi M, Yang J, Xie D-Y - Overexpression of *Populus × canescens* isoprene synthase gene in *Camelina sativa* leads to alterations in its growth and metabolism. *Journal of Plant Physiology* 215, 122-131, **2017**, DOI: [10.1016/j.jplph.2017.06.005](https://doi.org/10.1016/j.jplph.2017.06.005) (WoS/Scopus)
- 5485.** Sousa VF. Interactions between temperature, intercellular CO₂ concentration, light and a unifying conceptual model response in controlling leaf isoprene emission rates. Instituto Nacional de Pesquisas da Amazonia – INPA, Manaus, Amazonas – AM, Brazil, **PhD Thesis**, **2017** http://bdtd.inpa.gov.br/bitstream/tede/2396/5/TESES_2.1.Vinicius.ATA_Ficha_Vers%C3%A3o%20final.pdf
- 5486.** Soylemez S, Kaya C, Dikilitas SK. Promotive effects of epibrassinolide on plant growth, fruit yield, antioxidant, and mineral nutrition of saline stressed tomato plants, *Pakistan Journal of Botany* 49, 5, 1655-1661, **2017** (WoS/Scopus)
- 5487.** Spanic V, Vuletic MV, Abicic I, Marcek T. Early response of wheat antioxidant system with special reference to Fusarium head blight stress, *Plant Physiology and Biochemistry*, 115, 34-43, **2017** (WoS/Scopus)
- 5488.** Tani A, Ohno T, Saito T, Ito S, Yonekura Miwa M – Effects of ozone on isoprene emission from two major *Quercus* species native to East Asia. *Journal of Agricultural Meteorology* 73(4): 195-202, **2017** (WoS/Scopus)
- 5489.** Tofighi C, Khavari-Nejad RA, Najafi F, Razavi K, Rejali F. Responses of wheat plants to interactions of 24-epibrassinolide and *Glomus mosseae* in saline condition, *Physiology and Molecular Biology of Plants*, 23, 3, 557-564, **2017** (WoS/Scopus)
- 5490.** Tuna AL, Yildiztekin M, Köşkeroglu S, Yokaş İ. Tuz etkisi altındaki domates bitkisinde potasyum ve kalsiyum antioksidatif sistemi etkiler mi? (Does potassium and calcium affect the antioxidative system of tomato plant under salt effect?), *Turkish Journal of Agricultural Research*, 4, 1, 71-78, **2017**
- 5491.** Turnipseed RK. Behavioral and physiological ecology of mosquito disease vectors (Diptera: Culicidae) as a function of aquatic macrophyte invasions, **PhD Thesis**, UC Berkeley, USA, **2017**
- 5492.** Ulloa-Inostroza EM, Alberdi M, Meriño-Gergichevich C, Reyes-Díaz M. Low doses of exogenous methyl jasmonate applied simultaneously with toxic aluminum improve the antioxidant performance of *Vaccinium corymbosum*, *Plant and Soil*, 412(1-2), 81-96, **2017**, doi:10.1007/s11104-016-2985-z (WoS/Scopus)
- 5493.** Vemanna RS, Babitha KC, Solanki JK, Reddy VA, Sarangi SK, Udayakumar M. Aldo-keto reductase-1 (AKR1) protect cellular enzymes from salt stress by detoxifying reactive cytotoxic compounds, *Plant Physiology and Biochemistry*, 113, 177-186, **2017** (WoS/Scopus)

- 5494.** Ye Y, Sun-Waterhouse D, You L, Abbasi AM. Harnessing food-based bioactive compounds to reduce the effects of ultraviolet radiation: a review exploring the link between food and human health, *International Journal of Food Science & Technology*, 52(3), 595-607, **2017**, [doi:10.1111/ijfs.13344](https://doi.org/10.1111/ijfs.13344) (WoS/Scopus)
- 5495.** Yuan X, Feng Z, Liu S, Shang B, Li P, Xu Y, Paoletti E. Concentration-and flux-based dose-responses of isoprene emission from poplar leaves and plants exposed to an ozone concentration gradient, *Plant, Cell & Environment*, 40, 9, 1960-1971, **2017** (WoS/Scopus)
- 5496.** Zarza X, Atanasov KE, Marco F, Arbona V, Carrasco P, Kopka J, Fotopoulos V, Munnik T, Gomes-Cadenas A, Tiburcio AF, Alcázar R. Polyamine oxidase 5 loss-of-function mutations in *Arabidopsis thaliana* trigger metabolic and transcriptional reprogramming and promote salt stress tolerance, *Plant, Cell and Environment* 40, 4, 527-542, **2017** (WoS/Scopus)
- 5497.** Zhang S-Y, Gong D-C, Wang H, Song W, Zhang S-Y, Wang A-H, Chen D-H, Zhou L, Wang B-G. Online measurement of isoprene at a national air background monitoring station in the Nanling Mountains, South China. *Zhongguo Huanjing Kexue/China Environmental Science* 37(7): 2504-2512, **2017**. (WoS/Scopus)
- 5498.** Zuo Z, Wang B, Ying B, Zhou Lv, Zhang R. Monoterpene emissions contribute to thermotolerance in *Cinnamomum camphora*. *Trees – Structure and Function* 31(6): 1759-1771, **2017**, <https://doi.org/10.1007/s00468-017-1582-y> (WoS/Scopus)
- 5499.** Acton WJF, Jud W, Ghirardo A, Wohlfahrt G, Hewitt CN, Taylor JE, Hansel A. The effect of ozone fumigation on the biogenic volatile organic compounds (BVOCs) emitted from *Brassica napus* above- and below-ground. *PLoS ONE* 13(12):e0208825, **2018**. <https://doi.org/10.1371/journal.pone.0208825> (WoS/Scopus)
- 5500.** Alagesan A, Tharani G, Padmanaban B, Sivaramakrishnan S, Manivannan S. Kairomones from highly susceptible host to control banana pseudostem weevil, *Odoiporus longicollis* (Olivier). *Biocatalysis and Agricultural Biotechnology* 16:655-662, **2018**. <https://doi.org/10.1016/j.bcab.2018.10.017> (WoS/Scopus)
- 5501.** Araniti F, Panto S, Lupini A, Sunseri F, Abenavoli MR. Chemical characterization of volatile organic compounds (VOCs) through headspace solid phase micro extraction. In: *Advances in Plant Ecophysiology Techniques* (AM Sanchez-Moreiras, MJ Reigosa, Eds.). Chapter 24, pp. 401-417, **2018** (BOOK) https://doi.org/10.1007/978-3-319-93233-0_24 (WoS/Scopus)
- 5502.** Bibbiani S, Colzi I, Taiti C, Nissim WG, Papini A, Mancuso S, Gonnelli C. Smelling the metal: volatile organic compound emission under Zn excess in the mint *Tetradenia riparia*. *Plant Science* 271:1-8, **2018** <https://doi.org/10.1016/j.plantsci.2018.03.006> (WoS/Scopus)
- 5503.** Bolsoni VP, Oliveira DP, Pedrosa GS, Souza SR. Volatile organic compounds (VOC) variation in *Croton floribundus* (L.) Spreng. related to environmental conditions and ozone concentration in an urban forest of the city of São Paulo, São Paulo State, Brazil. *Hoehnea* 45(2): 184-191, **2018**. <http://dx.doi.org/10.1590/2236-8906-60/2017>
- 5504.** Bonn B, von Schneidemesser E, Butler T, Churkina G, Ehlers C, Grote R, Klemp D, Nothard R, Klaus Schäfer K, von Stülpnagel A, Kerschbaumer A, Yousefpour R, Fountoukis C, Lawrence MG. Impact of vegetative emissions on urban ozone and biogenic secondary organic aerosol: Box model study for Berlin, Germany, *Journal of Cleaner Production*, 176, 827-841, **2018**. <https://doi.org/10.1016/j.jclepro.2017.12.164> (WoS/Scopus)
- 5505.** Chaves JE, Melis A. Engineering isoprene synthesis in cyanobacteria. *FEBS Letters* 592:2059-2069, **2018**. <https://doi.org/10.1002/1873-3468.13052> (Review) (WoS/Scopus)
- 5506.** Chrysargyris A, Tzionis A, Xylia P and Tzortzakis N. Effects of salinity on tagetes growth, physiology, and shelf life of edible flowers stored in passive modified atmosphere packaging or treated with ethanol. *Frontiers in Plant Science* 9:1765, **2018**. [doi: 10.3389/fpls.2018.01765](https://doi.org/10.3389/fpls.2018.01765) (WoS/Scopus)
- 5507.** Chrysargyris A, Xylia P, Anastasiou M, Pantelides I, Tzortzakis N. Effects of *Ascophyllum nodosum* seaweed extracts on lettuce growth, physiology and fresh-cut salad storage under potassium deficiency. *Journal of the Science of Food and Agriculture* 98(15):5861-5872, **2018**, <https://doi.org/10.1002/jsfa.9139> (WoS/Scopus)
- 5508.** Chrysargyris A, Xylia P, Antoniou O, Tzortzakis N. Climate change due to heat and drought stress can alter the physiology of Maratheftiko local Cyprian grapevine variety. *Journal of Water and Climate Change* 9 (4): 715-727, **2018**. <https://doi.org/10.2166/wcc.2018.226> (WoS/Scopus)
- 5509.** Cofer TM, Engelberth M, Engelberth J. Green leaf volatiles protect maize (*Zea mays*) seedlings against damage from cold stress. *Plant Cell and Environment* 41(7):1673-1682, **2018**, <https://doi.org/10.1111/pce.13204> (WoS/Scopus)
- 5510.** Drewer J, Howard D, McNamara N. Greenhouse gas (GHG) and Biogenic Volatile Organic Compound (bVOC) fluxes associated with land-use change to bioenergy crops. In: *Greenhouse Gas Balances of Bioenergy Systems*. Chapter 6 pp. 77-96, **2018**. <https://doi.org/10.1016/B978-0-08-101036-5.00006-9> (WoS/Scopus) (BOOK)
- 5511.** Du B, Rennenber H. Physiological responses of lavender (*Lavandula angustifolia* Mill.) to water deficit and recovery. *South African Journal of Botany* 119: 212-218, **2018**. <https://doi.org/10.1016/j.sajb.2018.09.002> (WoS/Scopus)
- 5512.** Eberl F, Perreca E, Vogel H, Wright LP, Hammerbacher A, Veit D, Gershenzon J, Unsicker SB. Rust infection of black poplar trees reduces photosynthesis but does not affect isoprene biosynthesis or emission. *Frontiers in Plant Science* 9:1733, **2018**. <https://doi.org/10.3389/fpls.2018.01733> (WoS/Scopus)
- 5513.** Farias GJ, Frescura DV, Boligon AA, Trapp CK, Andriolo LJ, Tedesco BS, Bernardy K, Schwalbert R, Del Frari KB, Carey M, Nicoloso TF. Chemical properties and protective effect of *Rosmarinus officinalis*: mitigation of lipid peroxidation and DNA-damage from arsenic exposure. *Journal of Applied Botany and Food Quality* 91: 1 – 7, **2018**, <https://doi.org/10.5073/JABFQ.2018.091.001> (WoS/Scopus)

5514. Fasih M, Afshari RT. The morphophysiological dormancy of *Ferula ovina* seeds is alleviated by low temperature and hydrogen peroxide. *Seed Science Research* 28(1):52-62, 2018 <https://doi.org/10.1017/S0960258517000356> (WoS/Scopus)
5515. Feng Z, Li P, Yuan X, Gao F, Jiang L, Dai L. Progress in ecological and environmental effects of ground-level O₃ in China. *Shengtai Xuebao/ Acta Ecologica Sinica* 38(5):1530-1541, 2018. (WoS/Scopus)
5516. Georgiadou EC, Kowalska E, Patla K, Kulbat K, Smolinska B, Leszczynska J, Fotopoulos V. (2018) Influence of heavy metals (ni, cu, and zn) on nitro-oxidative stress responses, proteome regulation and allergen production in basil (*Ocimum basilicum* L.) plants. *Frontiers in Plant Science* 9:862, 2018. <https://doi.org/10.3389/fpls.2018.00862> (WoS/Scopus)
5517. Golari D, Venugopal A, Panda KK, Parinandi NL, Panda BB. Low-dose γ -irradiation priming of seeds alleviates aluminum-induced oxidative stress and genotoxicity in the oil seed crop, niger, *Guizotia abyssinica* (L.f.) Cass. *Reactive Oxygen Species* 6(16): 276-288, 2018. <https://www.aimsoci.com/ros/index.php/ros/article/view/148> (WoS/Scopus)
5518. Gonçalves CR, Marins AT, do Amaral AMB, Leitemperger J, Severo ES, Moraes BS, Zanella R, Loro VL. Biochemical responses in freshwater fish exposed to insecticide propoxur. *Bulletin of Environmental Contamination and Toxicology* 100(4): 524-528, 2018. <https://doi.org/10.1007/s00128-018-2285-9> (WoS/Scopus)
5519. Kammoun M, Bouallous O, Ksouri MF, Gargouri-Bouzida R, Nouri-Ellouz O. Agro-physiological and growth response to reduced water supply of somatic hybrid potato plants (*Solanum tuberosum* L.) cultivated under greenhouse conditions. *Agricultural Water Management* 203: 9-19, 2018 <https://doi.org/10.1016/j.agwat.2018.02.032> (WoS/Scopus)
5520. Karami A, Sepehri A. Beneficial role of MWCNTs and SNP on growth, physiological and photosynthesis performance of barley under nacl stress. *Journal of Soil Science and Plant Nutrition* 18(3): 752-771, 2018. <http://dx.doi.org/10.4067/S0718-95162018005002202> (WoS/Scopus)
5521. Karami A, Sepehri A. Nano titanium dioxide and nitric oxide alleviate salt induced changes in seedling growth, physiological and photosynthesis attributes of barley. *Zemdirbyste-Agriculture* 105(2): 123–132, 2018 [DOI 10.13080/z-a.2018.105.016](https://doi.org/10.13080/z-a.2018.105.016) (WoS/Scopus)
5522. Karami-Moalem S, Maali-Amiri R, Kazemi-Shahandashti S-S. Effect of cold stress on oxidative damage and mitochondrial respiratory properties in chickpea. *Plant Physiology and Biochemistry* 122: 31-39, 2018. <https://doi.org/10.1016/j.plaphy.2017.11.011> (WoS/Scopus)
5523. Kaya C, Akram NA, Ashraf M, Sonmez O. Exogenous application of humic acid mitigates salinity stress in maize (*Zea mays* L.) plants by improving some key physico-biochemical attributes. *Cereal Research Communications* 46(1), 67-78, 2018. <https://doi.org/10.1556/0806.45.2017.064> (WoS/Scopus)
5524. Kaya C, Akram NA, Ashraf M. Kinetin and indole acetic acid promote antioxidant defense system and reduce oxidative stress in maize (*Zea mays* L.) plants grown at boron toxicity. *Journal of Plant Growth Regulation* 37(4):1258-1266, 2018, <https://doi.org/10.1007/s00344-018-9827-6> (WoS/Scopus)
5525. Kaya C, Ashraf M, Akram NA. Hydrogen sulfide regulates the levels of key metabolites and antioxidant defense system to counteract oxidative stress in pepper (*Capsicum annuum* L.) plants exposed to high zinc regime. *Environmental Science and Pollution Research* 25(13): 12612-12618, 2018, <https://doi.org/10.1007/s11356-018-1510-8> (WoS/Scopus)
5526. Kaya C, Ashraf M, Sonmez O. Combination of nitric Oxide and thiamin regulates oxidative defense machinery and key physiological parameters in salt-stressed plants of two maize cultivars differing in salinity tolerance. *Advances in Agricultural Science* 6(01): 34-44, 2018 <https://aaasjournal.org/submission/index.php/aaas/article/view/25/29>.
5527. Kaya C, Aydemir S, Akram NA, Ashraf M. Epibrassinolide application regulates some key physio-biochemical attributes as well as oxidative defense system in maize plants grown under saline stress. *Journal of Plant Growth Regulation* 37(4):1244–1257, 2018. <https://doi.org/10.1007/s00344-018-9830-y> (WoS/Scopus)
5528. Ke Q, Park S-C, Ji CY, Kim HS, Wang Z, Wang S, Li H, Xu B, Deng X, Kwak S-S. Stress-induced expression of the sweetpotato gene IbLEA14 in poplar confers enhanced tolerance to multiple abiotic stresses. *Environmental and Experimental Botany* 156, 261-270, 2018 <https://doi.org/10.1016/j.envexpbot.2018.09.014> (WoS/Scopus)
5529. Ke Q, Ye J, Wang B, Ren J, Yin L, Deng X, Wang S. Melatonin mitigates salt stress in wheat seedlings by modulating polyamine metabolism. *Frontiers in Plant Science* 9:914, 2018. doi: 10.3389/fpls.2018.00914 (WoS/Scopus)
5530. Khan MAH, Schlich B-L, Jenkin ME, Shallcross BMA, Moseley K, Walker C, Morris WC, Derwent RG, Percival CJ, Shallcross DE. A two-decade anthropogenic and biogenic isoprene emissions study in a London urban background and a London urban traffic site. *Atmosphere* 9, 387, 2018. doi:10.3390/atmos9100387 (WoS/Scopus)
5531. Korankye EA, Lada RR, Asiedu SK, Caldwell C. Mechanical shaking and baling of balsam fir trees influence postharvest needle senescence and abscission. *American Journal of Plant Sciences* 9(3), Article ID:82413, 2018, [10.4236/ajps.2018.93027](https://doi.org/10.4236/ajps.2018.93027), http://file.scirp.org/Html/2-2603521_82413.htm (WoS/Scopus)
5532. Li D, Chen G, Lu Q, Li Y, Wang J, Li H. Responses of two kidney bean (*Phaseolus vulgaris*) cultivars to the combined stress of sulfur deficiency and cadmium toxicity. *BioMetals*, 31(1), 17-28, 2018. <https://doi.org/10.1007/s10534-017-0052-8>, (WoS/Scopus)
5533. Li Q, Gabay M, Rubin Y, Fredj E, Tas E. Measurement-based investigation of ozone deposition to vegetation under the effects of coastal and photochemical air pollution in the Eastern Mediterranean. *Science of the*

5534. Mangalampalli B, Dumala N, Grover P. *Allium cepa* root tip assay in assessment of toxicity of magnesium oxide nanoparticles and microparticles. *Journal of Environmental Sciences* 66: 125-137, 2018. <https://doi.org/10.1016/j.jes.2017.05.012> (WoS/Scopus)
5535. Moazzam-Jazi M, Ghasemi S, Seyedi SM, Niknam V. COP1 plays a prominent role in drought stress tolerance in Arabidopsis and Pea. *Plant Physiology and Biochemistry* 130: 678-691, 2018. <https://doi.org/10.1016/j.plaphy.2018.08.015> (WoS/Scopus)
5536. Mzid R, Zorrig W, Ben Ayed R, Ben Hamed K, Ayadi M, Damak Y, Lauvergeat V, Hanana M. The grapevine *VvWRKY2* gene enhances salt and osmotic stress tolerance in transgenic *Nicotiana tabacum*. *3 Biotech* 8, 277, 2018 <https://doi.org/10.1007/s13205-018-1301-4> (WoS/Scopus)
5537. Negi S, Tak H, Ganapathi T.R. A banana NAC transcription factor (*MusaSNAC1*) impart drought tolerance by modulating stomatal closure and H₂O₂ content. *Plant Molecular Biology* 96(4-5):457-471, 2018, <https://doi.org/10.1007/s11103-018-0710-4> (WoS/Scopus)
5538. Palhares Neto L, de Souza LM, de Moraes MB, de Albuquerque CC, Camara TR, Ulisses. Controlling hyperhydricity in micropropagated plants of *Lippia grata* Schauer (Verbenaceae), a native species of a dry seasonal tropical forest with pharmacological potential. *Brazilian Journal of Botany* 41(3):529-538, 2018. <https://doi.org/10.1007/s40415-018-0476-6> (WoS/Scopus)
5539. Rahimi Y, Taleei A, Ranjbar M. Long-term water deficit modulates antioxidant capacity of peppermint (*Mentha piperita* L.). *Scientia Horticulturae* 237, 36-43, 2018 <https://doi.org/10.1016/j.scienta.2018.04.004> (WoS/Scopus)
5540. Safikhan S, Khoshbakht K, Chaichi MR, Amini A, Moteszarehadeh B. Role of chitosan on the growth, physiological parameters and enzymatic activity of milk thistle (*Silybum marianum* (L.) Gaertn.) in a pot experiment. *Journal of Applied Research on Medicinal and Aromatic Plants* 10:49-58, 2018, <https://doi.org/10.1016/j.jarmap.2018.06.002> (WoS/Scopus)
5541. Samet M, Charfeddine M, Kamoun L, Nouri-Ellouze O, Gargouri-Bouazid R. Effect of compost tea containing phosphogypsum on potato plant growth and protection against *Fusarium solani* infection. *Environmental Science and Pollution Research* 25(19):18921-18937, 2018. <https://doi.org/10.1007/s11356-018-1960-z>. (WoS/Scopus)
5542. Santin M, Lucini L, Castagna A, Chiodelli G, Hauser M-T, Ranieri A. Post-harvest UV-B radiation modulates metabolite profile in peach fruit. *Postharvest Biology and Technology* 139:127-134, 2018. <https://doi.org/10.1016/j.postharvbio.2018.02.001> (WoS/Scopus)
5543. Shanazari M, Golkar P, Maibody AMM. Effects of drought stress on some agronomic and bio-physiological traits of *Triticum aestivum*, Triticale, and Tritipyrum genotypes. *Archives of Agronomy and Soil Science* 64(14): 2005-2018, 2018; <https://doi.org/10.1080/03650340.2018.1472377> (WoS/Scopus)
5544. Souid A, Bellani L, Magné C, Zorrig W, Smaoui A, Abdelly C, Longo V, Hamed KB. Physiological and antioxidant responses of the sabkha biotope halophyte *Limonium delicatulum* to seasonal changes in environmental conditions. *Plant Physiology and Biochemistry*, 123, 180-191, 2018. <https://DOI: 10.1016/j.plaphy.2017.12.008>, (WoS/Scopus)
5545. Ulbrich A, Kahle H, Krämer P, Schulz M. *Mentha x piperita* volatiles promote Brassica oleracea-A pilot study for sustainable vegetable production. *Allelopathy Journal* 43(1):93-104, 2018, <https://DOI 0.26651/allelo.j./2018-43-1-1133> (WoS/Scopus)
5546. Vanhatalo A, Ghirardo A, Juurola E, Schnitzler J-P, Zimmer I, Hellén H, Hakola H, Bäck J. Long-term dynamics of monoterpene synthase activities, monoterpene storage pools and emissions in boreal Scots pine. *Biogeosciences* 15: 5047-5060, 2018, <https://doi.org/10.5194/bg-15-5047-2018> (WoS/Scopus)
5547. Wang Y, Wei S, Wang J, Su X, Suo B, Qin F, Zhao H. Exogenous application of 5-aminolevulinic acid on wheat seedlings under drought stress enhances the transcription of *psbA* and *psbD* genes and improves photosynthesis. *Brazilian Journal of Botany* 41(2):275-285, 2018, <https://doi.org/10.1007/s40415-018-0455-y> SOURCE: WoS
5548. Wang Z, Xu W, Kang J, Li M, Huang J, Ke Q, Kim HS, Xu B, Kwak S-S. Overexpression of alfalfa *Orange* gene in tobacco enhances carotenoid accumulation and tolerance to multiple abiotic stresses. *Plant Physiology and Biochemistry* 130: 613-622, 2018 (WoS/Scopus)
5549. Wei D, Fuentes JD, Gerken T, Chamecki M, Trowbridge AM, Stoy PC, Katul GG, Fisch G, Acevedo O, Manzi A, Randow C, Santos RMN. Environmental and biological controls on seasonal patterns of isoprene above a rain forest in central Amazonia. *Agricultural and Forest Meteorology* 256–257:391-406, 2018 (WoS/Scopus)
5550. Yasin NA, Akram W, Khan WU, Ahmad SR, Ahmad A, Ali A. Halotolerant plant-growth promoting rhizobacteria modulate gene expression and osmolyte production to improve salinity tolerance and growth in *Capsicum annum* L. *Environmental Science and Pollution Research* 25(23):23236-23250, 2018; <https://doi.org/10.1007/s11356-018-2381-8> (WoS/Scopus)
5551. Zhao SY, Wang GD, Zhao WY, Zhang S, Kong FY, Dong XC, Meng QW. Overexpression of tomato WHIRLY protein enhances tolerance to drought stress and resistance to *Pseudomonas solanacearum* in transgenic tobacco. *Biologia Plantarum* 62(1):55-68, 2018, <https://doi.org/10.1007/s10535-017-0714-y> (WoS/Scopus)
5552. Abuelsoud W, Papenbrock J. Drought differentially elicits antioxidant defense systems in two genotypes of *Euphorbia tirucalli*. *Flora* 259, 151460, 2019. <https://doi.org/10.1016/j.flora.2019.151460>. (WoS/Scopus)
5553. Ali S, Khan AS, Nawaz A, Anjum MA, Naz S, Ejaz S, Hussain S. *Aloe vera* gel coating delays postharvest

- browning and maintains quality of harvested litchi fruit. *Postharvest Biology and Technology* 157, 110960, **2019**. <https://doi.org/10.1016/j.postharvbio.2019.110960>. (WoS/Scopus)
- 5554.** Arab L, Seegmueller S, Kreuzwieser J, Eiblmeier M, Rennenberg H. Atmospheric pCO₂ impacts leaf structural and physiological traits in *Quercus petraea* seedlings. *Planta* 249(2):481-495, **2019**. <https://doi.org/10.1007/s00425-018-3016-5> (WoS/Scopus)
- 5555.** Bahmani R, Modareszadeh M, Kim DG, Hwang S. Overexpression of tobacco UBQ2 increases Cd tolerance by decreasing Cd accumulation and oxidative stress in tobacco and Arabidopsis. *Environmental and Experimental Botany* v. 166, art. 103805, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103805>. (WoS/Scopus)
- 5556.** Bonn B, Magh R-K, Rombach J, Kreuzwieser J. Biogenic isoprenoid emissions under drought stress: Different responses for isoprene and terpenes. *Biogeosciences* 16, 4627–4645, **2019**. <https://doi.org/10.5194/bg-16-4627-2019>. (WoS/Scopus)
- 5557.** Cai B, Wang H, Liu T, Zhuang W, Wang Z, Qu S, Qin Y - Effects of gibberellins A4 on budbreak, antioxidant enzymes' activity and proline content of flower buds in sweet cherry (*Prunus avium*). *Acta Physiologiae Plantarum* 41: 88, **2019**. <https://doi.org/10.1007/s11738-019-2876-z> (WoS/Scopus)
- 5558.** Carvalho M, Castro I, Moutinho-Pereira J, Correia C, Egea-Cortines M, Matos M, Rosa E, Carnide V, Lino-Neto T. Evaluating stress responses in cowpea under drought stress. *Journal of Plant Physiology* v. 241, art. 153001, **2019**. <https://doi.org/10.1016/j.jplph.2019.153001>. (WoS/Scopus)
- 5559.** Chakraborty S, Mishra A, Verma E, Tiwari B, Mishra AK, Singh SS. Physiological mechanisms of aluminum (Al) toxicity tolerance in nitrogen-fixing aquatic macrophyte *Azolla microphylla* Kaulf: phytoremediation, metabolic rearrangements, and antioxidative enzyme responses. *Environmental Science and Pollution Research*, **2019**. <https://doi.org/10.1007/s11356-019-04408-7> (WoS/Scopus)
- 5560.** Chen J, Bi H, Yu X, Fu Y, Liao W. Influence of physiological and environmental factors on the diurnal variation in emissions of biogenic volatile compounds from *Pinus tabulaeformis*. *Journal of Environmental Sciences* 81: 102-118, **2019**. <https://doi.org/10.1016/j.jes.2019.01.020>. (WoS/Scopus)
- 5561.** Chrysargyris A, Antoniou O, Athinodorou F, Vassiliou R, Papadaki A, Tzortzakis N. Deployment of olive-stone waste as a substitute growing medium component for Brassica seedling production in nurseries. *Environmental Science and Pollution Research* 26:35461-35472, **2019**. <https://doi.org/10.1007/s11356-019-04261-8> (WoS/Scopus)
- 5562.** Chrysargyris A, Papakyriakou E, Petropoulos SA, Tzortzakis N. The combined and single effect of salinity and copper on growth and quality of *Mentha spicata* plants. *Journal of Hazardous Materials* 368:584-593, **2019**. <https://doi.org/10.1016/j.jhazmat.2019.01.058> (WoS/Scopus)
- 5563.** Chrysargyris A, Petropoulos SA, Fernandes Â, Barros L, Tzortzakis N, Ferreira ICFR. Effect of phosphorus application rate on *Mentha spicata* L. grown in deep flow technique (DFT). *Food Chemistry* 276:84-92, **2019**. <https://doi.org/10.1016/j.foodchem.2018.10.020> (WoS/Scopus)
- 5564.** Chrysargyris A, Prasad M, Kavanagh A, Tzortzakis N. Biochar type and ratio as a peat additive/partial peat replacement in growing media for cabbage seedling production. *Agronomy* 9(11), 693, **2019**, <https://doi.org/10.3390/agronomy9110693>. (WoS/Scopus)
- 5565.** Chrysargyris A, Tzionis A, Xylia P, Nicola S, Tzortzakis N. Physiochemical properties of petunia edible flowers grown under saline conditions and their postharvest performance under modified atmosphere packaging and ethanol application. *Journal of the Science of Food and Agriculture* 99(7): 3644-3652. **2019**. <https://doi.org/10.1002/jsfa.9586>. (WoS/Scopus)
- 5566.** Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 5567.** Dias MG, Moura BB, Pedrosa GS, de Souza SR, Cardoso-Gustavson P. The role of non-glandular emergences in *Croton floribundus* (Euphorbiaceae) upon elevated ozone exposures. *Nordic Journal of Botany* 37(11):xx-xx, **2019**. <https://doi.org/10.1111/njb.02338>. (WoS/Scopus)
- 5568.** Fitzky AC, Sandén H, Karl T, Fares S, Calfapietra C, Grote R, Saunier A, Rewald B. The interplay between ozone and urban vegetation—bvoc emissions, ozone deposition, and tree ecophysiology. *Frontiers in Forests and Global Change* 2:50, **2019**. <https://doi.org/10.3389/ffgc.2019.00050>. (Review) (WoS/Scopus)
- 5569.** Gandin A, Davrinche A, Jolivet Y. Deciphering the main determinants of O₃ tolerance in Euramerican poplar genotypes. *Science of the Total Environment* 656: 681-690, **2019**. <https://doi.org/10.1016/j.scitotenv.2018.11.307>. (WoS/Scopus)
- 5570.** Garcia S, Jardine K, de Souza VF, de Souza RAF, Duvoisin Junior S, Gonçalves JFC. re-assimilation of leaf internal CO₂ contributes to isoprene emission in the neotropical species *Inga edulis* Mart. *Forests* 10, art ID 472, **2019**. <https://doi.org/10.3390/f10060472>. (WoS/Scopus)
- 5571.** Ghosh I, Sadhu A, Moriyasu Y, Bandyopadhyay M, Mukherjee A. Manganese oxide nanoparticles induce genotoxicity and DNA hypomethylation in the moss *Physcomitrella patens*. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis* 842:146-157, **2019**. <https://doi.org/10.1016/j.mrgentox.2018.12.006>. (WoS/Scopus)
- 5572.** González-Orenga S, Al Hassan M, Llinares JV, Lisón P, López-Gresa MP, Verdeguer M, Vicente O, Boscaiu M. Qualitative and quantitative differences in osmolytes accumulation and antioxidant activities in response to water deficit in four mediterranean *Limonium* species. *Plants - Basel* 8(11), 506, **2019**. <https://doi.org/10.3390/plants8110506>. (WoS/Scopus)
- 5573.** Güneş A, Kordali Ş, Turan M, Bozhüyük AU. Determination of antioxidant enzyme activity and phenolic

- contents of some species of the *Asteraceae* family from medicinal plants. *Industrial Crops & Products* 139: 208-213, 2019. <https://doi.org/10.1016/j.indcrop.2019.05.042>. (WoS/Scopus)
5574. Hamachi A, Nisihara M, Saito S, Rim H, Takahashi H, Islam M, Uemura T, Ohnishi T, Ozawa R, Maffei ME, Arimura G-i. Overexpression of geraniol synthase induces heat stress susceptibility in *Nicotiana tabacum*. *Planta* 249(1):235-249, 2019. <https://doi.org/10.1007/s00425-018-3054-z> (WoS/Scopus)
5575. Harman-Ware AE. Conversion of terpenes to chemicals and related products. In: Chemical Catalysts for Biomass Upgrading, M Crocker & E Santillan-Jimenez (Eds). WILEY-VCH, Chapter 13, pp. 529-568, 2019. ISBN: 978-3-527-81480-0. [e-BOOK]
5576. Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, 2019. <https://doi.org/10.1186/s40659-019-0246-3>. (WoS/Scopus)
5577. Jobichen C, Selvanarayanan V - Role of plant volatiles, pest-resistant varieties and transgenics in tri-trophic interactions. In: Kumar Chakravarthy A, Selvanarayanan V (eds) *Experimental Techniques in Host-Plant Resistance*, Chapter 10, pp. 245-252, Springer, Singapore, 2019. DOI https://doi.org/10.1007/978-981-13-2652-3_25 (BOOK)
5578. Kaya C, Akram NA, Ashraf M. Influence of exogenously applied nitric oxide on strawberry (*Fragaria × ananassa*) plants grown under iron deficiency and/or saline stress. *Physiologia Plantarum* 165(2):247-263, 2019, <https://doi.org/10.1111/ppl.12818> (WoS/Scopus)
5579. Kaya C, Akram NA, Sürücü A, Ashraf M. Alleviating effect of nitric oxide on oxidative stress and antioxidant defence system in pepper (*Capsicum annuum* L.) plants exposed to cadmium and lead toxicity applied separately or in combination. *Scientia Horticulturae* 255:52-60, 2019. <https://doi.org/10.1016/j.scienta.2019.05.029> (WoS/Scopus)
5580. Kaya C, Ashraf M. The mechanism of hydrogen sulfide mitigation of iron deficiency-induced chlorosis in strawberry (*Fragaria × ananassa*) plants. *Protoplasma* 256(2):371-382, 2019. <https://doi.org/10.1007/s00709-018-1298-x> (WoS/Scopus)
5581. Kaya C, Okant M, Ugurlar F, Alyemeni MN, Ashraf M, Ahmad P. Melatonin-mediated nitric oxide improves tolerance to cadmium toxicity by reducing oxidative stress in wheat plants. *Chemosphere* 225:627-638, 2019. <https://doi.org/10.1016/j.chemosphere.2019.03.026>. (WoS/Scopus)
5582. Kaya C, Sarioğlu A, Akram N, Ashraf M. Thiourea-mediated nitric oxide production enhances tolerance to boron toxicity by reducing oxidative stress in bread wheat (*Triticum aestivum* L.) and durum wheat (*Triticum durum* Desf.) plants. *Journal of Plant Growth Regulation* 38(3):1094-1109, 2019. <https://doi.org/10.1007/s00344-019-09916-x> (WoS/Scopus)
5583. Kazeran B, Navabpour S, Sabouri H, Ramezanpour SS, Nezhad KZ, Eskandari A. Study of antioxidant defense genes expression profile pattern of rice (*Oryza sativa* L.) cultivars in response to drought stress. *Iranian Journal of Genetics and Plant Breeding* 8(2), 46-56, 2019. DOI: [10.30479/ijgpb.2020.10349.1240](https://doi.org/10.30479/ijgpb.2020.10349.1240). http://ijgpb.journals.ikiu.ac.ir/article_1934.html.
5584. Ke Q, Kang L, Kim HS, Xie T, Liu C, Ji CY, Kim SH, Park WS, Ahn M-J, Wang S, Li H, Deng X, Kwak S-S. Down-regulation of *lycopene ε-cyclase* expression in transgenic sweetpotato plants increases the carotenoid content and tolerance to abiotic stress. *Plant Science* 281:52-60, 2019. <https://doi.org/10.1016/j.plantsci.2019.01.002> (WoS/Scopus)
5585. Lambers H, Oliveira RS. Plant energy budgets: Effects of radiation and temperature. In: *Plant Physiological Ecology*. Springer, Cham, pp. 279-290, 2019. https://doi.org/10.1007/978-3-030-29639-1_7. (WoS/Scopus)
5586. Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, 2019. <https://doi.org/10.1111/pce.13629>. (Review). (WoS/Scopus)
5587. Li Y, Liu K, Zhu J, Jiang Y, Huang Y, Zhou Z, Chen C, Yu F. Manganese accumulation and plant physiology behavior of *Camellia oleifera* in response to different levels of nitrogen fertilization. *Ecotoxicology and Environmental Safety* 184, 109603, 2019. <https://doi.org/10.1016/j.ecoenv.2019.109603>. (WoS/Scopus)
5588. Liu B, dos Santos BM, Kanagendran A, Neilson EHJ, Niinemets Ü. Ozone and wounding stresses differently alter the temporal variation in formylated phloroglucinols in *Eucalyptus globulus* leaves. *Metabolites* 9(3), 46, 2019. <https://doi.org/10.3390/metabo9030046>. (WoS/Scopus)
5589. Magwanga RO, Kirungu JN, Lu P, Cai X, Xu Y, Wang X, Zhou Z, Hou Y, Agong SG, Wang K, Liu F. Knockdown of ghAlba_4 and ghAlba_5 proteins in cotton inhibits root growth and increases sensitivity to drought and salt stresses. *Frontiers in Plant Science* 10:1292, 2019. <https://doi.org/10.3389/fpls.2019.01292>. (WoS/Scopus)
5590. Mahajan P, Singh HP, Kaur S, Batish DR, Kohli RK. β-Pinene moderates Cr(VI) phytotoxicity by quenching reactive oxygen species and altering antioxidant machinery in maize. *Environmental Science and Pollution Research* 26(1):456-463, 2019. <https://doi.org/10.1007/s11356-018-3562-1> (WoS/Scopus)
5591. Mohammadrezakhani S, Hajilou J, Rezanejad F, Zaare-Nahandi F. Assessment of exogenous application of proline on antioxidant compounds in three Citrus species under low temperature stress. *Journal of Plant Interactions* 14:1, 347-358, 2019. DOI: [10.1080/17429145.2019.1629033](https://doi.org/10.1080/17429145.2019.1629033). <https://doi.org/10.1080/17429145.2019.1629033> (WoS/Scopus)
5592. Motamedi M, Haghighi M, Goli A. Physiological changes of sweet and hot peppers in vegetative and reproductive growth stages treated by Ca and H₂O₂ under unforeseen heat stresses. *Scientia Horticulturae* 249:306-313, 2019. <https://doi.org/10.1016/j.scienta.2019.01.040>. (WoS/Scopus)
5593. Nisar F, Gul B, Khan MA, Hameed A. Heteromorphic seeds of coastal halophytes *Arthrocnemum*

macrostachyum and *A. indicum* display differential patterns of hydrogen peroxide accumulation, lipid peroxidation and antioxidant activities under increasing salinity. *Plant Physiology and Biochemistry* 44: 58-63, **2019**. <https://doi.org/10.1016/j.plaphy.2019.09.031>. (WoS/Scopus)

5594. Nowakowska M, Wrzesińska M, Kamiński P, Szczechura W, Lichocka M, Tartanus M, Kozik EU, Nowicki M. *Alternaria brassicicola* – Brassicaceae pathosystem: insights into the infection process and resistance mechanisms under optimized artificial bio-assay. *European Journal of Plant Pathology* 153(1):131-151, **2019**, <https://doi.org/10.1007/s10658-018-1548-y> (WoS/Scopus)

5595. Okant M, Kaya C. The role of endogenous nitric oxide in melatonin-improved tolerance to lead toxicity in maize plants. *Environmental Science and Pollution Research*, **2019**. <https://doi.org/10.1007/s11356-019-04517-3> (WoS/Scopus)

5596. Parveen S, Harun-Ur- Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**. <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)

5597. Parveen S, Iqbal MdA, Mutanda I, H-U-Rashid Md, Inafuku M, Oku H. Plant hormone effects on isoprene emission from tropical tree in *Ficus septica*. *Plant, Cell & Environment* 42(5):1715-1728, **2019**. <https://doi.org/10.1111/pce.13513> (WoS/Scopus)

5598. Pogrzeba M, Rusinowski S, J Krzyżak, Szada-Borzyszkowska A, McCalmont JP, Zieleznik-Rusinowska P, Słabon N, Sas-Nowosielska A. *Dactylis glomerata* L. cultivation on mercury contaminated soil and its physiological response to granular sulphur aided phytostabilization. *Environmental Pollution* 255, Part 2, art.n. 113271, **2019**. <https://doi.org/10.1016/j.envpol.2019.113271> (WoS/Scopus)

5599. Porter WC, Heald CL. The mechanisms and meteorological drivers of the summertime ozone–temperature relationship. *Atmospheric Chemistry and Physics* 19, 13367–13381, **2019**. <https://doi.org/10.5194/acp-19-13367-2019> (WoS/Scopus)

5600. Rasool SG, Gulzar S, Hameed A, Edwards GE, Khan MA, Gul B. Maintenance of photosynthesis and the antioxidant defence systems have key roles for survival of *Halopeplis perfoliata* (Amaranthaceae) in a saline environment. *Plant Biology* 21(6):1167-1175, **2019**. <https://doi.org/10.1111/plb.13033> (WoS/Scopus)

5601. Roy B, Krishnan SP, Chandrasekaran N, Mukherjee A. Chapter Five: Toxic effects of engineered nanoparticles (metal/metal oxides) on plants using *Allium cepa* as a model system. *Comprehensive Analytical Chemistry* 84:125-143, **2019**. Edited by Sandeep Kumar Verma, Ashok Kumar Das, Elsevier (BOOK Series) (WoS/Scopus)

5602. Rusinowski S, Szada-Borzyszkowska A, Zieleznik-Rusinowska P, Małkowski E, Krzyżak J, Woźniak G, Sitko K, Szopiński M, McCalmont JP, Kalaji HM, Pogrzeba M. How autochthonous microorganisms influence physiological status of *Zea mays* L. cultivated on heavy metal contaminated soils? *Environmental Science and Pollution Research* 26(5):4746-4763, **2019**, <https://doi.org/10.1007/s11356-018-3923-9> (WoS/Scopus)

5603. Safari M, Alishah FN, Dolatabad HK, Ndu U, Schulthess CP, Sorooshzadeh A. Responses of wheat to zinc sulfate fertilizer and plant growth-promoting rhizobacteria under cadmium stress in soil. *Journal of Plant Nutrition and Soil Science* 182(3):463-476, **2019**. <https://doi.org/10.1002/jpln.201800250> (WoS/Scopus)

5604. Schwalbert R, Silva LOS, Schwalbert RA, Tarouco CP, Fernandes GS, Marques ACR, Costa CC, Hammerschmitt RK, Brunetto G, Nicoloso FT. Physiological responses of soybean (*Glycine max* (L.) Merrill) cultivars to copper excess. *Anais da Academia Brasileira de Ciências (Annals of the Brazilian Academy of Sciences)* 91(4): e20190121, **2019**. <http://dx.doi.org/10.1590/0001-3795201920190121>. (WoS/Scopus)

5605. Sethia P, Ahuja M, Rangaswamy V. Metabolic engineering of microorganisms to produce isoprene. *Journal of Microbial & Biochemical Technology* 11(4): 419, **2019**. <https://doi.org/10.4172/1948-5948.1000419> (WoS/Scopus) Review

5606. Shabnam N, Kim M, Kim H. Iron (III) oxide nanoparticles alleviate arsenic induced stunting in *Vigna radiate*. *Ecotoxicology and Environmental Safety* 183, 109496, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.109496>. (WoS/Scopus)

5607. Sripong K, Jitareerat P, Uthairatanakij A. UV irradiation induces resistance against fruit rot disease and improves the quality of harvested mangosteen. *Postharvest Biology and Technology* 149:187-194, **2019**. <https://doi.org/10.1016/j.postharvbio.2018.12.001>. (WoS/Scopus)

5608. Ur Rahman M, Hanif M, Shah K, Ahmad B, Wang X. *In vitro* evaluation of berries of various *Vitis* genotypes for disease resistance to *Botrytis cinerea*. *Vitis* 58, 123-130, **2019**. <https://doi.org/10.5073/vitis.2019.58.123-130>. (WoS/Scopus)

5609. Wang A, Luca A, Edelenbos M. Emission of volatile organic compounds from yellow onion (*Allium cepa* L.) bulbs during storage. *Journal of Food Science and Technology* 56(3):2940-2948, **2019**. <https://doi.org/10.1007/s13197-019-03764-z> (WoS/Scopus)

5610. Xu S, He X, Burkey K, Chen W, Li P, Li Y, Li B, Wang Y. Ethylenediurea (EDU) pretreatment alleviated the adverse effects of elevated O₃ on *Populus alba* “Berolinensis” in an urban area. *Journal of Environmental Sciences* 84: 42-50, **2019**. <https://doi.org/10.1016/j.jes.2019.04.018> (WoS/Scopus)

5611. Xylia P, Clark A, Chrysargyris A, Romanazzi G, Tzortzakis N. Quality and safety attributes on shredded carrots by using *Origanum majorana* and ascorbic acid. *Postharvest Biology and Technology* 155:120-129, **2019**. <https://doi.org/10.1016/j.postharvbio.2019.05.015> (WoS/Scopus)

5612. Yáñez-Serrano AM, Mahlau L, Fasbender L, Byron J, Williams J, Kreuzwieser J, Werner C. Heat stress increases the use of cytosolic pyruvate for isoprene biosynthesis. *Journal of Experimental Botany* 70(20):5827-

- 5838, 2019. <https://doi.org/10.1093/jxb/erz353>. (WoS/Scopus)
5613. Zhuang K, Shi D, Hu Z, Xu F, Chen Y, Shen Z. Subcellular accumulation and source of O₂⁻ and H₂O₂ in submerged plant *Hydrilla verticillata* (L.f.) Royle under NH₄⁺-N stress condition. *Aquatic Toxicology* 207: 1-12, 2019. <https://doi.org/10.1016/j.aquatox.2018.11.011> (WoS/Scopus)
5614. Zuo Z, Weraduwage SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, 2019. <https://doi.org/10.1104/pp.18.01391>. (WoS/Scopus)
5615. Abbasi S, Sadeghi A, Safaie N. *Streptomyces* alleviate drought stress in tomato plants and modulate the expression of transcription factors ERF1 and WRKY70 genes. *Scientia Horticulturae* v. 265, art. number 109206, 2020. <https://doi.org/10.1016/j.scienta.2020.109206>. (WoS/Scopus)
5616. Abbasi S, Safaie N, Sadeghi A, Shamsbakhsh M. Tissue-specific synergistic bio-priming of pepper by two *Streptomyces* species against *Phytophthora capsici*. *PLoS ONE* 15(3): e0230531, 2020. <https://doi.org/10.1371/journal.pone.0230531>. (WoS/Scopus)
5617. Al-Huqail AA, Khan MN, Ali HM, Siddiqui MH, Al-Huqail AA, AlZuaibr FM, Al-Muwayhi MA, Marraiki N, Al-Humaid LA. Exogenous melatonin mitigates boron toxicity in wheat. *Ecotoxicology and Environmental Safety* 201, art. number 110822, 2020. <https://doi.org/10.1016/j.ecoenv.2020.110822>. (WoS/Scopus)
5618. Amini S, Maali R. Evaluation of gama-aminobutyric acid (GABA) biosynthetic pathway in chickpea under cold stress. *Agriculture Biotechnology Journal* 12(3), 1-24, 2020. <https://dx.doi.org/10.22103/jab.2020.15694.1221>.
5619. Antoniou C, Xenofontos R, Chatzimichail G, Christou A, Kashfi K, Fotopoulos V. Exploring the potential of nitric oxide and hydrogen sulfide (NOSH)-releasing synthetic compounds as novel priming agents against drought stress in medicago sativa plants. *Biomolecules* 10(1), 120, 2020, <https://doi.org/10.3390/biom10010120>. (WoS/Scopus)
5620. Bailly A. How plants might recognize rhizospheric bacterial volatiles. In: Ryu CM, Weisskopf L, Piechulla B (eds) *Bacterial Volatile Compounds as Mediators of Airborne Interactions*. Springer, Singapore. Pp. 139-165, 2020. https://doi.org/10.1007/978-981-15-7293-7_5.
5621. Baldissera MD, Souza CF, Alessio KO, Krawczak KW, Abbad LB, da Silva AS, Bizzi C, Ourique AF, Zeppenfeld CC, Baldisserotto B, Cunha MA. Diphenyl diselenide-loaded nanocapsules in silver catfish feed enhance growth, improve muscle antioxidant/oxidant status and increase selenium deposition: Advantages of nanotechnology for fish health. *Aquaculture Research* 51(10), 4196-4205, 2020. <https://doi.org/10.1111/are.14761>. (WoS/Scopus)
5622. Baldissera MD, Souza CF, Zeppenfeld CC, Velho MC, Klein B, Abbad LB, Ourique AF, Wagner R, Da Silva AS, Baldisserotto B. Dietary supplementation with nerolidol nanospheres improves growth, antioxidant status and fillet fatty acid profiles in Nile tilapia: Benefits of nanotechnology for fish health and meat quality. *Aquaculture* 516, art. number 734635, 2020. <https://doi.org/10.1016/j.aquaculture.2019.734635>. (WoS/Scopus)
5623. Basavaraju SN, Lakshmikanth RY, Kumaraswamy R, Makarla U. Genotypes with enhanced expressions of acquired tolerance mechanisms showed improved growth under stress. *Plant Physiology Reports* 25(1): 9-23, 2020. <https://doi.org/10.1007/s40502-019-00482-8>. (WoS/Scopus)
5624. Behboud R, Moradi A, Farajee H. Effect of different chitosan concentrations on seed germination and some biochemical traits of sweet corn (*Zea mays* var. Saccharata) seedling under osmotic stress conditions. *Iranian Journal of Seed Research* 7(1):1-22, 2020. <http://yujs.yu.ac.ir/jisr/article-1-401-en.html>.
5625. Bendaoud Si Ahmed K, Aoues A, Kharoubi O, Hetraf I. Lead-induced changes in germination behavior, growth and inhibition of δ -aminolevulinic acid dehydratase activity in *Raphanus sativus* L. *African Journal of Plant Science* 14(7), 254-261, 2020. <https://doi.org/10.5897/AJPS2019.1899>.
5626. Benedetti L, Scherner A, C Cuchiara C, Moraes IL, A Avila L, Deuner S. Soybean plant osmotic and oxidative stress as affected by herbicide and salinity levels in soil. *Planta Daninha* 38, e020185196, 2020. <https://doi.org/10.1590/s0100-83582020380100051>. (WoS/Scopus)
5627. Blackford CL. Contribution of grape berry lipids to wine aroma (Doctoral dissertation, Murdoch University, USA), 2020. <http://researchrepository.murdoch.edu.au/id/eprint/56052>. [PhD Thesis]
5628. Brenes M, Pérez J, González-Orenga S, Solana A, Boscaiu M, Prohens J, Plazas M, Fita A, Vicente O. Comparative studies on the physiological and biochemical responses to salt stress of eggplant (*Solanum melongena*) and its rootstock *S. torvum*. *Agriculture* 10(8), 328, 2020. <https://doi.org/10.3390/agriculture10080328>. (WoS/Scopus)
5629. Chakraborty S, Mishra AK. Mitigation of zinc toxicity through differential strategies in two species of the cyanobacterium *Anabaena* isolated from zinc polluted paddy field. *Environmental Pollution* v. 263, part B, 114375, 2020. <https://doi.org/10.1016/j.envpol.2020.114375>. (WoS/Scopus)
5630. Christou A, Georgiadou EC, Zissimos AM, Christoforou IC, Christofi C, Neocleous D, Dalias P, Torrado SOCA, Argyraki A, Fotopoulos V. Hexavalent chromium leads to differential hormetic or damaging effects in alfalfa (*Medicago sativa* L.) plants in a concentration-dependent manner by regulating nitro-oxidative and proline metabolism. *Environmental Pollution* v. 267, art. 115379, 2020. <https://doi.org/10.1016/j.envpol.2020.115379>. (WoS/Scopus)
5631. Chrysargyris A, Prasad M, Kavanagh A, Tzortzakis N. Biochar type, ratio, and nutrient levels in growing media affects seedling production and plant performance. *Agronomy* 10(9), 1421, 2020. <https://doi.org/10.3390/agronomy10091421>. (WoS/Scopus)
5632. Chrysargyris A, Xylia P, Akinci G, Moustakas K, Tzortzakis N. Printed paper waste as an alternative growing medium component to produce *Brassica* seedlings under nursery conditions. *Sustainability* 12(15), 5992, 2020. <https://doi.org/10.3390/sul2155992>. (WoS/Scopus)
5633. da Silva GR, Berger M, Bernardy D, Tabaldi LA, Birck TP, Tarouco CP, Sasso VM. Efeito do alumínio sobre variáveis morfofisiológicas e bioquímicas de *Handroanthus heptaphyllus* (Vell.) Mattos em sistema hidropônico. *Brazilian Journal of Development*. 6(9): 65755-65773, 2020.

<https://www.brazilianjournals.com/index.php/BRJD/article/view/16238/13277>.

5634. da Silva Tavares M, Marques AC, Sausen D, Strauss RD, da Silva AD, Ferigolo LF, Tarouco CP, Nicoloso FT. Efeito do fósforo na toxicidade por ferro: respostas fotossintéticas e antioxidante de cultivares de arroz. *Revista Brasileira de Ciências Agrárias (Agrária)* 15(4):8491, **2020**. <http://www.agraria.pro.br/ojs-2.4.6/index.php?journal=agraria&page=article&op=view&path%5B%5D=agraria.v15i4a8491&path%5B%5D=5343>. (WoS/Scopus)

5635. Das D, Mandal P. Use of biogenic silver nanoparticles in enhancing shelf life of *Morus alba* L. at post harvest stage. *Scientific Reports* 10(1), 8923, **2020**. <https://doi.org/10.1038/s41598-020-65953-7>. (WoS/Scopus)

5636. Derbali W, Goussi R, Koyro H-W, Abdelly C, Manaa A. Physiological and biochemical markers for screening salt tolerant quinoa genotypes at early seedling stage. *Journal of Plant Interactions* 15(1): 27-38, **2020**. <https://doi.org/10.1080/17429145.2020.1722266>. (WoS/Scopus)

5637. Faralli M, Li M, Varotto C. Shoot characterization of isoprene and ocimene-emitting transgenic arabidopsis plants under contrasting environmental conditions. *Plants*. 9(4), 477, **2020**. <https://doi.org/10.3390/plants9040477>. (WoS/Scopus)

5638. Fatollahpour Grangah M, Rashidi V, Mirshekari B, Khalilvand Behrouzyar E, Farahvash F. Effects of nano-fertilizers on physiological and yield characteristics of pinto bean cultivars under water deficit stress. *Journal of Plant Nutrition* 43(19), 2898-2910, **2020**. <https://doi.org/10.1080/01904167.2020.1799000>. (WoS/Scopus)

5639. Fipke GM, Deak EA, Stecca JD, Bernardy D, Berger M, Tai LA, Martin TN. Morphology and enzymatic activity of seedlings from wheat desiccated in pre-harvest. *Acta Scientiarum-Agronomy* 43(1), e44974, **2020**. <https://doi.org/10.4025/actasciagron.v43i1.44974>. (WoS/Scopus)

5640. Gohari G, Alavi Z, Esfandiari E, Panahirad S, Hajihoseinlou S, Fotopoulos V. Interaction between hydrogen peroxide and sodium nitroprusside following chemical priming of *Ocimum basilicum* L. against salt stress. *Physiologia Plantarum* 168(2): 361-373, **2020**. <https://doi.org/10.1111/ppl.13020>. (WoS/Scopus)

5641. Hafez R, Fouad A. Mitigation of genotoxic and cytotoxic effects of silver nanoparticles on onion root tips using some antioxidant scavengers. *Egyptian Journal of Botany* 60(1):133-145, **2020**. <https://dx.doi.org/10.21608/ejbo.2019.13390.1321>. (WoS/Scopus)

5642. Harman-Ware AE. Conversion of Terpenes to Chemicals and Related Products. Chapter 13. In: *Chemical Catalysts for Biomass Upgrading* Edited by Mark Crocker and Eduardo Santillan-Jimenez, Wiley-VCH Verlag GmbH & Co. KgaA 28:529-568, **2020**. <https://doi.org/10.1002/9783527814794.ch13>. [BOOK]

5643. Heidari N, Shekari F, Golchin A, Sehati N. Interaction of nitrogen stress and salicylic acid on the physiological characteristics of borage. *Journal of Plant Process and Function* 8(34):37-50, **2020**. <http://jispp.iut.ac.ir/article-1-1238-en.html>.

5644. Heslin C, Boehm D, Gilmore BF, Megaw J, Bourke P. Safety evaluation of plasma-treated lettuce broth using in vitro and in vivo toxicity models. *Journal of Physics D: Applied Physics* 53(27):274003, **2020**. <https://doi.org/10.1088/1361-6463/ab7ac8>. (WoS/Scopus)

5645. Hoshika Y, Brilli F, Baraldi R, Fares S, Carrari E, Zhang L, Badea O, Paoletti E. Ozone impairs the response of isoprene emission to foliar nitrogen and phosphorus in poplar. *Environmental Pollution* v. 267, art. num. 115679, **2020**. <https://doi.org/10.1016/j.envpol.2020.115679>. (WoS/Scopus)

5646. Hu J, Li Y, Liu Y, Kang DI, Wei H, Jeong BR. Hydrogen sulfide affects the root development of strawberry during plug transplant production. *Agriculture* 10(1):12, **2020**. <https://doi.org/10.3390/agriculture10010012>. (WoS/Scopus)

5647. Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp. 424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)

5648. Joensuu J. O₃ and NO_x interactions with foliage: processes and compounds at the needle-air interface. *Dissertationes Forestales* 310, **2020**. <https://www.dissertationesforestales.fi/pdf/article10482.pdf>.

5649. Kammoun M, Essid MF, Ksouri F, Rokka VM, Mariam C, Gargouri-Bouزيد R, Nouri-Ellou O. Assessment of physiological age and antioxidant status of new somatic hybrid potato seeds during extended cold storage. *Journal of Plant Physiology* v. 254, art. num. 153279, **2020**. <https://doi.org/10.1016/j.jplph.2020.153279>. (WoS/Scopus)

5650. Kaya C, Ashraf M, Alyemeni MN, Ahmad P. Responses of nitric oxide and hydrogen sulfide in regulating oxidative defence system in wheat plants grown under cadmium stress. *Physiologia Plantarum* 168(2):345-360, **2020**. <https://doi.org/10.1111/ppl.13012>. (WoS/Scopus)

5651. Kaya C, Ashraf M, Alyemeni MN, Ahmad P. Responses of nitric oxide and hydrogen sulfide in regulating oxidative defence system in wheat plants grown under cadmium stress. *Physiologia Plantarum* 168(2), 345-360, **2020**. <https://doi.org/10.1111/ppl.13012>. (WoS/Scopus)

5652. Kaya C, Ashraf M, Alyemeni MN, Corpas FJ, Ahmad P. Salicylic acid-induced nitric oxide enhances arsenic toxicity tolerance in maize plants by upregulating the ascorbate-glutathione cycle and glyoxalase system. *Journal of Hazardous Materials* v. 399, art. 123020, **2020**. <https://doi.org/10.1016/j.jhazmat.2020.123020>. (WoS/Scopus)

5653. Kaya C, Aslan M. Hydrogen sulphide partly involves in thiamine-induced tolerance to cadmium toxicity in strawberry (*Fragaria x ananassa* Duch) plants. *Environmental Science and Pollution Research* 27(1), 941-953, **2020**. doi: <https://doi.org/10.1007/s11356-019-07056-z>. (WoS/Scopus)

5654. Kaya C, Higgs D, Ashraf M, Alyemeni MN, Ahmad P. Integrative roles of nitric oxide and hydrogen sulfide in melatonin-induced tolerance of pepper (*Capsicum annuum* L.) plants to iron deficiency and salt stress alone or in combination. *Physiologia Plantarum* 168(2):256-277, **2020**. <https://doi.org/10.1111/ppl.12976>. (WoS/Scopus)

5655. Kaya C, Higgs D, Ashraf M, Alyemeni MN, Ahmad P. Integrative roles of nitric oxide and hydrogen sulfide in melatonin-induced tolerance of pepper (*Capsicum annuum* L.) plants to iron deficiency and salt stress alone or

- in combination. *Physiologia Plantarum* 168(2), 256-277, 2020. <https://doi.org/10.1111/ppl.12976> (WoS/Scopus)
5656. Kaya C, Şenbayram M, Akram NA, Ashraf M, Alyemeni MN, Ahmad P. Sulfur-enriched leonardite and humic acid soil amendments enhance tolerance to drought and phosphorus deficiency stress in maize (*Zea mays* L.). *Scientific Reports* 10(1):6432, 2020. <https://doi.org/10.1038/s41598-020-62669-6>. (WoS/Scopus)
5657. Kim DG, Bahman R, Modareszadeh M, Hwang S. Mechanism for higher tolerance to and lower accumulation of arsenite in NtCyc07-overexpressing tobacco. *Plants* 9(11), 1480, 2020. <https://doi.org/10.3390/plants9111480>. (WoS/Scopus)
5658. Koley S. Metabolic flux analysis for biosynthesis of volatile terpenoids in model Lamiaceae plants. der Martin-Luther-Universität, Halle-Wittenberg, Germany, 2020. <https://opendata.uni-halle.de/handle/1981185920/35511>; <http://dx.doi.org/10.25673/35301>. [PhD Thesis]
5659. Kumar RR, Dubey K, Goswami S, Hasiya S, Pandey R, Singh PK, Singh B, Sareen S, Rai GK, Singh GP, Singh AK. Heterologous expression and characterization of novel manganese superoxide dismutase (Mn-SOD) – A potential biochemical marker for heat stress-tolerance in wheat (*Triticum aestivum*). *International Journal of Biological Macromolecules* 161, 1029-1039, 2020. <https://doi.org/10.1016/j.ijbiomac.2020.06.026>. (WoS/Scopus)
5660. Lala S. Enhancement of secondary metabolites in *Bacopa monnieri* (L.) Pennell plants treated with copper-based nanoparticles *in vivo*. *IET Nanobiotechnology* 14(1), 78-85, 2020. <https://digital-library.theiet.org/content/journals/10.1049/iet-nbt.2019.0124>. (WoS/Scopus)
5661. Lawson CA, Seymour JR, Possell M, Suggett DJ, Raina JB. The volatilomes of Symbiodiniaceae-associated bacteria are influenced by chemicals derived from their algal partner. *Frontiers in Marine Science* 7:106, 2020. <https://doi.org/10.3389/fmars.2020.00106>. (WoS/Scopus)
5662. Lawson CA. Gas powered reefs: exploring the nature and variability of the coral volatilome. University of Technology Sydney, Australia, PhD Thesis, 2020. <https://opus.lib.uts.edu.au/bitstream/10453/140488/2/02whole.pdf>. [PhD Thesis]
5663. Li H, Shi J, Wang Z, Zhang W, Yang H. H₂S pretreatment mitigates the alkaline salt stress on *Malus hupehensis* roots by regulating Na⁺/K⁺ homeostasis and oxidative stress. *Plant Physiology and Biochemistry* 156, 233-241, 2020. <https://doi.org/10.1016/j.plaphy.2020.09.009>. (WoS/Scopus)
5664. Li X, Wang X, Shi X, Wang Q, Li X, Zhang S. Compost tea-mediated induction of resistance in biocontrol of strawberry *Verticillium* wilt. *Journal of Plant Diseases and Protection* 127, 257-268, 2020. <https://doi.org/10.1007/s41348-019-00290-0>. (WoS/Scopus)
5665. Lim SD, Lee SC, Choi SY, Lee J, Hwang SG, Jang CS. A TILLING rice ATT1 enhances arsenic tolerance by increasing vacuolar sequestration capacity of arsenic. *Environmental and Experimental Botany* 175, art. number 104057, 2020. <https://doi.org/10.1016/j.envexpbot.2020.104057>. (WoS/Scopus)
5666. Maurya AK. Application of plant volatile organic compounds (VOCs) in agriculture. In: *New Frontiers in Stress Management for Durable Agriculture* (eds.: Rakshit A, Singh H, Singh A, Singh U, Fraceto L. pp. 369-388. Springer, Singapore, 2020. https://doi.org/10.1007/978-981-15-1322-0_21. (WoS/Scopus) [BOOK]
5667. Mehdi F, Kazim AL, Nesheman HU, Hussain I, Azhar A, Galani S. Comparative biochemical analysis of high and low sucrose accumulating sugarcane varieties at formative stage under heat stress. *Journal of Agricultural Sciences* 26(1):78-86, 2020. <https://doi.org/10.15832/ankutbd.457918>. (WoS/Scopus)
5668. Mujahid Z, Tounekti T, Khemira H. Cold plasma treatment to release dormancy and improve growth in grape buds: a promising alternative to natural chilling and rest breaking chemicals. *Scientific Reports* 10, art. number: 2667, 2020. <https://doi.org/10.1038/s41598-020-59097-x>. (WoS/Scopus)
5669. Naderi S, Fakheri BA, Maali-Amiri R, Mahdinezhad N. Tolerance responses in wheat landrace Bolani are related to enhanced metabolic adjustments under drought stress. *Plant Physiology and Biochemistry* 150, 244-253. 2020. <https://doi.org/10.1016/j.plaphy.2020.03.002>. (WoS/Scopus)
5670. Naserabad MM, Mordi A, Asl AM, Balouchi HR. Effect of gibberellic acid, germination temperature and stratification on dormancy breaking and seed germination of *Smyrniun cordifolium*. *Iranian Journal of Field Crop Science* 51(2), 199-222, 2020. DOI: 10.22059/ijfcs.2019.275448.654580.
5671. Norouzinia F, Ansari MH, Aminpanah H, Firozi S. Alleviation of soil salinity on physiological and agronomic traits of rice cultivars using Arbuscular mycorrhizal fungi and *Pseudomonas* strains under field conditions. *Journal of Neotropical Agriculture* 7(1): 25-42, 2020. <https://doi.org/10.32404/rean.v7i1.4042>. (WoS/Scopus)
5672. Ormeño E, Viros J, Mévy JP, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2):159, 2020. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)
5673. Otu-Larbi F, Bolas CG, Ferracci V, Staniaszek Z, Jones RL, Malhi Y, Harris NR, Wild O, Ashworth K. Modelling the effect of the 2018 summer heatwave and drought on isoprene emissions in a UK woodland. *Global Change Biology* 26(4):2320-2335, 2020. <https://doi.org/10.1111/gcb.14963>. (WoS/Scopus)
5674. Palhares Neto L, de Souza LM, de Moraes MB, Arruda E, de Figueiredo RCBQ, de Albuquerque CC, Ulisses C. Morphophysiological and biochemical responses of *Lippia grata* Schauer (Verbenaceae) to water deficit. *Journal of Plant Growth Regulation* 39, 26-40, 2020. <https://doi.org/10.1007/s00344-019-09961-6> (WoS/Scopus)
5675. Palouš D. Emissions of isoprene by oil palm and their impacts on climate and composition of the atmosphere. Charles University, Praha, Czechia, PhD Thesis, 2020. <http://hdl.handle.net/20.500.11956/119536>. [PhD Thesis]
5676. Panda AK, Mishra R, Mahanty A, Lenka S, Panda KK, Bisht SS. Genomics and genetic engineering of rice for tolerance to ozone and anoxia. In: Roychoudhury A. (eds) *Rice Research for Quality Improvement: Genomics and Genetic Engineering*, pp. 385-398, 2020. Springer, Singapore. https://doi.org/10.1007/978-981-15-4120-9_16.
5677. Paulino MK, de Souza ER, Lins CM, Dourado PR, de Carvalho Leal LY, Monteiro DR, Junior FE, de

- Carvalho Silva CU. Influence of vesicular trichomes of *Atriplex nummularia* on photosynthesis, osmotic adjustment, cell wall elasticity and enzymatic activity. *Plant Physiology and Biochemistry* 155:177-186, 2020. <https://doi.org/10.1016/j.plaphy.2020.07.036>. (WoS/Scopus)
5678. Pouresmaeil M, Nojadeh MS, Movafeghi A, Maggi F. Exploring the bio-control efficacy of *Artemisia fragrans* essential oil on the perennial weed *Convolvulus arvensis*: Inhibitory effects on the photosynthetic machinery and induction of oxidative stress. *Industrial Crops and Products* v. 155, art. 112785, 2020. <https://doi.org/10.1016/j.indcrop.2020.112785>. (WoS/Scopus)
5679. Ramya A, Dhevagi P, Maheswari M, Jayabalakrishnan RM, Saraswathi R, Chandrasekhar CN. Assessment of physiological, biochemical and yield attributes of rice cultivars under elevated ozone stress. *Madras Agricultural Journal* 107(10-12): 411-417, 2020. <https://doi.org/10.29321/MAJ.10.000463>.
5680. Ren J, Ye J, Yin L, Li G, Deng X, Wang S. Exogenous melatonin improves salt tolerance by mitigating osmotic, ion, and oxidative stresses in maize seedlings. *Agronomy* 10(5):663, 2020. <https://doi.org/10.3390/agronomy10050663>. (WoS/Scopus)
5681. Riches M, Lee D, Farmer DK. Simultaneous leaf-level measurement of trace gas emissions and photosynthesis with a portable photosynthesis system. *Atmospheric Measurement Techniques* 13(8):4123-39, 2020. <https://doi.org/10.5194/amt-13-4123-2020>. (WoS/Scopus)
5682. Runyon JB, Gray CA, Jenkins MJ. Volatiles of high-elevation five-needle pines: Chemical signatures through ratios and insight into insect and pathogen resistance. *Journal of Chemical Ecology* 46, 264–274, 2020. <https://doi.org/10.1007/s10886-020-01150-0>. (WoS/Scopus)
5683. Saleem MF, Kamal MA, Shahid M, Saleem A, Shakeed A, Anjum SA. Exogenous selenium-instigated physiochemical transformations impart terminal heat tolerance in bt cotton. *Journal of Soil Science and Plant Nutrition* 20, 274-283, 2020. <https://doi.org/10.1007/s42729-019-00139-3>. (WoS/Scopus)
5684. Schmitt OJ, Brunetto G, Chassot T, Tiecher TL, Marchezan C, Tarouco CP, De Conti L, Lourenzi CR, Nicoloso FT, Kreutz MA, Andriolo JL. Impact of Cu concentrations in nutrient solution on growth and physiological and biochemical parameters of beet and cabbage and human health risk assessment. *Scientia Horticulturae* v. 272, art. 109558, 2020. <https://doi.org/10.1016/j.scienta.2020.109558>. (WoS/Scopus)
5685. Schneider JR, Müller M, Klein VA, Rossato-Grando LG, Barcelos RP, Dalmago GA, Chavarria G. Soybean plant metabolism under water deficit and xenobiotic and antioxidant agent application. *Biology* 9(9): 266, 2020. <https://doi.org/10.3390/biology9090266>. (WoS/Scopus)
5686. Scott C. The role of agricultural expansion, land cover and land-use change in contributing to climate change. In: Deryng, D, (ed.) *Climate Change and Agriculture*. Burleigh Dodds Series, In: *Agricultural Science*, 78. Burleigh Dodds Science Publishing. ISBN 978-1786763204, 2020. <http://eprints.whiterose.ac.uk/160776/>.
5687. Shah AA, Khan WU, Yasin NA, Akram W, Ahmad A, Abbas M, Ali A, Safdar MN. Butanolide alleviated cadmium stress by improving plant growth, photosynthetic parameters and antioxidant defense system of brassica oleracea. *Chemosphere* v. 261, art. 127728, 2020. <https://doi.org/10.1016/j.chemosphere.2020.127728>. (WoS/Scopus)
5688. Shahvali R, Shiran B, Ravash R, Fallahi H, Deri BB. Effect of symbiosis with arbuscular mycorrhizal fungi on salt stress tolerance in GF677 (peach×almond) rootstock. *Scientia Horticulturae* v. 272, art. 109535, 2020. <https://doi.org/10.1016/j.scienta.2020.109535>. (WoS/Scopus)
5689. Sharkey TD, Preiser AL, Weraduwege SM, Gog L. Source of ¹²C in Calvin–Benson cycle intermediates and isoprene emitted from plant leaves fed with ¹³CO₂. *Biochemical Journal* 477(17):3237-3252, 2020. <https://doi.org/10.1042/BCJ20200480>. (WoS/Scopus)
5690. Shi D, Zhuang K, Chen Y, Xu F, Hu Z, Shen Z. Effects of excess ammoniacal nitrogen (NH⁴⁺-N) on pigments, photosynthetic rates, chloroplast ultrastructure, proteomics, formation of reactive oxygen species and enzymatic activity in submerged plant *Hydrilla verticillata* (Lf) Royle. *Aquatic Toxicology* v. 226, art. 105585, 2020. <https://doi.org/10.1016/j.aquatox.2020.105585>. (WoS/Scopus)
5691. Shoukat E, Ahmed MZ, Abideen Z, Azeem M, Ibrahim M, Gul B, Khan MA. Short and long term salinity induced differences in growth and tissue specific ion regulation of *Phragmites karka*. *Flora* v. 263, art. number 151550, 2020. <https://doi.org/10.1016/j.flora.2020.151550>. (WoS/Scopus)
5692. Souza LM, Barbosa MR, Morais MB, Neto LP, Ulisses C, Camara TR. Biochemical and morphophysiological strategies of *Myracrodruon urundeuva* plants under water deficit. *Biologia Plantarum* 64:20-31, 2020. <https://doi.org/10.32615/bp.2019.070>. (WoS/Scopus)
5693. Tian Z, Luo Q, Li Y, Zuo Z. Terpinene and β-pinene acting as signaling molecules to improve *Cinnamomum camphora* thermotolerance. *Industrial Crops and Products* 154:112641, 2020. <https://doi.org/10.1016/j.indcrop.2020.112641>. (WoS/Scopus)
5694. Turchetto F, Araujo MM, Tabaldi LA, Griebeler AM, Berghetti ÁL, Rorato DG, Barbosa FM, Sasso VM. Irrigation Regimes on growth and metabolic processes of *Enterolobium contortisiliquum* seedlings. *Floresta e Ambiente* 27(2), e20180263, 2020. <http://dx.doi.org/10.1590/2179-8087.026318>. (WoS/Scopus)
5695. van Doorn MM, Merl-Pham J, Ghirardo A, Fink S, Polle A, Schnitzler JP, Rosenkranz M. Root isoprene formation alters lateral root development. *Plant, Cell & Environment* 43(9), 2207-2223, 2020. <https://doi.org/10.1111/pce.13814>. (WoS/Scopus)
5696. Werner C, Fasbender L, Romek KM, Yáñez-Serrano AM, Kreuzwieser J. Heat waves change plant carbon allocation among primary and secondary metabolism altering CO₂ assimilation, respiration, and VOC emissions. *Frontiers in Plant Science* 11:1242, 2020. <https://doi.org/10.3389/fpls.2020.01242>. (WoS/Scopus)
5697. Xie X, Zhang Z, Zhao Z, Xie Y, Li H, Ma X, Liu YG, Chen L. The mitochondrial aldehyde dehydrogenase OsALDH2b negatively regulates tapetum degeneration in rice. *Journal of Experimental Botany* 71(9):2551-60, 2020. <https://doi.org/10.1093/jxb/eraa045>. (WoS/Scopus)
5698. Xu Y, Shang B, Feng Z, Tarvainen L. Effect of elevated ozone, nitrogen availability and mesophyll conductance on the temperature responses of leaf photosynthetic parameters in poplar. *Tree Physiology* 40(4):484-

- 97, 2020. <https://doi.org/10.1093/treephys/tpaa007>. (WoS/Scopus)
5699. Yang Y, Cao Y, Li Z, Zhukova A, Yang S, Wang J, Tang Z, Cao Y, Zhang Y, Wang D. Interactive effects of exogenous melatonin and Rhizophagus intraradices on saline-alkaline stress tolerance in *Leymus chinensis*. *Mycorrhiza* 30, 357-371, 2020. <https://doi.org/10.1007/s00572-020-00942-2>. (WoS/Scopus)
5700. Yu F, Wang X, Yao Y, Lin J, Huang Y, Xie D, Liu K, Li Y. Manganese accumulation and plant physiology behavior of *Camellia oleifera* in response to different levels of potassium fertilization. *International Journal of Phytoremediation* 22 (10), 1075-1084, 2020. <https://doi.org/10.1080/15226514.2020.1726871>. (WoS/Scopus)
5701. Zamani Z, Amiri H, Ismaili A. Improving drought stress tolerance in fenugreek (*Trigonella foenum-graecum*) by exogenous melatonin. *Plant Biosystems* 154(5), 643-655, 2020. <https://doi.org/10.1080/11263504.2019.1674398>. (WoS/Scopus)
5702. Zhang Y, Xu S, Mo L. Screening of grape genotypes for aluminum tolerance and evaluation on selecting indices. *Soil Science and Plant Nutrition* 66(4), 560-568, 2020. <https://doi.org/10.1080/00380768.2020.1779572>. (WoS/Scopus)
5703. Zhang Z, Wang Z, Zhao M, Zhao L, Zhang J. First look at olive floral volatiles: identification and discrimination among Mediterranean and Chinese taxa. *International Journal of Agriculture & Biology* 24(4), 918-926, 2020. <https://dergipark.org.tr/en/download/article-file/982207>. (WoS/Scopus)
5704. Abdelkhalek A, Al-Askar AA, Alsubaie MM, Behiry SI. First report of protective activity of *Paronychia argentea* extract against tobacco mosaic virus infection. *Plants* 10(11):2435, 2021. <https://doi.org/10.3390/plants10112435>. (WoS/Scopus)
5705. Afithile M, Worthington R, Banigan E, Jirik J, Hildebrand D. Ozone-induced lipid changes in the wildtype and toc132toc120 heterozygote mutant of *Arabidopsis thaliana*. *Plant Physiology and Biochemistry* 158, 13-20, 2021. <https://doi.org/10.1016/j.plaphy.2020.11.050>. (WoS/Scopus)
5706. Amini S, Maali-Amiri R, Kazemi-Shahandashti S-S, López-Gómez M, Sadeghzadeh B, Sobhani-Najafabadi A, Kariman K. Effect of cold stress on polyamine metabolism and antioxidant responses in chickpea. *Journal of Plant Physiology* v. 258-259, art. 153387, 2021. <https://doi.org/10.1016/j.jplph.2021.153387>. (WoS/Scopus)
5707. Amirikhah R, Etemadi N, Sabzalian MR, Nikbakht A, Eskandari A. Gamma radiation negatively impacted seed germination, seedling growth and antioxidant enzymes activities in tall fescue infected with *Epichloë endophyte*. *Ecotoxicology and Environmental Safety* v. 216, art. 112169, 2021. <https://doi.org/10.1016/j.ecoenv.2021.112169>. (WoS/Scopus)
5708. Ansari A, Andalibi B, Zarei M, Shekari F. Combined effect of putrescine and mycorrhizal fungi in phytoremediation of *Lallemantia iberica* in Pb-contaminated soils. *Environmental Science and Pollution Research* 28:58640-58659, 2021. <https://doi.org/10.1007/s11356-021-14821-6>. (WoS/Scopus)
5709. Antoniou O, Chrysargyris A, Xylia P, Tzortzakis N. Effects of selenium and/or arbuscular mycorrhizal fungal inoculation on strawberry grown in hydroponic trial. *Agronomy* 11(4), 721, 2021. <https://doi.org/10.3390/agronomy11040721>. (WoS/Scopus)
5710. Asim A, Öztürk Gökçe ZN, Bakhsh A, Tindaş Çaylı İ, Aksoy E, Çalışkan S, Çalışkan ME, DEMirel U. Individual and combined effect of drought and heat stresses in contrasting potato cultivars overexpressing miR172b-3p. *Turkish Journal of Agriculture and Forestry* 45: 651-668, 2021. <http://dx.doi.org/10.3906/tar-2103-60>. (WoS/Scopus)
5711. Azimychetabi Z, Nodehi MS, Moghadam TK, Motesharezadeh B. Cadmium stress alters the essential oil composition and the expression of genes involved in their synthesis in peppermint (*Mentha piperita* L.). *Industrial Crops and Products* v. 168, art. 113602, 2021. <https://doi.org/10.1016/j.indcrop.2021.113602>. (WoS/Scopus)
5712. Behboud R, Moradi A, Farajee H. Film coating with sodium alginate improves seed germination of sweet corn (*Zea mays* var. *Saccharata*) under osmotic stress conditions. *Journal of Plant Process and Function* 9(40): 33-42, 2021. <https://jispp.iut.ac.ir/article-1-1375-en.pdf>.
5713. Carter JM, Burnette TE, Ward JK. Chapter 7 - Tree Physiology and Intraspecific Responses to Extreme Events: Insights from the Most Extreme Heat Year in U.S. History. In: Becklin K.M, Ward J.K, Way D.A. (eds) *Photosynthesis, Respiration, and Climate Change. Advances in Photosynthesis and Respiration (Including Bioenergy and Related Processes)*, vol 48; pp. 171-190, 2021. Springer, Cham. https://doi.org/10.1007/978-3-030-64926-5_7.
5714. Chakraborty S, Mishra AK. Effects of zinc toxicity on the nitrogen-fixing cyanobacterium *Anabaena sphaerica*—ultrastructural, physiological and biochemical analyses. *Environmental Science and Pollution Research* 28:33292-33306, 2021. <https://doi.org/10.1007/s11356-021-12882-1>. (WoS/Scopus)
5715. Chang T-W, Kosugi Y, Okumura M, Jiao L, Chen S, Xu D, Liu Z, Shibata S, Chang K-H. Isoprene emission characteristics of tall and dwarf bamboos. *Atmospheric Environment: X*, v.12, art. number 100136, 2021. <https://doi.org/10.1016/j.aeaoa.2021.100136>. (WoS/Scopus)
5716. Chen C, Cao Y, Chen H, Ni M, Yu F. Floral scent compounds and emission patterns of three *Styrax* species. *Dendrobiology* 85, 30-38, 2021. <https://doi.org/10.12657/denbio.085.004>. (WoS/Scopus)
5717. Christou A, Georgiadou EC, Zissimos AM, Christoforou IC, Christofi C, Neocleous D, Dalias P, Fotopoulos V. Uptake of hexavalent chromium by *Lactuca sativa* and *Triticum aestivum* plants and mediated effects on their performance, linked with associated public health risks. *Chemosphere* v. 267 art. number 128912, 2021. <https://doi.org/10.1016/j.chemosphere.2020.128912>. (WoS/Scopus)
5718. Christou A, Georgiadou EC, Zissimos AM, Christoforou IC, Christofi C, Neocleous D, Dalias P, Ioannou A, Fotopoulos V. Uptake of hexavalent chromium by tomato (*Solanum lycopersicum* L.) plants and mediated effects

- on their physiology and productivity, along with fruit quality and safety. *Environmental and Experimental Botany* v. 189, art. 104564, 2021. <https://doi.org/10.1016/j.envexpbot.2021.104564>. (WoS/Scopus)
5719. Chrysargyris A, Antoniou O, Xylia P, Petropoulos S, Tzortzakis N. The use of spent coffee grounds in growing media for the production of *Brassica* seedlings in nurseries. *Environmental Science and Pollution Research* 28:24279-24290, 2021. <https://doi.org/10.1007/s11356-020-07944-9>. (WoS/Scopus)
5720. Chrysargyris A, Maggini R, Incrocci L, Pardossi A, Tzortzakis N. Copper tolerance and accumulation on *Pelargonium graveolens* L'hér. grown in hydroponic culture. *Plants* 10(8):1663, 2021. <https://doi.org/10.3390/plants10081663>. (WoS/Scopus)
5721. Chrysargyris A, Petropoulos SA, Prvulovic D, Tzortzakis N. Performance of hydroponically cultivated geranium and common verbena under salinity and high electrical conductivity levels. *Agronomy* 11(6):1237, 2021. <https://doi.org/10.3390/agronomy11061237>. (WoS/Scopus)
5722. Chrysargyris A, Rousos C, Xylia P, Tzortzakis N. Vapour application of sage essential oil maintain tomato fruit quality in breaker and red ripening stages. *Plants* 10(12): 2645, 2021. <https://doi.org/10.3390/plants10122645>. (WoS/Scopus)
5723. Coelho N, Filipe A, Medronho B, Magalhães S, Vitorino C, Alves L, Gonçalves S, Romano A. Rheological and microstructural features of plant culture media doped with biopolymers: Influence on the growth and physiological responses of in vitro-grown shoots of *Thymus lotocephalus*. *Polysaccharides* 2(2):538-553, 2021. <https://doi.org/10.3390/polysaccharides2020032>.
5724. de Campos Carmona F, Adamski JM, Wairich A, de Carvalho JB, Lima GG, Anghinoni I, Jaeger IR, da Silva PRF, de Freitas Terra T, Fett JP, Carlos FS. Tolerance mechanisms and irrigation management to reduce iron stress in irrigated rice. *Plant and Soil* 469, 173-191, 2021. <https://doi.org/10.1007/s11104-021-05156-9>. (WoS/Scopus)
5725. Derbali W, Manaa A, Goussi R, Derbali I, Abdelly C, Koyro H-W. Post-stress restorative response of two quinoa genotypes differing in their salt resistance after salinity release. *Plant Physiology and Biochemistry* v. 164, 222-236, 2021. <https://doi.org/10.1016/j.plaphy.2021.04.024>. (WoS/Scopus)
5726. Derbali W, Manaa A, Spengler B, Goussi R, Abideen Z, Ghezellou P, Abdelly C, Forreiter C, Koyro H-W. Comparative proteomic approach to study the salinity effect on the growth of two contrasting quinoa genotypes. *Plant Physiology and Biochemistry* 163, 215-229, 2021. <https://doi.org/10.1016/j.plaphy.2021.03.055>. (WoS/Scopus)
5727. Eshghi S, Karimi R, Shiri A, Karami M, Moradi M. The novel edible coating based on chitosan and gum ghatti to improve the quality and safety of 'Rishbaba' table grape during cold storage. *Journal of Food Measurement and Characterization* 15: 3683-3693, 2021. <https://doi.org/10.1007/s11694-021-00944-4>. (WoS/Scopus)
5728. Eslahi N, Kowsari M, reza Zamani M, Motallebi M. The profile change of defense pathways in *Phaseolus vulgaris* L. by biochemical and molecular interactions of *Trichoderma harzianum* transformants overexpressing a chimeric chitinase. *Biological Control* v. 152, art. number 104304, 2021. <https://doi.org/10.1016/j.biocontrol.2020.104304>. (WoS/Scopus)
5729. Fang J, Tsai Y, Chou W, H-Y Liu, C-C Chang, S-J Wu, C-A Lu. A CCR4-associated factor 1, OsCAF1B, confers tolerance of low-temperature stress to rice seedlings. *Plant Molecular Biology* 105, 177-192, 2021. <https://doi.org/10.1007/s11103-020-01079-8>. (WoS/Scopus)
5730. Fouad A, Hegazy AE, Azab E, Khojah E, Kapiel T. Boosting of antioxidants and alkaloids in *Catharanthus roseus* suspension cultures using silver nanoparticles with expression of *CrMPK3* and *STR* genes. *Plants* 10(10): 2202, 2021. <https://doi.org/10.3390/plants10102202>. (WoS/Scopus)
5731. Frank L, Wenig M, Ghirardo A, van der Krol A, Vlot AC, Schnitzler J-P, Rosenkranz M. Isoprene and β -caryophyllene confer plant resistance via different plant internal signalling pathways. *Plant, Cell and Environment* 44: 1151-1164, 2021. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/pce.14010>. (WoS/Scopus)
5732. Gandin A, Dizengremel P, Jolivet Y. Integrative role of plant mitochondria facing oxidative stress: The case of ozone (REVIEW). *Plant Physiology and Biochemistry* 159, 202-210, 2021. <https://doi.org/10.1016/j.plaphy.2020.12.019>. (WoS/Scopus)
5733. Ghafari S, Kaviani B, Sedaghatpour S, Allahyari MS. Effect of urban pollutants on physiological and biochemical parameters of leaves of hardwood trees and shrubs in urban green spaces. *Asian Journal of Water, Environment and Pollution* 18(1), 91-98, 2021. <https://content.iospress.com/articles/asian-journal-of-water-environment-and-pollution/ajw210012>. (WoS/Scopus)
5734. Ghirardo A, Nosenko T, Kreuzwieser J, Winkler JB, Kruse J, Albert A, Merl-Pham J, Lux T, Ache P, Zimmer I, Alfarraj S, Mayer KFX, Hedrich R, Rennenberg H, Schnitzler J-P. Protein expression plasticity contributes to heat and drought tolerance of date palm. *Oecologia* 197:903-919, 2021. <https://doi.org/10.1007/s00442-021-04907-w>. SOURCE:WoS and/or Scopus
5735. González-Orenga S, Donat-Torres M, Llinares JV, Navarro A, Collado F, Ferrer-Gallego PP, Laguna E, Vicente O, Boscaiu M. Multidisciplinary studies supporting conservation programmes of two rare, endangered *Limonium* species from Spain. *Plant Soil* 466: 505-524, 2021. <https://doi.org/10.1007/s11104-021-05059-9>. (WoS/Scopus)
5736. González-Orenga S, Leandro MEDA, Tortajada L, Grigore MN, Llorens JA, Ferrer-Gallego PP, Laguna E, Boscaiu M, Vicente O. Comparative studies on the stress responses of two *Bupleurum* (Apiaceae) species in support of conservation programmes. *Environmental and Experimental Botany* v. 191, art. 104616, 2021. <https://doi.org/10.1016/j.envexpbot.2021.104616>. (WoS/Scopus)

- 5737.** Güneş A. Biochemical properties of some medicinal plants used as dye plants. *Medical Plant Communications* 4(2), 56-61, **2021**. <https://doi.org/10.37360/mpc.21.4.2.08>.
- 5738.** Hamzah KA, Younes HA, Behiry SI, Abdelkhalek A. Act of malondialdehyde and total phenolic content under bean yellow mosaic virus infection and biostimulants application. *Egyptian Academic Journal of Biological Sciences* 12(1): 39-42, **2021**. <https://dx.doi.org/10.21608/eajbsh.2021.148885>.
- 5739.** Ho C-H, Yang M-H, Lin H-L. Temperature and different organs create volatile profile differences of edible gynura [*Gynura bicolor* (Roxb. ex Willd.) DC]. *HortScience* 56(8), 1-8, **2021**. <https://doi.org/10.21273/HORTSCI15851-21>. (WoS/Scopus)
- 5740.** Hrebien V, Deschaseaux E, Eyre BD. Isoprene fluxes from warm temperate and tropical seagrass communities. *Marine Ecology Progress Series* 676:1-17, **2021**. <https://doi.org/10.3354/meps13830>. (WoS/Scopus)
- 5741.** Ibrahim D, Kishawy ATY, Khater SI, Khalifa E, Ismail TA, Mohammed HA, Elnahriry SS, Tolba HA, Sherief WRIA, Farag MFM, El-Hamid MIA. Interactive effects of dietary quercetin nanoparticles on growth, flesh antioxidant capacity and transcription of cytokines and *Aeromonas hydrophila* quorum sensing orchestrating genes in Nile tilapia (*Oreochromis niloticus*). *Fish & Shellfish Immunology* 119, 478-489, **2021**. <https://doi.org/10.1016/j.fsi.2021.10.034>. (WoS/Scopus)
- 5742.** Irani H, ValizadehKaji B, Naeini MR. Biostimulant-induced drought tolerance in grapevine is associated with physiological and biochemical changes. *Chemical and Biological Technologies in Agriculture* 8, art. number 5, **2021**. <https://doi.org/10.1186/s40538-020-00200-9>. (WoS/Scopus)
- 5743.** Joshi H, Isar J, Jain DA, Badle SS, Dhoot SB, Rangaswamy V. C/N Ratio and specific growth rate plays important role on enhancing isoprene production in recombinant *Escherichia coli*. *Applied Biochemistry and Biotechnology* 193:2403-2419, **2021**. <https://doi.org/10.1007/s12010-021-03545-5>. (WoS/Scopus)
- 5744.** Jurán S, Grace J, Urban O. Temporal changes in ozone concentrations and their impact on vegetation. *Atmosphere* 12(1), 82, **2021**. <https://doi.org/10.3390/atmos12010082>. (WoS/Scopus)
- 5745.** Kasim WA, Osman MEH, Omar MN, Salama S. Enhancement of drought tolerance in *Triticum aestivum* L. seedlings using *Azospirillum brasilense* NO40 and *Stenotrophomonas maltophilia* B11. *Bulletin of the National Research Centre* 45, Article number: 95, **2021**. <https://doi.org/10.1186/s42269-021-00546-6>.
- 5746.** Kaya C, Ashraf M. Nitric oxide is required for aminolevulinic acid-induced salt tolerance by lowering oxidative stress in maize (*Zea mays*). *Journal of Plant Growth Regulation* 40:617-627, **2021**. <https://doi.org/10.1007/s00344-020-10126-z>. (WoS/Scopus)
- 5747.** Kaya C, Ugurlar F, Ashraf M, Noureldeen A, Darwish H, Ahmad P. Methyl jasmonate and sodium nitroprusside jointly alleviate cadmium toxicity in wheat (*Triticum aestivum* L.) plants by modifying nitrogen metabolism, cadmium detoxification, and AsA–GSH cycle. *Frontiers in Plant Science* 12:654780, **2021**. <https://doi.org/10.3389/fpls.2021.654780>. (WoS/Scopus)
- 5748.** Kohnhehshahri SM, Demir Y. Chitosan against to born toxicity in maize. *Acta Scientiarum Polonorum, Hortorum Cultus* 20(3):3-13, **2021**. <http://dx.doi.org/10.24326/asphc.2021.3.1>. (WoS/Scopus)
- 5749.** Kordali Ş, Usanmaz Bozhüyük A, Beyzi E, Güneş A, Turan M. Antioxidant enzyme, phenolic substance and plant nutrient contents of *Malva sylvestris* L. and *Alcea rosea* L. species used as medicinal plants. *Journal of the Institute of Science and Technology* 11(1): 786-794, **2021**. <https://doi.org/10.21597/jist.747673>.
- 5750.** Kreuzwieser J, Meischner M, Grun M, Yanez-Serrano AM, Fasbender L, Werner C. Drought affects carbon partitioning into volatile organiccompound biosynthesis in Scots pine needles. *New Phytologist* 232(5):1930-1943, **2021**. <https://doi.org/10.1111/nph.17736>. (WoS/Scopus)
- 5751.** Kuinchtner CC, de Oliveira GSW, de Aguilar MVM, Bernardy D, Berger M, Tabaldi LA. Can species *Cedrela fissilis* Vell. be used in sites contaminated with toxic aluminum and cadmium metals? *iForest-Biogeosciences and Forestry* 14(6), 508-516, **2021**. <https://doi.org/10.3832/for3890-014>. (WoS/Scopus)
- 5752.** Kul R, Arjumend T, Ekinici M, Yildirim E, Turan M, Argin S. Biochar as an organic soil conditioner for mitigating salinity stress in tomato. *Soil Science and Plant Nutrition* 67(6), 693-706, **2021**. <https://doi.org/10.1080/00380768.2021.1998924>. (WoS/Scopus)
- 5753.** Kumar A, Mann A, Kumar A, Kumar N, Meena BL. Physiological response of diverse halophytes to high salinity through ionic accumulation and ROS scavenging. *International Journal of Phytoremediation* 23(10): 1041-1051, **2021**. <https://doi.org/10.1080/15226514.2021.1874289>. (WoS/Scopus)
- 5754.** Kumar RR, Dubey K, Arora K, Dalal M, Rai GK, Mishra D, Chaturvedi KK, Rai A, Kumar SN, Singh B, Viswanathan C, Praveen S. Characterizing the putative mitogen-activated protein kinase (MAPK) and their protective role in oxidative stresstolerance and carbon assimilation in wheat under terminal heat stress. *Biotechnology Reports* 29, e00597, **2021**. <https://doi.org/10.1016/j.btre.2021.e00597>. (WoS/Scopus)
- 5755.** Landa-Faz A, González-Orenga S, Boscaiu M, Rodríguez-Vázquez R, Vicente O. Effect of the pesticide endosulfan and two different biostimulants on the stress responses of *Phaseolus leptostachyus* plants grown in a saline soil. *Agronomy* 11(6):1208, **2021**. <https://doi.org/10.3390/agronomy11061208>. (WoS/Scopus)
- 5756.** Liu B, Zhang L, Rusalepp L, Kaurilind E, Sulaiman HY, Püssa T, Niinemets Ü. Heat priming improved heat tolerance of photosynthesis, enhanced terpenoid and benzenoid emission and phenolics accumulation in *Achillea millefolium*. *Plant, Cell & Environment* 44(7): 2365-2385, **2021**. <https://doi.org/10.1111/pce.13830>. (WoS/Scopus)
- 5757.** Ltaeif HB, Sakhraoui A, González-Orenga S, Landa Faz A, Boscaiu M, Vicente O, Rouz S. Responses to salinity in four plantago species from Tunisia. *Plants* 10(7):1392, **2021**. <https://doi.org/10.3390/plants10071392>. (WoS/Scopus)

- 5758.** Makwana P, Rahul K, Chattopadhyay S, Sivaprasad V. Effect of thermal stress on antioxidant responses in *Bombyx mori*. *Chemical Science Review and Letters* 10 (38), 288-294, 2021. https://chesci.com/wp-content/uploads/2021/05/V10i38_23_cs2051101007v_288-294.pdf.
- 5759.** Manafi H, Baninasab B, Gholami M, Talebi M. Nitric oxide induced thermotolerance in strawberry plants by activation of antioxidant systems and transcriptional regulation of heat shock proteins. *Journal of Horticultural Science and Biotechnology* 96(6):783-796, 2021. <https://doi.org/10.1080/14620316.2021.1927206>. (WoS/Scopus)
- 5760.** Martínez-Hernández GB, Taboada-Rodríguez A, Garre A, Marín-Iniesta F, López-Gómez A. The application of essential oil vapors at the end of vacuum cooling of fresh culinary herbs promotes aromatic recovery. *Foods* 10(3), 498, 2021. <https://doi.org/10.3390/foods10030498>. (WoS/Scopus)
- 5761.** Mi Y, Cheng M, Yu Q, Si Y. Foliar application of anthocyanin extract regulates cadmium accumulation and distribution in rice (*Oryza sativa* L.) at tillering and booting stages. *Ecotoxicology and Environmental Safety* v. 224, art. number 112647, 2021. <https://doi.org/10.1016/j.ecoenv.2021.112647>. (WoS/Scopus)
- 5762.** Mi Y, Tong K, Zhu G, Zhang X, Liu X, Si Y. Surface spraying of anthocyanin through antioxidant defense and subcellular sequestration to decrease Cd accumulation in rice (*Oryza sativa* L.) grains in a lead–zinc mine area. *Environmental Geochemistry and Health* 43:1855-1866, 2021. <https://doi.org/10.1007/s10653-020-00763-4>. (WoS/Scopus)
- 5763.** Modareszadeh M, Bahmani R, Kim D, Hwang S. CAX3 (cation/proton exchanger) mediates a Cd tolerance by decreasing ROS through Ca elevation in Arabidopsis. *Plant Molecular Biology* 105, 115-132, 2021. <https://doi.org/10.1007/s11103-020-01072-1>. (WoS/Scopus)
- 5764.** Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, 2021. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
- 5765.** Nava FF DE M, Luz VCDA, Stempkowski LA, Gotz LF, Tonial F, Cargnelutti D. *Baccharis trimera* (Less.) DC responses to water restriction. *Revista Verde* 16(3), 229 - 237, 2021. <https://doi.org/10.18378/rvads.v16i3.8360>.
- 5766.** Navarro BB, Del Frari BK, da Cruz Dias PV, Lemainski LE, Mario RB, Ponte LR, Georgen A, Tarouco CP, Neves VM, Dressler VL, Fett JP, Brunetto G, Sperotto RA, Nicoloso FT, Ricachenevsky FK. The copper economy response is partially conserved in rice (*Oryza sativa* L.). *Plant Physiology and Biochemistry* 158, 113-124, 2021. <https://doi.org/10.1016/j.plaphy.2020.11.051>. (WoS/Scopus)
- 5767.** Naz S, Perveen S. Response of wheat (*Triticum aestivum* L. var. Galaxy-2013) to pre-sowing seed treatment with thiourea under drought stress. *Pakistan Journal of Botany* 53(4):1-9, 2021. DOI: [http://dx.doi.org/10.30848/PJB2021-4\(20\)](http://dx.doi.org/10.30848/PJB2021-4(20)). (WoS/Scopus)
- 5768.** Nisar F, Gul B, Aziz I, Hameed A, Egan T. Increasing salinity leads to differential growth and H₂O₂ homeostasis in plants produced from heteromorphic seeds of the succulent halophyte *Arthrocnemum indicum*. *Plant Physiology and Biochemistry* v. 166:225-234, 2021. <https://doi.org/10.1016/j.plaphy.2021.05.029>. (WoS/Scopus)
- 5769.** Okereke CN, Liu B, Kaurilind E, Niinemets Ü. Heat stress resistance drives coordination of emissions of suites of volatiles after severe heat stress and during recovery in five tropical crops. *Environmental and Experimental Botany* v. 184, art. 104375, 2021. <https://doi.org/10.1016/j.envexpbot.2021.104375>. (WoS/Scopus)
- 5770.** Otu-Larby F. Understanding the role of abiotic stress in biosphere-atmosphere exchange of reactive trace gases. Lancaster University, UK, 2021. 227 p. <https://doi.org/10.17635/lancaster/thesis/1345>. (PhD Thesis)
- 5771.** Ould said C, Boulahia K, Eid MAM, Rady MM, Djebbar R, Abrous-Belbachir O. Exogenously used proline offers potent antioxidative and osmoprotective strategies to re-balance growth and physio-biochemical attributes in herbicide-stressed *Trigonella foenum-graecum*. *Journal of Soil Science and Plant Nutrition* 21, 3254-3268, 2021. <https://doi.org/10.1007/s42729-021-00604-y>. (WoS/Scopus)
- 5772.** Pacheco J, Plazas M, Pettinari I, Landa-Faz A, González-Orenga S, Boscaiu M, Soler S, Prohens J, Vicente O, Gramazio P. Moderate and severe water stress effects on morphological and biochemical traits in a set of pepino (*Solanum muricatum*) cultivars. *Scientia Horticulturae* v. 284, art. 110143, 2021. <https://doi.org/10.1016/j.scienta.2021.110143>. (WoS/Scopus)
- 5773.** Paoletti E, Hoshika Y, Arab L, Martini S, Cotrozzi L, Weber D, Ache P, Neri L, Baraldi R, Pellegrini E, Müller HM, Hedrich R, Alfarraj S, Rennenberg H. Date palm responses to a chronic, realistic ozone exposure in a FACE experiment. *Environmental Research* v. 195, art. 110868, 2021. <https://doi.org/10.1016/j.envres.2021.110868>. (WoS/Scopus)
- 5774.** Paravar A, Farahani SM, Rezazadeh A. *Lallemantia* species response to drought stress and Arbuscular mycorrhizal fungi application. *Industrial Crops and Products* 172, art. number 114002, 2021. <https://doi.org/10.1016/j.indcrop.2021.114002>. (WoS/Scopus)
- 5775.** Peron A, Kaser L, Fitzky AC, Graus M, Halbwirth H, Greiner J, Wohlfahrt G, Rewald B, Sandén H, Karl T. Combined effects of ozone and drought stress on the emission of biogenic volatile organic compounds from *Quercus robur* L. *Biogeosciences* 18: 535-556, 2021. <https://doi.org/10.5194/bg-2020-260>. (WoS/Scopus)
- 5776.** Priti, Mishra GP, Dikshit HK, Vinutha T, Tontang MT, Stobdan T, Sangwan S, Aski M, Singh A, Kumar RR, Tripathi K, Kumar S, Nair RM, Praveen S. Diversity in phytochemical composition, antioxidant capacities, and nutrient contents among mungbean and lentil microgreens when grown at plain-altitude region (Delhi) and high-altitude region (Leh-Ladakh), India. *Frontiers in Plant Science* 12:710812, 2021. <https://doi.org/10.3389/fpls.2021.710812>. (WoS/Scopus)
- 5777.** Rahimi Y, Ingvarsson PK, Bihamta MR, Alipour H, Taleei A, Khoshnoodi Jabar Abadi S. Characterization of dynamic regulatory gene and protein networks in wheat roots upon perceiving water deficit through comparative transcriptomics survey. *Frontiers in Plant Science* 12:710867, 2021. <https://doi.org/10.3389/fpls.2021.710867>.

(WoS/Scopus)

- 5778.** Ramya A, Dhevagi P, Priyatharshini S, Chandrasekhar CN, Valliappan K, Venkataramani S. Physiological and biochemical response of rice cultivars (*Oryza sativa* L.) to elevated ozone. *Ozone: Science & Engineering* 43(4): 363-377, **2021**. <https://doi.org/10.1080/01919512.2020.1796585>. **(WoS/Scopus)**
- 5779.** Rocco M, Dunne E, Peltola M, Barr N, Williams J, Colomb A, Safi K, Saint-Macary A, Marriner A, Deppeler S, Harnwell J, Law C, Sellegri K. Oceanic phytoplankton are a potentially important source of benzenoids to the remote marine atmosphere. *Communications Earth & Environment* 2, art. number 175, **2021**. <https://doi.org/10.1038/s43247-021-00253-0>.
- 5780.** Rocco M. Analyse des déterminants de la distribution des composés organiques volatils en milieux naturels contrastés. Université Clermont Auvergne, Français. (NNT: 2021UCFAC072). **PhD thesis**, **2021**. <https://www.archives-ouvertes.fr/tel-03662499v1>.
- 5781.** Rosenkranz M, Chen Y, Zhu, Vlot AC. Volatile terpenes – mediators of plant-to-plant communication. *The Plant Journal* 108(3): 617-631, **2021**. <https://doi.org/10.1111/tpj.15453>. **(WoS/Scopus)**
- 5782.** Şanlı BA, Öztürk Gökçe ZN Investigating effect of miR160 through overexpression in potato cultivars under single or combination of heat and drought stresses. *Plant Biotechnology Reports* 15: 335-348, **2021**. <https://doi.org/10.1007/s11816-021-00677-2>. **(WoS/Scopus)**
- 5783.** Schwalbert R, Stefanello LO, Schwalbert RA, Tarouco CP, Drescher GL, Trentin E, Tassinari A, da Silva IB, Brunetto G, Nicoloso FT. Soil tillage affects soybean growth and promotes heavy metal accumulation in seeds. *Ecotoxicology and Environmental Safety* v. 216, art. 112191, **2021**. <https://doi.org/10.1016/j.ecoenv.2021.112191>. **(WoS/Scopus)**
- 5784.** Shahbazi E, Jamei S, Meratan AA, Mohammadi PP. Effect of salt stress on some physio-biochemical traits and antioxidative enzymes of two *Brassica* species under callus culture. *Plant Cell, Tissue and Organ Culture* 147:453-465, **2021**. <https://doi.org/10.1007/s11240-021-02138-8>. **(WoS/Scopus)**
- 5785.** Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: Tropospheric Ozone: A Hazard for Vegetation and Human Health. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021**. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. **(BOOK)**
- 5786.** Singhal V, Jinger D, Ghosh J. Are we conscious of isoprene emissions from our poplar plantations? *Current Science* 120(3): 479-483, **2021**. <https://doi.org/10.18520/cs%2Fv120%2Fi3%2F479-483>. **(WoS/Scopus)**
- 5787.** Song HJ, Ku K-M. Optimization of allyl isothiocyanate sanitizing concentration for inactivation of *Salmonella typhimurium* on lettuce based on its phenotypic and metabolome changes. *Food Chemistry* v.364. art. 130438, **2021**. <https://doi.org/10.1016/j.foodchem.2021.130438>. **(WoS/Scopus)**
- 5788.** Syed BA, Patel M, Patel A, Gami B, Patel B. Regulation of antioxidant enzymes and osmo-protectant molecules by salt and drought responsive genes in *Bambusa balcooa*. *Journal of Plant Research* 134, 165–175, **2021**. <https://doi.org/10.1007/s10265-020-01242-8>. **(WoS/Scopus)**
- 5789.** Tani A, Mochizuki T. Review: Exchanges of volatile organic compounds between terrestrial ecosystems and the atmosphere. *Journal of Agricultural Meteorology* 77(1): 66-80, **2021**. <https://doi.org/10.2480/agrmet.D-20-00025>. **(WoS/Scopus)**
- 5790.** Tului V, Janmohammadi M, Abbasi A, Vahdati-Khajeh S, Nouraein M. Influence of iron, zinc and bimetallic Zn-Fe nanoparticles on growth and biochemical characteristics in chickpea (*Cicer arietinum*) cultivars. *Agriculture and Forestry*, 67 (2): 179-193, **2021**. <http://www.agricultforest.ac.me/data/20210630-13%20Tului%20et%20al.pdf>. **(WoS/Scopus)**
- 5791.** Varma RR, Pandya JG, Vaidya FU, Pathak C, Dabhi RA, Dhaduk MP, Bhatt BS, Patel MN. DNA interaction, anticancer, antibacterial, ROS and lipid peroxidation studies of quinoxaline based organometallic Re(I) carbonyls. *Journal of Molecular Structure* v.1240, art. 130529, **2021**. <https://doi.org/10.1016/j.molstruc.2021.130529>. **(WoS/Scopus)**
- 5792.** Večeřová K, Klem K, Veselá B, Holub P, Grace J, Urban O. Combined effect of altitude, season and light on the accumulation of extractable terpenes in Norway spruce needles. *Forests* 12(12):1737, **2021**. <https://doi.org/10.3390/f12121737>. **(WoS/Scopus)**
- 5793.** Wedow JM, Burroughs CH, Acosta LR, Leakey ADB, Ainsworth EA. Age-dependent increase in α -tocopherol and phytosterols in maize leaves exposed to elevated ozone pollution. *Plant Direct* 5(2), e00307, **2021**. <https://doi.org/10.1002/pld3.307>. **(WoS/Scopus)**
- 5794.** Wedow JM, Ainsworth EA, Li S. Plant biochemistry influences tropospheric ozone formation, destruction, deposition, and response. *Trends in Biochemical Sciences* 46(12): 992-1002, **2021**. <https://doi.org/10.1016/j.tibs.2021.06.007>. **(WoS/Scopus)**
- 5795.** Wei M-Y, Liu J-Y, Li H, Hu W-J, Shen Z-J, Qiao F, Zhu C-Q, Chen J, Liu X, Zheng H-L. Proteomic analysis reveals the protective role of exogenous hydrogen sulfide against salt stress in rice seedlings. *Nitric Oxide* 111-112:14-30, **2021**. <https://doi.org/10.1016/j.niox.2021.04.002>. **(WoS/Scopus)**
- 5796.** Werfelli N, Ayed RB, Abassi M, Béjaoui Z. Contamination assessment of durum wheat and barley irrigated with treated wastewater through physiological and biochemical effects and statistical analyses. *Journal of Food Quality* article ID 6626184, **2021**. <https://doi.org/10.1155/2021/6626184>. **(WoS/Scopus)**
- 5797.** Xu S, Wang Y, Zhang W, Li B, Du Z, He X, Chen W, Zhang Y, Li Y, Li M, Schaub M. Experimental warming alleviates the adverse effects from tropospheric ozone on two urban tree species. *Environmental Pollution*

- v. 268, part A, art. number 115289, 2021. <https://doi.org/10.1016/j.envpol.2020.115289>. (WoS/Scopus)
- 5798.** Xylia P, Botsaris G, Skandamis P, Tzortzakis N. Expiration date of ready-to-eat salads: effects on microbial load and biochemical attributes. *Foods* 10(5), 941, 2021. <https://doi.org/10.3390/foods10050941>. (WoS/Scopus)
- 5799.** Xylia P, Chrysargyris A, Ahmed ZFR, Tzortzakis N. Application of rosemary and eucalyptus essential oils and their main component on the preservation of apple and pear fruits. *Horticulturae* 7(11):479, 2021. <https://doi.org/10.3390/horticulturae7110479>. (WoS/Scopus)
- 5800.** Xylia P, Chrysargyris A, Tzortzakis N. The combined and single effect of marjoram essential oil, ascorbic acid and chitosan on fresh-cut lettuce preservation. *Foods* 10, 575, 2021. <https://doi.org/10.3390/foods10030575>. (WoS/Scopus)
- 5801.** Xylia P, Ioannou I, Chrysargyris A, Stavrinides MC, Tzortzakis N. Quality attributes and storage of tomato fruits as affected by an eco-friendly, essential oil-based product. *Plants* 10, 1125, 2021. <https://doi.org/10.3390/plants10061125>. (WoS/Scopus)
- 5802.** Yalçın M, Öztürk Gökçe ZN. Investigation of the effects of overexpression of Novel_105 miRNA in contrasting potato cultivars during separate and combined drought and heat stresses. *Turkish Journal of Botany* 45:397-411, 2021. <http://dx.doi.org/10.3906/bot-2103-39>. (WoS/Scopus)
- 5803.** Yasemin S, Güzel Değer A, Çevik S, Köksal N. Benchmarking of the effects of salinity on antioxidant enzymes activities, lipid peroxidation and H₂O₂ levels in the leaves of two zinnia species. *KSU Journal of Agriculture and Nature* 24 (1): 31-39, 2021. <https://doi.org/10.18016/ksutarimdogu.vi.741890>.
- 5804.** Yu F, Xin M, Yao Y, X Wang, K Liu, Y Li. Manganese accumulation and plant physiology behaviour of camellia oleifera in response to different levels of phosphate fertilization. *Journal of Soil Science and Plant Nutrition* 21:2562-2572, 2021. <https://doi.org/10.1007/s42729-021-00547-4>. (WoS/Scopus)
- 5805.** Yu F, Yao Y, Feng J, X Wang, J Ma, K Liu, Y Li. *Enterobacter* sp. FM-1 inoculation influenced heavy metal-induced oxidative stress in pakchoi (*Brassica campestris* L. ssp. *Chinensis* Makino) and water spinach (*Ipomoea aquatica* F.) cultivated in cadmium and lead co-contaminated soils. *Plant Soil* 459:155-171, 2021. <https://doi.org/10.1007/s11104-020-04752-5>. (WoS/Scopus)
- 5806.** Yu H, Blande JD. Diurnal variation in BVOC emission and CO₂ gas exchange from above- and belowground parts of two coniferous species and their responses to elevated O₃. *Environmental Pollution* v.278, art.116830, 2021. <https://doi.org/10.1016/j.envpol.2021.116830>. (WoS/Scopus)
- 5807.** Zeeshan M, Hu YX, Iqbal A, Salam A, Liu YX, Muhammad I, Ahmad S, Khan AH, Hale B, Wu HY, Zhou XB. Amelioration of AsV toxicity by concurrent application of ZnO-NPs and Se-NPs is associated with differential regulation of photosynthetic indexes, antioxidant pool and osmolytes content in soybean seedling. *Ecotoxicology and Environmental Safety* v. 225, art. 112738, 2021. <https://doi.org/10.1016/j.ecoenv.2021.112738>. (WoS/Scopus)
- 5808.** Zhang Y, Du W, Zhang Y, Z Wang, H Li, H Xia, S Fan, L Kong. Metabolic analysis reveals temporal changes in C/N metabolites and senescence of flag leaf in wheat during grain filling. *Acta Physiologiae Plantarum* 43, 104, 2021. <https://doi.org/10.1007/s11738-021-03272-8>. (WoS/Scopus)
- 5809.** Abbas S, Rasheed A, Soriano P, Estrelles E, Gul B, Hameed A. Moisture content and oxidative damage determine longevity of the seeds of potential cash crop halophyte *Haloxylon stocksii*. *Plant Biosystems* 156 (6): 1478-1484, 2022. <https://doi.org/10.1080/11263504.2022.2065378>. (WoS/Scopus)
- 5810.** Abdelkhalek A, Al-Askar AA, Arishi AA, Behiry SI. *Trichoderma hamatum* strain Th23 promotes tomato growth and induces systemic resistance against tobacco mosaic virus. *Journal of Fungi* 8, 228, 2022. <https://doi.org/10.3390/jof8030228>. (WoS/Scopus)
- 5811.** Adly WMRM, Mazrou YSA, EL-Denary ME, Mohamed MA, Abd El-Salam E-ST, Fouad AS. Boosting polyamines to enhance shoot regeneration in potato (*Solanum tuberosum* L.) using AgNO₃. *Horticulturae* 8(2): 113, 2022. <https://doi.org/10.3390/horticulturae8020113>. (WoS/Scopus)
- 5812.** Alamri S, Siddiqui MH, Mukherjee S, Kumar R, Kalaji HM, Irfan M, Minkina T, Rajput VD. Molybdenum-induced endogenous nitric oxide (NO) signaling coordinately enhances resilience through chlorophyll metabolism, osmolyte accumulation and antioxidant system in arsenate stressed-wheat (*Triticum aestivum* L.) seedlings. *Environmental Pollution* 292, part A, art. 118268, 2022. <https://doi.org/10.1016/j.envpol.2021.118268>. (WoS/Scopus)
- 5813.** Ali MK, Mehdi F, Zeng Y, Azhar A, Galani S. Sugarcane varietal response for sucrose accumulation subjected to thermal stress at formative stage. *Pakistan Journal of Botany* 54(2), 2022. [http://dx.doi.org/10.30848/PJB2022-2\(34\)](http://dx.doi.org/10.30848/PJB2022-2(34)). (WoS/Scopus)
- 5814.** Arab L, Seegmueller S, Kreuzwieser J, M Eiblmeier, M Dannenmann, H Rennenberg. Significance of current weather conditions for foliar traits of old-growth sessile oak (*Quercus petraea* Liebl) trees. *Trees* 36, 777-791, 2022. <https://doi.org/10.1007/s00468-021-02249-x>. (WoS/Scopus)
- 5815.** Ariharasutharsan G, Karthikeyan A, Renganathan VG, Marthandan V, Dhasarathan M, Ambigapathi A, Akilan M, Palaniyappan S, Mariyammal I, Pandiyan M, Senthil N. Distinctive physio-biochemical properties and transcriptional changes unfold the mungbean cultivars differing by their response to drought stress at flowering stage. *Horticulturae* 8(5):424, 2022. <https://doi.org/10.3390/horticulturae8050424>. (WoS/Scopus)
- 5816.** Banerjee A, Mittra B, Das AB. Biochemical and histological characterisation of *Fusarium oxysporum* infected wheat (*Triticum aestivum*) seedlings *in vitro*. *Indian Phytopathology* 75:559-563, 2022. <https://doi.org/10.1007/s42360-021-00458-5>. (WoS/Scopus)
- 5817.** Bano S, Ahmed MZ, Abideen Z, M Qasim, B Gul, NU Khan. Humic acid overcomes salinity barriers and stimulates growth of *Urochondra setulosa* by altering ion-flux and photochemistry. *Acta Physiologiae Plantarum*

- 44, art. 39, 2022. <https://doi.org/10.1007/s11738-022-03374-x>. (WoS/Scopus)
5818. Behiry SI, Soliman SA, Al-Mansori A-NA, Al-Askar AA, Arishi AA, Elsharkawy MM, Abdelkhalek A, Heflish AA. *Chorisia speciosa* extract induces systemic resistance against tomato root rot disease caused by *Rhizoctonia solani*. *Agronomy* 12(10):2309, 2022. <https://doi.org/10.3390/agronomy12102309>. (WoS/Scopus)
5819. Bhakta S, Negi S, Tak H, Singh S, Ganapathi TR. *MusaATAF2* like protein, a stress-related transcription factor, induces leaf senescence by regulating chlorophyll catabolism and H₂O₂ accumulation. *Physiologia Plantarum* 174(1), e13593, 1-10, 2022. <https://doi.org/10.1111/ppl.13593> (WoS/Scopus)
5820. Biswas A, Pal S. Comparative screening of cadmium stress responses among three rice cultivars. *Environmental and Experimental Biology* 20(3), 179–192, 2022. <https://doi.org/10.22364/eeb.20.17>. (WoS/Scopus)
5821. Bozhüyük AU, Kordalı S, Güneş A, Beyzi E, Turan M, Ersoy N. Variation in phenolic, antioxidant and vitamin amounts among some medicinal plants and investigation by PCA analysis: Lamiaceae family. *Boletín Latinoamericano Y Del Caribe De Plantas Medicinales Y Aromáticas* 21(4): 446-454, 2022. <https://doi.org/10.37360/blacpma.22.21.4.27>.
5822. Brosset A. Responses of wild and cultivated Brassicaceous plants to diverse abiotic and biotic stimuli. Dissertations in Forestry and Natural Sciences No 472, University of Eastern Finland, Kuopio, 2022. [PhD thesis].
5823. Calone R, Mircea D-M, González-Orenga S, Boscaiu M, Lambertini C, Barbanti L, Vicente O. Recovery from salinity and drought stress in the perennial *Sarcocornia fruticosa* vs. the annual *Salicornia europaea* and *S. veneta*. *Plants* 11(8):1058, 2022. <https://doi.org/10.3390/plants11081058>. (WoS/Scopus)
5824. Castillo-González C, Barbero Barcenilla B, Young PG, Hall E, Shippen DE. Quantification of 8-oxoG in plant telomeres. *International Journal of Molecular Sciences* 23(9): 4990, 2022. <https://doi.org/10.3390/ijms23094990>. (WoS/Scopus)
5825. Dadasoglu E, Turan M, Ekinci M, Argin S, Yildirim E. Alleviation mechanism of melatonin in chickpea (*Cicer arietinum* L.) under the salt stress conditions. *Horticulturae* 8(11): 1066, 2022. <https://doi.org/10.3390/horticulturae8111066>. (WoS/Scopus)
5826. Das D, Bhattacharyya S, Bhattacharyya M, P Sashankar, A Ghosh, P Mandal. Transcriptome analysis of mulberry (*Morus alba* L.) leaves to identify differentially expressed genes associated with post-harvest shelf-life elongation. *Scientific Reports* 12, art. 18195, 2022. <https://doi.org/10.1038/s41598-022-21828-7>. (WoS/Scopus)
5827. David EM, Lesharadevi K, Dharanidharan H, Akash S, Prabhakaran S, Firdous S, Parthasarathi T. Inducing inherent salinity tolerance of eggplants by salt induction response. *F1000Research* 11: 244, 2022. <https://doi.org/10.12688/f1000research.109257.1>. (WoS/Scopus)
5828. de Sousa GF, Silva MA, de Morais EG, Van Opbergen GAZ, Van Opbergen GGAZ, de Oliveira RR, Amaral D, Brown P, Chalfun-Junior A and Guilherme LRG. Selenium enhances chilling stress tolerance in coffee species by modulating nutrient, carbohydrates, and amino acids content. *Frontiers in Plant Science* 13:1000430, 2022. <https://doi.org/10.3389/fpls.2022.1000430>. (WoS/Scopus)
5829. de Souza LM, de Oliveira MT, de Morais MB, Neto LP, Barbosa MR, Zarate-Salazar JR, Ulisses C, Camara TR. Does the type of substrate influence growth and antioxidant systems? Case study of *Myracrodruon urundeuva* under water deficit. *South African Journal of Botany* v. 151, Part A, 841-851, 2022. <https://doi.org/10.1016/j.sajb.2022.10.040>. (WoS/Scopus)
5830. Deak EA, Martin TN, Stecca JDL, de Fatima Spanevello J, Tabaldi LA, Difante AC, Sasso VM. Inoculation and coinoculation combined with sulfur treatment boost the physiological quality of seeds and reduce oxidative stress in soybean seedlings. *Symbiosis* 87, 223-235, 2022. <https://doi.org/10.1007/s13199-022-00871-y>. (WoS/Scopus)
5831. Dong Y, Li J, Zhang W, Bai H, Li H, Shi L. Exogenous application of methyl jasmonate affects the emissions of volatile compounds in lavender (*Lavandula angustifolia*). *Plant Physiology and Biochemistry* 185:25-34, 2022. <https://doi.org/10.1016/j.plaphy.2022.05.022>. (WoS/Scopus)
5832. Dridi N, Brito P, Bouslimi H, Ferreira R, Martins-Dias S, Caçador I, Sleimi N. Physiological and biochemical behaviours and antioxidant response of *Helianthus annuus* under lanthanum and cerium stress. *Sustainability* 14(7):4153, 2022. <https://doi.org/10.3390/su14074153>. (WoS/Scopus)
5833. Duarte-Sierra A, Forney CF, Thomas M, Angers P, Arul J. Phytochemical enhancement in broccoli florets after harvest by controlled doses of ozone. *Foods* 11(15):2195, 2022. <https://doi.org/10.3390/foods11152195>. (WoS/Scopus)
5834. Dubuisson C. Impact de la pollution atmosphérique par l’ozone sur la communication chimique plante-pollinisateur: le cas de deux interactions emblématiques en Méditerranée. Sciences agricoles. Université Montpellier, 2022. Français. ffnNT: 2022MONTG001ff. fftel-03664708. [PhD thesis]
5835. Fayaz F, Zahedi M. Beneficial effects of arbuscular mycorrhizal fungi on wheat (*Triticum aestivum* L.) nutritional status and tolerance indices under soil salinity stress. *Journal of Plant Nutrition* 45(2):185-201, 2022. <https://doi.org/10.1080/01904167.2021.1952228>. (WoS/Scopus)
5836. Gao Y, Cai C, Yang Q, Quan W, Li C, Wu Y. Response of *Bletilla striata* to drought: effects on biochemical and physiological parameter also with electric measurements. *Plants* 11(17):2313, 2022. <https://doi.org/10.3390/plants11172313>. (WoS/Scopus)
5837. Gautam M, Chahota RK. Metabolite profiling and protein quantification to a large library of 96 horsegram (*Macrotyloma uniflorum*) germplasm. *Scientific Reports* 12, 7865, 2022. <https://doi.org/10.1038/s41598-022-11962-7>. (WoS/Scopus)

- 5838.** Gayathri T, Mogili T, Krishnan R, Doss SG, Sarkar T, Teotia RS, Tewary P. Physio-biochemical evaluation and in situ localization of reactive oxygen species (ROS) in mulberry genotypes under optimal growth conditions. *Acta Physiologiae Plantarum* 44, art. 141, **2022**. <https://doi.org/10.1007/s11738-022-03475-7>. (WoS/Scopus)
- 5839.** Gedeon S, Ioannou A, Balestrini R, Fotopoulos V, Antoniou C. Application of biostimulants in tomato plants (*solanum lycopersicum*) to enhance plant growth and salt stress tolerance. *Plants* 11(22):3082, **2022**. <https://doi.org/10.3390/plants11223082>. (WoS/Scopus)
- 5840.** Gharred J, Derbali W, Derbali I, Badri M, Abdelly C, Slama I, Koyro H-W. Impact of biochar application at water shortage on biochemical and physiological processes in *Medicago ciliaris*. *Plants* 11(18):2411, **2022**. <https://doi.org/10.3390/plants11182411>. (WoS/Scopus)
- 5841.** Ghazala I, Charfeddine M, Charfeddine S, Haddar A, Ellouz-Chaabouni S, Gargouri-Bouزيد R. Lipopeptides from *Bacillus mojavensis* I4 confer induced tolerance toward *Rhizoctonia solani* in potato (*Solanum tuberosum*). *Physiological and Molecular Plant Pathology* v. 121, art. 101895, **2022**. <https://doi.org/10.1016/j.pmp.2022.101895>. (WoS/Scopus)
- 5842.** Giri S, Mukherjee A. Eco-corona reduces the phytotoxic effects of polystyrene nanoplastics in *Allium cepa*: emphasizing the role of ROS. *Environmental and Experimental Botany* vol. 198, art. 104850, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104850>. (WoS/Scopus)
- 5843.** Gurav TP, Dholakia BB, Giri AP. A glance at the chemodiversity of *Ocimum* species: Trends, implications, and strategies for the quality and yield improvement of essential oil. *Phytochemistry Reviews* 21, 879-913, **2022**. <https://doi.org/10.1007/s11101-021-09767-z>. (WoS/Scopus)
- 5844.** Haque MM, Biswas MS, Mosharaf MK, Haque Md.A, Islam Md.S, Nahar K, Islam Md.M, Shozib HB, Islam Md.M, Ferdous-E-Elahi. Halotolerant biofilm-producing rhizobacteria mitigate seawater-induced salt stress and promote growth of tomato. *Scientific Reports* 12, art. 5599, **2022**. <https://doi.org/10.1038/s41598-022-09519-9>. (WoS/Scopus)
- 5845.** Haroon U, Khizar M, Liaquat F, Ali M, Akbar M, Tahir K, Batool SS, Kamal A, Chaudhary HJ, Munis MFH. Halotolerant plant growth-promoting rhizobacteria induce salinity tolerance in wheat by enhancing the expression of SOS genes. *Journal of Plant Growth Regulation* 41, 2435-2448, **2022**. <https://doi.org/10.1007/s00344-021-10457-5>. (WoS/Scopus)
- 5846.** Hazrati R, Zare N, Asghari R, P Sheikhzadeh, M Johari-Ahar. Biologically synthesized CuO nanoparticles induce physiological, metabolic, and molecular changes in the hazel cell cultures. *Applied Microbiology and Biotechnology* 106, 6017-6031, **2022**. <https://doi.org/10.1007/s00253-022-12107-6>. (WoS/Scopus)
- 5847.** Hazrati R, Zare N, Asghari-Zakaria R, Sheikhzadeh P, Johari-Ahar M. Factors affecting the growth, antioxidant potential, and secondary metabolites production in hazel callus cultures. *AMB Express* 12, art. number 109, **2022**. <https://doi.org/10.1186/s13568-022-01449-z>. (WoS/Scopus)
- 5848.** Hoshika Y, Paoletti E, Centrito M, Gomes MTG, Puértolas J, Haworth M. Species-specific variation of photosynthesis and mesophyll conductance to ozone and drought in three Mediterranean oaks. *Physiologia Plantarum* 174(1), e13639, **2022**. <https://doi.org/10.1111/ppl.13639>. (WoS/Scopus)
- 5849.** Ibrahim D, Arisha AH, Khater SI, Gad WM, Hassan Z, Abou-Khadra SH, Mohamed DI, Ahmed Ismail T, Gad SA, Eid SAM, Abd El-Wahab RA, Kishawy ATY. Impact of omega-3 fatty acids nano-formulation on growth, antioxidant potential, fillet quality, immunity, autophagy-related genes and *Aeromonas hydrophila* resistance in Nile tilapia (*Oreochromis niloticus*). *Antioxidants* 11(8):1523, **2022**. <https://doi.org/10.3390/antiox11081523>. (WoS/Scopus)
- 5850.** Ibrahim D, El-Hamid MIA, Al-zaban MI, ElHady M, El-Azzouny MM, ElFeky TM, Sadik GMA, Samy OM, Hamed TA, Albalwe FM, Alenezi MA, Omar AE. Impacts of fortifying Nile tilapia (*Oreochromis niloticus*) diet with different strains of microalgae on its performance, fillet quality and disease resistance to *aeromonas hydrophila* considering the interplay between antioxidant and inflammatory response. *Antioxidants* 11(11):2181, **2022**. <https://doi.org/10.3390/antiox11112181>. (WoS/Scopus)
- 5851.** Imran M, Kang S-M, Khan AL, Khan MA, Shahzad R, Bilal S, Khan M, Kim YH, Yun BW, Lee IJ. Nitric oxide modulates *Glycine max* L. growth and physio-molecular responses during flooding stress. *Annals of Agricultural & Crop Sciences* 7(3): 1116, **2022**.
- 5852.** Iqbal MdA, Miyamoto K, Yumoto E, Parveen S, Mutanda I, Inafuku M, Oku H. Plant hormone profile and control over isoprene biosynthesis in a tropical tree *Ficus septica*. *Plant Biology* 24(3):492-501, **2022**. <https://doi.org/10.1111/plb.13386>. (WoS/Scopus)
- 5853.** Issaad G, Berrebbah H, Djebbar M-R, Rouabhi R. Cellular investigation on the role of osmotic pressure in limiting the toxic effects of pesticides in durum wheat (*Triticum durum* Desf.). *Annals of the Romanian Society for Cell Biology* 26(1), 1702-1721, **2022**. <https://zenodo.org/record/6643823/files/11100-Article%20Text-19602-1-10-20220614.pdf?download=1>. (WoS/Scopus)
- 5854.** Javidi MR, Maali-Amiri R, Poormazaheri H, Niaraki MS, Kariman K. Cold stress-induced changes in metabolism of carbonyl compounds and membrane fatty acid composition in chickpea. *Plant Physiology and Biochemistry* 192: 10-19, **2022**. <https://doi.org/10.1016/j.plaphy.2022.09.031>. (WoS/Scopus)
- 5855.** Karthikeyan A, Akilan M, Samyuktha SM, Ariharasutharsan G, Shobhana VG, Veni K, Tamilzharasi M, Keerthivarman K, Sudha M, Pandiyan M and Senthil N. Untangling the physio-chemical and transcriptional changes of black gram cultivars after infection with urdbean leaf crinkle virus. *Frontiers in Sustainable Food Systems* 6:916795, **2022**. <https://doi.org/10.3389/fsufs.2022.916795>. (WoS/Scopus)
- 5856.** Kaur G, Sanwal SK, Sehrawat N, Kumar A, Kumar N, Mann A. Getting to the roots of *Cicer arietinum* L. (chickpea) to study the effect of salinity on morpho-physiological, biochemical and molecular traits. *Saudi Journal*

- of *Biological Sciences* 29(12), art. 103464, **2022**. <https://doi.org/10.1016/j.sjbs.2022.103464>. (WoS/Scopus)
- 5857.** Kaur S, Chowhan N, Sharma P, Rathee S, Singh HP, Batish DR. β -Pinene alleviates arsenic (As)-induced oxidative stress by modulating enzymatic antioxidant activities in roots of *Oryza sativa*. *Ecotoxicology and Environmental Safety* v. 229, art. 113080, **2022**. <https://doi.org/10.1016/j.ecoenv.2021.113080>. (WoS/Scopus)
- 5858.** Kaya C, Ashraf M. Sodium hydrosulfite together with silicon detoxifies arsenic toxicity in tomato plants by modulating the AsA-GSH cycle. *Environmental Pollution* 294, art. 118608, **2022**. <https://doi.org/10.1016/j.envpol.2021.118608>. (WoS/Scopus)
- 5859.** Kaya C, Sarioglu A, Ashraf M, Alyemeni MN, Ahmad P. The combined supplementation of melatonin and salicylic acid effectively detoxifies arsenic toxicity by modulating phytochelatins and nitrogen metabolism in pepper plants. *Environmental Pollution* v. 297, art. 118727, **2022**. <https://doi.org/10.1016/j.envpol.2021.118727>. (WoS/Scopus)
- 5860.** Kaya C, Ugurlar F, Ashraf M, Alyemeni MN, Bajguz A, Ahmad P. The involvement of hydrogen sulphide in melatonin-induced tolerance to arsenic toxicity in pepper (*Capsicum annuum* L.) plants by regulating sequestration and subcellular distribution of arsenic, and antioxidant defense system. *Chemosphere* v. 309, Part 1, art. 136678, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.136678>. (WoS/Scopus)
- 5861.** Kaya C, Ugurlar F, Farooq S, Ashraf M, Alyemeni MN, Ahmad P. Combined application of asparagine and thiourea improves tolerance to lead stress in wheat by modulating AsA-GSH cycle, lead detoxification and nitrogen metabolism. *Plant Physiology and Biochemistry* 190: 119-132, **2022**. <https://doi.org/10.1016/j.plaphy.2022.08.014>. (WoS/Scopus)
- 5862.** Khare T, Dange D, Jadhav A, V Shriram, S Gosavi, V Kumar. Nano-boehmite induced oxidative and nitrosative stress responses in *Vigna radiata* L. *Journal of Plant Growth Regulation* 41, 327-343, **2022**. <https://doi.org/10.1007/s00344-021-10303-8>. (WoS/Scopus)
- 5863.** Khater SI, Lotfy MM, Alandiyjany MN, Alqahtani LS, Zagloul AW, Althobaiti F, Ismail TA, Soliman MM, Saad S, Ibrahim D. Therapeutic potential of quercetin loaded nanoparticles: novel insights in alleviating colitis in an experimental dss induced colitis model. *Biomedicine* 10(7):1654, **2022**. <https://doi.org/10.3390/biomedicine10071654>. (WoS/Scopus)
- 5864.** Kumar RR, Ahuja S, Rai GK, S Kumar, D Mishra, SN Kumar, A Rai, B Singh, V Chinnusamy, S Praveen. Silicon triggers the signalling molecules and stress-associated genes for alleviating the adverse effect of terminal heat stress in wheat with improved grain quality. *Acta Physiologiae Plantarum* 44, art. 30, **2022**. <https://doi.org/10.1007/s11738-022-03365-y>. (WoS/Scopus)
- 5865.** Lamnai K, Anaya F, Fghire R, H Zine, I Janah, S Wahbi, K Loutfi. Combined Effect of salicylic acid and calcium application on salt-stressed strawberry plants. *Russian Journal of Plant Physiology* 69, art. 12, **2022**. <https://doi.org/10.1134/S1021443722010101>. (WoS/Scopus)
- 5866.** Li S, Moller CA, Mitchell NG, Lee DK, Sacks EJ, Ainsworth EA. Testing unified theories for ozone response in C4 species. *Global Change Biology* 28(10): 3379-3393, **2022**. <https://doi.org/10.1111/gcb.16108>. (WoS/Scopus)
- 5867.** Li X-Q, Liu Y-Q, Li Y-J, Han H, Zhang H, Ji M-F, Chen Z-J. Enhancing mechanisms of the plant growth-promoting bacterial strain *Brevibacillus* sp. SR-9 on cadmium enrichment in sweet sorghum by metagenomic and transcriptomic analysis. *International Journal of Environmental Research and Public Health* 19(23): 16309, **2022**. <https://doi.org/10.3390/ijerph192316309>. (WoS/Scopus)
- 5868.** Liang X, Li Y, Tang S, Shi X, Zhou N, Liu K, Ma J, Yu F, Li Y. Mechanism underlying how a chitosan-based phosphorus adsorbent alleviates cadmium-induced oxidative stress in *Bidens pilosa* L. and its impact on soil microbial communities: A field study. *Chemosphere* v. 295, art. 133943, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.133943>. (WoS/Scopus)
- 5869.** Martins JT da S, Pohlmann V, Lago I, Zanon AJ, Tabaldi LA, Machado LC, Costa TC, Goergen PCH, Tagliapietra EL, Oliveira GSW de. Physiological and biochemical responses of soybean to drought as represented by the fraction of transpirable soil water. *Semina: Ciências Agrárias* 43(6), 2449-2470, **2022**. <https://doi.org/10.5433/1679-0359.2022v43n6p2449>.
- 5870.** Lin T, Zhu G, He W, Xie J, Li S, Han S, Li S, Yang C, Liu Y, Zhu T. Soil cadmium stress reduced host plant odor selection and oviposition preference of leaf herbivores through the changes in leaf volatile emissions. *Science of the Total Environment* v. 814, art. 152728, **2022**. <https://doi.org/10.1016/j.scitotenv.2021.152728>. (WoS/Scopus)
- 5871.** Manafi H, Baninasab B, Gholami M, Talebi M, Khanizadeh S. Exogenous melatonin alleviates heat-induced oxidative damage in strawberry (*Fragaria × ananassa* Duch. cv. Ventana) plant. *Journal of Plant Growth Regulation* 41, 52-64, **2022**. <https://doi.org/10.1007/s00344-020-10279-x>. (WoS/Scopus)
- 5872.** Mangal M, Srivastava A, Singh K, Kumari S, Tomar BS. Biochemical and molecular responses of hot pepper (*Capsicum annuum*) to cold stress. *Indian Journal of Agricultural Sciences* 92(7), 871-875, **2022**. <https://doi.org/10.56093/ijas.v92i7.111834>. (WoS/Scopus)
- 5873.** Mansinhos I, Gonçalves S, Rodríguez-Solana R, Duarte H, Ordóñez-Díaz JL, Moreno-Rojas JM, Romano A. Response of *Thymus lotocephalus* in vitro cultures to drought stress and role of green extracts in cosmetics. *Antioxidants* 11(8):1475, **2022**. <https://doi.org/10.3390/antiox11081475>. (WoS/Scopus)
- 5874.** Mansinhos I, Gonçalves S, Rodríguez-Solana R, Ordóñez-Díaz JL, Moreno-Rojas JM, Romano A. Impact of temperature on phenolic and osmolyte contents in in vitro cultures and micropropagated plants of two mediterranean plant species, *Lavandula viridis* and *Thymus lotocephalus*. *Plants* 11(24):3516, **2022**. <https://doi.org/10.3390/plants11243516>. (WoS/Scopus)

- 5875.** Martin TN, Bison Pinto M, Tabaldi LA, Leivas Stecca JD, Deak E, Mota Lanzarin M, Grün E, Valdovino V. Soil Acidity Conditioning the Productivity and Physiology of Wheat Inoculated with *Azospirillum brasilense*. *Communications in Soil Science and Plant Analysis* 53(16): 2082-2093, **2022**. <https://doi.org/10.1080/00103624.2022.2070196>. (WoS/Scopus)
- 5876.** Mehrpour H, Karimi R, Ghasemi-Soloklui AA. Comparison of the effect of trellised and non-trellised training systems on morphophysiological and biochemical indices related to cold tolerance in two grapevine cultivars. *Iranian Journal of Horticultural Science and Technology* 23 (1): 125-144, **2022**. <http://journal-irshs.ir/article-1-607-en.html>.
- 5877.** Midzi J, Jeffery DW, Baumann U, Rogiers S, Tyerman SD, Pagay V. Stress-induced volatile emissions and signalling in inter-plant communication. *Plants* 11(19):2566, **2022**. <https://doi.org/10.3390/plants11192566>. (WoS/Scopus)
- 5878.** Mishra GP, Ankita, Aski MS, Tontang MT, Choudhary P, Tripathi K, Singh A, Kumar RR, Thimmegowda V, Stobdan T, Kumar A, Bhardwaj R, Praveen S, Yadava DK, Kumar S, Dikshit HK. Morphological, molecular, and biochemical characterization of a unique lentil (*Lens culinaris* Medik.) genotype showing seed-coat color anomalies due to altered anthocyanin pathway. *Plants* 11(14):1815, **2022**. <https://doi.org/10.3390/plants11141815>. (WoS/Scopus)
- 5879.** Mohamadi Esboei M, Ebrahimi A, Amerian MR, Alipour H. Melatonin confers fenugreek tolerance to salinity stress by stimulating the biosynthesis processes of enzymatic, non-enzymatic antioxidants, and diosgenin content. *Frontiers in Plant Science* 13:890613, **2022**. <https://doi.org/10.3389/fpls.2022.890613>. (WoS/Scopus)
- 5880.** Moura BB, Bolsoni VP, de Paula MD, Dias GM, Souza SR. Ozone impact on emission of biogenic volatile organic compounds in three tropical tree species from the Atlantic Forest Remnants in Southeast Brazil. *Frontiers in Plant Science* 13:879039, **2022**. <https://doi.org/10.3389/fpls.2022.879039>. (WoS/Scopus)
- 5881.** Mousavi SAA, Roosta HR, Esmaeilzadeh M, Eshghi S. Silicon and selenium supplementations modulate antioxidant systems and mineral nutrition to mitigate salinity-alkalinity stresses in cucumber (*Cucumis sativus* L.) plants under hydroponic conditions. *Journal of Plant Process and Function* 10(46), 41-49, **2022**. <http://jispp.iut.ac.ir/article-1-1558-en.html>
- 5882.** Okereke CN, Kaurilind E, Liu B, Kanagendran A, Pazouki L, Niinemets Ü. Impact of heat stress of varying severity on papaya (*Carica papaya*) leaves: major changes in stress volatile signatures, but surprisingly small enhancement of total emissions. *Environmental and Experimental Botany* vol. 195, art. 104777, **2022**. <https://doi.org/10.1016/j.envexpbot.2021.104777>. (WoS/Scopus)
- 5883.** Pakkish Z, Mohammadrezakhani S. The effect of preharvest application of arginine on the postharvest quality of sweet cherry fruits during storage. *International Journal of Fruit Science* 22(1), 837-851, **2022**. <https://doi.org/10.1080/15538362.2022.2134272>. (WoS/Scopus)
- 5884.** Pereira GP, Francisco F, Maia AJ, Botelho RV, Biasi LA, de Carvalho RIN, Zanette F. Physiological and biochemical changes in ‘Fuyu’ persimmon buds during dormancy. *Ciência Rural, Santa Maria* 52(1), e20200955, **2022**. <https://doi.org/10.1590/0103-8478cr20200955>.
- 5885.** Pouresmaeil M, Nojadeh MS, Movafeghi A, Aghbash BN, Kosari-Nasab M, Zengin G, Maggi F. Phytotoxic activity of Moldavian dragonhead (*Dracocephalum moldavica* L.) essential oil and its possible use as bio-herbicide. *Process Biochemistry* 144, 86-92, **2022**. <https://doi.org/10.1016/j.procbio.2022.01.018>. (WoS/Scopus)
- 5886.** Qin C, Quan L, Wang C, Duan W, Duan K, Wang B, Yao Q, Shen Z, Xia Y, Wei Z, Chen Y. Differential physiological responses of copper-sensitive and copper-tolerant elsholtzia species to copper toxicity: the character of cell walls and their subfractions. *Journal of Soil Science and Plant Nutrition* 22, 4168-4178, **2022**. <https://doi.org/10.1007/s42729-022-01015-3>. (WoS/Scopus)
- 5887.** Rahman M, Zakaria M, Mia M, Biswas M. Ascorbic acid influences on growth and yield of tomato. *Annals of Bangladesh Agriculture*, 25(1), 55–65, **2022**. <https://doi.org/10.3329/aba.v25i1.58155>.
- 5888.** Rasheed A, Ali H, Gul B, Hameed A. Stage-specific changes in hydrogen peroxide, membrane damage and antioxidant defense of a xerohalophyte fodder grass *Panicum antidotale* under increasing salinity. *South African Journal of Botany* v. 151, Part A, 1025-1034, **2022**. <https://doi.org/10.1016/j.sajb.2022.11.020>. (WoS/Scopus)
- 5889.** Rasheed A, Rasool SG, Soriano P, Estrelles E, Gul B, Hameed A. Ecophysiological and biochemical responses depicting seed tolerance to osmotic stresses in annual and perennial species of *Halopeplis* in a frame of global warming. *Life* 12(12):2020, **2022**. <https://doi.org/10.3390/life12122020>. (WoS/Scopus)
- 5890.** Reddy BVRP, Aski MS, Dikshit HK, Mishra GP, Yadav PS, Rai N, Pandey R, Singh MP. Phosphorus deficiency induced physiological and antioxidant response in mungbean. *Legume Research* art. ID LR-4586, **2022**. <https://arccjournals.com/journal/legume-research-an-international-journal/LR-4586>. (WoS/Scopus)
- 5891.** Sá C, Matos D, Cardoso P, Figueira E. Do Volatiles affect bacteria and plants in the same way? Growth and biochemical response of non-stressed and Cd-stressed *Arabidopsis thaliana* and *Rhizobium* E20-8. *Antioxidants* 11(11):2303, **2022**. <https://doi.org/10.3390/antiox11112303>. (WoS/Scopus)
- 5892.** Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: Tropospheric Ozone: A Hazard for Vegetation and Human Health. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. [BOOK]
- 5893.** Sanwal SK, Kesh H, Kumar A, Dubey BK, Khar A, Roupahel Y, Kumar P. Salt tolerance potential in onion: confirmation through physiological and biochemical traits. *Plants* 11(23):3325, **2022**. <https://doi.org/10.3390/plants11233325>. (WoS/Scopus)
- 5894.** Sanwal SK, Kumar P, Kesh H, Gupta VK, Kumar A, Kumar A, Meena BL, Colla G, Cardarelli M, Kumar

- P. Salinity stress tolerance in potato cultivars: evidence from physiological and biochemical traits. *Plants* 11(14): 1842, **2022**. <https://doi.org/10.3390/plants11141842>. (WoS/Scopus)
- 5895.** Sarioğlu A, KAYA C. Melatonin improves tolerance to salt stress and boron toxicity in soybean and pepper plants. *International Journal of Applied and Experimental Biology* 1(1), 9–19, **2022**. <https://doi.org/10.56612/ijaeb.v1i1.8>.
- 5896.** Schmitt OJ, Andriolo JL, Silva ICB, Tiecher TL, Chassot T, Tarouco CP, Lourenzi CR, Nicoloso FT, Marchezan C, Casagrande CR, Drescher GL, Kreutz MA, Brunetto G. Physiological responses of beet and cabbage plants exposed to copper and their potential insertion in human food chain. *Environmental Science and Pollution Research* 29, 44186–44198, **2022**. <https://doi.org/10.1007/s11356-022-18892-x>. (WoS/Scopus)
- 5897.** Schwalbert R, Milanesi GD, Stefanello L, Moura-Bueno JM, Drescher GL, Marques ACR, de Souza Kulmann MS, Berghetti AP, Tarouco CP, Machado LC, Cesco S, Brunetto G, Nicoloso FT. How do native grasses from South America handle zinc excess in the soil? A physiological approach. *Environmental and Experimental Botany* v. 195, art. 104779, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104779>. (WoS/Scopus)
- 5898.** Sheikhaliiyan M, Sohrabi Y, Hossainpanahi F, ShiraniRad A. Effect of sodium nitroprusside on physiological traits and grain yield of oilseed rape (*Brassica napus* L.) under different irrigation regimes. *Gesunde Pflanzen* 74, 111–123, **2022**. <https://doi.org/10.1007/s10343-021-00592-0>. (WoS/Scopus)
- 5899.** Souza LM de, Conceição EM da, Barbosa MR, Palhares Neto L, Santos AMM dos, Souza RA de, Houllou LM. Effect of seed priming with NaCl on the induction of salinity tolerance in Myracrodruon urundeuva Allemão in vitro. *Ciência Florestal* 32(4), 2199–2218, **2022**. <https://doi.org/10.5902/1980509867600>.
- 5900.** Špirović-Trifunović B, Tojić T. Methods of extraction and identification of essential oils and their bioherbicidal potential. *Acta herbologica* 31(1): 5–26, **2022**. <https://scindeks-clanci.ceon.rs/data/pdf/0354-4311/2022/0354-43112201005Q.pdf>.
- 5901.** Srivastava A, Singh K, Khar A, Parihar BR, Tomar BS, Mangal M. Morphological, biochemical and molecular insights on responses to heat stress in chilli. *Indian Journal of Horticulture* 79(1): 15–22, **2022**. <http://dx.doi.org/10.5958/0974-0112.2022.00003.2>. (WoS/Scopus)
- 5902.** Thakur S, Asthir B, Kaur G, Kalia A, Sharma A. Zinc oxide and titanium dioxide nanoparticles influence heat stress tolerance mediated by antioxidant defense system in wheat. *Cereal Research Communications* 50, 385–396, **2022**. <https://doi.org/10.1007/s42976-021-00190-w>. (WoS/Scopus)
- 5903.** Ullah TL, Mahmood T, Elhddad S, Usman S. Identification of plants releasing isoprene causing smog. *MOJ Ecology & Environmental Sciences* 7(2): 40–46, **2022**. <http://dx.doi.org/10.15406/mojes.2022.07.00245>.
- 5904.** Vennapusa AR, Agarwal S, Rao Hm H, Aarthy T, Babitha KC, Thulasiram HV, Kulkarni MJ, Melmaiee K, Sudhakar C, Udayakumar M, S RV. Stacking herbicide detoxification and resistant genes improves glyphosate tolerance and reduces phytotoxicity in tobacco (*Nicotiana tabacum* L.) and rice (*Oryza sativa* L.). *Plant Physiology and Biochemistry* vol. 189, 126–138, **2022**. <https://doi.org/10.1016/j.plaphy.2022.08.025>. (WoS/Scopus)
- 5905.** Wang Y, Xu S, Li B, Chen W, Li Y, He X, Wang N. Responses of spring leaf phenological and functional traits of two urban tree species to air warming and/or elevated ozone. *Plant Physiology and Biochemistry* 179:158–167, **2022**. <https://doi.org/10.1016/j.plaphy.2022.03.015>. (WoS/Scopus)
- 5906.** Wilmowicz E, Kućko A, Bogati K, Wolska M, Świdziński M, Burkowska-But A, Walczak M. *Glomus* sp. and *Bacillus* sp. strains mitigate the adverse effects of drought on maize (*Zea mays* L.). *Frontiers in Plant Science* 13:958004, **2022**. <https://doi.org/10.3389/fpls.2022.958004>. (WoS/Scopus)
- 5907.** Wuerz M, Lawson CA, Ueland M, Oakley CA, Grossman AR, Weis VM, Suggett DJ, Davy SK. Symbiosis induces unique volatile profiles in the model cnidarian *Aiptasia*. *Journal of Experimental Botany* 225(19): jeb244600, **2022**. <https://doi.org/10.1242/jeb.244600>. (WoS/Scopus)
- 5908.** Xu C, Ma Y, Tian Z, Q Luo, T Zheng, B Wang, Z Zuo. Monoterpene emissions and their protection effects on adult *Cinnamomum camphora* against high temperature. *Trees* 36, 711–721, **2022**. <https://doi.org/10.1007/s00468-021-02242-4>. (WoS/Scopus)
- 5909.** Xu C, Wang B, Luo Q, Ma Y, Zheng T, Wang Y, Cai Y, Zuo Z. The uppermost monoterpenes improving *Cinnamomum camphora* thermotolerance by serving signaling functions. *Frontiers in Plant Science* 13:1072931, **2022**. <https://doi.org/10.3389/fpls.2022.1072931>. (WoS/Scopus)
- 5910.** Xylia P, Chrysargyris A, Botsaris G, Skandamis P, Tzortzaki N. *Salmonella Enteritidis* survival in different temperatures and nutrient solution pH levels in hydroponically grown lettuce. *Food Microbiology* v.102, art. 103898, **2022**. <https://doi.org/10.1016/j.fm.2021.103898>. (WoS/Scopus)
- 5911.** Xylia P, Fasko KG, Chrysargyris A, Tzortzakis N. Heat treatment, sodium carbonate, ascorbic acid and rosemary essential oil application for the preservation of fresh *Rosmarinus officinalis* quality. *Postharvest Biology and Technology* v. 187, art. 111868, **2022**. <https://doi.org/10.1016/j.postharvbio.2022.111868>. (WoS/Scopus)
- 5912.** Yeshi K, Crayn D, Ritmejeryte E, Wangchuk P. Plant secondary metabolites produced in response to abiotic stresses has potential application in pharmaceutical product development. *Molecules* 27(1), 313, **2022**. <https://doi.org/10.3390/molecules27010313>. (WoS/Scopus)
- 5913.** You YJ, Ahn SY, Yun HK. Heat shock transcriptional factors (HSFs) are expressed in response to hydrogen peroxide production in grapevines inoculated with *Colletotrichum* Species. *Horticulture Environment and Biotechnology* 63, 735–745, **2022**. <https://doi.org/10.1007/s13580-022-00438-2>. (WoS/Scopus)
- 5914.** Yu H, Blande JD. A potential ozone defense in intercellular air space: Clues from intercellular BVOC concentrations and stomatal conductance. *Science of the Total Environment* v. 852, art. 158456, **2022**. <https://doi.org/10.1016/j.scitotenv.2022.158456>. (WoS/Scopus)

- 5915.** Zhang X, Zhang L, Chen L, Lu Y, An Y. Ectopic expression γ -glutamylcysteine synthetase of *Vicia sativa* increased cadmium tolerance in Arabidopsis. *Gene* 823: 146358, **2022**. <https://doi.org/10.1016/j.gene.2022.146358>. (WoS/Scopus)
- 5916.** Zhang Y, Han Z, Li X, Zhang H, Yuan X, Feng Z, Wang P, Mu Z, Song W, Blake DR, Ying Q, George C, Sheng G, Peng P, Wang X. Plants and related carbon cycling under elevated ground-level ozone: A mini review. *Applied Geochemistry* v. 144, art. 105400, **2022**. <https://doi.org/10.1016/j.apgeochem.2022.105400>. (WoS/Scopus)
- 5917.** Zhu C, Wang W, Chen Y, Zhao Y, Zhang S, Shi F, Khalil-Ur-Rehman M, Nieuwenhuizen NJ. Transcriptomics and antioxidant analysis of two chinese chestnut (*Castanea mollissima* BL.) varieties provides new insights into the mechanisms of resistance to gall wasp *Dryocosmus kuriphilus* infestation. *Frontiers in Plant Science* 13:874434, **2022**. <https://doi.org/10.3389/fpls.2022.874434>. (WoS/Scopus)
- 5918.** Zuzunaga-Rosas J, González-Orenga S, Tofei AM, Boscaiu M, Moreno-Ramón H, Ibáñez-Asensio S, Vicente O. Effect of a biostimulant based on polyphenols and glycine betaine on tomato plants' responses to salt stress. *Agronomy*. 12(9):2142, **2022**. <https://doi.org/10.3390/agronomy12092142>. (WoS/Scopus)
- 5919.** Aguilar MVM, Kuinchtner CC, Wertonge GS, Birck TP, Peixoto TW, de Souza Kulmann MS, Araujo MM, Brunetto G, LA Tabaldi. Tolerance and sensitivity of *Inga marginata* and *Allophylus edulis* to copper excess. *Trees* 37, 781-796, 2023. <https://doi.org/10.1007/s00468-022-02383-0>. (WoS/Scopus)
- 5920.** Aguilar MVM, Kuinchtner CC, Wertonge GS, Birck TP, Peixoto TW, Araujo MM, Brunetto G, Tabaldi LA. Manganese toxicity and stress-induced tolerance responses in *Psidium cattleianum* and *Eugenia involucrata*. *Scientia Forestalis* 51, art. e3945, 2023. <https://doi.org/10.18671/scifor.v51.17>. (WoS/Scopus)
- 5921.** Aguilar MVM, Sasso VM, Tabaldi LA. Handroanthus heptaphyllus as bioindicator of chromium-contaminated environments. *South African Journal of Botany* vol. 155: 35-44, 2023. <https://doi.org/10.1016/j.sajb.2023.01.049>. (WoS/Scopus)
- 5922.** Aguilar MVM, Mattos JPO, Wertonge GS, Rosa FCR, Lovato LR, Valsoler DV, Azevedo TD, Nicoloso FT, Tabaldi LA. Silicon as an attenuator of the toxic effects of aluminum in *Schinus terebinthifolius* plants. *Brazilian Journal of Biology* vol. 83(2), art. e271301, **2023**. <https://doi.org/10.1590/1519-6984.271301>. (WoS/Scopus)
- 5923.** Alam MZ, Choudhury TR, Mridha MAU. Arbuscular mycorrhizal fungi enhance biomass growth, mineral content, and antioxidant activity in tomato plants under drought stress. *Journal of Food Quality* v. 2023, art. ID 2581608, 2023. <https://doi.org/10.1155/2023/2581608>. (WoS/Scopus)
- 5924.** Alhawas B, Abd El-Hamid MI, Hassan Z, Ibrahim GA, Neamat-Allah ANF, El-Ghareeb WR, Alahmad BA-HY, Meligy AMA, Abdel-Raheem SM, Ismail HA-MA, Ibrahim D. Curcumin loaded liposome formulation: Enhanced efficacy on performance, flesh quality, immune response with defense against *Streptococcus agalactiae* in Nile tilapia (*Oreochromis niloticus*). *Fish & Shellfish Immunology* v. 138, art. 108776, 2023. <https://doi.org/10.1016/j.fsi.2023.108776>. (WoS/Scopus)
- 5925.** Alugoju P, Tencomnao T. Chapter 19 - Production and role of plants secondary metabolites under various *Environmental Pollution*. In: Husen A (Ed.) *Plants and their Interaction to Environmental Pollution*, Elsevier, Pages 379-410, 2023. ISBN 9780323999786. <https://doi.org/10.1016/B978-0-323-99978-6.00018-2>. [BOOK]
- 5926.** Amini S, Maali-Amiri R, Zeinali H. Improvement of cold tolerance of chickpea through heavy polyamines catabolism and ethylene phytohormone. *Agricultural Biotechnology Journal* 15 (1), 1-26, **2023**. <https://doi.org/10.22103/jab.2022.19539.1403>.
- 5927.** Amini S, Maali-Amiri R, Zeinali Khanghah H. Determination of genetic and metabolic markers related to GABA shunt pathway in chickpea (*Cicer arietinum* L.) under cold stress. *Iranian Journal of Field Crop Science* 54(1):135-150, **2023**. <https://doi.org/10.22059/ijfcs.2022.343089.654911>.
- 5928.** Amini S, Maali-Amiri R, Zeinali Khanghah H. Evaluating the regulation of diamine cadaverine content as a cold stress tolerance index in chickpea. *Iranian Journal of Field Crop Science* 54(3): 149-161, **2023**. <https://doi.org/10.22059/ijfcs.2023.356157.654986>.
- 5929.** Aycan M, Nahar L, Baslam M, Mitsui T. B-type response regulator *hst1* controls salinity tolerance in rice by regulating transcription factors and antioxidant mechanisms. *Plant Physiology and Biochemistry* vol. 196, 542-555, **2023**. <https://doi.org/10.1016/j.plaphy.2023.02.008>. (WoS/Scopus)
- 5930.** Bahmani R, Kim DG, Modareszadeh M, Hwang S. Ethylene and ROS mediate root growth inhibition induced by the endocrine disruptor bisphenol A (BPA). *Plant Physiology and Biochemistry* v. 205, art. 108212, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108212>. (WoS/Scopus)
- 5931.** Bano N, Khan S, Hamid Y, Ullah MA, Khan AG, Bano F, Luo J, Li T. Effect of foliar application of nanoparticles on growth, physiology, and antioxidant enzyme activities of lettuce (*Lactuca sativa* L.) plants under cadmium toxicity. *Environmental Science and Pollution Research* 30: 99310-99325, **2023**. <https://doi.org/10.1007/s11356-023-29241-x>. (WoS/Scopus)
- 5932.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10):1855-1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 5933.** Cai Y, Xu C, Zheng T, Zuo Z. Thermal protection function of camphor on *Cinnamomum camphora* cell membrane by acting as a signaling molecule. *Plant Physiology and Biochemistry* vol. 198, art. 107672, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107672>. (WoS/Scopus)
- 5934.** Calone R, Mircea D-M, González-Orenga S, Boscaiu M, Zuzunaga-Rosas J, Barbanti L, Vicente O. Effect of recurrent salt and drought stress treatments on the endangered halophyte *Limonium angustebracteatum* Erben.

Plants 12(1): 191, 2023. <https://doi.org/10.3390/plants12010191>. (WoS/Scopus)

5935. Chaharmahali M, Sohrabi Y, Koulaee HE, Hassani M, Mansouri H, Hamze H. The effect of planting date and irrigation levels on enzymatic properties and yield and yield components of sugar beet (*Beta vulgaris* L.) cultivars. *Environmental Stresses in Crop Sciences* 15(4), 893-906, **2023**. <https://dx.doi.org/10.22077/escs.2021.4110.1973>.

5936. Chrysargyris A, Goumenos C, Tzortzakis N. Use of medicinal and aromatic plant residues for partial peat substitution in growing media for *Sonchus oleraceus* production. *Agronomy* 13(4):1074, **2023**. <https://doi.org/10.3390/agronomy13041074>. (WoS/Scopus)

5937. Chrysargyris A, Hajisolomou E, Xylia P, Tzortzakis N. Ammonium to total nitrogen ratio affects the purslane (*Portulaca oleracea* L.) growth, nutritional, and antioxidant status. *Heliyon* 9(11), art. E21644, **2023**. <https://doi.org/10.1016/j.heliyon.2023.e21644>. (WoS/Scopus)

5938. Chrysargyris A, Hajisolomou E, Xylia P, Tzortzakis N. Olive-mill and grape-mill waste as a substitute growing media component for unexploded vegetables production. *Sustainable Chemistry and Pharmacy* v. 31, art. 100940, 2023. <https://doi.org/10.1016/j.scp.2022.100940>.

5939. Chrysargyris A, Louka S, Petropoulos SA, Tzortzakis N. Soilless Cultivation of *Portulaca oleracea* using medicinal and aromatic plant residues for partial peat replacement. *Horticulturae* 9(4):474, **2023**. <https://doi.org/10.3390/horticulturae9040474>. (WoS/Scopus)

5940. Chrysargyris A, Maggini R, Incrocci L, Pardossi A, Tzortzakis N. Copper and zinc accumulation in young leaves of *Eruca sativa* (L.) grown in soilless culture. *Horticulturae* 9(9): 976, **2023**. <https://doi.org/10.3390/horticulturae9090976>. (WoS/Scopus)

5941. Chrysargyris A, Tzortzakis N. Optimising fertigation of hydroponically grown sowthistle (*Sonchus oleraceus* L.): The impact of the nitrogen source and supply concentration. *Agricultural Water Management* v. 289, art. 108528, **2023**. <https://doi.org/10.1016/j.agwat.2023.108528>. (WoS/Scopus)

5942. Colzi I, Gonnelli C, Vergata C, Golia G, Coppi A, Castellani MB, Giovino A, Buti M, Sabato T, Capuana M, Aprile A, De Bellis L, Cicatelli A, Guarino F, Castiglione S, Ioannou AG, Fotopoulos V, Martinelli F. Transgenerational effects of chromium stress at the phenotypic and molecular level in *Arabidopsis thaliana*. *Journal of Hazardous Materials* vol. 442, art. 130092, 2023. <https://doi.org/10.1016/j.jhazmat.2022.130092>. (WoS/Scopus)

5943. Coser W, Steffens CA, Lugaesi A, Buss M, Gularte PS, Fenili CL, Miqueloto T, do Amarante CVT. Treatment of ‘Baigent’ apple fruit with nitric oxide in controlled atmosphere storage reduces decay and physiological disorders. *Postharvest Biology and Technology*, v. 196, art. 112159, **2023**. <https://doi.org/10.1016/j.postharvbio.2022.112159>. (WoS/Scopus)

5944. De Mattos JPO, Aguilar MVM, Alves JdS, Birck TP, Kuinchtner CC, Tarouco CP, Peixoto TW, Tabaldi LA. Selenium does not ease growth inhibition caused by aluminum in *Schinus terebinthifolius* seedlings. *Journal of Plant Nutrition* 46(14), 3469-3486, **2023**. <https://doi.org/10.1080/01904167.2023.2206427>. (WoS/Scopus)

5945. Dehvari-Nagan P, Abbaspour H, Asare MH, Saadatmand S. Melatonin confers NaCl tolerance in *Withania coagulans* L. by maintaining Na⁺/K⁺ homeostasis, strengthening the antioxidant defense system and modulating withanolides synthesis-related genes. *Russian Journal of Plant Physiology* volume vol. 70, art. 52, 2023. <https://doi.org/10.1134/S1021443723600125>. (WoS/Scopus)

5946. El-Ghareeb WR, Kishawy ATY, Anter RGA, Aboelabbas Gouda A, Abdelaziz WS, Alhawas B, Meligy AMA, Abdel-Raheem SM, Ismail H, Abdelaziz AM, Ibrahim D. Novel antioxidant insights of myricetin on the performance of broiler chickens and alleviating experimental infection with *Eimeria* spp.: crosstalk between oxidative stress and inflammation. *Antioxidants* 12(5):1026, 2023. <https://doi.org/10.3390/antiox12051026>. (WoS/Scopus)

5947. Elyasi SS, Pirzad A, Jalilian J, Roohi E, Siosemardeh A. Effects of different tillage on morpho-physiological traits of dryland chickpea (*Cicer arietinum* L.). *Soil and Tillage Research* vol. 229, art. 105660, **2023**. <https://doi.org/10.1016/j.still.2023.105660>. (WoS/Scopus)

5948. Gaspar SÁ, Musmanno PG, Bellizzi GM, Kathar KR, Varricchio MT, Varricchio MC, Pyrrho AD, Brioso PS, da Silva S. Environmental and Economic Values of salt tolerance. *Euphorbia tirucalli*: Phytoremediation potential. *International Journal of Advanced Engineering Research and Science* 10(6): 27-39, 2023. https://ijaers.com/uploads/issue_files/SIJAERS-05202328-Environmental.pdf.

5949. Georgiadou EC, Mina M, Neoptolemu V, Koundouras S, D'Onofrio C, Bellincontro A, Mencarelli F, Fotopoulos V, Manganaris GA. The beneficial effect of leaf removal during fruit set on physiological, biochemical, and qualitative indices and volatile organic compound profile of the *Cypriot referenceculti* var ‘Xynisteri’. *Journal of the Science of Food and Agriculture* 103(8), 3776-3786, **2023**. <https://doi.org/10.1002/jsfa.12268>.

5950. Ghazala I, Chiab N, Saidi MN, R Gargouri-Bouزيد. The plant growth-promoting bacteria strain *Bacillus mojavensis* I4 enhanced salt stress tolerance in durum wheat. *Current Microbiology* 80, art. 178, **2023**. <https://doi.org/10.1007/s00284-023-03288-y>. (WoS/Scopus)

5951. Ghorbani A, Ghasemi-Omran VO, Chen M. The effect of glycine betaine on nitrogen and polyamine metabolisms, expression of glycoside-related biosynthetic enzymes, and K/Na balance of stevia under salt stress. *Plants* 12(8):1628, **2023**. <https://doi.org/10.3390/plants12081628>. (WoS/Scopus)

5952. Ghorbani A, Pishkar L, Roodbari N, Tavakoli SA, Jahromi EM, Wu C. Nitrate reductase is needed for methyl jasmonate-mediated arsenic toxicity tolerance of rice by modulating the antioxidant defense system, glyoxalase system and arsenic sequestration mechanism. *Journal of Plant Growth Regulation* 42, 1107-1119, **2023**. <https://doi.org/10.1007/s00344-022-10616-2>. (WoS/Scopus)

- 5953.** Habibi N, Aryan S, Amin MW, Sanada A, Terada N, Koshio K. Potential benefits of seed priming under salt stress conditions on physiological, and biochemical attributes of micro-tom tomato plants. *Plants* 12(11):2187, **2023**. <https://doi.org/10.3390/plants12112187>. (WoS/Scopus)
- 5954.** Haghani M, Javanmard A, Mahdavinia GR, AA Shah, M Farooq. Co-application of biofertilizer and stress-modulating nanoparticles modulates the physiological, biochemical, and yield responses of camelina (*Camelina sativa* L.) under limited water supply. *Journal of Soil Science and Plant Nutrition* 23: 6681-6695, **2023**. <https://doi.org/10.1007/s42729-023-01521-y>. (WoS/Scopus)
- 5955.** Hamidian M, Movahhedi Dehnavi M, Mirzaei G, Aghaei F. Modulating mycorrhiza—plant relationships and improving the physiological responses of barley under drought stress conditions with the application of methyl jasmonate. *Journal of Plant Growth Regulation* 42, 2585-2601, **2023**. <https://doi.org/10.1007/s00344-022-10729-8>. (WoS/Scopus)
- 5956.** Haroon U, Munis MFH, Liaquat F, M Khizar, M Elahi, HJ Chaudhary. Biofilm formation and flocculation potential analysis of halotolerant *Bacillus tequilensis* and its inoculation in soil to mitigate salinity stress of chickpea. *Physiology and Molecular Biology of Plants* 29, 277-288, **2023**. <https://doi.org/10.1007/s12298-023-01280-1>. (WoS/Scopus)
- 5957.** Haydar MdS, Kundu S, Kundu S, Mandal P, Roy S. Zinc oxide nano-flowers improve the growth and propagation of mulberry cuttings grown under different irrigation regimes by mitigating drought-related complications and enhancing zinc uptake. *Plant Physiology and Biochemistry* v. 202, art. 107910, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107910>. (WoS/Scopus)
- 5958.** Hazrati R, Zare N, Asghari-Zakaria R, Sheikhzadeh P. Green synthesized Ag nanoparticles stimulate gene expression and paclitaxel production in *Corylus avellana* cells. *Applied Microbiology and Biotechnology* 107: 5963-5974, **2023**. <https://doi.org/10.1007/s00253-023-12683-1>. (WoS/Scopus)
- 5959.** Holghoomi R, Hosseini Sarghein S, Khara J, Hosseini B, Rahdar A, Kyzas GZ. Foliar application of Phenylalanine functionalized multi-walled carbon nanotube improved the content of volatile compounds of basil grown in greenhouse. *Environmental Science and Pollution Research* 30, 77385-77407, **2023**. <https://doi.org/10.1007/s11356-023-27748-x>. (WoS/Scopus)
- 5960.** Hosseini M, Saidi A, Maali-Amiri R, Khosravi-Nejad F, Abbasi A. Low-temperature acclimation related with developmental regulations of polyamines and ethylene metabolism in wheat recombinant inbred lines. *Plant Physiology and Biochemistry* v. 205, art. 108198, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108198>. (WoS/Scopus)
- 5961.** Huang R, Zhang T, Ge X, Cao Y, Li Z, Zhou B. Emission trade-off between isoprene and other bvoc components in *Pinus massoniana* saplings may be regulated by content of chlorophylls, starch and NSCs under drought stress. *International Journal of Molecular Sciences* 24(10):8946, **2023**. <https://doi.org/10.3390/ijms24108946>. (WoS/Scopus)
- 5962.** Ibrahim D, Khater SI, Abdelfattah-Hassan A, Alqahtani LS, Metwally ASM, Bazeed ShM, Elgamal A, Sheraiba NI, Hussein EM, Alasmay FA, Salem GA, Ali M, Mahfouz H. Prospects of new targeted nanotherapy combining liposomes with berberine to combat colorectal cancer development: an in vivo experimental model. *International Journal of Pharmaceutics* v. 647, art. 123511, **2023**. <https://doi.org/10.1016/j.ijpharm.2023.123511>. (WoS/Scopus)
- 5963.** Iqbal MA, Miyamoto K, Yumoto E, Oogai S, Mutanda I, Inafuku M, Oku H. Relationship between seasonal variation in isoprene emission and plant hormone profiles in the tropical plant *Ficus septica*. *Plant Biology* 25(6): 981-993, **2023**. <https://doi.org/10.1111/plb.13565>. (WoS/Scopus)
- 5964.** Jan S, Kumar S, Yousuf M, Shafi S, Majid R, Khan MA, Jeelani F, Shikari AB, Kaur S, Kumar S, Kalia S, Singh K, Prasad M, Varshney RK, Mir RR. Do diverse wheat genotypes unleash their biochemical arsenal differentially to conquer cold stress? A comprehensive study in the Western Himalayas. *Physiologia Plantarum* 175(6), e14069, **2023**. <https://doi.org/10.1111/ppl.14069>. (WoS/Scopus)
- 5965.** Jiang Y, Gao Z, Zhang X, Nikolic M, Liang Y. Effects of exogenous salicylic acid on alleviation of arsenic-induced oxidative damages in rice. *Journal of Plant Nutrition* 46(12), 2811-2826, **2023**. <https://doi.org/10.1080/01904167.2022.2160752>. (WoS/Scopus)
- 5966.** Jiao R, Wu B, Liang Z, Gao P, Gao X. GLV reveal species differences and responses to environment in alpine shrub *Rosa sericea* complex. *Science of the Total Environment* v. 896, art. 166146, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.166146>. (WoS/Scopus)
- 5967.** Jin Y, Zhao X, Liu W, Liang G, Zhang Y. Germplasm resources and drought resistance evaluation of Siberian wildrye (*Elymus sibiricus* L.) in the Tibetan Plateau. *Brazilian Journal of Botany* 46, 743–756, **2023**. <https://doi.org/10.1007/s40415-023-00891-y>. (WoS/Scopus)
- 5968.** Kant G, Pandey A, Shekhar H, Srivastava S. Enhanced bio-synthesis of isoprene via modifying mevalonate and methylerythritol phosphate pathways for industrial application: A review. *Process Biochemistry* 130, 256-271, **2023**. <https://doi.org/10.1016/j.procbio.2023.04.021>. (WoS/Scopus)
- 5969.** Kawakami T, Miyazaki S, Kawaide H. Molecular characterization of a moss isoprene synthase provides insight into its evolution. *FEBS Letters* 597(16): 2133-2142, **2023**. <https://doi.org/10.1002/1873-3468.14691>. (WoS/Scopus)
- 5970.** Kaya C, Ashraf M, Alyemeni MN, Rinklebe J, Ahmad P. Alleviation of arsenic toxicity in pepper plants by aminolevulinic acid and heme through modulating its sequestration and distribution within cell organelles. *Environmental Pollution* v. 330, art. 121747, **2023**. <https://doi.org/10.1016/j.envpol.2023.121747>. (WoS/Scopus)
- 5971.** Kaya C, Ashraf M, Alyemeni MN, Rinklebe J, Ahmad P. Citric acid and hydrogen sulfide cooperate to

mitigate chromium stress in tomato plants by modulating the ascorbate-glutathione cycle. chromium sequestration, and subcellular allocation of chromium. *Environmental Pollution* vol. 335, art. 122292, 2023. <https://doi.org/10.1016/j.envpol.2023.122292>. (WoS/Scopus)

5972. Khan MI, Bashir N, Pandith SA, Patil SS, Pable AA, Shah MA, Barvkar VT, Shahzad A. Low temperature stress modulates the biochemical, metabolic, and molecular behavior of the Trans-Himalayan medicinal herb *Rheum spiciforme* Royle (spiked rhubarb). *Industrial Crops and Products* vol. 193, art. 116154, 2023. <https://doi.org/10.1016/j.indcrop.2022.116154>. (WoS/Scopus)

5973. Khare T, Barvkar VT, Devarumath RM, Kumar V. Osa-miR1861e modulates sodium toxicity responses in rice immature grains via OsGST and OsPILS7b. *Journal of Plant Growth Regulation*, 2023. <https://doi.org/10.1007/s00344-023-11193-8>. (WoS/Scopus)

5974. Kim JH, Lim SD, Jung K-H, Jang CS. Overexpression of a C3HC4-type E3-ubiquitin ligase contributes to salinity tolerance by modulating Na⁺ homeostasis in rice. *Physiologia Plantarum* 175(6), e14075, 2023. <https://doi.org/10.1111/ppl.14075>. (WoS/Scopus)

5975. Kohnesharhi MS, Demir Y. Glutathione and proline attenuates injury induced by boron toxicity in wheat. *Journal of Agricultural Sciences* 29(2), 371-379, 2023. <https://doi.org/10.15832/ankutbd.1092217>. (WoS/Scopus)

5976. Kuinchtner CC, Aguilar MVM, Senhor DF, Birk TP, Brunetto G, Tabaldi LA. Morpho-physiological and biochemical mechanisms of copper tolerance in *Handroanthus heptaphyllus*. *Ciência e Agrotecnologia* 47: e011322, 2023. <http://dx.doi.org/10.1590/1413-7054202347011322>. (WoS/Scopus)

5977. Kulmann MSdeS, Aguilar MVM, Tassinari A, Schwalbert R, Tabaldi LA, Araujo MM, Antonioli ZI, Nicoloso FT, Brunetto G, Schumacher MV. Effects of increasing soil phosphorus and association with ectomycorrhizal fungi (*Pisolithus microcarpus*) on morphological, nutritional, biochemical, and physiological parameters of *Pinus taeda* L. *Forest Ecology and Management* vol. 544, art. 121207, 2023. <https://doi.org/10.1016/j.foreco.2023.121207>. (WoS/Scopus)

5978. Lee HI, Le Myint Z, Ahn SY, Kim SH, Yun HK. Induction of defense responses related to scavenging reactive oxygen species in *Ampelopsis* species inoculated with *Rhizobium vitis*. *Horticulture, Environment, and Biotechnology* 64, 655-668, 2023. <https://doi.org/10.1007/s13580-022-00509-4>.

5979. Limmada VH. Characterization and evaluation of strawberry genotypes for resistance to anthracnose caused by *Colletotrichum acutatum*. PhD Thesis, Delaware State University, 2023. <https://search.proquest.com/openview/22c26654c1342f45d9341c7869b34cc8/1?pq-origsite=gscholar&cbl=18750&diss=y>. [PhD Thesis]

5980. Madhavan AS, Hernandez LEM, Gu ZR, Subramanian S. Effect of graphene on soybean root colonization by *Bradyrhizobium* strains. *Plant Direct* 7(9), e522, 2023. <https://doi.org/10.1002/pld3.522>. (WoS/Scopus)

5981. Maginga TJ, Bakunzibake P, Masabo E, Massawe DP, Agbedanu PR, Nsenga J. Design and implementation of IoT sensors for nonvisual symptoms detection on maize inoculated with *Exserohilum turcicum*. *Smart Agricultural Technology* vol. 5, art. 100260, 2023. <https://doi.org/10.1016/j.atech.2023.100260>.

5982. Mahmoudi M, Boughalleb F, Maaloul S, Zaidi S, Bakhshandeh E, Abdellaoui R. The effect of seasonality on the phytochemical composition of two *Limonium* species naturally growing in a Mediterranean arid-salt marsh: Harvesting time optimization by modeling approach. *Scientia Horticulturae* v. 309, art. 111616, 2023. <https://doi.org/10.1016/j.scienta.2022.111616>. (WoS/Scopus)

5983. Malik TG, Sahu LK, Gupta M, Mir BA, Gajbhiye T, Dubey R, Clavijo McCormick A, Pandey SK. Environmental factors affecting monoterpene emissions from terrestrial vegetation. *Plants* 12(17):3146, 2023. <https://doi.org/10.3390/plants12173146>. (WoS/Scopus)

5984. Martinelli F, Colzi I, Gonnelli C, Vergata C, Golia G, Coppi A, Castellani MB, Giovino A, Buti M, Sabato T, Capuana M, Aprile A, De Bellis L, Ciatelli A, Guarino F, Castiglione S, Fotopoulos V, Ioannou AG. Transgenerational effects of chromium stress at phenotypic and molecular level in *Arabidopsis thaliana*. *Journal of Hazardous Materials* vol. 442, art. 130092, 2023. <https://doi.org/10.1016/j.jhazmat.2022.130092>. (WoS/Scopus)

5985. Masoumi A, Pourtahmasi K, Amiri RM. Study of antioxidant enzymes' activity in reaction wood of poplar tree (*Populus alba* L.). *IAWA Journal*, 2023. <http://dx.doi.org/10.1163/22941932-bja10136>. (WoS/Scopus)

5986. Mehdi F, Liu X, Riaz Z, Javed U, Aman A, Galani S. Expression of sucrose metabolizing enzymes in different sugarcane varieties under progressive heat stress. *Frontiers in Plant Science* 14:1269521, 2023. <https://doi.org/10.3389/fpls.2023.1269521>. (WoS/Scopus)

5987. Mircea DM, Calone R, Estrelles E, Soriano P, Sestras RE, Boscaiu M, Sestras AF, Vicente O. Responses of different invasive and non-invasive ornamental plants to water stress during seed germination and vegetative growth. *Scientific Reports* 13, 13281, 2023. <https://doi.org/10.1038/s41598-023-40517-7>. (WoS/Scopus)

5988. Mircea DM, Calone R, Shakya R, Zuzunaga-Rosas J, Sestras RE, Boscaiu M, Sestras AF, Vicente O. Evaluation of drought responses in two *tropaeolum* species used in landscaping through morphological and biochemical markers. *Life* 13(4): 960, 2023. <https://doi.org/10.3390/life13040960>. (WoS/Scopus)

5989. Mohammadi H, Ezati P, Hazrati S, Ghorbanpour M. Exogenously applied 5-aminolevulinic acid modulates growth, yield, and physiological parameters in lentil (*Lens culinaris* Medik.) under rain-fed and supplemental irrigation conditions. *Scientific Reports* 13, 21312, 2023. <https://doi.org/10.1038/s41598-023-48732-y>. (WoS/Scopus)

5990. Mohammadi H, Ezati P, Hazrati S, Ghorbanpour M. Exogenously applied 5-aminolevulinic acid modulates growth, yield, and physiological parameters in lentil (*Lens culinaris* Medik.) under rain-fed and supplemental irrigation conditions. *Scientific Reports* 13, 21312, 2023. <https://doi.org/10.1038/s41598-023-48732-y>.

(WoS/Scopus)

- 5991.** Negi S, Bhakta S, Ganapathi TR, Tak H. MpSNAC67 transcription factor of banana regulates stress induced senescence through salicylic acid dependent pathway. *Environmental and Experimental Botany* vol. 205, art. 105104, **2023**. <https://doi.org/10.1016/j.envexpbot.2022.105104>. (WoS/Scopus)
- 5992.** Neto LP, Silva-Santos L, Souza L, Morais M, Corte-Real N, Monte IP, da Camara CAG, de Moraes MM, Ulisses C. Mycorrhization changes the antioxidant response and chemical profile of *Lippia alba* (Verbenaceae) essential oil under salinity conditions. *South African Journal of Botany* Vol. 152, 264-277, **2023**. <https://doi.org/10.1016/j.sajb.2022.11.001>. (WoS/Scopus)
- 5993.** Oku H, Mutanda I, Inafuku, M. Molecular characteristics of isoprene synthase and its control effects on isoprene emissions from tropical trees. *Journal of Plant Research* 136, 63-82, **2023**. <https://doi.org/10.1007/s10265-022-01418-4>. (WoS/Scopus)
- 5994.** Ortega-Albero N, González-Orenga S, Vicente O, Rodríguez-Burruezo A, Fita A. Responses to salt stress of the interspecific hybrid *Solanum insanum* × *Solanum melongena* and its parental species. *Plants* 12(2):295, **2023**. <https://doi.org/10.3390/plants12020295>. (WoS/Scopus)
- 5995.** Ouyang F, Sun M, Cui X, M Tigabu, H Zhang, J Deng, J Wang, Y Wei, R He. *Picea pungens* exhibits greatest tolerance to short-time thermal stress compared to *Picea abies*, and *Picea omorika*. *New Forests*, **2023**. <https://doi.org/10.1007/s11056-023-10002-0>. (WoS/Scopus)
- 5996.** Palhares Neto L, Silva-Santos L, de Souza LM, MB de Morais, N Corte-Real, IP Monte Júnior, CA Gomes Camara, M M Moraes, C Ulisses. Influence of Arbuscular mycorrhizal fungi on morphophysiological responses and secondary metabolism in *Lippia alba* (Verbenaceae) under different water regimes. *Journal of Plant Growth Regulation* 42, 827-841, **2023**. <https://doi.org/10.1007/s00344-022-10589-2>. (WoS/Scopus)
- 5997.** Paravar A, Farahani SM, Rezazadeh A, Afshar RK. How nano-iron chelate and arbuscular mycorrhizal fungi mitigate water stress in *Lallemantia* species: A growth and physio-biochemical properties. *Journal of Plant Nutrition and Soil Science*, **2023**. <https://doi.org/10.1002/jpln.202300115>. (WoS/Scopus)
- 5998.** Patel M, Islam S, Husain FM, Yadav VK, Park H-K, Yadav KK, Bagatharia S, Joshi M, Jeon B-H and Patel A. *Bacillus subtilis* ER-08, a multifunctional plant growth-promoting rhizobacterium, promotes the growth of fenugreek (*Trigonella foenum-graecum* L.) plants under salt and drought stress. *Frontiers in Microbiology* 14:1208743, **2023**. <https://doi.org/10.3389/fmicb.2023.1208743>. (WoS/Scopus)
- 5999.** Patel M, Vurukonda SSKP, Patel A. Multi-trait halotolerant plant growth-promoting bacteria mitigate induced salt stress and enhance growth of *Amaranthus Viridis*. *Journal of Soil Science and Plant Nutrition* 23, 1860-1883, **2023**. <https://doi.org/10.1007/s42729-023-01143-4>. (WoS/Scopus)
- 6000.** Percival GC. Heat Tolerance of urban tree species - **A Review**. *Urban Forestry & Urban Greening* v. 86, art. 128021, **2023**. <https://doi.org/10.1016/j.ufug.2023.128021>. (WoS/Scopus)
- 6001.** Ponte LR, Farias JG, Del Frari BK, Costa HK, Prigol LHF, Caye M, Fett JP, Hanzel FB, Dressler VL, Sperotto RA, Brunetto G, Ricachenevsky FK. OsYSL13 transporter may play a role in Mn homeostasis in rice (*Oryza sativa* L.). *Theoretical and Experimental Plant Physiology* 35, 263-274, **2023**. <https://doi.org/10.1007/s40626-023-00282-4>. (WoS/Scopus)
- 6002.** Prasanna JA, Mandal VK, Kumar D, Chakraborty N, Raghuram N. Nitrate-responsive transcriptome analysis of rice RGA1 mutant reveals the role of G-protein alpha subunit in negative regulation of nitrogen-sensitivity and use efficiency. *Plant Cell Reports* 42, 1987-2010, **2023**. <https://doi.org/10.1007/s00299-023-03078-7>. (WoS/Scopus)
- 6003.** Ramzan M, Shah AA, Ahmed MZ, Bukhari MA, Ali L, Casini R, Elansary HO. Exogenous application of glutathione and gamma amino-butyric acid alleviates salt stress through improvement in antioxidative defense system and modulation of CaXTHs stress-related genes. *South African Journal of Botany* 157, 266-273, **2023**. <https://doi.org/10.1016/j.sajb.2023.04.008>. (WoS/Scopus)
- 6004.** Rosa MM, Silva RS, Fipke MV, RA Córdova, ND Kruse, ER Camargo, GM Souza, LA de Avila. Interchangeable cross-tolerance induced by waterlogging and herbicides in soybean plants. *Acta Physiologiae Plantarum* 45, art. 34, **2023**. <https://doi.org/10.1007/s11738-022-03512-5>. (WoS/Scopus)
- 6005.** Sadeghi B, Abdossi V, Zarrinnia V, Hasanazadeh N. Evaluation of the effect of biological elicitors on the resistance to salinity stress in the date palm. (*Phoenix dactylifera* L, cv. Stameran). *Acta Scientiarum Polonorum Hortorum Cultus* 22(6), 103-113, **2023**. <https://doi.org/10.24326/asp.hc.2023.5151>.
- 6006.** Safarian M, Nodehi MS, MR Bihamta, S Sobhanverdi. *Mentha piperita* L. demonstrates a potential tolerance at molecular and biochemical level to Pb stress: New perspectives. *South African Journal of Botany* 159, 635-641, **2023**. <https://doi.org/10.1016/j.sajb.2023.06.035>. (WoS/Scopus)
- 6007.** Santos PSD, Costa IFDD, Minuzzi SG, Bellé C, Rebelatto G, Lopes AN, Furlani L. Response of soybean cultivars to oxidative stress caused by *Meloidogyne javanica*. *Annals of the Brazilian Academy of Sciences* 95(2): e20201328, **2023**. <https://doi.org/10.1590/1519-6984.271301>.
- 6008.** Saraiva MP, Maia CF, Batista BL, da S Lobato AK. Ionic homeostasis and redox metabolism upregulated by 24-epibrassinolide are crucial for mitigating nickel excess in soybean plants, enhancing photosystem II efficiency and biomass. *Plant Biology* 25(2), 343-355, **2023**. <https://doi.org/10.1111/plb.13496>. (WoS/Scopus)
- 6009.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume 1. Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. [BOOK]

- 6010.** Sayyadi G, Niknezhad Y, Fallah H. Sodium nitroprusside ameliorates lead toxicity in rice (*Oryza sativa* L.) by modulating the antioxidant scavenging system, nitrogen metabolism, lead sequestration mechanism, and proline metabolism. *Environmental Science and Pollution Research* 30, 24408-24423, **2023**. <https://doi.org/10.1007/s11356-022-23913-w>. (WoS/Scopus)
- 6011.** Senhor DF, Aguilar MVM, Kuinchtner CC, Wertonge GS, Birck TP, Da Rosa FCR, Lovato LDR, Tabaldi LA. Silicon-induced changes in morphophysiological and biochemical characteristics in *Enterolobium contortisiliquum* under cadmium stress. *Rodriguésia* 74: e00512023, 2023. <http://dx.doi.org/10.1590/2175-7860202374059>.
- 6012.** Senhor DF, Aguilar MVM, Kuinchtner CC, Wertonge GS, Birck TP, Tabaldi LA. Cadmium toxicity and sensitivity responses in *Enterolobium contortisiliquum*. *Revista Caatinga* 36(4):814-822, **2023**. <https://doi.org/10.1590/1983-21252023v36n409rc>.
- 6013.** Shahtousi S, Talaei L. The effect of spermine on *Tetranychus urticae*-*Cucumis sativus* interaction. *BMC Plant Biology* 23, 575, **2023**. <https://doi.org/10.1186/s12870-023-04573-5>. (WoS/Scopus)
- 6014.** Sheikhalipour M, Gohari G, Esmailpour B, Behnamian M, Giglou MT, Milani MH, Bahrami MK, Kulak M, Ioannou A, Fotopoulos V, Vita F. Effect of melatonin foliar sprays on morphophysiological attributes, fruit yield and quality of *Momordica charantia* L. under salinity stress. *Plant Physiology and Biochemistry* v.205, art. 108194, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108194>. (WoS/Scopus)
- 6015.** Shneider JR, De Bona AC, Müller M, Chavarria G. Mancozeb associated with water deficit: physiological and biochemical responses of soybean plants. *Plant Stress* v. 10, art. 100284, **2023**. <https://doi.org/10.1016/j.stress.2023.100284>.
- 6016.** Silva-Santos L, Neto LP, Corte-Real N, Sperandio MVL, Camara CAG, Moraes MM, Ulisses C. Yeast extract and chitosan elicitation improves essential oil, regulates plant growth and antioxidative system in *Lippia alba* (Mill) N.E. Brown (Verbenaceae). *South African Journal of Botany* 163, 756-769, **2023**. <https://doi.org/10.1016/j.sajb.2023.10.024>. (WoS/Scopus)
- 6017.** Singh P, Choudhary KK. Impacts of climate alterations on the biosynthesis of defensive natural products. In: Kannaujiya VK, Sinha RP, Rahman MA, Sundaram S (eds) *Photoprotective Green Pharmacology: Challenges, Sources and Future Applications*. Springer, Singapore. Chapter, pp. 141-169, 2023. https://doi.org/10.1007/978-981-99-0749-6_6. [BOOK]
- 6018.** Singh Saharan G, Mehta NK, Meena PD. Protocols to study host-pathosystems. In: Saharan GS, Mehta NK, Meena PD (Eds.) *Genomics of Crucifer's Host-Pathosystem*. Springer, Singapore, pp. 831-913, 2023. https://doi.org/10.1007/978-981-19-3812-2_8. [BOOK chapter]
- 6019.** Sousa GFd, Silva MA, Carvalho MRd, Morais EGd, Benevenuto PAN, Van Opbergen GAZ, Van Opbergen GGZ, Guilherme LRG. Foliar selenium application to reduce the induced-drought stress effects in coffee seedlings: induced priming or alleviation effect? *Plants* 12(17):3026, **2023**. <https://doi.org/10.3390/plants12173026>. (WoS/Scopus)
- 6020.** Sulaiman HY. Quantitative impacts of interactive biotic and abiotic stresses on plant performance: stress responses, priming, and acclimation. **PhD Thesis**, Tartu University, Estonia. **2023**. https://dspace.emu.ee/bitstream/handle/10492/8626/EMY_doc_Sulaiman_veebi_35282.pdf?sequence=1#page=75.
- 6021.** Suthar S, Chand N, Singh V. Fate and toxicity of triclosan in tidal flow constructed wetlands amended with cow dung biochar. *Chemosphere* vol. 311, Part 1, art. 136875, **2023**. <https://doi.org/10.1016/j.chemosphere.2022.136875>. (WoS/Scopus)
- 6022.** Tang S, Xu Y, Zeng K, Liang X, Shi X, Liu K, Ma J, Yu F, Li Y. Comparative study on plant growth-promoting bacterial inoculation by irrigation and spraying for promoting *Bidens pilosa* L. phytoremediation of cadmium-contaminated soil. *Ecotoxicology and Environmental Safety* Volume 254, art. 114764, 2023. <https://doi.org/10.1016/j.ecoenv.2023.114764>. (WoS/Scopus)
- 6023.** Thiesen LA, Brunetto G, Trentin E, da Silva AAK, Tabaldi LA, Schwalbert R, Birck TP, Machado LC, Nicoloso FT. Subcellular distribution and physiological responses of native and exotic grasses from the Pampa biome subjected to excess manganese. *Chemosphere* v. 310, art. 136801, **2023**. <https://doi.org/10.1016/j.chemosphere.2022.136801>. (WoS/Scopus)
- 6024.** Trentin E, Ferreira PAA, Ricachenevsky FK, Facco DB, Hammerschmitt RK, Morsch L, Tarouco CP, Nicoloso FT, Araujo MM, Berghetti ÁLP, de Melo GWB, Brunetto G. Growth, biochemical and physiological response of grapevine rootstocks to copper excess in nutrient solution. *South African Journal of Botany* v. 162, 360-369, **2023**. <https://doi.org/10.1016/j.sajb.2023.09.033>. (WoS/Scopus)
- 6025.** Uğurlar F, Kaya C. Synergistic mitigation of nickel toxicity in pepper (*Capsicum annuum*) by nitric oxide and thiourea via regulation of nitrogen metabolism and subcellular nickel distribution. *Functional Plant Biology* 15(12): 1099-1116, **2023**. <https://doi.org/10.1071/FP23122>. (WoS/Scopus)
- 6026.** Viana AR, Fortes CR, Rodrigues P, Ribeiro S, Heinzmann BM, da Cunha MA, Zeppenfeld CC, da Silva Fernandes L, Wagner R, Baldisserotto B, Figueiredo HX, Gonçalves NN, Chitolina ABM, Justen CE, Baldissera MD. Impact of dietary supplementation with *Cinnamomum cassia* essential oil on silver catfish (*Rhamdia quelen*): Toxicological effects and muscle antioxidant and fatty acid profiles. *Journal of Toxicology and Environmental Health, Part A* 86(10):313-325, **2023**. <https://doi.org/10.1080/15287394.2023.2198564>. (WoS/Scopus)
- 6027.** Wuerz M. The volatilome of the cnidarian-dinoflagellate symbiosis. **PhD Thesis** Victoria University of Wellington, USA. **2023**. https://openaccess.wgtn.ac.nz/articles/thesis/The_volatilome_of_the_cnidarian-dinoflagellate_symbiosis/22976435. [PhD Thesis]

- 6028.** Xylia P, Goumenos C, Tzortzakis N, Chrysargyris A. Application of lavender and rosemary essential oils (EOs), their mixture and eucalyptol (EOs Main Compound) on cucumber fruit quality attributes and microbial load. *Agronomy* 13(10):2493, **2023**. <https://doi.org/10.3390/agronomy13102493>. (WoS/Scopus)
- 6029.** Yan D, Xue S, Zhang Z, Xu G, Zhang Y, Shi Y, Xing M, Zhang W. Physiological changes and antioxidative mechanisms of *Alternanthera philoxeroides* in phytoremediation of cadmium. *Environment & Health* 1(2), 90–101, 2023. <https://doi.org/10.1021/envhealth.3c00009>.
- 6030.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, art. 120693, 2023. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 6031.** Yu F, Gu T, Wei J, Tang C, Li S, Chen Y, Su Y, Liu K, Ma J, Liang X, Li Y. CaFe-layered double hydroxide corn straw biochar reduced heavy metal uptake by *Brassica campestris* L. and *Ipomoea aquatica* F.: Rhizosphere effects and oxidative stress alleviation. *Journal of Environmental Management* vol. 330, art. 117227, 2023. <https://doi.org/10.1016/j.jenvman.2023.117227>. (WoS/Scopus)
- 6032.** Yu F, Liang X, Li Y, Su Y, Tang S, Wei J, Liu K, Ma J, Li Y. A modified diatomite additive alleviates cadmium-induced oxidative stress in *Bidens pilosa* L. by altering soil microbial communities. *Environmental Science and Pollution Research* 30, 41766-41781, 2023. <https://doi.org/10.1007/s11356-023-25216-0>. (WoS/Scopus)
- 6033.** Yu H. Responses of conifers to ozone pollution and impacts on plant-plant interactions. **PhD Thesis**, University of Eastern Finland, Kuopio, Finland, **2023**. https://erepo.uef.fi/bitstream/handle/123456789/29670/urn_isbn_978-952-61-4891-5.pdf?sequence=1#page=39 [PhD Thesis]
- 6034.** Zahedi SM, Abolhassani M, Hadian-Deljou M, Feyzi H, Akbari A, Rasouli F, Koçak MZ, Kulak M, Gohari G. Proline-functionalized graphene oxide nanoparticles (GO-Pro NPs): A new engineered nanoparticle to ameliorate salinity stress on grape (*Vitis vinifera* L. cv Sultana). *Plant Stress* vol. 7, art. 100128, **2023**. <https://doi.org/10.1016/j.stress.2022.100128>.
- 6035.** Zeeshan M, Hu YX, Guo XH, Sun CY, Salam A, Ahmad S, Muhammad I, Nasar J, Jahan MS, Fahad S, Zhou XB. Physiological and transcriptomic study reveal SeNPs-mediated AsIII stress detoxification mechanisms involved modulation of antioxidants, metal transporters, and transcription factors in *Glycine max* L. (Merr.) roots. *Environmental Pollution* v. 317, art. 120637, **2023**. <https://doi.org/10.1016/j.envpol.2022.120637>. (WoS/Scopus)
- 6036.** Zuzunaga-Rosas J, González-Orenga S, Calone R, Rodríguez-Heredia R, Asaff-Torres A, Boscaiu M, Ibáñez-Asensio S, Moreno-Ramón H, Vicente O. Use of a biostimulant to mitigate the effects of excess salinity in soil and irrigation water in tomato plants. *Plants* 12(5): 1190, 2023. <https://doi.org/10.3390/plants12051190>. (WoS/Scopus)
- 6037.** Zuzunaga-Rosas J, Silva-Valdiviezo D, Calone R, Lupuț I, Ibáñez-Asensio S, Boscaiu M, Moreno-Ramón H, Vicente O. Biochemical responses to salt stress and biostimulant action in tomato plants grown in two different soil types. *Horticulturae* 9(11):1209, **2023**. <https://doi.org/10.3390/horticulturae9111209>. (WoS/Scopus)
- 6038.** Abd El-Sattar A, Tawfik E, Ahmed E. Physiological and genetical responses of *Lepidium sativum* L. seeds to ultrasonic pretreatment under heat stress. *Egyptian Journal of Botany* 64(1): 1-18, **2024**. https://ejbo.journals.ekb.eg/article_320606_0.html. (WoS/Scopus)
- 6039.** Aguilar MVM, Kuinchtner CC, Wertonge GS, Peixoto TW, Birck TP, Valsoler DV, Nicoloso FT, Brunetto G, Tabaldi LA. Zinc toxicity and tolerance-related responses in *Inga marginata* and *Allophylus edulis* seedlings. *Revista Árvore* 48(1), **2024**. <https://doi.org/10.53661/1806-9088202448263621>.
- 6040.** Aguilar MVM, Wertonge GS, Birck TP, Lovato LR, Rosa FCR, Hindersmann J, Mayer NA, Moura-Bueno JM, Brunetto G, Tabaldi LA. Oxidative stress as markers in identification of aluminum-tolerant peach tree rootstock cultivars and clonal selections. *Revista Brasileira de Ciencia do Solo* 48: e0220112, **2024**. <https://doi.org/10.36783/18069657rbcs20220112>. (WoS/Scopus)
- 6041.** Amiri H, Zamani Z, Arnao MB, A Ismaili, PHH Gavyar, H Khodayari. Optimal concentration of melatonin enhances drought stress tolerance in fenugreek. *Acta Physiologiae Plantarum* 46, art. 15, **2024**. <https://doi.org/10.1007/s11738-023-03643-3>. (WoS/Scopus)
- 6042.** Bano N, Khan S, Hamid Y, Bano F, Khan AG, Ullah MA, Li T, Ullah H, Bolan N, Rinklebe J, Shaheen SM. Seed nano-priming with multiple nanoparticles enhanced the growth parameters of lettuce and mitigated cadmium (Cd) bio-toxicity: An advanced technique for remediation of Cd contaminated environments. *Environmental Pollution*, art. 123300, **2024**. <https://doi.org/10.1016/j.envpol.2024.123300>. (WoS/Scopus)
- 6043.** Borges PT, Sales MB, Guimarães CEC, de França Serpa J, Chaves de Lima RK, Lopes AAS, de Sousa Rios MA, Desai AS, da Silva Lima AM, Silva Lora EE, dos Santos JCS. Photosynthetic green hydrogen: Advances, challenges, opportunities, and prospects. *International Journal of Hydrogen Energy* 49, Part A: 433-458, **2024**. <https://doi.org/10.1016/j.ijhydene.2023.09.075>. (WoS/Scopus) [Review]
- 6044.** Chiab N, Charfeddine S, Ayadi M, Abdelkafi Y, Mzid R, Gargouri-Bouزيد R, Nouri-Ellouz O. Enhancing cadmium stress tolerance in potato plants through overexpression of the VvWRKY2 transcription factor. *Potato Research*, **2024**. <https://doi.org/10.1007/s11540-023-09687-9>. (WoS/Scopus)
- 6045.** Chrysargyris A, Tzortzakis N. Residues from medicinal and aromatic plants after distillation can be used in replace some peat in the growing media for *Viola × wittrockiana* production. *Agronomy* 14(1):187, **2024**. <https://doi.org/10.3390/agronomy14010187>. (WoS/Scopus)

- 6046.** Chrysargyris A, Xylia P, Tzortzakis N. Oliviculture and viticulture crop byproducts use for peat partial substitution for carnation production. *Agronomy* 14(3):605, **2024**. <https://doi.org/10.3390/agronomy14030605>. (WoS/Scopus)
- 6047.** da Silva GR, Aguilar MVM, Peixoto TW, Valsoler DV, de Azevedo TD, Tabaldi LA. Root system and antioxidant mechanisms of *Eugenia uniflora* plants promote greater tolerance to aluminum stress. *Revista Brasileira de Ciências Agrárias* 19(1), **2024**. <http://www.agraria.pro.br/ojs32/index.php/RBCA/article/view/v19i1a3290/1551>.
- 6048.** Dar FA, Tahir I, Ul Rehman R, Alharby HF, Alzahrani Y, Alsamadany H, Hakeem KR. Exogenous silicon alleviates aluminum phytotoxicity in *Fagopyrum esculentum* Moench by modulating physiological and antioxidant responses. *South African Journal of Botany* vol. 167, 367-384, **2024**. <https://doi.org/10.1016/j.sajb.2024.01.073>. (WoS/Scopus)
- 6049.** Del Zozzo F, Barmapa DM, Canavera G, Giordano L, Palliotti A, Battista F, Poni S, Frioni T. Effects of foliar applications of a proline-rich specific yeast derivative on physiological and productive performances of field-grown grapevines (*Vitis vinifera* L.). *Scientia Horticulturae* vol. 326, art. 112759, **2024**. <https://doi.org/10.1016/j.scienta.2023.112759>. (WoS/Scopus)
- 6050.** Derbali I, Derbali W, Gharred J, Manaa A, Slama I, Koyro H-W. Mitigating salinity stress in quinoa (*Chenopodium quinoa* Willd.) with biochar and superabsorber polymer amendments. *Plants* 13(1):92, **2024**. <https://doi.org/10.3390/plants13010092>. (WoS/Scopus)
- 6051.** Ding J, Liu C, Huang P, Li H, Liu Y, Sameen DE, Zhang Y, Liu Y, Qin W. Effects of konjac glucan-nan/low-acyl gellan edible coatings loaded thymol- β -cyclodextrin microcapsules on postharvest blueberry. *Food Chemistry* v. 430, art. 137080, **2024**. <https://doi.org/10.1016/j.foodchem.2023.137080>. (WoS/Scopus)
- 6052.** Du B, Haensch R, Alfarraj S, Rennenberg H. Strategies of plants to overcome abiotic and biotic stresses. *Biological Reviews*, **2024**. <https://doi.org/10.1111/brv.13079>. (WoS/Scopus) [Review]
- 6053.** Ghirardo A, Brilli F. Analysis of volatile organic compounds. In: Carla António (Ed.) *Monitoring Forest Damage with Metabolomics Methods*. Chapter 6. Series: WILEY Series on mass spectrometry. pp. 127-186, **2024**. <https://doi.org/10.1002/9781119868750.ch6>. [BOOK]
- 6054.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- 6055.** Ilahi H, Zampieri E, Sbrana C, F Brescia, L Giovannini, R Mahmoudi, G Gohari, MM El Idrissi, MN Alfeddy, M Schillaci, L Ouahmane, A Calvo, F Sillo, V Fotopoulos, R Balestrini, B Mnasri. Impact of two *Erwinia* sp. on the response of diverse *Pisum sativum* genotypes under salt stress. *Physiology and Molecular Biology of Plants*, **2024**. <https://doi.org/10.1007/s12298-024-01419-8>. (WoS/Scopus)
- 6056.** Kasbi EA, Taleei A, Amiri RM. Effect of drought stress on the expression pattern of genes involved in ABA biosynthesis in Desi-type chickpea (*Cicer arietinum* L.). *Molecular Biology Reports* 51, art. 469, **2024**. <https://doi.org/10.1007/s11033-024-09402-y>. (WoS/Scopus)
- 6057.** Kaya C, Uğurlar F, Ashraf M, Alyemeni MN, Dewil R, Ahmad P. Mitigating salt toxicity and overcoming phosphate deficiency alone and in combination in pepper (*Capsicum annum* L.) plants through supplementation of hydrogen sulfide. *Journal of Environmental Management* vol. 351, art. 119759, **2024**. <https://doi.org/10.1016/j.jenvman.2023.119759>. (WoS/Scopus)
- 6058.** Kerwin RE, Hart JE, Fiesel PD, Lou Y-R, Fan P, Jones AD, Last RL. Tomato root specialized metabolites evolved through gene duplication and regulatory divergence within a biosynthetic gene cluster. *Science Advances* 10 (17), eadn3991, **2024**. <https://doi.org/10.1126/sciadv.adn3991>. (WoS/Scopus)
- 6059.** Khan M-I, Bashir N, Pandith S, Shah M, Reshi Z, Shahzad A. Rhubarb: A novel model plant to study the conundrum of calcium oxalate synthesis. *Food Chemistry* v. 434, art. 137458, **2024**. <https://doi.org/10.1016/j.foodchem.2023.137458>. (WoS/Scopus)
- 6060.** Kulmann MSS, Berghetti ÁLP, Pinto CB, da Costa RH, Tabaldi LA, Brunetto G, Schumacher MV. Impact of phosphorus omission fertilizer on growth, nutritional status, biochemical and physiological parameters in a *Pinus taeda* L. plantation. *Forest Ecology and Management* v. 551, art. 121557, **2024**. <https://doi.org/10.1016/j.foreco.2023.121557>. (WoS/Scopus)
- 6061.** Mahmoud OM-B, Hidri R, Abdelly C, Debez A. *Bacillus pumilus* isolated from sabkha rhizosphere ameliorates the behavior of the facultative halophyte *Hordeum marinum* when salt-challenged by improving nutrient uptake and soil health-related traits. *Plant Stress* v. 11, art. 100383, **2024**. <https://doi.org/10.1016/j.stress.2024.100383>. (WoS/Scopus)
- 6062.** Metoui-Ben Mahmoud O, Hidri R, Abdelly C, Debez A. *Bacillus pumilus* isolated from sabkha rhizosphere ameliorates the behavior of the facultative halophyte *Hordeum marinum* when salt-challenged by improving nutrient uptake and soil health-related traits. *Plant Stress*, art. 100383, **2024**. <https://doi.org/10.1016/j.stress.2024.100383>. (WoS/Scopus)
- 6063.** Metwally RA, Taha MA, El-Moaty NMA, RE Abdelhameed. Attenuation of Zucchini mosaic virus disease in cucumber plants by mycorrhizal symbiosis. *Plant Cell Reports* 43, 54, **2024**. <https://doi.org/10.1007/s00299-023-03138-y>. (WoS/Scopus)
- 6064.** Miranda Aguilar MV, de Quadros Sandri Strauss R, Vinicios Valsoler D, Dorneles de Azevedo T, Almeri Tabaldi L. Do Silicon and Selenium mitigate Aluminum toxicity in *Pfaffia glomerata*? *Ciência E Natura* 46, e85995, **2024**. <https://doi.org/10.5902/2179460X85995>.

- 6065.** Mircea DM, Ferrer-Gallego PP, Ferrando-Pardo I, Vicente O, Mir R, Boscaiu M. Salt tolerance of sea flax (*Linum maritimum* L.), a rare species with conservation interest in Eastern Spain. *Plants* 13(2):305, **2024**. <https://doi.org/10.3390/plants13020305>. (WoS/Scopus)
- 6066.** Modareszadeh M, Bahmani R, Kim DG, Hwang S. Tobacco NtUBC1 and NtUBQ2 enhance salt tolerance by reducing sodium accumulation and oxidative stress through proteasome activation in *Arabidopsis*. *Plant Physiology and Biochemistry* v. 207, art. 108414, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108414>. (WoS/Scopus)
- 6067.** Palma V, González-Pimentel JL, Jimenez-Morillo NT, Sauro F, Gutiérrez-Patricio S, De la Rosa JM, Tomasi I, Massironi M, Onac BP, Tiago I, González-Pérez JA, Laiz L, Caldeira AT, Cubero B, Miller AZ. Connecting molecular biomarkers, mineralogical composition, and microbial diversity from Mars analog lava tubes. *Science of the Total Environment* 913, art. 169583, **2024**. <https://doi.org/10.1016/j.scitotenv.2023.169583>. (WoS/Scopus)
- 6068.** Paravar A, Farahani SM, Rezazadeh A. How storage circumstance alters the quality of seeds of *Lallemantia iberica* and *Lallemantia royleana* produced under maternal drought stress. *Environmental and Experimental Botany* v. 217, art. 105537, **2024**. <https://doi.org/10.1016/j.envexpbot.2023.105537>. (WoS/Scopus)
- 6069.** Pereira LBS, Souza e Costa LF, de Oliveira HCA, Sperandio MVL, Ulisses C. Effects of aluminium on antioxidative system in native species of the Brazilian Tropical Dry Forest (Caatinga). *Chemistry and Ecology*, **2024**. <https://doi.org/10.1080/02757540.2024.2316059>. (WoS/Scopus)
- 6070.** Rajib MMR, Sultana H, Gao J, Wang W, Yin H. Curd, seed yield and disease resistance of cauliflower are enhanced by oligosaccharides. *PeerJ* 12:e17150, **2024**. <https://doi.org/10.7717/peerj.17150>. (WoS/Scopus)
- 6071.** Rakkammal K, Pandian S, Manikandan R. Physiological and biochemical response of finger millet plants exposed to arsenic and nickel stress. *Plant Stress*, art. 100389, **2024**. <https://doi.org/10.1016/j.stress.2024.100389>. (WoS/Scopus)
- 6072.** Ramzan M, Sarwar S, Ahmad MZ, Ahmed RZ, Hussain T, Hussain I. Phytoremediation of heavy metal-contaminated soil of Lyari River using bioenergy crops. *South African Journal of Botany* v. 167, 663-670, **2024**. <https://doi.org/10.1016/j.sajb.2024.02.034>. (WoS/Scopus)
- 6073.** Rodrigues MJ, Neng N, Custódio L. NaCl elicitation enhances metabolite accumulation and stress resilience in *Inula crithmoides* L. shoot cultures: implications for its nutritional and medicinal value. *Plant Cell, Tissue and Organ Culture* 157, art. 17, **2024**. <https://doi.org/10.1007/s11240-024-02750-4>. (WoS/Scopus)
- 6074.** Srikanth P, Maxton A, Masih SA, Sofo A, Khan NA. Isoprene: an antioxidant to guard plants against stress. *International Journal of Plant Biology* 15(1):161-174, **2024**. <https://doi.org/10.3390/ijpb15010013>. (WoS/Scopus)
- 6075.** Tarouco CP, Ulguim AdR, Nohatto MA, Manica-Berto R, de Avila LA, Senseman SA, Agostinetto D. Antioxidant detoxification system of wheat and ryegrass plants subjected to various herbicides. *Ciência Rural* 54(07), e20230132, **2024**. <http://doi.org/10.1590/0103-8478cr20230132>.
- 6076.** Tzortzakakis N, Chrysargyris A. Olive-mill and grape-mill residue impact the growth, physiology and nutrient status of grapevines young cuttings. *Sustainable Chemistry and Pharmacy* v. 37, art. 101362, **2024**. <https://doi.org/10.1016/j.scp.2023.101362>. (WoS/Scopus)
- 6077.** Weraduwege SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)
- 6078.** Xylia P, Chrysargyris A, Tzortzakakis N. The postharvest safety and quality of fresh basil as affected by the use of cypriot oregano (*Origanum dubium*) extracts. *Horticulturae* 10(2):159, **2024**. <https://doi.org/10.3390/horticulturae10020159>. (WoS/Scopus)
- 6079.** Zuzunaga-Rosas J, Calone R, Mircea DM, Shakya R, Ibáñez-Asensio S, Boscaiu M, Fita A, Moreno-Ramón H and Vicente O. Mitigation of salt stress in lettuce by a biostimulant that protects the root absorption zone and improves biochemical responses. *Frontiers in Plant Science* 15:1341714, **2024**. <https://doi.org/10.3389/fpls.2024.1341714>. (WoS/Scopus)

Yordanov I, Tsonev T, Velikova V, Georgieva K, Ivanov P, Tsenov N, Petrova T - Changes in CO₂ assimilation, transpiration and stomatal resistance of different wheat cultivars experiencing drought under field conditions. *Bulgarian Journal of Plant Physiology*. 27 (3-4): 20-33, **2001**

- 6080.** Mansouri-far C, Sanavy SAMM - Effect of drought and nitrogen stress on chlorophyll characteristics of maize (*Zea mays* L.) leaf. *Proceedings of the Fourth International Iran & Russia Conference* 206-212, **2004**
- 6081.** Cha-um S, Supaibulwatana K, Kirdmanee C - Water relation, photosynthetic ability and growth of thai jasmine rice (*Oryza sativa* L. ssp. indica cv. KDML 105) to salt stress by application of exogenous glycinebetaine and choline. *Journal of Agronomy and Crop Science* 192, 25-36, **2006** (WoS/Scopus)
- 6082.** Vassileva V, Simova-Stoilova L, Demirevska K, Feller U - Variety-specific response of wheat (*Triticum aestivum* L.) leaf mitochondria to drought stress. *Journal of Plant Research* 122, (4), 445-454, **2009** (WoS/Scopus)
- 6083.** Kaleem S - Physio-morphic expressions of sunflower (*Helianthus Annuus* L.) in response to environmental variations, Ph.D. Thesis, Department of Agronomy Faculty of Crop and Food Sciences, Pir Mehr Ali Shah, Arid Agriculture University, Rawalpindi, Pakistan, **2010** (Ph.D. Thesis)
- 6084.** Ghimire BK, Seong ES, Goh EJ, Kang EY, Ahn JK, Yu CY, Chung IM - Improving antioxidant activity in transgenic *Codonopsis lanceolata* plants via overexpression of the c-tocopherol methyltransferase (c-tmt) gene. *Plant Growth Regul* 63, 1-6, **2011** (WoS/Scopus)

- 6085.** Grigorova B, Vassileva V, Klimchuk D, Vaseva I, Demirevska K, Feller U - Drought, high temperature, and their combination affect ultrastructure of chloroplasts and mitochondria in wheat (*Triticum aestivum* L.) leaves. *Journal of Plant Interactions* 7(3), 204-213, **2012 (WoS/Scopus)**
- 6086.** Allahmoradi P, Mansourifar C, Saidi M, Honarmand SJ - Water deficiency and its effects on grain yield and some physiological traits during different growth stages in lentil (*Lens culinaris* L.) cultivars. *Annals of Biological Research* 4(5): 139-145, **2013**
- 6087.** Saglam A, Terzi R, Demiralay M - Effect of polyethylene glycol induced drought stress on photosynthesis in two chickpea genotypes with different drought tolerance. *Acta Biologica Hungarica* 65 (2), 178-188, **2014 (WoS/Scopus)**
- 6088.** Shekari F, Javanmard A, Hassanpouraghdam M. Respose of two red bean (*Phaseolus vulgaris* L.) cultivars to controlled water deficit stress during post-flowering growth stage. *Agriculture & Forestry*. 60 (1), 191-233, **2014**.
- 6089.** Arumugam R, Venkatesalu V, Rajkumar R. Characteristic variation in pigment composition, photosynthetic carbon assimilation and phytonutrients content of *Dendrophthoe falcata*, a hemiparasite growing on host trees of saline and non-saline environments, *Russian Journal of Plant Physiology*, 62, 5, 641-646, **2015 (WoS/Scopus)**
- 6090.** Ghimire BK, Seong ES, Lee CO, Lee JG, Yu CY, Kim SH, Chung IM. Improved antioxidant activity in transgenic *Perilla frutescens* plants via overexpression of the γ -tocopherol methyltransferase (γ -tmt) gene. *Protoplasma* 252(5), 1285-1290, **2015 (WoS/Scopus)** DOI 10.1007/s00709-015-0760-2.
- 6091.** Klamkowski K, Treder W, Orlikowska T. Effect of long-lasting water deficit on selected physiological parameters of three raspberry cultivars, *Infrastruktura i Ekologia Terenów Wiejskich (Infrastructure and Ecology of Rural Areas)*, 3, 1, 603-611, **2015**
- 6092.** Ghimire BK, Seong ES, Nguyen TX, Yoo JH, Yu CY, Kim SH, Chung I-M - Assessment of morphological and phytochemical attributes in triploid and hexaploid plants of the bioenergy crop *Miscanthus* \times *giganteus*, *Industrial Crops and Products*, 89, 231-243, **2016 (WoS/Scopus)**
- 6093.** Tatar Ö, Brück H, Asch F. Photosynthesis and remobilization of dry matter in wheat as affected by progressive drought Stress at stem elongation stage. *Journal of Agronomy and Crop Science*, 202(4), 292-299, **2016 (WoS/Scopus)** <https://doi.org/10.1111/jac.12160>
- 6094.** Ghimire, B. K., Son, N. Y., Kim, S. H., Yu, C. Y., & Chung, I. M. (2017). Evaluating water deficit and glyphosate treatment on the accumulation of phenolic compounds and photosynthesis rate in transgenic *Codonopsis lanceolata* (Siebold & Zucc.) Trautv. over-expressing γ -tocopherol methyltransferase (γ -tmt) gene. *3 Biotech*, 7(3), 167, **2017 (WoS/Scopus)**
- 6095.** Mathobo R, Marais D, Steyn JM. The effect of drought stress on yield, leaf gaseous exchange and chlorophyll fluorescence of dry beans (*Phaseolus vulgaris* L.), *Agricultural Water Management*, 180, Part A, 118-125, **2017 (WoS/Scopus)**
- 6096.** Momolu, E. P., Lamo, J., & Katurumunda, S. (2017). Soil moisture stress and nitrogen supply affect the growth characteristics and yield of upland rice cultivars. *International Journal of Plant & Soil Science* 15(5): 1-10, **2017**
- 6097.** Ayalew K, Adugna A, Fetene M, Sintayehu S. Evaluation of bio-physiological and yield responses of stay green qtl introgression sorghum lines to post-flowering drought stress. *African Crop Science Journal* 26(4):447 – 462, **2018** <https://dx.doi.org/10.4314/acsj.v26i4.1>
- 6098.** Mathobo R. Maximizing dry bean (*Phaseolus vulgaris* L.) production through selected agronomic practices. Doctoral dissertation, University of Pretoria, **2018**. <https://repository.up.ac.za/handle/2263/65912>
- 6099.** Noreña-Caro D, Benton MG. Cyanobacteria as photoautotrophic biofactories of high-value chemicals. *Journal of CO₂ Utilization* 28: 335-366, **2018 (WoS/Scopus) (Review)** <https://doi.org/10.1016/j.jcou.2018.10.008>
- 6100.** Galyuon IK, Gay AP, Hash CT, Bidinger FR, Howarth CJ. A comparative assessment of the performance of a stay-green sorghum (*Sorghum bicolor* (L) Moench) introgression line developed by marker-assisted selection and its parental lines. *African Journal of Biotechnology* 18(26): 548-563, **2019**. DOI: 10.5897/AJB2019.16826 Article Number: 7118D0361330.
- 6101.** Oh S, Kim HC, Kang HS, Shin CH, Koh SC. Seasonal change in the CO₂ fixation rate and water-use efficiency of broad-leaved tree species on Jeju island. *Journal of Environmental Science International* 29(2), 123-132, **2020**. <https://doi.org/10.5322/JESI.2020.29.2.123>.
- 6102.** Radwan UAA, Radwan TAA, Abouelkasim EK. Water Use Efficiency of *Acacia seyal* (Del.) in extreme arid environment prevails in South-Western Desert, Egypt. *Aswan University Journal of Environmental Studies (AUJES)* 1(1), 28-37, **2020**. <https://dx.doi.org/10.21608/aujes.2020.124532>.
- 6103.** Taiwo AF, Daramola O, Sow M, Semwal VK. Ecophysiology and Responses of Plants Under Drought. In: Hasanuzzaman M. (ed.) *Plant Ecophysiology and Adaptation under Climate Change: Mechanisms and Perspectives* I. Springer, Singapore, pp. 231-268, **2020**. https://doi.org/10.1007/978-981-15-2156-0_8. **(WoS/Scopus)**
- 6104.** Zlatev Z, Berova M, Krastev V, Svetleva D, Parvanova P, Miteva D, Mitrovska Z, Chankova S. Drought tolerance of bulgarian common bean genotypes, characterized by some physiological and biochemical parameters. *Agricultural Sciences (Agricultural University – Plovdiv)* 12(27), 15-24, **2020**. http://agrarnauki.au-plovdiv.bg/2020/issue-27/03_27/.
- 6105.** Aghaei F, Seyyed Sharifi R, Khomari S, Arimani H. Effects of methanol on grain yield, chlorophyll fluorescence indices and some physiological traits of wheat (*Triticum aestivum* L.) under irrigation withholding conditions. *Crop Production* 13(4), 151-172, **2021**. <https://dx.doi.org/10.22069/ejcp.2021.18631.2382>.

- 6106.** Tu Y-K, Chen H-W, Fang S-L, Yao M-H, Tseng Y-Y, Kuo B-J. Establishing of early discrimination methods for drought stress of tomato by using environmental parameters and NIR spectroscopy in greenhouse. *Acta Horticulturae* 1311, 501-512, **2021**. <https://doi.org/10.17660/ActaHortic.2021.1311.64>. (WoS/Scopus)
- 6107.** Budiarto R, Poerwanto R, Santosa E, Efendi D, Agusta A. Comparative and correlation analysis of young and mature kaffir lime (*Citrus hystrix* DC) leaf characteristics. *International Journal of Plant Biology* 13(3): 270-280, **2022**. <https://doi.org/10.3390/ijpb13030023>. (WoS/Scopus)
- 6108.** Priadkina GO, Makharynska NM, Sokolovska-Sergienko OG. Influence of drought on photosynthetic traits of wheat plants. *Fiziol. rast. genet.* vol. 54, no. 6, 463-483, **2022**. <https://doi.org/10.15407/frg2022.06.463>.

[Yordanov I, Georgieva K, Velikova V, Tsonev T, Merakchiiska-Nikolova M, Paunova S, Stefanov D - Response of photosynthetic apparatus of different wheat genotypes to drought. I. Laboratory experiments under controlled light and temperature conditions. *Compt. rend. Acad. Sci. Bulg.* 54 \(12\): 79-84, **2001**](#)

- 6109.** Sayed OH - Chlorophyll fluorescence as a tool in cereal crop research. *Photosynthetica* 41(3): 321-330, **2003** (review) (WoS/Scopus)
- 6110.** Balouchi HR - Screening wheat parents of mapping population for heat and drought tolerance, detection of wheat genetic variation. *International Journal of Biological and Life Sciences* 6(1): 56-66, **2010**
- 6111.** Zhang T, Shen Z, Xu P, Zhu J, Lu Q, Shen Y, Wang Y, Yao C, Li J, Wang Y, Jiang H - Analysis of photosynthetic pigments and chlorophyll fluorescence characteristics of different strains of *Porphyra yezoensis*. *Journal of Applied Phycology* 24(4): 881-886, **2012** (WoS/Scopus)
- 6112.** Allahmoradi P, Mansourifar C, Saidi M, Honarmand SJ. Water deficiency and its effects on grain yield and some physiological traits during different growth stages in lentil (*Lens culinaris* L.) cultivars. *Annals of Biological Research* 4(5):139-145, **2013**
- 6113.** Zuo G, Aiken RM, Feng N, Zheng D, Zhao H, Avenson TJ, Lin X. Fresh perspectives on an established technique: Pulsed amplitude modulation chlorophyll a fluorescence. *Plant-Environment Interactions* 3(2), 41-59, **2022**. <https://doi.org/10.1002/pei3.10073>. [Review]

[Velikova V, Ivanova A, Yordanov I – Changes in lipid composition of *Phaseolus vulgaris* leaves after simulated acid rain treatment. *Bulgarian Journal of Plant Physiology* 28 \(1-2\): 59-65, **2002**](#)

- 6114.** Rahman LN, Bamm VV, Voyer JAM, Smith GST, Chen L, Yaish MW, Moffatt BA, Dutcher JR, Harauz G - Zinc induces disorder-to-order transitions in free and membrane-associated *Thellungiella salsuginea* dehydrins TsDHN-1 and TsDHN-2: a solution CD and solid-state ATR-FTIR study. *Amino Acids* 40 (5): 1485-1502 Sp. Iss. SI, **2011** (WoS/Scopus)
- 6115.** Almohisen IAA. Air pollution induced changes in some fatty acids in four species. *International Journal of Plant, Animal and Environmental Sciences*. 4 (3), 537-543, **2014**.

[Velikova V, Tsonev T, Edreva A, Gürel A, Hakerlerler H - Effects of reddening of cotton \(*Gossypium hirsutum* L.\) leaves on functional activity of photosynthetic apparatus. *Photosynthetica* 40 \(3\): 449-452, **2002**](#)

- 6116.** Luo H, Zhang H, Tao X, Zhang Y, Zhang W - Effect of irrigation and nitrogen application regimes on senescent characters of roots and leaves in cotton with under-mulch-drip irrigation. *Scientia Agricultura Sinica* 46 (10): 2142-2150, **2013**
- 6117.** Nagrare VS, Deshmukh AJ, Bisane KD. Relative Performance of Bt-Cotton Hybrids against Sucking Pests and Leaf Reddening under Rainfed Farming, *Entomology, Ornithology & Herpetology*. 3 (3), 1000134, **2014**
- 6118.** Ahad A, Yaqoob A, Nawaz R, Gul A, Shahid N, Rehman sami ullah T, Rao AQ, Shahid AA, Hasnain T. Multidimensional roles of flavonoids in background of *Gossypium hirsutum*. *Cogent Food & Agriculture* 4: 1510754, **2018** (WoS/Scopus) <https://doi.org/10.1080/233111932.2018.1510754> (Review)
- 6119.** Gülmez Ö. Reduction of phytotoxic effect of cadmium heavy metal by biomass of edible fungus, *Armillaria tabescens*. *Iranian Journal of Plant Physiology* 10(3), 3265-3272, **2020**. http://ijpp.iau-savah.ac.ir/article_674441_4f7a2bc34824cf26a6c0e8d9ce7c68a1.pdf.

[Tsonev T, Velikova V, Georgieva K, Hyde PF, Jones HG – Low temperature enhances photosynthetic down-regulation in French bean \(*Phaseolus vulgaris* L.\) plants. *Annals of Botany* 91: 343-352, **2003**](#)

- 6120.** Holubowicz R, Bralewski TW Dykas P - Selection of common bean (*Phaseolus vulgaris* L.) for tolerance to low temperatures in the laboratorial conditions. *Bulletin of the University of Agricultural Sciences and Veterinary Medicine, Vol 61 - Horticulture* 61: 26-33. edited by Marghitas, LA. Presented at Symposium on Prospects of the 3rd Millennium Agriculture in Cluj Napoca, Romania, Oct 20-23, **2004**
- 6121.** Holubowicz R, Bralewski TW, Fiebig M, Bocian S - Variability of selected characters of 18 local populations of bean (*Phaseolus* SSP.). *Electronic Journal of Polish Agricultural Universities* 7 (1), **2004**
- 6122.** Martyn A - The physiology and control of bract browning in waratahs (*Telopea* spp.). (Ph.D. Thesis), Faculty of Agriculture, Food and Natural Resources, University of Sydney, Sydney, NSW, Australia, **2004**
- 6123.** Mateo A, Muhlenbock P, Rusterucci C, Chang CCC, Miszalski Z, Karpinska B, Parker JE, Mullineaux PM, Karpinski S - Lesion simulating disease 1 - Is required for acclimation to conditions that promote excess excitation energy. *Plant Physiology* 136 (1): 2818-2830, **2004** (WoS/Scopus)

- 6124.** Bechtold U, Karpinski S, Mullineaux PM - The influence of the light environment and photosynthesis on oxidative signalling responses in plant-biotrophic pathogen interactions. *Plant Cell and Environment* 28 (8): 1046-1055, **2005** ([review](#)) (**WoS/Scopus**)
- 6125.** Calfapietra C, Tulva I, Eensalu E, Perez M, De Angelis P, Scarascia-Mugnozza G, Kull O - Canopy profiles of photosynthetic parameters under elevated CO₂ and N fertilization in a poplar plantation. *Environmental Pollution* 137 (3): 525-535, **2005** (**WoS/Scopus**)
- 6126.** Zhou S, Sauve RJ, Abdulah A - Identification of genes regulated by low temperature in *Pachysandra terminalis* Sieb. et Zucc using cDNA differential display. *HortScience* 40 (7): 1995-1997, **2005** (**WoS/Scopus**)
- 6127.** Mateo A, Funck D, Muhlenbock P, Kular B, Mullineaux PM, Karpinski S - Controlled levels of salicylic acid are required for optimal photosynthesis and redox homeostasis. *Journal of Experimental Botany*, 57 (8): 1795-1807, **2006** (**WoS/Scopus**)
- 6128.** Tambussi EA - Fotosíntesis, Fotoprotección, Productividad Y Estrés Abiótico: Algunos Casos De Estudio - Departament de Biologia Vegetal, Universitat de Barcelona, **2006** ([PhD Thesis](#))
- 6129.** Weng JH, Jhaung LH, Jiang JY, Lai GM, Liao TS - Down-regulation of photosystem 2 efficiency and spectral reflectance in mango leaves under very low irradiance and varied chilling treatments. *Photosynthetica* 44 (2): 248-254, **2006** (**WoS/Scopus**)
- 6130.** Weng JH, Liao TS, Hwang MY, Chung CC, Lin CP, Chu CH - Seasonal variation in photosystem II efficiency and photochemical reflectance index of evergreen trees and perennial grasses growing at low and high elevations in subtropical Taiwan. *Tree Physiology* 26 (8): 1097-1104, **2006** (**WoS/Scopus**)
- 6131.** Zhou SP, Chen FC, Nahashon S, Chen TT - Cloning and characterization of glycolate oxidase and NADH-dependent hydroxypyruvate reductase genes in *Pachysandra terminalis*. *Hortscience* 41 (5): 1226-1230, **2006** (**WoS/Scopus**)
- 6132.** Ferreira LCS, Bressan-Smith R, Elias TF, Silva FF, Viana LH, Oliveira JG - Short-term responses of photosynthetic membrane lipids and photochemical efficiency in plants of *Phaseolus vulgaris* and *Vigna unguiculata* submitted to high irradiance. *Photosynthetica* 45 (1): 23-29, **2007** (**WoS/Scopus**)
- 6133.** Kreslavski VD, Carpentier R, Klimov VV, Murata N, Allakhverdiev SI - Molecular mechanisms of stress resistance of photosynthetic apparatus. *Biologicheskie Membrany* 24 (3): 195-217, **2007** ([review](#))
- 6134.** Luis JC, Martin R, Frias I, Valdes F - Enhanced carnosic acid levels in two rosemary accessions exposed to cold stress conditions. *Journal of Agricultural and Food Chemistry* 55 (20): 8062-8066, **2007** (**WoS/Scopus**)
- 6135.** Vonshak A, Novoplansky N - Acclimation to low temperature of two *Arthrospira platensis* (Cyanobacteria) strains involves down-regulation of PSII and improved resistance to photoinhibition. *Journal of Phycology* 44 (4): 1071-1079, **2008** (**WoS/Scopus**)
- 6136.** Guan X, Gu S - Photorespiration and photoprotection of grapevine (*Vitis vinifera* L. cv. Cabernet Sauvignon) under water stress. *Photosynthetica* 47 (3): 437-444, **2009** (**WoS/Scopus**)
- 6137.** Ishiga Y, Uppalapati SR, Ishiga T, Elavarthi S, Martin B, Bender CL - The phytotoxin coronatine induces light-dependent reactive oxygen species in tomato seedlings. *New Phytologist* 181 (1): 147-160, **2009** (**WoS/Scopus**)
- 6138.** Weng JH, Lai KM, Liao TS, Hwang MY, Chen YN - Relationships of photosynthetic capacity to PSII efficiency and to photochemical reflectance index of *Pinus taiwanensis* through different seasons at high and low elevations of sub-tropical Taiwan. *Trees - Structure and Function* 23 (2): 347-356, **2009** (**WoS/Scopus**)
- 6139.** Zhang L, Jin S-H, Fang W - Characteristics of photosynthesis in four rare ornamental bamboo species. *Journal of Zhejiang University (Agric. & Life Sci.)*, 35(2): 165-172, **2009**
- 6140.** Aslam M, Sinha VB, Singh RK, Anandhan S, Pande V, Ahmed Z - Isolation of cold stress-responsive genes from *Lepidium latifolium* by suppressive subtraction hybridization. *Acta Physiologiae Plantarum* 32 (1): 205-210, **2010** (**WoS/Scopus**)
- 6141.** Savitch LV, Ivanov AG, Krol M, Sprott DP, Öquist G, Huner NPA - Pegulation of energy partitioning and alternative electron transport pathways during cold acclimation of lodgepole pine are oxygen-dependent. *Plant and Cell Physiology* 51 (9): 1555-1570, **2010** (**WoS/Scopus**)
- 6142.** Weng JH, Jhaung LH, Lin RJ, Chen HY - Relationship between photochemical efficiency of photosystem II and the photochemical reflectance index of mango tree: merging data from different illuminations, seasons and leaf colors. *Tree Physiology* 30 (4): 469-478, **2010** (**WoS/Scopus**)
- 6143.** Younis ME, Hasaneen MNA, Abdel-Aziz HMM - Physiological effects of chilling stress on growth and photosynthetic capacity of germinating broad beans. *J Plant Production*, Mansoura Univ., 2 (8), 1091 – 1098, **2011**
- 6144.** Rym BD – Photosynthetic behavior of microalgae in response to environmental factors. In: *Applied Photosynthesis*, (Ed. MM Najafpour), chapter 2, pp. 23-46, InTech, Rijeka, Croatia, **2012** ([book](#))
- 6145.** Rojas-Lillo Y, Alberdi M, Acevedo P, Inostroza-Blancheteau C, Rengel Z, Mora ML, Reyes-Díaz M - Manganese toxicity and UV-B radiation differentially influence the physiology and biochemistry of highbush blueberry (*Vaccinium corymbosum*) cultivars. *Functional Plant Biology* 41(2): 156-167 **2013** <http://dx.doi.org/10.1071/FP12393> (**WoS/Scopus**)
- 6146.** Weng J-H, Wong S-L, Lin R-J, Jhaung L-H - Quantitative effects of temperature and light intensity on PSII efficiency of mango leaves under artificial and natural conditions. *Journal Forest Research* 18(4), 371-378, **2013** (**WoS/Scopus**)

- 6147.** Rojas-Lillo Y, Alberdi M, Acevedo ., Inostroza-Blancheteau C, Rengel Z, Mora MDLL, Reyes-Díaz M. Manganese toxicity and UV-B radiation differentially influence the physiology and biochemistry of highbush blueberry (*Vaccinium corymbosum*) cultivars, *Functional Plant Biology*, 41 (2), 156-167, **2014** (WoS/Scopus)
- 6148.** Sperdouli I, Moustakas M - A better energy allocation of absorbed light in photosystem II and less photooxidative damage contribute to acclimation of *Arabidopsis thaliana* young leaves to water deficit. *Journal of Plant Physiology* 171 (8): 587-593, **2014** (WoS/Scopus)
- 6149.** Wang S., Yi L.-T., Yu S.-Q., Zhang C., Shi J.-J. - Effects of simulating acid rain on photosynthesis and chlorophyll fluorescence parameters of *Quercus glauca*, *Chinese Journal of Applied Ecology*, 25 (8), 2183-2192, **2014**. (WoS/Scopus)
- 6150.** Afzal F, Khan T, Khan A, Khan S, Raza H, Ihsan A, Ahanger MA, Gul Kazi A. Nutrient deficiencies under stress in legumes: An overview. In: *Legumes under Environmental Stress: Yield, Improvement and Adaptations*, First Edition. Eds Mohamed Mahgoub Azooz and Parvaiz Ahmad. © 2015 John Wiley & Sons, Ltd. Published 2015 by John Wiley & Sons, Ltd, pp. 53-65, **2015** (book) (WoS/Scopus)
- 6151.** Allakhverdiev, S. I. (2015). *Photosynthesis: A New Approach to the Molecular, Cellular, and Organismal Levels*. John Wiley & Sons, **2015** (book)
- 6152.** Awasthi R, Bhandari K, Nayyar H. Temperature stress and redox homeostasis in agricultural crops, *Frontiers in Environmental Science*, 3, 11 doi:10.3389/fenvs.2015.00005, **2015** (Review) (WoS/Scopus)
- 6153.** Markovskaya EF, Kosobrykhov AA, Kreslavski VD. Photosynthetic machinery response to low temperature stress, 355-382, In: *Photosynthesis: A New Approach to the Molecular, Cellular, and Organismal Levels* (ed. Suleyman I. Allakhverdiev), John Wiley & Sons, **2015** (book)
- 6154.** Francis R, Gopalan GP, Sivasdas A, Joy N. Properties of stimuli-responsive polymers. In: *Biomedical Applications of Polymeric Materials and Composites* (Raju Francis, D. Sakthi Kumar, Eds.), Chapter 8, pp. 187-231, **2016**. <https://doi.org/10.1002/9783527690916.ch8>. (BOOK) (WoS/Scopus)
- 6155.** Inostroza-Blancheteau C, Acevedo P, Loyola R, Arce-Johnson P, Alberdi M, Reyes-Díaz M - Short-term UV-B radiation affects photosynthetic performance and antioxidant gene expression in highbush blueberry leaves. *Plant Physiology and Biochemistry* 107, 301-309, **2016**, DOI: 10.1016/j.plaphy.2016.06.019 (WoS/Scopus)
- 6156.** Pollastrini M, Holland V, Brüggemann W, Bruehlheide H, Danila I, Jaroszewicz B, Valladares F, Bussotti F – Taxonomic and ecological relevance of the chlorophyll a fluorescence signature of tree species in mixed European forests. *New Phytologist* 212(1), 51-65, **2016**, (WoS/Scopus) doi: 10.1111/nph.14026,
- 6157.** Bhandari K, Sharma KD, Rao BH, Siddique KHM, Gaur P, Agrawal SK, Nair RM, Nayyar H - Temperature sensitivity of food legumes: a physiological insight. *Acta Physiol Plantarum* 39: 68, **2017** doi:10.1007/s11738-017-2361-5 (WoS/Scopus)
- 6158.** Leman AM, Shamsuri MMS, Hariri A, Kadir AA, Idris AF, Afandi A. Correlation between plant physiology and CO₂ removable, 3rd Electronic and Green Materials International Conference, AIP Conference Proceedings 1885, 020009, 1-7, **2017** (WoS/Scopus)
- 6159.** Byun MY, Cui LH, Lee J, Park H, Lee A, Kim WT and Lee H. Identification of rice genes associated with enhanced cold tolerance by comparative transcriptome analysis with two transgenic rice plants overexpressing dachf4 or dachf7, isolated from antarctic flowering plant *Deschampsia antarctica*. *Frontiers in Plant Science* 9:601, **2018**, doi: 0.3389/fpls.2018.00601 (WoS/Scopus)
- 6160.** Marchiori NM, Silva JG, Santos FC, Domingues LM, Freitas HC, Rocha HR, Camargo PB, Aida MPM. Effects of seasonal air temperatures and light on leaf traits at atlantic montane forest, brazilian southeast. *Cerne* 25(3):263-72, **2019**, DOI:10.1590/01047760201925032625. (WoS/Scopus)
- 6161.** Lara I, Drincovich MF, Beckles DM, Cao S. Editorial: Physiological, molecular and genetic perspectives of chilling tolerance in horticultural crops. *Frontiers in Plant Science* 11, art. number 602144, **2020**. <https://doi.org/10.3389/fpls.2020.602144>. (WoS/Scopus)
- 6162.** Maslennikov P, Golovina E, Artemenko A. Ecological and geochemical conditions for the accumulation of antioxidants in the leaves of *Lathyrus maritimus* (L.) Bigel. *Plants* 9(6), 746, **2020**. <https://doi.org/10.3390/plants9060746>. (WoS/Scopus)
- 6163.** Ruibal C, Castro A, Fleitas AL, Quezada J, Quero G, Vidal S. A chloroplast COR413 protein from *Physcomitrella patens* is required for growth regulation under high light and aba responses. *Frontiers in Plant Science* 11, art. 845, **2020**. <https://doi.org/10.3389/fpls.2020.00845>. (WoS/Scopus)
- 6164.** Hassanein RA, Hussein OS, Abdelkader AF, Farag IA, Hassan YE, Ibrahim M. Metabolic activities and molecular investigations of the ameliorative impact of some growth biostimulators on chillingstressed coriander (*Coriandrum sativum* L.) plant. *BMC Plant Biology* 21, art. number 361, **2021**. <https://doi.org/10.1186/s12870-021-03021-6>. (WoS/Scopus)
- 6165.** Bhattacharya A. Effect of low temperature stress on photosynthesis and allied traits: A Review. In: *Physiological Processes in Plants Under Low Temperature Stress*. Springer, Singapore. pp. 199-297, **2022** https://doi.org/10.1007/978-981-16-9037-2_3. (WoS/Scopus) [BOOK]
- 6166.** Younis MEI-B, Hasaneen MNA-G, Abdel-Aziz HMM. Chapter 7 - Salicylic acid and ascorbic acid as mitigators of chilling stress in plants. In: Ghorbanpour M, Shahid MA (Eds), *Plant Stress Mitigators*. Academic Press. Pp. 115-126, **2023**. ISBN 9780323898713. <https://doi.org/10.1016/B978-0-323-89871-3.00012-4>. [BOOK]

- 6167.** Hamdia M Abd El-Samad, Shaddad MAK, Doaa MM - Mechanisms of salt tolerance and interactive effects of *Azospirillum brasilense* inoculation on maize cultivars grown under salt stress conditions. *Plant Growth Regulation* 44, 165–174, **2004 (WoS/Scopus)**
- 6168.** Asch F - Pflanzliche Reaktionen auf abiotischen Stress unter veränderlichen Umweltbedingungen. Friedrich-Wilhelms-Universität Bonn, **2005 (PhD Thesis)**
- 6169.** Folkard Asch - Pflanzliche reaktionen auf abiotischen stress unter veränderlichen Umweltbedingungen. Kumulative Habilitationsschrift für das Fachgebiet Pflanzenphysiologie/Agrarökologie, Landwirtschaftliche Fakultät der Rheinischen Friedrich-Wilhelms-Universität Bonn, **2005 (PhD Thesis)**
- 6170.** Oo HH, Araki T, Kubota F - Effects of drought and flooding stresses on growth and photosynthetic activity of mungbean, *Vigna radiata* (L.) Wilczek, cultivars. *Journal of the Faculty of Agriculture Kyushu University* 50 (2), pp. 533-542, **2005 (WoS/Scopus)**
- 6171.** Shao HB, Liang ZS, Shao MA, Sun Q - Dynamic changes of anti-oxidative enzymes of 10 wheat genotypes at soil water deficits. *Colloids and Surfaces B: Biointerfaces* 42, 187–195, **2005 (WoS/Scopus)**
- 6172.** Shao HB, Liang ZS, Shao MA, Sun SM, Hu ZM - Investigation on dynamic changes of photosynthetic characteristics of 10 wheat (*Triticum aestivum* L.) genotypes during two vegetative-growth stages at water deficits. *Colloids and Surfaces B: Biointerfaces* 43 (3-4): 221-227, **2005 (WoS/Scopus)**
- 6173.** Shao HB, ZS Liang, MA Shao, BC Wang - Changes of anti-oxidative enzymes and membrane peroxidation for soil water deficits among 10 wheat genotypes at seedling stage. *Colloids and Surfaces B: Biointerfaces* 42 (2): 107-113, **2005 (WoS/Scopus)**
- 6174.** Shao H-B, Liang Z-S, Shao M-A - Changes of anti-oxidative enzymes and MDA content under soil water deficits among 10 wheat (*Triticum aestivum* L.) genotypes at maturation stage. *Colloids and Surfaces B: Biointerfaces* 45 (1), 7-13, **2005 (WoS/Scopus)**
- 6175.** Zaman B, Niazi BH, Athar M, Ahmad M - Response of wheat plants to sodium and calcium ion interaction under saline environment. *International Journal of Environmental Science and Technology* 2(1): 7-12, **2005**
- 6176.** Zlatev Z, Lidon FC – Effects of water deficit on plant growth, water relations and photosynthesis. *Biologia Vegetal E Agro-industrial* 2: 235-252, **2005 (review)**
- 6177.** Hu Y-C, Shao H-B, Chu L-Y, Gang W - Relationship between water use efficiency (WUE) and production of different wheat genotypes at soil water deficit. *Colloids and Surfaces B: Biointerfaces* 53 (2): 271-277, **2006 (WoS/Scopus)**
- 6178.** Klamkowski K, Treder W - Morphological and physiological responses of strawberry plants to water stress. *Agriculturae Conspectus Scientificus* 71(4): 159-165, **2006**
- 6179.** Marchand FL, Verlinden M, Kockelbergh F, Graae BJ, Beyens L, Nij I - Disentangling effects of an experimentally imposed extreme temperature event and naturally associated desiccation on Arctic tundra. *Functional Ecology* 20 (6): 917-928, **2006 (WoS/Scopus)**
- 6180.** Pandhair V, Sekhon BS - Reactive oxygen species and antioxidants in plants: An overview. *Journal of Plant Biochemistry and Biotechnology* 15 (2): 71-78, **2006 (WoS/Scopus)**
- 6181.** Shao HB, Chen XY, Chu LY, Zhao XN, Wu G, Yuan YB, Zhao CX, Hu ZM - Investigation on the relationship of proline with wheat anti-drought under soil water deficits. *Colloids and Surfaces B: Biointerfaces* 53 (1): 113-119, **2006 (WoS/Scopus)**
- 6182.** Shao HB, Liang ZS, Shao MA - Osmotic regulation of 10 wheat (*Triticum aestivum* L.) genotypes at soil water deficits. *Colloids and Surfaces B: Biointerfaces* 47 (2): 132-139, **2006 (WoS/Scopus)**
- 6183.** Alberdi M, Alvarez M, Valenzuela E, Godoy R, Olivares E, Barrientos M - Response to water deficit of *Nothofagus dombeyi* plants inoculated with a specific (*Descolea antarctica* Sing) and non-specific (*Pisolithus tinctorius* (Pers.) Coker & Couch) ectomycorrhizal fungi. *Revista Chilena de Historia Natural* 80 (4): 479-491, **2007 (WoS/Scopus)**
- 6184.** Shao H-B, Chu L-Y, Wu G, Zhang J-H, Lu Z-H, Hu Y-C - Changes of some anti-oxidative physiological indices under soil water deficits among 10 wheat (*Triticum aestivum* L.) genotypes at tillering stage. *Colloids and Surfaces B: Biointerfaces* 54 (2): 143-149, **2007 (WoS/Scopus)**
- 6185.** Toumi I, M'Sehli W, Bourgou S, Jallouli N, Bensalem-Fnayou A, Ghorbel A, Mliki A - Response of ungrafted and grafted grapevine cultivars and rootstocks (*Vitis* sp.) to water stress. *Journal International des Sciences de la Vigne et du Vin* 41 (2): 85-93, **2007 (WoS/Scopus)**
- 6186.** Turan MA, Katkat V, Taban S - Salinity-induced stomatal resistance, proline, chlorophyll and ion concentrations of bean. *International Journal of Agricultural Research* 2 (5): 483-488, **2007**
- 6187.** Turan MA, Katkat V, Taban S - Variations in proline, chlorophyll and mineral elements contents of wheat plants grown under salinity stress. *Journal of Agronomy* 6 (1): 137-141, **2007**
- 6188.** Zhang YP, Nan ZB - Growth and anti-oxidative systems changes in *Elymus dahuricus* is affected by *Neotyphodium* endophyte under contrasting water availability. *Journal of Agronomy and Crop Science* 193 (6): 377-386, **2007 (WoS/Scopus)**
- 6189.** Anjum NA, Umar S, Iqbal M, Khan NA - Growth characteristics and antioxidant metabolism of moongbean genotypes differing in photosynthetic capacity subjected to water deficit stress. *Journal of Plant Interactions* 3(2): 127-136, **2008 (WoS/Scopus)**
- 6190.** Camacho IP, Gonzalez Hernandez VA, Molina Moreno JC, Ayala Garay OJ, Pena Lomeli A - Efecto de desarrollo y secado de semillas de *Physalis ixocarpa* Brot en germinación, vigor y contenido de azúcares. *Interciencia* 33 (10), 762-766, **2008**

- 6191.** Demirevska K, Simova-Stoilova L, Vassileva V, Vaseva I, Grigorova B, Feller U - Drought-induced leaf protein alterations in sensitive and tolerant wheat varieties. *Gen Appl Plant Physiology* Special Issue 34 (1-2): 79-102, **2008**
- 6192.** Gregory J - Soil moisture responses in traditional and drought adapted landscapes in the intermountain west. Utah State University **2008** (*Master Thesis*)
- 6193.** Gunes A, Pilbeam DJ, Inal A, Coban S - Influence of silicon on sunflower cultivars under drought stress, I: Growth, antioxidant mechanisms, and lipid peroxidation. *Communications in Soil Science and Plant Analysis* 39 (13-14): 1885-1903, **2008** (**WoS/Scopus**)
- 6194.** Klamkowski K, Treder W - Response to drought stress of three Strawberry cultivars grown under greenhouse conditions. *Journal of Fruit and Ornamental Plant Research* 16, 179-188, **2008**
- 6195.** Kosturkova G, Todorova R, Sakthivelu G, Akitha Devi MK, Giridhar P, Rajasekaran T, Ravishankar GA - Response of bulgarian and indian soybean genotypes to drought and water deficiency in field and laboratory conditions. *Gen Appl Plant Physiol*, Spec. Issue 34 (3-4), 239-250, **2008**
- 6196.** Landjeva S, Korzun V, Stoimenova E, Truberg B, Ganeva G, Börner A - The contribution of the gibberellin-insensitive semi-dwarfing (Rht) genes to genetic variation in wheat seedling growth in response to osmotic stress. *Journal of Agricultural Science* 146 (3): 275-286, **2008** (**WoS/Scopus**)
- 6197.** Landjeva S, Neumann K, Lohwasser U, Börner A - Molecular mapping of genomic regions associated with wheat seedling growth under osmotic stress. *Biologia Plantarum* 52 (2): 259-266, **2008** (**WoS/Scopus**)
- 6198.** Sharma S, Sharma N - Rootstock affects growth, K⁺ uptake, antioxidant enzyme activity, and endogenous cytokinin levels of 'Flemish Beauty' pear during water stress conditions. *Advances in Horticultural Science* 22 (1): 43-48, **2008**
- 6199.** Upadhyaya H, Panda SK, Dutta BK - Variation of physiological and antioxidative responses in tea cultivars subjected to elevated water stress followed by rehydration recovery. *Acta Physiologiae Plantarum* 30 (4): 457-468, **2008** (**WoS/Scopus**)
- 6200.** Златев Зл. - Влияние на почвеното засушаване върху хлорофилната флуоресценция в листа от слънчоглед (*Helianthus annuus* L.) - *Растениевъдни науки* 45: 488-491, **2008**
- 6201.** Cha-Um S, Thadavong S, Kirdmanee C - Effects of mannitol induced osmotic stress on proline accumulation, pigment degradation, photosynthetic abilities and growth characters in C3 rice and C4 sorghum. *Frontiers of Agriculture in China* 3 (3): 266-273, **2009**
- 6202.** Efeoglu B, Ekmekci Y, Cicek N - Physiological responses of three maize cultivars to drought stress and recovery. *South African Journal of Botany* 75 (1), 34-42, **2009** (**WoS/Scopus**)
- 6203.** Fariduddin Q, Khanam S, Hasan SA, Ali B, Hayat S, Ahmad A - Effect of 28-homobrassinolide on the drought stress-induced changes in photosynthesis and antioxidant system of *Brassica juncea* L. *Acta Physiologiae Plantarum* 31 (5), 889-897, **2009** (**WoS/Scopus**)
- 6204.** Machado RS, Ribeiro RV, Marchiori PER, Machado DF, Machado EC, Landell MGA - Respostas biométricas e fisiológicas ao deficit hídrico em cana-de-açúcar em diferentes fases fenológicas. *Pesquisa Agropecuária Brasileira* 44 (12), **2009** (**WoS/Scopus**)
- 6205.** Zlatev Z - Drought-induced changes in chlorophyll fluorescence of young wheat plants. *Biotechnol. & biotechnol. Eq.* 23/2009/se, special edition/on-line. *XI Anniversary Scientific Conference, 120 years of Academic Education in Biology 45 years Faculty of Biology*, 438-441, **2009**
- 6206.** Adams T - Functional genomic and physiological approaches to improving cotton production in water-limiting environments. Texas Tech University **2010**, *PhD Thesis*
- 6207.** Cha-um S, Takabe T, Kirdmanee C - Osmotic potential, photosynthetic abilities and growth characters of oil palm (*Elaeis guineensis* Jacq.) seedlings in responses to polyethylene glycol-induced water deficit. *African Journal of Biotechnology* 9(39): 6509-6516, **2010**
- 6208.** Khan MA, Ashraf MY, Mujtaba SM, Shirazi MU, Khan MA, Shereen A, Mumtaz S, Siddiqui MA, Kaleri GM - Evaluation of high yielding canola type *Brassica* genotypes/ mutants for drought tolerance using physiological indices as screening tool. *Pak J Bot* 42(6): 3807-3816, **2010** (**WoS/Scopus**)
- 6209.** Zhou Q, Yu B - Changes in content of free, conjugated and bound polyamines and osmotic adjustment in adaptation of vetiver grass to water deficit. *Plant Physiology and Biochemistry* 48 (6): 417-425, **2010** (**WoS/Scopus**)
- 6210.** Zlatev Z, Vassilev A, Goltsev V, Popov G - Drought-induced changes in chlorophyll fluorescence of young bean plants, *Agricultural Sciences* (Agr. Univ. – Plovdiv), 2, 4, 75-79, **2010**
- 6211.** Попов Г, Златев Зл – Функционална активност на фотосинтетичния апарат на фасул в условия на засушаване. *Научни Трудове на Agr. У-т – Пловдив*, LV(3): 169-174, **2010**
- 6212.** Aly AA, Latif HH - Differential effects of paclobutrazol on water stress alleviation through electrolyte leakage, phytohormones, reduced glutathione and lipid peroxidation in some wheat genotypes (*Triticum aestivum* L.) grown in-vitro. *Romanian Biotechnological Letters* 16 (6): 6710-6721, **2011**
- 6213.** Anjum SA, Wang LC, Farooq M, Hussain M, Xue LL, Zou CM - Brassinolide application improves the drought tolerance in maize through modulation of enzymatic antioxidants and leaf gas exchange. *Journal of Agronomy and Crop Science* 197 (3): 177-185, **2011** (**WoS/Scopus**)
- 6214.** Barakat NAM - Oxidative stress markers and antioxidant potential of wheat treated with phytohormones under salinity stress. *Journal of Stress Physiology & Biochemistry* 7 (4): 250-267, **2011**

- 6215.** Chen Y, Chen Y, Xu C, Li W - Groundwater depth affects the daily course of gas exchange parameters of *Populus euphratica* in arid areas. *Environmental Earth Sciences* **2011**, DOI: 10.1007/s12665-011-1250-2 (WoS/Scopus)
- 6216.** de Carvalho RC, Cunha A, da Silva JM - Photosynthesis by six Portuguese maize cultivars during drought stress and recovery. *Acta Physiologiae Plantarum* 33 (2): 359-374, **2011** (WoS/Scopus)
- 6217.** Fulda S, Mikkat S, Stegmann H, Horn R - Physiology and proteomics of drought stress acclimation in sunflower (*Helianthus annuus* L.). *Plant Biology* 13 (4), 632-642, **2011** (WoS/Scopus)
- 6218.** Houshmand S, Abasalipour H, Tadayyon A, Zinali H - Evaluation of four chamomile species under late season drought stress. *International Journal of Plant Production* 5 (1): 9-23, **2011** (WoS/Scopus)
- 6219.** Luo Y, Zhao X, Zhou R, Zuo X, Zhang J, Li Y - Physiological acclimation of two psammophytes to repeated soil drought and rewetting. *Acta Physiologiae Plantarum* 33 (1): 79-91, **2011** (WoS/Scopus)
- 6220.** Moosavi SGR, Seghatoleslami MJ, Javadi H, Ansari-Nia E - Effect of irrigation intervals and planting patterns on yield and qualitative traits of forage sorghum. *Advances in Environmental Biology* 5(10): 3363-3368, **2011**
- 6221.** Qayyum A - Molecular and Physiological Evaluation of Wheat Cultivars for Drought Tolerance, **PhD Thesis**, Arid Agriculture University Rawalpindi, Pakistan, **2011**
- 6222.** Sengupta D, Reddy AR - Water deficit as a regulatory switch for legume root responses. *Plant Signaling and Behavior* 6(6): 914-917, **2011** (WoS/Scopus)
- 6223.** Anosheh HP, Emam Y, Ashraf M, Foolad MR - Exogenous application of salicylic acid and chlormequat chloride alleviates negative effects of drought stress in wheat. *Advanced Studies in Biology* 4 (11): 501-520, **2012**
- 6224.** Ardestani HG, Rad AHS - Impact of regulated deficit irrigation on the physiological characteristics of two rapeseed varieties as affected by different potassium rates. *African Journal of Biotechnology* 11(24): 6510-6519, **2012**
- 6225.** Arshi A, Ahmad A, Aref IM, Iqbal M - Comparative studies on antioxidant enzyme action and ion accumulation in soybean cultivars under salinity stress. *Journal of Environmental Biology* 33 (1): 9-20, **2012** (WoS/Scopus)
- 6226.** Benešová M, Holá D, Fischer L, Jedelský PL, Hnilička F, et al. The physiology and proteomics of drought tolerance in maize: early stomatal closure as a cause of lower tolerance to short-term dehydration? *PLoS ONE* 7(6): e38017, **2012**, doi:10.1371/journal.pone.0038017 (WoS/Scopus)
- 6227.** Cai XY, Starman T, Niu GH, Hall C, Lombardini L - Response of selected garden roses to drought stress. *Hortscience* 47(8): 1050-1055, **2012** (WoS/Scopus)
- 6228.** Castaneda-Saucedo MC, Delgado-Alvarado A, Cordova-Tellez L, Gonzalez-Hernandez VA, Tapia-Campos E, Santacruz-Varela A, Vazquez-Carrillo MG, Garcia-de los Santos G - Changes in carbohydrate concentration in leaves, pods and seeds of dry bean plants under drought stress. *Interciencia* 37 (3): 168-175, **2012** (WoS/Scopus)
- 6229.** Cauş M, Brandt C, Eichler-Loebermann B - Combined effects of drought and phosphorous deficiency on physiological and biochemical indices of soybean plants. *Lucrări Ştiinţifice* 55, Supliment/2012, seria Agronomie, 11-14, **2012**
- 6230.** Chen YP, Chen YN, Xu CC, Li WH - Groundwater depth affects the daily course of gas exchange parameters of *Populus euphratica* in arid areas. *Environmental Earth Sciences* 66(2):433-440, **2012** (WoS/Scopus)
- 6231.** Flood J - Water management in Neopalatial Crete and the development of the mediterranean climate. The University of North Carolina - **2012**, **PhD Thesis**
- 6232.** Linke R - Ch.7. Drought stress and the need for drought stress sensing in a world of global climate change In: *Irrigation Systems and Practices in Challenging Environments* (Teang Shui Lee, Ed.). InTech, pp. 114-178, **2012** (book)
- 6233.** Liu YF, Qi MF, Li TL - Photosynthesis, photoinhibition, and antioxidant system in tomato leaves stressed by low night temperature and their subsequent recovery. *Plant Science* 196: 8-17, **2012** (WoS/Scopus)
- 6234.** Rahdari P, Hoseini SM - Drought Stress: A **Review**. *International journal of Agronomy and Plant Production* 3 (10): 443-446, **2012**
- 6235.** Rahdari P, Hosseini SM, Tavakoli S - The studying effect of drought stress on germination, proline, sugar, lipid, protein and chlorophyll content in purslane (*Portulaca oleracea* L.) leaves. *Journal of Medicinal Plants Research* 6(9): 1539-1547, **2012**
- 6236.** Rahdari P, Tavakoli S, Hosseini SM - Studying of salinity stress effect on germination, proline, sugar, protein, lipid and chlorophyll content in purslane (*Portulaca oleracea* L.) leaves. *Journal of Stress Physiology & Biochemistry* 8 (1), 182-193, **2012**
- 6237.** Raheleh R, Ramazanali KN, Ali G, Abdolreza B, Farzaneh N, Masoud R - Use of biochemical indices and antioxidant enzymes as a screening technique for drought tolerance in Chickpea genotypes (*Cicer arietinum* L.). - *African Journal of Agricultural Research* 7 (39): 5372-5380, **2012** (WoS/Scopus)
- 6238.** Wang ZX, Chen L, Ai J, Qin HY, Liu YX, Xu PL, Jiao ZQ, Zhao Y, Zhang QT - Photosynthesis and activity of photosystem II in response to drought stress in Amur Grape (*Vitis amurensis* Rupr.). *Photosynthetica* 50(2): 189-196, **2012** (WoS/Scopus)
- 6239.** Zlatev Z, Lidon FC - An overview on drought induced changes in plant growth, water relations and photosynthesis. *Emir. J. Food Agric.* 24 (1): 57-72, **2012** (review) (WoS/Scopus)

- 6240.** Ali HM, Siddiqui MH, Al-Whaibi MH, Basalah MO, Sakran AM, El-Zaidy M - Effect of proline and abscisic acid on the growth and physiological performance of faba bean under water stress. *Pak J Bot* 45(3): 933-940, **2013 (WoS/Scopus)**
- 6241.** Brestic M, Zivcak M –PSII fluorescence techniques for measurement of drought and high temperature stress signal in crop plants: protocols and applications. In: (GR Rout and AB Das, Eds.), *Molecular Stress Physiology of Plants*, DOI 10.1007/978-81-322-0807-5_4, Springer India, Chapter 4: pp. 87-131, **2013 (book) (WoS/Scopus)**
- 6242.** Chakovari SZ, Gasimov N - The effect of drought stress on nutrition elements like nitrogen, phosphor, sulfur, potassium and growth of *Borage officinalis* L. at hydroponic conditions. *International Journal of Agronomy and Plant Production* 4 (9): 2141-2146, **2013**
- 6243.** de Almeida CMA, Silva TD, Malafaia CB, Amaral DOJ, Arruda IR, de Brito GG, Donato VMTS, da Silva MV, Correia MT - Proteomic and physiological analysis of response to water deficit in sugarcane. *Wudpecker Journal of Agricultural Research* 2 (1): 001 - 007, **2013**
- 6244.** El-Samad H.M.A., Barakat N.A.M. - The physiological mechanisms of calcium chloride application on broad bean plants grown under salinity stress, *Journal of Ecology and the Natural Environment*, 5(12), 371-377, **2013**.
- 6245.** Ghanbari Zarmehri S, Moosavi SG, Zabihi HR, Seghateslami MJ - The effect of plant growth promoting rhizobacteria (PGPR) and zinc fertilizer on forage yield of maize under water deficit stress conditions. *Technical Journal of Engineering and Applied Sciences*, 3 (23), 3281-3290, **2013**
- 6246.** Grzesiak S, Grzesiak MT, Hura T, Marcinska I, Rzepka A - Changes in root system structure, leaf water potential and gas exchange of maize and triticale seedlings affected by soil compaction. *Environmental and Experimental Botany* 88 Special Issue: SI: 2-10, DOI: 10.1016/j.envexpbot.2012.01.010, **2013 (WoS/Scopus)**
- 6247.** Habibi G, Hajiboland R - Alleviation of drought stress by silicon supplementation in pistachio (*Pistacia vera* L.) plants. *Folia Horticulturae* 25 (1): 21-29, **2013 DOI: 10.2478/fhort-2013-0003 (WoS/Scopus)**
- 6248.** Irianto, Budiyati Ichwan, dan Mapegau - Aplikasi Cycocel dalam Pengendalian Getah Kuning Buah Manggis (*Garcinia mangostana* L.) pada Lahan Kering (Cycocel Application for Yellow Latex Control of Mangosteen Fruit (*Garcinia mangostana* L.) on Dry Land). *Jurnal Lahan Suboptimal* 2 (2): 111-117, **2013**
- 6249.** Khan SM, Ahmad SS, Erum S, Wahid A, Nawaz M - An assessment of vegetation dominance against moisture stress in changa manga forest, *Pak. J. Bot.*, 45(6), 1939-1944, **2013 (WoS/Scopus)**
- 6250.** Leufen G, Noga G, Hunsche M - Physiological response of sugar beet (*Beta vulgaris*) genotypes to a temporary water deficit, as evaluated with a multiparameter fluorescence sensor. *Acta Physiologiae Plantarum* 35(6), 1763-1774, **2013 (WoS/Scopus)**
- 6251.** Maleki A, Naderi A, Naseri R, Fathi A, Bahamin S, Maleki R - Physiological performance of soybean cultivars under drought stress. *Bulletin of Environment Pharmacology and Life Sciences* 2 (6), 38-44, **2013**
- 6252.** Mostofa KMG, Liu C, Pan X, Vione D, Minakata D, Gao K, Sakugawa H, Komissarov GG - Photosynthesis in Nature: A New Look. In: *Environmental Science and Engineering, Photobiogeochemistry of Organic Matter - Principles and Practices in Water Environments* (Editors: Khan M.G. Mostofa, Takahito Yoshioka, Abdul Mottaleb, Davide Vione): pp 561-686, Springer, **2013 (book)**
- 6253.** Munawarti A, Taryono, Semiarti E, Holford P, Sismindari - Tolerance of accessions of glagah (*Saccharum spontaneum*) to drought stress and their accumulation of proline. *American Journal of Agricultural and Biological Sciences* 8 (1): 1-11, **2013**
- 6254.** Nezhadahmadi A, Prodhan ZH, Faruq G - Drought tolerance in wheat. *The Scientific World Journal*, 1-17, **2013, ISSN: 1537-744X (Online), doi:10.1155/8086. (review) (WoS/Scopus)**
- 6255.** Nguyen TX, Nguyen T, Alameldin H, Goheen B, Loescher W, Sticklen M - Transgene pyramiding of the HVA1 and mtID in T3 maize (*Zea mays* L.) plants confers drought and salt tolerance, along with an increase in crop biomass. *International Journal of Agronomy* Article ID 598163, 10 pages, <http://dx.doi.org/10.1155/2013/598163>, **2013 (WoS/Scopus)**
- 6256.** Riaz A, Younis A, Taj AR, Karim A, Tariq U, Munir S, Riaz S - Effect of drought stress on growth and flowering of marigold (*Tagetes erecta* L.). *Pak J Bot* 45 (S1): 123-131, **2013 (WoS/Scopus)**
- 6257.** Ribeiro RV, Machado RS, Machado EC, Machado DFSP, Magalhães Filho JR, Landell MGA - Revealing drought-resistance and productive patterns in sugarcane genotypes by evaluating both physiological responses and stalk yield. *Experimental Agriculture* 49 (2): 212-224, [doi:10.1017/S0014479712001263](http://dx.doi.org/10.1017/S0014479712001263), **2013 (WoS/Scopus)**
- 6258.** Saleem A.R., Mahmood T., Waqar-un-Nisa, Aslam M.- Emission and role of biogenic volatile organic compounds in biosphere, *Science Vision*, 19 (182), 69-77, **2013 (Review)**.
- 6259.** Shaddad MAK, Abd El-Samad HM, Mostafa D - Role of gibberellic acid (GA3) in improving salt stress tolerance of two wheat cultivars. *International Journal of Plant Physiology and Biochemistry* 5(4): 50-57, **2013**
- 6260.** Signorelli S, Corpas FJ, Borsani O, Barroso JB, Monza J - Water stress induces a differential and spatially distributed nitro-oxidative stress response in roots and leaves of *Lotus japonicus*. *Plant Science* 201: 137-146, DOI: 10.1016/j.plantsci.2012.12.004, **2013 (WoS/Scopus)**
- 6261.** Taha MH, Abdallah MM, Abd El-Monem AA - Improving salinity tolerance and yield of barley (*Horde vulgare* L.) plants using arginine. *International Journal of Academic Research* 5(5): 105-113, **2013**
- 6262.** Verlinden M, Van Kerkhove A, Nijs I - Effects of experimental climate warming and associated soil drought on the competition between three highly invasive West European alien plant species and native counterparts. *Plant Ecology* 214 (2): 243-254, **2013 (WoS/Scopus)**

- 6263.** Zlatev ZS - Drought-induced changes and recovery of photosynthesis in two bean cultivars (*Phaseolus vulgaris* L.), *Emirates Journal of Food and Agriculture* 25 (12), 1014-1023, **2013 (WoS/Scopus)**
- 6264.** Alyemeni M.N., Al-Quwaiz S.M. - Effect of 28-homobrassinolide on the drought induced changes in the seeds of *Vigna radiata*, *Legume Research*, 37 (5), 515-519, **2014. (WoS/Scopus)**
- 6265.** Bratanova-Doncheva S. - Photosystem II activity in drought and high light conditions of *Castanea sativa* Mill. Saplings, *II European Congress On Chestnut Book Series: Acta Horticulturae* 1043, 191-198, **2014. (WoS/Scopus)**
- 6266.** Contin DR, Soriani HH, Hernández I, Furriel RPM, Munné-Bosch S, Martínez CA - Antioxidant and photoprotective defenses in response to gradual water stress under low and high irradiance in two Malvaceae tree species used for tropical forest restoration. *Trees* 28(6), 1705-1722, **2014, DOI 10.1007/s00468-014-1079-x (WoS/Scopus)**
- 6267.** El Habbasha S.F., Mekki B.B. - Amelioration of the growth, yield and chemical constituents of canola plants grown under salinity stress condition by exogenous application of proline, *International Journal of Advanced Research* 2 (11), 501-508, **2014.**
- 6268.** Elobeid MM - Physiological response of eucalyptus camaldulensis seedlings under water deficit conditions. *International Journal of Plant, Animal and Environmental Sciences* 4 (1), 337-342, **2014**
- 6269.** El-Shora HM, Abd El-Gawad AM. Evaluation of allelopathic effect of white lupin (*Lupinus termis* L.) leaf extract on the biochemical dynamics of common purslane (*Portulaca oleracea* L.). *Egypt. J. Bot.*, 54, 2, 317-332, **2014 (WoS/Scopus)**
- 6270.** Jha U.C., Chaturvedi S.K., Bohra A., Basu P.S., Khan M.S., Barh D. - Abiotic stresses, constraints and improvement strategies in chickpea, *Plant Breeding*, 133, 163-178, **2014 (WoS/Scopus)**
- 6271.** Kazemeini SA, Bahrani MJ, Pirasteh-Anosheh H, Momeni SMM - Maize growth and yield as affected by wheat residues and irrigation management in a no-tillage system. *Archives of Agronomy and Soil Science*. 60 (11), 1543-1552, **2014 (WoS/Scopus)**
- 6272.** Munawarti A., Taryono, Semiarti E., Sisindari - Morphological and biochemical responses of glagah (*Saccharum spontaneum* L.) accessions to drought stress, *Journal of Tropical Life Science*, 4 (1), 61-66, **2014. (WoS/Scopus)**
- 6273.** Muñoz NC. Fisiología de Plántulas de *Pinus leiophylla* sometidas a estrés hídrico. Montecillo, Texcoco, Edo. De México, **2014.**
- 6274.** Nilanthi D, Ranawake AL, Senadhipathy DD - Effects of water stress on the growth and reproduction of black gram (*Vigna mungo* L.). *Tropical Agricultural Research & Extension* 17(1), 45-48, **2014**
- 6275.** Priwitzer T, Kurjak D, Kmet' J, Sitková Z, Leštianska A - Photosynthetic response of European beech to atmospheric and soil drought. *Lesnický Časopis Forestry Journal (Lesn. Cas. For. J.)* 60, 31-37, **2014**
- 6276.** Radácsi P. Az eltérő vízellátás hatása a kerti bazsalikom (*Ocimum basilicum* L.) és az egyéves borsfű (*Satureja hortensis* L.) élettani, produkcióbíológiai és beltartalmi jellemzőire. **PhD Thesis**. Corvinus University of Budapest, Horticultural Science, Medical - Department of Plants and Aroma, **2014.**
- 6277.** Saengsanga T - PGPR: The role in promoting and protecting plant under stress conditions. *Journal of Science and Technology* 22 (4), 553-570, **2014**
- 6278.** Tabassam MAR, Hussain M, Sami A, Shabbir I, Bhutta MAN, Mubusher M, Ahmad S - Impact of drought on the growth and yield of wheat. *Scientia Agriculturae* 3 (1), 11-18, **2014**
- 6279.** Tripathi P, Rabara RC, Rushton PJ - A systems biology perspective on the role of WRKY transcription factors in drought responses in plants. *Planta* 239(2): 255-266, **2014 (review) (WoS/Scopus)**
- 6280.** Vieira G.H.S., Mantovani E.C, Sediyaama G.C., Delazari F.T. - Productivity and industrial yield of sugarcane as a function of irrigation depths, *Bioscience Journal* 30 (3), Suppl 1, 55-64, **2014 (WoS/Scopus)**
- 6281.** Yang P-M, Huang Q-C, Qin G-Y, Zhao SP, Zhou JG. Different drought-stress responses in photosynthesis and reactive oxygen metabolism between autotetraploid and diploid rice, *Photosynthetica* 52 (2), 193-202, **2014 (WoS/Scopus)**
- 6282.** Yang W, Yin Y, Jiang W, Peng D, Yang D, Cui Y, Wang Z - Severe water deficit-induced ethylene production decreases photosynthesis and photochemical efficiency in flag leaves of wheat. *Photosynthetica* 52 (3), 341-350, **2014, DOI: 10.1007/s11099-014-0037-6 (WoS/Scopus)**
- 6283.** Abrokwan OA. Screening of maize (*Zea mays* L.) inbred lines for tolerance to drought, **PhD Thesis**, Kwame Nkrumah University of Science and Technology - Kumasi - Ghana, Department of Crops and Soil Sciences, **2015**
- 6284.** Aghanejad M, Mahfoozi S, Sharghi Y. Effects of late-season drought stress on some physiological traits, yield and yield components of wheat genotypes. *Biological Forum – An International Journal* 7(1), 1426-1431, **2015**
- 6285.** Ashrafi N, Nikbakht A, Gheysari M, Fernández-Escobar R, Ehtemam MH. Effect of a new irrigation system using recycled water on stomatal behaviour, photosynthesis and nutrient uptake in olive trees (*Olea europaea* L.). *Journal of Horticultural Science & Biotechnology* 90 (4) 401-406, **2015 (WoS/Scopus)**
- 6286.** Baltzoi P, Fotia K, Kyrkas D, Nikolaou K, Paraskevopoulou AT, Accogli AR, Karras G. Low water-demand plants for landscaping and agricultural cultivations – A review regarding local species of Epirus/Greece and Apulia/Italy, *Agriculture and Agricultural Science Procedia*, 4, 250-260, **2015**

- 6287.** Coutinho MJF, de Souza Carneiro MS, Edvan RL, do Melo Santiago FE, Albuquerque DR. Características morfológicas, estruturais e produtivas de capim-buffel sob diferentes turnos de rega. *Pesq. Agropec. Trop.* 45 (2), 216-224, **2015 (WoS/Scopus)**
- 6288.** Dahanayake N, Ranawake AL, Senadhipathy DD. Effects of water stress on the growth and reproduction of black gram (*Vigna mungo* l.). *Tropical Agricultural Research and Extension* 17, 1, 45-48, **2015**
- 6289.** dos Anjos Queiroz CRA, de Andrade RR, de Moraes SAL, Pavani LC. Growing *Pereskia aculeata* under intermittent irrigation according to levels of matric potential reduction. *Pesq. Agropec. Trop.*, 45 (1), 1-8, **2015 (WoS/Scopus)**
- 6290.** Ghadimi M, Maadi B, Sahafi S, Madahinasab M, Bakhtiyari M, Mirzaee S, Moradi K. The effect of drought stress, fertilizer types and their interaction on the yield of barley in Zabol Region, *Agricultural Communications, Special Issue*, 56-61, **2015**
- 6291.** Ghaed-Rahimia L, Heidaria B, Dadkhodaiea A - Genotype × environment interactions for wheat grain yield and antioxidant changes in association with drought stress. *Archives of Agronomy and Soil Science* 61(2), 153-171, **2015 DOI: 10.1080/03650340.2014.926004 (WoS/Scopus)**
- 6292.** Gill SS, Anjum NA, Gill R, Mahajan M, Tuteja N. Abiotic stress tolerance and sustainable agriculture: A functional genomics perspective. *Elucidation of Abiotic Stress Signaling in Plants. Functional Genomics Perspectives*, Vol 2, (Editor Girdhar K. Pandey) 439-472, Springer, **2015 (book) (WoS/Scopus)**
- 6293.** Hamida R, Dewi dan K. Effectiveness of vesicular arbuscular mycorrhiza and 5-aminolevulinic acid on the growth of local Madura variety maize to drought stress [Efektivitas mikoriza vesikular arbuskular dan 5-aminolevulinic acid terhadap pertumbuhan jagung varietas lokal Madura pada cekaman kekeringan]. *Penelitian Pertanian Tanaman Pangan* 34 (1), 61-67, **2015**
- 6294.** Kaur S, Sharma P. Biochemical characterization of Indian mustard (*Brassica juncea* L.) genotypes in response to moisture stress and irrigation modules, *Journal of Oilseed Brassica* 6, 2, 265-272, **2015**
- 6295.** Klamkowski K, Treder W, Orlikowska T. Wpływ długotrwałego deficytu wody w podłożu na wybrane parametry fizjologiczne roślin trzech odmian maliny (Effect of long-lasting water deficit on selected physiological parameters of three raspberry cultivars), *Infrastruktura i Ekologia Terenów Wiejskich (Infrastructure and Ecology of Rural Areas)* 3, 1, 603-611, **2015**
- 6296.** Kumar S, Gokulakrishnan BJ, Prakash M. Effect of drought stress on seed yield and bio-physical characters in mungbean (*Vignaradiata* L.) Wilczek. *International Journal of Tropical Agriculture* 33(2): 853-864, **2015**
- 6297.** Mohammadi S, Rezaie M, Mahootchi AH, Hamze H, Kalilagdnam N. Effect of water stress on oxidative damage and antioxidant enzyme activity of bread wheat genotypes. *WALIA Journal* 31(S2), 163-169, **2015**
- 6298.** Możdżeń K, Bojarski B, Rut G, Migdałek G, Repka P, Rzepka A. Effect of drought stress induced by mannitol on physiological parameters of maize (*Zea mays* L.) seedlings and plants, *Journal of Microbiology, Biotechnology and Food Sciences* 4, SI2, 86-91, **2015 (WoS/Scopus)**
- 6299.** Mutava RN, Prince SJK, Syed NH, Song L, Valliyodan B, Chen W, Nguyen HT. Understanding abiotic stress tolerance mechanisms in soybean: A comparative evaluation of soybean response to drought and flooding stress, *Plant Physiology and Biochemistry* 86:109-120, **2015**. <http://dx.doi.org/10.1016/j.plaphy.2014.11.010>. **(WoS/Scopus)**
- 6300.** Nienaber JJ. Phenotypic and biochemical characterisation of the causal agent of bacterial leaf streak of maize, North-West University, South Africa, **2015**,
- 6301.** Pérez-Atilano Y, Sánchez-González A, Tejero-Díez JD. Species richness, distribution, and morphological variation of Lycophytes and Monilophytes in a semi-arid region of Mexico, *American Fern Journal* 105, 3, 238-256, **2015 (WoS/Scopus)**
- 6302.** Pradana FM, Wicaksono TSKP. Uji efektifitas pyraclostrobin sebagai agensia planth health dengan beberapa level cekaman air pada tanaman sawi hijau (*Brassica juncea* L.) [Effectiveness test pyraclostrobin as plant health agent on water stress levels in green mustard (*Brassica juncea* L.)]. *Jurnal Produksi Tanaman*, 3 (3), 195-204, **2015**.
- 6303.** Rahdari P, Hoseini SM. Evaluation of germination percentage and some physiologic factors under salinity stress and gibberellic acid hormone (GA3) treatments in wheat (*Triticum aestivum* L.). *International Journal of Advanced Multidisciplinary Research*. 2 (2), 71–78, **2015**.
- 6304.** Saleem AR. Eco-physiological responses of velvet bean (*Mucuna pruriens* L.) To inoculation with rhizobacteria containing acc-deaminase under drought stress. Arid Agriculture University Rawalpindi, Pakistan, **2015 (PhD Thesis)**
- 6305.** Shahana T, Rao PA, Ram SS, Sujatha E. Mitigation of drought stress by 24-epibrassinolide and 28-homobrassinolide in pigeon pea seedlings. *International Journal of Multidisciplinary and Current Research*, 3, 904-911, **2015**
- 6306.** Sharma S, Arora S, Lohani P. Effect of drought on antioxidant system at seedling and vegetative stage of *Eleusine coracana*, *International Journal of Applied Sciences and Biotechnology* 3, 4, 642-650, **2015**
- 6307.** Siddiqui MH, Al-Khaishany MY, Al-Qutami MA, Al-Whaibi MH, Grover A, Ali HM, Al-Wahibi MS, Bukhari NA. Response of different genotypes of faba bean plant to drought stress. *International Journal of Molecular Sciences*. 16, 10214-10227, **2015 (WoS/Scopus)**
- 6308.** Talhaoui N, Gómez-Caravaca AM, Roldán C, Leon L, de la Rosa R, Fernandez-Gutierrez A, Segura-Carretero A. Chemometric analysis for the evaluation of phenolic patterns in olive leaves from six cultivars at

different growth stages. *Journal of Agriculture and Food Chemistry* 63(6), 1722-1729, **2015** DOI: [10.1021/jf5058205](https://doi.org/10.1021/jf5058205) (WoS/Scopus)

6309. Ненько НИ, Ильина ИА, Сундырева МА, Киселева ГК, Запорожец НМ, Схальяко ТВ. Биохимическая характеристика механизмов устойчивости растений винограда к высокотемпературным стрессам. *Научные Труды СКЗНИИСиВ* 7, 101-110, **2015**

6310. Akram NA, Waseem M, Ameen R, Ashraf M. Trehalose pretreatment induces drought tolerance in radish (*Raphanus sativus* L.) plants: some key physio-biochemical traits, *Acta Physiologiae Plantarum* 38(3), 1-10, **2016** (WoS/Scopus)

6311. Albokari MMA, Khashoggi AJ, Almuwalid MA. Effect of different irrigated conditions on some morphological traits of wheat genotypes grown in Saudi Arabia, *Pakistan Journal of Botany*, 48, 2, 519-526, **2016** (WoS/Scopus)

6312. Ali SA, Tedone L, De Mastro G. Climate variability impact on wheat production in Europe: Adaptation and mitigation strategies, In: Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability (Editors: M. Ahmed, C.O. Stockle), 251-321, Springer, **2016**

6313. Arroyo-Herrera A, Figueroa-Yáñez L, Castaño E, Santamaría J, Pereira-Santana A, Espadas-Alcocer J, Sánchez-Teyer F, Espadas-Gil F, David Alcaraz L, López-Gómez R, Sánchez-Calderón L, Carlos Rodríguez-Zapata L. A novel Dreb2-type gene from *Carica papaya* confers tolerance under abiotic stress, *Plant Cell, Tissue and Organ Culture* 125(1), 119-133, **2016**, DOI: [10.1007/s11240-015-0934-9](https://doi.org/10.1007/s11240-015-0934-9) (WoS/Scopus)

6314. Ben Hamed S, Lefi E, Chaieb M. Physiological responses of *Pistacia vera* L. versus *Pistacia atlantica* Desf. to water stress conditions under arid bioclimate in Tunisia, *Scientia Horticulturae*, 203, 224-230, **2016** (WoS/Scopus)

6315. Boughalleb F, Abdellaoui R, Brahim NB, Neffati M. Growth, photosynthesis, water use efficiency, and osmoregulation of the wild species *Astragalus gombiformis* Pomel. under water deficit, *Brazilian Journal of Botany* 39(1), 147-156, **2016**, DOI: [10.1007/s40415-015-0230-2](https://doi.org/10.1007/s40415-015-0230-2) (WoS/Scopus)

6316. Ding GH, Ma DR, Yang G, Zhang FM, Bai LM, Sun SC, Jiang SK, Wang TT, Xia TS, Chen WF. Responses of the photosynthetic system of drought-tolerance weedy rice to drought stress at the seedling stage, *Shengtai Xuebao/ Acta Ecologica Sinica*, 36, 1, 226-234, **2016** (WoS/Scopus)

6317. Figueroa-Yáñez L, Pereira-Santana A, Arroyo-Herrera A, Rodríguez-Corona U, Sanchez-Teyer F, Espadas-Alcocer J, Espadas-Gil F, Barredo-Pool F, Castaño E, Rodríguez-Zapata LC. RAP2.4a is transported through the phloem to regulate cold and heat tolerance in papaya tree (*Carica papaya* cv. Maradol): Implications for protection against abiotic stress. *PLoS ONE* 11, 10, e0165030, **2016** (WoS/Scopus)

6318. Huseynova IM, Allahverdiev TI, Babayev HG, Aliyeva DR, Rustamova SM, Aliyev JA. Chapter 30. Wheat: Approaches to improve under water stress, In: Water Stress and Crop Plants: A Sustainable Approach (ed. Parvaz Ahmad), 506-542, Wiley Blackwell, **2016** (WoS/Scopus)

6319. Hussain RA, Ahmad R, Nawaz F, Ashraf MY, Waraich EA, Foliar NK application mitigates drought effects in sunflower (*Helianthus annuus* L.), *Acta Physiologiae Plantarum* 38(4), 83, **2016** (WoS/Scopus)

6320. Hussein HJ. Effect of seed priming with ZnSO₄ and KH₂PO₄ on seed viability of local maize (*Zea mays* L.) seeds stored for five years in Iraq, *Al-Kufa University Journal for Biology*, 8, 2, 39-47, **2016**

6321. Jangid KK, Dwivedi P. Physiological Responses of Drought stress in Tomato: A Review, *International Journal of Agriculture, Environment and Biotechnology*, 9, 1, 53-61, **2016**

6322. Kachwaya DS, Chandel JS, Vikas G, Khachi B. Effect of drip and furrow irrigation on yield and physiological performance of strawberry (*Fragaria x ananassa* Duch.) cv. Chandler, *Indian Journal of Plant Physiology*, 21(3), 341-344, **2016**, DOI [10.1007/s40502-016-0224-5](https://doi.org/10.1007/s40502-016-0224-5) (WoS/Scopus)

6323. Karami S, Modarres Sanavy SAM, Ghanehpour S, Keshavarz H. Effect of foliar zinc application on yield, physiological traits and seed vigor of two soybean cultivars under water deficit, *Notulae Scientia Biologicae*, 8, 2, 181-191, **2016**

6324. Larrue S, Daehler CC, Meyer J-Y, Pouteau R, Voldoire O. Elevational distribution and photosynthetic characteristics of the invasive tree *Spathodea campanulata* on the island of Tahiti (South Pacific Ocean), *NeoBiota* 30, 127-149, **2016** (WoS/Scopus)

6325.

6326. Maghsoudi K, Emam Y, Pessarakli M. Effect of silicon on photosynthetic gas exchange, photosynthetic pigments, cell membrane stability and relative water content of different wheat cultivars under drought stress conditions, *Journal of Plant Nutrition* 39(7), 10001-1015, **2016** (WoS/Scopus)

6327. Mubasi CC, Cirimwami LT, Sefu GA, Kaningini EB, Lubobo AK. Effet du stress hydrique sur le criblage variétal des haricots communs (*Phaseolus vulgaris*) dans le marais du Sud-Kivu montagneux, *Afrique Science*, 12, 1, 335-344, **2016**

6328. Nahar K, Hasanuzzaman M, Fujita M. Roles of Osmolytes in Plant Adaptation to Drought and Salinity, In: Osmolytes and Plants Acclimation to Changing Environment: Emerging Omics Technologies (Editors: Noushina Iqbal, Rahat Nazar, Nafees A. Khan) 37-68, Springer, **2016** (book) (WoS/Scopus)

6329. Padilha NS, Silva CJ, Pereira SB, Silva JAN, Heid DM, Bottega SP, Scalón SPQ. Crescimento inicial do pinhão-mansô submetido a diferentes regimes hídricos em latossolo vermelho distrófico. *Ciência Florestal*, 26(2), 513-521, **2016** (WoS/Scopus)

6330. Paul K. Screening and characterization of plant physiological traits using photosynthetic and phenotyping tools, Faculty of Science and Informatics, University of Szeged, Szeged, Hungary, **2016**, (PhD Thesis)

- 6331.** Rai V, Sarkar S, Satpati S, Dey N. Overexpression of human peroxisomal enoyl-CoA delta isomerase2 HsPEC12, an ortholog of bamboo expressed during gregarious flowering alters salinity stress responses and polar lipid content in tobacco, *Functional Plant Biology*, 43, 3, 232-243, **2016 (WoS/Scopus)**
- 6332.** Rao DE, Chaitanya KV. Photosynthesis and antioxidative defense mechanisms in deciphering drought stress tolerance of crop plants, *Biologia Plantarum*, 60(2), 201-218, **2016**, DOI: [10.1007/s10535-016-0584-8](https://doi.org/10.1007/s10535-016-0584-8) **(WoS/Scopus)**
- 6333.** Riccardi M, Pulvento C, Patané C, Albrizio R, Barbieri G. Drought stress response in long-storage tomatoes: Physiological and biochemical traits, *Scientia Horticulturae* 200, 25-35, **2016 (WoS/Scopus)**
- 6334.** Ullah U, Ashraf M, Shahzad SM, Siddiqui AR, Piracha MA, Suleman M. Growth behavior of tomato (*Solanum lycopersicum* L.) under drought stress in the presence of silicon and plant growth promoting rhizobacteria, *Soil Environ.* 35, 1, 65-75, **2016 (WoS/Scopus)**
- 6335.** Upadhyaya H, Dutta BK, Panda SK. Drought induced physiological and biochemical changes in leaves of developing seedlings of tea [*Camellia sinensis* (L.) O Kuntze] cultivars, *Journal of Tea Science Research*, 6, 4, 1-11, **2016**
- 6336.** Vidya P, Shintu VP, Jayaram MK. Impact of phosphatase solubilizing bacteria (*Bacillus polymixa*) on drought tolerance of green gram [*Vigna radiata* (L.) Wilczek], *Annals of Plant Sciences*, 5, 4, 1318-1323, **2016**
- 6337.** Aghabeigi M, Khodadadi M – Effect of clodinafop-propargyl and mesosulfuron-methyl herbicides on wild oat (*Avena ludoviciana*) control under moisture stress condition. *International Journal of Plant & Soil Science* 20(5): 1-7, Article no-IJPSS.38451, **2017**
- 6338.** Ali SA, Tedone L, De Mastro G - Climatic variability impact on wheat production in Europe: Adaptation and mitigation strategies. In: Quantification of Climate Variability, Adaptation and Mitigation for Agricultural Sustainability; Eds. M. Ahmed, C.O. Stockle, Springer International Publishing, pp. 251-321, **2017 (book)** https://doi.org/10.1007/978-3-319-32059-5_12
- 6339.** Andrade A, Escalante M, Vigliocco A, Tordable MC, Alemanno S. Involvement of jasmonates in responses of sunflower (*Helianthus annuus*) seedlings to moderate water stress, *Plant Growth Regulation*, 83, 501-511, **2017 (WoS/Scopus)**
- 6340.** Arivalagan M, Somasundaram R. Alteration of photosynthetic pigments and antioxidant systems in tomato under drought with Tebuconazole and Hexaconazole applications, *Journal of Scientific Agriculture*, 1, 146-157, **2017**
- 6341.** Baroowa B, Gogoi N. The effect of osmotic stress on anti-oxidative capacity of black gram (*Vigna mungo* L.), *Experimental Agriculture*, 53, 1, 84-99, **2017** DOI: [10.1017/S0014479716000090](https://doi.org/10.1017/S0014479716000090) **(WoS/Scopus)**
- 6342.** Borella J, dos Santos da Fontoura U, CF Larré, MA Bacarin. Differential response to water stress in two tropical common bean cultivars. *Agrária - Revista Brasileira de Ciências Agrárias* 12(3), 316-324, **2017** DOI: [10.5039/agraria.v12i3a5457](https://doi.org/10.5039/agraria.v12i3a5457) <https://www.redalyc.org/articulo.oa?id=119052986009>
- 6343.** Caron BO, Schneider JR, Elli EF, Eloy E, de Souza VQ. Physiological relationships in *Aleurites fordii* Hemsl. seedlings, *Revista Árvore*, 41(1), e410102, **2017**
- 6344.** Catoni R, Gratani L, Bracco F, Granata MU. How water supply during leaf development drives water stress response in *Corylus avellana* saplings, *Scientia Horticulturae*, 214, 122-132, **2017 (WoS/Scopus)**
- 6345.** Delazari FT, Ferreira MG, da Silva GH, Dariva FD, de Freitas DS, Nick C. Water use efficiency and matter accumulation in sweet-potato under different irrigation regimes, *IRRIGA*, 22, 1, 115-128, **2017**
- 6346.** Kaur P, Dey T. Characterization of rice (*Oryza sativa* L.) genotypes for various morpho-physiological and biochemical traits under moisture stress in Jammu. *The Pharma Innovation Journal* 6(9): 13-16, **2017** <http://www.thepharmajournal.com/archives/2017/vol6issue9/PartA/6-8-54-466.pdf>
- 6347.** Khalili M, Nagharvi MR – Proteins involved in the molecular mechanisms of plant photosynthesis under drought stress. *International Journal of Agriculture and Biosciences* 6(1), 42-48, **2017 (Review) (WoS/Scopus)**
- 6348.** Mangena P, Mokwala PW, Nikolova RV. Ch.5. Challenges of in vitro and in vivo Agrobacterium-mediated genetic transformation in soybean, In: Soybean - The Basis of Yield, Biomass and Productivity (ed Minobu Kasai), 75-94, InTech., **2017**
- 6349.** Moura LMF, Costa AC, Müller C, Filho ROS, Batista PF, Vital RG. Tolerância fisiológica de plantas oleaginosas ao déficit hídrico, IV INOVAGRI International Meeting, 1-10, **2017**
- 6350.** Movahhed SS, Esmaelli M, Jabbari F, Khorramdel S, Fouladi A. Effects of water deficit on Relative Water Content, Chlorophyll Fluorescence indices and seed yield in four pinto bean genotypes, *Electronic Journal of Crop Production*, 10, 1, 169-190, **2017**
- 6351.** Naveed M, Hussain MB, Mehboob I, Zahir ZA - Rhizobial amelioration of drought stress in legumes. In: Zaidi A., Khan M., Musarrat J. (eds) *Microbes for Legume Improvement*. Springer, Cham, pp.341-365, **2017 (book)**, https://doi.org/10.1007/978-3-319-59174-2_14, Online ISBN 978-3-319-59174-2 **(WoS/Scopus)**
- 6352.** Nenko NI, Ilyna IA, Kiselyiva GK, Sundyrev MA. Physiological and biochemical characteristics of resistance of grape varieties of different ecological and geographical origin to the stress factors of summer season, *Austrian Journal of Technical and Natural Sciences*, 1-2, 3-12, **2017**
- 6353.** Okello OP, Nawiri MP, Musila W, Gweyi-Onyango JP. Water Stress Effect on Total Antioxidant Activity and Total Phenolic Content of *Solanum scabrum* Mill and *Solanum scabrum* in Kiambu, Kenya, *International Journal of Biochemistry Research & Review*, 17, 1, 1-9, **2017**
- 6354.** Raji SN, Aparna GN, Mohanan CN, Subhash N – Proximal remote sensing of herbicide and drought stress in field grown colocasia and sweet potato plants by sunlight-induced chlorophyll fluorescence imaging. *Journal of*

- the Indian Society of Remote Sensing*, 45(3), 463-475, **2017**, DOI: [10.1007/s12524-016-0612-3](https://doi.org/10.1007/s12524-016-0612-3) (WoS/Scopus)
- 6355.** Ranjbar A. Comparative study on the effect of water stress and rootstock on photosynthetic function in pistachio (*Pistacia vera* L.) trees, *Journal of Nuts*, 8, 2, 151-159, **2017** (WoS/Scopus)
- 6356.** Rodríguez-Pérez L, Carlos Eduardo Núñez L, Liz Patricia Moreno F. Drought stress affects physiological parameters but not tuber yield in three Andean potato (*Solanum tuberosum* L.) cultivars, *Agronomía Colombiana*, 35, 2, 158-170, **2017** (WoS/Scopus)
- 6357.** Saeidi K, Zare N, Baghizadeh A, Asghari-Zakaria R. Differences in antioxidant, morphological and biochemical responses to drought stress in different cultivars of common bean (*Phaseolus vulgaris* L.). *Iranian Journal of Genetics and Plant Breeding* 6(2):36-47, **2017** http://ijgpb.journals.ikiu.ac.ir/article_1489.html
- 6358.** Salahuddin M, Nawaz F, Shahbaz M, Naeem M, Zulfikar B, Shabbir RN, Hussain RA. Effect of exogenous nitric oxide (NO) supply on germination and seedling growth of mungbean (cv. Nm-54) under salinity stress, *Legume Research*, 40, 5, 846-852, **2017** (WoS/Scopus)
- 6359.** Sarkar M, Datta S, Kundagrami S. Global climate change and mung bean production: a roadmap towards future sustainable agriculture. Chapter 5, pp: 99-119, In: *Sustaining Future Food Security In Changing Environments*. ISBN: 978-1-53610-279-6, Editors: D. Pandey and A. Sarkar, Nova Science Publishers, Inc., **2017** (BOOK)
- 6360.** Sehgal A, Sita K, Kumar J, Kumar S, Singh S, Siddique KHM, Nayyar H. Effects of drought, heat and their interaction on the growth, yield and photosynthetic function of lentil (*Lens culinaris Medikus*) genotypes varying in heat and drought sensitivity, *Frontiers in Plant Science*, 1776, **2017** (WoS/Scopus)
- 6361.** Umar S, Sharma MP, Khan W, Ahmad S. Variation in ornamental traits, physiological responses of *Tagetes erecta* L. and *T. patula* L. in relation to antioxidant and metabolic profile under deficit irrigation strategies, *Scientia Horticulturae*, 214, 200-208, **2017** (WoS/Scopus)
- 6362.** Yasheshwar, Umar S, Sharma MP, Khan W, Ahmad S. Variation in ornamental traits, physiological responses of *Tagetes erecta* L. and *T. patula* L. in relation to antioxidant and metabolic profile under deficit irrigation strategies, *Scientia Horticulturae*, 214, 200-208, **2017** (WoS/Scopus)
- 6363.** Yulani F. Respon morfologi dan fisiologi tanaman bawang merah (*Allium cepa* L.) terhadap cekaman salinitas, **PhD Thesis**, Sekolah Pascasarjana Institut Pertanian Bogor, Bogor., **2017**
- 6364.** Zafari M, Ebadi A, Godehkahriz SA. Effect of seed inoculation on alfalfa tolerance to water deficit stress, *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 45, 1, DOI:10.15835/nbha45110424, **2017** (WoS/Scopus)
- 6365.** Zencirkiran M, Akdeniz NS. Bursa Kent Parkları Odunsu Bitki Taksonlarının Ekolojik Tolerans Kriterleri Açısından Değerlendirilmesi (Ev aluation of Woody Plant Taxons in the Bursa Urban Parks in Terms of Ecological Tolerance Criteria)i, *Bartın Orman Fakultesi Dergisi (Journal of Bartın Faculty of Forestr)*, 19, 2, 11-19, **2017**
- 6366.** Zivcak M, Olsovska K, Brestic M. Photosynthetic Responses Under Harmful and Changing Environment: Practical Aspects in Crop Research, In: (Hou H, Najafpour M, Moore G, Allakhverdiev S, eds) *Photosynthesis: Structures, Mechanisms, and Applications*, pp 203-248, Springer, Cham., **2017** (WoS/Scopus)
- 6367.** Azimi R, Heshmati GA, Kianian MK. Effects of drought stress and mycorrhiza on viability and vegetative growth characteristics of *Ziziphora clinopodioides* Lam. *Journal of Rangeland Science* 8(3): 253-263, **2018** http://www.rangeland.ir/article_542805.html
- 6368.** Emendack Y, Burke J, Sanchez J, Laza HE, Hayes Ch. Agro-morphological characterization of diverse sorghum lines for pre-and post-flowering drought tolerance. *Australian Journal of Crop Science* 12(01):135-150, **2018**. doi: [10.21475/ajcs.18.12.01.pne790](https://doi.org/10.21475/ajcs.18.12.01.pne790) http://www.cropl.com/emendack_12_1_2018_135_150.pdf (WoS/Scopus)
- 6369.** Gerhards M, Schlerf M, Rascher U, Udelhoven T, Juszczak R, Alberti G, Miglietta F, Inoue Y. Analysis of airborne optical and thermal imagery for detection of water stress symptoms. *Remote Sensing* 10, 1139, **2018**; <https://doi.org/10.3390/rs10071139> (WoS/Scopus)
- 6370.** Hernández PR, Galindo A, Collado J, Medina S, Corell M, Memmi H, Girón IF, Centeno A, Martín-Palomo MJ, Pérez ZNC, Carbonell-Barrachina AA, Hernandez F, Torrecillas A, Moriana A, López DP. Fruit response to water-scarcity scenarios. Water relations and biochemical changes. In: *Water scarcity and sustainable agriculture in semiarid environment*, Editors: Ivan Francisco Garcia, Tejero Victor, Hugo Duran Zuazo. pp. 349-376, eBook ISBN: 9780128131657, Paperback ISBN: 9780128131640, **2018**. (BOOK) <https://doi.org/10.1016/B978-0-12-813164-0.00015-6> (WoS/Scopus)
- 6371.** Hosseinzadeh SR, Amiri H, Ismaili A. Evaluation of photosynthesis, physiological, and biochemical responses of chickpea (*Cicer arietinum* L. cv. Pirouz) under water deficit stress and use of vermicompost fertilizer. *Journal of Integrative Agriculture* 17(11): 2426-2437, **2018**, doi: [10.1016/S2095-3119\(17\)61874-4](https://doi.org/10.1016/S2095-3119(17)61874-4) (WoS/Scopus)
- 6372.** Klyachenko OL, Prysiashniuk LM, Shofolova NV, Piskova OV. Polymorphism in spring and winter rapeseed varieties (*Brassica napus* L.) identified by SSR markers. *Plant Varieties Studying and Protection*, 14 (4), 366-374, **2018** <http://journal.sops.gov.ua/article/view/151898>
- 6373.** Mahlooji M, Sharifi RS, Razmjoo J, Sabzalian MR, Sedghi M. Effect of salt stress on photosynthesis and physiological parameters of three contrasting barley genotypes, *Photosynthetica* 56(2):549-556, **2018** <https://doi.org/10.1007/s11099-017-0699-y> (WoS/Scopus)
- 6374.** Mousavifar BE, Behdani MA. Effect of deficit irrigation and plant density on growth and seed yield and some morphological traits of autumn safflower (*Carthamus tinctorius* L.). *Journal of Agroecology* 10(1), 107-119, **2018**
- 6375.** Nalina M, Saroja S, Rajkumar R, Radhakrishnan B, Chandrashekar KN. Variations in quality constituents of green tea leaves in response to drought stress under south Indian condition. *Scientia Horticulturae* 233, 359-369,

2018, (WoS/Scopus)

6376. Oliveira LAR, Cardoso MN, Oliveira ACA, Machado CA, Cardoso BT, Silva AVC, Léo AS. Effects of in vitro drought stress on growth, proline accumulation and antioxidant defense in sugarcane. *Journal of Agricultural Science* 10(5): 135-149, 2018, <https://doi.org/10.5539/jas.v10n5p135> (WoS/Scopus)
6377. Penella C, Calatayud A. Pepper crop under climate change: Grafting as an environmental friendly strategy. In: *Climate Resilient Agriculture - Strategies and Perspectives*, Chapter 7, pp: 129-155, 2018, <http://dx.doi.org/10.5772/intechopen.72361>, (BOOK) <http://www.intechopen.com/books/climate-resilient-agriculturestrategies-and-perspectives>
6378. Prakash M, Elangaimannan R, Sunilkumar B, Sathiya Narayanan G. Evaluation of blackgram genotypes for drought tolerance based on root dynamics and gas exchange parameters. *Legume Research* 41 (3): 384-391, 2018 <https://www.arccjournals.com/uploads/Final-article-attachemnt-with-doi-LR-3702.pdf> (WoS/Scopus)
6379. Rodríguez P, Galindo Egea A, Collado-González J, Medina S, Corell M, Memmi H, IF Girón, A Centeno, MJ Martín-Palomo, ZN Cruz, AA Carbonell-Barrachina, F Hernandez, A Torrecillas, A Moriana, Pérez-López D. Fruit response to water-scarcity scenarios. Water relations and biochemical changes. In: *Water scarcity and sustainable agriculture in semiarid environment*, Editors: Ivan Francisco Garcia, Tejero Victor, Hugo Duran Zuazo. pp. 349-376, 2018, 2018, <https://doi.org/10.1016/B978-0-12-813164-0.00015-6> (WoS/Scopus)
6380. Sanghera GS, Kumar A. Recent perspectives towards enhancing drought tolerance in sugarcane. *Journal of Plant Science Research* 34(1):23-35, 2018
6381. Singh VK, Singh AK, Singh PP, Kumar A. Interaction of plant growth promoting bacteria with tomato under abiotic stress: A review. *Agriculture, Ecosystems and Environment* 267: 129-140, 2018 <https://doi.org/10.1016/j.agee.2018.08.020> (WoS/Scopus)
6382. Sita K, Sehgal A, Bhandari K, Kumar J, Kumar S, Singh S, Siddique KHM, Nayyar H. Impact of heat stress during seed filling on seed quality and seed yield in lentil (*Lens culinaris* Medikus) genotypes. *Journal of the Science of Food and Agriculture* 98(13):5134-5141, 2018, <https://doi.org/10.1002/jsfa.9054> (WoS/Scopus)
6383. Yohan Y, Sudhakar P, Umamahesh V, Mohan Reddy D, Sumathi V. Evaluation of blackgram (*Vigna mungo* L.Hepper) genotypes for growth parameters under imposed moisture stress condition. *Journal of Pharmacognosy and Phytochemistry* 7(6): 981-986, 2018.
6384. Zaheer MS. Effect of plant growth promoting rhizobacteria (PGPR) and cytokinins on the growth and yield of wheat (*Triticum aestivum* L.) under drought. **PhD Thesis**. The Islamia University of Bahawalpur, Pakistan, 2018
6385. Abdi G, Shokrpour M, Karami L, Salami SA. Prolonged water deficit stress and methyl jasmonate-mediated changes in metabolite profile, flavonoid concentrations and antioxidant activity in peppermint (*Mentha × piperita* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 47(1):70-80, 2019. <http://dx.doi.org/10.15835/nbha47110952>. (WoS/Scopus)
6386. Adejumo SA, Ezech OS, Mur LAJ. Okra growth and drought tolerance when exposed to water regimes at different growth stages. *International Journal of Vegetable Science* 25(3):226-258, 2019, <https://doi.org/10.1080/19315260.2018.1501788> (WoS/Scopus)
6387. Ali AM, Ibrahim SM, Abou-Amer IA. Water deficit stress mitigation by foliar application of potassium silicate for sugar beet grown in a saline calcareous soil. *Egyptian Journal of Soil Science* 59(1): 15-23, 2019. DOI: [10.21608/ejss.2019.7086.1236](https://doi.org/10.21608/ejss.2019.7086.1236) (WoS/Scopus)
6388. Bae HH, Kwon Y-S, Son B-Y, Kim J-T, Go YS, Kim S-L, Baek S-B, Shin S, Kim SG. Physiological and proteome responses of korean F1 maize (*Zea mays* L.) hybrids to water-deficit stress during tassel initiation. *Korean Journal of Crop Science* 64(4):422-431, 2019. DOI : <https://doi.org/10.7740/kjcs.2019.64.4.422>.
6389. Bojović M, Nikolić N, Borišev M, Pajević S, Horak R, Orlović S, Lozjanin R. The impact of drought on the physiological characteristics of half-sib lines of Turkey oak (*Quercus cerris* L.). *Glasnik Sumarskog fakulteta* 119: 9-32, 2019. <https://doi.org/10.2298/GSF1919009B>
6390. Bukhari SAH, Peerzada AM, Javed MH, Dawood M, Hussain N, Ahmad S. Growth and development dynamics in agronomic crops under environmental stress. In: Hasanuzzaman M. (eds) *Agronomic Crops*. Springer, Singapor. Online ISBN 978-981-32-9151-5. Pages 83-114, 2019. https://doi.org/10.1007/978-981-32-9151-5_6. (WoS/Scopus)
6391. Deepak, S Bansal, A Thakur, S Singh, M Bakshi, S Bansal.Changes in crop physiology under drought stress: **A review**. *Journal of Pharmacognosy and Phytochemistry* 8(4): 1251-1253, 2019.
6392. El-Gabry YA, Morsi NAA. Valuation of some *Vicia faba* L. cultivars depended on physiological and biochemical traits under different water requirements. *Middle East Journal of Applied Sciences* 9(1):100-109, 2019.
6393. Galyuon IK, Gay AP, Hash CT, Bidinger FR, Howarth CJ. A comparative assessment of the performance of a stay-green sorghum (*Sorghum bicolor* (L) Moench) introgression line developed by marker-assisted selection and its parental lines. *African Journal of Biotechnology* 18(26): 548-563, 2019. DOI: [10.5897/AJB2019.16826](https://doi.org/10.5897/AJB2019.16826) Article Number: 7118D0361330. (WoS/Scopus)
6394. Gerhards M, Schlerf M, Mallick K, Udelhoven T. Challenges and future perspectives of multi-/hyperspectral thermal infrared remote sensing for crop water-stress detection: A **Review**. *Remote sensing* 11, 1240, 2019. doi:10.3390/rs11101240. (WoS/Scopus)
6395. Gholamreza AB, Shokrpour M, Karami L, Salami SA. Prolonged water deficit stress and methyl jasmonate-mediated changes in metabolite profile, flavonoid concentrations and antioxidant activity in peppermint (*Mentha × piperita* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 47(1): 70-80, 2019. DOI:10.15835/nbha47110952 (WoS/Scopus)

6396. Kokkanti Rekha Rani, Devarapalli Prathima, Vemuri Hindul, Putta Latha, Rayalacheruvu Usha. Morphophysiological and anatomical responses of groundnut (*Arachis Hypogaea* L.) to drought stress. *International Journal of Recent Scientific Research* 10(12):36241-36247, **2019**. <http://dx.doi.org/10.24327/ijrsr.2019.1012.4887>.
6397. Malhotra C, Kapoor RT Silicon: A sustainable tool in abiotic stress tolerance in plants. In: Hasanuzzaman M, Hakeem K, Nahar K, Alharby H (eds) *Plant Abiotic Stress Tolerance*. Springer, Cham, pp. 333-356, **2019**. https://doi.org/10.1007/978-3-030-06118-0_14 (e-BOOK) (WoS/Scopus)
6398. Saha R, Rai KC, Tripathi A, Kavidayal H, Raturi M, Kumari P, Kainthola C, Shekhar C, Barthwal S. Differential responses in gas exchange variability, water use efficiency and chlorophyll content in eucalyptus clones under drought stress. *Indian Forester*, 145 (5) : 459-466, **2019**. (WoS/Scopus)
6399. Saneienejad A, Tohidi M, Khaniani BH, Sadeghi M. Effect of foliar application of methanol on changes of antioxidant enzymes of *Vigna unguiculata* L. in water-deficit stress. *Agricultural Science Digest* 39(4): 296-300, **2019**. <https://arccjournals.com/journal/agricultural-science-digest/D-169>. (WoS/Scopus)
6400. Sdouga D, Amor FB, Ghribi S, Kabtni S, Tebini M, Branca F, Trifi-Farah N, Marghali S. An insight from tolerance to salinity stress in halophyte *Portulaca oleracea* L.: Physio-morphological, biochemical and molecular responses. *Ecotoxicology and Environmental Safety* 172:45-52, **2019**. <https://doi.org/10.1016/j.ecoenv.2018.12.082> (WoS/Scopus)
6401. Shah SMS, Ullah F, Shah SH. Fatty acid profiling of polyethylene glycol adapted and un-adapted cell lines of *Oryza sativa* L.cv. Swat-1 under temperature stress. *American Journal of Molecular Biology* 9, 145-153, **2019**. <https://doi.org/10.4236/ajmb.2019.94011>.
6402. Trabelsi L, Gargouri K, Ben Hassena A, Mbadra C, Ghrab M, Ncube B, Van Staden J, Gargouri R. Impact of drought and salinity on olive water status and physiological performance in an arid climate. *Agricultural Water Management* 213: 749-759, **2019**, <https://doi.org/10.1016/j.agwat.2018.11.025> (WoS/Scopus)
6403. Zhang F, Quan Q, Ma F, Tian D, Zhou Q, Niu S. Differential responses of ecosystem carbon flux components to experimental precipitation gradient in an alpine meadow. *Functional Ecology* 33(5):889-900, **2019**. <https://doi.org/10.1111/1365-2435.13300> (WoS/Scopus)
6404. Abbas A, Saleem U, Kaukab S, Saleem S, ATZ Ahmed. Genetic evaluation of maize (*Zea mays* L.) genotypes at seedling stage under moisture stress condition. *Life Science Journal* 7(4), 65-74, **2020**. ISSN: 1097-8135 (Print) / ISSN: 2372-613X (Online). <http://www.lifesciencesite.com>.
6405. Aksu G, Altay H. The effects of potassium applications on drought stress in sugar beet. *Sugar Tech* 22, 1092-1102, **2020**. <https://doi.org/10.1007/s12355-020-00851-w>. (WoS/Scopus)
6406. Alizadeh M, Armand N, Rostami M, Hosseinzadeh SR. Effect of water deficit stress on photosynthetic indices of three chickpea (*Cicer arietinum* L.) cultivars. *Environmental Stresses in Crop Sciences* 13(1), 85-96, **2020**. <http://dx.doi.org/10.22077/escs.2019.1815.1422>.
6407. Altay H, Aksu G. The effects of potassium applications on drought stress in sugar beet: part i. sugar beet quality components. *Journal of Scientific Perspectives* 4(2), 157-168, **2020**. <https://doi.org/10.26900/jsp.4.013>.
6408. Apriyana Y, Rakhmidewi E, Fichtler E, Whitbread A. The response of soybean (*Glycine max* (L.) Meer.) varieties from the tropical region to five watering regimes under a controlled environment. *IOP Conference Series: Earth and Environmental Science* 484, 012047, **2020**. <https://iopscience.iop.org/article/10.1088/1755-1315/484/1/012047>. (WoS/Scopus)
6409. Castro SAB, Kuster VC. Responses of neotropical savannah plant species to abiotic stresses: a structural and functional overview. Books: *Abiotic Stress in Plants*, IntechOpen, **2020**. <http://dx.doi.org/10.5772/intechopen.93891>.
6410. Ebadi N, Seyed Sharifi R, Narimani H. Effects of supplementary irrigation and biofertilizers on grain yield, dry matter remobilization and some physiological traits of barley (*Hordeum vulgare* L.) under rainfed condition. *Journal of Crop Production and Processing* 10(2), 123-135, **2020**. https://jcnp.iut.ac.ir/files/site1/user_files_e310be/raouf_ssharifi-A-10-2585-7-8bb1c2c.pdf.
6411. El Amin OAH, El-kersh MAM, Azooz MM. Application of hemin-induced growth and biochemical modifications in Hassawi okra (*Abelmoschus esculentus* L.) grown in seawater salinity. *Australian Journal of Crop Science* 14(04):705-711, **2020**. https://www.cropj.com/azooz_14_4_2020_705_711.pdf. (WoS/Scopus)
6412. Farahani S, Shahsavari N, Arasteh MM. Effect of potassium sulfate on the physiological characteristics of canola cultivars in late season drought stress conditions. *Journal of Plant Nutrition* 43(9), 1217-1228, **2020**. <https://doi.org/10.1080/01904167.2020.1727507>. (WoS/Scopus)
6413. Ghabre VK, Karamian R. Effects of TiO₂ nanoparticles and spermine on antioxidant responses of *Glycyrrhiza glabra* L. to cold stress. *Acta Botanica Croatica* 79(2), 137-147, **2020**. <https://doi.org/10.37427/botcro-2020-025>. (WoS/Scopus)
6414. Hamdani JS, Sumadi, Kusumiyati, Ruwaidah H. Pertumbuhan dan hasil benih kentang G0 kultivar medians pada berbagai komposisi media tanam dan interval pemberian air di dataran medium. *Jurnal Kultivasi* 19 (3), 1237-1246, **2020**. <https://doi.org/10.24198/kultivasi.v19i3.30583>.
6415. Kazemi S, Nasiri M, Asgari Lajayer B, Hatami M. Integral water capacity (IWC) and least limiting water range (LLWR): prediction using plant growth indices and soil properties. *3 Biotech* 10, 314, **2020**. <https://doi.org/10.1007/s13205-020-02283-5>. (WoS/Scopus)
6416. Kadir U. The effects of nitrogen and moisture stress on yield and quality of wheat: A Review. *International Journal of Research Studies in Biosciences (IJRSB)* 8(2), 13-20, **2020**. <http://dx.doi.org/10.20431/2349->

- 6417.** Nematpour A, Eshghizadeh HR, Zahedi M, Gheysari M. Interactive effects of sowing date and nitrogen fertilizer on water and nitrogen use efficiency in millet cultivars under drought stress. *Journal of Plant Nutrition* 43(1):123-137, **2020**. DOI: [10.1080/01904167.2019.1659351](https://doi.org/10.1080/01904167.2019.1659351). (WoS/Scopus)
- 6418.** Radwan UAA, Radwan TAA, Abouelkasim EK. Comparison of ecophysiological responses of *Acacia raddiana* and *Acacia nilotica* during seedling establishment in extreme arid conditions. *Egyptian Journal of Botany* 60(2), 593-603, **2020**. <https://dx.doi.org/10.21608/ejbo.2020.19626.1389>. (WoS/Scopus)
- 6419.** Radwan UAA, Radwan TAA, Abouelkasim EK. Water use efficiency of *Acacia seyal* (Del.) in extreme arid environment prevails in South-Western Desert, Egypt. *Aswan University Journal of Environmental Studies* 1(1), 28-37, **2020**. <https://dx.doi.org/10.21608/aujes.2020.124532>.
- 6420.** Ray RL, Ampim PAY, Gao M. Crop protection under drought stress. In: Jabran K, Florentine S, Chauhan B (eds) *Crop Protection Under Changing Climate*. Springer, Cham. pp. 145-170, **2020**. https://doi.org/10.1007/978-3-030-46111-9_6. [BOOK] (WoS/Scopus)
- 6421.** Saber-Riseh R, Fathi F, Moradzadeh-Eskandari M. Effect of some *Pseudomonas fluorescens* and *Bacillus subtilis* strains on osmolytes and antioxidants of cucumber under salinity stress. *Journal of Crop Protection* 9(1): 1-16, **2020**. (WoS/Scopus)
- 6422.** Saini PK. Effect of drought stress on crop physiology: A mini-review. *Bhartiya Krishi Anusandhan Patrika* 35:236-240, **2020**. <https://arccjournals.com/journal/bhartiya-krishi-anusandhan-patrika/BKAP245>
- 6423.** Shayan S, Norouzi M, Vahed MM, Mohammadi SA, Toorchi M. Leaf proteome pattern of two bread wheat varieties under water deficit stress conditions. *Current Plant Biology* 23, art. number 100146, **2020**. <https://doi.org/10.1016/j.cpb.2020.100146>. (WoS/Scopus)
- 6424.** Singh Y, Singh A. Response of *Albizia lebbeck* to moisture stress on seed germination and moisture gradient on seedling growth. *Journal of Krishi Vigyan* 8 (2): 229-235 **2020**, <http://dx.doi.org/10.5958/2349-4433.2020.00050.1>.
- 6425.** Tatari M, Jafari A, Shirmardi M, Mohamadi M. Using morphological and physiological traits to evaluate drought tolerance of pear populations (*Pyrus* spp.). *International Journal of Fruit Science* 20(4), 837-854, **2020** <https://doi.org/10.1080/15538362.2019.1697410>. (WoS/Scopus)
- 6426.** Tulini FL. Identification of snps candidates related to water stress tolerance in sugarcane. Universidade Estadual Paulista (Unesp), Brasil, **2020**. [PhD Thesis]
- 6427.** Yuniati N, JS Hamdani, MA Soleh. Physiological responses of potato plant to the types of plant growth regulator under various drought stress condition in medium altitude. *Jurnal Kultivasi* 19(1), 1053-1060, **2020**. <https://doi.org/10.24198/kultivasi.v19i1.24972>.
- 6428.** Agliassa C, Mannino G, Molino D, Cavalletto S, Contartese V, Berteau CM, Secchi F. A new protein hydrolysate-based biostimulant applied by fertigation promotes relief from drought stress in *Capsicum annuum* L. *Plant Physiology and Biochemistry* 166, 1076-1086, **2021**. <https://doi.org/10.1016/j.plaphy.2021.07.015>. (WoS/Scopus)
- 6429.** Bhattacharya A. Effect of Soil Water Deficits on Plant–Water Relationship: A Review. In: *Soil Water Deficit and Physiological Issues in Plants*. 1-98. Springer Singapore Pte Ltd, ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p., **2021**. https://doi.org/10.1007/978-981-33-6275-5_1. (WoS/Scopus)
- 6430.** Bhattacharya A. Effects of Soil Water Deficit on Carbon Metabolism of Plants: A Review. In: *Soil Water Deficit and Physiological Issues in Plants*. 99-192. Springer Singapore Pte Ltd, ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p., **2021**. https://doi.org/10.1007/978-981-33-6275-5_2. (WoS/Scopus)
- 6431.** Bukhari MA, Shah AN, Fahad S, Iqbal J, Nawaz F, Manan A, Baloch MS. Screening of wheat (*Triticum aestivum* L.) genotypes for drought tolerance using polyethylene glycol. *Arabian Journal of Geosciences* 14, art. 2808, **2021**. <https://doi.org/10.1007/s12517-021-09073-0>. (WoS/Scopus)
- 6432.** Demiralay M. Investigation of tolerance levels against drought stress in local (Artvin-Şavşat) and registered tomato varieties. *BEÜ Fen Bilimleri Dergisi (BEU Journal of Science)* 10 (4), 1474-1485, **2021**. <https://doi.org/10.17798/bitlisfen.960504>.
- 6433.** Devanathan J, Thiripurasundari T, Selvam KA, Ram Kumar A, Selvaraj S, Ramadass L. Isolation and characterization of drought stress tolerant plant growth promoting rhizobacter from chilli crop. *Bulletin of Scientific Research* 3(1), 1-12, **2021**. <https://doi.org/10.34256/bsr2111>.
- 6434.** Dhansu P, Kulshreshtha N, Kumar R, Raja AK, Pandey SK, Goel V, Ram B. Identification of drought-tolerant co-canes based on physiological traits, yield attributes and drought tolerance indices. *Sugar Tech* 23:747-761, **2021**. <https://doi.org/10.1007/s12355-021-00967-7>. (WoS/Scopus)
- 6435.** Ishaq H, Nawaz M, Azeem M, Mehwish M, Naseem MB. Ascorbic acid (Asa) improves salinity tolerance in wheat (*Triticum aestivum* L.) by modulating growth and physiological attributes. *Journal of Bioresource Management* 8(1), **2021**. <https://corescholar.libraries.wright.edu/jbm>.
- 6436.** Khazaei Z, Estaji A. Impact of exogenous application of salicylic acid on the drought-stress tolerance in pepper (*Capsicum annuum* L.). *Journal of Plant Physiology and Breeding* 11(1): 33-46, **2021**. <https://dx.doi.org/10.22034/jppb.2021.14495>.
- 6437.** Lukić N. Effects of drought and flooding stress on antioxidative defence system in two maize (*Zea mays* L.) hybrids. University of Novi Sad, **2021**. https://scholar.google.com/scholar_url?url=https://nardus.mpn.gov.rs/bitstream/handle/123456789/18483/Disertacija_11376.pdf%3Fsequence%3D1&hl=en&sa=X&d=4223349672630414603&ei=3AUkYZHkDazcsQLI_oWAC

6438. Mahlooji M. Agrophysiological barley associated with flag leaf temperature and canopy light interception under salinity and zinc foliar application. *Journal of Plant Process and Function* 10(43): 25-34, **2021**. <https://jispp.iut.ac.ir/article-1-1483-en.pdf>.

6439. Marafon AC, de Moraes LK, Câmara TMM, dos Santos Guimarães V, dos Santos JP. Gas exchange, root development and biomass production in *Saccharum Complex* accessions under water suppression. *Boletim De Pesquisa E Desenvolvimento* 162, 5-39, **2021**. <http://dx.doi.org/10.13140/RG.2.2.12455.21925>.

6440. Pokhrel S. Effects of drought stress on the physiology and yield of the maize: A Review. *Food and Agri Economics Review* 1(1): 36-40, **2021**. <https://faer.com.my/archive/1faer2021/1faer2021-36-40.pdf>.

6441. Rebi A, Ashfaq S, Raza A, Hafeez-U-Rehman, Nazar S, Warraich IA, Siddiq S, Arif M, Raza N, Pervez A, Ibrar M, Ahmad, Kausar R, Naz A. Effect of drought on morpho-physiological responses of plant and select the best cultivar with maximum drought tolerance potential. *Natural Volatiles & Essential Oils* 8(5): 13445-13456, **2021**. https://scholar.google.com/scholar_url?url=https://www.nveo.org/index.php/journal/article/download/4860/3914&hl=en&sa=X&d=13100752054349416531&ei=y9BUYt7tBIvEmgH7846QCg&scisig=AAGBfm1EU400iMISJM4c9Mu8Hh1Mp8BD_Q&oi=scholaralrt&hist=P53aOtQAAAAJ:14807110563557335153:AAGBfm0FDU6K3NFCn2uHh6CvkukI2r3Y2g&html=&pos=0&folt=kw.

6442. Salehi M, Zare M, Bazrafshan F, Aien A, Amiri B. Effects of zeolite on agronomic and biochemical traits and yield components of *Zea mays* L. cv Simone under drought stress condition. *Philippine Agricultural Scientist* 104 (2), 157-166, **2021**. <https://www.ukdr.uplb.edu.ph/pas/vol104/iss2/6>. (WoS/Scopus)

6443. Sharma A, Chahota RK. Comparative analysis of biochemical parameters in response to stress in horsegram (*Macrotyloma uniflorum* L.) germplasm. *Himachal Journal of Agricultural Research* 47(2): 143-148, **2021**. <http://www.hjar.org/index.php/hjar/article/view/168984>.

6444. Shobeiri SS, Asadi AA, Azimi M, Sohrabi I. Evaluation of photosynthetic parameters and their relationships with grain yield in red bean lines in field conditions. *Journal of Crop Breeding* 13(39), 76, **2021**. http://jcb.sanru.ac.ir/browse.php?a_code=A-10-840-6&sid=1&slc_lang=fa&fxt=1&pure_pdf=1.

6445. Smirnov O, Svetlova N, Topchiy N, Storozhenko V, Kovalenko M, Batsmanova L, Taran N. Photosynthetic response of some *Triticum* cultivars to the combined influence of nanofertilizers and water deficit. *Journal of Central European Agriculture* 22(3), 539-545, **2021**. <https://doi.org/10.5513/JCEA01/22.3.3174>. (WoS/Scopus)

6446. Soury Z, Khanna K, Karimi N, Ahmad P. Silicon and Plants: Current Knowledge and Future Prospects. *Journal of Plant Growth Regulation* 40:906-925, **2021**. <https://doi.org/10.1007/s00344-020-10172-7>. (WoS/Scopus)

6447. Svetlova N, Topchiy N, Storozhenko V, Smirnov O, Kovalenko M, Batsmanova L, Taran N. Photosynthetic response of some *Triticum* cultivars to the combined influence of nanofertilizers and water deficit. *Journal of Central European Agriculture* 22(3): 539-545, **2021**. <https://doi.org/10.5513/JCEA01/22.3.3174>. (WoS/Scopus)

6448. Uddin S, Ullah S, Nafees M. Effect of seed priming on growth and performance of *Vigna radiata* L. under induced drought stress. *Journal of Agriculture and Food Research* v. 4, art. num. 100140, **2021**. <https://doi.org/10.1016/j.jafr.2021.100140>. (WoS/Scopus)

6449. Vescio R. Spatio-temporal expressions of the plant morpho-physiological and molecular responses to multiple stresses. University Mediterranea of Reggio Calabria Department of Agriculture, **PhD Thesis**, **2021**. <https://iris.unirc.it/retrieve/handle/20.500.12318/111660/215966/Vescio%20Rosa.pdf>

6450. Yousry MM, Moussa SAM, Abdel-Nasser G. Response of some faba bean genotypes to irrigation water deficit grown in sandy soil. *Alexandria Science Exchange Journal* 42(3):678-693, **2021**. https://asejaiajsae.journals.ekb.eg/article_189890_c1a230ff128c3162728c07a4e3313546.pdf

6451. Zhou J-J, Zhang Y-H, Han Z-M, Liu X-Y, Jian Y-F, Hu C-G, Dian Y-Y. Evaluating the performance of hyperspectral leaf reflectance to detect water stress and estimation of photosynthetic capacities. *Remote Sensing*, 13(11):2160, **2021**. <https://doi.org/10.3390/rs13112160>. (WoS/Scopus)

6452. Barjas M, Mehravaran L, Allahdou M, Ganjali S. Effects of application of salicylic acid under the drought stress on morphophysiological and biochemical traits of two varieties of mung bean. *Crop Science Research in Arid Regions* 4(1), 153-171, **2022**. <https://doi.org/10.22034/csrar.2022.309460.1139>.

6453. Dhansu P, Raja AK, Vengavasi K, Kumar R, Pazhany AS, Kumar A, Kumar N, Mann A, Pandey SK. Physiological and molecular adaptation of sugarcane under drought vis-a-vis root system traits. In: Eyvaz APM, Albahnasawi A, Tekbaş M, Gürbulak E, eds. *Drought - Impacts and Management*. London: IntechOpen, **2022**. Available from: <https://www.intechopen.com/online-first/81241>. [BOOK]

6454. Hussain R, Sharma S, Geetika, Kumari I, Ahmed M. Chapter 2 - Plant microbiome: Modulation of plant defense and ecological dynamics under stressed environment. In: Santoyo G, Kumar A, Aamir M, Uthandi S (Eds.), *Mitigation of Plant Abiotic Stress by Microorganisms*, Academic Press, pp. 19-40, **2022**. <https://doi.org/10.1016/B978-0-323-90568-8.00002-X>. ISBN 9780323905688. (WoS/Scopus)

6455. Jha UC, Nayyar H, Jha R, Singh PK, Dixit GP, Kumar Y, Mondal B, Srivastava AK, von Wettberg EJB, Paul PJ, Lone AA, Samineni S, Tripathi SK, Siddique KHM. Improving chickpea genetic gain under rising drought and heat stress using breeding approaches and modern technologies. In: Jha UC, Nayyar H, Agrawal SK, Siddique KHM (eds) *Developing Climate Resilient Grain and Forage Legumes*. Springer, Singapore. Chapter, pp.1-25, **2022**.

https://doi.org/10.1007/978-981-16-9848-4_1. (WoS/Scopus)

- 6456.** Kulundžić AM, Josipović A, Kočar MM, Vuletić MV, Dunić JA, Varga I, Cesar V, Sudarić A, Lepeduš H. Physiological insights on soybean response to drought. *Agricultural Water Management* vol. 268, art. 107620, **2022**. <https://doi.org/10.1016/j.agwat.2022.107620>. (WoS/Scopus)
- 6457.** Maryam S, Gul A. The mechanism of silicon transport in plants. In: Kumar K, Srivastava S. (eds) *Plant Metal and Metalloid Transporters*. Springer, Singapore. Chapter pp. 245-273, **2022**. https://doi.org/10.1007/978-981-19-6103-8_12. [BOOK]
- 6458.** Matuszak-Slamani R, Bejger R, Włodarczyk M, Kulpa D, Sienkiewicz M, Gołębiowska D, Skórska E, Ukalska-Jaruga A. Effect of humic acids on soybean seedling growth under polyethylene-glycol-6000-induced drought stress. *Agronomy* 12(5):1109, **2022**. <https://doi.org/10.3390/agronomy12051109>. (WoS/Scopus)
- 6459.** Mikhak H, Rahimian M, Gholamrezaei S. Implications of changing cropping pattern to low water demand plants due to climate change: evidence from Iran. *Environment, Development and Sustainability* 24, 9833-9850, **2022**. <https://doi.org/10.1007/s10668-021-01847-6>. (WoS/Scopus)
- 6460.** Morsy AR, Khedr RA, El-Mansoury MAM, Rizk AMA. Determination of agro-physiological traits related to water deficit tolerance for some soybean genotypes. *Journal of Plant Production* 13 (12):851-859, **2022**. <https://dx.doi.org/10.21608/jpp.2022.173685.1186>.
- 6461.** Naghavi MR, Tavasoli A. Evaluation of protein response of saffron under osmotic stress by proteomics method. *Journal of Saffron Research* (semi-annual) 10(1), 129-147. **2022**. <https://dx.doi.org/10.22077/jsr.2022.4712.1170>.
- 6462.** Rauschendorfer JK. Characterizing drought adaptations, phenotypic plasticity, and fixed gene expression patterns within Quercus. Open Access Dissertation, Michigan Technological University, USA, **2022**. <https://doi.org/10.37099/mtu.dc.etrdr/1465>. [PhD thesis]
- 6463.** Saleem MA, Shehzad A, Aha A, Idrees M, Sajjad M, Iqbal N, Akram W. Comparative performances of wheat lines under different irrigation regimes. *Plant Cell Biotechnology and Molecular Biology*, 23(31-32), 67-77, **2022**. <https://doi.org/10.56557/pcbmb/2022/v23i31-327796>. (WoS/Scopus)
- 6464.** Saleem S, Mushtaq NU, Shah WH, Rasool A, Hakeem KR, Rehman RUI. Beneficial role of phytochemicals in oxidative stress mitigation in plants. In: Tariq Aftab, Khalid Rehman Hakeem (Eds.) *Antioxidant Defense in Plants. Molecular Basis of Regulation*. Springer, ISBN 978-981-16-7981-0 (eBOOK). Chapter 20, pp. 435-....., **2022**. <https://doi.org/10.1007/978-981-0>. (WoS/Scopus)
- 6465.** Sarkar B, Savita SK, Varalaxmi Y, Vanaja M, Ravi Kumar N, Sathish P, Jyothi Lakshmi N, Prabhakar M, Shanker AK, Yadav SK, Maheswari M. Stress reactions of maize genotypes to drought stress at different phenophases and recovery. *Russian Journal of Plant Physiology* v. 69, art. 54, **2022**. <https://doi.org/10.1134/S1021443722030128>. (WoS/Scopus)
- 6466.** Ullah TL, Mahmood T, Elhddad S, Usman S. Identification of plants releasing isoprene causing smog. *MOJ Ecology & Environmental Sciences* 7(2):40-46, **2022**. <http://dx.doi.org/10.15406/moj.2022.07.00245>.
- 6467.** Verma KK, Vatsal S, Singh M, Rajput VD, Minkina T. Coping with water stress: effects and adaptive mechanisms to plants. In: *Understanding Abiotic Stresses, Series: Environmental Science, Engineering and Technology*. Eds VD Rajput, KK Verma, T Minkina. Chapter 9, pp. 279-308, **2022**. Nova Science Publishers, Inc. ISBN: 978-1-68507-508-8. <https://doi.org/10.52305/UBUJ4024>. (WoS/Scopus) [BOOK]
- 6468.** Wang N, Clevers JGPW, Wieneke S, Bartholomeus H, Kooistra L. Potential of UAV-based sun-induced chlorophyll fluorescence to detect water stress in sugar beet. *Agricultural and Forest Meteorology* vol 323, art. 109033, **2022**. <https://doi.org/10.1016/j.agrformet.2022.109033>. (WoS/Scopus)
- 6469.** Wang N. The potential of UAV-based sun-induced chlorophyll fluorescence in understanding crop photosynthesis. **PhD thesis**, Wageningen University, Wageningen, the Netherlands, **2022**. ISBN: 978-94-6447-212-7. <https://doi.org/10.18174/568807>.
- 6470.** Zendonadi dos Santos, Nicolas. High-throughput phenotyping of photosynthesis traits in durum wheat under drought stress using light-induced fluorescence transients. **Dissertation**, Rheinische Friedrich-Wilhelms-Universität Bonn., **2022**. Online-Ausgabe in bonndoc: <https://nbn-resolving.org/urn:nbn:de:hbz:5-65991>. [PhD Thesis]
- 6471.** Mohseni A, Sharif RS, Khomari S. Effect of putrescine and bio fertilizers on grain yield and some physiological indices of wheat (*Triticum aestivum* L. (at various irrigation levels. *Journal of Crop Improvement* 24(1),67-83, **2022**. https://jci.ut.ac.ir/article_86850.html?lang=en. (WoS/Scopus)
- 6472.** Abdou SMM, Abdelraouf RE, Farrag FRM, Mohammed NF, Kasem AA. Response of barley to different moisture depletion rates and n-fertilization forms within the root zone. *Fayoum Journal of Agricultural Research and Development* 37(2), 335-347, **2023**. https://fjard.journals.ekb.eg/article_297454.html.
- 6473.** Aghaei F, Sharifi RS, Narimani H. Effect of methanol on yield, dry matter remobilization and grain filling process of wheat (*Triticum aestivum* L.) under irrigation withholding. *Environmental Stresses in Crop Sciences* 16(1), 83-100, **2023**. https://escs.birjand.ac.ir/article_2222.html?lang=en.
- 6474.** Alhoshan M, Zahedi M. Effects of salicylic acid and glycine betaine on gas exchanges, proline content and yield of potato cultivars under water stress conditions. *Journal of Stress Physiology & Biochemistry* 19(2), 46-59, **2023**. <https://cyberleninka.ru/article/n/effects-of-salicylic-acid-and-glycine-betaine-on-gas-exchanges-proline-content-and-yield-of-potato-cultivars-under-water-stress/viewer>.
- 6475.** Al-Zubaidi M, Bader F, Lastname B, Al-Alawi H, Abood M, Al-Afraji H, Akram Z. Effect of adding antisaline and marine algae on the vegetative growth characteristics of Cauliflower, Mica Cultivar. *Revista*

6476. Al-Zubaidi MSK, Bader BR, Al –Afraji HRJ, Abood MA. Effect of anti saline addition and humic acid spraying on the vegetative growth of cauliflower of nahar cultivar. *Journal of Survey in Fisheries Sciences* 10(3S) 1717-1724, 2023. <https://sifisheressciences.com/journal/index.php/journal/article/view/608>. (WoS/Scopus)
6477. Antunović Dunić J, Mlinarić S, Pavlović I, Lepeduš H, Salopek-Sondi B. Comparative analysis of primary photosynthetic reactions assessed by OJIP kinetics in three brassica crops after drought and recovery. *Applied Sciences* 13, 3078, 2023. <https://doi.org/10.3390/app13053078>. (WoS/Scopus)
6478. Assaha DVM, Awasume AC, Tabot PT, Mfombe PM. Harvesting compounds the effect of water deficit on the growth and yield of water leaf [*Talinum Triangulare* (Jacq.) Willd.]. *Journal of Tertiary and Industrial Sciences* 3(2):42 -53, 2023.
6479. Dai R, Chen S, Xu X, Wang Z. Comparison and analysis of hyperspectral vegetation indices for recognizing water stress of soybean. Proceedings SPIE volume 12551, *Fourth International Conference on Geoscience and Remote Sensing Mapping* (GRSM 2022), 125512K, 2023. <https://doi.org/10.1117/12.2668138>. (WoS/Scopus)
6480. Farahi SMM, Yazdi MET, Einafshar E, Akhondi M, Ebadi M, Azimipour S, Mahmoodzadeh H, Iranbakhsh A. The effects of titanium dioxide (TiO₂) nanoparticles on physiological, biochemical, and antioxidant properties of Vitex plant (*Vitex agnus - Castus* L). *Heliyon* 9(11), E22144, 2023. <http://dx.doi.org/10.1016/j.heliyon.2023.e22144>. (WoS/Scopus)
6481. Fatema MK, Mamun MAA, Sarker U, Hossain MS, Mia MAB, Roychowdhury R, Ercisli S, Marc RA, Babalola OO, Karim MA. Assessing morpho-physiological and biochemical markers of soybean for drought tolerance potential. *Sustainability* 15, 1427, 2023. <https://doi.org/10.3390/su15021427>. (WoS/Scopus)
6482. Gul H, Nazeer H, Khan A, Ur Rehman K, Saddiq G, Iftikhar M, Butt ZA. Response of *Triticum aestivum* cultivars to salt stress with reference to different biochemical attributes. *Journal of Pure and Applied Agriculture* 8(4): 48-68 2023.
6483. Hassan W, Bader B. Effects of adding anti-saline and humic acid foliar spraying on yield parameters of cauliflower (*Brassica oleracea* var. *Botrytis*). *Journal of Tekirdag Agricultural Faculty* 20 (2): 353-360, 2023. <https://doi.org/10.33462/jotaf.1112094>. (WoS/Scopus)
6484. Kundy AC, Mayes S, Msanya B, Ndakidemi P, Massawe F. Building resilient crop production systems for drought-prone areas - a case for bambara groundnut (*Vigna subterranea* L. *Verde*) and groundnut (*Arachis hypogaea* L.). *Agronomy* 13(2):383, 2023. <https://doi.org/10.3390/agronomy13020383>. (WoS/Scopus)
6485. Ma Y, Liu W, Qiao Y, Qiao W, Yang H, Zhong Y, Yang H, Wang H, Li Y, Dong B, Liu M. Effects of soil salinity on foxtail millet osmoregulation, grain yield, and soil water utilization under varying water conditions. *Agricultural Water Management* vol. 284, art. 108354, 2023. <https://doi.org/10.1016/j.agwat.2023.108354>. (WoS/Scopus)
6486. Naseri rad H, Naseri R. Effects of phosphorous fertilizer and mycorrhizal fungi on root growth characteristics and physiological traits of different cultivars of durum wheat (*Triticum turgidum* var. *durum*) under rainfed condition. *Crop Science Research in Arid Regions* 5(1), 287-309, 2023. <https://doi.org/10.22034/csrar.2023.333877.1210>.
6487. Sharifi RS, Narimani H. Effects of some stress modulators on nodulation, grain filling rate and yield of rainfed lentil (*Lens culinaris* L.). *Journal of Agricultural Science and Sustainable Production* 33(4), 113-130, 2023. https://sustainagriculture.tabrizu.ac.ir/article_17404.html?lang=en.
6488. Shokhmgar M, Seghatoleslami M, Moosavi SG, Baradaran R. Plant growth regulators can affect the physiological traits of foxtail millet (*Setaria italica*) under deficit irrigation. *Gesunde Pflanzen* 75, 2505-2514, 2023. <https://doi.org/10.1007/s10343-023-00911-7>. (WoS/Scopus)
6489. Sönmez AC. Evaluation of landscape plants in terms of landscape characteristics and ecological tolerance: the case of Ankara-Altinpark. PhD Thesis, Bursa Uludağ University, 2023. https://scholar.google.com/scholar_url?url=https://acikerisim.uludag.edu.tr/bitstream/11452/33233/1/Ali_Cem_S_%25C3%25B6nmez.pdf&hl=en&sa=X&d=4637573934385295563&ei=By-ZPiUCJLYygSq-6-oDQ&scisig=ABFr3wSxY-8fBirCvebCc8BRVsN&oi=scholaralrt&hist=P53aOtQAAAAJ:14807110563557335153:ABFr3zYGac9P3V9ZMF2X0THHEWg&html=&pos=0&folt=kw. [PhD Thesis]
6490. Valarmathi R, Mahadeva Swamy HK, Appunu C, Kambale R, Sudhagar R. Anatomy of tolerance mechanisms in sugarcane crop to abiotic stresses. In: Verma KK, Song XP, Rajput VD, Solomon S, Li YR, Rao GP (eds) *Agro-industrial Perspectives on Sugarcane Production under Environmental Stress*. Springer, Singapore. Pp. 107-121, 2023. https://doi.org/10.1007/978-981-19-3955-6_6. (WoS/Scopus) [eBOOK]
6491. Петров ВС, Гусев С Э, Цику Д.М, Марморштейн АА. Агробιοιολογιϭеские свойства новых столовых сортов винограда в условиях умеренно континентального климата Северо-Западного Предкавказья. *Известия НВ АУК* 2(70). 92-100, 2023. <https://cyberleninka.ru/article/n/agrobiologicheskie-svoystva-novyh-stolovyh-sortov-vinograda-v-usloviyah-umerenno-kontinentalnogo-klimata-severo-zapadnogo>.
6492. Cammerino ARB, Ingaramo M, Monteleone M. Complementary approaches to planning a restored coastal wetland and assessing the role of agriculture and biodiversity: an applied case study in southern Italy. *Water* 16(1):153, 2024. <https://doi.org/10.3390/w16010153>. (WoS/Scopus)
6493. Rani V, Sengar RS, Chauhan C. Assessment of physio-biochemical assessment and gene expression analysis of sugarcane genotypes under water stress. *Molecular Biology Reports* 51, 315, 2024. <https://doi.org/10.1007/s11033-024-09251-9>. (WoS/Scopus)

6494. Copolovici LO, Filella I, Llusia J, Niinemets U, Penuelas J - The capacity for thermal protection of photosynthetic electron transport varies for different monoterpenes in *Quercus ilex*. *Plant Physiology* 139 (1): 485-496, **2005 (WoS/Scopus)**
6495. Penuelas J, Munne-Bosch S - Isoprenoids: an evolutionary pool for photoprotection. *Trends in Plant Science* 10 (4): 166-169, **2005 (review) (WoS/Scopus)**
6496. Filella I, Penuelas J, Llusia J - Dynamics of the enhanced emissions of monoterpenes and methyl salicylate, and decreased uptake of formaldehyde, by *Quercus ilex* leaves after application of jasmonic acid. *New Phytologist* 169 (1): 135-144, **2006 (WoS/Scopus)**
6497. Tambunan P, Baba S, Kuniyoshi A, Iwasaki H, Nakamura T, Yamasaki H, Oku H - Isoprene emission from tropical trees in Okinawa Island, Japan. *Chemosphere* 65 (11): 2138-2144, **2006 (WoS/Scopus)**
6498. Agati G, Matteini P, Goti A, Tattini M - Chloroplast-located flavonoids can scavenge singlet oxygen. *New Phytologist* 174 (1): 77-89, **2007 (WoS/Scopus)**
6499. Karim S - Exploring plant tolerance to biotic and abiotic stresses. (**PhD Thesis**) Swedish University of Agricultural Sciences, Uppsala, **2007**
6500. Karim S, Holmström K-O, Mandal A, Dahl P, Hohmann S, Brader G, Palva ET, Pirhonen M - AtPTR3, a wound-induced peptide transporter needed for defence against virulent bacterial pathogens in *Arabidopsis*. *Planta*, 225 (6), 1431-1445, **2007 (WoS/Scopus)**
6501. Nanda BL, Nataraju A, Rajesh R, Rangappa KS, Shekar MA, Vishwanath BS - PLA2 mediated arachidonate free radicals: PLA2 inhibition and neutralization of free radicals by anti-oxidants - A new role as anti-inflammatory molecule. *Current Topics in Medicinal Chemistry* 7 (8): 765-777, **2007 (review) (WoS/Scopus)**
6502. Fares S - An investigation of ozone uptake by plants and antioxidant effect of plant isoprenoids. Università degli Studi della Tuscia, **PhD Thesis**, **2008**,
6503. Sharkey TD, Wiberley AE, Donohue AR - Isoprene emission from plants: Why and how. *Annals of Botany* 101 (1): 5-18, **2008 (review) (WoS/Scopus)**
6504. Wiberley AE - Molecular and biochemical regulation of isoprene emission from plants. University of Wisconsin - Madison **2008 (PhD Thesis)**
6505. Calzada AC - Anàlisi molecular de la biosíntesi d'isoprenoides a *Arabidopsis*. Universitat de Barcelona, Facultat de Biologia, (**PhD Thesis**), **2009**
6506. Ryan A, Cojocariu C, Possell M, Davies WJ, Hewitt CN - Defining hybrid poplar (*Populus deltoides* x *Populus trichocarpa*) tolerance to ozone: identifying key parameters. *Plant Cell and Environment* 32 (1): 31-45, **2009. (WoS/Scopus)**
6507. Triantaphylides C, Havaux M - Singlet oxygen in plants: production, detoxification and signaling. *Trends in Plant Science* 14 (4): 219-228, **2009 (review) (WoS/Scopus)**
6508. Niinemets Ü - Mild versus severe stress and BVOCs: thresholds, priming and consequences. *Trends in Plant Science* 15 (3): 145-153, **2010 (review) (WoS/Scopus)**
6509. Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt, CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010. (WoS/Scopus)**
6510. Schnitzler JP, Louis S, Behnke K, Loivamaki M - Poplar volatiles - biosynthesis, regulation and (eco)physiology of isoprene and stress-induced isoprenoids. *Plant Biology* 12 (2): 302-316, **2010 (review) (WoS/Scopus)**
6511. Tripathy BC, Pattanayak GK - 25. Singlet oxygen-induced oxidative stress in plants. In: *The Chloroplasts. Advances in Photosynthesis and Respiration. Basics and Applications*, Volume 31 (Eds. Rebeiz CA, Benning C, Bohnert HJ, H Daniell, Hooper JK, Lichtenthaler HK, Portis AR, Tripathy BC), Springer Netherlands, DOI10.1007/978-90-481-8531-3, ISSN1572-0233, ISBN978-90-481-8530-6 (Print) 978-90-481-8531-3 (Online), pp. 397-412, **2010 (book)**
6512. Yang RY, Zeng XM, Lu YY, Lu WJ, Feng LL, Yang XQ, Zeng QP - Senescent leaves of *Artemisia annua* are one of the most active organs for overexpression of artemisinin biosynthesis responsible genes upon burst of singlet oxygen. *Planta Medica* 76 (7): 734-742, **2010 (WoS/Scopus)**
6513. Way DA, Schnitzler JP, Monson RK, Jackson RB - Enhanced isoprene-related tolerance of heat- and light-stressed photosynthesis at low, but not high, CO₂ concentrations. *Oecologia* 166 (1): 273-282, **2011 (WoS/Scopus)**
6514. Ласточкина О.В. - Роль гормональных интермедиатов в проявлении антистрессового действия природных регуляторов роста на растения пшеницы. Институт Биохимии и Генетики, Уфимский Научный Центр РАН, **2011, (PhD Thesis)**
6515. Katerova Z, Todorova D, Tasheva K, Sergiev I - Influence of ultraviolet radiation on plant secondary metabolite production. *Genetics and Plant Physiology* 2 (3-4), 113-144, **2012 (review)**
6516. Wahid A, Farooq M, Hussain I, Rasheed R, Galani S - Ch.6 Responses and Management of Heat Stress in Plants, , In: (Parvaiz Ahmad, M. N. V. Prasad, eds) *Environmental Adaptations and Stress Tolerance of Plants in the Era of Climate Change*, Springer, **2012 (book) (WoS/Scopus)**
6517. Wang XP, Liu TX, Li CH - Characterization of biogenic volatile organic compounds and membrane lipid peroxidation during leaf ageing in maize (*Zea mays*). *Indian Journal of Agricultural Sciences* 82(5): 447-450, **2012 (WoS/Scopus)**

- 6518.** Way DA, Pearcy RW - Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: [10.1093/treephys/tps064](https://doi.org/10.1093/treephys/tps064), **2012 (Review) (WoS/Scopus)**
- 6519.** Bartwal A, Mall R, Lohani P, Guru SK, Arora S - Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation* 32(1): 216-232, **2013**, DOI: [10.1007/s00344-012-9272-x](https://doi.org/10.1007/s00344-012-9272-x) (**review**) (**WoS/Scopus**)
- 6520.** Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A - Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiology* 161(4): 1952-1969, DOI: [10.1104/pp.112.208470](https://doi.org/10.1104/pp.112.208470), **2013 (WoS/Scopus)**
- 6521.** Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C - Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *Journal of Experimental Botany* 64(12), 3697-3709, **2013 (WoS/Scopus)**
- 6522.** Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>, **2013**
- 6523.** Kumar D, Yusuf MA, Singh P, Sardar M, Sarin NB - Modulation of antioxidant machinery in alpha-tocopherol-enriched transgenic *Brassica juncea* plants tolerant to abiotic stress conditions. *Protoplasma* 250(5), 1079-1089, **2013 (WoS/Scopus)**
- 6524.** Sun Z – Isoprene emission from aspen (*Populus sp.*) in relation to environmental drivers. Estonian University of Life Science, **2013 (PhD Thesis)**
- 6525.** Brestic M, Zivcak M, Olsovska K, Kalaji HM, Shao H, Hakeem KR. Heat signaling and stress responses in photosynthesis (**Review**). *Plant signaling: Understanding the molecular crosstalk*. **2014**, 241-256, Springer. (**WoS/Scopus**)
- 6526.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 6527.** Niinemets, U; Fares, S; Harley, P; Jardine, KJ - Bidirectional exchange of biogenic volatiles with vegetation: emission sources, reactions, breakdown and deposition. *Plant Cell and Environment* 37 (8), SI, 1790-1809, **2014 (Review) (WoS/Scopus)**
- 6528.** Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist* 201 (1), 205-216, **2014** doi: [10.1111/nph.12477](https://doi.org/10.1111/nph.12477) (**WoS/Scopus**)
- 6529.** Sharkey, TD; Monson, RK - The future of isoprene emission from leaves, canopies and landscapes. *Plant Cell and Environment* 37 (8), SI, 1727-1740, **2014 (Review) (WoS/Scopus)**
- 6530.** Brunetti, C., Guidi, L., Sebastiani, F., Tattini, M. - Isoprenoids and phenylpropanoids are key components of the antioxidant defense system of plants facing severe excess light stress. *Environmental and Experimental Botany*, 119, pp. 54-62, **2015**. DOI: [10.1016/j.envexpbot.2015.04.007](https://doi.org/10.1016/j.envexpbot.2015.04.007) (**WoS/Scopus**)
- 6531.** Jardine KJ, Chambers JQ, Holm J, Jardine AB, Fontes CG, Zorzanelli RF, Meyers KT, de Souza VF, Garcia S, Gimenez BO, Piva LRO, Higuchi N, Artaxo P, Martin S, Manzi AO. Green Leaf Volatile Emissions during High Temperature and Drought Stress in a Central Amazon Rainforest. *Plants* 4(3), 678-690, **2015 (WoS/Scopus)**
- 6532.** Kumari P, Mahapatro GK, Banerjee N, Sarin NB. Ectopic expression of GroEL from *Xenorhabdus nematophila* in tomato enhances resistance against *Helicoverpa armigera* and salt and thermal stress, *Transgenic Research* 24, 5, 859-873, **2015 (WoS/Scopus)**
- 6533.** Negi NP, Shrivastava DC, Sharma V, Sarin NB. Overexpression of CuZnSOD from *Arachis hypogaea* alleviates salinity and drought stress in tobacco, *Plant Cell Reports* 34, 7, 1109-1126, **2015 (WoS/Scopus)**
- 6534.** Nogués I, Medori M, Calfapietra C - Limitations of monoterpene emissions and their antioxidant role in *Cistus sp.* under mild and severe treatments of drought and warming. *Environmental and Experimental Botany* 119: 76-86, **2015**, <http://dx.doi.org/10.1016/j.envexpbot.2015.06.001> (**WoS/Scopus**)
- 6535.** Sawicki M, Barka EA, Clément C, Vaillant-Gaveau N, Jacquard C. Cross-talk between environmental stresses and plant metabolism during reproductive organ abscission. *Journal of Experimental Botany* 66, 7, 1707-1719, **2015 (WoS/Scopus)**
- 6536.** Brar AS, Physiological and molecular characterization of cold tolerant sugarcane germplasm. Punjab Agricultural University, Ludhiana, India. **2016**
- 6537.** Jardine AB. A especiação dos monoterpenos em uma floresta da Amazônia central. **PhD Thesis**, Instituto Nacional de Pesquisas da Amazônia, Manaus, Brasil., **2016**
- 6538.** Jardine K, Jardine A. Biogenic volatile organic compounds in Amazonian forest ecosystems. In *Interactions Between Biosphere, Atmosphere and Human Land Use in the Amazon Basin*, Volume 227 of the series Ecological Studies (pp. 19-33), Springer Berlin Heidelberg, **2016 (book series)**
- 6539.** Masand S, Yadav SK. Overexpression of MuHSP70 gene from *Macrotyloma uniflorum* confers multiple abiotic stress tolerance in transgenic *Arabidopsis thaliana*, *Molecular biology reports*, 43, 2, 53-64, **2016 (WoS/Scopus)**
- 6540.** Mutanda I, Saitoh S, Inafuku M, Aoyama H, Takamine T, Satou K, Akutsu M, Teruya K, Tamotsu H, Shimoji M, Sunagawa H, Oku H. Gene expression analysis of disabled and re-induced isoprene emission by the tropical tree *Ficus septica* before and after cold ambient temperature exposure. *Tree Physiology* 36(7): 873-882, **2016**. DOI: [10.1093/treephys/tpw032](https://doi.org/10.1093/treephys/tpw032) (**WoS/Scopus**)

6541. Mwamba TM, Ali S, Ali B, Lwalaba JL, Liu H, Farooq MA, Shou J, Zhou W. Interactive effects of cadmium and copper on metal accumulation, oxidative stress, and mineral composition in *Brassica napus*. *International Journal of Environmental Science and Technology*, 13, 9, 2163-2174, **2016** DOI: [10.1007/s13762-016-1040-1](https://doi.org/10.1007/s13762-016-1040-1) (WoS/Scopus)
6542. Zeinali N, Altarawneh M, Li D, Al-Nuairat J, Dlugogorski BZ. New mechanistic insights: Why do plants produce isoprene. *ACS OMEGA* 1, 220-225, **2016**. (WoS/Scopus)
6543. Ali S, Gill RA, Mwamba TM, N Zhang, Lv MT, ul Hassan Z, Islam F, Ali S, Zhou WJ. Differential cobalt-induced effects on plant growth, ultrastructural modifications, and antioxidative response among four *Brassica napus* (L.) cultivars. *International Journal of Environmental Science and Technology* 15(12): 2685-2700, **2018**. <https://doi.org/10.1007/s13762-017-1629-z> (WoS/Scopus)
6544. Ali S, Gill RA, Ulhassan Z, Ullah N, Kanwar MK, Abid M, Mwamba TM, Huang Q, Zhou W. Insights on the responses of *Brassica napus* cultivars against the co-stress as revealed by carbon assimilation, anatomical changes and secondary metabolites. *Environmental and Experimental Botany* 156: 183-196, **2018**. <https://doi.org/10.1016/j.envexpbot.2018.07.004> (WoS/Scopus)
6545. Bibbiani S, Colzi I, Taiti C, Nissim WG, Papini A, Mancuso S, Gonnelli C. Smelling the metal: volatile organic compound emission under Zn excess in the mint *Tetradenia riparia*. *Plant Science* 271:1-8, **2018** <https://doi.org/10.1016/j.plantsci.2018.03.006> (WoS/Scopus)
6546. Khushboo, Bhardwaj K, Singh P, Raina M, Sharma , Kumar D. Exogenous application of calcium chloride in wheat genotypes alleviates negative effect of drought stress by modulating antioxidant machinery and enhanced osmolyte accumulation. *In Vitro Cellular & Developmental Biology – Plant* 54(5):495-507, **2018**. <https://doi.org/10.1007/s11627-018-9912-3> (WoS/Scopus)
6547. Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
6548. Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, **2019**. <https://doi.org/10.1186/s40659-019-0246-3>. (WoS/Scopus)
6549. Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. [doi:10.1111/pce.13629](https://doi.org/10.1111/pce.13629). (Review). (WoS/Scopus)
6550. Lwalaba JLW, Louis LT, Zvobgo G, Fu L, Mwamba TM, Mundende RPM, Zhang G. Copper alleviates cobalt toxicity in barley by antagonistic interaction of the two metals. *Ecotoxicology and Environmental Safety* 180:234-241, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.04.077> (WoS/Scopus)
6551. Ahanger MA, Bhat JA, Siddiqui MH, Rinklebe J, Ahmad P. Integration of silicon and secondary metabolites integration in plants: A Significant association in stress tolerance. *Journal of Experimental Botany* 71(21), 6758-6774, **2020**. <https://doi.org/10.1093/jxb/eraa291>. (WoS/Scopus) (Review)
6552. Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)
6553. Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. **PhD Thesis**, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>.
6554. Khorobrykh S, Havurinne V, Mattila H, Tyystjärvi E. Oxygen and ROS in photosynthesis. *Plants* 9(1), 91, **2020**. <https://doi.org/10.3390/plants9010091>. (WoS/Scopus)
6555. Ormeño E, Viros J, Mévy J-Ph, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2), 159, **2020**. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)
6556. Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abiotic and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
6557. Akhi MZ, Haque MdM, Biswas MdS. Role of secondary metabolites to attenuate stress damages in plants. *Antioxidants*, e-Book chapter, IntechOpen, **2021**. <http://dx.doi.org/10.5772/intechopen.95495>. (e-BOOK)
6558. Feng S, Wang R, Pastor RW, Klauda JB, Im W. Location and conformational ensemble of menaquinone and menaquinol, and protein–lipid modulations in archaeal membranes. *The Journal of Physical Chemistry B* 125 (18), 4714-4725, **2021**. <https://doi.org/10.1021/acs.jpcc.1c01930>. (WoS/Scopus)
6559. Ghirardo A, Nosenko T, Kreuzwieser J, Winkler JB, Kruse J, Albert A, Merl-Pham J, Lux T, Ache P, Zimmer I, Alfarraj S, Mayer KFX, Hedrich R, Rennenberg H, Schnitzler J-P. Protein expression plasticity contributes to heat and drought tolerance of date palm. *Oecologia* 197:903-919, **2021**. <https://doi.org/10.1007/s00442-021-04907-w>. (WoS/Scopus)
6560. Hassan MU, Chattha MU, Khan I, Chattha MB, Barbanti L, Aamer M, Iqbal MM, Nawaz M, Mahmood A, Ali A, Aslam MT. Heat stress in cultivated plants: nature, impact, mechanisms, and mitigation strategies—a review. *Plant Biosystems* 155(2):211-234, **2021**. <https://doi.org/10.1080/11263504.2020.1727987>. (WoS/Scopus)
6561. Mistry AP, Steffek AWT, Potosnak MJ (2021) Edge growth form of european buckthorn increases isoprene emissions from urban forests. *Frontiers in Forests and Global Change* 3: 601678, **2021**. <https://doi.org/10.3389/ffgc.2020.601678>. (WoS/Scopus)

6562. Monson RK, Weraduwaage SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
6563. Alharbi K, Al-Osaimi AA, Alghamdi BA. Sodium chloride (NaCl)-induced physiological alteration and oxidative stress generation in *Pisum sativum* (L.): a toxicity assessment. *ACS Omega* 7(24), 20819-20832, **2022**. <https://pubs.acs.org/action/showCitFormats?doi=10.1021/acsomega.2c01427&ref=pdf>. (WoS/Scopus)
6564. Ali S, Khan N, Tang Y. Epigenetic marks for mitigating abiotic stresses in plants. *Journal of Plant Physiology* vol. 275, art. 153740, **2022**. <https://doi.org/10.1016/j.jplph.2022.153740>. (WoS/Scopus)
6565. Daldoul S, Hanzouli F, Hamdi Z, Chenenaoui S, Wetzel T, Nick P, Mliki A, Gargouri M. The root transcriptome dynamics reveals new valuable insights in the salt-resilience mechanism of wild grapevine (*Vitis vinifera* subsp. *sylvestris*). *Frontiers in Plant Science* 13:1077710, **2022**. <https://doi.org/10.3389/fpls.2022.1077710>. (WoS/Scopus)
6566. Dastogeer KMG, Zahan MI, Rhaman MS, Sarker MSA, Chakraborty A. Microbe-mediated thermotolerance in plants and pertinent mechanisms - a meta-analysis and **review**. *Frontiers in Microbiology* 13: 833566, **2022**. <https://doi.org/10.3389/fmicb.2022.833566>. (WoS/Scopus)
6567. Gautam M, Chahota RK. Metabolite profiling and protein quantification to a large library of 96 horsegram (*Macrotyloma uniflorum*) germplasm. *Scientific Reports* 12, 7865, **2022**. <https://doi.org/10.1038/s41598-022-11962-7>. (WoS/Scopus)
6568. Pogozheva ID, Armstrong GA, Kong L, Hartnagel TJ, Carpino CA, Gee SE, Picarello DM, Rubin AS, Lee J, Park S, Lomize AL, Im W. Comparative molecular dynamics simulation studies of realistic eukaryotic, prokaryotic, and archaeal membranes. *Journal of Chemical Information and Modeling* 62(4),1036-1051, **2022**. <https://doi.org/10.1021/acs.jcim.1c01514>. (WoS/Scopus)
6569. Terletskaia NV, Seitimova GA, Kudrina NO, Meduntseva ND, Ashimuly K. The reactions of photosynthetic capacity and plant metabolites of *Sedum hybridum* L. in response to mild and moderate abiotic stresses. *Plants* 11(6):828, **2022**. <https://doi.org/10.3390/plants11060828>. (WoS/Scopus)
6570. Yaqoob U, Jan N, Raman PV, Siddique KHM, John R. Crosstalk between brassinosteroid signaling, ROS signaling and phenylpropanoid pathway during abiotic stress in plants: Does it exist? *Plant Stress* vol. 4, art. 100075, **2022**. <https://doi.org/10.1016/j.stress.2022.100075>. (WoS/Scopus)
6571. Bhardwaj K, Raina M, Sanfratello GM, P Pandey, A Singh, R Rajwanshi, NP Negi, A Rustagi, Khushboo, D Kumar. Exogenous melatonin counteracts salinity and cadmium stress via photosynthetic machinery and antioxidant modulation in *Solanum lycopersicum* L. *Journal of Plant Growth Regulation* 42, 6332-6348, **2023**. <https://doi.org/10.1007/s00344-022-10843-7>. (WoS/Scopus)
6572. Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]
6573. Li S, Chen H, Yu H, Li Y, Wang L. Responses and adaptations of fruit trees to high temperatures. *Fruit Research* 3:23, **2023**. <https://doi.org/10.48130/FruRes-2023-0023>. [Review]
6574. Toubali S, Meddich A. Role of combined use of mycorrhizae fungi and plant growth promoting rhizobacteria in the tolerance of quinoa plants under salt stress. *Gesunde Pflanzen* 75, 1855-1869, **2023**. <https://doi.org/10.1007/s10343-023-00847-y>. (WoS/Scopus)
6575. Voelker J, Mauleon R, Shepherd M. The terpene synthase genes of *Melaleuca alternifolia* (tea tree) and comparative gene family analysis among Myrtaceae essential oil crops. *Plant Systematics and Evolution* 309, art. 13, **2023**. <https://doi.org/10.1007/s00606-023-01847-1>. (WoS/Scopus)
6576. Wuerz M, Lawson CA, Oakley CA, Possell M, Wilkinson SP, Grossman AR, Weis VM, Suggett DJ, Davy SK. Symbiont identity impacts the microbiome and volatiliome of a model cnidarian-dinoflagellate symbiosis. *Biology* 12(7):1014, **2023**. <https://doi.org/10.3390/biology12071014>. (WoS/Scopus)
6577. Wuerz M. The volatiliome of the cnidarian-dinoflagellate symbiosis. **PhD Thesis** Victoria University of Wellington, USA. **2023**. https://openaccess.wgtn.ac.nz/articles/thesis/The_volatiliome_of_the_cnidarian-dinoflagellate_symbiosis/22976435. [PhD Thesis]
6578. Weraduwaage SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)

[Stoyanova-Koleva D, Edreva A, Velikova V, Gürel A - Effect of reddening of cotton \(*Gossypium hirsutum* L.\) leaves on the ultrastructure of mesophyll cells. *Photosynthetica* 43\(2\): 313-316, 2005](#)

6579. Byale NA, Patil VD, Nandede BM – Effect of nutrient combination on plant pigments and yield of Bt cotton under rainfed condition. *International Journal of Current Microbiology and Applied Sciences* 6(11): 500-505, **2017**, <https://doi.org/10.20546/ijcmas.2017.611.060>.

6580. Byale NA, Nandede BM, Rajwade YA. Influence of fertilizers' application on available nutrients in soil, uptake pattern, growth and yield of BT cotton under Rainfed condition. *International Journal of Chemical Studies* 5(5): 2167-2174, **2017**.

6581. Baraldi R, Rapparini F, Facini O, Spano D, Duce P - Isoprenoid emissions and physiological activities of Mediterranean macchia vegetation under field conditions. *Journal of Mediterranean Ecology* 6 (1), 3-9, 2005
6582. Chen J, Cao K - Plant VOCs emission - a new strategy of thermotolerance. *Journal of Forestry Research* 16 (4): 323-326, 2005 (review) (WoS/Scopus)
6583. Copolovici LO, Filella I, Llusia J, Niinemets U, Penuelas J - The capacity for thermal protection of photosynthetic electron transport varies for different monoterpenes in *Quercus ilex*. *Plant Physiology* 139 (1): 485-496, 2005 (WoS/Scopus)
6584. Sharkey TD - Effects of moderate heat stress on photosynthesis: importance of thylakoid reactions, rubisco deactivation, reactive oxygen species, and thermotolerance provided by isoprene. *Plant Cell and Environment* 28 (3): 269-277, 2005 (WoS/Scopus)
6585. Sharkey TD, Yeh S, Wiberley AE, Falbel TG, Gong DM, Fernandez DE - Evolution of the isoprene biosynthetic pathway in kudzu. *Plant Physiology* 137 (2): 700-712, 2005 (WoS/Scopus)
6586. Wiberley AE, Linskey AR, Falbel TG, Sharkey TD - Development of the capacity for isoprene emission in kudzu. *Plant, Cell and Environment* 28 (7): 898-905, 2005 (WoS/Scopus)
6587. Cheeseman JM - Hydrogen peroxide concentrations in leaves under natural conditions. *Journal of Experimental Botany* 57 (10): 2435-2444, 2006. (WoS/Scopus)
6588. Hideg E, Kalai T, Kos PB, Asada K, Hideg K - Singlet oxygen in plants - its significance and possible detection with double (fluorescent and spin) indicator reagents. *Photochemistry and Photobiology*, 82 (5): 1211-1218, 2006 (WoS/Scopus)
6589. Pegoraro E, Rey A, Abrell L, Vanharen H, Lin GH - Drought effect on isoprene production and consumption in Biosphere 2 tropical rainforest Source: *Global Change Biology* 12 (3): 456-469, 2006 (WoS/Scopus)
6590. Behnke K, Ehrling B, Teuber M, Bauerfeind M, Louis S, Hänsch R, Polle A, Bohlmann J, Schnitzler J – Transgenic, non-isoprene emitting poplars don't like it hot. *The Plant Journal* 51 (3): 485-499, 2007 (WoS/Scopus)
6591. Dornelas MC, Mazzafera P - A genomic approach to characterization of the Citrus terpene synthase gene family. *Genetics and Molecular Biology* 30 (3): 832-840, 2007 (WoS/Scopus)
6592. Ducruet J-M, Peeva V, Havaux, M - Chlorophyll thermofluorescence and thermoluminescence as complementary tools for the study of temperature stress in plants. *Photosynthesis Research* 94 (1): 159-171, 2007 (WoS/Scopus)
6593. Kim OT, Hyun DY, Bang KH, Jung SJ, Kim YC, Shin YS, Kim DH, Kim SW, Seong NS, Cha SW, Park HW -Thermotolerant transgenic ginseng (*Panax ginseng* c.a. meyer) by introducing isoprene synthase gene through agrobacterium tumefaciens-mediated transformation. *Korean Journal of Medicinal Crop Science* 15(2): 95-99, 2007 (WoS/Scopus)
6594. Lerda M - A positive feedback with negative consequences. *Science*, 316 (5822): 212-213, 2007 (WoS/Scopus)
6595. Loivamäki M, Gilmer F, Fischbach RJ, Sorgel C, Bachl A, Walter A, Schnitzler JP - Arabidopsis, a model to study biological functions of isoprene emission? *Plant Physiology* 144 (2), 1066-1078, 2007 (WoS/Scopus)
6596. Sasaki K, Saito T, Lämsä M, Oksman-Caldentey K-M, Suzuki M, Ohyama K, Muranaka T, Ohara K, Yazaki, K - Plants utilize isoprene emission as a thermotolerance mechanism. *Plant and Cell Physiology* 48 (9): 1254-1262, 2007 (WoS/Scopus)
6597. Tiiva P, Rinnan R, Faubert P, Räsänen J, Holopainen T, Kyrö E, Holopainen JK – Isoprene emission from a subarctic peatland under enhanced UV-B radiation. *New Phytologist* 176 (2): 346-355, 2007 (WoS/Scopus)
6598. Wahid A, Gelani S, Ashraf M, Foolad MR - Heat tolerance in plants: An overview. *Environmental and Experimental Botany* 61 (3): 199-223, 2007 (review) (WoS/Scopus)
6599. Grote R, Niinemets U - Modeling volatile isoprenoid emissions - a story with split ends. *Plant Biology* 10 (1): 8-28, 2008 (review) (WoS/Scopus)
6600. Loivamäki M - Molecular biological and (eco)physiological studies on isoprene emission in Arabidopsis and Grey poplar. Freiburg im Breisgau, 2008 (PhD Thesis)
6601. Noe SM, Copolovici L, Niinemets U, Vaino E - Foliar limonene uptake scales positively with leaf lipid content: "non-emitting" species absorb and release monoterpenes. *Plant Biology* 10 (1): 129-137, 2008 (WoS/Scopus)
6602. Sharkey TD, Wiberley AE, Donohue AR - Isoprene emission from plants: Why and how. *Annals of Botany* 101 (1): 5-18, 2008 (review) (WoS/Scopus)
6603. Thompson AJ, Etzkorn JM, van Pel DM, Krogh ET, Drakeford DR, Gill CG - Membrane introduction tandem mass spectrometry (MIMS-MS/MS) as a real-time monitor for biogenic volatile organic compound (BVOC) emissions from plants. *Canadian Journal of Analytical Sciences And Spectroscopy* 53 (2): 75-81, 2008
6604. Wang D, Heckathorn SA, Barua D, Joshi P, Hamilton EW, Lacroix JJ - Effects of elevated CO₂ on the tolerance of photosynthesis to acute heat stress in C-3, C-4, and CAM species. *American Journal of Botany* 95 (2): 165-176, 2008 (WoS/Scopus)
6605. Wiberley AE – Molecular and biochemical regulation of isoprene emission from plants. University of Wisconsin – Madison 2008 (PhD Thesis)

- 6606.** Behnke K - Transgene Ansätze zur Aufklärung der Isoprenemission in Pappel. Albert Ludwigs Universität Freiburg i. Brsg., Fakultät für Forst und Umweltwissenschaften. KIT Scientific Publishing, **2009 (PhD Thesis)**
- 6607.** Behnke K, Kleist E, Uerlings R, Wildt J, Rennenberg H, Schnitzler JP - RNAi-mediated suppression of isoprene biosynthesis in hybrid poplar impacts ozone tolerance. *Tree Physiology* 29 (5): 725-736, **2009 (WoS/Scopus)**
- 6608.** Chen JW, Bai KD, Cao KF - Inhibition of monoterpene biosynthesis accelerates oxidative stress and leads to enhancement of antioxidant defenses in leaves of rubber tree (*Hevea brasiliensis*). *Acta Physiologiae Plantarum* 31 (1): 95-101, **2009 (WoS/Scopus)**
- 6609.** Hartikainen K, Nerg AM, Kivimaenpää M, Kontunen-Soppela S, Maenpää M, Oksanen E, Rousi M, Holopainen T - Emissions of volatile organic compounds and leaf structural characteristics of European aspen (*Populus tremula*) grown under elevated ozone and temperature. *Tree Physiology* 29 (9): 1163-1173, **2009 (WoS/Scopus)**
- 6610.** Keenan T, Niinemets U, Sabate S, Gracia C, Penuelas J - Process based inventory of isoprenoid emissions from European forests: model comparisons, current knowledge and uncertainties. *Atmospheric Chemistry and Physics* 9 (12): 4053-4076, **2009 (review) (WoS/Scopus)**
- 6611.** Paoletti E, Grulke NE, Bytnerowicz A - More harmful climate change impacts in polluted forests – A review. XIII World Forestry Congress Buenos Aires. Argentina, 18 – 23 October **2009 (umam pdf)**
- 6612.** Behnke K, Loivamäki M, Zimmer I, Rennenberg H, Schnitzler JP, Louis S - Isoprene emission protects photosynthesis in sunfleck exposed *Grey poplar*. *Photosynthesis Research* 104 (1): 5-17, Sp. Iss. SI, **2010 (WoS/Scopus)**
- 6613.** Darbani JNT, Sharkey TD, Calfapietra C, Karnosky DF - Differential response of aspen and birch trees to heat stress under elevated carbon dioxide. *Environmental Pollution* 158 (4): 1008-1014, Sp. Iss. SI. presented at Meeting on Facing the Future in Rhineland, WI, APR 02-04, 2008, **2010 (WoS/Scopus)**
- 6614.** Haworth M, Heath J, McElwain JC - Differences in the response sensitivity of stomatal index to atmospheric CO₂ among four genera of Cupressaceae conifers. *Annals of Botany* 105 (3): 411-418, **2010 (WoS/Scopus)**
- 6615.** Ibrahim MA, Egigu MC, Kasurinen A, Yahya A, Holopainen JK - Diversity of volatile organic compound emissions from flowering and vegetative branches of Yeheb, *Cordeauxia edulis* (Caesalpinaceae), a threatened evergreen desert shrub. *Flavour and Fragrance Journal* 25 (2): 83-92, **2010 (WoS/Scopus)**
- 6616.** Ibrahim MA, Maenpää M, Hassinen V, Kontunen-Soppela S, Malec L, Rousi M, Pietikainen L, Tervahauta A, Karenlampi S, Holopainen JK, Oksanen EJ - Elevation of night-time temperature increases terpenoid emissions from *Betula pendula* and *Populus tremula*. *Journal of Experimental Botany* 61 (6): 1583-1595, **2010 (WoS/Scopus)**
- 6617.** Liberato MAR – Metabolismo energético e emissão de compostos Orgânicos voláteis por hevea spruceana (benth.) Müll. Arg. Em diferentes ecossistemas inundáveis da Amazônia Central. **PhD Thesis**, Instituto Nacional de Pesquisas da Amazônia, Manaus – AM, **2010**
- 6618.** Lorenz M, Clarke N, Paoletti E, Bytnerowicz A, Grulke N, Lukina N, Sase H, Staelens J - Air pollution impacts on forests in changing climate. In: *Forest and Society - Responding to Global Drivers of Change*, G. Mery et al. (Eds.) IUFRO World Series, vol. 25., Chapter 4; pp. 55-74, Viena: International Union of Forest Research Organization **2010, (BOOK)**
- 6619.** Nagegowda DA, Rhodes D, Dudareva N – The role of the methyl-erythritol-phosphate (MEP) pathway in rhythmic emission of volatiles. In: *The Chloroplasts. Advances in Photosynthesis and Respiration. Basics and Applications*, Volume 31 (Eds. Rebeiz CA, Benning C, Bohnert HJ, H Daniell, Hooper JK, Lichtenthaler HK, Portis AR, Tripathy BC), Springer Netherlands, DOI10.1007/978-90-481-8531-3, ISSN1572-0233, ISBN978-90-481-8530-6 (Print) 978-90-481-8531-3 (Online pp.139-153, **2010 (book)**)
- 6620.** Niinemets Ü - Mild versus severe stress and BVOCs: thresholds, priming and consequences. *Trends in Plant Science* 15 (3): 145-153, **2010 (review)**
- 6621.** Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt, CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010**
- 6622.** Behnke K, Grote R, Bruggemann N, Zimmer I, Zhou GW, Elobeid M, Janz D, Polle A, Schnitzler JP - Isoprene emission-free poplars - a chance to reduce the impact from poplar plantations on the atmosphere. *New Phytologist* 194 (1), Special Issue: SI: 70-82, **2012, DOI: 10.1111/j.1469-8137.2011.03979.x**
- 6623.** Bidabadi SS, Mahmood M, Baninasab B, Ghobadi C – Influence of salicylic acid on morphological and physiological responses of banana (*Musa acuminata* cv. 'Berangan', AAA) shoot tips to *in vitro* water stress induced by polyethylene glycol. *Plant Omics Journal* 5 (1): 33-39, **2012**
- 6624.** Bidabadi SS, Meon S, Wahab Z, Subramaniam S, Mahmood M - *In vitro* selection and characterization of water stress tolerant lines among ethyl methanesulphonate (EMS) induced variants of banana (*Musa* spp., with AAA genome). *Australian Journal of Crop Science* 6 (3): 567-575, **2012 (WoS/Scopus)**
- 6625.** Hartikainen K, Riikonen J, Nerg AM, Kivimaenpää M, Ahonen V, Tervahauta A, Karenlampi S, Maenpää M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T - Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: 10.1016/j.envexpbot.2012.04.014, **2012. (WoS/Scopus)**
- 6626.** Mahmood M, Bidabadi SS, Ghobadi C, Gray DJ - Effect of methyl jasmonate treatments on alleviation of polyethylene glycol-mediated water stress in banana (*Musa acuminata* cv. 'Berangan', AAA) shoot tip cultures. *Plant Growth Regulation* 68(2): 161-169, **2012 (WoS/Scopus)**
- 6627.** Pallozi E – BVOC emission responses to acute short-wave monochromatic radiations. **PhD Thesis**, Tuscia University, Viterbo (Italy), **2012**

- 6628.** Soliman WS, Fujimori M, Tase K, Sugiyama S - Heat tolerance and suppression of oxidative stress: comparative analysis of 25 cultivars of the C3 grass *Lolium perenne*. *Environmental and Experimental Botany* 78: 10-17, **2012** (WoS/Scopus)
- 6629.** Sun Z, Copolovici L, Niinemets Ü - Can the capacity for isoprene emission acclimate to environmental modifications during autumn senescence in temperate deciduous tree species *Populus tremula*? *Journal of Plant Research* 125 (2), **2012**, DOI 10.1007/s10265-011-0429-7 (WoS/Scopus)
- 6630.** Trowbridge AM – The effects of atmospheric composition, climate, and herbivory on plant secondary metabolism and volatile organic carbon emissions. **PhD Thesis**, University of Colorado, **2012**
- 6631.** Wang D, Heckathorn SA, Wang XZ, Philpott SM - A meta-analysis of plant physiological and growth responses to temperature and elevated CO₂. *Oecologia* 169(1):1-13, **2012** (review) (WoS/Scopus)
- 6632.** Awang Y, Shafieizargar A, Juraimi AS, Othman R. Comparative studies between diploid and tetraploid dez orange [*Citrus sinensis* (L.) Osb.] under salinity stress. *Australian Journal of Crop Science* 7 (10), 1436-1441, **2013** (WoS/Scopus)
- 6633.** Bidabadi SS, Mehri H, Ghobadi C, Baninasab B, Afazel M - Morphological, physiological and antioxidant responses of some Iranian grapevine cultivars to methyl jasmonate application. *Journal of Crop Science and Biotechnology* 16(4):277-283, **2013** (WoS/Scopus)
- 6634.** Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>, **2013**
- 6635.** Kumari S, Priya P, Misra G, Yadav G - Structural and biochemical perspectives in plant isoprenoid biosynthesis. *Phytochemistry Reviews* 12(2), 255-291, **2013** (WoS/Scopus)
- 6636.** Rozenkranz M, Schnitzler J-P – Genetic engineering of BVOC emissions from trees. In: “*Biology, Controls and Models of Tree Volatile Organic Compound Emissions*”, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 4: pp. 95-118, **2013** (book)
- 6637.** Shafieizargar A, Awang Y, Juraimi AS, Othman R. Comparative studies between diploid and tetraploid dez orange [*Citrus sinensis* (L.) Osb.] under salinity stress. *Australian Journal of Crop Science* 7 (10), 1436-1441, **2013** (WoS/Scopus)
- 6638.** Sun Z – Isoprene emission from aspen (*Populus sp.*) in relation to environmental drivers. Estonian University of Life Science, **2013** (PhD Thesis)
- 6639.** Alves EG, Harley P, de C. Gonçalves JF, da Silva Moura CE, Jardine K. Effects of light and temperature on isoprene emission at different leaf developmental stages of *eschweilera coriacea* in central Amazon. *Acta Amazonica* 44 (1), 9-18, **2014** (WoS/Scopus)
- 6640.** Brestic M, Zivcak M, Olsovska K, Kalaji HM, Shao H, Hakeem KR. Heat signaling and stress responses in photosynthesis (Review). *Plant signaling: Understanding the molecular crosstalk*. 2014, 241-256, Springer. (book) (WoS/Scopus)
- 6641.** Egigu MC, Ibrahim MA, Riikonen J, Yahya A, Holopainen T, Julkunen-Tiitto R, Holopainen JK - Effects of rising temperature on secondary compounds of Yeheb (*Cordeauxia edulis* Hemsley). *American Journal of Plant Sciences* 5, 517-527, **2014**
- 6642.** Feller U, Vaseva I - Extreme climatic events: impacts of drought and high temperature on physiological processes in agronomically important plants. *Frontiers in Environmental Science, Agroecology and Land Use Systems* 2, Article 39, **2014** (review) DOI: 10.3389/fenvs.2014.00039
- 6643.** Ferreira, RA; Duarte, JG; Vergine, P; Antunes, CD; Freire, F; Martins-Dias, S - *Phragmites* sp physiological changes in a constructed wetland treating an effluent contaminated with a diazo dye (DR81). *Environmental Science And Pollution Research* 21 (16), 9626-9643, **2014** (WoS/Scopus)
- 6644.** Foster, PN; Prentice, IC; Morfopoulos, C; Siddall, M; van Weele, M - Isoprene emissions track the seasonal cycle of canopy temperature, not primary production: evidence from remote sensing. *Biogeosciences* 11 (13), 3437-3451, **2014** (WoS/Scopus)
- 6645.** Ghirardo, A; Wright, LP; Bi, Z; Rosenkranz, M; Pulido, P; Rodriguez-Concepcion, M; Niinemets, U; Bruggemann, N; Gershenzon, J; Schnitzler, JP - Metabolic flux analysis of plastidic isoprenoid biosynthesis in poplar leaves emitting and nonemitting isoprene. *Plant Physiology* 165 (1), 37-51, **2014** (WoS/Scopus)
- 6646.** Hartikainen K – Effects of elevated temperature and/or ozone on leaf structural characteristics and volatile organic compound emissions of northern deciduous tree and crop species. **PhD** in Forestry and Natural Sciences No 140, University of Eastern Finland, **2014** (PhD Thesis)
- 6647.** Khairudin K, Sukiran NA, Goh H-H, Baharum SN, Noor NM. Direct discrimination of different plant populations and study on temperature effects by Fourier transform infrared spectroscopy. *Metabolomics* 10(2): 203-211, **2014** DOI 10.1007/s11306-013-0570-5 (WoS/Scopus)
- 6648.** Marutani Y, Yamauchi Y, Miyoshi A, Inoue K, Ikeda K-I, Mizutani M, Sugimoto Y. Regulation of photochemical energy transfer accompanied by structural changes in thylakoid membranes of heat-stressed wheat. *International Journal of Molecular Sciences*. 15 (12), 23042-23058, **2014**. (WoS/Scopus)
- 6649.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 6650.** Wang, D; Fan, JZ; Heckathorn, SA - Acclimation of photosynthetic tolerance to acute heat stress at elevated CO₂ and N. *Plant Science* 226, SI, 162-171, **2014** (WoS/Scopus)

- 6651.** Wang, D; Heckathorn, SA; Hamilton, EW; Frantz, J - Effects of CO₂ on the tolerance of photosynthesis to heat stress can be affected by photosynthetic pathway and nitrogen. *American Journal of Botany* 101 (1), 34-44, **2014** (WoS/Scopus)
- 6652.** Zarafshar M, Akbarinia M, Askari H, Hosseini SM, Rahaie M, Struve D, Striker GG. Morphological, physiological and biochemical responses to soil water deficit in seedlings of three populations of wild pear tree (*Pyrus boissieriana*). *Biotechnol. Agron. Soc. Environ.* 18 (3), 353-366, **2014**. (WoS/Scopus)
- 6653.** Brunetti, C., Guidi, L., Sebastiani, F., Tattini, M. - Isoprenoids and phenylpropanoids are key components of the antioxidant defense system of plants facing severe excess light stress. *Environmental and Experimental Botany*, 119, pp. 54-62, **2015**. DOI: [10.1016/j.envexpbot.2015.04.007](https://doi.org/10.1016/j.envexpbot.2015.04.007) (WoS/Scopus)
- 6654.** Lahr EC, Schade GW, Crossett CC, Watson MR. Photosynthesis and isoprene emission from trees along an urban-rural gradient in Texas. *Global Change Biology* 21, 4221-4236, **2015** (WoS/Scopus)
- 6655.** Palmer-Young EC, Veit D, Gershenzon J, Schuman MC The Sesquiterpenes(E)-β-Farnesene and (E)-α-Bergamotene Quench Ozone but Fail to Protect the Wild Tobacco *Nicotiana attenuata* from Ozone, UVB, and Drought Stresses. *PLoS ONE* 10, 6, e0127296/, **2015** (WoS/Scopus)
- 6656.** Rosenkranz M, Pugh TAM, Schnitzler J-P, Arneth A. Effect of land-use change and management on biogenic volatile organic compound emissions – selecting climate-smart cultivars. *Plant, Cell & Environment* 38(9), 1896-1912, **2015**. DOI: [10.1111/pce.12453](https://doi.org/10.1111/pce.12453) (WoS/Scopus)
- 6657.** Sorwong A, Sakhonwasee S. Foliar application of glycine betaine mitigates the effect of heat stress in three marigold (*Tagetes erecta*) cultivars. *The Horticulture Journal* 84(2), 161-171**2015**, doi: [10.2503/hortj.MI-038](https://doi.org/10.2503/hortj.MI-038) (WoS/Scopus)
- 6658.** Stratoulis D, Balzter H, Zlinszky A, Tóth VR - Assessment of ecophysiology of lake shore reed vegetation based on chlorophyll fluorescence, field spectroscopy and hyperspectral airborne imagery. *Remote Sensing of Environment* 157, 72-84, **2015**, doi:[10.1016/j.rse.2014.05.021](https://doi.org/10.1016/j.rse.2014.05.021) (WoS/Scopus)
- 6659.** Stratoulis D. Assessment of physiological status and spatial distribution of emergent macrophytes based on imaging spectroscopy, University of Leicester, **2015 PhD Thesis**
- 6660.** Cingoz GS, Gurel E. Effects of salicylic acid on thermotolerance and cardenolide accumulation under high temperature stress in *Digitalis trojana* Ivanina, *Plant Physiology and Biochemistry*, 105, 145-149, **2016** (WoS/Scopus)
- 6661.** Eyidogan F, Terzioglu S, Ekmekci Y. Does sublethal temperature treatment provide any tolerance in tetraploid wild and durum wheat seedlings exposed to lethal heat stress? *Fresenius Environmental Bulletin* 25(12): 6045-6053, **2016**. (WoS/Scopus)
- 6662.** Goh H-H, Khairudin K, Sukiran NA, Normah MN, Baharum SN. Metabolite profiling reveals temperature effects on the VOCs and flavonoids of different plant populations, *Plant Biology* 18(1), 130-139, **2016**, doi: [10.1111/plb.12403](https://doi.org/10.1111/plb.12403) (WoS/Scopus)
- 6663.** Jardine KJ, Jardine AB, Souza VF, Carneiro V, Ceron JV, Gimenez BO, Soares CP, Durgante FM, Higuchi N, Manzi AO, Gonçalves JF, Garcia S, Martin S, Zorzanelli RF, Piva LR, Chambers JQ. Methanol and isoprene emissions from the fast growing tropical pioneer species *Vismia guianensis* (Aubl.) Pers.(Hypericaceae) in the central Amazon forest. *Atmospheric Chemistry and Physics*, 16, 10, 6441-6452, **2016** (WoS/Scopus)
- 6664.** Karimi R, Ershadi A, Rezaei Nejad A, Khanizadeh S. Absciscic acid alleviates the deleterious effects of cold stress on ‘Sultana’ grapevine (*Vitis vinifera* L.) plants by improving the anti-oxidant activity and photosynthetic capacity of leaves, *The Journal of Horticultural Science and Biotechnology* 91, 4, 386-395, **2016** (WoS/Scopus)
- 6665.** Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:[10.1007/s11738-016-2241-4](https://doi.org/10.1007/s11738-016-2241-4) (WoS/Scopus)
- 6666.** Maja MM, Kasurinen A, Holopainen T, Julkunen-Tiitto R, Holopainen JK. The effect of warming and enhanced ultraviolet radiation on gender-specific emissions of volatile organic compounds from European aspen, *Science of the Total Environment*, 547, 39-47, **2016** (WoS/Scopus)
- 6667.** Pareja M, Pinto-Zevallos DM - Impacts of induction of plant volatiles by individual and multiple stresses across trophic levels. In: *Deciphering Chemical Language of Plant Communication* (JD Blande and R Glinwood, Eds.), Part of the series *Signaling and Communication in Plants*, pp. 61-93, Print ISBN: 978-3-319-33496-7, Online ISBN: 978-3-319-33498-1, Springer International Publishing, **2016** doi: [10.1007/978-3-319-33498-1_3](https://doi.org/10.1007/978-3-319-33498-1_3) (BOOK series)
- 6668.** Sonjaroon W, Kaveeta L, Chai-arree W, Klinsakorn S, Suksamrarn A, Jutamanee K - Exogenous 7,8-dihydro-8α-20-hydroxyecdysone application improves antioxidative enzyme system, photosynthesis, and yield in rice under high-temperature condition. *Acta Physiol Plant* 38(8): 202, **2016**, doi:[10.1007/s11738-016-2205-8](https://doi.org/10.1007/s11738-016-2205-8) (WoS/Scopus)
- 6669.** Ali S. Effect of pre-storage chemicals and storage conditions on fruit quality of litchi cv. ‘Gola’. University of Agriculture, Faisalabad, Pakistan, **2017, PhD Thesis**
- 6670.** Bamberger I, Ruehr NK, Schmitt M, Gast A, Wohlfahrt G, Arneth A - Isoprene emission and photosynthesis during heatwaves and drought in black locust. *Biogeosciences*, 14, 3649–3667, **2017**, <https://doi.org/10.5194/bg-14-3649-2017> (WoS/Scopus)
- 6671.** Bidabadi SS, Dehghanipoodeh S, Wright GC. Vermicompost leachate reduces some negative effects of salt stress in pomegranate, *International Journal of Recycling of Organic Waste in Agriculture*, 6, 3, 255-263, **2017** (WoS/Scopus)

6672. Jardine KJ, Jardine AB, Holm JA, Lombardozzi DL, Negron-Juarez RI, Martin ST, Beller HR, Gimenez BO, Higuchi N, Chambers JQ. Monoterpene 'thermometer' of tropical forest-atmosphere response to climate warming, *Plant, Cell & Environment*, 40 (3), 441-452, **2017** doi: [10.1111/pce.12879](https://doi.org/10.1111/pce.12879) (WoS/Scopus)
6673. Rooy ShSB, Salekdeh Gh H, Ghabooli M, Gholami M, Mohsenifard E, Karimi R. Effect of gradual and shock chilling stress on abscisic acid, soluble sugars and antioxidant enzymes changes in 'Sultana' Grapevine'. *Iranian Journal of Plant Physiology* 7 (4): 2211-2224, **2017**. (WoS/Scopus)
6674. Rooy SSB, Salekdeh GH, Ghabooli M, Gholami M, Karimi R. Cold-induced physiological and biochemical responses of three grapevine cultivars differing in cold tolerance, *Acta Physiologiae Plantarum*, 39, 12, 264, **2017** (WoS/Scopus)
6675. Shah HMS, Khan AS, Ali S. Pre-storage kojic acid application delays pericarp browning and maintains antioxidant activities of litchi fruit, *Postharvest Biology and Technology*, 132, 154-161, **2017** (WoS/Scopus)
6676. Zuo Z, Wang B, Ying B, Zhou Lv, Zhang R – Monoterpene emissions contribute to thermotolerance in *Cinnamomum camphora*. *Trees – Structure and Function* 31(6), 1759-1771, **2017**, DOI [10.1007/s00468-017-1582-y](https://doi.org/10.1007/s00468-017-1582-y) (WoS/Scopus)
6677. Ali S, Khan AS, Malik AU, Shaheen T, Shahid M. Pre-storage methionine treatment inhibits postharvest enzymatic browning of cold stored 'Gola' litchi fruit. *Postharvest Biology and Technology* 140, 100–106, **2018** <https://doi.org/10.1016/j.postharvbio.2018.02.016> (WoS/Scopus)
6678. Araniti F, Panto S, Lupini A, Sunseri F, Abenavoli MR. Chemical characterization of volatile organic compounds (VOCs) through headspace solid phase micro extraction. In: *Advances in Plant Ecophysiology Techniques* (AM Sanchez-Moreiras, MJ Reigosa, Eds.). Chapter 24, pp. 401-417, **2018** (BOOK)
6679. Bidabadi SS, Abolghasemi R, Zheng S-J. Grafting of watermelon (*Citrullus lanatus* cv. Mahbubi) onto different squash rootstocks as a means to minimize cadmium toxicity. *International Journal of Phytoremediation* 20(7): 730-738, **2018**. <https://doi.org/10.1080/15226514.2017.1413338> (WoS/Scopus)
6680. Bidabadi SS, Afazel M, Sabbatini P. Iranian grapevine rootstocks and hormonal effects on graft union, growth and antioxidant responses of asgari seedless grape. *Horticultural Plant Journal* 4(1):16-23, **2018** <https://doi.org/10.1016/j.hpj.2017.11.002>. (WoS/Scopus)
6681. Bidabadi SS, Masoumian M. Arbuscular mycorrhizal symbiosis improves growth and antioxidative response of *Stevia rebaudiana* (Bert.) under salt stress. *Trends in Horticulture* 1(3):1-8, **2018**. DOI: <http://dx.doi.org/10.24294/th.v0i0.549>
6682. Carole DA, Désiré MH, Denis ON. Effect of arbuscular mycorrhizal fungi on the dynamics of hydrogen peroxide, the activities of catalase, ascorbate peroxidase and guaiacol peroxidase in *Xanthosoma sagittifolium* L. Schott rhizome and root during growth. *Journal of Biodiversity and Environmental Sciences* 12(5):1-15, **2018**
6683. Haberstroh S, Kreuzwieser J, Lobo-do-Vale R, Caldeira MC, Dubbert M, Werner C. Terpenoid emissions of two mediterranean woody species in response to drought stress. *Frontiers in Plant Science* 9:1071, **2018**. <https://doi.org/10.3389/fpls.2018.01071> (WoS/Scopus)
6684. Shirani Bidabadi S, Abolghasemi R, Zheng SJ. Grafting of watermelon (*Citrullus lanatus* cv. Mahbubi) onto different squash rootstocks as a means to minimize cadmium toxicity. *International Journal of Phytoremediation* 20(7):730-738, **2018**. doi: [10.1080/15226514.2017.1413338](https://doi.org/10.1080/15226514.2017.1413338). (WoS/Scopus)
6685. Ali S, Khan AS, Anjum MA, Nawaz A, Naz S, Ejaz S, Hussain S. Aloe vera gel coating delays post-cut surface browning and maintains quality of cold stored lotus (*Nelumbo nucifera* Gaertn.) root slices. *Scientia Horticulturae* v. 256, art. number 108612, **2019**. <https://doi.org/10.1016/j.scienta.2019.108612>. (WoS/Scopus)
6686. Ali S, Khan AS, Malik AU, Anjum MA, Nawaz A, Shah HMS. Modified atmosphere packaging delays enzymatic browning and maintains quality of harvested litchi fruit during low temperature storage. *Scientia Horticulturae* 254:14-20, **2019**. <https://doi.org/10.1016/j.scienta.2019.04.065>. (WoS/Scopus)
6687. Ali S, Khan AS, Malik AU, Nawaz A, Shahid M. Postharvest application of antibrowning chemicals modulates oxidative stress and delays pericarp browning of controlled atmosphere stored litchi fruit. *Journal of Food Biochemistry* 43(3), e12746, **2019**. <https://doi.org/10.1111/jfbc.12746> (WoS/Scopus)
6688. Ali S, Khan AS, Nawaz A, Anjum MA, Naz S, Ejaz S, Hussain S. Aloe vera gel coating delays postharvest browning and maintains quality of harvested litchi fruit. *Postharvest Biology and Technology* v.157, art. number 110960, **2019**. <https://doi.org/10.1016/j.postharvbio.2019.110960>. (WoS/Scopus)
6689. Austen N, Walker HJ, Lake JA, Phoenix GK, Cameron DD. The regulation of plant secondary metabolism in response to abiotic stress: interactions between heat shock and elevated CO₂. *Frontiers in Plant Science* 10:1463, **2019**. doi: [10.3389/fpls.2019.01463](https://doi.org/10.3389/fpls.2019.01463). (WoS/Scopus)
6690. Baraldi R, Przybysz A, Facini O, Pierdonà L, Carriero G, Bertazza G, Neri L. Impact of drought and salinity on sweetgum tree (*Liquidambar styraciflua* L.): understanding tree ecophysiological responses in the urban context. *Forests* 10, 1032, **2019**. doi:[10.3390/f10111032](https://doi.org/10.3390/f10111032). (WoS/Scopus)
6691. Bhattacharya A. Chapter 5: High-temperature stress and metabolism of secondary metabolites in plants. In: *Effect of High Temperature on Crop Productivity and Metabolism of Macro Molecules*. pp. 391-484 ISBN: 978-0-12-817562-0, Academic Press, Elsevier Inc., **2019** <https://scholar.google.com/scholar?cluster=8286664439400462320&hl=en&oi=scholaralrt&hist=P53aOtQAAAAJ:11994631408768107216:AAGBfm3mdWc17KtrMfpgNY8Haq8VbcRO9w> BOOK (WoS/Scopus)
6692. Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.

- 6693.** Garcia S, Jardine K, de Souza VF, de Souza RAF, Duvoisin Junior S, de C. Gonçalves JF. Reassimilation of leaf internal CO₂ contributes to isoprene emission in the neotropical species *Inga edulis* Mart. *Forests* 10, 472, **2019**. [doi:10.3390/f10060472](https://doi.org/10.3390/f10060472) (WoS/Scopus)
- 6694.** Gavrichkova O, Scartazza A, Guidolotti G, Kuzyakov Y, Leonardi L, Mattioni M, Nawrocka J, Pallozzi E, Skwarek M, Tomczyska M, Calfapietra C. When the Mediterranean becomes harsh: Heat pulses strongly affect C allocation in plant-soil-atmosphere continuum in *Eucalyptus camaldulensis*. *Environmental and Experimental Botany* 161: 181-191, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.02.019> (WoS/Scopus)
- 6695.** Hamachi A, Nisihara M, Saito S, Rim H, Takahashi H, Islam M, Uemura T, Ohnishi T, Ozawa R, Maffei ME, Arimura G-i. Overexpression of geraniol synthase induces heat stress susceptibility in *Nicotiana tabacum*. *Planta* 249(1):235-249, **2019**. <https://doi.org/10.1007/s00425-018-3054-z> (WoS/Scopus)
- 6696.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. [doi:10.1111/pce.13629](https://doi.org/10.1111/pce.13629). (Review). (WoS/Scopus)
- 6697.** Mohasseli V, Sadeghi S. Exogenously applied sodium nitroprusside improves physiological attributes and essential oil yield of two drought susceptible and resistant specie of *Thymus* under reduced irrigation. *Industrial Crops and Products* 130:130-136, **2019**. <https://doi.org/10.1016/j.indcrop.2018.12.058>. (WoS/Scopus)
- 6698.** Shirani BS, Sabbatini P. Responses of grafted watermelon onto *Cucurbita pepo* Tiana F1 hybrid to boron nutritional disorders. *Horticultural Plant Journal* 5(5):213-220, **2019**. DOI: <https://doi.org/10.1016/j.hpj.2019.07.003> (WoS/Scopus)
- 6699.** Šiukšta R, Bondzinskaitė S, Kleizaitė V, Žvingila D, Taraškevičius R, Mockeliūnas L, Stapulionytė A, Mak K, Čėsnienė T. Response of *Tradescantia* plants to oxidative stress induced by heavy metal pollution of soils from industrial areas. *Environmental Science and Pollution Research* 26(1):44-61, **2019** http://sumo.ly/101C3_via_QxMD (WoS/Scopus)
- 6700.** Yáñez-Serrano AM, Mahlau L, Fasbender L, Byron J, Williams J, Kreuzwieser J, Werner C. Heat stress increases the use of cytosolic pyruvate for isoprene biosynthesis. *Journal of Experimental Botany* 70(20):5827-5838, **2019**. [doi:10.1093/jxb/erz353](https://doi.org/10.1093/jxb/erz353) (WoS/Scopus)
- 6701.** Zuo Z, Weraduwege SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. (WoS/Scopus)
- 6702.** Afshari M, Naderi A, Mojadam M, Lack S, Alavifazel M. Zinc and iron-mediated alleviation water deficiency of maize by modulating antioxidant metabolism. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 48(2), 989-1004, **2020**. <https://doi.org/10.15835/nbha48211923>. (WoS/Scopus)
- 6703.** Bidabadi SS, Mehralian M. Arbuscular mycorrhizal fungi inoculation to enhance chilling stress tolerance of watermelon. *Gesunde Pflanzen* 71, 171-179, **2020**. <https://doi.org/10.1007/s10343-020-00499-2>. (WoS/Scopus)
- 6704.** Bidabadi SS, Sabbatini P. Bioaccumulation, ionome and physiological responses to copper toxicity of Iranian grapevine rootstocks grafted with 'asgari' seedless grape. *International Journal of Fruit Science* 20(3), 451-470, **2020**. <https://doi.org/10.1080/15538362.2019.1652133>. (WoS/Scopus)
- 6705.** Bidabadi SS, VanderWeide J, Sabbatini P. Exogenous melatonin improves glutathione content, redox state and increases essential oil production in two *Salvia* species under drought stress. *Scientific Reports* 10, art. number 6883, **2020**. <https://doi.org/10.1038/s41598-020-63986-6>. (WoS/Scopus)
- 6706.** Bidabadi SS. The role of Fe-nano particles in scarlet sage responses to heavy metals stress. *International Journal of Phytoremediation* 22(12), 1259-1269, **2020**. <https://doi.org/10.1080/15226514.2020.1759507>. (WoS/Scopus)
- 6707.** Ghabooli M, Rezaei E, Movahedi Z, Mohsenifard E. Effect of *Piriformospora indica* inoculation on some morphophysiological parameters in licorice (*Glycyrrhiza glabra* L.) under drought stress. *Iranian Journal of Plant Physiology* 10(4), 3379-3389, **2020**. http://ijpp.iau-saveh.ac.ir/article_677198_88c5374a63849996d70c0ea8ba4a53d1.pdf (WoS/Scopus)
- 6708.** Hartikainen K, Kivimäenpää M, Nerg A-M, Mäenpää M, Oksanen E, Rousi M, Holopainen T. Elevated temperature and ozone modify structural characteristics of silver birch (*Betula pendula*) leaves. *Tree Physiology* 40(4), 467-483, **2020**. <https://doi.org/10.1093/treephys/tpz127>. (WoS/Scopus)
- 6709.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)
- 6710.** Karimi R, Ghabooli M, Rahimi J, Amerian M. Effects of foliar selenium application on some physiological and phytochemical parameters of *Vitis vinifera* L. cv. Sultana under salt stress. *Journal of Plant Nutrition* 43(14), 2226-2242, **2020**. <https://doi.org/10.1080/01904167.2020.1766072>. (WoS/Scopus)
- 6711.** Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>. (PhD Thesis)
- 6712.** Milner K. The price of heat stress: functional and resource constraints to thermal tolerance in arid zone plants. PhD Thesis, School of Life Sciences, University of Technology Sydney, Australia, **2020**. <http://hdl.handle.net/10453/142273>. [PhD Thesis]

- 6713.** Mohasseli V, Farbood F, Moradi A. Antioxidant defense and metabolic responses of lemon balm (*Melissa officinalis* L.) to Fe-nano-particles under reduced irrigation regimes. *Industrial Crops and Products* v.149, art. number 112338, **2020**. <https://doi.org/10.1016/j.indcrop.2020.112338>. (WoS/Scopus)
- 6714.** Monson RK, Winkler B, Rosenstiel TN, Block K, Merl-Pham J, Strauss SH, Ault K, Maxfield J, Moore DJP, Trahan NA, Neice AA, Shiach I, Barron-Gafford GA, Ibsen P, McCorkel JT, Bernhardt J, Schnitzler J-P. High productivity in hybrid-poplar plantations without isoprene emission to the atmosphere. *Proceedings of the National Academy of Sciences of the United States of America* 117(3), 1596-1605, **2020**. <https://doi.org/10.1073/pnas.1912327117>. (WoS/Scopus)
- 6715.** Nikoogoftar Sedghi M, ValizadehKaji B, Karimi R, Abbasifar A. Physiological and biochemical responses of 10 commercial Iranian pistachio cultivars to freezing. *Biologia* 76, 329–339, **2020**. <https://doi.org/10.2478/s11756-020-00572-1>. (WoS/Scopus)
- 6716.** Norozi M, ValizadehKaji B, Karimi R, Solgi M. Potassium and zinc-induced frost tolerance in pistachio flowers is associated with physiological and biochemical changes. *Trees* 34, 1021-1032, **2020**. <https://doi.org/10.1007/s00468-020-01978-9>. (WoS/Scopus)
- 6717.** Peer LA, Dar ZA, Lone AA, MY Bhat, N Ahamad. High temperature triggered plant responses from whole plant to cellular level. *Plant Physiology Reports* 25, 611-626, **2020**. <https://doi.org/10.1007/s40502-020-00551-3>. (WoS/Scopus)
- 6718.** Saleem MS, Ejaz S, Anjum MA, Nawaz A, Naz S, Hussain S, Ali S, Canan İ. Postharvest application of gum arabic edible coating delays ripening and maintains quality of persimmon fruits during storage. *Journal of Food Processing and Preservation* 44(8), e14583, **2020**. <https://doi.org/10.1111/jfpp.14583>. (WoS/Scopus)
- 6719.** Sharifi P, Bidabadi SS. Strigolactone could enhances gas-exchange through augmented antioxidant defense system in *Salvia nemorosa* L. plants subjected to saline conditions stress. *Industrial Crops and Products* 151, art. number 112460, **2020**. <https://doi.org/10.1016/j.indcrop.2020.112460>. (WoS/Scopus)
- 6720.** Sharifi P, Shirani Bidabadi S. Protection against salinity stress in black cumin involves karrikin and calcium by improving gas exchange attributes, ascorbate–glutathione cycle and fatty acid compositions. *SN Applied Sciences* 2, art. number 2010, **2020**. <https://doi.org/10.1007/s42452-020-03843-3>. (WoS/Scopus)
- 6721.** Sharkey TD, Preiser AL, Weraduwege SM, Gog L. Source of ^{12}C in Calvin Benson cycle intermediates and isoprene emitted from plant leaves fed with $^{13}\text{CO}_2$. *Biochemical Journal* 477, 3237-3252, **2020**. <https://doi.org/10.1042/BCJ20200480>. (WoS/Scopus)
- 6722.** Tian Z, Luo Q, Li Y, Zuo Z. Terpinene and β -pinene acting as signaling molecules to improve *Cinnamomum camphora* thermotolerance. *Industrial Crops and Products* 154:112641, **2020**. <https://doi.org/10.1016/j.indcrop.2020.112641>. (WoS/Scopus)
- 6723.** ValizadehKaji B, Sedghi MN. Enhancement of frost tolerance of almond flowers using potassium. *Journal of Plant Nutrition* 43(18), 2822-2832, **2020**. <https://doi.org/10.1080/01904167.2020.1793179>. (WoS/Scopus)
- 6724.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects ABA and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 6725.** Anwar N, Wahid J, Uddin J, Khan A, Shah M, Shah SA, Subhan F, Khan MA, K Ali, Rauf M, Arif M. Phytosynthesis of poly (ethylene glycol) methacrylate-hybridized gold nanoparticles from *C. tuberculata*: their structural characterization and potential for in vitro growth in banana. *In Vitro Cellular & Developmental Biology – Plant* 57:248-260, **2021**. <https://doi.org/10.1007/s11627-020-10150-4>. (WoS/Scopus)
- 6726.** Brito P, Ferreir RA, Martins-Dias S, Azevedo OM, Caetano M, Caçador I. Cerium uptake, translocation and toxicity in the salt marsh halophyte *Halimione portulacoides* (L.), Aellen. *Chemosphere* v. 266, art. number 128973, **2021**. <https://doi.org/10.1016/j.chemosphere.2020.128973>. (WoS/Scopus)
- 6727.** Hassan MU, Chattha MU, Khan I, Chattha MB, Barbanti L, Aamer M, Iqbal MM, Nawaz M, Mahmood A, Ali A, Aslam MT. Heat stress in cultivated plants: nature, impact, mechanisms, and mitigation strategies—a review. *Plant Biosystems* 155(2):211-234, **2021**. <https://doi.org/10.1080/11263504.2020.1727987>. (WoS/Scopus)
- 6728.** Irani H, ValizadehKaji B, Naeini MR. Biostimulant-induced drought tolerance in grapevine is associated with physiological and biochemical changes. *Chemical and Biological Technologies in Agriculture* 8, art. number 5, **2021**. <https://doi.org/10.1186/s40538-020-00200-9>. (WoS/Scopus)
- 6729.** Ismail GSM, Saber NES, Abdelrahim B, Abou-Zeid H. Influence of cyanobacterial biofertilizer on the response of *Zea mays* plant to cadmium-stress. *Egyptian Journal of Botany* 61(2), 391-404, **2021**. <https://dx.doi.org/10.21608/ejbo.2020.41791.1553>. (WoS/Scopus)
- 6730.** Kanakidou M, Sfakianaki M, Probst A. Impact of air pollution on terrestrial ecosystems. In: Dulac F, Sauvage S, Hamonou E, Eds, *Atmospheric Chemistry in the Mediterranean: From Air Pollutant Sources to Impacts*, HAL-03377002, v. 2, Part X, 1-31, **2021**. [BOOK]
- 6731.** Karimi R, Ebrahimi M, Amerian M. Absciscic acid mitigates NaCl toxicity in grapevine by influencing phytochemical compounds and mineral nutrients in leaves. *Scientia Horticulturae* v.288, art.110336, **2021**. <https://doi.org/10.1016/j.scienta.2021.110336>. (WoS/Scopus)
- 6732.** Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)

6733. Nikoogoftar Sedghi M, ValizadehKaji B, Karimi R, Abbasifar A. Physiological and biochemical responses of 10 commercial Iranian pistachio cultivars to freezing. *Biologia* 76, 329–339, 2021. <https://doi.org/10.2478/s11756-020-00572-1>. (WoS/Scopus)
6734. Otu-Larby F. Understanding the role of abiotic stress in biosphere-atmosphere exchange of reactive trace gases. Lancaster University, UK, 2021. 227 p. <https://doi.org/10.17635/lancaster/thesis/1345>. [PhD Thesis]
6735. Rosenkranz M, Chen Y, Zhu, Vlot AC. Volatile terpenes – mediators of plant-to-plant communication. *The Plant Journal* 108(3):617-631, 2021. <https://doi.org/10.1111/tjp.15453>. (WoS/Scopus) [Review]
6736. Saleem MS, Anjum MA, Naz S, Ali S, Hussain S, Azam M, Sardar H, Khaliq G, Canan İ, Ejaz S. Incorporation of ascorbic acid in chitosan-based edible coating improves postharvest quality and storability of strawberry fruits. *International Journal of Biological Macromolecules* 189:160-169, 2021. <https://doi.org/10.1016/j.ijbiomac.2021.08.051>. (WoS/Scopus)
6737. Sharifi P, Amirnia R, Torkian M, Bidabadi SS. Protective role of exogenous selenium on salinity-stressed stachys byzantine plants. *Journal of Soil Science and Plant Nutrition* 21, 2660-2672, 2021. <https://doi.org/10.1007/s42729-021-00554-5>. (WoS/Scopus)
6738. Shirani Bidabadi S, Sharifi P. Strigolactone and methyl jasmonate-induced antioxidant defense and the composition alterations of different active compounds in *Dracocephalum kotschy* Boiss under drought stress. *Journal of Plant Growth Regulation* 40:878-889, 2021. <https://doi.org/10.1007/s00344-020-10157-6>. (WoS/Scopus)
6739. Srivastava AK, Mishra P, Mishra AK. 3 - Effect of climate change on plant secondary metabolism: An ecological perspective. In: *Evolutionary Diversity as a Source for Anticancer Molecules* Pages 47-76, 2021. Eds. AK Srivastava, VK Kannaujiya, RK Singh, D Singh. Academic Press, ISBN 978-0-12-821710-8. <https://doi.org/10.1016/B978-0-12-821710-8.00003-5>. (WoS/Scopus) [BOOK]
6740. Tian Z, Luo Q, Zuo Z. Seasonal emission of monoterpenes from four chemotypes of *Cinnamomum camphora*. *Industrial Crops and Products* 163, 113327, 2021. <https://doi.org/10.1016/j.indcrop.2021.113327>. (WoS/Scopus)
6741. Ali S, Zahid N, Nawaz A, Naz S, Ejaz S, Ullah S, Siddiq B. Tragacanth gum coating suppresses the disassembly of cell wall polysaccharides and delays softening of harvested mango (*Mangifera indica* L.) fruit. *International Journal of Biological Macromolecules* vol. 222, Part A, 521-523, 2022. <https://doi.org/10.1016/j.ijbiomac.2022.09.159>. (WoS/Scopus)
6742. Cham R, Abtahi SA, Jafarinia M, Yasrebi J. Physiological responses of *Dracocephalum kotschy* Boiss. to drought stress and Bio-fertilizers. *South African Journal of Botany* 148, 180-189, 2022. <https://doi.org/10.1016/j.sajb.2022.04.008>. (WoS/Scopus)
6743. Dridi N, Brito P, Bouslimi H, Ferreira R, Martins-Dias S, Caçador I, Sleimi N. Physiological and Biochemical Behaviours and Antioxidant Response of *Helianthus annuus* under Lanthanum and Cerium Stress. *Sustainability* 14(7):4153, 2022. <https://doi.org/10.3390/su14074153>. (WoS/Scopus)
6744. Ghabooli M, Kaboosi E. Alleviation of the adverse effects of drought stress using a desert adapted endophytic fungus and glucose in tomato. *Rhizosphere* v. 21, art. 100481, 2022. <https://doi.org/10.1016/j.rhisph.2022.100481>. (WoS/Scopus)
6745. Guha A, Vharachumu T, Khalid MF, Keeley M, Avenson TJ, Vincent C. Short-term warming does not affect intrinsic thermotolerance but induces strong sustaining photoprotection in tropical evergreen citrus genotypes. *Plant, Cell & Environment* 45(1), 105-120, 2022. <https://doi.org/10.1111/pce.14215>. (WoS/Scopus)
6746. Kanakidou M, Sfakianaki M, Probst A. Impact of air pollution on terrestrial ecosystems. In: Dulac F, Sauvage S, Hamonou E (eds) *Atmospheric Chemistry in the Mediterranean Region*. Springer, Cham, pp. 511-542, 2022. https://doi.org/10.1007/978-3-030-82385-6_24. (WoS/Scopus) [BOOK]
6747. Karimi R, Amini H, Ghabooli M. Root endophytic fungus *Piriformospora indica* and zinc attenuate cold stress in grapevine by influencing leaf phytochemicals and minerals content. *Scientia Horticulturae* v. 293, art. 110665, 2022. <https://doi.org/10.1016/j.scienta.2021.110665>. (WoS/Scopus)
6748. Karimi R, Noori A. *Streptomyces rimosus* rhizobacteria and *Glomus mosseae* mycorrhizal fungus inoculation alleviate salinity stress in grapevine through morphophysiological changes and nutritional balance. *Scientia Horticulturae* Volume 305, art. 111433, 2022. <https://doi.org/10.1016/j.scienta.2022.111433>. (WoS/Scopus)
6749. Kaur S, Chowhan N, Sharma P, Rathee S, Singh HP, Batish DR. β -Pinene alleviates arsenic (As)-induced oxidative stress by modulating enzymatic antioxidant activities in roots of *Oryza sativa*. *Ecotoxicology and Environmental Safety* vol. 229, art. 113080, 2022. <https://doi.org/10.1016/j.ecoenv.2021.113080>. (WoS/Scopus)
6750. Midzi J, Jeffery DW, Baumann U, Rogiers S, Tyerman SD, Pagay V. Stress-induced volatile emissions and signalling in inter-plant communication. *Plants* 11(19):2566, 2022. <https://doi.org/10.3390/plants11192566>. (WoS/Scopus) [Review]
6751. Panahi B, Tajaddod S, Mohammadzadeh Jallali H, Hejazi MA, Zeinalabedini M. Variability and association among some pomological and physiochemical traits in spring frost tolerant genotypes of Persian walnut (*Juglans regia* L.) and selection of genotypes with superior traits based on machine learning algorithms. *Genetic Resources and Crop Evolution* 69, 959-971, 2022. <https://doi.org/10.1007/s10722-021-01270-w>. (WoS/Scopus)
6752. Saleem MS, Ejaz S, Anjum MA, Ali S, Hussain S, Ercisli S, Ilhan G, Marc RA, Skrovankova S, Mlcek J. Improvement of postharvest quality and bioactive compounds content of persimmon fruits after hydrocolloid-based

- edible coating application. *Horticulturae* 8(11):1045, 2022. <https://doi.org/10.3390/horticulturae8111045>. (WoS/Scopus)
6753. Saleem MS, Ejaz S, Anjum MA, S Ali, S Hussain, A Nawaz, S Naz, M Maqbool, AM Abbas. *Aloe vera* gel coating delays softening and maintains quality of stored persimmon (*Diospyros kaki* Thunb.) fruits. *Journal of Food Science and Technology* 59, 3296-3306, 2022. <https://doi.org/10.1007/s13197-022-05412-5>. (WoS/Scopus)
6754. Shakir MS, Ejaz S, Hussain S, Ali S, Sardar H, Azam M, Ullah S, Khaliq G, Saleem MS, Nawaz A, Anjum MA, Canan İ. Synergistic effect of gum Arabic and carboxymethyl cellulose as biocomposite coating delays senescence in stored tomatoes by regulating antioxidants and cell wall degradation. *International Journal of Biological Macromolecules* v. 201, 641-652, 2022. <https://doi.org/10.1016/j.ijbiomac.2022.01.073>. (WoS/Scopus)
6755. Sharifi P, Amirnia R, Shirani Bidabadi S. Role of silicon in mediating heat shock tolerance in soybean. *Gesunde Pflanzen* 74, 397-411, 2022. <https://doi.org/10.1007/s10343-021-00617-8>. (WoS/Scopus)
6756. Šiukšta R, Pukenytė V, Kleizaitė V, Bondzinskaitė S, Čėsniienė T. The butterfly effect: mild soil pollution with heavy metals elicits major biological consequences in cobalt-sensitized broad bean model plants. *Antioxidants* 11(4):793, 2022. <https://doi.org/10.3390/antiox11040793>. (WoS/Scopus)
6757. Suwanchaikasem P, Idnurm A, Selby-Pham J, Walker R, Boughton BA. Root-TRAPR: a modular plant growth device to visualize root development and monitor growth parameters, as applied to an elicitor response of *Cannabis sativa*. *Plant Methods* 18, 46, 2022. <https://doi.org/10.1186/s13007-022-00875-1>. (WoS/Scopus)
6758. Ul Hassan M, Rasool T, Iqbal C, A Arshad, M Abrar, Abrar MM, Habib-ur-Rahman M, Noor MA, Sher A, Fahad S. Linking plants functioning to adaptive responses under heat stress conditions: A Mechanistic Review. *Journal of Plant Growth Regulation* 41, 2596-2613, 2022. <https://doi.org/10.1007/s00344-021-10493-1>. (WoS/Scopus)
6759. Xu C, Ma Y, Tian Z, Q Luo, T Zheng, B Wang, Z Zuo. Monoterpene emissions and their protection effects on adult *Cinnamomum camphora* against high temperature. *Trees* 36, 711-721, 2022. <https://doi.org/10.1007/s00468-021-02242-4>. (WoS/Scopus)
6760. Xu C, Wang B, Luo Q, Ma Y, Zheng T, Wang Y, Cai Y, Zuo Z. The uppermost monoterpenes improving *Cinnamomum camphora* thermotolerance by serving signaling functions. *Frontiers in Plant Science* 13: 1072931, 2022. <https://doi.org/10.3389/fpls.2022.1072931>. (WoS/Scopus)
6761. Abou-Zeid HM, Aly HM. Application of olive mill waste-based biochar for improving wheat response to salt stress. *Journal of Experimental Biology and Agricultural Sciences* 11(5), 854-865, 2023. [https://doi.org/10.18006/2023.11\(5\).854.865](https://doi.org/10.18006/2023.11(5).854.865). (WoS/Scopus)
6762. Akbari A, Ismaili A, Amirbakhtiar N, Pouresmael M, Z-S Shobbar. Genome-wide transcriptional profiling provides clues to molecular mechanisms underlying cold tolerance in chickpea. *Scientific Reports* vol. 13, art. 6279, 2023. <https://doi.org/10.1038/s41598-023-33398-3>. (WoS/Scopus)
6763. Ali S, Khan AS, Nawaz A, Naz S, Ejaz S, Shah AA, Haider MW. The combined application of Arabic gum coating and γ -aminobutyric acid mitigates chilling injury and maintains eating quality of 'Kinnow' mandarin fruits. *International Journal of Biological Macromolecules* vol. 236 art. 123966, 2023. <https://doi.org/10.1016/j.ijbiomac.2023.123966>. (WoS/Scopus)
6764. Annadurai MKK, Alagarsamy S, Karuppasami KM, Ramakrishnan S, Subramanian M, Venugopal PRB, Muthurajan R, Vellingiri G, Dhashnamurthi V, Veerasamy R, Parasuraman B, Rathinavelu S, Maduraimuthu D. Melatonin decreases negative effects of combined drought and high temperature stresses through enhanced antioxidant defense system in tomato leaves. *Horticulturae* 9(6):673, 2023. <https://doi.org/10.3390/horticulturae9060673>. (WoS/Scopus)
6765. Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855-1869, 2023. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
6766. Bidabadi SS, Sabbatini P, VanderWeide J. Iron oxide (Fe₂O₃) nanoparticles alleviate PEG-simulated drought stress in grape (*Vitis vinifera* L.) plants by regulating leaf antioxidants. *Scientia Horticulturae* vol. 312, art. 111847, 2023. <https://doi.org/10.1016/j.scienta.2023.111847>. (WoS/Scopus)
6767. Carole DA, Désiré MH, Josué W, Léonard NME, Durand MTJ, Innocent SN, Fotso, Nicolas N. Mycorrhization of three cultivars of *Colocasia esculenta* L. Schott and evaluation of their resistance to mildew caused by *Phytophthora colocasiae*. *Australian Journal of Crop Science* 17(12):919-928, 2023. <https://www.cropj.com/carole-17-12-2023-919-928.pdf>. (WoS/Scopus)
6768. Javed HU, Liu R, Li C, Zhong S, Lai J, Hasan M, Shu X, Zeng L-Y. Preparation of vanillin-taurine antioxidant compound, characterization, and evaluation for improving the post-harvest quality of litchi. *Antioxidants* 12(3):618, 2023. <https://doi.org/10.3390/antiox12030618>. (WoS/Scopus)
6769. Jawad R, Nawaz A, Ejaz S, S Ali, MS Saleem, HM Hammad. Zeolite amendment reduces lead accumulation and improves growth and yield in tomato plants irrigated with sewage water. *Environmental Science and Pollution Research* 30, 41970-41982, 2023. <https://doi.org/10.1007/s11356-023-25190-7>. (WoS/Scopus)
6770. Kaboosi E, Ghabooli M, Karimi R. Combined effect of trehalose and *Serendipita indica* inoculation might participate in *Solanum lycopersicum* induced cold tolerance. *Current Microbiology* vol. 80, art. 224, 2023. <https://doi.org/10.1007/s00284-023-03335-8>. (WoS/Scopus)

6771. Kachare S, Tiwari S, Tripathi N. Expression of *DREB1*, *RBCL*, *PIP*, *SGR* genes and morpho-physiological changes under water stress in soybean. *Journal of Plant Biochemistry and Biotechnology* 32, 338-355, 2023. <https://doi.org/10.1007/s13562-022-00809-x>. (WoS/Scopus)
6772. Karimi R, Merati M, Shayganfar A. Phytochemical characterization of five commercial *Vitis vinifera* cultivars in response to salinity. *Acta Physiologiae Plantarum* volume 45, 108, 2023. <https://doi.org/10.1007/s11738-023-03588-7>. (WoS/Scopus)
6773. Khan MA, Azam M, Ahmad S, M Atiq. Improvement of physicochemicals, antioxidant system and softening enzymes by postharvest L-arginine application leads to maintain persimmon fruit quality under low temperature storage. *Journal of Food Measurement and Characterization* 17, 2964-2977, 2023. <https://doi.org/10.1007/s11694-023-01835-6>. (WoS/Scopus)
6774. Mehralian M, Bidabadi SS, Azad M, Ebrahimi SN, Mirjalili MH. Melatonin-mediated alleviation of drought stress by modulation of physio-biochemical and metabolic status in *Dracocephalum kotschy* Boiss. (Lamiaceae). *Industrial Crops and Products* v. 204, Part B, art. 117321, 2023. <https://doi.org/10.1016/j.indcrop.2023.117321>. (WoS/Scopus)
6775. Mehri M, Ghabooli M, Movahedi Z. Contribution of *Serendipita indica* on growth improvement, antioxidative capacity of *Dracocephalum kotschy*, and its resistance against cadmium stress. *International Microbiology* 26, 821-831, 2023. <https://doi.org/10.1007/s10123-023-00339-z>. (WoS/Scopus)
6776. Melis A, Hidalgo Martinez DA, Betterle N. Perspectives of cyanobacterial cell factories. *Photosynthesis Research*, 2023. <https://doi.org/10.1007/s11120-023-01056-4>. (WoS/Scopus)
6777. Midzi J, Jeffery DW, Baumann U, Capone DL, Rogiers SY, Pagay V. Evidence of Bi-directional volatile-mediated communication between drought-stressed and well-watered grapevines (*Vitis vinifera* L.). *Agronomy* 13(7):1747, 2023. <https://doi.org/10.3390/agronomy13071747>. (WoS/Scopus)
6778. Oku H, Mutanda I, Inafuku, M. Molecular characteristics of isoprene synthase and its control effects on isoprene emissions from tropical trees. *Journal of Plant Research* 136, 63-82, 2023. <https://doi.org/10.1007/s10265-022-01418-4>. (WoS/Scopus)
6779. Qaderi MM, Martel AB, Strugnell CA. Environmental factors regulate plant secondary metabolites. *Plants* 12(3):447, 2023. <https://doi.org/10.3390/plants12030447>. (WoS/Scopus)
6780. Rehman A, Khan I, Farooq, M. Secondary metabolites mediated reproductive tolerance under heat stress in plants. *Journal of Plant Growth Regulation*, 2023. <https://doi.org/10.1007/s00344-023-11161-2>. (WoS/Scopus)
6781. Saleem MS, Ejaz S, Mosa WFA, Ali S, Sardar H, Ali MM, Ullah S, Ali HM, Lisek A, Anjum MA. Biocomposite coatings delay senescence in stored diospyros kaki fruits by regulating antioxidant defence mechanism and delaying cell wall degradation. *Horticulturae* 9(3):351, 2023. <https://doi.org/10.3390/horticulturae9030351>. (WoS/Scopus)
6782. Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. Secondary Metabolites in Environmental Stress Tolerance, Apple Academic Press. Chapter 3: 67-100, 2023. (WoS/Scopus) [BOOK]
6783. Shah HMS, Singh Z, Ul Hasan M, Afrifa-Yamoah E, Woodward A. Preharvest melatonin application alleviates red drupelet reversion, improves antioxidant potential and maintains postharvest quality of 'Elvira' blackberry. *Postharvest Biology and Technology* vol. 203, art. 112418, 2023. <https://doi.org/10.1016/j.postharvbio.2023.112418>. (WoS/Scopus)
6784. Tiwari PN, Tiwari S, Sapre S, Babbar A, Tripathi N, Tiwari S, Tripathi MK. Screening and selection of drought-tolerant high-yielding chickpea genotypes based on physio-biochemical selection indices and yield trials. *Life* 13(6):1405, 2023. <https://doi.org/10.3390/life13061405>. (WoS/Scopus)
6785. ValizadehKaji B, Akbari A. First Report: Evaluation of drought tolerance of pomegranate rootstocks based on phytochemical parameters. *Erwerbs-Obstbau* 65, 389-396, 2023. <https://doi.org/10.1007/s10341-023-00831-w>. (WoS/Scopus)
6786. Voelker J, Mauleon R, Shepherd M. The terpene synthase genes of *Melaleuca alternifolia* (tea tree) and comparative gene family analysis among Myrtaceae essential oil crops. *Plant Systematics and Evolution* 309, art. 13, 2023. <https://doi.org/10.1007/s00606-023-01847-1>. (WoS/Scopus)
6787. Weraduwege SM, Sahu A, Kulke M, Vermaas JV, Sharkey. Characterization of promoter elements of isoprene-responsive genes and the ability of isoprene to bind START domain transcription factors. *Plant Direct* 7(2), e483, 2023. <https://doi.org/10.1002/pld3.483>. (WoS/Scopus)
6788. Zhou H, Ashworth K, Dodd IC. Exogenous monoterpenes mitigate H₂O₂-induced lipid damage but do not attenuate photosynthetic decline during water deficit in tomato. *Journal of Experimental Botany* 74(13), 5327-5340, 2023. <https://doi.org/10.1093/jxb/erad219>. (WoS/Scopus)
6789. Cai Y, Xu H, Xu C, Zuo Z. Adjusting function of camphor on primary metabolism in *Cinnamomum camphora* stressed by high temperature. *Plant Science* v. 339, art. 111956, 2024. <https://doi.org/10.1016/j.plantsci.2023.111956>. (WoS/Scopus)
6790. Ghirardo A, Brilli F. Analysis of volatile organic compounds. In: Carla António (Ed.) *Monitoring Forest Damage with Metabolomics Methods*. Chapter 6. Series: WILEY Series on mass spectrometry. pp. 127-186, 2024. <https://doi.org/10.1002/9781119868750.ch6>. [BOOK]
6791. Nekoukhrou M, Fallah S, Pokhrel LR, Abbasi-Surki A, Rostamnejadi A. Foliar co-application of zinc oxide and copper oxide nanoparticles promotes phytochemicals and essential oil production in dragonhead

(*Dracocephalum moldavica*). *Science of the Total Environment* v. 906, art. 167519, **2024**. <https://doi.org/10.1016/j.scitotenv.2023.167519>. (WoS/Scopus)

6792. Sorour AA, Badr R, Mahmoud N, Abdel-Latif A. Cadmium and zinc accumulation and tolerance in two Egyptian cultivars (S53 and V120) of *Helianthus annuus* L. as potential phytoremediator. *International Journal of Phytoremediation*, **2024**. <https://doi.org/10.1080/15226514.2024.2343842>. (WoS/Scopus)

6793. Vinod BR, Asrey R, Menaka M, S Ahamad, NK Meena, C Bhan, G Avinash. Synergistic effect of aqueous ozone and guar gum coating on the quality and shelf life of stored papaya fruit. *Journal of Food Measurement and Characterization*, **2024**. <https://doi.org/10.1007/s11694-024-02471-4>. (WoS/Scopus)

6794. Weraduwaage SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)

Velikova V, Pinelli P, Loreto F - Consequences of inhibition of isoprene synthesis in *Phragmites australis* leaves exposed to elevated temperatures. *Agriculture, Ecosystems & Environment* 106 (2-3): 209-217, 2005

6795. Copolovici LO, Filella I, Llusia J, Niinemets U, Penuelas J - The capacity for thermal protection of photosynthetic electron transport varies for different monoterpenes in *Quercus ilex*. *Plant Physiology* 139 (1): 485-496, **2005** (WoS/Scopus)

6796. Behnke K, Ehling B, Teuber M, Bauerfeind M, Louis S, Hänsch R, Polle A, Bohlmann J, Schnitzler J – Transgenic, non-isoprene emitting poplars don't like it hot. *The Plant Journal* 51 (3): 485-499, **2007** (WoS/Scopus)

6797. Loivamäki M, Gilmer F, Fischbach RJ, Sorgel C, Bachl A, Walter A, Schnitzler JP - Arabidopsis, a model to study biological functions of isoprene emission? *Plant Physiology* 144 (2), 1066-1078, **2007** (WoS/Scopus)

6798. Loivamäki M - Molecular biological and (eco)physiological studies on isoprene emission in Arabidopsis and Grey poplar. Freiburg im Breisgau, **2008** (PhD Thesis)

6799. Behnke K - Transgene Ansätze zur Aufklärung der Isoprenemission in Pappel. Albert Ludwigs Universität Freiburg i. Brsg., Fakultät für Forst und Umweltwissenschaften. KIT Scientific Publishing, **2009** (PhD Thesis)

6800. Ibrahim MA, Maenpaa M, Hassinen V, Kontunen-Soppela S, Malec L, Rousi M, Pietikainen L, Tervahauta A, Karenlampi S, Holopainen JK, Oksanen EJ - Elevation of night-time temperature increases terpenoid emissions from *Betula pendula* and *Populus tremula*. *Journal of Experimental Botany* 61 (6): 1583-1595, **2010** (WoS/Scopus)

6801. Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt, CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010** (WoS/Scopus)

6802. Vickers CE, Possell M, Laothawornkitkul J, Ryan AC, Hewitt CN, Mullineaux PM - Isoprene synthesis in plants: lessons from a transgenic tobacco model. *Plant Cell and Environment* 34 (6): 1043-1053, **2011** (WoS/Scopus)

6803. Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschütz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M - Isoprene function in two contrasting poplars under salt and sunflecks. *Tree Physiology* 33(6), 562-578, **2013** (WoS/Scopus)

6804. Ferreira, RA; Duarte, JG; Vergine, P; Antunes, CD; Freire, F; Martins-Dias, S - *Phragmites* sp physiological changes in a constructed wetland treating an effluent contaminated with a diazo dye (DR81). *Environmental Science and Pollution Research* 21 (16), 9626-9643, **2014** (WoS/Scopus)

6805. Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist* 201 (1), 205-216, **2014** doi: 10.1111/nph.12477 (WoS/Scopus)

6806. Somturk, B; Kalin, R; Ozdemir, N - Purification of peroxidase from red cabbage (*brassica oleracea* var. capitata f. rubra) by affinity chromatography. *Applied Biochemistry and Biotechnology* 173 (7), 1815-1828, **2014** (WoS/Scopus)

6807. Wu H, Dai H-F, Zhang J-S, Jiao X-L, Liu C, Shi J-Y, Fan Z-C, Aliyan R. Responses of photosynthetic characteristics to low temperature stress and recovery treatment in cotton seedling leaves. *Chinese Journal of Plant Ecology*. 38 (10), 1124–1134, **2014** (WoS/Scopus)

6808. Rosenkranz M, Pugh TAM, Schnitzler J-P, Arneth A. Effect of land-use change and management on biogenic volatile organic compound emissions – selecting climate-smart cultivars. *Plant, Cell & Environment* 38(9), 1896-1912, **2015** (review) DOI: 10.1111/pce.12453 (WoS/Scopus)

6809. Saleem AR. Eco-physiological responses of velvet bean (*Mucuna pruriens* L.) To inoculation with rhizobacteria containing acc-deaminase under drought stress. Arid Agriculture University Rawalpindi, Pakistan, **2015** (PhD Thesis)

6810. Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel J, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P. Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology* 169, 1, 560-575, **2015** (WoS/Scopus)

6811. Beck ZQ, Estell DA, Miller JV, Rife CL, Wells DH. Isoprene synthase variants for improved production of isoprene, U.S. **Patent No. 9,273,298**. Washington, DC: U.S. Patent and Trademark Office, **2016**

6812. Cervin MA, Chotani GK, Feher FJ, La Duca R, McAuliffe JC, Miasnikov A, Peres CM, Puhala AS, Sanford KJ, Valle F, Whited GM. Compositions and methods for producing isoprene, U.S. Patent No. 9,260,727. Washington, DC: U.S. Patent and Trademark Office, **2016**

- 6813.** Feller U. Drought stress and carbon assimilation in a warming climate: Reversible and irreversible impacts, *Journal of Plant Physiology*, 203, 84-94, **2016** (WoS/Scopus)
- 6814.** Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, **2019**. <https://doi.org/10.1186/s40659-019-0246-3>. (WoS/Scopus)
- 6815.** Chen J, Bi H, Yu X, Fu Y, Liao W. Influence of physiological and environmental factors on the diurnal variation in emissions of biogenic volatile compounds from *Pinus tabulaeformis*. *Journal of Environmental Sciences* 81:102-118, **2019**. <https://doi.org/10.1016/j.jes.2019.01.020>. (WoS/Scopus)
- 6816.** Liu YY, Li J, Liu SC, Yu Q, Tong XJ, Zhu TT, Gao XX, Yu LX. Sugarcane leaf photosynthetic light responses and their difference between varieties under high temperature stress. *Photosynthetica* 58 (4): 1009-1018, **2020**. DOI: 10.32615/ps.2020.038. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2213>. (WoS/Scopus)
- 6817.** van Doorn MM, Merl-Pham J, Ghirardo A, Fink S, Polle A, Schnitzler J-P, Rosenkranz M. Root isoprene formation alters lateral root development. *Plant, Cell & Environment* 43(9), 2207-2223, **2020**. <https://doi.org/10.1111/pce.13814>. (WoS/Scopus)
- 6818.** Liu B, Zhang L, Rusalepp L, Kaurilind E, Sulaiman HY, Püssa T, Niinemets Ü. Heat priming improved heat tolerance of photosynthesis, enhanced terpenoid and benzenoid emission and phenolics accumulation in *Achillea millefolium*. *Plant, Cell & Environment* 44(7):2365-2385, **2021**. <https://doi.org/10.1111/pce.13830>. (WoS/Scopus)
- 6819.** Yang W, Cao J, Wu Y, Kong F, ngyu Li Li. Review on plant terpenoid emissions worldwide and in China. *Science of the Total Environment* v.787, art.147454, **2021**. <https://doi.org/10.1016/j.scitotenv.2021.147454>. (WoS/Scopus)
- 6820.** Gautam M, Chahota RK. Metabolite profiling and protein quantification to a large library of 96 horsegram (*Macrotyloma uniflorum*) germplasm. *Scientific Reports* 12, 7865, **2022**. <https://doi.org/10.1038/s41598-022-11962-7>. (WoS/Scopus)
- 6821.** Janyasuthiwong S, Choomanee P, Bualert S, Maneejantra S, Charoenpun T, Chommon W, Jitjun S. Biogenic volatile organic compound emission from tropical plants in relation to temperature changes. *Environmental Challenges* v. 9, art. 100643, **2022**. <https://doi.org/10.1016/j.envc.2022.100643>.
- 6822.** Liu B, Kaurilind E, Zhang L, CN Okereke, T Rimmel, Ü Niinemets. Improved plant heat shock resistance is introduced differently by heat and insect infestation: the role of volatile emission traits. *Oecologia* 199, 53-68, **2022**. <https://doi.org/10.1007/s00442-022-05168-x>. (WoS/Scopus)
- 6823.** Satta A. Understanding terpenoid metabolism in cyanobacteria. The University of Queensland, Australia, **2022**. [PhD thesis]
- 6824.** Batsmanova LM, Taran NYu, Kosyk OI, Zaimenko NV. Biogenic volatile organic substances of forests and their influence on climate. *Ukrainian Botanical Journal* 80(3): 267–282, **2023**. <https://doi.org/10.15407/ukrbotj80.03.267>.
- 6825.** Rahman A, Albadrani GM, Waraich EA, Awan TH, Yavaş İ, Hussain S. Plant secondary metabolites and abiotic stress tolerance: overview and implications. In: Hussain S, Awan TH, Waraich E, Awan M (Eds) *Plant Stress Responses and Defense Mechanisms*. IntechOpen, ISBN 978-1-80356-957-4. 158 pages, **2023**. <https://www.intechopen.com/online-first/87146>. **eBOOK**
- 6826.** Sulaiman HY, Liu B, Abiola YO, Kaurilind E, Niinemets Ü. Impact of heat priming on heat shock responses in *Origanum vulgare*: Enhanced foliage photosynthetic tolerance and biphasic emissions of volatiles. *Plant Physiology and Biochemistry* vol. 196, 567-579, **2023**. <https://doi.org/10.1016/j.plaphy.2023.02.013>. (WoS/Scopus)
- Velikova V, Pinelli P, Pasqualini S, Reale L, Ferranti F, Loreto F – Isoprene decreases the concentration of nitric oxide in leaves exposed to elevated ozone. *New Phytologist* 166: 419-426, 2005**
- 6827.** Altimir N - The ozone transfer between atmosphere and vegetation. A study on Scots pine in the field. Department of Forest Ecology Faculty of Agriculture and Forestry University of Helsinki (**PhD Thesis**), **2006**
- 6828.** Guenther A, Karl T, Harley P, Wiedinmyer C, Palmer PI, Geron C - Estimates of global terrestrial isoprene emissions using MEGAN (Model of Emissions of Gases and Aerosols from Nature). *Atmospheric Chemistry and Physics* 6 (11): 3181-3210, **2006** (WoS/Scopus)
- 6829.** Behnke K, Ehrling B, Teuber M, Bauerfeind M, Louis S, Hänsch R, Polle A, Bohlmann J, Schnitzler J – Transgenic, non-isoprene emitting poplars don't like it hot. *The plant Journal* 51 (3): 485-499, **2007** (WoS/Scopus)
- 6830.** Blande JD, Tiiva P, Oksanen E, Holopainen JK - Emission of herbivore-induced volatile terpenoids from two hybrid aspen (*Populus tremula x tremuloides*) clones under ambient and elevated ozone concentrations in the field. *Global Change Biology* 13 (12): 2538-2550, **2007** (WoS/Scopus)
- 6831.** Corpas FJ, Barroso JB, Carreras A, Valderrama R, Palma JM, del Río LA - Nitrosative stress in plants: a new approach to understand the role of NO in abiotic stress. In: *Plant Cell Monographs* (6): *Nitric Oxide in Plant Growth, Development and Stress Physiology*, (Lorenzo Lamattina and Joseph C. Polacco, eds), ISBN-10 3-540-45128-5 Springer Berlin Heidelberg New York **2007**, pp. 187-205 (**book series**)
- 6832.** Seco R, Peñuelas J, Filella I - Short-chain oxygenated VOCs: Emission and uptake by plants and atmospheric sources, sinks, and concentrations. *Atmospheric Environment* 41 (12): 2477-2499, **2007** (**review**) (WoS/Scopus)
- 6833.** Tiiva P, Rinnan R, Faubert P, Räsänen J, Holopainen T, Kyrö E, Holopainen JK – Isoprene emission from a subarctic peatland under enhanced UV-B radiation. *New Phytologist* 176 (2): 346-355, **2007** (WoS/Scopus)

- 6834.** Tiiva P, Rinnan R, Holopainen T, Mörsky SK, Holopainen JK - Isoprene emissions from boreal peatland microcosms; effects of elevated ozone concentration in an open field experiment. *Atmospheric Environment*, 41 (18), 3819-3828, **2007 (WoS/Scopus)**
- 6835.** Altimir N, Vesala T, Aalto T, Back J, Hari P - Stomatal-scale modelling of the competition between ozone sinks at the air-leaf interface. *Tellus Series B-Chemical And Physical Meteorology* 60 (3): 381-391, **2008 (WoS/Scopus)**
- 6836.** Arneth A, Monson RK, Schurgers G, Niinemets U, Palmer PI - Why are estimates of global terrestrial isoprene emissions so similar (and why is this not so for monoterpenes)? *Atmospheric Chemistry and Physics* 8 (16): 4605-4620, **2008 (WoS/Scopus)**
- 6837.** Corpas FJ, Chaki M, Fernandez-Ocana A, Valderrama R, Palma JM, Carreras A, Begara-Morales JC, Airaki M, del Rio LA, Barroso JB - Metabolism of reactive nitrogen species in pea plants under abiotic stress conditions. *Plant and Cell Physiology* 49 (11): 1711-1722, **2008 (WoS/Scopus)**
- 6838.** Fares S - An investigation of ozone uptake by plants and antioxidant effect of plant isoprenoids. Università degli Studi della Tuscia, **PhD Thesis, 2008,)**
- 6839.** Heald CL, Henze DK, Horowitz LW, Feddesma J, Lamarque JF, Guenther A, Hess PG, Vitt F, Seinfeld JH, Goldstein AH, Fung I - Predicted change in global secondary organic aerosol concentrations in response to future climate, emissions, and land use change. *Journal of Geophysical Research-Atmospheres* 113, D05211, doi:10.1029/2007JD009092, **2008 (WoS/Scopus)**
- 6840.** Heil M - Indirect defence via tritrophic interactions. *New Phytologist* 178 (1): 41-61, **2008 (review) (WoS/Scopus)**
- 6841.** Jin KS, Jun M, Park MJ, Ok S, Jeong JH, Kang HS, Jo WK, Lim HJ, Jeong WS - Promises and risks of unsaturated volatile organic compounds: Limonene, pinene, and isoprene. *Food Science and Biotechnology* 17 (3): 447-456, **2008 (review) (WoS/Scopus)**
- 6842.** Pfister GG, Emmons LK, Hess PG, Lamarque JF, Orlando JJ, Walters S, Guenther A, Palmer PI, Lawrence PJ Contribution of isoprene to chemical budgets: A model tracer study with the NCAR CTM MOZART-4. *Journal of Geophysical Research-Atmospheres* 113, D05308, doi:10.1029/2007JD008948, **2008 (WoS/Scopus)**
- 6843.** Seco R, Penuelas J, Fiella I - Formaldehyde emission and uptake by mediterranean trees *Quercus ilex* and *Pinus halepensis*. *Atmospheric Environment* 42 (34): 7907-7914, **2008 (WoS/Scopus)**
- 6844.** Thompson AJ, Etzkorn JM, van Pel DM, Krogh ET, Drakeford DR, Gill CG - Membrane introduction tandem mass spectrometry (MIMS-MS/MS) as a real-time monitor for biogenic volatile organic compound (BVOC) emissions from plants. *Canadian Journal of Analytical Sciences And Spectroscopy* 53 (2): 75-81, **2008 (WoS/Scopus)**
- 6845.** Behnke K, Kleist E, Uerlings R, Wildt J, Rennenberg H, Schnitzler JP - RNAi-mediated suppression of isoprene biosynthesis in hybrid poplar impacts ozone tolerance. *Tree Physiology* 29 (5): 725-736, **2009 (WoS/Scopus)**
- 6846.** Blake RS, Monks PS, Ellis AM - Proton-Transfer Reaction Mass Spectrometry. *Chemical Reviews* 109 (3): 861-896, **2009 (review) (WoS/Scopus)**
- 6847.** Heald CL, Wilkinson MJ, Monson RK, Alo CA, Wang GL, Guenther A - Response of isoprene emission to ambient CO₂ changes and implications for global budgets. *Global Change Biology* 15 (5): 1127-1140, **2009 (WoS/Scopus)**
- 6848.** Iriti M, Faoro F - Ozone-induced changes in plant secondary metabolism. In: *Environmental Science and Engineering. Climate Change and Crops*. Springer Berlin Heidelberg. DOI10.1007/978-3-540-88246-6, Pp.245-268, **2009 (book) (WoS/Scopus)**
- 6849.** Laothawornkitkul J, Taylor JE, Paul ND, Hewitt CN - Biogenic volatile organic compounds in the Earth system. *New Phytologist* 183 (1): 27-51, **2009 (review) (WoS/Scopus)**
- 6850.** Li DW, Chen Y, Shi Y, He XY, Chen X - Impact of elevated CO₂ and O₃ concentrations on biogenic volatile organic compounds emissions from *Ginkgo biloba*. *Bulletin of Environmental Contamination and Toxicology* 82 (4): 473-477, **2009 (WoS/Scopus)**
- 6851.** Ryan A, Cojocariu C, Possell M, Davies WJ, Hewitt CN - Defining hybrid poplar (*Populus deltoides* x *Populus trichocarpa*) tolerance to ozone: identifying key parameters. *Plant Cell and Environment* 32 (1): 31-45, **2009 (WoS/Scopus)**
- 6852.** Behnke K, Loivamaki M, Zimmer I, Rennenberg H, Schnitzler JP, Louis S - Isoprene emission protects photosynthesis in sunfleck exposed *Grey poplar*. *Photosynthesis Research* 104 (1): 5-17, Sp. Iss. SI, **2010 (WoS/Scopus)**
- 6853.** Carslaw KS, Boucher O, Spracklen DV, Mann GW, Rae JGL, Woodward S, Kulmala M - A review of natural aerosol interactions and feedbacks within the Earth system. *Atmospheric Chemistry and Physics* 10 (4): 1701-1737, **2010 (review) (WoS/Scopus)**
- 6854.** Corpas FJ, Palma JM, Leterrier M, del Rio LA, Barroso JB - Nitric oxide and abiotic stress in higher plants, pp. 51-63. In: *Nitric Oxide in Plant Physiology* (Eds Shamsul Hayat, Masaki Mori, John Pichtel, and Aqil Ahmad), WILEY - BLACHWELL, WILEY-VCH Verlag GmbH & Co KGaA, **2010 (book) 2010 (WoS/Scopus)**
- 6855.** Heil M, Ton J - Systemic resistance induction by vascular and airborne signaling. In: *Progress in Botany 71. Genetics, Physiology, Systematics, Ecology*. (Lüttge U, Beyschlad W, Büdel B, Francis D, Eds.). Springer-Verlag Berlin Heidelberg **2010**, ISBN 978-642-02166-4, DOI 10.1007/978-3-642-02167-1, pp. 279-306-156 **(book)**
- 6856.** Hossain KK, Itoh RD, Yoshimura G, Tokuda G, Oku H, Cohen MF, Yamasaki H - Effects of nitric oxide scavengers on thermoinhibition of seed germination in *Arabidopsis thaliana*. *Russian Journal of Plant Physiology* 57 (2): 222-232, **2010 (WoS/Scopus)**

- 6857.** Patakas AA, Zotos A, Beis AS - Production, localisation and possible roles of nitric oxide in drought-stressed grapevines. *Australian Journal of Grape and Wine Research* 16 (1): 203-209, **2010** (WoS/Scopus)
- 6858.** Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010** (WoS/Scopus)
- 6859.** Wang BL, Tang XY, Cheng LY, Zhang AZ, Zhang WH, Zhang FS, Liu JQ, Cao Y, Allan DL, Vance CP, Shen JB - Nitric oxide is involved in phosphorus deficiency-induced cluster-root development and citrate exudation in white lupin. *New Phytologist* 187 (4): 1112-1123, **2010** (WoS/Scopus)
- 6860.** Corpas FJ, Leterrier M, Valderrama R, Airaki M, Chaki M, Palma JM, Barroso JB - Nitric oxide imbalance provokes a nitrosative response in plants under abiotic stress. *Plant Science* 181 (5): 604-611, **2011** (review) (WoS/Scopus)
- 6861.** Holopainen JK - Can forest trees compensate for stress-generated growth losses by induced production of volatile compounds? *Tree Physiol* 31(12): 1356-1377, **2011** (review) (WoS/Scopus)
- 6862.** Laffineur Q, Aubinet M, Schoon N, Amelynck C, Müller J-F, Dewulf J, Van Langenhove H, Steppe K, Simpraga M, Heinesch B - Isoprene and monoterpene emissions from a mixed temperate forest. *Atmospheric Environment* 45 (18): 3157 - 3168, **2011** (WoS/Scopus)
- 6863.** Mahowald N, Ward DS, Kloster S, Flanner MG, Heald CL, Heavens NG, Hess PG, Lamarque J-F, Chuang PY - Aerosol impacts on Climate and biogeochemistry. *Annual Review of Environment and Resources* 36: 45-74, **2011** (Review) (WoS/Scopus)
- 6864.** Niinemets Ü, Kuhn U, Harley PC, Staudt M, Arneth A, Cescatti A, Ciccioli P, Copolovici L, Geron C, Guenther A, Kesselmeier J, Lerdau MT, Monson RK, J Peñuelas - Estimations of isoprenoid emission capacity from enclosure studies: measurements, data processing, quality and standardized measurement protocols. *Biogeosciences* 8: 2209-2246, **2011** (WoS/Scopus)
- 6865.** Seco R, Filella I, Llusia J, Penuelas J - Methanol as a signal triggering isoprenoid emissions and photosynthetic performance in *Quercus ilex*. *Acta Physiologiae Plantarum* 33 (6): 2413-2422, **2011** (WoS/Scopus)
- 6866.** Seco R, Peñuelas J, Filella I, Llusia J, Molowny-Horas R, Schallhart S, Metzger A, Muller M, Hansel A - Contrasting winter and summer VOC mixing ratios at a forest site in the Western Mediterranean Basin: the effect of local biogenic emissions. *Atmos Chem Phys* 11: 13161-13179, **2011** (WoS/Scopus)
- 6867.** Vickers CE, Possell M, Laothawornkitkul J, Ryan AC, Hewitt CN, Mullineaux PM - Isoprene synthesis in plants: lessons from a transgenic tobacco model. *Plant Cell and Environment* 34 (6): 1043-1053, **2011** (WoS/Scopus)
- 6868.** Zerlin JK - Influência do óxido nítrico nos processos de embebição e mobilização de reservas durante a germinação e o desenvolvimento inicial de plântulas de *Sesbania virgata* (Cav.) Pers. e *Hymenaea courbaril* L. Instituto de Botânica da Secretaria do Meio Ambiente, São Paulo, **PhD Thesis**, **2011**
- 6869.** Wang H, Nagegowda DA, Rawat R, Bouvier-Nave P, Guo D, Bach TJ, Chye M-L - Overexpression of *Brassica juncea* wild-type and mutant HMG-CoA synthase 1 in *Arabidopsis* up-regulates genes in sterol biosynthesis and enhances sterol production and stress tolerance. *Plant Biotechnology Journal* 10: 31-42, **2012** (WoS/Scopus)
- 6870.** Bitá CE, Gerats T. Plant tolerance to high temperature in a changing environment: scientific fundamentals and production of heat stress-tolerant crops. *Frontiers in Plant Science* 4, 273. doi: 10.3389/fpls.2013.00273, **2013** (WoS/Scopus)
- 6871.** Halahan JA - *In vitro* formation of isoprene derivatives in conditions simulating membranes of plants under heat stress. Somona State University, USA, **2013**
- 6872.** Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>, **2013**
- 6873.** Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ - Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. *Journal of Breath Research* 7(3), Article Number: 036007, DOI: 10.1088/1752-7155/7/3/036007, **2013** (WoS/Scopus)
- 6874.** Peñuelas J, Guenther A, Rapparin F, Llusia J, Filella I, Seco R, Estiarte M, Mejia-Chang M, Ogaya R, Ibañez J, Sardans J, Castaño LM, Turnipseed A, Duhl T, Harley P, Vila J, Estavillo JM, Menéndez S, Facini O, Baraldi R, Geron C, Mak J, Patton EG, Jiang X, Greenberg J - Intensive measurements of gas, water, and energy exchange between vegetation and troposphere during the MONTES campaign in a vegetation gradient from short semi-desertic shrublands to tall wet temperate forests in the NW Mediterranean Basin. *Atmospheric Environment* 75: 348 - 364, **2013**. (WoS/Scopus)
- 6875.** Seco R, Penuelas J, Filella I, Llusia J, Schallhart S, Metzger A, Muller M, Hanse A. Volatile organic compounds in the western Mediterranean basin: urban and rural winter measurements during the DAURE campaign. *Atmos. Chem. Phys* 13, 4291-4306, **2013** (WoS/Scopus)
- 6876.** Souza SR, Blande JD, Holopainen JK - Pre-exposure to nitric oxide modulates the effect of ozone on oxidative defenses and volatile emissions in lima bean. *Environmental Pollution* 179, 111-119, **2013** (WoS/Scopus)
- 6877.** Di Ferdinando, M; Brunetti, C; Agati, G; Tattini - Multiple functions of polyphenols in plants inhabiting unfavorable Mediterranean areas. *Environmental and Experimental Botany* 103, SI, 107-116, **2014** (WoS/Scopus)
- 6878.** Filippou P, Antoniou C, Fotopoulos - Role of nitrosative signaling in response to changing climate. In: *Climate Change and Plant Abiotic Stress Tolerance* (Eds. N. Tuteja and S.S. Gill), Wiley-VCH Verlag GmbH & Co. KgaA, Boschstr. 12, 69469 Weinheim, Germany, Chapter 6, pp: 137-162, **2014** (book series)

- 6879.** Li DW, Shi Y, He XY, Zu YG. Effects of elevated CO₂ and O₃ concentrations on isoprenoid emissions from *Pinus tabulaeformis*. *Applied Mechanics and Materials* 522-524: 264-271, **2014** DOI: [10.4028/www.scientific.net/AMM.522-524.264](https://doi.org/10.4028/www.scientific.net/AMM.522-524.264) (WoS/Scopus)
- 6880.** Sharkey, TD; Monson, RK - The future of isoprene emission from leaves, canopies and landscapes. *Plant Cell and Environment* 37 (8), SI, 1727-1740, **2014** (Review) (WoS/Scopus)
- 6881.** Fowler D, Steadman CE, Stevenson D, Coyle M, Rees RM, Skiba, UM, Sutton MA, Cape JN, Dore AJ, Vieno M, Simpson D, Zaehle S, Stocker BD, Rinaldi M, Facchini MC, Flechard CR, Nemitz E, Twigg M, Erismann JW, Galloway JN. Effects of global change during the 21st century on the nitrogen cycle, *Atmos. Chem. Phys. Discuss* 15, 1747–1868, **2015** (WoS/Scopus)
- 6882.** Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes. *Journal of Bioenergetics and Biomembranes* 47, 5, 419-429, **2015** (WoS/Scopus)
- 6883.** Nogués I, Medori M, Calfapietra C - Limitations of monoterpene emissions and their antioxidant role in *Cistus* sp. under mild and severe treatments of drought and warming. *Environmental and Experimental Botany* 119: 76-86, **2015**, <http://dx.doi.org/10.1016/j.envexpbot.2015.06.001> (WoS/Scopus)
- 6884.** Seco R, Karl, T., Guenther, A., Hosman, K. P., Pallardy, S. G., Gu, L., Geron C, Harley P & Kim, S. Ecosystem scale VOC fluxes during an extreme drought in a broad leaf temperate forest of the Missouri Ozarks (central USA). *Global Change Biology* 21, 3657-3674, **2015** (WoS/Scopus)
- 6885.** Xu S, He X, Chen W, Huang Y, Zhao Y, Li B. Differential sensitivity of four urban tree species to elevated O₃, *Urban Forestry & Urban Greening* 14, 4, 1166-1173, **2015** (WoS/Scopus)
- 6886.** Bai J, Duhl T, Hao N. Biogenic volatile compound emissions from a temperate forest, China: model simulation, *Journal of Atmospheric Chemistry* 73(1), 29-59, **2016**, DOI: [10.1007/s10874-015-9315-3](https://doi.org/10.1007/s10874-015-9315-3) (WoS/Scopus)
- 6887.** Bonn B, Schneidemesser EV, Andrich D, Quedenau J, Gerwig H, Lüdecke A, Kura J, Pietsch A, Ehlers C, Klemp D, Kofahl C, Nothard R, Kerschbaumer A, Junkermann W, Grote R, Pohl T, Weber K, Lode B, Schönberger P, Churkina G, Butler TM, Lawrence MG. BAERLIN2014—the influence of land surface types on and the horizontal heterogeneity of air pollutant levels in Berlin, *Atmospheric Chemistry and Physics*, 16, 12, 7785-7811., **2016** (WoS/Scopus)
- 6888.** Gong M, Bassi A. Carotenoids from microalgae: A review of recent developments, *Biotechnology Advances*, 34, 8, 1396-1412, **2016** (WoS/Scopus)
- 6889.** Jardine AB. A especiação dos monoterpenos em uma floresta da Amazônia central. **PhD Thesis**, Instituto Nacional de Pesquisas da Amazônia, Manaus, Brasil., **2016**
- 6890.** Jardine K, Jardine A. Biogenic volatile organic compounds in Amazonian forest ecosystems. In *Interactions Between Biosphere, Atmosphere and Human Land Use in the Amazon Basin*, Volume 227 of the series *Ecological Studies* (pp. 19-33), Springer Berlin Heidelberg., **2016** (Book series)
- 6891.** Molina-Bravo R, Zamora-Meléndez A. QTLs for Genetic Improvement Under Global Climate Changes. In *Advances in Plant Breeding Strategies: Agronomic, Abiotic and Biotic Stress Traits* (Editors: Jameel M. Al-Khayri, Shri Mohan Jain, Dennis V. Johnson), pp. 471-513, Springer International Publishing, **2016** (WoS/Scopus)
- 6892.** Tiwari A, Grote R, Churkina G, Butler T – Ozone damage, detoxification and the role of isoprenoids – new impetus for integrated models. *Functional Plant Biology* 43, 4, 324-336, **2016** <http://dx.doi.org/10.1071/FP15302> (WoS/Scopus)
- 6893.** Wijewardana C, Henry WB, Gao W, Reddy KR. Interactive effects on CO₂, drought, and ultraviolet-B radiation on maize growth and development, *Journal of Photochemistry and Photobiology B: Biology*, 160, 198-209., **2016** (WoS/Scopus)
- 6894.** Yuan X, Calatayud V, Gao F, Fares S, Paoletti E, Tian Y, Feng Z - Interaction of drought and ozone exposure on isoprene emission from extensively cultivated poplar: Isoprene responses to ozone and drought in poplar. *Plant Cell and Environment* 39, 10, 2276–2287, **2016**, DOI: [10.1111/pce.12798](https://doi.org/10.1111/pce.12798) (WoS/Scopus)
- 6895.** Castillo Rosello GV - Efecto de la alta temperatura en la respuesta fisiológica de dos cultivares contrastantes de *Chenopodium quinoa* Willd “quinoa” en plantas aclimatadas y no aclimatadas. UNIVERSIDAD NACIONAL DE SAN AGUSTIN DE AREQUIPA, Arequipa – Peru, **2017**
- 6896.** Chedraoui S, Abi-Rizk A, El-Beyrouthy M, Chalak L, Ouaini N, Rajjou L - *Capparis spinosa* L. in a systematic review: A Xerophilous Species of multi values and promising potentialities for agrosystems under the threat of global warming. *Frontiers in Plant Science* 8:1845, **2017**, doi: [10.3389/fpls.2017.01845](https://doi.org/10.3389/fpls.2017.01845) (Review) (WoS/Scopus)
- 6897.** Rossi L, Borghi M, Yang J, Xie D-Y - Overexpression of *Populus × canadensis* isoprene synthase gene in *Camelina sativa* leads to alterations in its growth and metabolism. *Journal of Plant Physiology* 215, 122-131, **2017**, DOI: [10.1016/j.jplph.2017.06.005](https://doi.org/10.1016/j.jplph.2017.06.005) (WoS/Scopus)
- 6898.** Seco R, Karl T, Turnipseed A, Greenberg J, Guenther A, Llusia J, Penuelas J, Dicken U, Rotenberg E, Kim S, Yakir D – Springtime ecosystem-scale monoterpene fluxes from Mediterranean pine forests across a precipitation gradient. *Agriculture and Forest Meteorology* 237: 150-159, **2017**, <https://doi.org/10.1016/j.agrformet.2017.02.007> (WoS/Scopus)
- 6899.** Sharkey TD, Monson RK – Isoprene research – 60 years later, the biology is still enigmatic. *Plant, Cell and Environment* 40(9), 1671-1678, **2017**, (Review) doi: [10.1111/pce.12930](https://doi.org/10.1111/pce.12930) (WoS/Scopus)
- 6900.** Zuccarelli R, Coelho ACP, Peres LEP, Freschi L - Shedding light on NO homeostasis: Light as a key regulator of glutathione and nitric oxide metabolisms during seedling deetiolation. *Nitric Oxide* 68: 77-90, **2017**, <https://doi.org/10.1016/j.niox.2017.01.006> (WoS/Scopus)

- 6901.** Bal SK, Bhagat KP, Chowdhury AR, More N, Suman S, Singh H. Managing Photothermal Environment for Improving Crop Productivity. In: Bal S, Mukherjee J, Choudhury B, Dhawan A (eds), *Advances in Crop Environment Interaction*. Springer, Singapore, pp. 153-179. **2018.** https://doi.org/10.1007/978-981-13-1861-0_6 (**BOOK**) (**WoS/Scopus**)
- 6902.** Bison JV, Cardoso-Gustavson P, de Moraes RM, Pedrosa GS, Cruz LS, Freschi L, de Souza SR. Volatile organic compounds and nitric oxide as responses of a Brazilian tropical species to ozone: the emission profile of young and mature leaves. *Environmental Science and Pollution Research* 25(4): 3840-3848, **2018**, <https://rd.springer.com/article/10.1007/s11356-017-0744-1> (**WoS/Scopus**)
- 6903.** Mu Z, Llusà J, Liu D, Ogaya R, Asensio D, Zhang C, Peñuelas J. Seasonal and diurnal variations of plant isoprenoid emissions from two dominant species in Mediterranean shrubland and forest submitted to experimental drought. *Atmospheric Environment* 191: 105-115, **2018.** (**WoS/Scopus**)
- 6904.** Stefanucci A, Zengin G, Locatelli M, Macedonio G, Wang C-K, Novellino E, Mahomoodally MF, Mollica A. Impact of different geographical locations on varying profile of bioactives and associated functionalities of caper (*Capparis spinosa* L.). *Food and Chemical Toxicology* 118:181-189, **2018.** <https://doi.org/10.1016/j.fct.2018.05.003> (**WoS/Scopus**)
- 6905.** Bhattacharya A. Chapter 1: Effect of high-temperature stress on crop productivity. In: *Effect of High Temperature on Crop Productivity and Metabolism of Macro Molecules*. pp. 1-114 ISBN: 978-0-12-817562-0, Academic Press, Elsevier Inc., **2019**
<https://scholar.google.com/scholar?cluster=8286664439400462320&hl=en&oi=scholar&hist=P53aOtQAAAAJ:l1994631408768107216:AAGBfm3mdWc17KtrMfpgNY8Haq8VbcRO9w> **BOOK (WoS/Scopus)**
- 6906.** Choi M-W, Lee J-H, Woo J-W, Kim C-H, Lee S-H. Comparison of PM2.5 Chemical components over East Asia simulated by the WRF-Chem and WRF/CMAQ models: On the Models' prediction inconsistency. *Atmosphere* 10, 618, **2019.** [doi:10.3390/atmos10100618](https://doi.org/10.3390/atmos10100618). (**WoS/Scopus**)
- 6907.** Kolbert Zs, Barroso JB, Brouquisse R, Corpas FJ, Gupta KJ, Lindermayr C, Loake GJ, Palma JM, Petřivalský M, Wendehenne D, Hancock JT. A forty year journey: The generation and roles of NO in plants. **Review.** *Nitric Oxide* 93, 53-70, **2019.** <https://doi.org/10.1016/j.niox.2019.09.006> (**WoS/Scopus**)
- 6908.** Morichetti M. Air pollution from natural and anthropogenic sources over Mediterranean region: assessment of an online coupled meteorological and air quality model. Università Politecnica delle Marche, Ancona, Italia, **2019.** **PhD Thesis**
- 6909.** Saunier A, Blande JD. The effect of elevated ozone on floral chemistry of Brassicaceae species. *Environmental Pollution* 255, art number 113257, **2019.** <https://doi.org/10.1016/j.envpol.2019.113257>. (**WoS/Scopus**)
- 6910.** Hoshika Y, Brilli F, Baraldi R, Fares S, Carrari E, Zhang L, Badea O, Paoletti E. Ozone impairs the response of isoprene emission to foliar nitrogen and phosphorus in poplar. *Environmental Pollution* v.267, art.115679, **2020.** <https://doi.org/10.1016/j.envpol.2020.115679>. (**WoS/Scopus**)
- 6911.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020.** <https://doi.org/10.1002/9781119552154.ch21>. (**BOOK**)
- 6912.** Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020.** <http://hdl.handle.net/10492/5561>. (**PhD Thesis**)
- 6913.** Seco R, Holst T, Matzen MS, Westergaard-Nielsen A, Li T, Simin T, Jansen J, Crill P, Friborg T, Rinne J, Rinnan R. Volatile organic compound fluxes in a subarctic peatland and lake. *Atmospheric Chemistry and Physics* 20, 13399–13416, **2020.** <https://doi.org/10.5194/acp-20-13399-2020>. (**WoS/Scopus**)
- 6914.** Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020.** <https://doi.org/10.1093/jxb/eraa415>. (**WoS/Scopus**)
- 6915.** Vannini A, Canali G, Pica M, Nali C, Loppi S. The Water content drives the susceptibility of the *Lichen evernia prunastri* and the moss *Brachythecium* sp. to high ozone concentrations. *Biology* 9(5), 90, **2020.** <https://doi.org/10.3390/biology9050090>. (**WoS/Scopus**)
- 6916.** Bai J, Duhl T. A primary generalized empirical model of BVOC emissions for some typical forests in China. *Atmospheric Pollution Research* 12(8), art. 101126, **2021.** <https://doi.org/10.1016/j.apr.2021.101126>. (**WoS/Scopus**)
- 6917.** Cao Y, Yue X, Liao H, Yang Y, Zhu J, Chen L, Tian C, Lei Y, Zhou H, Ma Y. Ensemble projection of global isoprene emissions by the end of 21st century using CMIP6 models. *Atmospheric Environment* v.267, art. 118766, **2021.** <https://doi.org/10.1016/j.atmosenv.2021.118766>. (**WoS/Scopus**)
- 6918.** Mu, Z. Volatile organic compounds (VOCs) in plants and soils of Mediterranean ecosystems. Universitat Autònoma de Barcelona, Spain. **PhD Thesis**, **2021.** <http://hdl.handle.net/10803/672509>. **SOURCE: PhD Thesis**
- 6919.** Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021.** <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. (**BOOK**)

- 6920.** Xie J, Shi S, Wu L and Zhang X. Spatiotemporal changes of near-surface ozone concentration from 2015 to 2018 in Beijing. *Frontiers in Environmental Science* 9:593220, **2021**. <https://doi.org/10.3389/fenvs.2021.593220>. (WoS/Scopus)
- 6921.** Brosset A. Responses of wild and cultivated Brassicaceous plants to diverse abiotic and biotic stimuli. Dissertations in Forestry and Natural Sciences No 472, University of Eastern Finland, Kuopio, **2022**. [**PhD thesis**].
- 6922.** Gbaoui L, Fachet M, L  no M, Meyer-Lotz G, Frodl T, Hoeschen C. Breathomics profiling of metabolic pathways affected by major depression: Possibilities and limitations. *Frontiers in Psychiatry* 13: 1061326, **2022**. <https://doi.org/10.3389/fpsyt.2022.1061326>. (WoS/Scopus)
- 6923.** Khalaj F. Aerosol chemistry of riparian shrub emissions and oxygenated terpenes, PhD Thesis, University of California, Irvine, **2022**. <https://escholarship.org/uc/item/6124q458>. [**PhD Thesis**]
- 6924.** Li S, Yuan X, Feng Z, Du Y, Agathokleous E, Paoletti E. Whole-plant compensatory responses of isoprene emission from hybrid poplar seedlings exposed to elevated ozone. *Science of the Total Environment* v.806, Part 4, art. number 150949, **2022**. <https://doi.org/10.1016/j.scitotenv.2021.150949>. (WoS/Scopus)
- 6925.** Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: Tropospheric Ozone: A Hazard for Vegetation and Human Health. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. [**BOOK**]
- 6926.** Yu H, Blande JD. A potential ozone defense in intercellular air space: Clues from intercellular BVOC concentrations and stomatal conductance. *Science of the Total Environment* v. 852, art. 158456, **2022**. <https://doi.org/10.1016/j.scitotenv.2022.158456>. (WoS/Scopus)
- 6927.** Zhang Y, Han Z, Li X, Zhang H, Yuan X, Feng Z, Wang P, Mu Z, Song W, Blake DR, Ying Q, George C, Sheng G, Peng P, Wang X. Plants and related carbon cycling under elevated ground-level ozone: A mini review. *Applied Geochemistry* vol. 144, art. 105400, **2022**. <https://doi.org/10.1016/j.apgeochem.2022.105400>. (WoS/Scopus)
- 6928.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume 1. Secondary Metabolites in Environmental Stress Tolerance, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [**BOOK**]
- 6929.** Wuerz M. The volatilome of the cnidarian-dinoflagellate symbiosis. **PhD Thesis** Victoria University of Wellington, USA. **2023**. https://openaccess.wgtn.ac.nz/articles/thesis/The_volatilome_of_the_cnidarian-dinoflagellate_symbiosis/22976435. [**PhD Thesis**]
- 6930.** Zhao D, Yang Y, Tham YJ, Zou S. Emission of marine volatile organic compounds (VOCs) by phytoplankton— a review. *Marine Environmental Research* v. 191, art. 106177, **2023**. <https://doi.org/10.1016/j.marenvres.2023.106177>. (WoS/Scopus)
- 6931.** Weraduwege SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)
- Velikova V, Tsonev T, Pinelli P, Alessio GA, Loreto F - Localized O₃-fumigation for field-studies of the impact of different ozone levels on photosynthesis, respiration, electron transport rate and isoprene emission in Mediterranean oak species. *Tree Physiology* 25: 1523-1532, **2005****
- 6932.** Arneth A, Niinemets U, Pressley S, Back J, Hari P, Karl T, Noe S, Prentice IC, Serca D, Hickler T, Wolf A, Smith B - Process-based estimates of terrestrial ecosystem isoprene emissions: incorporating the effects of a direct CO₂-isoprene interaction. *Atmospheric Chemistry and Physics* 7: 31-53, **2007** (review) (WoS/Scopus)
- 6933.** Low M, Haberle KH, Warren CR, Matyssek R - O₃ flux-related responsiveness of photosynthesis, respiration, and stomatal conductance of adult *Fagus sylvatica* to experimentally enhanced free-air O₃ exposure. *Plant Biology* 9 (2): 197-206, **2007** (WoS/Scopus)
- 6934.** Mancuso S, Mugnai S – Long-distance signal transduction in trees. In: *Communication in Plants: Neuronal Aspects of Plant Life* (Frantiek Baluka, Stefano Mancuso, and Dieter Volkmann, eds), **2007**, 333 p. (book) (WoS/Scopus)
- 6935.** Tiiva P, Rinnan R, Faubert P, R  s  nen J, Holopainen T, Kyr   E, Holopainen JK – Isoprene emission from a subarctic peatland under enhanced UV-B radiation. *New Phytologist* 176 (2): 346-355, **2007** (WoS/Scopus)
- 6936.** Tiiva P, Rinnan R, Holopainen T, M  rsky SK, Holopainen JK - Isoprene emissions from boreal peatland microcosms; effects of elevated ozone concentration in an open field experiment. *Atmospheric Environment*, 41 (18), 3819-3828, **2007** (WoS/Scopus)
- 6937.** Bussotti F - Functional leaf traits, plant communities and acclimation processes in relation to oxidative stress in trees: a critical overview. *Global Change Biology* 14 (11): 2727-2739, **2008** (review) (WoS/Scopus)
- 6938.** Fares S - An investigation of ozone uptake by plants and antioxidant effect of plant isoprenoids. Universit   degli Studi della Tuscia, **PhD Thesis**, **2008**
- 6939.** Flexas J, Ribas-Carbo M, Diaz-Espej A, Galmes J, Medrano H - Mesophyll conductance to CO₂: current knowledge and future prospects. *Plant Cell and Environment* 31 (5): 602-621, **2008** (review) (WoS/Scopus)
- 6940.** Tiiva P, Faubert P, Michelsen A, Holopainen T, Holopainen JK, Rinnan R - Climatic warming increases isoprene emission from a subarctic heath. *New Phytologist* 180 (4): 853-863, **2008** (WoS/Scopus)

- 6941.** Behnke K, Kleist E, Uerlings R, Wildt J, Rennenberg H, Schnitzler JP - RNAi-mediated suppression of isoprene biosynthesis in hybrid poplar impacts ozone tolerance. *Tree Physiology* 29 (5): 725-736, **2009** (WoS/Scopus)
- 6942.** Li DW, Chen Y, Shi Y, He XY, Chen X - Impact of elevated CO₂ and O₃ concentrations on biogenic volatile organic compounds emissions from *Ginkgo biloba*. *Bulletin of Environmental Contamination and Toxicology* 82 (4): 473-477, **2009** (WoS/Scopus)
- 6943.** Pacifico F, Harrison SP, Jones CD, Sitch S - Isoprene emissions and climate. *Atmospheric Environment* 43 (39): 6121-6135, **2009** (review) (WoS/Scopus)
- 6944.** Fares S, McKay M, Holzinger R, Goldstein AH - Ozone fluxes in a *Pinus ponderosa* ecosystem are dominated by non-stomatal processes: Evidence from long-term continuous measurements. *Agricultural and Forest Meteorology* 150 (3), 420 - 431, **2010** (WoS/Scopus)
- 6945.** Niinemets Ü - Mild versus severe stress and BVOCs: thresholds, priming and consequences. *Trends in Plant Science* 15 (3): 145-153, **2010** (review) (WoS/Scopus)
- 6946.** Niinemets Ü, Arneth A, Kuhn U, Monson RK, Penuelas J, Staudt M - The emission factor of volatile isoprenoids: Stress, acclimation, and developmental responses. *Biogeosciences Discussions* 7 (2): 1529-1574, **2010** (review)
- 6947.** Niinemets U, Arneth A, Kuhn U, Monson RK, Penuelas J, Staudt M - The emission factor of volatile isoprenoids: stress, acclimation, and developmental responses. *Biogeosciences* 7 (7): 2203-2223, **2010** (WoS/Scopus)
- 6948.** Shi Z, Feng Q, Cheng R, Liu S - The research progress of mesophyll conductance. *Shengtai Xuebao/ Acta Ecologica Sinica* 30 (17): 4792-4803, **2010** (WoS/Scopus)
- 6949.** Darbah JNT, Jones WS, Burton AJ, Nagy J, Kubiske ME - Acute O₃ damage on first year coppice sprouts of aspen and maple sprouts in an open-air experiment. *Journal of Environmental Monitoring* 13 (9), 2436-2442, **2011** (WoS/Scopus)
- 6950.** Niinemets Ü, Kuhn U, Harley PC, Staudt M, Arneth A, Cescatti A, Ciccioli P, Copolovici L, Geron C, Guenther A, Kesselmeier J, Lerdau MT, Monson RK, J Penuelas - Estimations of isoprenoid emission capacity from enclosure studies: measurements, data processing, quality and standardized measurement protocols. *Biogeosciences* 8, 2209-2246, **2011** (WoS/Scopus)
- 6951.** Mazarura U - Effect of sequences of ozone and nitrogen dioxide on plant dry matter and stomatal diffusive resistance in radish. *African Crop Science Journal* Vol. 20, Issue Supplement s2, pp. 371 – 384, **2012**
- 6952.** Tawfik AB – Soil moisture-atmosphere feedbacks on atmospheric tracers: the effects of soil moisture on precipitation and near-surface chemistry. University of Michigan **2012** (PhD Thesis)
- 6953.** Al Sahli AA, Al-Muwayhi MA, Doaigey AR, Basalah MO, Ali HM, El-Zaidy M, Sakran AM - Effect of ozone and ascorbic acid on the anatomical, physiological and biochemical parameters of pepper (*Capsicum frutescens* L.), *Journal of Pure and Applied Microbiology* 7: 159-168, **2013** (WoS/Scopus)
- 6954.** Hoshika Y, Omasa K, Paoletti E - Both ozone exposure and soil water stress are able to induce stomatal sluggishness. *Environmental and Experimental Botany* 88: 19-23, **2013** (WoS/Scopus)
- 6955.** Niinemets Ü, Monson RK – State-of-the art of BVOC Research: What do we have and what have we misses? A synthesis. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 18: pp. 509-528, **2013** (book)
- 6956.** Thwe AA, Vercambre G, Gautier H, Pagès L, Jourdan C, Gay F, Kasemsap P - Dynamic shoot and root growth at different developmental stages of tomato (*Solanum lycopersicum* Mill.) under acute ozone stress. *Scientia Horticulturae* 150: 317-325, **2013** (WoS/Scopus)
- 6957.** Flexas J, Díaz-Espejo A, Gago J, Gallé A, Galmés J, Gulías J, Medrano H - Photosynthetic limitations in mediterranean plants: A review. *Environmental and Experimental Botany* 103: 12-23, **2014** (review) <http://dx.doi.org/doi:10.1016/j.envexpbot.2013.09.002> (WoS/Scopus)
- 6958.** Guidi L, Calatayud A. Non-invasive tools to estimate stress-induced changes in photosynthetic performance in plants inhabiting Mediterranean areas. *Environmental and Experimental Botany* 103: 42-62, **2014** (review) <http://dx.doi.org/10.1016/j.envexpbot.2013.12.007> (WoS/Scopus)
- 6959.** Sun J, Feng Z, Ort DR - Impacts of rising tropospheric ozone on photosynthesis and metabolite levels on field grown soybean. *Plant Science* 226, 147-161, **2014**. doi: 10.1016/j.plantsci.2014.06.012 (WoS/Scopus)
- 6960.** Brunetti, C; Ferrini, F; Fini, A; Tattini, M - New evidence for the functional roles of volatile and non-volatile isoprenoids in stressed plants. *Agrochimica* 58, SI, 61-76, **2014** (WoS/Scopus)
- 6961.** Kitao M, Komatsu M, Yazaki K, Kitaoka S, Tobita H. Growth overcompensation against O₃ exposure in two Japanese oak species, *Quercus mongolica* var. *crispula* and *Quercus serrata*, grown under elevated CO₂, *Environmental Pollution* 206, 133-141, **2015** (WoS/Scopus)
- 6962.** Rai R, Singh AA, Agrawal SB, Agrawal M. Tropospheric O₃: A Cause of Concern for Terrestrial Plants, In: *Plant Responses to Air Pollution* (Editors: Umesh Kulshrestha, Pallavi Saxena), pp. 165-195, Springer, **2016** (book). DOI: 10.1007/978-981-10-1201-3_14 (WoS/Scopus)
- 6963.** Yuan X, Calatayud V, Gao F, Fares S, Paoletti E, Tian Y, Feng Z - Interaction of drought and ozone exposure on isoprene emission from extensively cultivated poplar: Isoprene responses to ozone and drought in poplar. *Plant Cell and Environment* 39, 10, 2276-2287, **2016**, DOI: 10.1111/pce.12798 (WoS/Scopus)

- 6964.** Zenone T, Hendriks C, Brilli F, Fransen E, Gioli B, Portillo-Estrada M, Schaap M, Ceulemans R - Interaction between isoprene and ozone fluxes in a poplar plantation and its impact on air quality at the European level. *Scientific Reports* 6: 32676, **2016**, DOI: [10.1038/srep32676](https://doi.org/10.1038/srep32676). (WoS/Scopus)
- 6965.** Henrot A-J, Stanelle T, Schröder S, Siegenthaler C, Taraborrelli D, Schultz MG. Implementation of the biogenic emission model MEGAN(v2.1) into the ECHAM6-HAMMOZ chemistry climate model. Basic results and sensitivity tests, *Geoscientific Model Development Discussions*, 10, 903-926, **2017**, doi:[10.5194/gmd-2016-248](https://doi.org/10.5194/gmd-2016-248)
- 6966.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrín E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L., Tree Physiology*, vol 7. Springer, Cham., **2017** (BOOK)
- 6967.** Segade SR, Vilanova M, Giacosa S, Perrone I, Chitarra W, Pollon M, Torchio F, Boccacci P, Gambino G, Gerbi V, Rolle L. Ozone improves the aromatic fingerprint of white grapes, *Scientific Reports* 7(1), art. No. 16301, 1-16, **2017** (WoS/Scopus)
- 6968.** Tani A, Ohno T, Saito T, Ito S, Yonekura Miwa M – Effects of ozone on isoprene emission from two major *Quercus* species native to East Asia. *Journal of Agricultural Meteorology* 73(4): 195-202, **2017** (WoS/Scopus)
- 6969.** Verheyen K, De Frenne P, Baeten L, Waller DM, Hédli R, Perring MP, Blondeel H, Brunet J, Chudomelová M, Decocq G, De Lombaerde E, Depauw L, Dirnböck T, Durak T, Eriksson O, Gilliam FS, Heinken T, Heinrichs S, Hermy M, Jaroszewicz B, Jenkins MA, Johnson SE, Kirby KJ, Kopecký M, Landuyt D, Lenoir J, Li D, Macek M, Maes SL, Máliš F, Mitchell FJG, Naaf T, Peterken G, Petřík P, Reczyńska K et al. Combining biodiversity resurveys across regions to advance global change research, *BioScience* 67(1), 73-83, **2017** <https://doi.org/10.1093/biosci/biw150> (WoS/Scopus)
- 6970.** Yuan X, Feng Z, Liu S, Shang B, Li P, Xu Y, Paoletti - Concentration- and flux-based dose-responses of isoprene emission from poplar leaves and plants exposed to an ozone concentration gradient. *Plant Cell and Environment* 40(9), 1960-13007, **2017**, DOI: [10.1111/pce.13007](https://doi.org/10.1111/pce.13007) (WoS/Scopus)
- 6971.** Kanagendran A, Pazouki L, Bichele R, Külheim C, Niinemets Ü. Temporal regulation of terpene synthase gene expression in *Eucalyptus globulus* leaves upon ozone and wounding stresses: relationships with stomatal ozone uptake and emission responses. *Environmental and Experimental Botany* 155: 552-565, **2018** (WoS/Scopus)
- 6972.** Kanagendran A, Pazouki L, Niinemets U. Differential regulation of volatile emission from *Eucalyptus globulus* leaves upon single and combined ozone and wounding treatments through recovery and relationships with ozone uptake. *Environmental and Experimental Botany* 145: 21-38, **2018**, <https://doi.org/10.1016/j.envexpbot.2017.10.012> (WoS/Scopus)
- 6973.** Khan MAH, Schlich B-L, Jenkin ME, Shallcross BMA, Moseley K, Walker C, Morris WC, Derwent RG, Percival CJ, Shallcross DE. A two-decade anthropogenic and biogenic isoprene emissions study in a London urban background and a London urban traffic site. *Atmosphere* 9(10), art. No. 387, **2018**. doi:[10.3390/atmos9100387](https://doi.org/10.3390/atmos9100387) (WoS/Scopus)
- 6974.** Li S, Tosens T, Harley PC, Jiang Y, Kanagendran A, Grosberg M, Jaamets K, Niinemets Ü. Glandular trichomes as a barrier against atmospheric oxidative stress: Relationships with ozone uptake, leaf damage, and emission of LOX products across a diverse set of species. *Plant, Cell & Environment* 41(6):1263-1277, **2018**, <https://doi.org/10.1111/pce.13128>, (WoS/Scopus)
- 6975.** Watanabe M, Kamimaki Y, Mori M, Okabe S, Arakawa I, Kinose Y, Nakaba S, Izuta T. Mesophyll conductance to CO₂ in leaves of Siebold's beech (*Fagus crenata*) seedlings under elevated ozone. *Journal of Plant Research* 131(6): 907-914, **2018**. <https://doi.org/10.1007/s10265-018-1063-4> (WoS/Scopus)
- 6976.** Xu S, He X, Burkey K, Chen W, Li P, Li Y, Li B, Wang Y. Ethylenediurea (EDU) pretreatment alleviated the adverse effects of elevated O₃ on *Populus alba* "Berolinensis" in an urban area. *Journal of Environmental Sciences* 84:42-50, **2019**. <https://doi.org/10.1016/j.jes.2019.04.018> (WoS/Scopus)
- 6977.** Xu Y, Feng Z, Tarvainen L, Shang B, Dai L, Uddling J. Mesophyll conductance limitation of photosynthesis in poplar under elevated ozone. *Science of the Total Environment* 657:136-145, **2019** (WoS/Scopus)
- 6978.** Gong C, Lei Y, Ma Y, Yue X, Liao H. Ozone-vegetation feedback through dry deposition and isoprene emissions in a global chemistry-carbon-climate model. *Atmospheric Chemistry and Physics Discussion* 20, 3841-3857, **2020**. <https://doi.org/10.5194/acp-20-3841-2020>. (WoS/Scopus)
- 6979.** Hoshika Y, Haworth M, Watanabe M, Koike T. Interactive effect of leaf age and ozone on mesophyll conductance in Siebold's beech. *Physiologia Plantarum* 170(2), 172-186, **2020**. <https://doi.org/10.1111/ppl.13121>. (WoS/Scopus)
- 6980.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)
- 6981.** Ramos AAR. Tropospheric ozone uptake under drought conditions - A case study of the Urban Trees in Vienna, Austria. Department of Land, Environment Agriculture and Forestry, Università Degli Studi di Padova, Italy. PhD Thesis, **2020**. https://www.medfor.eu/sites/default/files/editor/master_thesis-_1218566_-_alexandra_andrea_rivera_ramos.pdf. [PhD Thesis]
- 6982.** Wang Y, Zhao Y, Zhang L, Zhang J, Liu Y. Modified regional biogenic VOC emissions with actual ozone stress and integrated land cover information: A case study in Yangtze River Delta, China. *Science of the Total Environment* 727, art. Number 138703, **2020**. <https://doi.org/10.1016/j.scitotenv.2020.138703>. (WoS/Scopus)

- 6983.** Campayo A, Savoi S, Romieu C, López-Jiménez AJ, de la Hoz KS, Salinas MR, Torregrosa L, Alonso GL. The application of ozonated water rearranges the *Vitis vinifera* L. leaf and berry transcriptomes eliciting defence and antioxidant responses. *Scientific Reports* 11, Article number: 8114, **2021**. <https://doi.org/10.1038/s41598-021-87542-y>. (WoS/Scopus)
- 6984.** Cotrozzi L. The effects of tropospheric ozone on oaks: A global meta-analysis. *Science of the Total Environment* v. 756, art. 143795, **2021**. <https://doi.org/10.1016/j.scitotenv.2020.143795>. (WoS/Scopus)
- 6985.** Lyu J, Yin S, Shang CC, Ma Y, Sun N, Shen G, Liu C. Sensitivity analysis of isoprene and aerosol emission in a suburban plantation using long short-term memory model. *Urban Forestry & Urban Greening* 64, art. number 127303, **2021**. <https://doi.org/10.1016/j.ufug.2021.127303>. (WoS/Scopus)
- 6986.** Nadal M, Carriquí M, Flexas J. Chapter 3. Mesophyll conductance to CO₂ diffusion in a climate change scenario: effects of elevated CO₂, temperature and water stress. In: Becklin KM, Ward JK, Way DA (eds) *Photosynthesis, Respiration, and Climate Change. Advances in Photosynthesis and Respiration (Including Bioenergy and Related Processes)*, vol 48, pp. 49-78, **2021**. Springer, Cham. https://doi.org/10.1007/978-3-030-64926-5_3. [BOOK]
- 6987.** Paoletti E, Hoshika Y, Arab L, Martini S, Cotrozzi L, Weber D, Ache P, Neri L, Baraldi R, Pellegrini E, Müller HM, Hedrich R, Alfarraj S, Rennenberg H. Date palm responses to a chronic, realistic ozone exposure in a FACE experiment. *Environmental Research* v. 195, art. 110868, **2021**. <https://doi.org/10.1016/j.envres.2021.110868>. (WoS/Scopus)
- 6988.** Peron A, Kaser L, Fitzky AC, Graus M, Halbwirth H, Greiner J, Wohlfahrt G, Rewald B, Sandén H, Karl T. Combined effects of ozone and drought stress on the emission of biogenic volatile organic compounds from *Quercus robur* L. *Biogeosciences* 18:535-556, **2021**. <https://doi.org/10.5194/bg-2020-260>. (WoS/Scopus)
- 6989.** Tani A, Mochizuki T. Review: Exchanges of volatile organic compounds between terrestrial ecosystems and the atmosphere. *Journal of Agricultural Meteorology* Article 77(1): 66-80, **2021**. <https://doi.org/10.2480/agrmet.D-20-00025>. (WoS/Scopus)
- 6990.** Dubuisson C. Impact de la pollution atmosphérique par l'ozone sur la communication chimique plante-pollinisateur : le cas de deux interactions emblématiques en Méditerranée. Sciences agricoles. Université Montpellier, **2022**. Français. ffnnt: 2022MONTG001ff. ffilet-03664708. [PhD thesis]
- 6991.** Joffe R. The role of mesophyll conductance in the regulation of photosynthesis under ozone-induced oxidative stress in poplar: ecophysiological, anatomical and biochemical aspects. Université de Lorraine, Nancy, France, **2022**. <http://dx.doi.org/10.13140/RG.2.2.27404.73603>. [PhD Thesis]
- 6992.** Khalaj F. Aerosol chemistry of riparian shrub emissions and oxygenated terpenes, PhD Thesis, University of California, Irvine, **2022**. <https://escholarship.org/uc/item/6124q458>. [PhD Thesis]
- 6993.** Kivimäenpää M, Riikonen J, Valolahti H, Elina H, Holopainen JK, Holopainen T. Effects of elevated ozone and warming on terpenoid emissions and concentrations of Norway spruce depend on needle phenology and age. *Tree Physiology* 42(8), 1570–1586, **2022**. <https://doi.org/10.1093/treephys/tpac019>. (WoS/Scopus)
- 6994.** Zhang Y, Han Z, Li X, Zhang H, Yuan X, Feng Z, Wang P, Mu Z, Song W, Blake DR, Ying Q, George C, Sheng G, Peng P, Wang X. Plants and related carbon cycling under elevated ground-level ozone: A mini review. *Applied Geochemistry*, v. 144, art. 105400, **2022**. <https://doi.org/10.1016/j.apgeochem.2022.105400>. (WoS/Scopus)
- 6995.** Bao X, Zhou W, Zheng Z, Xu L. The interactions and mechanisms between biogenic volatile organic compounds emissions and ozone concentrations in urban areas: A review. *Acta Ecologica Sinica* 43(5), **2023**. <http://dx.doi.org/10.5846/stxb202202240431>. (WoS/Scopus)
- 6996.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855-1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 6997.** Bhadra P, Maitra S, Sairam M. Chapter 1. Introduction to plant responses to environmental stress. In: Roychoudhury A (Ed.) *Photosynthesis and Respiratory Cycles During Environmental Stress Response in Plants*. © CRC Press Taylor & Francis Group, Apple Academic Press, Inc. ISBN: 978-1-00331-516-2 (ebk). pp. 1-12, **2023** (First edition). [BOOK]
- 6998.** Razzaq M, Akram NA, Chen Y, Samdani MS, Ahmad P. Alleviation of chromium toxicity by trehalose supplementation in *Zea mays* through regulating plant biochemistry and metal uptake. *Arabian Journal of Chemistry* 17(2), art. 105505, **2024**. <https://doi.org/10.1016/j.arabjc.2023.105505>. (WoS/Scopus)

Velikova V, Loreto F, Tsonev T, Brilli F, Edreva A – Isoprene prevents the negative consequences of high temperature stress in *Platanus orientalis* leaves. *Functional Plant Biology*, 33: 931-940, **2006**

- 6999.** Behnke K, Ehrling B, Teuber M, Bauerfeind M, Louis S, Hänsch R, Polle A, Bohlmann J, Schnitzler J – Transgenic, non-isoprene emitting poplars don't like it hot. *The Plant Journal* 51 (3): 485-499, **2007** (WoS/Scopus)
- 7000.** Tiiva P, Rinnan R, Faubert P, Räsänen J, Holopainen T, Kyrö E, Holopainen JK – Isoprene emission from a subarctic peatland under enhanced UV-B radiation. *New Phytologist* 176 (2): 346-355, **2007** (WoS/Scopus)
- 7001.** Noe SM, Penuelas J, Niinemets U - Monoterpene emissions from ornamental trees in urban areas: a case study of Barcelona, Spain. *Plant Biology* 10 (1): 163-169, **2008** (WoS/Scopus)
- 7002.** Tiiva P, Faubert P, Michelsen A, Holopainen T, Holopainen JK, Rinnan R - Climatic warming increases isoprene emission from a subarctic heath. *New Phytologist* 180 (4): 853-863, **2008** (WoS/Scopus)

- 7003.** Wiberley AE – Molecular and biochemical regulation of isoprene emission from plants. University of Wisconsin – Madison **2008 (PhD Thesis)**
- 7004.** Llorens L, Llusia J, Murchie EH, Penuelas J, Beerling DJ - Monoterpene emissions and photoinhibition of "living fossil" trees grown under CO₂ enrichment in a simulated Cretaceous polar environment. *Journal of Geophysical Research-Biogeosciences* 114: art. no.-G01005, **2009 (WoS/Scopus)**
- 7005.** Exton DA, Smith DJ, McGenity TJ, Steinke M, Hills AJ, Suggett DJ – Application of a Fast Isoprene Sensor (FIS) for measuring isoprene production from marine samples. *Limnology and Oceanography: Methods* 8, 185–195, **2010 (WoS/Scopus)**
- 7006.** Ibrahim MA, Maenpaa M, Hassinen V, Kontunen-Soppela S, Malec L, Rousi M, Pietikainen L, Tervahauta A, Karenlampi S, Holopainen JK, Oksanen EJ - Elevation of night-time temperature increases terpenoid emissions from *Betula pendula* and *Populus tremula*. *Journal of Experimental Botany* 61 (6): 1583-1595, **2010 (WoS/Scopus)**
- 7007.** Possell M, Ryan A, Vickers CE, Mullineaux PM, Hewitt, CN - Effects of fosmidomycin on plant photosynthesis as measured by gas exchange and chlorophyll fluorescence. *Photosynthesis Research* 104 (1): 49-59, **2010 (WoS/Scopus)**
- 7008.** Huve K, Bichele I, Ivanova H, Keerberg O, Parnik T, Rasulov B, Tobias M, Niinemets U - Temperature responses of dark respiration in relation to leaf sugar concentration. *Physiologia Plantarum* 144 (4): 320-334; 10.1111/j.1399-3054.2011.01562.x, **2012 (WoS/Scopus)**
- 7009.** Exton DA, Suggett DJ, Steinke M, McGenity TJ - Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary. *Global Biogeochemical Cycles* 26, Article Number: GB2012, **2012 (WoS/Scopus)**
- 7010.** Exton DA, Suggett DJ, McGenity TJ, Steinke M - Chlorophyll-normalized isoprene production in laboratory cultures of marine microalgae and implications for global models. *Limnology and Oceanography* 58 (4): 1301-1311, **2013 (WoS/Scopus)**
- 7011.** Sun J - Isoprene emission from aspen (*Populus* sp.) in relation to environmental drivers, **PhD Thesis**, Estonian University of Life Sciences, Tartu, **2013**
- 7012.** Egigu MC, Ibrahim MA, Riikonen J, Yahya A, Holopainen T, Julkunen-Tiitto R, Holopainen JK - Effects of rising temperature on secondary compounds of Yeheb (*Cordeauxia edulis* Hemsley). *American Journal of Plant Sciences* 5, 517-527, **2014.**
- 7013.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 7014.** Copolovici L, Niinemets Ü. Environmental Impacts on Plant Volatile Emission, Chapter, In *Deciphering Chemical Language of Plant Communication* (Editors: James D. Blande, Robert Glinwood), Part of the series *Signaling and Communication in Plants*, pp 35-59, Springer, **2016 (BOOK)**
- 7015.** Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:10.1007/s11738-016-2241-4 **(WoS/Scopus)**
- 7016.** Zuo Z, Weraduwage SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. **(WoS/Scopus)**
- 7017.** Hrebien V, Deschaseaux E, Eickhoff W, Swan HB, Eyre BD. Quantification of isoprene in coastal ecosystems by gas chromatography–mass spectrometry using cumulative headspace injections. *Limnology and Oceanography: Methods* 18(7), 374-382, **2020**. <https://doi.org/10.1002/lom3.10363>. **(WoS/Scopus)**
- 7018.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. **(BOOK)**
- 7019.** Lawson CA. Gas powered reefs: exploring the nature and variability of the coral volatilome. University of Technology Sydney, Australia, PhD Thesis, **2020**. <https://opus.lib.uts.edu.au/bitstream/10453/140488/2/02whole.pdf>. **[PhD Thesis]**
- 7020.** Perreca E, Gershenzon J, Eberl F. Tree volatiles: effects of biotic and abiotic factors on emission and biological roles. Chapter 19. In E. Pichersky, & N. Dudareva (Eds.), *Biology of Plant Volatiles*, 2nd Edition, pp. 361-375. Boca Raton, FL, USA: CRC press, **2020**. <http://hdl.handle.net/21.11116/0000-0005-BA28-D>. **[BOOK]**
- 7021.** Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020**. <https://doi.org/10.1093/jxb/eraa415>. **(WoS/Scopus)**
- 7022.** Hrebien V, Deschaseaux E, Eyre BD. Isoprene fluxes from warm temperate and tropical seagrass communities. *Marine Ecology Progress Series* 676:1-17, **2021**. <https://doi.org/10.3354/meps13830>. **(WoS/Scopus)**
- 7023.** Lawson CA, Raina J-B, Deschaseaux E, Hrebien V, Possell M, Seymour JR, Suggett DJ. Heat stress decreases the diversity, abundance and functional potential of coral gas emissions. *Global Change Biology* 27(4):879-891, **2021**. <https://doi.org/10.1111/gcb.15446>. **(WoS/Scopus)**
- 7024.** El-Beltagi HS, Shah S, Ullah S, Sulaiman, Mansour AT, Shalaby TA. Impacts of ascorbic acid and alpha-tocopherol on chickpea (*Cicer arietinum* L.) grown in water deficit regimes for sustainable production. *Sustainability* 14(14):8861, **2022**. <https://doi.org/10.3390/su14148861>. **(WoS/Scopus)**

- 7025.** El-Beltagi HS, Sulaiman, Mohamed MEM, Ullah S, Shah S. Effects of ascorbic acid and/or α -tocopherol on agronomic and physio-biochemical traits of oat (*Avena sativa* L.) under drought condition. *Agronomy* 12(10):2296, **2022**. <https://doi.org/10.3390/agronomy12102296>. (WoS/Scopus)
- 7026.** Minev N, Matev A, Yordanova N, Milanov I, Sabeva M, Almaliev M. Effect of foliar products on the inflorescence yield of lavender and essential oil. *Agronomy Research* 20(3), 660-671, **2022**. <https://doi.org/10.15159/AR.22.033>. (WoS/Scopus)
- 7027.** Satta A. Understanding terpenoid metabolism in cyanobacteria. The University of Queensland, Australia, **2022**. [PhD thesis]
- 7028.** Saeed S, Ullah A, Ullah S, Elshikh MS, Noor J, Eldin SM, Zeng F, Amin F, Ali MA, Ali I. Salicylic acid and α -tocopherol ameliorate salinity impact on wheat. *ACS Omega* 8(29), 26122-26135, **2023**. <https://doi.org/10.1021/acsomega.3c02166>. (WoS/Scopus)
- 7029.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume 1. Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [BOOK]
- 7030.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- [Edreva AM, Velikova VB, Tsonev TsD - Phenylamides in plants \(review\). *Russ Journal of Plant Physiology* 54 \(3\): 287-301, 2007](#)
- 7031.** Kuznetsov VV, Shevyakova NI - Polyamines and stress tolerance of plants. In: *Plant Stress* 1(1): 50-71. Global Science **2007** (Book)
- 7032.** Baker CJ, Whitaker BD, Mock NM, Rice CP, Roberts DP, Deahl KL, Ueng PP, Aver'yanov AA - Differential induction of redox sensitive extracellular phenolic amides in potato. *Physiological and Molecular Plant Pathology* 73 (4-5): 109-115, **2008** (WoS/Scopus)
- 7033.** Andre CM, Schafleitner R, Guignard C, Oufir M, Aliaga CAA, Nomberto G, Hoffmann L, Hausman JF, Evers D, Larondelle Y - Modification of the health-promoting value of potato tubers field grown under drought stress: emphasis on dietary antioxidant and glycoalkaloid contents in five native andean cultivars (*Solanum tuberosum* L.). *Journal of Agricultural and Food Chemistry* 57 (2): 599-609, **2009** (WoS/Scopus)
- 7034.** El Hadrami A, Daayf F - Priming canola resistance to blackleg with weakly aggressive isolates leads to an activation of hydroxycinnamates. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie* 31 (4): 393-406, **2009** (WoS/Scopus)
- 7035.** Bassard J-E, Ullmann P, Bernier F, Werck-Reichhart D - Phenolamides: Bridging polyamines to the phenolic metabolism. *Phytochemistry* 71 (16): 1808 - 1824, **2010** (review) (WoS/Scopus)
- 7036.** Cicatelli A, Lingua G, Todeschini V, Biondi S, Torrigiani P, Castiglione S - Arbuscular mycorrhizal fungi restore normal growth in a white poplar clone grown on heavy metal-contaminated soil, and this is associated with upregulation of foliar metallothionein and polyamine biosynthetic gene expression. *Annals of Botany* 106 (5): 791-802, **2010** (WoS/Scopus)
- 7037.** Demkura PV, Abdala G, Baldwin IT, Ballare CL - Jasmonate-dependent and -independent pathways mediate specific effects of solar ultraviolet b radiation on leaf phenolics and antiherbivore defense. *Plant Physiology* 152 (2): 1084-1095, **2010** (WoS/Scopus)
- 7038.** Gális I, Onkokesung N, Baldwin IT - New insights into mechanisms regulating differential accumulation of phenylpropanoid-polyamine conjugates (PPCs) in herbivore-attacked *Nicotiana attenuata* plants. *Plant Signaling and Behavior* 5 (5), 610-613, **2010** (WoS/Scopus)
- 7039.** Kaur H, Heinzl N, Schottner M, Baldwin IT, Galis I - R2R3-NaMYB8 regulates the accumulation of phenylpropanoid-polyamine conjugates, which are essential for local and systemic defense against insect herbivores in *Nicotiana attenuata*. *Plant Physiology* 152 (3): 1731-1747, **2010** (WoS/Scopus)
- 7040.** Kuznetsov VV, Shevyakova NI - Chapter 13. Polyamines and Plant Adaptation to Saline Environments, 261-298 In: K.G.Ramawat (Ed.) *Desert Plants. Biology and Biotechnology*. Springer, pp. 503, **2010** (book) (WoS/Scopus)
- 7041.** Onkokesung N - Jasmonic acid and ethylene crosstalk: Regulation of growth, defense and metabolisms in native tobacco *Nicotiana attenuata* in response to herbivory. Biologisch-Pharmazeutischen Fakultät der Friedrich-Schiller Universität Jena, **2010** (Ph.D. Thesis)
- 7042.** Du L., Yu P. Barley. Variety, type, production, physical and chemical and nutrient profiles, factors affecting digestibility, and synchrotron-based structure research. In: *Barley: Production, Cultivation and Uses* (S.B. Elfson, ed.), 93-128, NOVA Publishers, **2011** (book) (WoS/Scopus)
- 7043.** El Hadrami A, Daayf F, El Hadrami I - Chapter 31: Secondary Metabolites of Date Palm 653-674, In: *Date Palm Biotechnology* (Eds.: Shri Mohan Jain, Jameel M. Al-Khayri and Dennis V. Johnson), Springer Netherlands, **2011**. Doi: 10.1007/978-94-007-1318-5_31 (book)
- 7044.** Hussain SS, Ali M, Ahmad M, Siddique KHM - Polyamines: Natural and engineered abiotic and biotic stress tolerance in plants. *Biotechnology Advances* 29 (3): 300-311, **2011** (review) (WoS/Scopus)
- 7045.** Ramakrishna A, Ravishankar GA - Influence of abiotic stress signals on secondary metabolites in plants, *Plant Signaling and Behavior*, 6 (11), 1720-1731, **2011** (WoS/Scopus)

- 7046.** Carrasco KBR – Expression profiling in developing peach seed and mesocarp as affected by growth regulators. Alma mater studiorum Università degli studi di Bologna. **2012** (*Ph.D. Thesis*)
- 7047.** Eliasova A, Poracka V, Pal'ove-Balang P, Imrich J, Repcak M - Accumulation of tetracoumaroyl spermine in *matricaria chamomilla* during floral development and nitrogen deficiency. *Zeitschrift für Naturforschung Section C-A Journal of Biosciences* 67 (1-2):58-64, **2012** (**WoS/Scopus**)
- 7048.** Gunnaiah R, Kushalappa AC, Duggavathi R, Fox S, Somers DJ - Integrated metabolo-proteomic approach to decipher the mechanisms by which wheat QTL (Fhb1) contributes to resistance against *Fusarium graminearum*. *PLoS ONE* 7(7): e40695. doi:10.1371/journal.pone.0040695, **2012** (**WoS/Scopus**)
- 7049.** Hennion F, Bouchereau A, Gauthier C, Hermant M, Vernon P, Prinzing A - Variation in amine composition in plant species: how it integrates macroevolutionary and environmental signals. *American Journal of Botany* 99(1): 36-45, **2012** (**WoS/Scopus**)
- 7050.** Katerova Z, Todorova D, Tasheva K, Sergiev I – Influence of ultraviolet radiation on plant secondary metabolite production. *Genetics and Plant Physiology* 2 (3-4), 113-144, **2012** (**review**)
- 7051.** Onkokesung N, Gaquerel E, Kotkar H, Kaur H, Baldwin IT, Galis I - MYB8 controls inducible phenolamide levels by activating three novel hydroxycinnamoyl-CoA: polyamine transferases in *Nicotiana attenuata*. *Plant Physiology* 158: 389-407, **2012** (**WoS/Scopus**)
- 7052.** Rimando AM, Pan Z, Polashock JJ, Dayan FE, Mizuno CS, Snook ME, Liu C-J, Baerson SR - *In planta* production of the highly potent resveratrol analogue pterostilbene via stilbene synthase and *O*-methyltransferase co-expression. *Plant Biotechnology Journal* 10 (3), 269-283, **2012**, DOI: 10.1111/j.1467-7652.2011.00657.x (**WoS/Scopus**)
- 7053.** Torrigiani P, Bressanin D, Carrasco KR, Tadiello A, Trainotti L, Bonghi C, Ziosi V, Costa G - Spermidine application to young developing peach fruits leads to a slowing down of ripening by impairing ripening-related ethylene and auxin metabolism and signaling. *Physiologia Plantarum* 146 (1): 86-98, **2012** (**WoS/Scopus**)
- 7054.** Bartwal A, Mall R, Lohani P, Guru SK, Arora S - Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation* 32(1): 216-232, **2013**, DOI: 10.1007/s00344-012-9272-x (**review**) (**WoS/Scopus**)
- 7055.** Blümke A. - Induktion der Resistenz gegenüber dem Weizenpathogen *Fusarium graminearum* durch gezielte Zellwandveränderungen in *Brachypodium distachyon*, Dissertation Zur Erlangung der Würde des Doktors der Naturwissenschaften des Fachbereichs Biologie, der Fakultät für Mathematik, Informatik und Naturwissenschaften, der Universität Hamburg, **2013** (*Ph.D. Thesis*)
- 7056.** Fariduddin Q, Mir BA, Yusuf M, Ahmad A - Comparative roles of brassinosteroids and polyamines in salt stress tolerance. *Acta Physiologiae Plantarum* 35: 2037-2053, **2013** (**review**) (**WoS/Scopus**)
- 7057.** Gupta K, Dey A, Gupta B – Plant polyamines in abiotic stress responses. *Acta Physiologiae Plantarum* 35(7): 2015-2036, **2013**, DOI 10.1007/s11738-013-1239-4 (**review**) (**WoS/Scopus**)
- 7058.** Menéndez AB, Rodriguez AA, Maiale SJ, Rodriguez KM, Jimenez BJF, Ruiz OA - Polyamines contribution to the improvement of crop plants tolerance to abiotic stress. In: *Crop Improvement Under Adverse Conditions* (Editors: Narendra Tuteja, Sarvajeet Singh Gill): pp 113-136, Springer, **2013** (**book**) (**WoS/Scopus**)
- 7059.** Park HL, Lee SW, Jung KH, Hahn TR, Cho MH - Transcriptomic analysis of UV-treated rice leaves reveals UV-induced phytoalexin biosynthetic pathways and their regulatory networks in rice. *Phytochemistry* 96, 57-71, **2013** (**WoS/Scopus**)
- 7060.** Scoccianti V, Iacobucci M, Speranza A, Antognoni F - Over-accumulation of putrescine induced by cyclohexylamine interferes with chromium accumulation and partially restores pollen tube growth in *Actinidia deliciosa*. *Plant Physiology and Biochemistry* 70, 424-432, **2013** (**WoS/Scopus**)
- 7061.** Scranton MA, Fowler JH, Girke T, Walling LL - Microarray analysis of tomato's early and late wound response reveals new regulatory targets for leucine aminopeptidase A. *PLOS ONE* 8 (10), e77889, **2013** (**WoS/Scopus**)
- 7062.** Saiba A.N, Krishnan R., Murugan K. - Effect of leaf and root extracts from *Thottea siliquosa* (Lam.) ding hou. A medicinal plant on antioxidant status, *World Journal of Pharmacy and Pharmaceutical Sciences*, 2 (6), 6026-6045, **2013**
- 7063.** Anjum NA, Gill SS, Khan I, Gill R - Environmental change, and plant amino acids and their derivatives. An Introduction, In: (Anjum NA Gill SS, Gill R, eds.) *Plant Adaptation to Environmental Change: Significance of Amino Acids and Their Derivatives*, pp. 1-17, **2014**, CABI PUBLISHI
- 7064.** NG-C A B INT (**book**)
- 7065.** Calzadilla PI, Gazquez A, Maiale SJ, Rodriguez AA, Ruiz OA, Bernardina MA - Polyamines as Indicators and Modulators of the Abiotic Stress in Plants. In: (Anjum NA Gill SS, Gill R, eds.) *Plant Adaptation to Environmental Change: Significance of Amino Acids and Their Derivatives*, pp. 109-128, **2014**, CABI PUBLISHING-C A B INT (**book**)
- 7066.** Cicatelli, A; Torrigiani, P; Todeschini, V; Biondi, S; Castiglione, S; Lingua, G - Arbuscular mycorrhizal fungi as a tool to ameliorate the phytoremediation potential of poplar: biochemical and molecular aspects. *Iforest-Biogeosciences and Forestry* 7, 333-341, **2014** (**review**) (**WoS/Scopus**)
- 7067.** Gaquerel E., Gulati J., Baldwin I.T. - Revealing insect herbivory-induced phenolamide metabolism: from single genes to metabolic network plasticity analysis, *Plant Journal*, 79 (4), 679-692, **2014**. (**WoS/Scopus**)
- 7068.** Park H.L., Yoo Y., Hahn T.-R., Bhoo S.H, Lee S.-W., Cho M.-H. - Antimicrobial activity of UV-induced phenylamides from rice leaves, *Molecules* 19, 18139-18151, **2014**. (**WoS/Scopus**)

- 7069.** Roychoudhury A, Das K. Functional role of polyamines and polyamine-metabolizing enzymes during salinity, drought and cold Stresses. 2014. *Plant Adaptation to Environmental Change. Significance of Amino Acids and their Derivates* (eds N.A. Anjum, S.S. Gill and R. Gill), 141-156. CAB International, **2014**
- 7070.** Song, YJ; Diao, QN; Qi, HY - Putrescine enhances chilling tolerance of tomato (*Lycopersicon esculentum* Mill.) through modulating antioxidant systems. *Acta Physiologiae Plantarum* 36 (11), 3013-3027, **2014**, DOI: [10.1007/s11738-014-1672-z](https://doi.org/10.1007/s11738-014-1672-z) (WoS/Scopus)
- 7071.** Todorova D, Katerova Z, Sergiev I, Alexieva V - Polyamines - Involvement in Plant Stress Tolerance and Adaptation. In: (Anjum NA Gill SS, Gill R, eds.) *Plant Adaptation to Environmental Change: Significance of Amino Acids and Their Derivatives*, pp. 194-221, **2014**, CABI PUBLISHING-C A B INT ([book](#))
- 7072.** Cho M-H, Lee S-W. Phenolic Phytoalexins in Rice: Biological Functions and Biosynthesis, *International Journal of Molecular Sciences* 16, 12, 29120-29133, **2015** (WoS/Scopus)
- 7073.** Copolovici, L, Bodescu A, Pag A, Kännaste A, Tomescu D, Niinemets Ü. Volatile organic compound emissions and photosynthetic parameters of *Quercus rubra* under temperature stresses, *Scientific Papers. Series E. Land Reclamation, Earth Observation & Surveying, Environmental Engineering IV*, **2015**
- 7074.** Dong X, Gao Y, Chen W, Wang W, Gong L, Liu X, Luo J - Spatio-temporal distribution of phenolamides and the genetics of natural variation of hydroxycinnamoyl spermidine in rice. *Molecular Plant* 8, 111-121, **2015** doi: [10.1093/mp/ssu101](https://doi.org/10.1093/mp/ssu101) (WoS/Scopus)
- 7075.** Elejalde-Palmett C, Dugé de Bernonville T, Glevarec G, Pichon O, Papon N, Courdavault V, St-Pierre B, Giglioli-Guivarc'h N, Lanoue A, Besseau S. Characterization of a spermidine hydroxycinnamoyltransferase in *Malus domestica* highlights the evolutionary conservation of trihydroxycinnamoyl spermidines in pollen coat of core Eudicotyledons, *Journal of Experimental Botany* 66, 22, 7271-7285, **2015** (WoS/Scopus)
- 7076.** Ferrieri AP, Arce CCM, Machado RAR., Meza-Canales ID, Lima E, Baldwin IT, Erb M. A Nicotiana attenuata cell wall invertase inhibitor (NaCWII) reduces growth and increases secondary metabolite biosynthesis in herbivore-attacked plants. *New Phytologist* 208, 2, 519-530, **2015** (WoS/Scopus)
- 7077.** Kumar SK. Phytochemical & Pharmacological Evaluation of Some Selected Plants of Himalaya Region, **PhD Thesis**, Shri Jagdishprasad Jhabarmal Tibrewala University, India., **2015**
- 7078.** Mandal S, C Rath, CK Gupta, V Nath, HS Singh. Probing occurrence of phenylpropanoids in *Morinda citrifolia* in relation to foliar diseases, *Natural Product Research* 29 (6), 535-542, **2015** (WoS/Scopus)
- 7079.** Meyer RS, Whitaker BD, Little DP, Wu S-B, Kennelly EJ, Long C-L, Litt A. Parallel reductions in phenolic constituents resulting from the domestication of eggplant. *Phytochemistry* 115, 194-206, **2015**. (WoS/Scopus)
- 7080.** Tabart J, Franck T, Kevers C, Dommes J - Effect of polyamines and polyamine precursors on hyperhydricity in micropropagated apple shoots, *Plant Cell, Tissue and Organ Culture* (PCTOC) 120(1), 11-18, **2015** DOI: [10.1007/s11240-014-0568-3](https://doi.org/10.1007/s11240-014-0568-3) (WoS/Scopus)
- 7081.** Todorova D, Katerova Z, Alexieva V, Sergiev I. Polyamines – possibilities for application to increase plant tolerance and adaptation capacity to stress, *Genetics and Plant Physiology* 5, 2, 123-144, **2015** ([Review](#))
- 7082.** Vergara-Rodarte MA, Murillo Alvarez JI, Robaina Romero R. Endogenous polyamine response in epiphytic *Bonnemaisonia hamifera* (*Bonnemaisoniales: rhodophyta*) due to interaction with its host, *CICIMAR Oceanides* 30, 1, 1-8, **2015**
- 7083.** Alamgir KM, Hojo Y, Christeller JT, Fukumoto K, Isshiki R, Shinya T, Baldwin IT, Galis I Systematic analysis of rice (*Oryza sativa*) metabolic responses to herbivory, *Plant, Cell and Environment*, 39, 2, 453-466, **2016** (WoS/Scopus)
- 7084.** Alber AV – Phenolic 3-hydroxylases in land plants: biochemical diversity and molecular evolution. Université De Strasburg et University of Victoria, Institut de Biologie Moléculaire des Plantes (CNRS) et Center for Forest Biology (UVic), **2016**, **PhD Thesis**
- 7085.** Biswas A, Pandey H, Mishra RK, Mishra V, Pandey AC. Drought stress and metabolomics in plants. *Technological Advancements in Plant Sciences*, BOOK Chapter pp. 65-87, **2016**. ISBN: 978-153610021-1; 978-153610004-4, Publisher: Nova Science Publishers, Inc. (WoS/Scopus)
- 7086.** Dan Z, Hu J, Zhou W, Yao G, Zhu R, Zhu Y, Huang W - Metabolic prediction of important agronomic traits in hybrid rice (*Oryza sativa* L.). *Scientific Reports* 6, Article number: 21732, **2016**, doi:[10.1038/srep21732](https://doi.org/10.1038/srep21732) (WoS/Scopus)
- 7087.** Gupta K, Sengupta A, Chakraborty M, Gupta B. Hydrogen peroxide and polyamines act as double edged swords in plant abiotic stress responses, *Frontiers in Plant Science*, 7, 1343. doi:[10.3389/fpls.2016.01343](https://doi.org/10.3389/fpls.2016.01343), **2016** (WoS/Scopus)
- 7088.** Peng M, Gao YQ, Chen W, Wang WS, Shen SQ, Shi J, Wang C, Zhang Y, Zou L, Wang SC, Wan J, Liu XQ, Gong L, Luo J. Evolutionarily distinct BAHD N-Acyltransferases are Responsible for natural variation of aromatic amine conjugates in rice, *The Plant Cell*, 28, 7, 1533-1550, **2016** (WoS/Scopus)
- 7089.** Sabatino L, Iapichino G, Maggio A, D'anna E, Bruno M, Anna FD - Grafting affects yield and phenolic profile of *Solanum melongena* L. landraces. *Journal of Integrative Agriculture* 15(5):1017-1024, **2016**, DOI: [10.1016/S2095-3119\(15\)61323-5](https://doi.org/10.1016/S2095-3119(15)61323-5) (WoS/Scopus)
- 7090.** Shinya T, Hojo Y, Desaki Y, Christeller JT, Okada K, Shibuya N, Galis I. Modulation of plant defense responses to herbivores by simultaneous recognition of different herbivore-associated elicitors in rice, *Scientific Reports*, 6, Article number: 32537, doi:[10.1038/srep32537](https://doi.org/10.1038/srep32537), **2016** (WoS/Scopus)
- 7091.** Sousa KR, Aragão VPM, Reis RS, Macedo AF, Vieira HD, Souza CLM, Floh EIS, Silveira V, Santa-Catarina C - Polyamine, amino acid, and carbohydrate profiles during seed storage of threatened woody species of

the Brazilian Atlantic Forest may be associated with seed viability maintenance. *Brazilian Journal of Botany* 39(4), 985-995, **2016**, doi: [10.1007/s40415-016-0293-8](https://doi.org/10.1007/s40415-016-0293-8) (WoS/Scopus)

7092. Tanabe K, Hojo Y, Shinya T, Galis I. Molecular evidence for biochemical diversification of phenolamide biosynthesis in rice plants, *Journal of Integrative Plant Biology*, 58, 11, 903-913, **2016** (WoS/Scopus)

7093. Ahmed E, Arshad M, Khan MZ, Amjad MS, Sadaf HM, Riaz I, Sabir S, Ahmad N, Saboon - Secondary metabolites and their multidimensional prospective in plant life. *Journal of Pharmacognosy and Phytochemistry* 6(2): 205-214, **2017**, <http://www.phytojournal.com/archives/2017/vol6issue2/PartC/6-2-2-130.pdf>

7094. Alamgir A.N.M. - Medicinal, Non-medicinal, Biopesticides, Color- and Dye-Yielding Plants; Secondary Metabolites and Drug Principles; Significance of Medicinal Plants; Use of Medicinal Plants in the Systems of Traditional and Complementary and Alternative Medicines (CAMs). In: *Therapeutic Use of Medicinal Plants and Their Extracts: Volume 1. Progress in Drug Research*, vol 73. Springer, Cham, **2017**, Doi: https://doi.org/10.1007/978-3-319-63862-1_3 (BOOK)

7095. Brockmöller T, Ling Z, Li D, Gaquerel E, Baldwin IT, Xu S - *Nicotiana attenuata* Data Hub (NaDH): an integrative platform for exploring genomic, transcriptomic and metabolomic data in wild tobacco. *BMC Genomics* 18:79, **2017**, DOI [10.1186/s12864-016-3465](https://doi.org/10.1186/s12864-016-3465) (WoS/Scopus)

7096. Iwuala EN, Odjegba VJ – Simulated crude oil pollution induced oxidative stress and modulates phytochemical production in *Rhizophora mangle* L. *Environtopica* 14: 16-27, **2017**, http://environtopica.com/journalfiles/2017/07/vol14-7_Iwuala-and-Odjegba.pdf

7097. Kage U, Karre S, Kushalappa AC, McCartney C. Identification and characterization of a fusarium head blight resistance gene TaACT in wheat QTL-2DL, *Plant Biotechnology Journal*, 15(4), 447-457, **2017** (WoS/Scopus)

7098. Katerova Z, Todorova D., Sergiev I. - Plant secondary metabolites and some plant growth regulators elicited by UV irradiation, light and/or shade. In: Ghorbanpour M., Varma A. (eds) *Medicinal Plants and Environmental Challenges*. Springer, Cham, pp. 97-121, **2017**, DOI https://doi.org/10.1007/978-3-319-68717-9_6 (BOOK) (WoS/Scopus)

7099. Rani PU, Sambangi P, Sandhyarani K - Impact of plant phenolics as semiochemicals on the performance of *Trichogramma chilonis* Ishii. *Journal of Insect Behavior* 30: 16-31, **2017**, <https://doi.org/10.1007/s10905-016-9595-8> (WoS/Scopus)

7100. Aldesuquy HS, Mashaly IA, Abd El-Aal M, Mahdee BA. Phytochemical constituents, antibacterial and antioxidant activities of some medicinal plants. *Current Trends in Biomedical Engineering & Biosciences* 16(2): MS.ID.555933, **2018**. DOI: [10.19080/CTBEB.2018.16.555933](https://doi.org/10.19080/CTBEB.2018.16.555933)

7101. del Río JC, Rencoret J, Gutiérrez A, Kim H, Ralph J. Structural characterization of lignin from maize (*Zea mays* L.) fibers: evidence for diferuloylputrescine incorporated into the lignin polymer in maize kernels. *Journal of Agriculture and Food Chemistry* 66(17):4402-413, **2018**, DOI: [10.1021/acs.jafc.8b00880](https://doi.org/10.1021/acs.jafc.8b00880) (WoS/Scopus)

7102. Gomez-Gomez HA, Borges CV, Minatel IO, Luvizon AC, Lima GPP. Health benefits of dietary phenolic compounds and biogenic amines. In: Mérillon JM, Ramawat K. (eds) *Bioactive Molecules in Food. Reference Series in Phytochemistry*. Springer, Cham, **2018** (Book) DOI https://doi.org/10.1007/978-3-319-54528-8_27-2

7103. Indrajeet K, Rajesh K S. Production of secondary metabolites in plants under abiotic stress: An overview. *Significances of Bioengineering & Biosciences* 2(4): 196-200, **2018**. DOI: [10.31031/SBB.2018.02.000545](https://doi.org/10.31031/SBB.2018.02.000545)

7104. Kyselka J, Bleha R, Dragoun M, Bialasová K, Horácková Š, Schätz M, Sluková M, Filip V, Synytsya A. Antifungal polyamides of hydroxycinnamic acids from sunflower bee pollen. *Journal of Agricultural and Food Chemistry* 66 (42): 11018–11026, **2018**, DOI: [10.1021/acs.jafc.8b03976](https://doi.org/10.1021/acs.jafc.8b03976) (WoS/Scopus)

7105. Mustafavi SH, Naghdi Badi H, Şekara A, Mehrafarin A, Janda T, Ghorbanpour M, Rafiee H. Polyamines and their possible mechanisms involved in plant physiological processes and elicitation of secondary metabolites. *Acta Physiol Plant* 40: 102, **2018**, <https://doi.org/10.1007/s11738-018-2671-2> (WoS/Scopus)

7106. Torras-Claveria L, Bastida J, Viladomat F, Tiburcio AF. Analysis of polyamines conjugated with hydroxycinnamoyl acids by High-Performance Liquid Chromatography coupled to Electrospray Ionization tandem Mass Spectrometry. In: Alcázar R., Tiburcio A. (eds) *Polyamines. Methods in Molecular Biology*, vol 1694. Humana Press, New York, NY, **2018**, (Book) DOI https://doi.org/10.1007/978-1-4939-7398-9_9 • Online ISBN [978-1-4939-7398-9](https://doi.org/10.1007/978-1-4939-7398-9)

7107. Upadhyay RK. Secondary metabolites: the plant physiological tale of stress responses. In: *Emerging Trends of Plant Physiology for Sustainable Crop Production*, Abbas Z, Tiwari AK, Kumar P (eds.), Apple Academic Press, Inc., Chapter 13, pp. 345-358, **2018** (Book)

7108. Wang Q, Zeng S, Wu X, Lei H, Wang Y, Tang H. Inter-species developmental differences in metabonomic phenotypes of *Lycium ruthenicum* and *L. barbarum* fruits. *Journal of Proteome Research* 17(9):3223-3236, **2018**, DOI: [10.1021/acs.jproteome.8b00349](https://doi.org/10.1021/acs.jproteome.8b00349) (WoS/Scopus)

7109. Alhaithloul HAS. Impact of combined heat and drought stress on the potential growth responses of the desert grass *Artemisia sieberi* alba: relation to biochemical and molecular adaptation. *Plants - Basel* 8, 416, **2019**, doi:[10.3390/plants8100416](https://doi.org/10.3390/plants8100416) (WoS/Scopus)

7110. Azizi P, Osman M, Hanafi MM, Sahebi M, Yusop MR, Taheri S. Adaptation of the metabolomics profile of rice after *Pyricularia oryzae* infection. *Plant Physiology and Biochemistry* 144:466-479, **2019**. <https://doi.org/10.1016/j.plaphy.2019.10.014>. (WoS/Scopus)

- 7111.** Bhattacharya A. Chapter 5: High-temperature stress and metabolism of secondary metabolites in plants. In: Effect of High Temperature on Crop Productivity and Metabolism of Macro Molecules. pp. 391-484 ISBN: 978-0-12-817562-0, Academic Press, Elsevier Inc., **2019**. **BOOK (WoS/Scopus)**
- 7112.** Calf OW, Huber H, Peters JL, Weinhold A, Poeschl Y, van Dam NM. Gastropods and insects prefer different *Solanum dulcamara* chemotypes. *Journal of Chemical Ecology* 45: 146-161, **2019**. <https://doi.org/10.1007/s10886-018-0979-4> **(WoS/Scopus)**
- 7113.** Ding X, Wang X, Li Q, Yu L, Song Q, Gai J, Yang S. Metabolomics studies on cytoplasmic male sterility during flower bud development in soybean. *International Journal of Molecular Sciences* 20: 2869, **2019**. [doi:10.3390/ijms20122869](https://doi.org/10.3390/ijms20122869) **(WoS/Scopus)**
- 7114.** Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, **2019**. <https://doi.org/10.1186/s40659-019-0246-3>. **(WoS/Scopus)**
- 7115.** Öztürk N, Gökce H, Alpaslan G, Alpaslan YB, Alaşalvar C. Structural, spectroscopic (FT-IR, Raman, NMR and UV-Vis.) and computational studies on N-phenylpropanamide. *Journal of the Institute of Science and Technology* 9(2): 823-834, **2019**. DOI:10.21597/jist.497231.
- 7116.** Parween D, Sahu BB, Kumari M, Pudake RN. Plant Metabolites involved in plant-pathogen interactions. In: *Plant Biotic Interactions*, Varma A, Tripathi S, Prasad R (Eds.), Chapter 5, p.61-84. ISBN 978-3-030-26657-8. Springer Nature Switzerland AG **2019**. http://doi.org/10.1007/978-26657-8_5. **(WoS/Scopus) [e-BOOK]**
- 7117.** Tailor A, Tandon R, Bhatla SC. Nitric oxide modulates polyamine homeostasis in sunflower seedling cotyledons under salt stress. *Plant Signaling & Behavior* 14(11), art. 1667730, **2019**. <https://doi.org/10.1080/15592324.2019.1667730>. **(WoS/Scopus)**
- 7118.** Zeiss DR, Mhlongo MI, Tugizimana F, Steenkamp PA, Dubery IA. Metabolomic profiling of the host response of tomato (*Solanum lycopersicum*) following infection by *Ralstonia solanacearum*. *International Journal of Molecular Sciences* 20, 3945, **2019**. [doi:10.3390/ijms20163945](https://doi.org/10.3390/ijms20163945). **(WoS/Scopus)**
- 7119.** del Río JC, Rencoret J, Gutiérrez A, Elder T, Kim H, Ralph J. Lignin monomers from beyond the canonical monolignol biosynthetic pathway: another brick in the wall. *ACS Sustainable Chemistry & Engineering* 8, 4997–5012, **2020**. <https://doi.org/10.1021/acssuschemeng.0c01109>. **(WoS/Scopus)**
- 7120.** Hu Q, Chen M, Song T, Cheng C-L, Tian Y, Hu J, Zhang J-H. Spermidine enhanced the antioxidant capacity of rice seeds during seed aging. *Plant Growth Regulation* 91, 397-406, **2020**. <https://doi.org/10.1007/s10725-020-00613-4>. **(WoS/Scopus)**
- 7121.** Liu G, Zenda T, Liu S, Wang X, Jin H, Dong A, Yang Y, Duan H. Comparative transcriptomic and physiological analyses of contrasting hybrid cultivars ND476 and ZX978 identify important differentially expressed genes and pathways regulating drought stress tolerance in maize. *Genes & Genomics* 42, 937-955, **2020**. <https://doi.org/10.1007/s13258-020-00962-4>. **(WoS/Scopus)**
- 7122.** Liu G, Zha Z, Cai H, Qin D, Jia H, Liu C, Qiu D, Zhang Z, Wan Z, Yang Y, Wan B, You A, Jiao C. Dynamic transcriptome analysis of anther response to heat stress during anthesis in thermotolerant rice (*Oryza sativa* L.). *International Journal of Molecular Sciences* 21, 1155, **2020**. <https://doi.org/10.3390/ijms21031155>. **(WoS/Scopus)**
- 7123.** Qian D, Chen J, Lai C, Kang L, Xiao S, Song J, Xie J, Huang L. Dicafeoyl polyamine derivatives from bitter goji: Contribution to the bitter taste of fruit. *Fitoterapia* 143, art. num. 104543. **2020**. <https://doi.org/10.1016/j.fitote.2020.104543>. **(WoS/Scopus)**
- 7124.** Valette M, Rey M, Gerin F, Comte G, Wisniewski-Dyé F. A common metabolomic signature is observed upon inoculation of rice roots with various rhizobacteria. *Journal of Integrative Plant Biology* 62(2), 228-246, **2020**. <https://doi.org/10.1111/jipb.12810>. **(WoS/Scopus)**
- 7125.** Wang W, Snooks HD, Sang S. The chemistry and health benefits of dietary phenolamides. *Journal of Agricultural and Food Chemistry* 68(23): 6248–6267, **2020**. <https://doi.org/10.1021/acs.jafc.0c02605>. **(WoS/Scopus)**
- 7126.** Zeiss DR. Induced secondary metabolites characterising the defence metabolome in *Solanum lycopersicum* plants responding to *Ralstonia solanacearum* and pathogen-derived elicitors. University of Johannesburg, South Africa. **PhD Thesis**, **2020**. <https://ujcontent.uj.ac.za/vital/access/services/Download/uj:42768/SOURCE1>. **SOURCE: PhD Thesis**
- 7127.** Zhang F, Zhang F, Huang L, Zeng D, Cruz CV, Li Z, Zhou Y. Comparative proteomic analysis reveals novel insights into the interaction between rice and *Xanthomonas oryzae* pv. *oryzae*. *BMC Plant Biology* 20, art. number 563, **2020**. <https://doi.org/10.1186/s12870-020-02769-7>. **(WoS/Scopus)**
- 7128.** Aylanc V, Tomás A, Russo-Almeida P, Falcão SI, Vilas-Boas M. Assessment of bioactive compounds under simulated gastrointestinal digestion of bee pollen and bee bread: bioaccessibility and antioxidant activity. *Antioxidants* 10(5), 651, **2021**. <https://doi.org/10.3390/antiox10050651>. **(WoS/Scopus)**
- 7129.** del Río JC, Rencoret J, Gutiérrez A, Lan W, Kim H, Ralph J. Lignin monomers derived from the flavonoid and hydroxystilbene biosynthetic pathways. In: *Recent Advances in Polyphenol Research*, Volume 7, Book Editor(s): JD Reed, VAP de Freitas, S Quideau. Chapter 7, **2021**. <https://doi.org/10.1002/9781119545958.ch7>. **[BOOK]**
- 7130.** El-Sherbeny GA, Dakhil MA, Eid EM, Abdelaal M. Structural and chemical adaptations of *Artemisia monosperma* Delile and *Limbarda crithmoides* (L.) Dumort. in response to arid coastal environments along the mediterranean coast of Egypt. *Plants* 10(3), 481, **2021**. <https://doi.org/10.3390/plants10030481>. **(WoS/Scopus)**

- 7131.** Gonzalez ME, Jasso-Robles FI, Flores-Hernández E, Rodríguez-Kessler M, Pieckenstain FL. Current status and perspectives on the role of polyamines in plant immunity. *Annals of Applied Biology* 178(2):244-255, **2021**. <https://doi.org/10.1111/aab.12670>. (WoS/Scopus) [REVIEW]
- 7132.** Khan R, Singh B, Sharma V. Phytochemical testing to discover therapeutic value of plants. *International Journal of Progressive Research in Science and Engineering* 2(4), 1-4, **2021**. <https://www.journals.grdpublications.com/index.php/ijprse/article/view/250>.
- 7133.** Kochkin DV, Galishev BA, Titova MV, Popova EV, Nosov AM. Chromato-mass-spectrometric identification of glycosides of phenylethylamides of hydroxycinnamic acids in a suspension cell culture of *Mandragora turcomanica*. *Russian Journal of Plant Physiology* 68, 973-980, **2021**. <https://doi.org/10.1134/S1021443721050083>. (WoS/Scopus)
- 7134.** Krstić-Milošević D, Banjac N, Janković T, Vinterhalter D, Vinterhalter B. *Gentianella lutescens* subsp. *carpatica* J. Holub.: shoot propagation *in vitro* and effect of sucrose and elicitors on Xanthones production. *Plants* 10(8):1651, **2021**. <https://doi.org/10.3390/plants10081651>. (WoS/Scopus)
- 7135.** Liang W, Chen Y, Li X, Guo F, Sun J, Zhang X, Xu B, Gao W. Label-free proteomic analysis of smoke-drying and shade-drying processes of postharvest rhubarb: a comparative study. *Frontiers in Plant Science* 12:663180, **2021**. <https://doi.org/10.3389/fpls.2021.663180>. (WoS/Scopus)
- 7136.** Mansur NMG, Pena LB, Bossio AE, Lewi DM, Beznec AY, Blumwald E, Arbona V, Gómez-Cadenas A, Benavides MP, Gallego SM. An isopentenyl transferase transgenic wheat isolate exhibits less seminal root growth impairment and a differential metabolite profile under Cd stress. *Physiologia Plantarum* 173(1):223-234, **2021**. <https://doi.org/10.1111/ppl.13366>. (WoS/Scopus)
- 7137.** Patil VR, Patel RM, Parekh VB, Pathak J, Saripalli G. Differential gene expression analyses of ten defence response genes during Fusarium wilt infection in resistant and susceptible pigeonpea cultivars. *Plant Stress* v.2, art. number 100043, **2021**. <https://doi.org/10.1016/j.stress.2021.100043>. (WoS/Scopus)
- 7138.** Recalde L, Gómez Mansur NM, Cabrera AV, Matayoshi CL, Gallego SM, Groppa MD, Benavides MP. Unravelling ties in the nitrogen network: Polyamines and nitric oxide emerging as essential players in signalling roadway. *Annals of Applied Biology* 178(2):192-208, **2021**. <https://doi.org/10.1111/aab.12642>. (WoS/Scopus) [Review]
- 7139.** Rivero J, Lidoy J, Llopis-Giménez Á, Herrero S, Flors V, Pozo MJ. Mycorrhizal symbiosis primes the accumulation of antiherbivore compounds and enhances herbivore mortality in tomato. *Journal of Experimental Botany* 72(13):5038-5050, **2021**. <https://doi.org/10.1093/jxb/erab171>. (WoS/Scopus)
- 7140.** Roumani M, Besseau S, Gagneul D, Robin C, Larbat R. Phenolamides in plants: An update on their function, regulation, and origin of their biosynthetic enzymes. *Journal of Experimental Botany* 72(7):2334-2355, **2021**. <https://doi.org/10.1093/jxb/eraa582>. (WoS/Scopus)
- 7141.** Salehi H, De Diego N, Rad AC, Benjamin JJ, Trevisan M, Lucini L. Exogenous application of ZnO nanoparticles and ZnSO₄ distinctly influence the metabolic response in *Phaseolus vulgaris* L. *Science of the Total Environment* 778, 146331, **2021**. <https://doi.org/10.1016/j.scitotenv.2021.146331>. (WoS/Scopus)
- 7142.** Shibaeva TG, Mamaev AV, Sherudilo EG, Ikkonen EN, Titov AF. age-related changes in sensitivity of tomato (*Solanum lycopersicum* L.) leaves to continuous light. *Russian Journal of Plant Physiology* 68(5), 948-957, **2021**. <https://doi.org/10.31857/S0015330321040151>. (WoS/Scopus)
- 7143.** Terletskaia NV, Korbozova NK, Kudrina NO, Kobylina TN, Kurmanbayeva MS, Meduntseva ND, Tolstikova TG. The influence of abiotic stress factors on the morphophysiological and phytochemical aspects of the acclimation of the plant *Rhodiola semenowii* Boriss. *Plants* 10(6): 1196, **2021**. <https://doi.org/10.3390/plants10061196>. (WoS/Scopus)
- 7144.** Wang C, Li J, Ma M, Lin Z, Hu W, Lin W, Zhang P. Structural and biochemical insights into two BAHD acyltransferases (AtSHT and AtSDT) involved in phenolamide biosynthesis. *Frontiers in Plant Science* 11:610118, **2021**. <https://doi.org/10.3389/fpls.2020.610118>. (WoS/Scopus)
- 7145.** Zeiss DR, Piater LA, Dubery IA. Hydroxycinnamate amides: Intriguing conjugates of plant protective metabolites. *Trends in Plant Science* 28(2):184-195, **2021**. <https://doi.org/10.1016/j.tplants.2020.09.011>. (WoS/Scopus)
- 7146.** Zeiss DR, Steenkamp PA, Piater LA, Dubery IA. Altered metabolomic states elicited by Flg22 and FlgII-28 in *Solanum lycopersicum*: intracellular perturbations and metabolite defenses. *BMC Plant Biology* 21, Article number: 429, **2021**. <https://doi.org/10.1186/s12870-021-03200-5>. (WoS/Scopus)
- 7147.** Zia ur Rehman MZ, Ayub MA, Umair M, Ahmad Z, Khalid H, Ali S, Rizwan M. Synthesis and regulation of secondary metabolites in plants in conferring tolerance against pollutant stresses. In: *Approaches to the Remediation of Inorganic Pollutants*, M. Hasamuzzaman (ed.), Springer Nature Singapore Pte Ltd, pp. 57-76, **2021**. https://doi.org/10.1007/978-981-15-6221-1_4. (WoS/Scopus) [e-BOOK]
- 7148.** Aylanc V, Ertosun S, Russo-Almeida P, Falcão SI, Vilas-Boas M. Performance of green and conventional techniques for the optimal extraction of bioactive compounds in bee pollen. *International Journal of Food Science and Technology* 57(6):3490-3502, **2022**. <https://doi.org/10.1111/ijfs.15672>. (WoS/Scopus)
- 7149.** Bernard G, Buges J, Delporte M, Molinie R, Besseau S, Bouchereau A, Watrin A, Fontaine J-X, Mathiron D, Berardocco S, Bassard S, Quero A, Hilbert J-L, Rambaud C, Gagneul D. Consecutive action of two BAHD acyltransferases promotes tetracoumaroyl spermine accumulation in chicory. *Plant Physiology* 189(4):2029-2043, **2022**. <https://doi.org/10.1093/plphys/kiac234>. (WoS/Scopus)

- 7150.** Das S, Majumder B, Biswas AK. Comparative study on the influence of silicon and selenium to mitigate arsenic induced stress by modulating TCA cycle, GABA, and polyamine synthesis in rice seedlings. *Ecotoxicology* 31:468-489, **2022**. <https://doi.org/10.1007/s10646-022-02524-8>. (WoS/Scopus)
- 7151.** González-Hernández AI, Scalschi L, Vicedo B, Marcos-Barbero EL, Morcuende R, Camañes G. Putrescine: a key metabolite involved in plant development, tolerance and resistance responses to stress. *International Journal of Molecular Sciences* 23(6): 2971, **2022**. <https://doi.org/10.3390/ijms23062971>. (WoS/Scopus)
- 7152.** Shinya T, Miyamoto K, Uchida K, Y Hojo, E Yumoto, K Okada, H Yamane, I Galis. Chitoooligosaccharide elicitor and oxylipins synergistically elevate phytoalexin production in rice. *Plant Molecular Biology* 109, 595-609, **2022**. <https://doi.org/10.1007/s11103-021-01217-w>. (WoS/Scopus)
- 7153.** Wari D, Aboshi T, Shinya T, Galis I. Integrated view of plant metabolic defense with particular focus on chewing herbivores. *Journal of Integrative Plant Biology* 64(2):449-475, **2022**. <https://doi.org/10.1111/jipb.13204>. (WoS/Scopus) [Review]
- 7154.** Ağalar HG, Öztürk G, Kırimer N. Arum italicum Miller tuber extracts: evaluation of synergistic activities with ciprofloxacin against some pathogens. *European Journal of Life Sciences* 1 (3), 97-106, **2023**. <https://doi.org/10.55971/EJLS.1148283>.
- 7155.** Ahlawat YK, Singh M, Manorama K, N Lakra, A Zaid, F Zulfiqar. Plant phenolics: neglected secondary metabolites in plant stress tolerance. *Brazilian Journal of Botany*, **2023**. <https://doi.org/10.1007/s40415-023-00949-x>. (WoS/Scopus)
- 7156.** Ahmad S, Belwal V, Punia SS, Ram M, Dalip, Rajput SS, Kunwar R, Meena MK, Gupta D, Kumawat GL, Hussain T, Mohamed HI. Role of plant secondary metabolites and phytohormones in drought tolerance: A Review. *Gesunde Pflanzen* 75,729-746, **2023**. <https://doi.org/10.1007/s10343-022-00795-z>. (WoS/Scopus)
- 7157.** Alyas J, Khalid N, Ishaque S, Fatima H, Hashim M, Hassan S, Bukhari S, Hano C, Abbasi BH, Anjum S. Light (High Light/UV Radiation) modulates adaptation mechanisms and secondary metabolite production in medicinal plants. In: Husen A, Iqbal, M (eds) *Medicinal Plants*. Springer, Singapore. pp. 363-390, **2023**. eBook ISBN: 978-981-19-5611-9. https://doi.org/10.1007/978-981-19-5611-9_14. [BOOK]
- 7158.** Aylanc V, Larbi S, Calhelha R, Barros L, Rezouga F, Rodríguez-Flores MS, Seijo MC, El Gouizi A, Lyoussi B, Falcão SI, Vilas-Boas M. Evaluation of antioxidant and anticancer activity of mono- and polyfloral Moroccan bee pollen by characterizing phenolic and volatile compounds. *Molecules* 28(2): 835, **2023**. <https://doi.org/10.3390/molecules28020835>. (WoS/Scopus)
- 7159.** Bernal J, Valverde S, Fuente-Ballesteros A, Martín-Gómez B, Ares AM. Other bioactive constituents of pollen. In: Ecem Bayram N, Ž Kostic A, Can Gercek Y (eds) *Pollen Chemistry & Biotechnology*. Springer, Cham, pp. 197-227, **2023**. https://doi.org/10.1007/978-3-031-47563-4_10. [BOOK chapter]
- 7160.** Ertosun S, Aylanc V, Falcão SI, Vilas-Boas M. Thermal stability and antioxidant activity of bioactive compounds in bread enriched with bee pollen and bee bread. *Antioxidants* 12(9):1691, **2023**. <https://doi.org/10.3390/antiox12091691>. (WoS/Scopus)
- 7161.** Larbi S, Aylanc V, Rodríguez-Flores MS, Calhelha RC, Barros L, Rezouga F, Seijo MC, Falcão SI, Vilas-Boas M. Differentiating between Monofloral Portuguese bee pollens using phenolic and volatile profiles and their impact on bioactive properties. *Molecules* 28(22):7601, **2023**. <https://doi.org/10.3390/molecules28227601>. (WoS/Scopus)
- 7162.** Liu H, Liu Y, Han H, Lu C, Chen H, Chai Y. Identification and characterization of phenolamides in tea (*Camellia sinensis*) flowers using ultra-high-performance liquid chromatography/Q-Exactive orbitrap mass spectrometry. *Food Chemistry* vol. 424, art. 136402, **2023**. <https://doi.org/10.1016/j.foodchem.2023.136402>. (WoS/Scopus)
- 7163.** Mahmoud AR, Halmy MWA, Hassa LM, Farahat EA. Effect of habitat heterogeneity on the growth and biochemical components of three plant species native to the Mediterranean coast of Egypt. *Egyptian Journal of Botany* 63(3), 1049-1067, **2023**. https://journals.ekb.eg/article_308627_a526a39273a4f7fc1188fc395129193b.pdf. (WoS/Scopus)
- 7164.** Salam U, Ullah S, Tang Z-H, Elateeq AA, Khan Y, Khan J, Khan A, Ali S. Plant metabolomics: An overview of the role of primary and secondary metabolites against different environmental stress factors. *Life* 13(3):706, **2023**. <https://doi.org/10.3390/life13030706>. (WoS/Scopus) [Review]
- 7165.** Tirla A, Timar AV, Becze A, Memete AR, Vicas SI, Popoviciu MS, Cavalu S. Designing new sport supplements based on Aronia melanocarpa and bee pollen to enhance antioxidant capacity and nutritional value. *Molecules* 28(19):6944, **2023**. <https://doi.org/10.3390/molecules28196944>. (WoS/Scopus)
- 7166.** Valletta A, Iozia LM, Fattorini L, Leonelli F. Rice phytoalexins: Half a century of amazing discoveries; part i: distribution, biosynthesis, chemical synthesis, and biological activities. *Plants* 12(2):260, **2023**. <https://doi.org/10.3390/plants12020260>. (WoS/Scopus) [Review]
- 7167.** Yang H, Chen M, Hu J, Lan M, He J. Lateral metabolome study reveals the molecular mechanism of cytoplasmic male sterility (CMS) in Chinese cabbage. *BMC Plant Biology* 23, 128, **2023**. <https://doi.org/10.1186/s12870-023-04142-w>. (WoS/Scopus)
- 7168.** Zhang D, Liu J, Zhang Y, Wang H, Wei S, Zhang X, Zhang D, Ma H, Ding Q, Ma L. Morphophysiological, proteomic and metabolomic analyses reveal cadmium tolerance mechanism in common wheat (*Triticum aestivum* L.). *Journal of Hazardous Materials* v. 445, art. 130499, **2023**. <https://doi.org/10.1016/j.jhazmat.2022.130499>. (WoS/Scopus)

7169. Корбозова НК. Изучение воздействия абиотических стрессовых факторов на состав биологически активных веществ *Rhodiola semenovii* Boriss. Казахский Национальный университет им. аль-Фараби, Алматы, Республика Казахстан, **2023**. [[PhD thesis](#)]

7170. Lü C, Xu M, Yang X, Y Feng, Y Zhu, Q Lua, C Wang, R Liuet. Identification of phenolamine in rape bee pollen and its protective effect and mechanism on alcoholic liver injury. *Food Science and Human Wellness* **2024**, <https://doi.org/10.26599/FSHW.2024.9250031>. (WoS/Scopus)

7171. Ossipov V, Khazieva F, Baleev D, Salminen J-P, Sidelnikov N. Comparative metabolomics of Ligulate and Tubular flowers of two cultivars of *Calendula officinalis* L. *Metabolites* 14(3):140, **2024**. <https://doi.org/10.3390/metabo14030140> (WoS/Scopus)

7172. Zhang B, Mullmann J, Ludewig AH, IR Fernandez, TR Bales, RS Weiss, FC Schroeder. Acylspermidines are conserved mitochondrial sirtuin-dependent metabolites. *Nature Chemical Biology*, **2024**. <https://doi.org/10.1038/s41589-023-01511-2>. (WoS/Scopus)

[Lambrev P, Tsonev T, Velikova V, Georgieva K, Lambreva M, Yordanov I, Kovács L, Gyöző G – Trapping of the quenched conformation associated with non-photochemical quenching of chlorophyll fluorescence at low temperature. *Photosynthesis Research* 94: 321-332, 2007](#)

7173. Perez-Bueno ML, Horton P – The role of lutein in the acclimation of higher plant chloroplast membranes to suboptimal conditions. *Physiologia Plantarum* 134 (1): 227-236, **2008** (WoS/Scopus)

7174. Roháček K - Method for resolution and quantification of components of the non-photochemical quenching (qN). *Photosynthesis Research* 105: 101-113, **2010** (WoS/Scopus)

7175. Zulfugarov IS, Tovuu A, Dogsom B, Lee CY, Lee CH - PsbS-specific zeaxanthin-independent changes in fluorescence emission spectrum as a signature of energy-dependent non-photochemical quenching in higher plants. *Photochemical & Photobiological Sciences* 9 (5): 697-703, **2010** (WoS/Scopus)

7176. Devacht S, P Lootens, Baert J, Van Waes J, Van Bockstaele E, Roldán-Ruiz I - Evaluation of cold stress of young industrial chicory (*Cichorium intybus* L.) plants by chlorophyll a fluorescence imaging. I. light induction curve. *Photosynthetica* 49 (2), 161-171, **2011** (WoS/Scopus)

7177. Lootens P, Devacht S, Baert J, Van Waes J, Van Bockstaele E, Roldán-Ruiz I - Evaluation of cold stress of young industrial chicory (*Cichorium intybus* L.) by chlorophyll a fluorescence imaging. II. Dark relaxation kinetics, *Photosynthetica* 49 (2), 185-194, **2011** (WoS/Scopus)

7178. Ruban AV, Mullineaux CW. Non-photochemical fluorescence quenching and the dynamics of Photosystem II structure. Non-Photochemical Quenching and Energy Dissipation in Plants, Algae and Cyanobacteria. *Advances in Photosynthesis and Respiration* 40, 373-386. Springer, **2014**

7179. Perera-Castro AV, Brito P, Gonzalez-Rodriguez AM – Light response in alpine species: Different patterns of physiological plasticity. *Flora* 234:165-172, **2017**, <https://doi.org/10.1016/j.flora.2017.07.007> (WoS/Scopus)

7180. Perera-Castro AV, Waterman MJ, Turnbull JD, Ashcroft MB, McKinley E, Watling JR, Bramley-Alves J, Casanova-Katny A, Zuniga G, Flexas J, Robinson SA. It is hot in the sun: antarctic mosses have high temperature optima for photosynthesis despite cold climate. *Frontiers in Plant Science* 11, 1178, **2020**. <https://doi.org/10.3389/fpls.2020.01178>. (WoS/Scopus)

7181. Kanazawa A, Chattopadhyay A, Kuhlert S, Tuitupou H, Maiti T, Kramer DM. Light potentials of photosynthetic energy storage in the field: what limits the ability to use or dissipate rapidly increased light energy? *Royal Society Open Science* 8: 211102, **2021**. <https://doi.org/10.1098/rsos.211102>. (WoS/Scopus)

[Velikova V, Edreva A, Tsonev T, Gesheva E, Dagnon S, Loreto F, Gürel A, Jones H - Secondary metabolites: Tools for stress protection in plants, Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology, Volume 146, Issue 4, Supplement 1, April 2007, Page S263, Abstracts of the Annual Main Meeting of the Society for Experimental Biology, Glasgow, Scotland, 31st March - 4th April, 2007](#)

7182. da Silva MAL, Marques GS, dos Santos TMF, Xavier HS, Higino JS, de Melo AFM - Avaliação da composição química de *Cymbopogon citratus* Stapf cultivado em ambientes com diferentes níveis de poluição e a influência na composição do chá (Evaluation of the chemical composition of *Cymbopogon citratus* Stapf growing in environments with different pollution levels and the influence on tea composition). *Acta Scientiarum. Health Sciences* 32 (1): 67-72, **2010** (WoS/Scopus)

[Velikova V, Edreva A, Tsonev T, Jones HG – Singlet oxygen quenching by phenylamides and their parent compounds. *Zeitschrift fur Naturforschung* 62c: 833-838, 2007](#)

7183. Bassard J-E, Ullmann P, Bernier F, Werck-Reichhart D - Phenolamides: Bridging polyamines to the phenolic metabolism. *Phytochemistry* 71 (16): 1808 - 1824, **2010** (review) (WoS/Scopus)

7184. Katerova Z, Todorova D, Tasheva K, Sergiev I – Influence of ultraviolet radiation on plant secondary metabolite production. *Genetics and Plant Physiology* 2 (3-4), 113-144, **2012** (review)

7185. Ohara K, Doi K, Niizaki Y, Nagaoka S - A time-resolved luminescence study on singlet oxygen quenching by hydroxycinnamic acids under acidic, neutral and basic conditions. *Journal of Photochemistry and Photobiology A: Chemistry* 249: 1-8, **2012** (WoS/Scopus)

7186. Rapulenyane N, Antunes E, Masilela N, Nyokong T - Synthesis and photophysicochemical properties of novel zinc phthalocyanines mono substituted with carboxyl containing functional groups. *Journal of Photochemistry and Photobiology A: Chemistry* 250: 18-24, **2012** (WoS/Scopus)

- 7187.** Razzaghi-Asl N, Garrido J, Khazraei H, Borges F, Firuzi O - Antioxidant properties of hydroxycinnamic acids: A Review of structure-activity relationships. *Current Medicinal Chemistry* 20 (36):4436-4450, **2013** ([review](#)) (**WoS/Scopus**)
- 7188.** Saiba A.N, Krishnan R., Murugan K. - Effect of leaf and root extracts from *Thottea siliquosa* (Lam.) ding hou. A medicinal plant on antioxidant status, *World Journal of Pharmacy and Pharmaceutical Sciences*, 2 (6), 6026-6045, **2013** (**WoS/Scopus**)
- 7189.** Nakabayashi R, Saito K. Integrated metabolomics for abiotic stress responses in plants, *Current Opinion in Plant Biology* 24, 10-16, **2015** (**WoS/Scopus**)
- 7190.** Gondor OK, Szalai G, Kovács V, Janda T, Pál M. Relationship between polyamines and other cold-induced response mechanisms in different cereal species, *Journal of Agronomy and Crop Science* 202(3), 217-230, **2016** (**WoS/Scopus**)
- 7191.** Dastmalchi K, Wang I, Stark RE - Potato wound-healing tissues: A rich source of natural antioxidant molecules with potential for food preservation, *Food Chemistry*, 210, pp. 473-480, **2016**, DOI: [10.1016/j.foodchem.2016.04.123](https://doi.org/10.1016/j.foodchem.2016.04.123) (**WoS/Scopus**)
- 7192.** Kebert M, Rapparini F, Neri L, Bertazza G, Orlović S, Biondi S – Copper-induced responses in poplar clones are associated with genotype- and organ-specific changes in peroxidase activity and proline, polyamine, ABA, and IAA levels. *Journal of Plant Growth Regulation*, 36(1), 131-147, **2017**, DOI [10.1007/s00344-016-9626-x](https://doi.org/10.1007/s00344-016-9626-x). (**WoS/Scopus**)
- 7193.** Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, **2019**. <https://doi.org/10.1186/s40659-019-0246-3>. (**WoS/Scopus**)
- 7194.** Parray JA, Mir MY, Shameem. Stress Management: Sustainable. Approach Towards Resilient Agriculture. Chapter 5. In: Sustainable Agriculture: Biotechniques in Plant Biology, Springer Nature Singapore Pte Ltd. **2019** 231, pp. 231-270. https://doi.org/10.1007/978-981-13-8840-8_5. **book**. (**WoS/Scopus**)
- 7195.** Piasecka A, Sawikowska A, Kuczyńska A, Ogródowicz P, Mikołajczak K, Krajewski P, Kachlicki P. Phenolic metabolites from barley in contribution to phenome in soil moisture deficit. *International Journal of Molecular Sciences* 21(17), 6032, **2020**. <https://doi.org/10.3390/ijms21176032>. (**WoS/Scopus**)
- 7196.** Biondi S, Antognoni F, Marincich L, Lianza M, Tejos R, Ruiz KB. The polyamine “multiverse” and stress mitigation in crops: A case study with seed priming in quinoa. *Scientia Horticulturae* vol, 304, art. 111292, **2022**. <https://doi.org/10.1016/j.scienta.2022.111292>. (**WoS/Scopus**)
- 7197.** Firdaus, NH Soekanto, Seniwati, S Firdausiah, H Rasyid, Bahja, MF Islam. Phenethyl p-coumarate and N-phenethyl-p-coumaramide: synthesis, characterization, docking studies and anticancer activity through P388 cell. *Sains Malaysiana* 51(4): 1085-1097, **2022**. <http://doi.org/10.17576/jsm-2022-5104-11>. (**WoS/Scopus**)
- 7198.** Kebert M, Kostić S, Čapelja E, Vuksanović V, Stojnić S, Markić AG, Zlatković M, Milović M, Galović V, Orlović S. Ectomycorrhizal fungi modulate Pedunculate oak's heat stress responses through the alternation of polyamines, phenolics, and osmotica content. *Plants* 11(23):3360, **2022**. <https://doi.org/10.3390/plants11233360>. (**WoS/Scopus**)
- 7199.** Kebert M, Kostić S, Vuksanović V, Gavranović Markić A, Kiproviski B, Zorić M, Orlović S. Metal- and organ-specific response to heavy metal-induced stress mediated by antioxidant enzymes' activities, polyamines, and plant hormones levels in populus deltoides. *Plants* 11(23):3246, **2022**. <https://doi.org/10.3390/plants11233246>. (**WoS/Scopus**)
- 7200.** Kebert M, Kostić S, Stojnić S, Čapelja E, Markić AG, Zorić M, Kesić L, Flors V. A Fine-tuning of the plant hormones, polyamines and osmolytes by ectomycorrhizal fungi enhances drought tolerance in pedunculate oak. *International Journal of Molecular Sciences* 24(8):7510, **2023**. <https://doi.org/10.3390/ijms24087510>. (**WoS/Scopus**)
- 7201.** Nascimento RO, Prado FM, de Medeiros MHG, Ronsein GE, Di Mascio P. Singlet molecular oxygen generation in the reaction of biological haloamines of amino acids and polyamines with hydrogen peroxide. *Photochemistry and Photobiology* 99(2), **2023**. <https://doi.org/10.1111/php.13708>. (**WoS/Scopus**)
- [Velikova V, Loreto F, Brilli F, Stefanov D, Yordanov I - Characterization of juvenile and adult leaves of *Eucalyptus globulus* showing distinct heteroblastic development: photosynthesis and volatile isoprenoids. *Plant Biology* 10: 55-64, **2008**](#)
- 7202.** Winters AJ - The composition and emission of volatile organic compounds in *Eucalyptus* spp. leaves. School of Biological, Earth and Environmental Sciences University of New South Wales, *PhD Thesis*, **2010**
- 7203.** Hamilton MG, Tilyard PA, Williams DR, Vaillancourt RE, Wardlaw TJ, Potts BM - The genetic variation in the timing of heteroblastic transition in *Eucalyptus globulus* is stable across environment. *Australian Journal of Botany* 59 (2): 170-175, **2011** (**WoS/Scopus**)
- 7204.** Parsons-Wingerter P, Vickerman MB, Paul A-L, Ferl RJ. Mapping by VESGEN of leaf venation patterning in *Arabidopsis* with bioinformatic dimensions of gene expression. *Gravitational and Space Research*. 2 (1), 68-81, **2014**.
- 7205.** Turnbull TL, Buckley TN, Barlow AM, Adams MA. Anatomical and physiological regulation of post-fire carbon and water exchange in canopies of two resprouting *Eucalyptus* species. *Oecologia* 176 (2), 333-343, **2014** (**WoS/Scopus**)
- 7206.** Dani KGS – On the physiology and evolution of volatile isoprenoid emission in plants. Macquarie University, Australia, *PhD Thesis*, **2014**

- 7207.** Bartholomé J, Mabiala A, Savelli B, Bert D, Brendel O, Plomion C, Gion J-M. Genetic architecture of carbon isotope composition and growth in *Eucalyptus* across multiple environments. *New Phytologist* 206(4):1437-1449, **2015**. DOI:10.1111/nph.13301 (WoS/Scopus)
- 7208.** Deus E, Silva J, Catry FX, Rocha M, Moreira F – Google street view as an alternative method to car surveys in large-scale vegetation assessments. *Environmental Monitoring Assessment* 188: 560, **2016**, <https://doi.org/10.1007/s10661-016-5555-1> (WoS/Scopus)
- 7209.** Deus E, Silva JS, Larcombe MJ, Catry FX, Queirós L, dos Santos P, Matias H, Águas A, Rego FC. Investigating the invasiveness of *Eucalyptus globulus* in Portugal: site-scale drivers, reproductive capacity and dispersal potential. *Biological Invasions* 21(6):2027-2044, **2019**. DOI: 10.1007/s10530-019-01954-6 (WoS/Scopus)
- 7210.** Lucani CJ, Brodribb TJ, Jordan GJ, Mitchell PJ. Juvenile and adult leaves of heteroblastic *Eucalyptus globulus* vary in xylem vulnerability. *Trees* 33: 1167-1178, **2019**. <https://doi.org/10.1007/s00468-019-01851-4> (WoS/Scopus)
- 7211.** Lawrence EH, Springer CJ, Helliker BR, Poethig RS. MicroRNA156-mediated changes in leaf composition lead to altered photosynthetic traits during vegetative phase change. *New Phytologist* 231(3):1008-1022, **2021**. <https://doi.org/10.1111/nph.17007>. (WoS/Scopus)
- [Fares S, Brilli F, Noguès I, Velikova V, Tsonev T, Dagli S, Loreto F – Isoprene emission and primary metabolism in *Phragmites australis* grown under different phosphorus levels. *Plant Biology* 10: 38-43, **2008**](#)
- 7212.** Ormeño E, Olivier R, Mévy JP, Baldy V, C Fernande - Compost may affect volatile and semi-volatile plant emissions through nitrogen supply and chlorophyll fluorescence. *Chemosphere* 77 (1): 94-104, **2009** (WoS/Scopus)
- 7213.** Llusia J, Penuelas J, Sardans J, Owen SM, Niinemets U - Measurement of volatile terpene emissions in 70 dominant vascular plant species in Hawaii: aliens emit more than natives. *Global Ecology and Biogeography* 19 (6): 863-874, **2010** (WoS/Scopus)
- 7214.** Niinemets U, Arneth A, Kuhn U, Monson RK, Penuelas J, Staudt M - The emission factor of volatile isoprenoids: stress, acclimation, and developmental responses. *Biogeosciences* 7 (7): 2203-2223, **2010**. (WoS/Scopus)
- 7215.** Shaw SL, Gantt B, Meskhidze N - Production and emissions of marine isoprene and monoterpenes. *Advances in Meteorology*. Article ID 408696, 24 pages, **2010** (review) (WoS/Scopus)
- 7216.** Bracho-Nunez A, Welter S, Staudt M, Kesselmeier J - Plant-specific volatile organic compound emission rates from young and mature leaves of Mediterranean vegetation. *Journal of Geophysical Research-Atmospheres* 116, Article Number: D16304, DOI: 10.1029/2010JD015521, **2011** (WoS/Scopus)
- 7217.** Olivier R., Staudt M, Lavoit A-V, Ormeño E, Rizvi SH, Baldy V, Rivoal A, Greff S, Lecareux C, Fernandez C - Direct and indirect impact of sewage sludge compost spreading on *Quercus coccifera* monoterpene emissions in a Mediterranean shrubland. *Environmental Pollution* 159(4): 963-969, **2011** (WoS/Scopus)
- 7218.** Olivier R, Lavoit AV, Ormeno E, Mouillot F, Greff S, Lecareux C, Staudt M, Fernandez C - Compost spreading in Mediterranean shrubland indirectly increases biogenic emissions by promoting growth of VOC-emitting plant parts. *Atmospheric Environment* 45(21): 3631-3639, **2011** (WoS/Scopus)
- 7219.** Asensio D, Rapparini F, Penuelas J - AM fungi root colonization increases the production of essential isoprenoids vs. nonessential isoprenoids especially under drought stress conditions or after jasmonic acid application. *Phytochemistry* 77: 149-161, **2012** (WoS/Scopus)
- 7220.** Blanch J-S, Sampedro L, Llusia J, Moreira X, Zas R, Peñuelas J - Effects of phosphorus availability and genetic variation of leaf terpene content and emission rate in *Pinus pinaster* seedlings susceptible and resistant to the pine weevil, *Hyllobius abietis*. *Plant Biology* 14: 66-72, **2012** (WoS/Scopus)
- 7221.** Llusia J, Sardans J, Niinemets Ü, Owen SM, Peñuelas J - A screening study of leaf terpene emissions of 43 rainforest species in Danum Valley Conservation Area (Borneo) and their relationships with chemical and morphological leaf traits. *Plant Biosystems* 148 (2): 307-317, **2013**, DOI:10.1080/11263504.2013.770803. (WoS/Scopus)
- 7222.** Becker C, Desn Leux N, Monticelli, Fernandez X, Michel T, LavoitAV. Effects of abiotic factors on HIPV-mediated interactions between plants and parasitoids, *BioMed Research International* Vol. 2015, Article ID 342982, 18 pages, **2015** (WoS/Scopus)
- 7223.** Rosenkranz M, Pugh TAM, Schnitzler J-P, Arneth A. Effect of land-use change and management on biogenic volatile organic compound emissions – selecting climate-smart cultivars. *Plant, Cell & Environment* 38(9), 1896-1912, **2015** DOI: 10.1111/pce.12453. (WoS/Scopus)
- 7224.** Crombie AT, Mejia-Florez NL, McGenity TJ, Murrell JC. Genetics and ecology of isoprene degradation. In: Rojo F. (eds) *Aerobic Utilization of Hydrocarbons, Oils and Lipids. Handbook of Hydrocarbon and Lipid Microbiology*. Springer, Cham, **2018**, DOI: https://doi.org/10.1007/978-3-319-39782-5_27-1 (BOOK)
- 7225.** de Souza VF, Niinemets Ü, Rasulov B, Vickers CE, Duvoisin Júnior S, Araújo WL, de Carvalho Gonçalves JF - Alternative carbon sources for isoprene emission. *Trends in Plant Science* 23(12):1081-1101, **2018**. <https://doi.org/10.1016/j.tplants.2018.09.012> (REVIEW) (WoS/Scopus)
- 7226.** Lai H, Wu K, Wang N, Wu W, Zou X, Ma X, Wu P – Relationship between volatile organic compounds released and growth of *Cunninghamia lanceolata* roots under low-phosphorus conditions. *iForest* 11, 713-720, **2018**. doi: 10.3832/for2797-011 (WoS/Scopus)

- 7227.** Bustamante MÁ, Michelozzi M, Caracciolo AB, Grenni P, Verbokkem J, Geerdink P, Safi C, Nogues I. Effects of soil fertilization on terpenoids and other carbon-based secondary metabolites in *Rosmarinus officinalis* plants: A comparative study. *Plants* 9(7), 830, **2020**. <https://doi.org/10.3390/plants9070830>. (WoS/Scopus)
- 7228.** Pandey VC, Maiti D. Phragmites species – promising perennial grasses for phytoremediation and biofuel production. In: *Phytoremediation Potential of Perennial Grasses*, Eds. Pandey VC, Singh DP. Elsevier, ISBN: 978-0-12-817732-7. Chapter 5, pp. 97-114, **2020**. (BOOK) <https://doi.org/10.1016/B978-0-12-817732-7.00005-5>. (WoS/Scopus)
- 7229.** Mao B, Wang Y, Zhao T-H, Zhao Q, San Y, Xiao S-S. Response of carbon, nitrogen and phosphorus concentration and stoichiometry of plants and soils during a soybean growth season to O₃ stress and straw return in Northeast China. *Science of the Total Environment* v. 822, art. 153573, **2022**. <https://doi.org/10.1016/j.scitotenv.2022.153573>. (WoS/Scopus)
- 7230.** Fan G, Ning X, Chen S, Zhong L, Guo C, Yang Y, Liu J, Tang M, Liao G, Wang X, Wang Z, Wang J. Differences in fruit yields and essential oil contents and composition among natural provenances of *Litsea cubeba* in China and their relationships with main habitat factors. *Industrial Crops and Products* vol. 194, art. 116285, **2023**. <https://doi.org/10.1016/j.indcrop.2023.116285>. (WoS/Scopus)
- 7231.** Hu S, Zhu H, Bañuelos G, Shutes B, Wang X, Hou S, Yan B. Factors influencing gaseous emissions in constructed wetlands: a meta-analysis and systematic review. *International Journal of Environmental Research and Public Health* 20(5):3876, **2023**. <https://doi.org/10.3390/ijerph20053876>. (WoS/Scopus)
- 7232.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- 7233.** La Motta LM, Padula MP, Sommer B, Camp EF, Matthews JL. Diversity of lipid profiles of Symbiodiniaceae under temperature and nutrient stress. *Frontiers in Protistology* 2:1320353, **2024**. <https://doi.org/10.3389/frpro.2024.1320353>.

Velikova V – Isoprene as a tool for plant protection against abiotic stresses – review. *Journal of Plant Interactions* 3: 1-15, 2008

- 7234.** Dolzhenko Y, Berteau CM, Occhipinti A, Bossi S, Maffei ME - UV-B modulates the interplay between terpenoids and flavonoids in peppermint (*Mentha×piperita* L.). *Journal of Photochemistry and Photobiology B: Biology* 100 (2), 67 - 75, **2010** (WoS/Scopus)
- 7235.** Maffei ME - Sites of synthesis, biochemistry and functional role of plant volatiles. *South African Journal of Botany* 76(4), 612-631, **2010** (review) (WoS/Scopus)
- 7236.** Maffei ME, Gertsch J, Appendino G. Plant volatiles: production, function and pharmacology. *Natural Products Reports* 28(8):1359-1380, **2011**, doi: 10.1039/c1np00021g. (WoS/Scopus)
- 7237.** Mochalski P, King J, Kupferthaler A, Unterkofler K, Hinterhuber H, Amann A - Measurement of isoprene solubility in water, human blood and plasma by multiple headspace extraction gas chromatography coupled with solid phase microextraction. *Journal of Breath Research* 5 (4): 046010, **2011** (WoS/Scopus)
- 7238.** Pallozi E – BVOC emission responses to acute short-wave monochromatic radiations. **PhD Thesis**, Tuscia University, Viterbo (Italy), **2012**
- 7239.** Tsubo M, Nishihara E, Nakamatsu K, Cheng Y, Shinoda M - Plant volatiles inhibit restoration of plant species communities in dry grassland. *Basic and Applied Ecology* 13(1): 76-84, **2012** (WoS/Scopus)
- 7240.** Suprasanna P, Variyar PS - Coping abiotic stress with plant volatile organic chemicals (PVOs): A promising approach, crop improvement crop improvement. In: *New Approaches and Modern Techniques* (Editors: Khalid Rehman Hakeem, Parvaiz Ahmad, Munir Ozturk), pp 295-306, Springer **2013**
- 7241.** Ahmad R, Baharum SN, Bunawan H, Lee M, Noor NM, Rohani ER, Ilias N, Zin NM. Volatile profiling of aromatic traditional medicinal plant, *Polygonum minus* in different tissues and its biological activities. *Molecules* 19 (11), 19220-19242, **2014**. (WoS/Scopus)
- 7242.** Kumari R, Prasad MNV. Effect of UV-B pretreatment on essential oil components, health sensory secondary metabolites and antioxidant potential of *Coleus aromaticus*. *International Journal of Biological & Pharmaceutical Research*. 5 (8), 675-688, **2014**.
- 7243.** Mochalski P, Al-Zoairy R, Niederwanger A, Unterkofler K, Amann A. Quantitative analysis of volatile organic compounds released and consumed by rat L6 skeletal muscle cells in vitro. *Journal of Breath Research* 8 (4), 046003, **2014**. (WoS/Scopus)
- 7244.** Wang R, Zong S-X, Yu L-F, Lu P-F, Luo Y-Q. Rhythms of volatile release from female and male sea buckthorn plants and electrophysiological response of sea buckthorn carpenter moths. *Journal of Plant Interactions* 9 (1), 763-774, **2014**. (WoS/Scopus)
- 7245.** Feller U. Drought stress and carbon assimilation in a warming climate: Reversible and irreversible impacts, *Journal of Plant Physiology*, 203, 84-94, **2016** (WoS/Scopus)
- 7246.** Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:10.1007/s11738-016-2241-4 (WoS/Scopus)
- 7247.** Taylor TC – Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests. The University of Arizona, **2017**, **PhD Thesis**, <http://hdl.handle.net/10150/623061>

- 7248.** Mochalski P, Leja M, Gasenko E, Skapars R, Santare D, Sivins A, Aronsson DE, Ager C, Jaeschke C, Shani G, Mitrovics J, Mayhew CA, Haick H. *Ex vivo* emission of volatile organic compounds from gastric cancer and non-cancerous tissue. *Journal of Breath Research* 12:046005, **2018**. <https://doi.org/10.1088/1752-7163/aacbf6>. (WoS/Scopus)
- 7249.** Taylor TC, McMahon SM, Smith MN, Boyle B, Violle C, van Haren J, Simova I, Meir P, Ferreira LV, de Camargo PB, da Costa ACL, Enquist BJ, Saleska SR. Isoprene emission structures tropical tree biogeography and community assembly responses to climate. *New Phytologist* 220 (2): 435-446, **2018**, <https://doi.org/10.1111/nph.15304> (WoS/Scopus)
- 7250.** Austen N, Walker HJ, Lake JA, Phoenix GK, Cameron DD. The regulation of plant secondary metabolism in response to abiotic stress: interactions between heat shock and elevated CO₂. *Frontiers in Plant Science* 10:1463, **2019**. doi: 10.3389/fpls.2019.01463. (WoS/Scopus)
- 7251.** Ghasemi S, Kumleh HH, Kordrostami M. Changes in the expression of some genes involved in the biosynthesis of secondary metabolites in *Cuminum cyminum* L. under UV stress. *Protoplasma* 256(1):279-290, **2019**, <https://doi.org/10.1007/s00709-018-1297-y> (WoS/Scopus)
- 7252.** Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell and Environment* 42(8):2448-2457, **2019**. <https://doi.org/10.1111/pce.13564> (WoS/Scopus)
- 7253.** Ormeño E, Viros J, Mévy J-Ph, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2), 159, **2020**. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)
- 7254.** Saunier A, Ormeño E, Piga D, Armengaud A, Boissard C, Lathière J, Szopa S, Genard-Zielinski A-C, Fernandez C. Isoprene contribution to ozone production under climate change conditions in the French Mediterranean area. *Regional Environmental Change* 20, Article number 111, **2020**. <https://doi.org/10.1007/s10113-020-01697-4>. (WoS/Scopus)
- 7255.** Yuan X, Feng Z, Shang B, Calatayud V, Paoletti E. Ozone exposure, nitrogen addition and moderate drought dynamically interact to affect isoprene emission in poplar. *Science of the Total Environment* 734, 139368, **2020**. <https://doi.org/10.1016/j.scitotenv.2020.139368>. (WoS/Scopus)
- 7256.** Yuan X, Li S, Feng Z, Xu Y, Shang B, Fares S, Paoletti E. Response of isoprene emission from poplar saplings to ozone pollution and nitrogen deposition depends on leaf position along the vertical canopy profile. *Environmental Pollution* 265, 114909, **2020**. <https://doi.org/10.1016/j.envpol.2020.114909>. (WoS/Scopus)
- 7257.** Khakdan F, Govahi M, Mohebi Z, Ranjbar M. Water deficit stress responses of monoterpenes and sesquiterpenes in different Iranian cultivars of basil. *Physiologia Plantarum* 173(3):896-910, **2021**. <https://doi.org/10.1111/ppl.13485>. (WoS/Scopus)
- 7258.** Liu Y, Schallhart S, Taipale D, Tykkä T, Räsänen M, Merbold L, Hellén H, Pellikka P. Seasonal and diurnal variations of biogenic volatile organic compounds in highland and lowland ecosystems in southern Kenya. *Atmospheric Chemistry and Physics*, 21, 14761-14787, **2021**. <https://doi.org/10.5194/acp-21-14761-2021>. (WoS/Scopus)
- 7259.** Modesti M, Macaluso M, Taglieri I, Bellincontro A, Sanmartin C. Ozone and bioactive compounds in grapes and wine. *Foods* 10(12):2934, **2021**. <https://doi.org/10.3390/foods10122934>. (WoS/Scopus)
- 7260.** Iqbal MdA, Miyamoto K, Yumoto E, Parveen S, Mutanda I, Inafuku M, Oku H. Plant hormone profile and control over isoprene biosynthesis in a tropical tree *Ficus septica*. *Plant Biology* 24(3), 492-501, **2022**. <https://doi.org/10.1111/plb.13386>. (WoS/Scopus)
- 7261.** Tahri D, Elhouiti F, Ouinten M, Yousfi M. Terpenoids of plants in arid environments. *CAB Reviews Perspectives in Agriculture Veterinary Science Nutrition and Natural Resources* 17(001):1-12, **2022**. <http://dx.doi.org/10.1079/cabreviews202217001>. (WoS/Scopus)
- 7262.** Walia S, Rathore S, Jamwal S, Kumar R. The combined response of elevated CO₂ and temperature on *Valeriana jatamansi* Jones with worm manuring in the western Himalaya: Integrating growth, biomass, and quality. *Horticulture, Environment, and Biotechnology* 63, 161-172, **2022**. <https://doi.org/10.1007/s13580-021-00386-3>. (WoS/Scopus)
- 7263.** Li S, Agathokleous E, Li S, Yuan X, Du Y, Feng Z. Sensitivity of isoprene emission rate to ozone in greening trees is concurrently determined by isoprene synthesis capacity and stomatal conductance. *Science of the Total Environment* vol. 891, art. 164325, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.164325>. (WoS/Scopus)
- 7264.** Permana BH, Krobthong S, Yingchutrakul Y, Saithong T, Thiravetyan P, Treesubsuntorn C. Evidence of brassinosteroid signalling and alternate carbon metabolism pathway in the particulate matter and volatile organic compound stress response of *Sansevieria trifasciata*. *Environmental and Experimental Botany* vol. 205, art. 105116, **2023**. <https://doi.org/10.1016/j.envexpbot.2022.105116>. (WoS/Scopus)
- 7265.** Zahra N, Hafeez MB, Kausar A, Al Zeidi M, Asekova S, Siddique KHM, Farooq M. Plant photosynthetic responses under drought stress: Effects and management. *Journal of Agronomy and Crop Science* 2095, 651-672, **2023**. <https://doi.org/10.1111/jac.12652>. (WoS/Scopus)
- 7266.** Zhu F, Sun Y, Jadhav SS, Cheng Y, Alseekh S, Fernie AR. The plant metabolic changes and the physiological and signaling functions in the responses to abiotic stress. In: Couée I (eds) *Plant Abiotic Stress Signaling. Methods in Molecular Biology* vol. 2642, pp. 129-150, **2023**. Humana, New York, NY. https://doi.org/10.1007/978-1-0716-3044-0_7. (WoS/Scopus) [BOOK series]

- 7267.** Iriti M, Faoro F - Chemical diversity and defence metabolism: How plants cope with pathogens and ozone pollution. *International Journal of Molecular Sciences* 10 (8): 3371-3399, **2009** ([review](#)) (**WoS/Scopus**)
- 7268.** Dicke M, Baldwin IT - The evolutionary context for herbivore-induced plant volatiles: beyond the 'cry for help'. *Trends in Plant Science* 15 (3): 167-175, **2010** ([review](#)) (**WoS/Scopus**)
- 7269.** Liberato MAR – Metabolismo energético e emissão de compostos Orgânicos voláteis por hevea spruceana (benth.) Müll. Arg. Em diferentes ecossistemas inundáveis da amazônia Central. *PhD Thesis*, Instituto Nacional de Pesquisas da Amazônia, Manaus – AM, **2010**
- 7270.** Shao RX, Wang KB, Shanguan ZP - Cytokinin-induced photosynthetic adaptability of *Zea mays* L. to drought stress associated with nitric oxide signal: Probed by ESR spectroscopy and fast OJIP fluorescence rise. *Journal of Plant Physiology* 167 (6): 472-479, **2010** (**WoS/Scopus**)
- 7271.** Shehab GG, Ahmed OK, El-Beltagi HS - Effects of various chemical agents for alleviation of drought stress in rice plants (*Oryza sativa* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 38 (1): 139-148, **2010** (**WoS/Scopus**)
- 7272.** Copolovici L, Niinemets U - Flooding induced emissions of volatile signalling compounds in three tree species with differing waterlogging tolerance. *Plant Cell and Environment* 33 (9): 1582-1594, **2010** (**WoS/Scopus**)
- 7273.** Holopainen JK - Can forest trees compensate for stress-generated growth losses by induced production of volatile compounds? *Tree Physiol* 31(12): 1356-1377, **2011** ([review](#)) (**WoS/Scopus**)
- 7274.** Bavita A, Shashi B, Navtej SB - Nitric oxide alleviates oxidative damage induced by high temperature stress in wheat. *Indian Journal of Experimental Biology* 50(5): 372-378, **2012** (**WoS/Scopus**)
- 7275.** Dorokhov YL, Komarova TV, Petrunia IV, Frolova OY, Pozdyshev DV, Gleba YY - Airborne signals from a wounded leaf facilitate viral spreading and induce antibacterial resistance in neighboring plants. *PLoS Pathogens* 8(4): e1002640. doi:10.1371/journal.ppat.1002640, **2012** (**WoS/Scopus**)
- 7276.** Dorokhov YL, Komarova TV, Petrunia IV, Kosorukov VS, Zinovkin RA, Shindyapina AV, Frolova OY, Gleba YY Methanol may function as a cross-kingdom signal. *PLoS ONE* 7(4): e36122. doi:10.1371/journal.pone.0036122, **2012** (**WoS/Scopus**)
- 7277.** Exton DA, Suggett DJ, Steinke M, McGenity TJ - Spatial and temporal variability of biogenic isoprene emissions from a temperate estuary. *Global Biogeochemical Cycles* 26, Article Number: GB2012, **2012** (**WoS/Scopus**)
- 7278.** Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A - Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiology* 161 (4): 1952-1969, DOI: 10.1104/pp.112.208470, **2013** (**WoS/Scopus**)
- 7279.** Halahan JA – In vitro formation of isoprene derivatives in conditions simulating membranes of plants under heat stress. Somona State University, USA, **2013**
- 7280.** Hess BM, Xue JF, Markillie LM, Taylor RC, Wiley HS, Ahring BK, Linggi B - Coregulation of terpenoid pathway genes and prediction of isoprene production in bacillus subtilis using transcriptomics. *PLoS ONE* 8(6), Article Number: e66104, **2013** (**WoS/Scopus**)
- 7281.** Khan A, Staimer N, Tjoa T, Galassetti P, Blake DR, Delfino RJ - Relations between isoprene and nitric oxide in exhaled breath and the potential influence of outdoor ozone: a pilot study. *Journal of Breath Research* 7(3), Article Number: 036007, DOI: 10.1088/1752-7155/7/3/036007, **2013** (**WoS/Scopus**)
- 7282.** Shao R-X, Chen J-H, Miao F, Zhao G-W, Yang Q-H. Photosynthetic performance of *Triticum aestivum* L. in response to water and nitrogen deficit. *Journal of Food, Agriculture and Environment* 11 (3-4), 1252-1256, **2013**
- 7283.** Souza SR, Blande JD, Holopainen JK - Pre-exposure to nitric oxide modulates the effect of ozone on oxidative defenses and volatile emissions in lima bean. *Environmental Pollution* 179, 111-119, **2013** (**WoS/Scopus**)
- 7284.** Blande, JD; Holopainen, JK; Niinemets, U - Plant volatiles in polluted atmospheres: stress responses and signal degradation. *Plant Cell and Environment* 37 (8), SI, 1892-1904, **2014** ([Review](#)) (**WoS/Scopus**)
- 7285.** Boogar, AR; Salehi, H; Jowkar, A - Exogenous nitric oxide alleviates oxidative damage in turfgrasses under drought stress. *South African Journal of Botany* 92, 78-82, **2014** (**WoS/Scopus**)
- 7286.** Cardoso-Gustavson, P; Bolsoni, VP; de Oliveira, DP; Guaratini, MTG; Aidar, MPM; Marabesi, MA; Alves, ES; de Souza, SR - Ozone-induced responses in croton floribundus spreng. (Euphorbiaceae): Metabolic cross-talk between volatile organic compounds and calcium oxalate crystal formation. *PLOS ONE* 9 (8), Article Number: e105072, **2014**, <https://dx.doi.org/10.1371/journal.pone.0105072>. (**WoS/Scopus**)
- 7287.** Niinemets, U; Fares, S; Harley, P; Jardine, KJ - Bidirectional exchange of biogenic volatiles with vegetation: emission sources, reactions, breakdown and deposition. *Plant Cell and Environment* 37 (8), SI, 1790-1809, **2014** ([Review](#)) (**WoS/Scopus**)
- 7288.** Rahimian Boogar A, Salehi H, Jowkar A. Exogenous nitric oxide alleviates oxidative damage in turfgrasses under drought stress. *South African Journal of Botany* 92:78-82, **2014**. DOI: 10.1016/j.sajb.2014.02.005 (**WoS/Scopus**)
- 7289.** Becker C, Desneux N, Monticelli L, Fernandez X, Michel T, Lavoie A-V. Effects of abiotic factors on HIPV-mediated interactions between plants and parasitoids, *BioMed Research International* Vol. 2015, Article ID 342982, 18 pages, **2015** (**WoS/Scopus**)
- 7290.** Daneshkhah A., Shrestha S., Agarwal M., Varahramyan K. Poly(vinylidene fluoride-hexafluoropropylene) composite sensors for volatile organic compounds detection in breath. *Sensors and Actuators B: Chemical* 221, 635-643, **2015**, <http://dx.doi.org/10.1016/j.snb.2015.06.145> (**WoS/Scopus**)

- 7291.** Lahr EC, Schade GW, Crossett CC, Watson MR. Photosynthesis and isoprene emission from trees along an urban–rural gradient in Texas. *Global Change Biology* 21, 4221–4236, **2015** (WoS/Scopus)
- 7292.** Fatma M, Masood A, Per TS, Rasheed F, Khan NA – Interplay between nitric oxide and sulfur assimilation in salt tolerance in plants. *The Crop Journal*, 4(3), 153-161, **2016**, doi: [10.11016/j.cj.2016.01.009](https://doi.org/10.11016/j.cj.2016.01.009). (WoS/Scopus)
- 7293.** Jday A, Rejeb KB, Slama I, Saadallah K, Bordenave M, Planchais S, Savoure A, Abdelly C - Effects of exogenous nitric oxide on growth, proline accumulation and antioxidant capacity in *Cakile maritima* seedlings subjected to water deficit stress. *Functional Plant Biology* 43(10): 939-948, **2016**, <https://doi.org/10.1071/FP15363> (WoS/Scopus)
- 7294.** Kaling M – Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technische Universität München, **2016**, **PhD Thesis**
- 7295.** Khaling E, Li T, Holopainen JK, Blande JB - Elevated ozone modulates herbivore-induced volatile emissions of *Brassica nigra* and alters a tritrophic interaction. *Journal of Chemical Ecology* 42(5), 368-381, **2016**, DOI: [10.1007/s10886-016-0697-8](https://doi.org/10.1007/s10886-016-0697-8) (WoS/Scopus)
- 7296.** Fusaro L, Palma A, Salvatori E, Basile A, Maresca V, Asadi Karam E, Manes F - Functional indicators of response mechanisms to nitrogen deposition, ozone, and their interaction in two Mediterranean tree species. *PLoS ONE* 12(10): e0185836. **2017**, <https://doi.org/10.1371/journal.pone.0185836> (WoS/Scopus)
- 7297.** Zuo Z, Wang B, Ying B, Zhou Lv, Zhang R – Monoterpene emissions contribute to thermotolerance in *Cinnamomum camphora*. *Trees* 31(6), 1759-1771, **2017**, DOI [10.1007/s00468-017-1582-y](https://doi.org/10.1007/s00468-017-1582-y). (WoS/Scopus)
- 7298.** Bison JV, Cardoso-Gustavson P, de Moraes RM, Pedrosa GS, Cruz LS, Freschi L, de Souza SR. Volatile organic compounds and nitric oxide as responses of a Brazilian tropical species to ozone: the emission profile of young and mature leaves. *Environmental Science and Pollution Research* 25(4): 3840-3848, **2018**, <https://rd.springer.com/article/10.1007/s11356-017-0744-1> (WoS/Scopus)
- 7299.** Nazerieh H, Oraghi Ardebili Z, Iranbakhsh A. Potential benefits and toxicity of nanoselenium and nitric oxide in peppermint. *Acta Agriculturae Slovenica* 111(2):357-368, **2018**, DOI: <http://dx.doi.org/10.14720/aas.2018.111.2.11> (WoS/Scopus)
- 7300.** Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 7301.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. doi:10.1111/pce.13629. (Review). (WoS/Scopus)
- 7302.** Parveen S, Iqbal MdA, Mutanda I, H-U-Rashid Md, Inafuku M, Oku H. Plant hormone effects on isoprene emission from tropical tree in *Ficus septica*. *Plant, Cell & Environment* 42(5):1715-1728, **2019**. <https://doi.org/10.1111/pce.13513> (WoS/Scopus)
- 7303.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)
- 7304.** Malik Z, Afzal S, Danish M, Abbasi GH, Bukhari SAH, Khan MI, Dawood M, Kamran M, Soliman MH, Rizwan M, Alhaithloul HAS, Ali S. Role of nitric oxide and calcium signaling in abiotic stress tolerance in plants. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds Aryadeep Roychoudhury and Durgesh Kumar Tripathi. 2020 John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd., Chapter 28, pp. 563-581, **2020**. <https://doi.org/10.1002/9781119552154.ch28>. [BOOK]
- 7305.** Ormeño E, Viros J, Mévy J-Ph, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2), 159, **2020**. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)
- 7306.** Rodrigues TB, Baker CR, Walker AP, McDowell N, Rogers A, Higuchi N, Chambers JQ, Jardine KJ. Stimulation of isoprene emissions and electron transport rates are a key mechanism of thermal tolerance in the tropical species *Vismia guianensis*. *Global Change Biology* 26(10), 5928-5941, **2020**. <https://doi.org/10.1111/gcb.15213>. (WoS/Scopus)
- 7307.** Singh PK, Tiwari M, Kidwai M, Srivastava D, Tripathi RD, Chakrabarty D. Role of Nitric oxide in overcoming heavy metal stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*. A Roychoudhury, DK Tripathi (Eds), Wiley-Blackwell, 704 pages. ISBN: 978-1-119-55165-2, Chapter 9, pp. 214-237, **2020**. [BOOK]
- 7308.** Wang W, Ganzeveld L, Rossabi S, Hueber J, Helmig D. Measurement report: Leaf-scale gas exchange of atmospheric reactive trace species (NO₂, NO, O₃) at a northern hardwood forest in Michigan. *Atmospheric Chemistry and Physics Discussions* 20, 11287-11304, **2020**. <https://doi.org/10.5194/acp-20-11287-2020>. (WoS/Scopus)
- 7309.** Gong C, Liao H, Yue X, Ma Y, Lei Y. Impacts of ozone-vegetation interactions on ozone pollution episodes in North China and the Yangtze River Delta. *Geophysical Research Letters* 48(12), e2021GL093814, **2021**. <https://doi.org/10.1029/2021GL093814>. (WoS/Scopus)
- 7310.** Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)

- 7311.** Otu-Larby F. Understanding the role of abiotic stress in biosphere-atmosphere exchange of reactive trace gases. Lancaster University, UK, **2021**. 227 p. <https://doi.org/10.17635/lancaster/thesis/1345>. (PhD Thesis)
- 7312.** Ramasubramanian P, Luhung I, Lim SBY, Schuster SC, Starry O, Gall ET. Impact of green and white roofs on air handler filters and indoor ventilation air. *Building and Environment* 197, art. 107860, **2021**. <https://doi.org/10.1016/j.buildenv.2021.107860>. (WoS/Scopus)
- 7313.** Xu C, Ma Y, Tian Z, Q Luo, T Zheng, B Wang, Z Zuo. Monoterpene emissions and their protection effects on adult *Cinnamomum camphora* against high temperature. *Trees* 36, 711-721, **2022**. <https://doi.org/10.1007/s00468-021-02242-4>. (WoS/Scopus)
- 7314.** Iqbal MA, Miyamoto K, Yumoto E, Oogai S, Mutanda I, Inafuku M, Oku H. Relationship between seasonal variation in isoprene emission and plant hormone profiles in the tropical plant *Ficus septica*. *Plant Biology* 25(6), 981-993, **2023**. <https://doi.org/10.1111/plb.13565>. (WoS/Scopus)
- 7315.** Parveen N, Khan AH, Tahir M, Aslam R, Amin E, Riaz M, Aleem S, Ghafoor I, Akbar S. Understanding heat tolerance in vegetables: Physiological and molecular insights, and contemporary genomic approaches for enhancing heat stress resilience. *Journal of Horticultural Sciences* 18(2), **2023**. <https://doi.org/10.24154/jhs.v18i2.1672>. (WoS/Scopus)
- 7316.** Yu J, Khomenko I, Biasioli F, Li M, Varotto C. A novel isoprene synthase from the monocot tree *Copernicia prunifera* (Arecaceae) confers enhanced drought tolerance in transgenic *Arabidopsis*. *International Journal of Molecular Sciences* 24(20):15329, **2023**. <https://doi.org/10.3390/ijms242015329>. (WoS/Scopus)
- 7317.** Zhou H, Ashworth K, Dodd IC. Exogenous monoterpenes mitigate H₂O₂-induced lipid damage but do not attenuate photosynthetic decline during water deficit in tomato. *Journal of Experimental Botany* 7413, 5327-5340, **2023**. <https://doi.org/10.1093/jxb/erad219>. (WoS/Scopus)

Edreva A, Velikova V, Tsonev T, Dagnon S, Gürel A, Aktas, Gesheva E – Stress-protective role of secondary metabolites: diversity of functions and mechanisms. *General and Applied Plant Physiology* v. XXXIV (1-2): 67-78, **2008**

- 7318.** Modak B, Salina M, Rodilla J, Torres R - Study of the chemical composition of the Resinous Exudate isolated from *Heliotropium Sclerocarpum* and evaluation of the antioxidant properties of the phenolic compounds and the resin. *Molecules* 14: 4625-4633, **2009** (WoS/Scopus)
- 7319.** Shaukat SS, Ahmed W, Khan MA, Shahzad A - Intraspecific competition and aggregation in a population of *Solanum forskalii* dunal in a semiarid habitat: Impact on reproductive output, growth and phenolic contents. *Pak J Bot* 41(6): 2751-2763, **2009** (WoS/Scopus)
- 7320.** Giorgi A, Madeo M, Baumgärtner J, Lozzia GC - Chemometric analysis of the secondary metabolite profile of Yarrow (*Achillea collina* Becker ex Rchb.) affected by phloem feeding *Myzus persicae* Sulzer aphids. *Journal of Entomological and Acarological Research, Ser. II*, 42 (2), 91-102, **2010** (WoS/Scopus)
- 7321.** Mahmood S, Wahid A, Javed F, Basra SMA - Heat stress effects on forage quality characteristics of maize (*Zea mays*) cultivars. *International Journal of Agriculture and Biology* 12: 701-706, **2010** (WoS/Scopus)
- 7322.** Coma V, Portesa E, Gardrat C, Richard-Forget F, Castellan A - In vitro inhibitory effect of tetrahydrocurcuminoids on *Fusarium proliferatum* growth and fumonisin B1 biosynthesis. *Food Additives & Contaminants: Part A: Chemistry, Analysis, Control, Exposure & Risk Assessment* 28(2): 218-225, **2011** (WoS/Scopus)
- 7323.** Jeeshna MV, Paulsamy S, Mallikadevi T - Phytochemical Constituents and Antimicrobial Studies of the Exotic Plant Species, *Croton bonplandianum* Baill. *Journal of Life Sciences* 3(1): 23-27, **2011**
- 7324.** Pagariya MC, Harikrishnan M, Kulkarni PA, Devarumath R, Kavar PG - Physio-biochemical analysis and transcript profiling of *Saccharum officinarum* L. submitted to salt stress. *Acta Physiol Plant* 33 (4): 1411-1424, **2011** (WoS/Scopus)
- 7325.** Zhao T-H, Jin D-Y, Wang Y, Cao Y - Effects of phenolic compounds and antioxidant ability in soybean leaves under O₃ stress. *Scientia Agricultura Sinica* 44(4): 1-8, **2011** (WoS/Scopus)
- 7326.** Katerova Z, Todorova D, Tasheva K, Sergiev I – Influence of ultraviolet radiation on plant secondary metabolite production. *Genetics and Plant Physiology* 2 (3-4), 113-144, **2012** (review)
- 7327.** More S, Maldar NN, Bhamra P, Sharon M, Sharon M - Antimicrobial activity of Naphthyl Iso-quinoline alkaloids of *Ancistrocladus heyneanus*: I Extracted from Leaves. *Advances in Applied Science Research* 3 (5):2760-2765, **2012**
- 7328.** Neira RT, Cantergiani GL, Riquelme AC, Gatica JY - Efecto de un hidrolizado de pescado sobre la producción de biomasa y concentración de polifenoles totales en plántulas de ají (*Capsicum annum* L.). *INN OVAGRO*, 72-75, No3, Universidad Católica de Temuco, **2012**
- 7329.** Noori M., Askari M., Beigi F. - *Robinia pseudoacacia* L. flavonoids in defence of plant against soil crude oil pollution. *International Journal of Ecosystem*, 2(1): 1-5, **2012**
- 7330.** Redha A, Al-Mansor N, Suleman P, Al-Hasan R, Afzal M - Modulation of antioxidant defenses in *Conocarpus lancifolius* under variable abiotic stress. *Biochemical Systematics and Ecology* 43:80-86, **2012** (WoS/Scopus)
- 7331.** Rodriguez-Urra AB, Jimenez C, Nieto MI. Rodriguez J, Hayashi H, Ugalde U - Signaling the Induction of Sporulation Involves the Interaction of Two Secondary Metabolites in *Aspergillus nidulans*. *ACS Chemical Biology* 7 (3): 599-606, **2012**, DOI: 10.1021/cb200455u (WoS/Scopus)
- 7332.** Shaukat SS, Zaidi S, Khan MA - Effect of supplemental UV-B radiation on germination, seedling growth, and biochemical responses of sunflower (*Helianthus annuus* L.). *Journal of Biology* (Federal Urdu University for arts, science and technology) **2012**

- 7333.** Simlai A, Roy A – Analysis and correlation between phytochemical and antibacterial constituents of *Ceriops decandra*, a medicinal mangrove plant, from Indian Sundarban. *Journal of Medicinal Plants Research* 6(32): 4755-4765, **2012 (WoS/Scopus)**
- 7334.** Šimpraga M – Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees. **PhD Thesis**, Ghent University, Belgium, **2012**
- 7335.** Tarragó J, Filip R, Mroginski L, Sansberro P – Influence of the irradiance on phenols content and rooting of *Ilex paraguariensis* cutting collected from adult plants. *Acta Physiologia Plantarum* 34(6): 2419-2424, DOI 10.1007/s11738-012-1009-8, **2012 (WoS/Scopus)**
- 7336.** Vallotton AD, Murray LW, Delaney KJ, Sterling TM - Water deficit induces swainsonine of some locoweed taxa, but with no swainsonine-growth trade-off. *Acta Oecologica-International Journal of Ecology* 43: 140-149, DOI: 10.1016/j.actao.2012.06.006, **2012 (WoS/Scopus)**
- 7337.** Bartwal A, Mall R, Lohani P, Guru SK, Arora S - Role of secondary metabolites and brassinosteroids in plant defense against environmental stresses. *Journal of Plant Growth Regulation* 32(1): 216-232, **2013**, DOI: 10.1007/s00344-012-9272-x (**review**) (**WoS/Scopus**)
- 7338.** Baslam M, Garmendia I, Goicoechea N - Enhanced accumulation of vitamins, nutraceuticals and minerals in lettuces associated with arbuscular mycorrhizal fungi (AMF): A question of interest for both vegetables and humans. *Agriculture* 3: 188-209, **2013** doi:10.3390/agriculture3010188 (**review**) (**WoS/Scopus**)
- 7339.** Chaparro JM, Badri DV, Bakker MG, Sugiyama A, Manter DK, Vivanco JM - Root exudation of phytochemicals in *Arabidopsis* follows specific patterns that are developmentally programmed and correlate with soil microbial functions. *PLoS ONE* 8(2): e55731. doi:10.1371/journal.pone.0055731, **2013 (WoS/Scopus)**
- 7340.** Darmanti S, Santosa KD, Nugroho LH - Allelopathic effect of *Cyperus rotundus* L. on seed germination and initial growth of *Glycine max* L. The Third Basic Science International Conference - April 16-17, Malang, Indonesia, **2013**, PSB02 - 1-4.
- 7341.** Dhar N, Rana S, Bhat WW, Razdan S, Pandith SA, Khan S, Dutt P, Dhar RS, Vaishnavi S, Vishwakarma R, Lattoo SK - Dynamics of withanolide biosynthesis in relation to temporal expression pattern of metabolic genes in *Withania somnifera* (L.) Dunal: a comparative study in two morpho-chemovariants. *Molecular Biology Reports* 40:7007-7016, **2013** DOI: 10.1007/s11033-013-2820-z (**WoS/Scopus**)
- 7342.** Fischer S, Wilckens R, Jara J, Aranda M - Controlled water stress to improve functional and nutritional quality in quinoa seed. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 12 (5), 457-468, **2013 (WoS/Scopus)**
- 7343.** Hong SY, Roze LV, Wee J, Linz JE - Evidence that a transcription factor regulatory network coordinates oxidative stress response and secondary metabolism in aspergilli. *MicrobiologyOpen* 2(1), 144-160, **2013 (WoS/Scopus)**
- 7344.** Jamalain S, Gholami M, Esna-Ashari M - Absciscic acid-mediated leaf phenolic compounds, plant growth and yield is strawberry under different salt stress regimes. *Theoretical and Experimental Plant Physiology* 25 (4), 291-299, **2013 (WoS/Scopus)**
- 7345.** Karimi S, Yadollahi A, Arzani K - Responses of almond genotypes to osmotic stress induced *in vitro*. *Journal of Nuts* 4(4), 1-7, **2013 (WoS/Scopus)**
- 7346.** Kumari R, Prasad NM V - Medicinal plant active compounds produced by UV-B exposure. In: Sustainable Agriculture Reviews (Eric Lichtfouse, Ed.) Volume 12, **2013**, pp: 225-254, Springer Netherlands, DOI 10.1007/978-94-007-5961-9_8, Print ISBN 978-94-007-5960-2, Series ISSN 2210-4410, **2013 (book)**
- 7347.** Magarelli G, da Silva JG, Filho IAS, Lopes Inayan SD, De Souza JR, Hoffmann LV, de Castro CSP - Development and validation of a voltammetric method for determination of total phenolic acids in cotton cultivars. *Microchemical Journal* 109, SI, 23-28, **2013 (WoS/Scopus)**
- 7348.** Pérez-Clemente RM, Vives V, Zandalinas SI, López-Climent MF, Muñoz V, Gómez-Cadenas A. Biotechnological approaches to study plant responses to stress. *BioMed Research International*, Article ID 654120, **2013** <http://dx.doi.org/10.1155/2013/654120> (**review**) (**WoS/Scopus**)
- 7349.** Selmar D, Kleinwachter M - Influencing the product quality by deliberately applying drought stress during the cultivation of medicinal plants. *Industrial Crops and Products* 42: 558-566, **2013**, (**review**) (**WoS/Scopus**)
- 7350.** Selmar D, Kleinwachter M - Stress enhances the synthesis of secondary plant products: the impact of stress-related over-reduction on the accumulation of natural products. *Plant and Cell Physiology* 54(6), 817-826, **2013 (WoS/Scopus)**
- 7351.** Semida WM, Hadley P, Sobeih W, El-Sawah NA, Barakat MAS - The Influence of Thermic Plastic Films on vegetative and reproductive growth of iceberg lettuce 'Dublin'. *International Journal of Agricultural Science and Engineering* 7(7): 593-598, **2013**
- 7352.** Shaikat SS, Farooq MA, Siddiqui MF, Zaid S - Effect of enhanced UV-B radiation on germination, seedling growth and biochemical responses of *Vigna mungo* (L.) Hepper. *Pak J Bot* 45(3): 779-785, **2013 (WoS/Scopus)**
- 7353.** Simlai A, Roy A - Biological activities and chemical constituents of some mangrove species from Sundarban estuary: An overview. *Pharmacognosy Reviews* 7 (14): 170-178, **2013 (review)** (**WoS/Scopus**)
- 7354.** Zhang J, Shen T, Wang Y, Yang M, Zhang J, Yang S, Yang W, Zhao Y, Zhao Z, Yang T, Jin H - Effect of cultivation condition on the active component contents in *Gentiana rigescens*, a traditional Chinese medicine. *African Journal of Pharmacy and Pharmacology*, 7 (18), 1096-1102, **2013**

- 7355.** Zibbu G, Batra A - Formulation and assessment of biochemical activity of xerophytic plants: *Nerium oleander* and *Thevetia peruviana* belongs to family apocynaceae. *World Journal of Pharmacy and Pharmaceutical Sciences* 2 (2): 650-691, **2013**
- 7356.** Behera KK, Bist R – Allelopathy for pest control. In: *Lichtfouse E. (Ed.) Sustainable Agriculture Reviews* 13: 109-131, **2014** ([review](#)) Springer Int. Publ.
- 7357.** Chocobar-Ponce S, Prado C, González R, Rosa M, Prado FE - Mitochondrial respiration: Involvement of the alternative respiratory pathway and residual respiration in abiotic stress responses, In: *Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment* (Editors: Parvaiz Ahmad, Mohd Rafiq Wani), vol.1, pp 321-364, Springer New York, **2014** ([book](#)) ([WoS/Scopus](#))
- 7358.** Das SK, Samantaray D, Thatoi H - Ethnomedicinal, antimicrobial and antidiarrhoeal studies on the mangrove plants of the genus *Xylocarpus*: A mini review. *Journal Bioanalysis & Biomedicine* S12, 004, **2014**, [doi:10.4172/1948-593X.S12-004](#) ([review](#)) ([WoS/Scopus](#))
- 7359.** Galasso S, Pacifico S, Kretschmer N, Pan S-P, Marciano S, Piccolella S, Monaco P, Bauer R - Influence of seasonal variation on *Thymus longicaulis* C. Presl chemical composition and its antioxidant and anti-inflammatory properties, *Phytochemistry* 107, 80-90, **2014** DOI: [10.1016/j.phytochem.2014.08.015](#) ([WoS/Scopus](#))
- 7360.** Gupta VK, Simlai A, Tiwari M, Bhattacharya K, Roy A - Phytochemical contents, antimicrobial and antioxidative activities of *Solanum sisymbriifolium*. *Journal of Applied Pharmaceutical Science* 4 (03), 075-080, **2014** ([WoS/Scopus](#))
- 7361.** Keerthi D, Geethu C, Nair RA, Pillai P - Metabolic profiling of *Zingiber zerumbet* following *Pythium myriotylum* infection: Investigations on the defensive role of the principal secondary metabolite, zerumbone. *Applied Biochemistry and Biotechnology* 172(5), 2593-2603, **2014** DOI: [10.1007/s12010-013-0707-z](#) ([WoS/Scopus](#))
- 7362.** Kleinwächter M, Selmar D - Influencing the product quality by applying drought stress during the cultivation of medicinal plants, In: *Physiological Mechanisms and Adaptation Strategies in Plants Under Changing Environment* (Editors: Parvaiz Ahmad, Mohd Rafiq Wani), vol.1, pp 57-73, Springer New York, **2014** ([book](#)) ([WoS/Scopus](#))
- 7363.** Mahmood S, Parveen A, Hussain I, Javed S, Iqbal M - Possible involvement of secondary metabolites in the thermotolerance of maize seedlings. *Int. J. Agric. Biol.* 16 (6): 1075-1082, **2014** ([WoS/Scopus](#))
- 7364.** Pérez MGF, Rocha-Guzmán NE, Mercado-Silva E, Loarca-Piña G, Reynoso-Camacho R - Effect of chemical elicitors on peppermint (*Mentha piperita*) plants and their impact on the metabolite profile and antioxidant capacity of resulting infusions. *Food Chemistry* 156, 273-278, **2014** DOI: [10.1016/j.foodchem.2014.01.101](#) ([WoS/Scopus](#))
- 7365.** Ramakrishna A, Ravishankar GA – Role of plant metabolites in abiotic stress tolerance under changing climate conditions with special reference to secondary compounds. In: *Climate Change and Plant Abiotic Stress Tolerance* (Eds. N. Tuteja and S.S. Gill), Wiley-VCH Verlag GmbH & Co. KgaA, Boschstr. 12, 69469 Weinheim, Germany, Chapter 26, pp: 705-725, **2014** ([book](#)) ([WoS/Scopus](#))
- 7366.** Singh DP, Prabha R, Meena KK, Sharma L, Sharma AK - Induced accumulation of polyphenolics and flavonoids in cyanobacteria under salt stress protects organisms through enhanced antioxidant activity. *American Journal of Plant Sciences* 5: 726-735, **2014**
- 7367.** Zhang J-J, Li X-Q, Sun J-W, Jin S-H - Nitric oxide functions as a signal in ultraviolet-B-induced baicalin accumulation in scutellaria baicalensis suspension cultures. *Int. J. Mol. Sci.* 15: 4733-4746, **2014** ([WoS/Scopus](#))
- 7368.** Attia-Ismael SA. Plant Secondary metabolites: Deleterious Effects, Remediation (Special Reference to Forage), In: *Plants, Pollutants and Remediation* (Eds. M Öztürk, M Ashraf, A Aksoy, MSA Ahmad, KR Hakeem), pp. 157-178, Springer, **2015** ([Book](#)) ([WoS/Scopus](#))
- 7369.** Chamam A, Wisniewski-Dyé F, Comte G, Bertrand C, Prigent-Combaret C. Differential responses of *Oryza sativa* secondary metabolism to biotic interactions with cooperative, commensal and phytopathogenic bacteria. *Planta* 242, 6, 1439-1452, **2015** ([WoS/Scopus](#))
- 7370.** de Rezende F.M., de Souza A.P., Buckeridge M.S., Furlan C.M. Is guava phenolic metabolism influenced by elevated atmospheric CO₂? *Environmental Pollution* 196, 483-488, **2015** ([WoS/Scopus](#))
- 7371.** Dharmadasa RM, Abeywardhana KW, Abeysinghe DC, Aththanayake AML, Bandara J, Bandara VS. Determination of suitable agro climatic region and optimum harvesting stage by means of total phenolic content, total flavonoid content and total antioxidant capacity of *Ocimum tenuiflorum* L. (Lamiaceae) grown in Sri Lanka, *World Journal of Agricultural Research* 3, 5, 148-152, **2015**
- 7372.** González MPH. Efecto de los Aceites Esenciales de Plantas Aromático-Medicinales en la Fase de Transición de Animales Monogástricos. Universidad de Murcia, Facultad de Veterinaria, Murcia. ([PhD Thesis](#)), **2015**.
- 7373.** Ho KKK, Kutty SK, Chan D, Chen R, Willcox MDP, Kumar N. Development of Fimbrilides, Halogenated Furanones and their Derivatives as Antimicrobial Agents, In: *Antibacterial Surfaces* (Eds E. Ivanova, R. Crawford), 149-170, **2015** ([Book](#)) ([WoS/Scopus](#))
- 7374.** Jackson ME. Elevated temperature effects on carotenoid biosynthesis in the diploid strawberry, *Fragaria vesca*, , Faculty of the Graduate School of the University of Maryland, **2015** ([PhD Thesis](#))
- 7375.** Kleinwächter M., Selmar D. New insights explain that drought stress enhances the quality of spice and medicinal plants: potential applications, *Agronomy for Sustainable Development* 35, 1, 121-131, **2015** ([WoS/Scopus](#))

- 7376.** Kohan-Baghkheirati E, Geisler-Lee J. Gene expression, protein function and pathways of *Arabidopsis thaliana* responding to silver nanoparticles in comparison to silver ions, cold, salt, drought, and heat. *Nanomaterials* 5(2), 436-467, **2015 (WoS/Scopus)**
- 7377.** Moteriya P, Dalsaniya A, Chanda S. Antioxidant and antimicrobial activity of a mangrove plant *Avicennia marina* (Forssk.), *Journal of Coastal Life Medicine* 3 (9), 930-934, **2015**
- 7378.** Oliveira BF. Análise das atividades antimicrobiana e citotóxica de actinobactérias isoladas de diversos habitats. Universidade Federal de Goiás, Goiânia, Brasil, **2015 (PhD Thesis)**
- 7379.** Pacifico S, Galasso S, Piccolella S, Kretschmer N, Pan S-P, Marciano S, Bauer R, Monaco P. Seasonal variation in phenolic composition, antioxidant and anti-inflammatory activities of *Calamintha nepeta* (L.) Savi. *Food Research International* 69, 121-132, **2015 (WoS/Scopus)**
- 7380.** Rajesh P, Natarajan K, Rajesh Kannan V. Antimicrobial compounds and their chemical entities on therapeutic herbs for agricultural and medical applications. In: *ANTIMICROBIALS: Synthetic and Natural Compounds*, Publisher CRC Press, Taylor & Francis Group Editors Dharumadurai Dhanasekaran, Nooruddin Thajuddin, A. Panneerselvam, Chapter 16, pp. 319-358, **2015, (BOOK) (WoS/Scopus)**
- 7381.** Rakhmankulova ZF, Shuyskaya EV, Shcherbakov AV, Fedyaev VV, Biktimerova GY, Khafisova RR, Usmanov IY. Content of proline and flavonoids in the shoots of halophytes inhabiting the South Urals. *Russian Journal of Plant Physiology* 62 (1), 71-79, **2015 (WoS/Scopus)**
- 7382.** Rashmi R, Vamadevaiah HM. Influence of phenolic compounds imparting resistance to cotton (*Gossypium hirsutum*) against *Helicoverpa armigera*, *International Journal of Tropical Agriculture* 33 (2), 689-696, **2015 (WoS/Scopus)**
- 7383.** Roze LV, Laivenieks M, Hong S-Y, Wee J, Wong S-S, Vanos B, Awad D, Ehrlich KC, Linz JE. Aflatoxin Biosynthesis Is a Novel Source of Reactive Oxygen Species - A Potential Redox Signal to Initiate Resistance to Oxidative Stress? *Toxins* 7(5), 1411-1430, **2015 (WoS/Scopus)**
- 7384.** Rungsung W, Ratha KK, Dutta S, Dixit AK, Hazra J. Secondary metabolites of plants in drugs discovery. *World Journal of Pharmaceutical Research* 4(7): 604-613, **2015.**
- 7385.** Aissi O, Boussaid M, Messaoud C. Essential oil composition in natural populations of *Pistacia lentiscus* L. from Tunisia: Effect of ecological factors and incidence on antioxidant and antiacetylcholinesterase activities, *Industrial Crops and Products*, 91, 56-65, **2016 (WoS/Scopus)**
- 7386.** Anstett DN, Nunes K, Baskett C, Kotanen PM – Sources of controversy surrounding latitudinal patterns in herbivory and defense. *Trends in Ecology & Evolution* 31, 10, 789-802, **2016, DOI: 10.1016/j.tree.2016.07.011 (Review) (WoS/Scopus)**
- 7387.** Benítez G, Molero-Mesa J, Reyes González-Tejero M. A model to analyse the ecology and diversity of ethnobotanical resources: case study for Granada Province, Spain, *Biodiversity and Conservation*, 25, 4, 771-789, **2016 (WoS/Scopus)**
- 7388.** Darmanti S. Cumulative Effect of Biotic and Abiotic Stress to the Shoot Growth Decrease of Soybean [*Glycine max* (L.) Merr.] cv. Grobogan, *Buletin Anatomi dan Fisiologi*, 1, 1, 48-53, **2016**
- 7389.** Foyer CH, Rasool B, Davey JW, Hancock RD. Cross-tolerance to biotic and abiotic stresses in plants: a focus on resistance to aphid infestation. *Journal of Experimental Botany* 67(7), 2025-2037, **2016 doi: 10.1093/jxb/erw079 (WoS/Scopus)**
- 7390.** García-Mendiguren O, Montalbán IA, Correia S, Canhoto J, Moncaleán P. Different environmental conditions at initiation of radiata pine somatic embryogenesis determine the protein profile of somatic embryos. *Plant Biotechnology*, 16-0520, **2016 (WoS/Scopus)**
- 7391.** Ingle KP, Padole DA, Khelurkar VC. Secondary Metabolites for Plant Growth Promotion and Plant Protection. *Advances in Life Sciences* 5(23), **2016**
- 7392.** Karimi M, Ahmadi A, Hashemi J, Abbasi A, Tavarini S, Pompeiano A, Guglielminetti L, Angelini LG. The positive role of steviol glycosides in stevia (*Stevia rebaudiana* Bertoni) under drought stress condition, *Plant Biosystems* 150(6), 1323-1331, DOI: 10.1080/11263504.2015.1056857, **2016 (WoS/Scopus)**
- 7393.** Lin D, Xiao M, Zhao J, Li Z, Xing B, Li X, Kong M, Li L, Zhang Q, Liu Y, Chen H. An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*. 21, 10, 1374, **2016 (WoS/Scopus)**
- 7394.** Pacifico S, Piccolella S, Galasso S, Fiorentino, Kretschmer N, Pan S-P, Bauer R, Monaco P. Influence of harvest season on chemical composition A and bioactivity of wild rue plant hydroalcoholic extracts, *Food and Chemical Toxicology* 90, 102-111, **2016 doi: 10.1016/j.fct.2016.02.009 (WoS/Scopus)**
- 7395.** Ratnawati D. Pengujian aktivitas analgesik fraksi etil asetat daun *Jatropha gossypifolia* pada mencit (*Mus musculus*) dengan metode geliat (writhing test), **PhD Thesis**, Universitas Muhammadiyah Malang, India., **2016**
- 7396.** Sampaio BL, Edrada-Ebel R, Da Costa FB. Effect of the environment on the secondary metabolic profile of *Tithonia diversifolia*: a model for environmental metabolomics of plants, *Scientific Reports*, 6, 29265, **2016 (WoS/Scopus)**
- 7397.** Stagnari F, Galleni A, Pisante M. Chapter 23. Drought stress effects on crop quality. In: *Water Stress and Crop Plants: A Sustainable Approach* (ed. Parvaz Ahmad), 375-392, Wiley Blackwell., **2016 (BOOK) (WoS/Scopus)**
- 7398.** Aboukhalid K, Al Faiz C, Douaïk A, Bakha M, Kursi K, Agacka-Mołodoch M, Machon N, Tomi F, Lamiri L. Influence of environmental factors on essential oil variability in *Origanum compactum* Benth. growing wild in Morocco, *Chemistry & Biodiversity* 14, 9, e1700158, **2017 DOI:10.1002/cbdv.201700158 (WoS/Scopus)**

- 7399.** Ahmed E, Arshad M, Khan MZ, Amjad MS, Sadaf HM, Riaz I, Sabir S, Ahmad N, Sabaoon - Secondary metabolites and their multidimensional prospective in plant life. *Journal of Pharmacognosy and Phytochemistry* 6 (2): 205-214, **2017**
- 7400.** Alagbe Seyi Valerie, Ibi Anna, Toge Christal, Amuzie Uzo Felicia, Ftepti Benson Jelani, Raji Bamanga. Antimicrobial and physicochemical evaluation of *Luffa acutangula* leaf extracts. *Biochemistry and Molecular Biology* 2(6), 80-85, **2017**, doi: [10.11648/j.bmb.20170206.13](https://doi.org/10.11648/j.bmb.20170206.13) <http://article.sciencepublishinggroup.com/pdf/10.11648/j.bmb.20170206.13.pdf>
- 7401.** Bhattacharjee A, Sharma R, Jain M. Over-Expression of OsHOX24 Confers Enhanced Susceptibility to Abiotic Stresses in Transgenic Rice via Modulating Stress-Responsive Gene Expression, *Frontiers in Plant Science*, 8, Article 628, doi: [10.3389/fpls.2017.00628](https://doi.org/10.3389/fpls.2017.00628), **2017 (WoS/Scopus)**
- 7402.** Das A, Rushton PJ, Rohila JS. Metabolomic Profiling of Soybeans (*Glycine max* L.) Reveals the Importance of Sugar and Nitrogen Metabolism under Drought and Heat Stress, *Plants*, 6, 2, 21, doi: [10.3390/plants6020021](https://doi.org/10.3390/plants6020021), **2017 (WoS/Scopus)**
- 7403.** Divya TC, Katageri IS, Jadhav MP, Sateesh Adiger, Vamadevaiah HM, Olekar NS. Biochemical constituents imparting resistance to sucking pest aphid in cotton (*Gossypium* spp.), *International Journal of Current Microbiology and Applied Sciences*, 6, 12, 2749-2757, **2017**
- 7404.** Geetika S, Mushtaq R, Mir MA, Alyemeni MN, Alam P, Ahmad P. Characterization of jasmonic acid - induced phenols in *Vigna radiata* under salt stress, *Pakistan Journal of Botany*, 49, 5, 1647-1654, **2017 (WoS/Scopus)**
- 7405.** Ivanova R. Antioxidant activity of safflower leaves and its modification by abiotic factors, *Lucrări Științifice, seria Agronomie* 60(2), 193-196, **2017** <http://www.uaia.ro/revagrois/PDF/2017-2/paper/38.pdf>
- 7406.** Jeelani SM, Farooq U, Gupta AP, Lattoo SK. Phytochemical evaluation of major bioactive compounds in different cytotypes of five species of *Rumex* L., *Industrial Crops and Products*, 109, 897-904, **2017 (WoS/Scopus)**
- 7407.** Katerova Z., Todorova D., Sergiev I. - Plant secondary metabolites and some plant growth regulators elicited by UV irradiation, light and/or shade. In: Ghorbanpour M., Varma A. (eds) *Medicinal Plants and Environmental Challenges*. Springer, Cham, pp. 97-121, **2017**, https://doi.org/10.1007/978-3-319-68717-9_6 (**book**) (**WoS/Scopus**)
- 7408.** Korkina L, Mayer W, de Luca C. Meristem plant cells as a sustainable source of redox actives for skin rejuvenation, *Biomolecules*, 7, 2, 40, 1-22, **2017 (WoS/Scopus)**
- 7409.** Simlai A, Gangwar A, Ghonge SA, Roy A. Antimicrobial and antioxidative activities in the stem extracts of *Derris trifoliata*, a mangrove shrub, *Journal of Pharmaceutical Research International*, 17, 3, 1-10, **2017**
- 7410.** Taylor TC – Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests. The University of Arizona, **2017**, **PhD Thesis**, <http://hdl.handle.net/10150/623061>
- 7411.** Valerie AS, Anna
- 7412.** I, Christal T, Felicia AU, Jelani FB, Bamanga R. Antimicrobial and physicochemical evaluation of *Luffa acutangula* leaf extracts. *Biochemistry and Molecular Biology* 2(6): 80-85, **2017**; <http://www.sciencepublishinggroup.com/j/bmb>
- 7413.** Yeganehpour F, Zehtab-Salmasi S, Ghassemi-Golezani K, Shafagh-Kolvanagh J, Dastborhan S. The effect of water stress, salicylic acid and bio-fertilizer on quality of leaf and seed essential oil, and oil components of coriander, *Net Journal of Agricultural Science*, 52, 2, 38-47, **2017**
- 7414.** Yeganehpour F, Zehtab-Salmasi S, Ghassemi-Golezani K, Shafagh-Kolvanagh J, Dastborhan S. The impact of Nitrokara and salicylic acid on proline content and essential oil composition of coriander under different water supply, *American Journal of Essential Oils and Natural Products* 5(3):32-40. **2017**
- 7415.** Yıldırım S, Kadioğlu A, Sağlam A, Yaşar A. Determination of Phenolic Acids and Rutin in *Heliotropium thermophilum* by High-Performance Liquid Chromatography with Photodiode Array Detection, *Instrumentation Science & Technology*, 45, 1, 35-48, **2017 (WoS/Scopus)**
- 7416.** Боярских ИГ, Васильев ВГ. Вариации содержания биологически активных полифенолов в органах *Lonicera caerulea* subsp. *Prallasi* в связи с условиями произрастания, Новые Достижения в Химии и Химической Технологии Растительного Сырья, *Материалы VII Всероссийской конференции с международным участием*, Барнаул 2017, 138-140, **2017**
- 7417.** Гончарук ЕА, Загоскина НВ. Тяжелые металлы: поступление, токсичность и защитные механизмы растений (на примере ионов кадмия), *Вісник Харківського Національного Аграрного Університету Серія Біологія*, 1, 40, 35-49, **2017**
- 7418.** Balažová A, Urdová J, Bilka F, Holková I, Horváth B, Forman V, P Mučaji. Evaluation of manganese chloride's effect on biosynthetic properties of in vitro cultures of *Eschscholzia californica* Cham. *Molecules* 23(4): 971, **2018**, doi: [10.3390/molecules23040971](https://doi.org/10.3390/molecules23040971) (**WoS/Scopus**)
- 7419.** Banupriya R, Jayaseelan K, Saranya R, Elumalai S. Studies on phytochemicals and anti-inflammatory activity of *caesalpinia bonducella* (LINN). *Journal of Pharma Research* 7(5):63-69, **2018** <https://doi.org/10.5281/zenodo.1249649> (**WoS/Scopus**)
- 7420.** Christopher A, Sarkar D, Zwinger S, Shetty K. Ethnic food perspective of North Dakota Common Emmer wheat and relevance for health benefits targeting type 2 diabetes. *Journal of Ethnic Foods* 5(1): 66-74, **2018**, <https://doi.org/10.1016/j.jef.2018.01.002> (**WoS/Scopus**)
- 7421.** Darmanti S, Santosa, Nugroho LH, Dewi K. Reactive oxygen species accumulations, phenylalanine ammonialyase activity and phenolic acid composition of soybean [*Glycine max* (L.) Merr.] cv. Grobogan that

exposed to multiple stress of purple nutsedge (*Cyperus rotundus* L.) interference and drought. *The Journal of Animal & Plant Sciences*, 28(1), 244-251, **2018 (WoS/Scopus)**

7422. Darmanti S. Interaction of allelopathy and allelochemicals compound : its potential as bioherbicide.

Buletin Anatomi dan Fisiologi 3(2):181-187, **2018. Review**

<https://ejournal2.undip.ac.id/index.php/baf/article/viewFile/4055/2250>

7423. Ferdous N, Rahman M, Alamgir ANM. Secondary metabolites and bioactivities of *Melastoma malabathricum* (L.) smith: an anti-diarrheal plant of bangladesh. *To Chemistry Journal* 1(3):256-262, **2018.**

<https://purkh.com/index.php/tochem/article/view/158/196>

7424. Gallego MG. Epidemiology and physiological impact of aerial *Phytophthora pluvialis* in New Zealand and Oregon forest systems. Auckland University of Technology, New Zealand, **2018, PhD Thesis**

7425. Kerry RG, Pradhan P, Das G, Gouda S, Swamy MK, Patra JK. Anticancer potential of mangrove plants: neglected plant species of the marine ecosystem. In: Akhtar M, Swamy M (eds) *Anticancer plants: Properties and Application*. Springer, Singapore, pp. 303-325, **2018.** https://doi.org/10.1007/978-981-10-8548-2_13 (**BOOK**) (**WoS/Scopus**)

7426. Khalil N, Fekry M, Bishr M, El-Zalabani S, Salama O. Foliar spraying of salicylic acid induced accumulation of phenolics, increased radical scavenging activity and modified the composition of the essential oil of water stressed *Thymus vulgaris* L., *Plant Physiology and Biochemistry*, 123, 65-74, **doi: 10.1016/j.plaphy.2017.12.007, 2018 (WoS/Scopus)**

7427. Liu P, Shi Y, Zhu L. Genetic variation in resistance to *Valsa* canker is related to arbutin and gallic acid content in *Pyrus bretschneideri*. *Horticultural Plant Journal* 4(6): 233-238, **2018,** <https://doi.org/10.1016/j.hpj.2018.09.002> (**WoS/Scopus**)

7428. Mahmood B. In vivo, in vitro micropropagation and chemical characterisation of medicinal compounds in chamomile and yarrow species (Asteraceae). University of Plymouth, **2018 (PhD Thesis).** <http://hdl.handle.net/10026.1/10662>

7429. Naranjo-Gómez EJ, Puertas-Mejía MA, Mejía-Giraldo JC, Amaya-Nieto AZ, Atehortúa L. Micropropagation of *Baccharis antioquiensis* (Asteraceae) and photoinduction of polyphenols by UV radiation. *Revista De Biología Tropical* 66(2): 754-764, **2018** <https://revistas.ucr.ac.cr/index.php/rbt/article/view/33406> (**WoS/Scopus**)

7430. Nunes KAM. Impacts of aboveground and belowground interactions on the performance of an invasive thistle, *Cirsium arvense*. Department of Ecology and Evolutionary Biology, University of Toronto, Canada, **2018. PhD Thesis**

7431. Piccolella S, Crescente G, Pacifico F, Pacifico S. Wild aromatic plants bioactivity: a function of their (poly)phenol seasonality? A case study from Mediterranean area. *Phytochemistry Reviews* 17(4):785-799, **2018** <https://doi.org/10.1007/s11101-018-9558-0> (**Review**) (**WoS/Scopus**)

7432. Rahman M, Ferdous N, Alamgir AN. Secondary Metabolites and Bioactivities of *Melastoma Malabathricum* (L.) Smith: An Anti-Diarrheal Plant of Bangladesh. *To Chemistry Journal*, 1, 3, 256-263, **2018** <http://purkh.com/index.php/tochem>

7433. Wakelin SA, Gomez-Gallego M, Jones E, Smaill S, Lear G, Lambie S. Climate change induced drought impacts on plant diseases in New Zealand. *Australasian Plant Pathology* 47(1):101-114, **2018.** <https://doi.org/10.1007/s13313-018-0541-4> (**Review**) (**WoS/Scopus**)

7434. Zahoor A. In vitro studies on mass propagation and secondary metabolite enhancement in two important medicinal plants: *Allium sativum* var. Snow mountain garlic and *Lavatera cashmeriana* (an endangered medicinal plant). Sam Higginbottom University of Agriculture, Technology and sciences, Allahabad, India, **2018. PhD Thesis.** <https://krishikosh.egranth.ac.in/bitstream/1/5810064074/1/full%20thesis.pdf>

7435. Боярских ИГ, Васильев ВГ, Кукушкина ТА. Содержание биологически активных полифенолов *Lonicera caerulea* subsp. *Pallasii* в природе и культуре. *Химия растительного сырья* 2:89-96, **2018**

7436. Живухина ЕА, Лапшин ПВ, Ертикеева НС, Загоскина НВ. Изменения в накоплении фенольных соединений у растений семейства тыквенные в условиях воздействия ионов меди. стр. 142-146. Фенольные соединения: функциональная роль в растениях: Сборник научных статей по материалам X Международного симпозиума «Фенольные соединения: фундаментальные и прикладные аспекты», Москва, 14-19 мая 2018 г. / отв. ред. Н.В. Загоскина – М.: ИФР РАН, – 2018. 443 с.: ил. – ISBN 978-5-6040654-5-7, **2018**

7437. Abdi G, Shokrpour M, Karami L, Salami SA. Prolonged water deficit stress and methyl jasmonate-mediated changes in metabolite profile, flavonoid concentrations and antioxidant activity in peppermint (*Mentha × piperita* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 47(1): 70-80, **2019.** <http://dx.doi.org/10.15835/nbha47110952> (**WoS/Scopus**)

7438. Adegoke AS, Jerry OV, Ademola OG. GC-MS analysis of phytochemical constituents in methanol extract of wood bark from *Durio zibethinus* Murr. *International Journal of Medicinal Plants and Natural Products* (IJMPNP) 5(3):1-11, **2019.** <http://dx.doi.org/10.20431/2454-7999.0503001>.

7439. Amini SM, Akbari A. Metal nanoparticles synthesis through natural phenolic acids. *IET Nanobiotechnology* 13(8):771-777, **2019.** **doi: 10.1049/iet-nbt.2018.5386. (WoS/Scopus)**

7440. Aruwayo A, Adeleke RA. A **Review** of browse plants' use in the tropics and their chemical constituents. *FUDMA Records of Chemical Sciences* 1(3):72-81, **2019.** <http://journal.fudutsinma.edu.ng/index.php/rcs/article/view/1376>.

7441. Arya SS, Devi S, Ram K, Kumar S, Kumar N, Mann A, Kumar A, Chand G. Halophytes: The plants of therapeutic medicine. In: *Ecophysiology, Abiotic Stress Responses and Utilization of Halophytes*. Hasanuzzaman Mirza, Nahar Kamrun, Öztürk Münir (Eds.), ISBN 978-981-13-3762-8. Chapter 13, pp. 271-287, **2019**. <https://www.springer.com/us/book/9789811337611> **BOOK (WoS/Scopus)**
7442. Austen N, Walker HJ, Lake JA, Phoenix GK, Cameron DD. The regulation of plant secondary metabolism in response to abiotic stress: interactions between heat shock and elevated CO₂. *Frontiers in Plant Science* 10:1463, **2019**. doi: 10.3389/fpls.2019.01463. **(WoS/Scopus)**
7443. Bhattacharya A. Chapter 5: High-temperature stress and metabolism of secondary metabolites in plants. In: *Effect of High Temperature on Crop Productivity and Metabolism of Macro Molecules*. pp. 391-484 ISBN: 978-0-12-817562-0, Academic Press, Elsevier Inc., **2019** <https://scholar.google.com/scholar?cluster=8286664439400462320&hl=en&oi=scholaralrt&hist=P53aOtQAAAAJ:11994631408768107216:AAGBfm3mdWc17KtrMfpgNY8Haq8VbcRO9w> **BOOK (WoS/Scopus)**
7444. Boyarskih IG, Syso AI, Siromlya TI. Variability of chemical elements and biologically active polyphenols in *Lonicera caerulea* subsp. *Altaica* (Caprifoliaceae) plant organs along an altitudinal gradient. *Contemporary Problems of Ecology* 12(6):594-606, **2019**. <https://doi.org/10.1134/S1995425519060039>. **(WoS/Scopus)**
7445. Damtie D, Braunberger C, Conrad J, Mekonnen Y, Beifuss U. Composition and hepatoprotective activity of essential oils from Ethiopian thyme species (*Thymus serrulatus* and *Thymus schimperi*). *Journal of Essential Oil Research* 31(2):120-128, **2019**, <https://doi.org/10.1080/10412905.2018.1512907> **(WoS/Scopus)**
7446. Ganjewala D, Kaur G, Srivastava N. Metabolic engineering of stress protectant secondary metabolites to confer abiotic stress tolerance in plants. In: Singh S, Upadhyay S, Pandey A, Kumar S (eds) *Molecular Approaches in Plant Biology and Environmental Challenges. Energy, Environment, and Sustainability*. Springer, Singapore, pp. 207-227, **2019**. https://doi.org/10.1007/978-981-15-0690-1_11 **(BOOK)**
7447. Geetha S, Rajeswari S. A preliminary study on phytochemical screening, proximate analysis and anti-bacterial activities of *Andrographis paniculata* seed extract. *Research Journal of Pharmacy and Technology* 12(5), **2019**. DOI: 10.5958/0974-360X.2019.00345.7 **(WoS/Scopus)**
7448. Gholamreza AB, Shokrpour M, Karami L, Salami SA. Prolonged water deficit stress and methyl jasmonate-mediated changes in metabolite profile, flavonoid concentrations and antioxidant activity in peppermint (*Mentha × piperita* L.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 47(1): 70-80, **2019**. DOI:10.15835/nbha47110952
7449. Gupta A, Singh PP, Singh K, Singh AV, Singh SK, Kumar A, Singh P. Medicinal plants under climate change: Impacts on pharmaceutical properties of plants. Chapter 8, pp: 181-209. In: *Climate Change and Agricultural Ecosystems*, 1st Edition Current Challenges and Adaptation, (Eds: KK Choudhary, A Kumar, AK Singh). ISBN: 9780128164839, Imprint: Woodhead Publishing, 520 p., **2019** **BOOK (WoS/Scopus)**
7450. Haydari M, Maresca V, Rigano D, Taleei A, Bushehri AAS, Hadian J, Sorbo S, Guida M, Manna C, Piscopo M, Notariale R, De Ruberto F, Fusaro L, Basile A. Salicylic acid and melatonin alleviate the effects of heat stress on essential oil composition and antioxidant enzyme activity in *Mentha × piperita* and *Mentha arvensis* L. *Antioxidants* - Basel 8, 547, **2019**. doi:10.3390/antiox8110547. **(WoS/Scopus)**
7451. Isah T. Stress and defense responses in plant secondary metabolites production. *Biological Research* 52:39, **2019**. <https://doi.org/10.1186/s40659-019-0246-3>. **(WoS/Scopus)**
7452. Jalil SU, Ansari MI. Chapter 35 - Nanoparticles and abiotic stress tolerance in plants: synthesis, action, and signaling mechanisms. In: Editor(s): Khan MIR, Reddy PS, Ferrante A, Khan NA, *Plant Signaling Molecules, Role and Regulation Under Stressful Environments*, Woodhead Publishing, Pages 549-561, **2019**. <https://doi.org/10.1016/B978-0-12-816451-8.00034-4>. **(WoS/Scopus)**
7453. Kaur N, Kumar V, Rishi P, Sehrawat N, Dilawari R, Kumar P, Aggarwal NK. Phytomedicine: History, scope and future prospects. Chapter 6 In: M Yadav, V Kumar, N Sehrawat (Eds.), *Industrial Biotechnology: Plant Systems, Resources and Products*, pp. 105–120. Berlin, Boston: De Gruyter. **2019**. <https://doi.org/10.1515/9783110563337-006>. Book DOI: <https://doi.org/10.1515/9783110563337>. Online ISBN: 9783110563337. **(WoS/Scopus)**
7454. Liu P, Shi Y, Zhu L. Genetic variation in resistance to valsa canker is related to arbutin and gallic acid content in *Pyrus bretschneideri*. *Horticultural Plant Journal* 4(6): 233-238, **2019**. <https://doi.org/10.1016/j.hpi.2018.09.002> **(WoS/Scopus)**
7455. Ma Y, Li X, Gu Z, Li J. Leaf color and growth change of sedum rubrotinctum caused by two commercial chemical products. *HortScience* 54(3):434–444, **2019**. <https://doi.org/10.21273/HORTSCI13557-18> **(WoS/Scopus)**
7456. Maaloul A, Michale S, Saadaoui E, Ghzel N, Bekir J, Romdhane CB, Mars M, Dijoux-Franca M-G, Romdhane M. Effect of treated wastewater on growth and secondary metabolites production of two Eucalyptus species. *Agricultural Water Management* 211, 1-9, **2019** <https://doi.org/10.1016/j.agwat.2018.09.027> **(WoS/Scopus)**
7457. Mamidi G, Polaki S. Green synthesis of silver nanoparticles using three widely available mangrove associate plants: characterization, antimicrobial property. *International Journal of Research and Analytical Reviews (IJRAR)* 6(1):565-577, **2019**. <http://www.ijrar.org> (E-ISSN 2348-1269, P- ISSN 2349-5138) IJAR19J1077.
7458. Masondo NA, Aremu AO, Kulkarni MG, Petřík I, Plačková L, Šubrtová M, Novák O, Grúz J, Doležal K, Strnad M, Finnie JF, Van Staden J. How do different watering regimes affect the growth, chlorophyll fluorescence, phytohormone, and phenolic acid content of greenhouse-grown *Ceratotheca triloba*? *Journal of Plant Growth Regulation* 38:385-399, **2019**. <https://doi.org/10.1007/s00344-018-9848-1> **(WoS/Scopus)**

- 7459.** Messina CM, Renda G, Laudicella VA, Trepos R, Fauchon M, Hellio C, Santulli A. From ecology to biotechnology, study of the defense strategies of algae and halophytes (from Trapani Saltworks, NW Sicily) with a focus on antioxidants and antimicrobial properties. *International Journal of Molecular Sciences* 20, art. ID 881, **2019**. doi:10.3390/ijms20040881 (WoS/Scopus)
- 7460.** Mohammadi M, Modarres-Sanavy SAM, Pirdashti H, Zand B, Tahmasebi-Sarvestania Z. Arbuscular mycorrhizae alleviate water deficit stress and improve antioxidant response, more than nitrogen fixing bacteria or chemical fertilizer in the evening primrose. *Rhizosphere* 9:76-89, **2019**, <https://doi.org/10.1016/j.rhisph.2018.11.008>
- 7461.** Motta EVS, Sampaio BL, Costa JC, Teixeira SP, Bastos JK. Quantitative analysis of phenolic metabolites in *Copaifera langsdorffii* leaves from plants of different geographic origins cultivated under the same environmental conditions. *Phytochemical Analysis* 30(3):364-372, **2019**. <https://doi.org/10.1002/pca.2819> (WoS/Scopus)
- 7462.** Sharmila S, Ramya EK, Mownika S, Nalli R. New approach for estimation of biomarker quercetin in ethanolic leaf extract of *Acacia caesia* (L.) Willd., by HPLC method. *International Research Journal of Pharmacy* 10(5):145-149, **2019**; <http://dx.doi.org/10.7897/2230-8407.1005181>
- 7463.** Shin NN, Jeon H, Jung Y, Baek S, Lee S, Yoo HC, Bae GH, Park K, Yang S-H, Han JM, Kim I, Kim YS. Fluorescent 1,4-naphthoquinones to visualize diffuse and dense-core amyloid plaques in APP/PS1 transgenic mouse brains. *ACS Chemical Neuroscience* 10(6): 3031-3044, **2019**. DOI: 10.1021/acschemneuro.9b00093 (WoS/Scopus)
- 7464.** Wang J, Yuan B, Huang B. Differential heat-induced changes in phenolic acids associated with genotypic variations in heat tolerance for hard fescue. *Crop Science* 59(2): 667-674, **2019**. (WoS/Scopus)
- 7465.** Wang X, Guo R, Li M, Liu Y, Zhao M, Fu H, Liu X, Wang S, Shi L. Metabolomics reveals the drought-tolerance mechanism in wild soybean (*Glycine soja*). *Acta Physiologiae Plantarum* 41: 161, **2019**. <https://doi.org/10.1007/s11738-019-2939-1>. (WoS/Scopus)
- 7466.** Xu C, Jin M, Zhang X. Roles of microbial metabolites in bacteriophage-microbe interactions. In: *Virus Infection and Tumorigenesis*. X. Zhang (ed.), Springer Nature Singapore Pte Ltd., pp. 175-207, **2019**. https://doi.org/10.1007/978-981-13-6198-2_6 (BOOK)
- 7467.** Zaidi SHR, Zakari SA, Zhao Q, Khan AR, Shah JM, Cheng F. Anthocyanin accumulation in black kernel mutant rice and its contribution to ROS detoxification in response to high temperature at the filling stage. *Antioxidants - Basel* 8, 510, **2019**. doi:10.3390/antiox8110510. (WoS/Scopus)
- 7468.** Acidri R, Sawai Y, Sugimoto Y, Handa T, Sasagawa D, Masunaga T, Yamamoto S, Nishihara E. Exogenous kinetin promotes the nonenzymatic antioxidant system and photosynthetic activity of coffee (*Coffea arabica* L.) plants under cold stress conditions. *Plants* 9(2), 281, **2020**. <https://doi.org/10.3390/plants9020281>. (WoS/Scopus)
- 7469.** Adeleke RA, Aruwayo A, Hamza A. Influence of post-harvest processing methods on chemical composition, dry matter and organic matter degradability of acacia (*Acacia hockii*) leaf meal. *FUDMA Journal of Sciences* 4(1), 282 – 288, **2020**. <https://fjs.fudutsinma.edu.ng/index.php/fjs/article/view/48>.
- 7470.** Ahanger MA, Bhat JA, Siddiqui MH, Rinklebe J, Ahmad P. Integration of silicon and secondary metabolites integration in plants: A Significant association in stress tolerance. *Journal of Experimental Botany* 71(21), 6758-6774, **2020**. <https://doi.org/10.1093/jxb/eraa291>. (WoS/Scopus) (Review)
- 7471.** Antil R, Singh L, Gahlawat DK, Dahiya P. Antimicrobial, phytochemical and antioxidant potential of *Lamiaceae* family plant: *L. aspera* (WILLD.) Linn. *Plant Archives* 20, Supplement 1, 616-630, **2020**. <https://pdfs.semanticscholar.org/e0dc/fe9813fd0f42456a1771437b31779996485.pdf>. (WoS/Scopus)
- 7472.** Arora C, Arora D, Chatterjee S, Tamrakar V. Chapter 2. Phenolic content and antioxidant activity of *Chenopodium album* linn. and *Curcuma caesia* roxb. In: *Natural Products and Their Utilization Pattern*, G Tewari, A Tewari, LM Tewari, C Pande (Eds). nova Science Publisher, **2020**. ISBN: 978-1-53618-140-1, Categories: 2020, Chemistry, Chemistry, Chemistry Research and Applications, Newly Published Books, Nova, Special Topics, Tags: 9781536181401, 9781536182118, chemistry. <https://novapublishers.com/shop/natural-products-and-their-utilization-pattern/> [BOOK]
- 7473.** Bhat BA, Islam ST, Ali A, Sheikh BA, Tariq L, Ul Islam S, Ul Hassan Dar T. Role of micronutrients in secondary metabolism of plants. In: Aftab T, Hakeem K (eds) *Plant Micronutrients. Deficiency and Toxicity Management*, Springer, Cham. pp. 311-329, **2020**. https://doi.org/10.1007/978-3-030-49856-6_13. [BOOK] (WoS/Scopus)
- 7474.** Buckley S, Ahmed S, Griffin T, Orians C. Extreme precipitation enhances phenolic concentrations of spinach (*Spinacia oleracea*). *Journal of Crop Improvement* 34(5), 618-636, **2020**. <https://doi.org/10.1080/15427528.2020.1750521>. (WoS/Scopus)
- 7475.** Bioltif YE, Sase TJ, Nehemiah TO. Phytochemical screening and review of the pharmacological importance of *Erythrina senegalensis*. *International Journal of Trend in Scientific Research and Development* 4(3), 292-296, **2020**. <http://www.ijtsrd.com/papers/ijtsrd30350.pdf>.
- 7476.** Buckley S. Enhancing plant growth and carbon harvesting for sustainable agriculture. Boston University, [PhD Thesis], **2020**. <https://open.bu.edu/handle/2144/39854>.
- 7477.** Chandra P, Enespa, Singh R. Soil salinity and its alleviation using plant growth-promoting fungi. In: Yadav A, Mishra S, Kour D, Yadav N, Kumar A (eds) *Agriculturally Important Fungi for Sustainable Agriculture*. Fungal Biology. Springer, Cham. pp.101-148, **2020**. http://doi.org/10.1007/978-3-030-48474-3_4. [BOOK]
- 7478.** Choudhury M, Mukherjee K, De A, Samanta A, Roy A. Partial purification and characterization of albain 1, a triterpene with antimicrobial activity, from the wood extract of *Avicennia alba* Blume. *Journal of Pharmaceutical Research International* 32(2), 38-48, **2020**. <https://doi.org/10.9734/jpri/2020/v32i230402>.

7479. Edward BY, Sase TJ, Nehemiah TO. Phytochemical screening and review of the pharmacological importance of *Erythrina senegalensis*. *International Journal of Trend in Scientific Research and Development* 4(3), 292-296, 2020. www.ijtsrd.com/papers/ijtsrd30350.pdf.
7480. Gutierrez N, Avila CM, Torres AM The bHLH transcription factor VtTT8 underlies zt2, the locus determining zero tannin content in faba bean (*Vicia faba* L.). *Scientific Reports* 10, 14299, 2020. <https://doi.org/10.1038/s41598-020-71070-2>. (WoS/Scopus)
7481. Hadi Soltanabad M, Bagherieh-Najjar MB, Mianabadi M. Carnosic acid content increased by silver nanoparticle treatment in rosemary (*Rosmarinus officinalis* L.). *Applied Biochemistry and Biotechnology* 191, 482-495, 2020. <https://doi.org/10.1007/s12010-019-03193-w>. (WoS/Scopus)
7482. Jakovljević D, Stanković M. Adaptive strategies of plants under adverse environment: Mitigating effects of antioxidant system. In: Hasanuzzaman M. (ed.) *Plant Ecophysiology and Adaptation under Climate Change: Mechanisms and Perspectives II*. Springer, Singapore, pp. 163-186, 2020. https://doi.org/10.1007/978-981-15-2172-0_8. (WoS/Scopus)
7483. Kaigongi M. Chemosystematics, antimicrobial and antiproliferative activities of the Kenyan *Zanthoxylum* species and *Dodonaea viscosa* populations. University of Nairobi, 2020. [PhD Thesis]
7484. Karki KB, Mishra AK, Choi S-J, Baek K-H. Effect of Ultraviolet C irradiation on isoflavone concentrations in different cultivars of soybean (*Glycine max*). *Plants* 9(8), 1043, 2020. <https://doi.org/10.3390/plants9081043>. (WoS/Scopus)
7485. Khan H, Reale M, Ullah H, Sureda A, Tejada S, Wang Y, Zhang Z-J, Xiao J. Anti-cancer effects of polyphenols via targeting p53 signaling pathway: updates and future directions. *Biotechnology Advances* 38, art. number 107385, 2020. Review. <https://doi.org/10.1016/j.biotechadv.2019.04.007>. (WoS/Scopus)
7486. Kim Y-G, Komakech R, Jeong DH, Park Y, Lee TK, Kim KH, Lee AY, Moon BC, Kang Y. Verification of the field productivity of *Rehmannia glutinosa* (Gaertn.) DC developed through optimized in vitro culture method. *Plants* 9(3), 317, 2020. <https://doi.org/10.3390/plants9030317>. (WoS/Scopus)
7487. Libik-Konieczny M, Michalec-Warzecha Ż, Dziurka M, Zastawny O, Konieczny R, Rozpadek P, Pistelli L. Steviol glycosides profile in *Stevia rebaudiana* Bertoni hairy roots cultured under oxidative stress-inducing conditions. *Applied Microbiology and Biotechnology* 104, 5929-5941, 2020. <https://doi.org/10.1007/s00253-020-10661-5>. (WoS/Scopus)
7488. Moayedinezhad A, Mohammadparast B, Salekdeh GH, Mohsenifard E, Nejatian MA. Effects of drought stress on total phenolics, phenolic acids, polyamines and some organic acids in two important Iranian grapevine cultivars. *Journal of Plant Process and Function* 8(34): 19-26, 2020. <http://jispp.iut.ac.ir/article-1-1199-en.html>.
7489. Nanusha MY, Krauss M, Schönsee CD, Günthardt BF, Bucheli TD, Brack W. Target screening of plant secondary metabolites in river waters by liquid chromatography coupled to high-resolution mass spectrometry (LC-HRMS). *Environmental Sciences Europe* 32: 142, 2020. <https://doi.org/10.1186/s12302-020-00399-2>. (WoS/Scopus)
7490. Neupane S, Subedi S, Darai R. Field screening of lentil genotypes against aphid infestation in inner Tarai of Nepal. *Journal of Nepal Agricultural Research Council* 6: 79-84, 2020. <https://doi.org/10.3126/jnarc.v6i0.28118>.
7491. Nouman W, Bashir T, Gul R, Gull T, Olson ME, Shaheen M, Rosa E, Domínguez-Perles R, Soliman WS. Metalliferous conditions induce regulation in antioxidant activities, polyphenolics and nutritional quality of *Moringa oleifera* L. *International Journal of Phytoremediation* 22(13), 1348-1361, 2020. <https://doi.org/10.1080/15226514.2020.1775547>. (WoS/Scopus)
7492. Sanjana Reddy P. Breeding pearl millet for heat stress tolerance. Chapter 3. In: Eds. UC Jha, H Nayyar, S Gupta, *Heat Stress in Food Grain Crops: Plant Breeding and Omics Research*, pp. 67-90, 2020. Bentham Science Publishers Pte. Ltd. ISBN (Online): 978-981-14-7398-2, ISBN (Print): 978-981-14-7396-8. [BOOK]
7493. Sitarek P, Kowalczyk T, Wieczfinska J, Merecz-Sadowska A, Górski K, Śliwiński T, Skała E. Plant extracts as a natural source of bioactive compounds and potential remedy for the treatment of certain skin diseases. *Current Pharmaceutical Design* 26(24), 2859-2875, 2020. <https://doi.org/10.2174/1381612826666200417160049>. (WoS/Scopus)
7494. Soriano K, Clavijo-McCormick A. Volatile emissions of six New Zealand fern species in response to physical damage and herbivory. *New Zealand Journal of Ecology* 44(1):3395, 2020. <https://dx.doi.org/10.20417/nzj ecol.44.5>. (WoS/Scopus)
7495. Srivastava Y, Upadhyay S, Gupta P. Pharmacological perspectives and phytochemical reservoir of *Withania somnifera*: A review. *International Journal of Multidisciplinary Research Confluence* 1(1), 6-14, 2020.
7496. Stanković M. Antioxidant activity of secondary metabolites of *Teucrium* species. In: Stanković M. (ed) *Teucrium Species: Biology and Applications*. Springer, Cham. Chapter, pp. 231-273, 2020. https://doi.org/10.1007/978-3-030-52159-2_10. [BOOK] (WoS/Scopus)
7497. Sudheeran PK, Ovadi R, Galsarker O, Maoz I, Sela N, Maurer D, Feygenberg O, Shamir MO, Alkan N. Glycosylated flavonoids: fruit's concealed antifungal arsenal. *New Phytologist* 225(4), 1788-1798, 2020. <https://doi.org/10.1111/nph.16251>. (WoS/Scopus)
7498. Tamta P, Patni B. Elucidating the role of secondary metabolite and reactive oxygen species in high-temperature stress on medicinal plants. *Journal of Stress Physiology & Biochemistry* 16(4), 13-21, 2020. http://www.jspb.ru/issues/2020/N4/JSPB_2020_4_13-21.pdf.

- 7499.** Yin ZZ, Khine WW, Thu HM. Investigation on phytochemical constituents and antimicrobial activity of *Xylocarpus granatum* J. Koenig. *3rd Myanmar Korea Conference Research Journal* 3(3), 1180-1186, **2020**. <https://www.dagonuniversity.edu.mm/wp-content/uploads/2020/06/Zar-Zar-Yin-1.pdf>
- 7500.** Abderrahim LA, Taïbi K, Boussaid M. Chapter 6. Herbal medicine toxicity: molecular aspects and recent trends. In: Medicinal Plants: Properties, Uses and Production. DK Semwal (Ed.). Series: *Herbs and Herbalism*, NOVA Science Publisher. BISAC: MED004000. ISBN: 978-1-68507-251-3. Categories: **2021**, *Alternative Therapies, Books, Herbs and Herbalism, Medicine & Health, Medicine and Health, Nova Medicine and Health, Special Topics*. <https://doi.org/10.52305/MVNU9365>. [BOOK series, BOOK chapter]
- 7501.** Akhi MZ, Haque MdM, Biswas MdS. Role of secondary metabolites to attenuate stress damages in plants. *Antioxidants*, e-Book chapter, IntechOpen, **2021**. <http://dx.doi.org/10.5772/intechopen.95495>. (e-BOOK)
- 7502.** Alhaithloul HAS, Galal FH, Seufi AM. Effect of extreme temperature changes on phenolic, flavonoid contents and antioxidant activity of tomato seedlings (*Solanum lycopersicum* L.) *PeerJ* 9: e11193, **2021**. <https://doi.org/10.7717/peerj.11193>. (WoS/Scopus)
- 7503.** Amancio MB, Oki Y, Fernandes GW, Rago C, Góes-Neto A, de Carvalho Azevedo VA. Innovation and knowledge of prospective studies on the genus *Baccharis*. In: Fernandes GW, Oki Y, Barbosa M. (eds) *Baccharis*. Springer, Cham. Pp.475-503, **2021**. https://doi.org/10.1007/978-3-030-83511-8_19. [BOOK chapter]
- 7504.** Anjitha KS, Sameena PP, Puthur JT. Functional aspects of plant secondary metabolites in metal stress tolerance and their importance in pharmacology. *Plant Stress* v. 2, art. 100038, **2021**. <https://doi.org/10.1016/j.stress.2021.100038>. (WoS/Scopus) (Review)
- 7505.** Banothu V, Uma A. Effect of biotic and abiotic stresses on plant metabolic pathways. In: *Phenolic Compounds - Chemistry, Synthesis, Diversity, Non-Conventional Industrial, Pharmaceutical and Therapeutic Applications*, Farid A. Badria (Ed.). IntechOpen Book Series, **2021**. <https://www.intechopen.com/online-first/78421>. [BOOK chapter]
- 7506.** Barman A, Phukan T, Ray SK. Harnessing perks of MiRNA principles for betterment of agriculture and food security. In: Kumar A, Kumar R, Shukla P, Patel HK (eds) *Omics Technologies for Sustainable Agriculture and Global Food Security*, Vol II, pp 123-191. Springer, Singapore, **2021**. https://doi.org/10.1007/978-981-16-2956-3_6. [BOOK]
- 7507.** Cardone L, Castronuovo D, Perniola M, CiccoN, Molina RV, Renau-Morata B, Nebauer SG, Candido V. *Crocus sativus* L. ecotypes from mediterranean countries: phenological, morpho-productive, qualitative and genetic traits. *Agronomy* 11(3), 551, **2021**. <https://doi.org/10.3390/agronomy11030551>. (WoS/Scopus)
- 7508.** Chitiyo ST, Ncube B, Ndhlala AR, Tsvuura Z. Biochemical responses of *Moringa oleifera* Lam. plants to graded moisture deficit. *South African Journal of Botany* 138, 41-49, **2021**. <https://doi.org/10.1016/j.sajb.2020.12.003>. (WoS/Scopus)
- 7509.** Cortés-Antiquera R, Pizarro M, Contreras RA, Köhler H, Zúñiga GE. Heat shock tolerance in *Deschampsia antarctica* Desv. cultivated *in vitro* is mediated by enzymatic and non-enzymatic antioxidants. *Frontiers in Plant Science* 12:635491, **2021**. <https://doi.org/10.3389/fpls.2021.635491>. (WoS/Scopus)
- 7510.** de Andrade MVS, de Castro RD, Cunha DS, Neto VG, Carosio MGA, Ferreira AG, de Souza-Neta LC, Fernandez LG, Ribeiro PR. *Stevia rebaudiana* (Bert.) Bertonii cultivated under different photoperiod conditions: Improving physiological and biochemical traits for industrial applications. *Industrial Crops and Products* 168, art. 113595, **2021**. <https://doi.org/10.1016/j.indcrop.2021.113595>. (WoS/Scopus)
- 7511.** de Oliveira DG, Schneider G, Itokazu AG, Costa GB, Rörig LR, Simonassi JC, de Barros MP, Figueroa FL, Bonomi-Barufi J, Guimarães M. Effects of ultraviolet radiation removal on algal communities in three high-elevation Brazilian (ultra)oligotrophic lakes. *Physiologia* 60(5): 497-512, **2021**. <https://doi.org/10.1080/00318884.2021.1985886>.
- 7512.** Dugasa MT, Feng X, Wang NH, Wu F. Comparative transcriptome and tolerance mechanism analysis in the two contrasting wheat (*Triticum aestivum* L.) cultivars in response to drought and salinity stresses. *Plant Growth Regulation* 94:101-114, **2021**. <https://doi.org/10.1007/s10725-021-00699-4>. (WoS/Scopus)
- 7513.** Ghanbari Moheb Seraj R, Tohidfar M, Behnamian M, AhmadiKhah A, Dezhsetan S. Investigation of methanolic extract variations in milk thistle seeds under drought stress conditions. *Journal of Food Science and Technology (Iran)* 17(109):103-115, **2021**. <http://fsct.modares.ac.ir/article-7-39217-en.html>. (WoS/Scopus)
- 7514.** Gjoni G. Mikromorfologjia e disa specieve bimore të rrezikuara në zonën e Dibrës në Shqipëri. Universiteti I Tiranës, Tiranë, **2021**. PhD Thesis. https://api.fshn.edu.al/uploads/Gazmir_Gjoni_Doktorature_Bioteknologji_37d19f93a9.pdf.
- 7515.** Grunewald S. Biosynthesis and transport of flavonol sophorosides in *Arabidopsis thaliana* anthers. der Martin-Luther-Universität, Halle-Wittenberg, Germany, **2021**. PhD Thesis.
- 7516.** Jan R, Asaf S, Numan M, Lubna, Kim K-M. Plant secondary metabolite biosynthesis and transcriptional regulation in response to biotic and abiotic stress conditions. *Agronomy* 11(5): 968, **2021**. <https://doi.org/10.3390/agronomy11050968>. (WoS/Scopus)
- 7517.** Jeelani SM, Singh J, Sharma A, Rather GA, Abid Ali S, Gupta AP, Singh S, Lattoo SK. *In-vitro* cytotoxicity in relation to chemotypic diversity in diploid and tetraploid populations of *Gentiana kurroo* Royle. *Journal of Ethnopharmacology* 274, art. number 113966, **2021**. <https://doi.org/10.1016/j.jep.2021.113966>. (WoS/Scopus)
- 7518.** Khan R, Singh B, Sharma V. Phytochemical testing to discover therapeutic value of plants. *International Journal of Progressive Research in Science and Engineering* 2(4):1-4, **2021**. <https://www.journals.grdpublications.com/index.php/ijprse/article/view/250/245>.

- 7519.** Kusmita L, Nuryadi H, Widyananto PA, Muchlissin S, Sabdono A, Trianto A, Radjasa OK. Bioactivity of carotenoid produced by soft coral symbiotic microorganisms from Panjang and Karimunjawa Island, Central Java, Indonesia. *Biodiversitas* 22: 732-740, **2021**. <https://doi.org/10.13057/biodiv/d220226>. (WoS/Scopus)
- 7520.** Mehdinejad F, Zeynadini Riseh A, Sedaghati E, Alaei H, Moradi M. Evaluation of the level of defense enzymes induced by antagonistic fungi against root knot nematode, *Meloidogyne javanica* in pistachio seedlings. *Journal of Plant Protection* 35(1): 25-37, **2021**. https://jpp.um.ac.ir/index.php/article_39825_1f4976fdca47e5e9a4c9520fb546abad.pdf?lang=en.
- 7521.** Messina CM, Arena R, Manuguerra S, Pericot Y, Curcuraci E, Kerninon F, Renda G, Hellio C, Santulli A. Antioxidant bioactivity of extracts from beach cast leaves of *Posidonia oceanica* (L.) Delile. *Marine Drugs* 19(10):560, **2021**. <https://doi.org/10.3390/md19100560>. (WoS/Scopus)
- 7522.** Mohammadi-Cheraghabadi M, Seyed Ali Mohammad Modarres-Sanavy, Sefidkon F, Mokhtassi-Bidgoli A, Hazrati S. Phytochemical and physiological changes in *Salvia officinalis* L. under different irrigation regimes by exogenous applications of putrescine. *Saudi Journal of Biological Sciences* 28(12):7227-7240, **2021**. <https://doi.org/10.1016/j.sjbs.2021.08.024>. (WoS/Scopus)
- 7523.** Nickhil C, Mohapatra D, Kar A, Giri SK, Verma US, Sharma Y, Singh KK. Delineating the effect of gaseous ozone on disinfestation efficacy, protein quality, dehulling efficiency, cooking time and surface morphology of chickpea grains during storage. *Journal of Stored Products Research* 93, art. 101823, **2021**. <https://doi.org/10.1016/j.jspr.2021.101823>. (WoS/Scopus)
- 7524.** Nimsarkar N, Kulkarni M, Shaikh F. Biochemical analysis of phenolics compounds accumulated during developing stages of wheatgrass. *International Journal for Research in Applied Sciences and Biotechnology* 8(2), 167-172, **2021**. <https://doi.org/10.31033/ijrasb.8.2.22>.
- 7525.** Nisca A, Ștefănescu R, Stegăruș DI, Mare AD, Farczadi L, Tanase C. Phytochemical profile and biological effects of spruce (*Picea abies*) bark subjected to ultrasound assisted and microwave-assisted extractions. *Plants* 10(5):870, **2021**. <https://doi.org/10.3390/plants10050870>. (WoS/Scopus)
- 7526.** Pasquini D, Detti C, Ferrini F, Brunetti C, Gori A. Polyphenols and terpenes in Mediterranean plants: an overview of their roles and possible applications. *Italus Hortus* 28(1), 3-31, **2021**. <https://doi.org/10.26353/j.itahort/2021.1.0331>. (WoS/Scopus) (Review)
- 7527.** Patil MP, Chavan SJ, Murumkar CV. Response of secondary metabolites in *Aristolochia bracteolata* Lam. under water stress regimes. *Journal of Stress Physiology & Biochemistry* 17(4), 60-66, **2021**. <https://cyberleninka.ru/article/n/response-of-secondary-metabolites-in-aristolochia-bracteolata-lam-under-water-stress-regimes/viewer>.
- 7528.** Pereira C, Castander-Olarieta A, Sales E, Montalbán IA, Canhoto J, Moncaleán P. Heat stress in *Pinus halepensis* somatic embryogenesis induction: Effect in DNA methylation and differential expression of stress-related genes. *Plants* 10(11):2333, **2021**. <https://doi.org/10.3390/plants10112333>. (WoS/Scopus)
- 7529.** Qari SH, Tarbiyyah I. The genetic regulation of secondary metabolic pathways in response to salinity and drought as abiotic stresses. *Applied Sciences* 11(15):6668, **2021**. <https://doi.org/10.3390/app11156668>. (WoS/Scopus)
- 7530.** Ralepele FM, Chimuka L, Nuapia Y, Risenga I. UPLC-DAD-QTOF-MS/MS analysis of targeted polyphenolic compounds from *Moringa oleifera* leaves as function of seasonal responses. *South African Journal of Botany* 143, 107-115, **2021**. <https://doi.org/10.1016/j.sajb.2021.07.032>. (WoS/Scopus)
- 7531.** Rizwan R, Gothwal R. Microbiomes of medicinal plants and their potential avenues as bioresources – A review. *International Journal of Current Research in Biosciences and Plant Biology* 8(11): 29-40. **2021**. <https://doi.org/10.20546/ijcrbp.2021.811.004>.
- 7532.** Saleh HM, Hassan AI. Green inhibitors for biocorrosion and prevention. In: *Theory and Applications of Green Corrosion Inhibitors*, Inamuddin, Ahamed MI, Boddula R, Luqman M Eds., Materials Research Foundations book series, volume 86, pp. 63-90, **2021**. eBook ISBN 978-1-64490-105-2. <https://doi.org/10.21741/9781644901052-3>. [BOOK]
- 7533.** Sarri E, Termentzi A, Abraham EM, Papadopoulos GK, Baira E, Machera K, Loukas V, Komaitis F, Tani E. Salinity stress alters the secondary metabolic profile of *M. sativa*, *M. arborea* and their hybrid (Alborea). *International Journal of Molecular Science* 22(9), 4882, **2021**. <https://doi.org/10.3390/ijms22094882>. (WoS/Scopus)
- 7534.** Shadia Abd-alla Ismail, Shimaa Kamal Ganzour. Efficiency of foliar spraying with moringa leaves extract and potassium nitrate on yield and quality of strawberry in sandy soil. *International Journal of Agricultural and Statistical Sciences* 17(1):383-398, **2021**. <https://connectjournals.com/03899.2021.17.383>. (WoS/Scopus)
- 7535.** Shyamli PS, Pradhan S, Panda M, Parida A. De novo whole-genome assembly of *Moringa oleifera* helps identify genes regulating drought stress tolerance. *Frontiers in Plant Science* 12:766999, **2021**. <https://doi.org/10.3389/fpls.2021.766999>. (WoS/Scopus)
- 7536.** Srivastava Y, Upadhyay S, Gupta P. Pharmacological perspectives and phytochemical reservoir of *Withania somnifera*: A review. *International Journal of Multidisciplinary Research Configuration* 1(1):6-14, **2021**. <https://www.ijomrc.com/phytochemical-reservoir-of-withania-som>.
- 7537.** Tao Y, Han X, Ren A, Li J, Song H, Xie B, Zhao M. Heat stress promotes the conversion of putrescine to spermidine and plays an important role in regulating ganoderic acid biosynthesis in *Ganoderma lucidum*. *Applied Microbiology and Biotechnology* 105:5039-5051, **2021**. <https://doi.org/10.1007/s00253-021-11373-0>. (WoS/Scopus)

7538. Tarek Elsayed SA, El Sayed SA. Potential assessment multi-repeating abiotic/biotic motivation coincide biofertilizers to optimize black cumin (*Nigella sativa* L.) seed yield production and quality. *Agricultural Sciences* 12, 69-83, 2021. <https://doi.org/10.4236/as.2021.122006>
7539. Tarek Elsayed SA, El Sayed SA. The potentiality biotic- elicitation with chitosan or vitamin c to achieve integrated and sustainable development for sage *salvia officinalis* under sustainable agriculture systems. *Journal of Plant Sciences* 9(4), 151-162, 2021. <http://www.sciencepublishinggroup.com/journal/paperinfo?journalid=215&doi=10.11648/j.jps.20210904.14>.
7540. Terletskaia NV, Korbozova NK, Kudrina NO, Kobylina TN, Kurmanbayeva MS, Meduntseva ND, Tolstikova TG. The influence of abiotic stress factors on the morphophysiological and phytochemical aspects of the acclimation of the plant *Rhodiola semenowii* Boriss. *Plants* 10(6):1196, 2021. <https://doi.org/10.3390/plants10061196>. (WoS/Scopus)
7541. Turfan N. Effect of different organic manures application on the bioactive compound and yield of Taşkoprü garlic (*Allium sativum* L.) under 50% drought. *International Journal of Agricultural and Wildlife Sciences* 7(2), 264-275, 2021. <https://doi.org/10.24180/ijaws.872632>.
7542. Yan J, Zhang S, Tong M, Lu J, Wang T, Xu Y, Li W, Wang L. Physiological and genetic analysis of leaves from the resprouters of an old *Ginkgo biloba* tree. *Forests* 12(9):1255, 2021. <https://doi.org/10.3390/fl2091255>. (WoS/Scopus)
7543. Zhang Z, Xia B, Li Y, Lin Y, Xie J, Wu P, Lin L, Liao D. Comparative proteomic analysis of *Prunella vulgaris* L. spica ripening. *Journal of Proteomics* 232, art. 104028, 2021. <https://doi.org/10.1016/j.jprot.2020.104028>. (WoS/Scopus)
7544. Abouzeid S, Lewerenz L, Yahyazadeh M, Radwan A, Hijazin T, Kleinwächter M, Selmar D. Favorable impacts of drought stress on the quality of medicinal plants: improvement of composition and content of their natural products. In: Aftab, T. (eds) *Environmental Challenges and Medicinal Plants. Environmental Challenges and Solutions*. Springer, Cham. pp. 105-131, 2022. https://doi.org/10.1007/978-3-030-92050-0_4. [BOOK series]
7545. Alberghini B, Zanetti F, Corso M, Boutet S, Lepiniec L, Vecchi A, Monti A. Camelina [*Camelina sativa* (L.) Crantz] seeds as a multi-purpose feedstock for bio-based applications. *Industrial Crops and Products* vol. 182, art. 114944, 2022. <https://doi.org/10.1016/j.indcrop.2022.114944>. (WoS/Scopus)
7546. Amirifar A, Hemati A, Asgari Lajayer B, Pandey J, Astatkie T. Impact of various environmental factors on the biosynthesis of alkaloids in medicinal plants. In: Aftab, T. (eds) *Environmental Challenges and Medicinal Plants. Environmental Challenges and Solutions*. Springer, Cham. pp. 229-248, 2022. https://doi.org/10.1007/978-3-030-92050-0_9. [BOOK series]
7547. Attia-Ismail SA. Plant secondary metabolites in halophytes. In: *Halophytic Plants for Animal Feed: Associated Botanical and Nutritional Characteristics* 1, Bentham Science Publisher. pp. 110-122, 2022. <https://doi.org/10.2174/9789815050387122010013>. [BOOK series]
7548. Chen D, Mubeen B, Hasnain A, Rizwan M, Adrees M, Naqvi SAH, Iqbal S, Kamran M, El-Sabroun AM, Elansary HO, Mahmoud EA, Alaklabi A, Sathish M, Din GMU. Role of promising secondary metabolites to confer resistance against environmental stresses in crop plants: Current scenario and future perspectives. *Frontiers in Plant Science* 13:881032, 2022. <https://doi.org/10.3389/fpls.2022.881032>. (WoS/Scopus) [REVIEW]
7549. Datta R, Sharma A, Thakur A. Secondary metabolites from plants: role in plant diseases and health care. In: Sharma AK, Sharma A (eds) *Plant Secondary Metabolites*. Springer, Singapore, pp. 355-369, 2022. https://doi.org/10.1007/978-981-16-4779-6_11. [BOOK series]
7550. Gautam M, Chahota RK. Metabolite profiling and protein quantification to a large library of 96 horsegram (*Macrotyloma uniflorum*) germplasm. *Scientific Reports* 12, 7865, 2022. <https://doi.org/10.1038/s41598-022-11962-7>. (WoS/Scopus)
7551. Giri L, Singh L, Bhatt ID. In vitro production of phenolic compound. In: Belwal T, Georgiev MI, Al-Khayri JM (eds) *Nutraceuticals Production from Plant Cell Factory*. Springer, Singapore. pp.105-141, 2022 https://doi.org/10.1007/978-981-16-8858-4_5. (WoS/Scopus) [BOOK]
7552. Gudynaitė-Franckevičienė V, Pliūra A. Performance and genetic parameters of poplar hybrids and clones in a field trial are modified by contrasting environmental conditions during the vegetative propagation phase. *Plants* 11(18):2401, 2022. <https://doi.org/10.3390/plants11182401>. (WoS/Scopus)
7553. Heidarabadi MD. Metal nanoparticles and abiotic stress tolerance. In: Kimatu JN (Ed.) *Advances in Plant Defense Mechanisms*. IntechOpen, 2022. <https://doi.org/10.5772/intechopen.105211>. [BOOK]
7554. Jakupi M, Demirbas S. Production of secondary metabolites through elicitors: their application in agriculture. *Journal of Balkan Science and Technology* 1(3): 165-172, 2022. <http://dx.doi.org/10.55848/jbst.2022.23>.
7555. Jeelani SM, Shah Nawaza M, Gupta AP, Lattoo SK. Phytochemical diversity in relation to cytogenetic variability in *Inula racemosa* Hook.f., an endangered medicinal plant of Himalayas. *Chemistry & Biodiversity* 19(12), art. e202200486, 2022. <https://doi.org/10.1002/cbdv.202200486>. (WoS/Scopus)
7556. Jeszka-Skowron M, Czarzyńska-Goślińska B. The bioactive compounds and substances with toxic potential in coffee products: The properties and the methods of analysis. In: Ramakrishna A, Giridhar P, Jeszka-Skowron M (Eds.) *Coffee Science: Biotechnological Advances, Economics, and Health Benefits* (1st ed.), CRC Press, pp. 33-50, 2022. <https://doi.org/10.1201/9781003043133>. [BOOK]

- 7557.** Kandoudi W, Németh-Zámboriné É. Stimulating secondary compound accumulation by elicitation: Is it a realistic tool in medicinal plants in vivo?. *Phytochemistry Reviews* 21, 2007–2025, **2022**. <https://doi.org/10.1007/s11101-022-09822-3>. (WoS/Scopus) [REVIEW]
- 7558.** Kiani B. Metabolomic profiling of different cereals during biotic and abiotic stresses. In: Roychoudhury A, Aftab T, Acharya K (eds) *Omics Approach to Manage Abiotic Stress in Cereals*. Springer, Singapore. pp. 119-150, **2022**. https://doi.org/10.1007/978-981-19-0140-9_7. (WoS/Scopus) [BOOK]
- 7559.** Li Y, Zidorn C. Seasonal variations of natural products in European herbs. *Phytochemistry Reviews* 21, 1549-1575, **2022**. <https://doi.org/10.1007/s11101-021-09797-7>. (WoS/Scopus)
- 7560.** Liu B, Kaurilind E, Zhang L, CN Okereke, T Rimmel, Ü Niinemets. Improved plant heat shock resistance is introduced differently by heat and insect infestation: the role of volatile emission traits. *Oecologia* 199, 53-68, **2022**. <https://doi.org/10.1007/s00442-022-05168-x>. (WoS/Scopus)
- 7561.** Madaan I, Kumar M, Kaur H, Bhardwaj R, Dogra N, Kaur G, Sirhindi G. Biofortification of crop plants with brassinosteroids in managing human health issues. Book Chapter. In: Akula R, Sirhindi G (Eds.) *Jasmonates and Brassinosteroids in Plants: Metabolism, Signaling, and Biotechnological Applications* (1st ed.), pp. 205-224. CRC Press, **2022**. eBook: ISBN9781003110651. <https://doi.org/10.1201/9781003110651>. [BOOK]
- 7562.** Mareri L, Cai G. Pollen priming for more efficient reproduction in a heating world: what we know, what we need to know. *Plant Stress* vol. 3, art. 100060, **2022**. <https://doi.org/10.1016/j.stress.2022.100060>. (WoS/Scopus)
- 7563.** Miransari M, Adham S, Miransari M, Miransari A. The physicochemical approaches of altering growth and biochemical properties of medicinal plants in saline soils. *Applied Microbiology and Biotechnology* 106, 1895-1904, **2022**. <https://doi.org/10.1007/s00253-022-11838-w>. (WoS/Scopus) [Mini-Review]
- 7564.** Nilofer, Srivastava Y, Kumar A, Khare P, Singh AK, Singh S. Variation in morphophysiological responses and differential expression of sennoside biosynthesis pathway genes under water stress in *Cassia angustifolia* Vahl. *Industrial Crops and Products* vol. 184, art. 115047, **2022**. <https://doi.org/10.1016/j.indcrop.2022.115047>. (WoS/Scopus)
- 7565.** Njoku GC, Alisigwe CV, Iloanusi DU, Aririguzo PC. Determination of the total phenolic contents of essential oil obtained from *Cymbopogon citratus* (Lemongrass) and *Persea americana* Mill (Avocado Pear Seed) and its bioactive component using GC-MS analysis. *International Journal of Innovative Science and Research Technology* 7(2), 127-138, **2022**. <https://ijisrt.com/assets/upload/files/IJISRT22FEB0032.pdf>.
- 7566.** Ntobela B, Oguntibeju OO, Rautenbach F, Etsassala NG, Akinpelu EA, Nchu, F. Evaluating the effect of 40% and 0% shading levels on the secondary metabolites, antifungal and anti-insect activities of extracts of *Allium porrum* cultivated hydroponically under greenhouse conditions. *Journal of Medicinal Plants for Economic Development* 6(1), a144, **2022**. <https://doi.org/10.4102/jomped.v6i1.144>. (WoS/Scopus)
- 7567.** Ntourtoglou G, Drosou F, Chatzimitakos T, Athanasiadis V, Bozinou E, Dourtoglou VG, Elhakem A, Sami R, Ashour AA, Shafie A, Lalas SI. Combination of pulsed electric field and ultrasound in the extraction of polyphenols and volatile compounds from grape stems. *Applied Sciences* 12(12):6219, **2022**. <https://doi.org/10.3390/app12126219>. (WoS/Scopus)
- 7568.** Parvin K, Nahar K, Mohsin SM, Al Mahmud J, Fujita M, Hasanuzzaman M. Plant phenolic compounds for abiotic stress tolerance. In: Hasanuzzaman M, Ahammed GJ, Nahar K (eds) *Managing Plant Production Under Changing Environment*. Springer, Singapore. pp. 193-237, **2022**. https://doi.org/10.1007/978-981-16-5059-8_8. (WoS/Scopus) [BOOK series]
- 7569.** Parwez R, Naeem M, Aftab T, Ansari AA, Gill SS, Gill R. Chapter 12 - Heavy metal toxicity and underlying mechanisms for heavy metal tolerance in medicinal legumes. In: Editor(s): M Naeem, T Aftab, AA Ansari, SS Gill, A Macovei. *Hazardous and Trace Materials in Soil and Plants, Sources, Effects and Management* Academic Press, pp. 141-177, **2022**. <https://doi.org/10.1016/B978-0-323-91632-5.00024-0>. (WoS/Scopus) [BOOK]
- 7570.** Patel H, Gomes EN, Yuan B, Lyu W, Wu Q, Simon JE. Investigation of volatile iridoid terpenes in *Nepeta cataria* L. (Catnip) genotypes. *Molecules* 27(20):7057, **2022**. <https://doi.org/10.3390/molecules27207057>. (WoS/Scopus)
- 7571.** Pérez Izquierdo C. Bases ecológicas para la producción de aceite esencial de jara pringosa (*Cistus ladanifer* L.). PhD Thesis. University of Extremadura, Spain. **2022**. https://dehesa.unex.es/bitstream/10662/14915/1/TDUEX_2022_P%C3%A9rez_Izquierdo.pdf. [PhD Thesis]
- 7572.** Raimi IO, Musyoki AM, Olatunji OA, Jimoh MO, Dube WV, Olowoyo JO. Potential medicinal, nutritive and antiviral food plants: Africa's plausible answer to the low COVID-19 mortality. *Journal of Herbmed Pharmacology* 11(1):20-34, **2022**. <https://doi.org/10.34172/jhp.2022.03>. (WoS/Scopus)
- 7573.** Saleem S, Ul Mushtaq N Shah, WH, Rasool A, Hakeem KR, Ul Rehman R. Beneficial role of phytochemicals in oxidative stress mitigation in plants. In: Aftab, T., Hakeem, K.R. (eds) *Antioxidant Defense in Plants, Molecular Basis of Regulation*. Springer, Singapore, **2022**. Pp. 435-451. https://doi.org/10.1007/978-981-16-7981-0_20. (WoS/Scopus) [BOOK chapter]
- 7574.** Seeja G, Sreekumar S. Orchid biodiversity and genetics. In: Mérillon JM., Kodja H. (eds) *Orchids Phytochemistry, Biology and Horticulture. Reference Series in Phytochemistry*. Springer, Cham. pp. 153-171, **2022**. https://doi.org/10.1007/978-3-030-38392-3_2. [BOOK series]
- 7575.** Sehaki C, Jullian N, Choque E, Dauwe R, Fontaine JX, Molinie R, Ayati F, Fernane F, Gontier E. Profiling of essential oils from the leaves of *Pistacia lentiscus* collected in the Algerian region of Tizi-Ouzou: Evidence of chemical variations associated with climatic contrasts between littoral and mountain samples. *Molecules* 27(13): 4148, **2022**. <https://doi.org/10.3390/molecules27134148>. (WoS/Scopus)

- 7576.** Shidiki A, Vyas A. Molecular docking and pharmacokinetic prediction of phytochemicals from *Syzygium cumini* in interaction with penicillin-binding protein 2a and erythromycin. *BioTechnologia* 103 (1), 5–18, **2022**. <http://doi.org/10.5114/bta.2022.113910>. (WoS/Scopus)
- 7577.** Terletskaia NV, Seitimova GA, Kudrina NO, Meduntseva ND, Ashimuly K. The reactions of photosynthetic capacity and plant metabolites of *Sedum hybridum* L. in response to mild and moderate abiotic stresses. *Plants* 11(6):828, **2022**. <https://doi.org/10.3390/plants11060828>. (WoS/Scopus)
- 7578.** Woolfson KN, Esfandiari M, Bernards MA. Suberin biosynthesis, assembly, and regulation. *Plants* 11(4):555, **2022**. <https://doi.org/10.3390/plants11040555>. (WoS/Scopus) [Review]
- 7579.** Xiao F, Chen C, Gong W, Xiong Y, Zhou Y, Guo W, Wang Y. Trade-off between shade tolerance and chemical resistance of invasive *Phytolacca americana* under different light levels compared with its native and exotic non-invasive congeners. *Environmental and Experimental Botany* v. 196, art. 104809, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104809>. (WoS/Scopus)
- 7580.** Zarinkamar F, Rezayian M, Medhat R. Increase of Trigonelline in *Trigonella persica* plant under drought stress. *Journal of Botanical Research* 4(2), art. 4512, **2022**. <https://doi.org/10.30564/jbr.v4i2.4512>.
- 7581.** Ahmad M, Ahmed S, Yasin NA, Wahid A, Sardar R. Exogenous application of glutathione enhanced growth, nutritional orchestration and physiochemical characteristics of *Brassica oleracea* L. under lead stress. *Physiology and Molecular Biology of Plants* 29, 1103–1116, **2023**. <https://doi.org/10.1007/s12298-023-01346-0>. (WoS/Scopus)
- 7582.** Ahmad S, Belwal V, Punia SS, Ram M, Dalip, Rajput SS, Kunwar R, Meena MK, Gupta D, Kumawat GL, Hussain T, Mohamed HI. Role of plant secondary metabolites and phytohormones in drought tolerance: A Review. *Gesunde Pflanzen* 75, 729–746, **2023**. <https://doi.org/10.1007/s10343-022-00795-z>. (WoS/Scopus)
- 7583.** Altaf MA, Shahid R, Lal P, Ahmad R, Zulfiqar F, Kumar A, Hayat F, Kumar R, Lal MK, Naz S, Tiwari RK. Current understanding of boosting power of salicylic acid for abiotic stress tolerance in horticultural crops. *South African Journal of Botany* 163: 285–293, **2023**. <https://doi.org/10.1016/j.sajb.2023.10.048>. (WoS/Scopus)
- 7584.** Alugoju P, Tencomnao T. Medicinal Plants Proteomics in Response to Abiotic Stresses. In: Husen A, Iqbal M (eds) *Medicinal Plants, Their Response to Abiotic Stress*, Springer, Singapore. Pp.35–107, **2023**. eBook ISBN: 978-981-19-5611-9. https://doi.org/10.1007/978-981-19-5611-9_2. (WoS/Scopus) [BOOK]
- 7585.** Aly SH, Shah MA, Chauhdary Z, Al-Ghamdi MS, Mostafa NM, Saleem U, Eldahshan OA. Chapter 16. Toxicodynamics of phytonutrients. In: Khan H, Aschner M, Mirzaei H (Eds) *Phytonutrients and Neurological Disorders. Therapeutic and Toxicological Aspects*. ELSEVIER, Academic Press. pp. 381–393, **2023**. <https://doi.org/10.1016/B978-0-12-824467-8.00007-3>. [BOOK]
- 7586.** Anjitha KS, Sarath NG, Sameena PP, Janeeshma E, Shackira AM, Puthur JT. Plant response to heavy metal stress toxicity: the role of metabolomics and other omics tools. *Functional Plant Biology* 50(12): 965–982, **2023**. <https://doi.org/10.1071/FP23145>. (WoS/Scopus) [Review]
- 7587.** Asare MO, Száková J, Tlustoš P. The fate of secondary metabolites in plants growing on Cd-, As-, and Pb-contaminated soils—a comprehensive review. *Environmental Science and Pollution Research* 30, 11378–11398, **2023**. <https://doi.org/10.1007/s11356-022-24776-x>. (WoS/Scopus)
- 7588.** Bano A, Qadri TA, Mahnoor, Khan N. Bioactive metabolites of plants and microbes and their role in agricultural sustainability and mitigation of plant stress. *South African Journal of Botany* v. 159, 98–109, **2023**. <https://doi.org/10.1016/j.sajb.2023.05.049>. (WoS/Scopus)
- 7589.** Chetina OA, Eremchenko OZ, Pakhorukov IV. Accumulation of low-molecular-weight compounds in plants in response to technogenic soil salinization. *Russian Journal of Ecology* v. 54, 88–96, **2023**. <https://doi.org/10.1134/S1067413623020042>. (WoS/Scopus)
- 7590.** Dhal S, Pal H. Trace elements in mitigating environmental stress: an overview. In: *Biology and Biotechnology of Environmental Stress Tolerance in Plants*. Chapter 1. Apple Academic Press. eBook ISBN 9781003346203, **2023**. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003346203-2/trace-elements-mitigating-environmental-stress-overview-somali-dhal-harshata-pal>. (WoS/Scopus) [BOOK]
- 7591.** Farida F, Hakima A, Ouardia C, Chabha S, Nacira D, Karim H. Chemical composition and biological potential of different extracts of two medicinal plants from northern Algeria. *ICBAST 2023: International Conference on Basic Sciences and Technology. The Eurasia Proceedings of Science, Technology, Engineering & Mathematics (EPSTEM)* vol. 25, 112–119, **2023**. <https://doi.org/10.55549/epstem.1404112>. [Proceedings]
- 7592.** Fatima Z, Qayyum Z, U-E-Laila, Anjum B, Riaz S, Gul A. Chapter 16 - Alterations in metabolic profiling of crop plants under abiotic stress. In: M Ozturk, RA Bhat, M Ashraf, FMP Tonelli, BT Unal, GH Dar (Eds) *Phytohormones and Stress Responsive Secondary Metabolites*, Academic Press, Chapter 16, pp. 197–233, **2023**. <https://doi.org/10.1016/B978-0-323-91883-1.00009-7>. (WoS/Scopus) [BOOK]
- 7593.** Fernández-López JA, Obón JM. Production of red plant pigments. In: Mérillon JM, Ramawat KG (eds) *Plant Specialized Metabolites. Reference Series in Phytochemistry*. Springer, Cham pp. 1–37, **2023**. https://doi.org/10.1007/978-3-031-30037-0_41-1. [BOOK]
- 7594.** Ferriz-Martínez RA, Espinosa-Villarreal N, Chávez-Servín JL, Mercado-Luna A, de la Torre-Carbot K, Serrano-Arellano J, Saldaña C, García-Gasca T. Effect of foliar application of hydrogen peroxide macroconcentrations on growth parameters, phenolic compounds and antioxidant capacity in the leaves and seeds of *Amaranthus hypochondriacus* L. *Plants* 12(7):1499, **2023**. <https://doi.org/10.3390/plants12071499>. (WoS/Scopus)

- 7595.** George G, Saji J. Chapter 11. Mangrove conservation: Is it a need? In: Alex JK (Ed.) *Conservation, Development and Displacement*, pp. 128-148, **2023**.
https://mail.bio21.bas.bg/src/download.php?startMessage=1&passed_id=79055&mailbox=INBOX&ent_id=2&passed_ent_id=0. [BOOK]
- 7596.** Ghosh S, Bera K, Dutta P, Sadhukhan S. Seed priming and seedling pre-treatment in regulating secondary metabolism for stress tolerance. In: Roychoudhury A (Ed.) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, vol. 1: Secondary Metabolites in Environmental Stress Tolerance*, (1st ed.). Chapter 11. Apple Academic Press, **2023**. <https://doi.org/10.1201/9781003346173>. (WoS/Scopus) [BOOK]
- 7597.** Goyal M, Kumari A, Kumari A, Sharma H, Vasmatkar P, Gupta N. Oxidative stress and antioxidant defense in mitigating abiotic stresses in forage crops: A physiological and biochemical perspective. In: Singhal, RK, Ahmed S, Pandey S, Chand S (Eds) *Molecular Interventions for Developing Climate-Smart Crops: A Forage Perspective*. Springer, Singapore. ISBN 978-981-99-1857-7. Pp. 109-135, **2023**. https://doi.org/10.1007/978-981-99-1858-4_6. [BOOK]
- 7598.** Huang X, Devi S, Bordiga M, Brennan CS, Xu B. Phenolic compounds-mediated biosynthesis of gold nanoparticles and evaluation of their bioactivities: A review. *International Journal of Food Science & Technology* 58(4), 1673-1694, **2023**. <https://doi.org/10.1111/ijfs.16346>. (WoS/Scopus)
- 7599.** Ibrahim A, Abdel Razik ES, Abd-Ellatif S, Ramadan S. Chapter 12: Nigella sativa and stressful conditions. In: AAHA Latef (ed.) *Medicinal Plant Responses to Stressful Conditions*. Boca Raton, CRC Press, pp. 223-242, **2023**. <https://doi.org/10.1201/9781003242963>. [BOOK]
- 7600.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: Moringa oleifera under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]
- 7601.** Jadhav SS, Kumari R, Mahtha SK, Purama RK, Lamba V, Yadav G. Metabolomics and molecular physiology perspective for drought and salinity stress tolerance. Book chapter 13. In: Choudhury S, Moulick D (Eds), *Response of Field Crops to Abiotic Stress: Current Status and Future Prospects* (1st ed.). CRC Press, pp. 153-166, **2023**. eBook: ISBN9781003258063. <https://doi.org/10.1201/9781003258063>. (WoS/Scopus) [BOOK]
- 7602.** Jimenez-García SN, Garcia-Mier L, Ramirez-Gomez XS, Guevara-Gonzalez RG, Aguirre-Becerra H, Escobar-Ortiz A, Contreras-Medina LM, Garcia-Trejo JF, Vazquez-Cruz MA, Feregrino-Perez AA. Characterization of the key compounds of bell pepper by spectrophotometry and gas chromatography on the effects of induced stress on the concentration of secondary metabolite. *Molecules* 28(9):3830, **2023**. <https://doi.org/10.3390/molecules28093830>. (WoS/Scopus)
- 7603.** Kaliyannagounder S, Chitraputhirapillai S, Raman R, Sampathrajan V, Palani N, Baskaran S. GC-MS profiling of phytochemicals in the leaves of *Vitex negundo* L. *Current Science* 125(11), 1250-1258, **2023**. (WoS/Scopus)
- 7604.** Khan N, Mehmood A. Revisiting climate change impacts on plant growth and its mitigation with plant growth promoting rhizobacteria. *South African Journal of Botany* 160, 586-601, **2023**. <https://doi.org/10.1016/j.sajb.2023.07.051>. (WoS/Scopus)
- 7605.** Koç E, Karayığit B. Plant secondary metabolites in stress tolerance. In: Hasanuzzaman, M. (eds) *Climate-Resilient Agriculture*, Vol 1. Springer, Cham. pp. 379-433, **2023**. https://doi.org/10.1007/978-3-031-37424-1_19. [BOOK]
- 7606.** Kovalska N, Karpiuk U, Minarchenko V, Cholak I, Zaimenko N, Skrypchenko N, Liu D. Comparative analysis of the content of sum of hydroxycinnamic acids from leaves of *Actinidia arguta* Lindl. collected in Ukraine and China. *Journal of Chemistry* vol. 2023, Article ID 2349713, 7 pages, **2023**. <https://doi.org/10.1155/2023/2349713>. (WoS/Scopus)
- 7607.** Kumar V, RK Singhal, A Hidangmayum, A Singh, B Aanjna, J Chauhan, B Bose. Anthropogenic stress and phenolic compounds: an environmental robustness diagnostics compound family in stress ameliorations. In: Lone R, Khan S, Mohammed Al-Sadi A (eds) *Plant Phenolics in Abiotic Stress Management*. Springer, Singapore. pp. 391-413, **2023**. https://doi.org/10.1007/978-981-19-6426-8_18. (WoS/Scopus) [BOOK]
- 7608.** Melito S, Ronga D, Marceddu D, NI Kallikazarou, MG Antoniou, V Giannini. Organo-mineral fertilizer containing struvite from liquid digestate for Cucurbita pepo L. seedling production. *Journal of Soil Science and Plant Nutrition* 23, 6707-6720, **2023**. <https://doi.org/10.1007/s42729-023-01524-9>. (WoS/Scopus)
- 7609.** Mokrani S, Nabti E-h. Regulation of plant primary metabolism by salicylic acid under abiotic stress. Chapter 3. In: Editor(s): A Sharma, R Bhardwaj, V Kumar, B Zheng, DK Tripathi. *Managing Plant Stress Using Salicylic Acid: Physiological and Molecular Aspects*, First edition, John Wiley & Sons Ltd, pp. 27-45, **2023**. <https://doi.org/10.1002/9781119671107.ch3>. (WoS/Scopus) [BOOK]
- 7610.** Munkhbayar T, Gachmaa B, Jukov A, Yungeree O. Determination of triterpenoid saponin and polysaccharide content from in vitro cultures of *Astragalus mongholicus* Bunge. *Proceedings of the Mongolian Academy of Sciences* 63(01), 6–15, **2023**. <https://doi.org/10.5564/pmas.v63i01.2804>.
- 7611.** Pandey MM, Rastogi S, Vaishnav K, Meena B, Singh D, Rana TS. Chemical variability in gymnemagenin, deacyl gymnemic acid, lupeol and stigmastrol of *Gymnema sylvestre* R. Br. populations in India. *Indian Journal of Traditional Knowledge* 22(4): 761-769, **2023**. (WoS/Scopus)
- 7612.** Pourakbar L, Moghaddam SS. Chapter 10. Salicylic acid-mediated physiological and antioxidant enzyme activity mechanisms in plants under chilling stress. In: Editor(s): A Sharma, R Bhardwaj, V Kumar, B Zheng, DK

Tripathi. *Managing Plant Stress Using Salicylic Acid: Physiological and Molecular Aspects*, First edition, John Wiley & Sons Ltd, pp. 183-194, **2023**. <https://doi.org/10.1002/9781119671107.ch10>. (WoS/Scopus) [BOOK]

7613. Razzaq MK, Hina A, Abbasi A, Karikari B, Ashraf HJ, Mohiuddin M, Maqsood S, Maqsood A, Ul Haq I, Xing G, Raza G, Bhat JA. Molecular and genetic insights into secondary metabolic regulation underlying insect-pest resistance in legumes. *Functional & Integrative Genomics* 23, art. 217, **2023**. <https://doi.org/10.1007/s10142-023-01141-w>. (WoS/Scopus)

7614. Sá JG de A, Brandão WF de M, Santana MAN, Silva LA da, Santana ES de, Silva EC da, Carvalho EAB de, Vieira JRC. Avaliação da citotoxicidade e caracterização do perfil fitoquímico de *Rhizophora mangle* L. Do mangue brasileiro. *Seven Editora* 528–539, **2023**. <https://doi.org/10.56238/ciesaudesv1-044>. [BOOK]

7615. Sarwar AG. Medicinal plant *Hibiscus sabdariffa* L. and its responses to various stresses. In: Latef AAHA (Ed.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press. Chapter 9, **2023**. https://books.google.bg/books?hl=en&lr=&id=A9C5EAAAQBAJ&oi=fnd&pg=PT250&ots=FW2oNDsfdW&sig=oGTPixWqbdmP58bBTFhwHGIhdtA&redir_esc=y#v=onepage&q&f=false. [BOOK]

7616. Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume 1. Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. https://www.researchgate.net/profile/Humera-Aziz/publication/369742126_plant_secondary_metabolites_and_environmental_stress_An_overview_In_book_Biology_and_biotechnology_of_environmental_stress_tolerance_in_plants/links/642a60f266f8522c38f26bdd/plant-secondary-metabolites-and-environmental-stress-An-overview-In-book-Biology-and-biotechnology-of-environmental-stress-tolerance-in-plants.pdf#page=90. (WoS/Scopus) [BOOK]

7617. Sharma M, Bhardwaj R, Saran M, Prajapat RK, Sharma D, Mathur M. Secondary Metabolites and Bioprospecting. In: Mawar R, Sayyed RZ, Sharma SK, Sattiraju KS (eds) *Plant Growth Promoting Microorganisms of Arid Region*. Springer, Singapore. pp. 229-255, **2023**. https://doi.org/10.1007/978-981-19-4124-5_12. (WoS/Scopus) [BOOK]

7618. Singh P, Choudhary KK. Impacts of Climate Alterations on the Biosynthesis of Defensive Natural Products. In: Kannaujiya VK, Sinha RP, Rahman MA, Sundaram S (eds) *Photoprotective Green Pharmacology: Challenges, Sources and Future Applications*. Springer, Singapore. pp. 141-169, **2023**. https://doi.org/10.1007/978-981-99-0749-6_6. [BOOK]

7619. Skłodowska M, Świercz-Pietrasiak U, Krasoń M, Chuderska A, Nawrocka J. New insight into short time exogenous formaldehyde application mediated changes in *Chlorophytum comosum* L. (Spider Plant) cellular metabolism. *Cells* 12(2):232, **2023**. <https://doi.org/10.3390/cells12020232>. (WoS/Scopus)

7620. Son K-H, Kondo R, Lee J-H, Wang J, Goto E. Effect of low root-zone temperature and UV radiation on growth and gene expression of secondary metabolite pathways in *Nicotiana benthamiana*. *Plant Stress* vol. 7, art. 100136, **2023**. <https://doi.org/10.1016/j.stress.2023.100136>. (WoS/Scopus)

7621. Tian K, Li Q, Zhang X, Guo H, Wang Y, Cao P, Xu S, Li W. Analysis of the expression and function of the CBL-CIPK network and MAPK cascade genes in *Kandelia obovata* seedlings under cold stress. *Frontiers in Marine Science* 10:1113278, **2023**. <https://doi.org/10.3389/fmars.2023.1113278>. (WoS/Scopus)

7622. Toderich KN, Terletskaia NV, Zorbekova AN, Saidova LT, Ashimuly K, Mamirova A, Shuyskaya EV. Abiotic stresses utilisation for altering the natural antioxidant biosynthesis in *Chenopodium quinoa* L. *Russian Journal of Plant Physiology* 70, art. 155, **2023**. <https://doi.org/10.1134/S102144372360191X>. (WoS/Scopus)

7623. Xu J, Du R, Wang Y, Chen J. RNA-sequencing reveals the involvement of sesquiterpene biosynthesis genes and transcription factors during an early response to mechanical wounding of *Aquilaria sinensis*. *Genes* 14(2):464, **2023**. <https://doi.org/10.3390/genes14020464>. (WoS/Scopus)

7624. Xu J, Du R, Wang Y, Chen J. Wound-induced temporal reprogramming of gene expression during agarwood formation in *Aquilaria sinensis*. *Plants* 12(16):2901, **2023**. <https://doi.org/10.3390/plants12162901>. (WoS/Scopus)

7625. Yahyazadeh M, Abouzeid S, Lewerenz L, Hijazin T, Selmar D. Impact of aridity on specialized metabolism: concentration of natural products in plants. In: Husen A, Iqbal M (eds) *Medicinal Plants: Their Response to Abiotic Stress*. Springer, Singapore. Pp. 241-266, **2023**. https://doi.org/10.1007/978-981-19-5611-9_9. (WoS/Scopus) [BOOK]

7626. Корбозова НК. Изучение воздействия абиотических стрессовых факторов на состав биологически активных веществ *Rhodiola semenovii* Boriss. Казахский Национальный университет им. аль-Фараби, Алматы, Республика Казахстан, **2023**. Source: [PhD thesis]

7627. Чижик ОВ, Мазур ТВ, Кардаш ЕБ. Влияние состава питательных сред на морфогенез и накопление биологически активных веществ в растениях брусники обыкновенной (*Vaccinium vitis-idaea*) сорта коралл. Международного научно-практического семинара "Опыт и перспективы выращивания нетрадиционных ягодных культур на территории Беларуси и сопредельных стран", Минск, 27–29 сентября 2023 года. *Национальная Академия Наук Беларуси, Центральный ботанический сад* стр. 68-71, **2023**.

7628. Ariyanti M, Farida F, Umiyati U. Review: Metabolit Sekunder pada Kelapa Sawit. *Paspalum: Jurnal Ilmiah Pertanian* 12(1), 209-215, **2024**. <http://dx.doi.org/10.35138/paspalum.v12i1.709>.

7629. Barros JGL, Fernandes R, Abraão A, Costa RD, Aires A, Gouvinhas I, Granato D, Barros AN. Characterization of Azorean plant leaves for sustainable valorization and future advanced applications in the food, cosmetic, and pharmaceutical industries. *Antioxidants* 13(3):325, **2024**. <https://doi.org/10.3390/antiox13030325>. (WoS/Scopus)

- 7630.** Chauhan PK, Upadhyay SK, Rajput VD, P Dwivedi, T Minkina, MH Wong. Fostering plant growth performance under drought stress using rhizospheric microbes, their gene editing, and biochar. *Environmental Geochemistry and Health* 46, 41, **2024**. <https://doi.org/10.1007/s10653-023-01823-1>. (WoS/Scopus)
- 7631.** Dilkin ERS, Matias R, Oliveira AKM, Corrêa BO. Fungitoxic effect and phytochemical characteristics of Brazilian Cerrado weeds against *Rhizoctonia solani* and *Macrophomina phaseolina* fung. *Brazilian Journal of Biology* vol. 84, e263114, **2024**. <https://doi.org/10.1590/1519-6984.263114>. (WoS/Scopus)
- 7632.** Kar K, Mazumder K, Chakraborty P, Chowdhury S. Phenolics as shielding counterparts from plants to combat biotic stress mediated by microbes and nematodes. In: Lone R, Khan S, Mohammed Al-Sadi A (eds) *Plant Phenolics in Biotic Stress Management*. Springer, Singapore. Chapter, pp. 147-171, **2024**. https://doi.org/10.1007/978-981-99-3334-1_6. [BOOK]
- 7633.** Meher K, Radha G, Lopus M. Induction of autophagy-dependent and caspa.se- and microtubule-acetylation-independent cell death by phytochemical-stabilized gold nanopolygons in colorectal adenocarcinoma cells. *Nanoscale*, **2024**. <https://doi.org/10.1039/D4NR00730A>. (WoS/Scopus)
- 7634.** Nomnqophiso,Z, Kambizi L, Etsassala NGE, Nehu F. Bioactivities of helichrysum cymosum cultivated in aquaponic, hydroponic and field systems. *Journal of Medicinal Plants for Economic Development* 8(1), a200, **2024**. <https://doi.org/10.4102/jomped.v8i1.200>. (WoS/Scopus)
- 7635.** Umar A, Darwish DBE, Albalwe FM. Chapter 2 - Fungal secondary metabolites and their role in stress management. In: KA Abd-Elsalam, HI Mohamed (Eds) *Nanobiotechnology for Plant Protection, Fungal Secondary Metabolites*. Elsevier, pp. 15-56, **2024**. <https://doi.org/10.1016/B978-0-323-95241-5.00001-0>. [BOOK]
- 7636.** Zaimenko N, Gnatiuk A, Gritsenko V, Zakrasov O, Pavliuchenko N, Kharytonova I, Dziuba O, Didyk N, Yunosheva O, Blum O, Likhanov A, Holichenko N. Biochemical and allelopathic features of *Adonis vernalis*, *Allium ursinum*, and *Leucojum vernum* in the M.M. Gryshko National Botanical Garden of the NAS of Ukraine. *Plant Introduction* 101/102, 3–18, **2024**. <https://doi.org/10.46341/PI2023011>.
- Vickers CE, Possell M, CI Cojocariu, Velikova VB, Laothawornkitkul J, Ryan A, Mullineaux PM, Hewitt CN – Isoprene synthesis protects transgenic plants from oxidative stress. *Plant Cell and Environment* 32: 520-531, 2009
- 7637.** Behnke K - Transgene Ansätze zur Aufklärung der Isoprenemission in Pappel. Albert Ludwigs Universität Freiburg i. Brsg., Fakultät für Forst und Umweltwissenschaften. KIT Scientific Publishing, **2009** (PhD Thesis)
- 7638.** Fares S, Mereu S, Mugnozsa GS, Vitale M, Manes F, Frattoni M, Ciccioli P, Gerosa G, Loreto F - The ACCENT-VOCBAS field campaign on biosphere-atmosphere interactions in a Mediterranean ecosystem of Castelporziano (Rome): site characteristics, climatic and meteorological conditions, and eco-physiology of vegetation. *Biogeosciences* 6 (6): 1043-1058, **2009** (WoS/Scopus)
- 7639.** Pacifico F, Harrison SP, Jones CD, Sitch S - Isoprene emissions and climate. *Atmospheric Environment* 43 (39): 6121-6135, **2009** (review) (WoS/Scopus)
- 7640.** Sharkey TD – The future of isoprene research. *Bulletin of the Georgian National Academy of Sciences* 3 (3), 106-113, **2009** (WoS/Scopus)
- 7641.** Asensi-Fabado A, Garcia-Breijo FJ, Reig-Arminana J - Ozone-induced reductions in below-ground biomass: an anatomical approach in potato. *Plant Cell And Environment* 33 (7): 1070-1083, **2010** (WoS/Scopus)
- 7642.** Behnke K, Kaiser A, Zimmer I, Bruggemann N, Janz D, Polle A, Hampp R, Hansch R, Popko J, Schmitt-Kopplin P, Ehrling B, Rennenberg H, Barta C, Loreto F, Schnitzler JP - RNAi-mediated suppression of isoprene emission in poplar transiently impacts phenolic metabolism under high temperature and high light intensities: a transcriptomic and metabolomic analysis. *Plant Molecular Biology* 74 (1-2): 61-75, **2010** (WoS/Scopus)
- 7643.** Behnke K, Loivamaki M, Zimmer I, Rennenberg H, Schnitzler JP, Louis S - Isoprene emission protects photosynthesis in sunfleck exposed *Grey poplar*. *Photosynthesis Research* 104 (1): 5-17, Sp. Iss. SI, **2010** (WoS/Scopus)
- 7644.** Holopainen JK, Gershenzon J - Multiple stress factors and the emission of plant VOCs. *Trends in Plant Science* 15 (3): 176-184, **2010** (review) (WoS/Scopus)
- 7645.** Huang M - Molecular and Functional Analysis of Volatile Isoprenoids in Arabidopsis. Biologisch-Pharmazeutischen Fakultät der Friedrich-Schiller-Universität Jena, *Master in Science Thesis* **2010**
- 7646.** Köksal M, Zimmer I, Schnitzler J-P, Christianson DW - Structure of isoprene synthase illuminates the chemical mechanism of teragram atmospheric carbon emission. *Journal Molecular Biology* 402, 363-373, **2010** (WoS/Scopus)
- 7647.** Loreto F, Schnitzler J-P - Abiotic stresses and induced BVOCs, *Trends in Plant Science*, 15 (3): 154-166, **2010** (WoS/Scopus)
- 7648.** Mumm R, Dicke M – Variation in natural plant products and the attraction of bodyguards involved in indirect plant defense. *Canadian Journal of Zoology* 88, 628-667, **2010** (review) (WoS/Scopus)
- 7649.** Schnitzler JP, Louis S, Behnke K, Loivamaki M - Poplar volatiles - biosynthesis, regulation and (eco)physiology of isoprene and stress-induced isoprenoids. *Plant Biology* 12 (2): 302-316, **2010** (review) (WoS/Scopus)
- 7650.** Winters AJ - The composition and emission of volatile organic compounds in Eucalyptus spp. leaves. School of Biological, Earth and Environmental Sciences University of New South Wales, *PhD Thesis*, **2010**
- 7651.** Didyk NP, Blum OB – Natural antioxidants of plant origin against ozone damage of sensitive crops. *Acta Physiologiae Plantarum* 33 (1): 25-34, **2011** (review) (WoS/Scopus)
- 7652.** Way DA, Schnitzler JP, Monson RK, Jackson RB - Enhanced isoprene-related tolerance of heat- and light-stressed photosynthesis at low, but not high, CO₂ concentrations. *Oecologia* 166 (1): 273-282, **2011** (WoS/Scopus)

- 7653.** Bagnoli F, Fineschi S, Loreto F – 6. Volatile isoprenoids and abiotic stresses. In: *The Ecology of Plant Secondary Metabolites: From Genes to Global Processes*, Series: Ecological Reviews (Eds Glenn R. Iason, Marcel Dicke, Susan E. Hartley), Cambridge University Press, pp: 101-121, **2012** (**Book series**)
- 7654.** Behnke K, Grote R, Bruggemann N, Zimmer I, Zhou GW, Elobeid M, Janz D, Polle A, Schnitzler JP - Isoprene emission-free poplars - a chance to reduce the impact from poplar plantations on the atmosphere. *New Phytologist* 194 (1), Special Issue: SI: 70-82, **2012**, DOI: [10.1111/j.1469-8137.2011.03979.x](https://doi.org/10.1111/j.1469-8137.2011.03979.x) (**WoS/Scopus**)
- 7655.** Faraldos JA, Gonzalez V, Li A, Yu F, Köksal M, Christianson DW, Allemann RK - Probing the mechanism of 1,4-conjugate elimination reactions catalyzed by terpene synthases. *Journal of the American Chemical Society* 134: 20844-20848, **2012** (**WoS/Scopus**)
- 7656.** Hartikainen K, Kivimaenpää M, Nerg AM, Holopainen T - Significance of leaf structure and emission of volatile organic compounds in ozone tolerance of oat and wheat. *Botany-Botanique* 90, (2): 121-135, **2012**, DOI: [10.1139/B11-090](https://doi.org/10.1139/B11-090). (**WoS/Scopus**)
- 7657.** Hartikainen K, Riikonen J, Nerg AM, Kivimaenpää M, Ahonen V, Tervahauta A, Karenlampi S, Maenpää M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T - Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: [10.1016/j.envexpbot.2012.04.014](https://doi.org/10.1016/j.envexpbot.2012.04.014), **2012**. (**WoS/Scopus**)
- 7658.** Hasanuzzaman M, Hossain MA, Teixeira da Silva JA, Fujita M - Plant response and tolerance to abiotic oxidative stress: antioxidant defense is a key factor. Chapter 8. In: *Crop Stress and its Management: Perspectives and Strategies* (B. Venkateswarlu A.K. Shanker, C. Shanker, M. Maheswari), DOI: [10.1007/978-94-007-2220-0_8](https://doi.org/10.1007/978-94-007-2220-0_8). Springer Science+Business Media B.V.; pp: 261-315, **2012** (**book**) (**WoS/Scopus**)
- 7659.** Pallozi E – BVOC emission responses to acute short-wave monochromatic radiations. **PhD Thesis**, Tuscia University, Viterbo (Italy), **2012**
- 7660.** Wang Y, Shen C, Li J, Jiang H, Chu Y - 28. Proton Transfer Reaction Mass Spectrometry (PTR-MS). In: *Mass Spectrometry Handbook*, First Edition. Edited by Mike S. Lee. © 2012 John Wiley & Sons, Inc. Published **2012** by John Wiley & Sons, Inc., pp: 605-630, (**Book**) DOI: [10.1002/9781118180730.ch28](https://doi.org/10.1002/9781118180730.ch28) (**WoS/Scopus**)
- 7661.** Way DA, Pearcy RW - Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: [10.1093/treephys/tps064](https://doi.org/10.1093/treephys/tps064), **2012** (**Review**) (**WoS/Scopus**)
- 7662.** Zurbriggen A, Kirst H, Melis A - Isoprene production via the Mevalonic acid pathway in *Escherichia coli* (Bacteria). *Bioenergy Research* 5(4): 814-828, DOI: [10.1007/s12155-012-9192-4](https://doi.org/10.1007/s12155-012-9192-4), **2012** (**WoS/Scopus**)
- 7663.** Boczek J, Kiełkiewicz M, Kaczmarczyk A. Herbivore-induced plant volatiles and their potential role in integrated pest management. *Progress in Plant Protection* 53 (4), 661-66, **2013** (**WoS/Scopus**)
- 7664.** Calfapietra C, Fares S, Manes F, Morani A, Sgrigna G, Loreto F - Role of biogenic volatile organic compounds (BVOC) emitted by urban trees on ozone concentration in cities: **A review**. *Environmental Pollution* 183: 71–80, **2013** (**WoS/Scopus**)
- 7665.** Copaciu F, Opris O, Coman V, Ristoiu D, Niinemets U, Copolovici L - Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids and physiology in wheat (*Triticum aestivum*). *Water Air and Soil Pollution* 224(3), Article Number: 1478, DOI: [10.1007/s11270-013-1478-4](https://doi.org/10.1007/s11270-013-1478-4), **2013** (**WoS/Scopus**)
- 7666.** Echer G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A - Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiology* 161 (4): 1952-1969, DOI: [10.1104/pp.112.208470](https://doi.org/10.1104/pp.112.208470), **2013** (**WoS/Scopus**)
- 7667.** Harrison SP, Morfopoulos C, Dani KGS, Prentice IC, Arneth A, Atwell BJ, Barkley MP, Leishman MR, Loreto F, Medlyn BE, Niinemets Ü, Possell M, Peñuelas J, Wright IJ - Volatile isoprenoid emissions from plastid to planet. *New Phytologist* 197 (1): 49-57, **2013** (**Review**) (**WoS/Scopus**)
- 7668.** Holopainen JK – Loss of isoprene-emitting capacity: deleterious for trees? *Tree Physiology* 33(6), 559-561, **2013**. (**WoS/Scopus**)
- 7669.** Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbc/article/view/168>, **2013**
- 7670.** Lavoie AV, Ormeno E, Pasqualini V, Ferrat L, Greff S, Lecareux C, Vila B, Mevy JP, Fernandez C - Does prescribed burning affect leaf secondary metabolites in pine stands? *Journal of Chemical Ecology* 39(3): 398-412, DOI: [10.1007/s10886-013-0256-5](https://doi.org/10.1007/s10886-013-0256-5), **2013** (**WoS/Scopus**)
- 7671.** Li Z, Sharkey TD – Molecular and pathway controls on biogenic volatile organic compound emissions. In *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI [10.1007/978-94-007-6606-8_10](https://doi.org/10.1007/978-94-007-6606-8_10). Springer Science+Business Media Dordrecht, CHAPTER 5: pp. 119-151, **2013** (**book**)
- 7672.** Marti G, Erb M, Boccard J, Glauser G, Doyen GR, Villard N, Robert CAM, Turlings TCJ, Rudaz S, Wolfender JL - - Metabolomics reveals herbivore-induced metabolites of resistance and susceptibility in maize leaves and roots. *Plant Cell and Environment* 36(3): 621-639, **2013**, DOI: [10.1111/pce.12002](https://doi.org/10.1111/pce.12002) (**WoS/Scopus**)
- 7673.** Memari HR, Pazouki L, Niinemets Ü – The biochemistry and molecular biology of volatile messengers in trees. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI [10.1007/978-94-007-6606-8_10](https://doi.org/10.1007/978-94-007-6606-8_10). Springer Science+Business Media Dordrecht, CHAPTER 3: pp. 47-93, **2013** (**book**)
- 7674.** Monson RK, Jones RT, Rosenstiel TN, Schnitzler J-P – Why only some plants emit isoprene. *Plant, Cell and Environment* 136 (3): 503-516, **2013** (**Review**) (**WoS/Scopus**)

- 7675.** Niinemets Ü, Monson RK – State-of-the art of BVOC Research: What do we have and what have we misses? A synthesis. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 18: pp. 509-528, **2013** ([book](#))
- 7676.** Pallozzi E, Fortunati A, Marino G, Loreto F, Agati G, Centritto M - BVOC emission from *Populus x canadensis* saplings in response to acute UV-A radiation. *Physiologia Plantarum* 148 (1): 51-61, **2013**. (**WoS/Scopus**)
- 7677.** Rozenkranz M, Schnitzler J-P – Genetic engineering of BVOC emissions from trees. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 4: pp. 95-118, **2013** ([book](#))
- 7678.** Sharkey TD - Is it useful to ask why plants emit isoprene? *Plant, Cell & Environment* 36(3): 517-520, DOI: 10.1111/pce.12038 **2013**. (**WoS/Scopus**)
- 7679.** Sharkey TD, Gray DW, Pell HK, Breneman SR, Topper L - Isoprene synthase genes form a monophyletic clade of acyclic terpene synthases in the tps-b terpene synthase family. *Evolution* 67 (4): 1026-1040, DOI: 10.1111/evo.12013, **2013** (**WoS/Scopus**)
- 7680.** Sun Z, Huve K, Vislap V, Niinemets U – Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *Journal of Experimental Botany* 64 (18): 5509-5523, **2013** (**WoS/Scopus**)
- 7681.** Suprasanna P, Variyar PS - Coping abiotic stress with plant volatile organic chemicals (PVOs): A promising approach, crop improvement crop improvement. In: *New Approaches and Modern Techniques* (Editors: Khalid Rehman Hakeem, Parvaiz Ahmad, Munir Ozturk), pp 295-306, Springer **2013** ([book](#))
- 7682.** Vesala M - Volatile-mediated plant-to-plant communication in hybrid aspens in ozone-enriched atmosphere. University of Eastern Finland, **2013**
- 7683.** Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB, Schmitt-Kopplin P, Schnitzler J-P - Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytologist* 200(2), 534-546, **2013** (**WoS/Scopus**)
- 7684.** Chidawanyika F, Midega CAO, Bruce TJA, Duncan F, Pickett JA, Khan ZR - Oviposition acceptance and larval development of Chilo partellus stemborers in drought-stressed wild and cultivated grasses of East Africa. *Entomologia Experimentalis et Applicata*, 151 (3), pp. 209-217, **2014** (**WoS/Scopus**)
- 7685.** Dani KGS – On the physiology and evolution of volatile isoprenoid emission in plants. Macquarie University, Australia, [PhD Thesis](#), **2014**
- 7686.** Dorokhov YL, Komarova TV, Sheshukova EV - Volatile organic compounds and plant virus-host interaction. *Plant Virus-Host Interaction: Molecular Approaches and Viral Evolution*, pp. 241-262, **2014** (**WoS/Scopus**)
- 7687.** Feller U, Vaseva I - Extreme climatic events: impacts of drought and high temperature on physiological processes in agronomically important plants. *Frontiers in Environmental Science*, v. 2, article 39, **2014** ([review](#)) (**WoS/Scopus**)
- 7688.** Foster, PN; Prentice, IC; Morfopoulos, C; Siddall, M; van Weele, M - Isoprene emissions track the seasonal cycle of canopy temperature, not primary production: evidence from remote sensing. *Biogeosciences* 11 (13), 3437-3451, **2014** (**WoS/Scopus**)
- 7689.** Gopi K, Renu K, Jayaraman G. Inhibition of *Naja naja* venom enzymes by the methanolic extract of *Leucas aspera* and its chemical profile by GC–MS. *Toxicology Reports*. 1, 667-673, **2014**. (**WoS/Scopus**)
- 7690.** Hartikainen K – Effects of elevated temperature and/or ozone on leaf structural characteristics and volatile organic compound emissions of northern deciduous tree and crop species. **PhD** in Forestry and Natural Sciences No 140, University of Eastern Finland, **2014** ([PhD Thesis](#))
- 7691.** Jha UC, Bohra A, Singh NP. Heat stress in crop plants: its nature, impacts and integrated breeding strategies to improve heat tolerance (Review). *Plant Breeding*. 133, 679–701, **2014** (**WoS/Scopus**)
- 7692.** Lee K, Seo PJ - Airborne signals from salt-stressed Arabidopsis plants trigger salinity tolerance in neighboring plants. *Plant Signaling and Behavior*, art. no. e28392, **2014** (**WoS/Scopus**)
- 7693.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 7694.** Morfopoulos C, Sperlich D, Peñuelas J, Filella I, Llusià, Medlyn BE, Niinemets Ü, Possell M, Sun Z, Cubells IC - A model of plant isoprene emission based on available reducing power captures responses to atmospheric CO₂. *New Phytologist* 203 (1), 25-139, **2014**. (**WoS/Scopus**)
- 7695.** Pollastri S, Tsonev T, Loreto F. Isoprene improves photochemical efficiency and reduces heat dissipation in plants at physiological temperatures. *Journal of Experimental Botany*. 65 (6), 1565-1570, **2014** (**WoS/Scopus**)
- 7696.** Sharkey, TD; Monson, RK - The future of isoprene emission from leaves, canopies and landscapes. *Plant Cell and Environment* 37 (8), SI, 1727-1740, **2014** ([Review](#)) (**WoS/Scopus**)
- 7697.** Teotia S, Singh D. Oxidative stress in plants and its management. In: Gaur R, Sharma P (eds) *Approaches to Plant Stress and their Management*. Springer, New Delhi, **2014**, 227-253. Springer. ([book](#)) (**WoS/Scopus**)
- 7698.** Bongers M, Chrysanthopoulos PK, Behrendorff JBYH, Hodson MP, Vickers CE, Nielsen LK. Systems analysis of methylerythritol-phosphate pathway flux in E. coli: insights into the role of oxidative stress and the

validity of lycopene as an isoprenoid reporter metabolite, *Microbial Cell Factories* 14, 193, **2015**, doi: [10.1186/s12934-015-0381-7](https://doi.org/10.1186/s12934-015-0381-7) (WoS/Scopus)

7699. Exton DA, Mcgenity TJ, Steinke M, Smith DJ, Suggett DJ - Uncovering the volatile nature of tropical coastal marine ecosystems in a changing world. *Global Change Biology* 21 (4), 1383-1394, **2015** (WoS/Scopus)

7700. Gupta D, Ip T, Summers ML, Basu C - 2-methyl-3-buten-2-ol (MBO) synthase expression in *Nostoc punctiforme* leads to over production of phytols. *Bioengineered Bugs* 6 (1), 33-41, **2015** (WoS/Scopus)

7701. Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes, *Journal of Bioenergetics and Biomembranes* 47, 5, 419-429, **2015** (WoS/Scopus)

7702. Jardine KJ, Chambers JQ, Holm J, Jardine AB, Fontes CG, Zorzanelli RF, Meyers KT, de Souza VF, Garcia S, Gimenez BO, Piva LRO, Higuchi N, Artaxo P, Martin S, Manzi AO. Green leaf volatile emissions during high temperature and drought stress in a Central Amazon rainforest, *Plants* 4, 3, 678-690, **2015** (WoS/Scopus)

7703. Niinemets Ü, Sun Z - How light, temperature, and measurement and growth [CO₂] interactively control isoprene emission in hybrid aspen. *Journal of Experimental Botany* 66 (3): 841-851, **2015**, doi: [10.1093/jxb/eru443](https://doi.org/10.1093/jxb/eru443). (WoS/Scopus)

7704. Oku H, Inafuku M, Ishikawa T, Takamine T, Ishmael M, Fukuta M. Molecular cloning and biochemical characterization of isoprene synthases from the tropical trees *Ficus virgata*, *Ficus septica*, and *Casuarina equisetifolia*. *Journal of Plant Research* 128, 5, 849-861, **2015** (WoS/Scopus)

7705. Palmer-Young EC, Veit D, Gershenzon J, Schuman MC - The sesquiterpenes(E)-β-farnesene and (E)-α-bergamotene quench ozone but fail to protect the wild tobacco *Nicotiana attenuata* from ozone, UVB, and drought stresses. *PLoS ONE*, 10 (6), art. no. e0127296, **2015** (WoS/Scopus)

7706. Rosenkranz M, Pugh TAM, Schnitzler J-P, Arneth A. Effect of land-use change and management on biogenic volatile organic compound emissions – selecting climate-smart cultivars. *Plant, Cell & Environment* 38, 9, 1896-1912, **2015** (WoS/Scopus)

7707. Sawicki M, Barka EA, Clément C, Vaillant-Gaveau N, Jacquard C. Cross-talk between environmental stresses and plant metabolism during reproductive organ abscission. *Journal of Experimental Botany* 66, 7, 1707-1719, **2015** (WoS/Scopus)

7708. Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P. Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology* 169, 1, 560-575, **2015** (WoS/Scopus)

7709. Zuo Z, Chen Z, Shi M, Zhu Y, Bai Y, Wang Y. Reactive oxygen species contribute to the release of volatile organic compounds from *Chlamydomonas reinhardtii* during programmed cell death. *Phycological Research* 63, 1, 37-42, **2015** (WoS/Scopus)

7710. Amdouni T, Abdallah SB, Msilini N, Fernandez X - Effect of salt stress on the antimicrobial activity of *Ruta chalepensis* essential oils. *Acta Physiologiae Plantarum* 38(6), 147, 1-13, **2016**, DOI: [10.1007/s11738-016-2167-x](https://doi.org/10.1007/s11738-016-2167-x) (WoS/Scopus)

7711. Barrios-Collado C, García-Gómez D, Zenobi R, Vidal-de-Miguel G, Ibáñez AJ, Martínez-Lozano Sinues P. Capturing in vivo plant metabolism by real-time analysis of low to high molecular weight volatiles. *Analytical Chemistry*, 88, 4, 2406-2412, **2016** (WoS/Scopus)

7712. Dani KGS, Fineschi S, Michelozzi M, Loreto F. Do cytokinins, volatile isoprenoids and carotenoids synergically delay leaf senescence? *Plant, Cell & Environment*, 39, 5, 1103–1111, **2016** (WoS/Scopus)

7713. Dong F, Fu X, Watanabe N, Su X, Yang Z. Recent advances in the emission and functions of plant vegetative volatiles, *Molecules*, 21, 2, 124, 1-10, **2016** (WoS/Scopus)

7714. Fagbohunge M, Herbert BMJ, Hurst L, Li H, Usmani SQ, Semple KT - Impact of biochar on the anaerobic digestion of citrus peel waste. *Bioresource Technology* 216, 142-149, **2016**, DOI: [10.1016/j.biortech.2016.04.106](https://doi.org/10.1016/j.biortech.2016.04.106) (WoS/Scopus)

7715. Harris A, Owen SM, Sleep D, Pereira MDGDS. Constitutive changes in pigment concentrations: implications for estimating isoprene emissions using the photochemical reflectance index, *Physiologia Plantarum*, 156, 2, 190-200, **2016** (WoS/Scopus)

7716. Harvey CM, Sharkey TD. Exogenous isoprene modulates gene expression in unstressed *Arabidopsis thaliana* plants, *Plant, Cell and Environment*, 39, 1251–1263, **2016** (WoS/Scopus)

7717. Jardine KJ, Jardine AB, Souza VF, Carneiro V, Ceron JV, Gimenez BO, Soares CP, Durgante FM, Higuchi N, Manzi AO, Gonçalves JF, Garcia S, Martin S, Zorzanelli RF, Piva LR, Chambers JQ. Methanol and isoprene emissions from the fast growing tropical pioneer species *Vismia guianensis* (Aubl.) Pers.(Hypericaceae) in the central Amazon forest. *Atmospheric Chemistry and Physics*, 16, 10, 6441-6452, **2016** (WoS/Scopus)

7718. Jud W, Fischer L, Canaval E, Wohlfahrt G, Tissier A, Hansel A. Plant surface reactions: an opportunistic ozone defence mechanism impacting atmospheric chemistry, *Atmospheric Chemistry and Physics*, 16, 1, 277-292, **2016** (WoS/Scopus)

7719. Kaling M – Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technische Universität München, **2016**, [PhD Thesis](#)

7720. Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:[10.1007/s11738-016-2241-4](https://doi.org/10.1007/s11738-016-2241-4) (WoS/Scopus)

- 7721.** Pareja M, Pinto-Zevallos DM - Impacts of induction of plant volatiles by individual and multiple stresses across trophic levels. In: *Deciphering Chemical Language of Plant Communication* (JD Blande and R Glinwood, Eds.), Part of the series *Signaling and Communication in Plants*, pp. 61-93, Print ISBN: 978-3-319-33496-7, Online ISBN: 978-3-319-33498-1, Springer International Publishing, **2016** doi: [10.1007/978-3-319-33498-1_3](https://doi.org/10.1007/978-3-319-33498-1_3) **BOOK**
- 7722.** Park KY, Kim EY, Seo YS, Kim WT. Constitutive expression of CaPLA1 conferred enhanced growth and grain yield in transgenic rice plants, *Plant Molecular Biology*, 90, 4-5, 517-532, **2016** (WoS/Scopus)
- 7723.** Ainsworth EA – Understanding and improving global crop responses to ozone pollution. *The Plant Journal* 90(5), 886-897, **2017**, DOI: [10.1111/tpj.13298](https://doi.org/10.1111/tpj.13298) (WoS/Scopus)
- 7724.** Cappellin L, Algarra Alarcon A, Herdinger-Blatt I, Sanchez J, Biasioli F, Martin ST, Loreto F, McKinney KA. Field observations of volatile organic compound (VOC) exchange in red oaks, *Atmospheric Chemistry and Physics*, 17, 6, 4189-4207, **2017** (WoS/Scopus)
- 7725.** Dani SKG, Loreto F. Trade-of between dimethyl sulfide and isoprene emissions from marine phytoplankton, *Trends in Plant Science*, 22 (5), 361-372, **2017** (WoS/Scopus)
- 7726.** Haworth M, Catola S, Marino G, Brunetti C, Michelozzi M, Riggi E, Avola G, Cosentino SL, Loreto F, Centritto M. Moderate drought stress induces increased foliar dimethylsulphoniopropionate (DMSP) concentration and isoprene emission in two contrasting ecotypes of *Arundo donax*, *Frontiers In Plant Science* 8, art. No 1016, **2017** (WoS/Scopus)
- 7727.** Kleiber A, Duan Q, Jansen K, Verena Junker L, Kammerer B, Rennenberg H, Ensminger I, Gessler A, Kreuzwieser J. Drought effects on root and needle terpenoid content of a coastal and an interior Douglas fir provenance, *Tree physiology*, 37, 12, 1648-1658, **2017** (WoS/Scopus)
- 7728.** Kumari A, Pandey N, Pandey-Rai S. Protection of *Artemisia annua* roots and leaves against oxidative stress induced by arsenic, *Biologia Plantarum*, 61, 2, 367-377, **2017** (WoS/Scopus)
- 7729.** Li S, Harley PC, Niinemets Ü. Ozone-induced foliar damage and release of stress volatiles is highly dependent on stomatal openness and priming by low-level ozone exposure in *Phaseolus vulgaris*, *Plant, Cell & Environment*, 40 (9), 1984–2003, **2017** (WoS/Scopus)
- 7730.** Mistry AP. The effects of isoprene emission from native and invasive trees on local air quality. *DePaul Discoveries*, 6 (1), art. 6, **2017**, <http://via.library.depaul.edu/depaul-disc/vol6/iss1/6>
- 7731.** Murphy G – Isoprene degradation in the terrestrial environment. University of Essex, UK, **2017** **PhD Thesis**
- 7732.** Rani K, Arya SS, Devi S, Kaur V - Plant volatiles and defense. In: *Volatiles and Food Security, Role of Volatiles in Agro-ecosystems*, Choudhary D, Sharma A, Agarwal P, Varma A, Tuteja N (eds). Springer, Singapore, pp. 113-134, **2017**, https://doi.org/10.1007/978-981-10-5553-9_7 (**BOOK**) (WoS/Scopus)
- 7733.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. *Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets*, pp 327-359, In: Gil-Pelegrín E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L.*, Tree Physiology, vol 7. Springer, Cham., 2017 (**BOOK series**)
- 7734.** Sharkey TD, Monson RK – Isoprene research – 60 years later, the biology is still enigmatic. *Plant, Cell and Environment* 40(9), 1671-1678, **2017**. doi: [10.1111/pce.12930](https://doi.org/10.1111/pce.12930) (WoS/Scopus)
- 7735.** Sikorskaite-Gudziuniene S, Haimi P, Gelvonauskiene D, Stanys V- Nuclear proteome analysis of apple cultivar 'Antonovka' accessions in response to apple scab (*Venturia inaequalis*). *European Journal of Plant Pathology* 148(4):771-784, **2017**, <https://doi.org/10.1007/s10658-016-1131-3> (WoS/Scopus)
- 7736.** Sivaraman T, Sreedevi NS, Meenatchisundaram S, Vadivelan R. Antitoxin activity of aqueous extract of *Cyclea peltata* root against *Naja naja* venom, *Indian Journal of Pharmacology*, 49, 4, 275-281, **2017** (WoS/Scopus)
- 7737.** Taylor TC – Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests. The University of Arizona, **2017**, **PhD Thesis**, <http://hdl.handle.net/10150/623061>
- 7738.** Valor T, Ormeño E, Casals P. Temporal effects of prescribed burning on terpene production in Mediterranean pines, *Tree physiology*, 37, 12, 1622-1636, **2017** (WoS/Scopus)
- 7739.** Zuo Z, Wang B, Ying B, Zhou Lv, Zhang R – Monoterpene emissions contribute to thermotolerance in *Cinnamomum camphora*. *Trees – Structure and Function* 31(6), 1759-1771, **2017**, DOI [10.1007/s00468-017-1582-y](https://doi.org/10.1007/s00468-017-1582-y). (WoS/Scopus)
- 7740.** Zuo Z-J. The review of research advances in algal volatile organic compounds, *Acta Hydrobiologica Sinica*, 41, 6, 1369-1379, **2017** (WoS/Scopus)
- 7741.** Adams WW III, Stewart JJ, Demmig-Adams B - Photosynthetic modulation in response to plant activity and environment. In: *The Leaf: A Platform for Performing Photosynthesis*, WW Adams III, I Terashima (Eds.), Chapter 18, pp. 493-563, **2018** (**e-BOOK**), Springer International Publishing AG, ISBN 978-3-319-93594-2. https://doi.org/10.1007/978-3-319-93594-2_18.
- 7742.** Brunetti C, Loreto F, Ferrini F, Gori A, Guidi L, Remorini D, Centritto M, Fini A, Tattini M. Metabolic plasticity in the hygrophite *Moringa oleifera* exposed to water stress. *Tree Physiology* 38(11):1640-1654, **2018**. <https://doi.org/10.1093/treephys/tpy089> (WoS/Scopus)
- 7743.** Saleem AR, Brunetti C, Khalid A, Della Rocca G, Raio A, Emiliani G, De Carlo A, Mahmood T, Centritto M. Drought response of *Mucuna pruriens* (L.) DC. Inoculated with ACC deaminase and IAA producing rhizobacteria. *PLoS ONE* 13(2): e0191218. **2018** <https://doi.org/10.1371/journal.pone.0191218> (WoS/Scopus)

7744. Taylor TC, McMahon SM, Smith MN, Boyle B, Violle C, van Haren J, Simova I, Meir P, Ferreira LV, de Camargo PB, da Costa ACL, Enquist BJ, Saleska SR. Isoprene emission structures tropical tree biogeography and community assembly responses to climate. *New Phytologist* 220 (2): 435-446, **2018**, <https://doi.org/10.1111/nph.15304> (WoS/Scopus)
7745. Wang JY, Wang XD, Ma YD, Fu LC, Zhou HH, Wang B, Zhang RM, Gao Y. Physiological and ecological responses to drought and heat stresses in *Osmanthus fragrans* 'Boyejingui'. *Chinese Journal of Plant Ecology* 42:681-691, **2018**. DOI: 10.17521/cjpe.2018.0017 (WoS/Scopus)
7746. Cappellin L, Loreto F, Biasioli F, Pastore P, McKinney K. A mechanism for biogenic production and emission of MEK from MVK decoupled from isoprene biosynthesis. *Atmospheric Chemistry and Physics* 19, 3125-3135, **2019**. <https://doi.org/10.5194/acp-19-3125-2019> (WoS/Scopus)
7747. Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
7748. Duan Q, Kleiber A, Jansen K, Junker LV, Kammerer B, Han G, Zimmer I, Rennenberg H, Schnitzler J-P, Ensminger I, Gessler A, Kreuzwieser J-F. Effects of elevated growth temperature and enhanced atmospheric vapour pressure deficit on needle and root terpenoid contents of two Douglas fir provenances. *Environmental and Experimental Botany* 166, art. number 103819, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103819>. (WoS/Scopus)
7749. Ganjewala D, Kaur G, Srivastava N. Metabolic engineering of stress protectant secondary metabolites to confer abiotic stress tolerance in plants. In: Singh S, Upadhyay S, Pandey A, Kumar S (eds) *Molecular Approaches in Plant Biology and Environmental Challenges. Energy, Environment, and Sustainability*. Springer, Singapore, pp. 207-227, **2019**. https://doi.org/10.1007/978-981-15-0690-1_11 (BOOK)
7750. Gavrichkova O, Scartazz A, Guidolotti G, Kuzyakov Y, Leonardi L, Mattioni M, Nawrocka J, Pallozzi M, Skwarek M, Tomczyńska M, Calfapietra C. When the Mediterranean becomes harsh: Heat pulses strongly affect C allocation in plant-soil-atmosphere continuum in *Eucalyptus camaldulensis*. *Environmental and Experimental Botany* 162: 181-191, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.02.019> (WoS/Scopus)
7751. Gruessner B, Cornet-Vernet L, Desrosiers MR, Lutgen P, Towler MJ, Weathers PJ. It is not just artemisinin: *Artemisia* sp. for treating diseases including malaria and schistosomiasis. *Phytochemistry Reviews* 18:1509-1527, **2019**. <https://doi.org/10.1007/s11101-019-09645-9>. (WoS/Scopus)
7752. Hamachi A, Nisihara M, Saito S, Rim H, Takahashi H, Islam M, Uemura T, Ohnishi T, Ozawa R, Maffei ME, Arimura G-i. Overexpression of geraniol synthase induces heat stress susceptibility in *Nicotiana tabacum*. *Planta* 249(1):235-249, **2019**. <https://doi.org/10.1007/s00425-018-3054-z> (WoS/Scopus)
7753. Harman-Ware AE. Conversion of terpenes to chemicals and related products. In: *Chemical Catalysts for Biomass Upgrading*, M Crocker & E Santillan-Jimenez (Eds). WILEY-VCH, Chapter 13, pp. 529-568, 2019. ISBN: 978-3-527-81480-0. (WoS/Scopus) [e-BOOK]
7754. Kapoor D, Singh S, Kumar V, Romero R, Prasad R, Singh J. Antioxidant enzymes regulation in plants in reference to reactive oxygen species (ROS) and reactive nitrogen species (RNS). *Plant Gene* v. 19, art. 100182, **2019**. <https://doi.org/10.1016/j.plgene.2019.100182>. (WoS/Scopus)
7755. Kaur G, Ganjewala D. Stress protectant secondary metabolites and their metabolic engineering to enhance abiotic stress tolerance in plants. In: Kumar M, Muthusamy A, Kumar V, Bhalla-Sarin N (eds) *In vitro Plant Breeding towards Novel Agronomic Traits*. Springer, Singapore, pp. 197-216, **2019**. https://doi.org/10.1007/978-981-32-9824-8_11. (WoS/Scopus) [BOOK]
7756. Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. doi:10.1111/pce.13629. (Review). (WoS/Scopus)
7757. Lantz AT, Solomon C, Gog L, McClain AM, Weraduwege SM, Cruz JA, Sharkey TD. Isoprene suppression by CO₂ is not due to triose phosphate utilization (TPU) limitation. *Frontiers in Forests and Global Change* 2:8, **2019**. doi: 10.3389/ffgc.2019.00008 (WoS/Scopus)
7758. Larke-Mejía NL, Crombie AT, Pratscher J, McGenity TJ, Murrell JC. Novel isoprene-degrading proteobacteria from soil and leaves identified by cultivation and metagenomics analysis of stable isotope probing experiments. *Frontiers in Microbiology* 10: art. 2700, **2019**. <https://doi.org/10.3389/fmicb.2019.02700>. (WoS/Scopus)
7759. Mahajan P, Singh HP, Kaur S, Batish DR, Kohli RK - β -Pinene moderates Cr(VI) phytotoxicity by quenching reactive oxygen species and altering antioxidant machinery in maize. *Environmental Science and Pollution Research* 26(1):456-463, **2019**. <https://doi.org/10.1007/s11356-018-3562-1> (WoS/Scopus)
7760. Parveen S, Harun-Ur-Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**, <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
7761. Parveen S, Iqbal MdA, Mutanda I, H-U-Rashid Md, Inafuku M, Oku H. Plant hormone effects on isoprene emission from tropical tree in *Ficus septica*. *Plant, Cell & Environment* 42(5):1715-1728, **2019**. <https://doi.org/10.1111/pce.13513> (WoS/Scopus)
7762. Pollastri S, Jorba I, Hawkins TJ, Llusà J, Michelozzi M, Navajas D, Penuelas J, Hussey PJ, Knight MR, Loreto F. Leaves of isoprene-emitting tobacco plants maintain PSII stability at high temperatures. *New Phytologist* 223(3):1307-1318, **2019** (WoS/Scopus)

7763. Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell and Environment* 42(8):2448-2457, **2019**. <https://doi.org/10.1111/pce.13564> (WoS/Scopus)
7764. Turan S, Kask K, Kanagendran A, Li S, Anni R, Talts E, Rasulov B, Kännaste A, Niinemets Ü. Lethal heat stress-dependent volatile emissions from tobacco leaves: what happens beyond the thermal edge? *Journal of Experimental Botany* 70(18):5017-5030, **2019**. <https://doi.org/10.1093/jxb/erz255>. (WoS/Scopus)
7765. Zuo Z, Weraduwege SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. (WoS/Scopus)
7766. Zuo Z. Why algae release volatile organic compounds – the emission and roles. *Frontiers in Microbiology* 10:491, **2019**. doi: 10.3389/fmicb.2019.00491 (Mini review) (WoS/Scopus)
7767. Asghar U, Masoom A, Javed A, Abbas A. Economic analysis of isoprene production from good year scientific process. *American Journal of Chemical Engineering* 8(3), 63-69, **2020**. <http://article.chemicaleng.org/pdf/10.11648.j.ajche.20200803.12.pdf>
7768. Carrión O, Gibson L, Elias DMO, McNamara NP, van Alen TA, Op den Camp HJM, Supramaniam CV, McGenity TJ, Colin Murrell J. Diversity of isoprene-degrading bacteria in phyllosphere and soil communities from a high isoprene-emitting environment: a Malaysian oil palm plantation. *Microbiome* 8:81, **2020**. <https://doi.org/10.1186/s40168-020-00860-7>. (WoS/Scopus)
7769. Dawson RA, Larke-Mejía NL, Crombie AT, Haque MFU, Murrell JC. Isoprene oxidation by the gram-negative model bacterium *Variovorax* sp. WS11. *Microorganisms* 8(3), 349, **2020**. <https://doi.org/10.3390/microorganisms8030349>. (WoS/Scopus)
7770. Despinasse Y, Moja S, Soler C, Jullien F, Pasquier B, Bessière J-M, Noûs C, Baudino S, Nicolè F. Structure of the chemical and genetic diversity of the true lavender over its natural range. *Plants* 9(12), 1640, **2020**. <https://doi.org/10.3390/plants9121640>. (WoS/Scopus)
7771. Duan Q, Bonn B, Kreuzwieser J. Terpenoids are transported in the xylem sap of Norway spruce. *Plant, Cell & Environment* 43(7), 1766-1778, **2020**. <https://doi.org/10.1111/pce.13763>. (WoS/Scopus)
7772. Faralli M, Li M, Varotto C. Shoot characterization of isoprene and ocimene-emitting transgenic arabidopsis plants under contrasting environmental conditions. *Plants* 9(4), 477, **2020**. <https://doi.org/10.3390/plants9040477>. (WoS/Scopus)
7773. Harman-Ware AE. Conversion of terpenes to chemicals and related products. In: *Chemical Catalysts for Biomass Upgrading*, Book Editor(s): M Crocker, E Santillan-Jimenez, Chapter 13, **2020**. <https://doi.org/10.1002/9783527814794.ch13>. (WoS/Scopus) [BOOK]
7774. Hoshika Y, Brilli F, Baraldi R, Fares S, Carrari E, Zhang L, Badea O, Paoletti E. Ozone impairs the response of isoprene emission to foliar nitrogen and phosphorus in poplar. *Environmental Pollution* 267, 115679, **2020**. <https://doi.org/10.1016/j.envpol.2020.115679>. (WoS/Scopus)
7775. Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>. (PhD Thesis)
7776. Lawson CA. Gas powered reefs: exploring the nature and variability of the coral volatilome. University of Technology Sydney, Australia, PhD Thesis, **2020**. <https://opus.lib.uts.edu.au/bitstream/10453/140488/2/02whole.pdf>. [PhD Thesis]
7777. Monson RK, Winkler B, Rosenstiel TN, Block K, Merl-Pham J, Strauss SH, Ault K, Maxfield J, Moore DJP, Trahan NA, Neice AA, Shiach I, Barron-Gafford GA, Ibsen P, McCorkel JT, Bernhardt J, Schnitzler J-P. High productivity in hybrid-poplar plantations without isoprene emission to the atmosphere. *Proceedings of the National Academy of Sciences of the United States of America* 117(3), 1596-1605, **2020**. <https://doi.org/10.1073/pnas.1912327117>. (WoS/Scopus)
7778. Palouš D. Emissions of isoprene by oil palm and their impacts on climate and composition of the atmosphere. Charles University, Praha, Czechia, PhD Thesis, **2020**. <http://hdl.handle.net/20.500.11956/119536>. [PhD Thesis]
7779. Picazo-Aragón J, Terrab A, Balao F. Plant volatile organic compounds evolution: Transcriptional regulation, epigenetics and polyploidy. *International Journal of Molecular Sciences* 21(23), 8956, **2020**. <https://doi.org/10.3390/ijms21238956>. (WoS/Scopus) [Review]
7780. Rodrigues TB, Baker CR, Walker AP, McDowell N, Rogers A, Higuchi N, Chambers JQ, Jardine KJ. Stimulation of isoprene emissions and electron transport rates as key mechanisms of thermal tolerance in the tropical species *Vismia guianensis*. *Global Change Biology* 26(10), 5928-5941, **2020**. <https://doi.org/10.1111/gcb.15213>. (WoS/Scopus)
7781. Sharkey TD, Preiser AL, Weraduwege SM, Gog L. Source of ^{12}C in Calvin Benson cycle intermediates and isoprene emitted from plant leaves fed with $^{13}\text{CO}_2$. *Biochemical Journal* 477, 3237-3252, **2020**. <https://doi.org/10.1042/BCJ20200480>. (WoS/Scopus)
7782. Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020**. <https://doi.org/10.1093/jxb/eraa415>. (WoS/Scopus)

- 7783.** Tian Z, Luo Q, Li Y, Zuo Z. Terpinene and β -pinene acting as signaling molecules to improve *Cinnamomum camphora* thermotolerance. *Industrial Crops and Products* 154:112641, **2020**. <https://doi.org/10.1016/j.indcrop.2020.112641>. (WoS/Scopus)
- 7784.** van Doorn MM, Merl-Pham J, Ghirardo A, Fink S, Polle A, Schnitzler J-P, Rosenkranz M. Root isoprene formation alters lateral root development. *Plant, Cell & Environment* 43(9), 2207-2223, **2020**. <https://doi.org/10.1111/pce.13814>. (WoS/Scopus)
- 7785.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abiotic and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 7786.** Adeyemi SO, Larayetan R, Ajayi A, Onoja AD, Yahaya A, Ogunmola OO, Adeyi AO, Chijioko O. Anti-hemorrhagic activity of ethanol extract of *Moringa oleifera* leaf on envenomed Albino rats. *Scientific African* v. 12, e00742, **2021**. <https://doi.org/10.1016/j.sciaf.2021.e00742>. (WoS/Scopus)
- 7787.** Ghirardo A, Nosenko T, Kreuzwieser J, Winkler JB, Kruse J, Albert A, Merl-Pham J, Lux T, Ache P, Zimmer I, Alfarraj S, Mayer KFX, Hedrich R, Rennenberg H, Schnitzler J-P. Protein expression plasticity contributes to heat and drought tolerance of date palm. *Oecologia* 197:903-919, **2021**. <https://doi.org/10.1007/s00442-021-04907-w>. (WoS/Scopus)
- 7788.** Gibson L, Crombie AT, McNamara NP, Murrell JC. Isoprene-degrading bacteria associated with the phyllosphere of *Salix fragilis*, a high isoprene-emitting willow of the Northern Hemisphere. *Environmental Microbiome* 16, art. number 17, **2021**. <https://doi.org/10.1186/s40793-021-00386-x>. (WoS/Scopus)
- 7789.** Khakdan F, Govahi M, Mohebi Z, Ranjbar M. Water deficit stress responses of monoterpenes and sesquiterpenes in different Iranian cultivars of basil. *Physiologia Plantarum* 173(3), SI:Plants & UVB Radiation, 896-910, **2021**. <https://doi.org/10.1111/ppl.13485>. (WoS/Scopus)
- 7790.** Kreuzwieser J, Meischner M, Grun M, Yanez-Serrano AM, Fasbender L, Werner C. Drought affects carbon partitioning into volatile organic compound biosynthesis in Scots pine needles. *New Phytologist* 232(5):1930-1943, **2021**. <https://doi.org/10.1111/nph.17736>. (WoS/Scopus)
- 7791.** Li M, Xu J, Lyu F, Khomenko I, Biasioli F, Villani M, Baldan B, Varotto C. Evolution of isoprene emission in Arecaceae (palms). *Evolutionary Applications* 14(4):902-914, **2021**. <https://doi.org/10.1111/eva.13169>. (WoS/Scopus)
- 7792.** Lodeyro AF, Krapp AR, Carrillo N. Photosynthesis and chloroplast redox signaling in the age of global warming: stress tolerance, acclimation and developmental plasticity. *Journal of Experimental Botany* 72(16):5919-5937, **2021**. <https://doi.org/10.1093/jxb/erab270>. (WoS/Scopus) (Review)
- 7793.** Mistry AP, Steffek AWT, Potosnak MJ. Edge growth form of european buckthorn increases isoprene emissions from urban forests. *Frontiers in Forests and Global Change* 3:601678, **2021**. <https://doi.org/10.3389/ffgc.2020.601678>. (WoS/Scopus)
- 7794.** Monson RK, Weraduwaage SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
- 7795.** Okereke CN, Liu B, Kaurilind E, Niinemets Ü. Heat stress resistance drives coordination of emissions of suites of volatiles after severe heat stress and during recovery in five tropical crops. *Environmental and Experimental Botany* v. 184, art. 104375, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104375>. (WoS/Scopus)
- 7796.** Otu-Larby F. Understanding the role of abiotic stress in biosphere-atmosphere exchange of reactive trace gases. Lancaster University, UK, **2021**. 227 p. <https://doi.org/10.17635/lancaster/thesis/1345>. (PhD Thesis)
- 7797.** Paoletti E, Hoshika Y, Arab L, Martini S, Cotrozzi L, Weber D, Ache P, Neri L, Baraldi R, Pellegrini E, Müller HM, Hedrich R, Alfarraj S, Rennenberg H. Date palm responses to a chronic, realistic ozone exposure in a FACE experiment. *Environmental Research* v. 195, art. 110868, **2021**. <https://doi.org/10.1016/j.envres.2021.110868>. (WoS/Scopus)
- 7798.** Pollastri S, Baccelli I, Loreto F. Isoprene: An antioxidant itself or a molecule with multiple regulatory functions in plants? *Antioxidants* 10(5):684, **2021**. <https://doi.org/10.3390/antiox10050684>. (WoS/Scopus)
- 7799.** Ramasubramanian P, Luhung I, Lim SBY, Schuster SC, Starry O, Gall ET. Impact of green and white roofs on air handler filters and indoor ventilation air. *Building and Environment* v. 197, art. 107860, **2021**. <https://doi.org/10.1016/j.buildenv.2021.107860>. (WoS/Scopus)
- 7800.** Singhal V, Jinger D, Ghosh J. Are we conscious of isoprene emissions from our poplar plantations? *Current Science* 120(3): 479-483, **2021**. <https://doi.org/10.18520/cs%2Fv120%2Fi3%2F479-483>. (WoS/Scopus)
- 7801.** Sulaiman HY, Liu B, Kaurilind E, Niinemets Ü. Phloem-feeding insect infestation antagonizes volatile organic compound emissions and enhances heat stress recovery of photosynthesis in *Origanum vulgare*. *Environmental and Experimental Botany* v. 189, art. number 104551, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104551>. (WoS/Scopus)
- 7802.** Tani A, Mochizuki T. **Review:** Exchanges of volatile organic compounds between terrestrial ecosystems and the atmosphere. *Journal of Agricultural Meteorology* Article 77(1): 66-80, **2021**. <https://doi.org/10.2480/agrmet.D-20-00025>. (WoS/Scopus)
- 7803.** Taylor TC, Wisniewski WT, Alves EG, Oliveira Junior RC, Saleska SR. A new field instrument for leaf volatiles reveals an unexpected vertical profile of isoprenoid emission capacities in a tropical forest. *Frontiers in Forests and Global Change* 4:668228, **2021**. <https://doi.org/10.3389/ffgc.2021.668228>. (WoS/Scopus)

- 7804.** Yang W, Cao J, Wu Y, Kong F, ngyu Li Li. Review on plant terpenoid emissions worldwide and in China. *Science of the Total Environment* v. 787, art. 147454, **2021**. <https://doi.org/10.1016/j.scitotenv.2021.147454>. (WoS/Scopus)
- 7805.** Zhang Y, Du W, Zhang Y, Z Wang, H Li, H Xia, S Fan, L Kong. Metabolic analysis reveals temporal changes in C/N metabolites and senescence of flag leaf in wheat during grain filling. *Acta Physiologiae Plantarum* 43, ar. number 104, **2021**. <https://doi.org/10.1007/s11738-021-03272-8>. (WoS/Scopus)
- 7806.** Byron J. Investigating biogenic sources of enantiomers and the effect of drought on the emissions of chiral compounds. Johannes Gutenberg-Universität Mainz, Mainz. [PhD Thesis] **2022**. https://openscience.ub.uni-mainz.de/bitstream/20.500.12030/6701/1/investigating_biogenic_source-20220110103837182.pdf. [PhD Thesis]
- 7807.** Cai T, Chen H, Yan L, C Zhang, Y Deng, S Wu, Q Yang, R Pan, A Raza, S Chen, W Zhuang. The root-specific NtR12 promoter-based expression of RIP increased the resistance against bacterial wilt disease in tobacco. *Molecular Biology Reports* 49, 11503–11514, **2022**. <https://doi.org/10.1007/s11033-022-07817-z>. (WoS/Scopus)
- 7808.** Dong Y, Li J, Zhang W, Bai H, Li H, Shi L. Exogenous application of methyl jasmonate affects the emissions of volatile compounds in lavender (*Lavandula angustifolia*). *Plant Physiology and Biochemistry* 185, 25–34, **2022**. <https://doi.org/10.1016/j.plaphy.2022.05.022>. (WoS/Scopus)
- 7809.** Gbaoui L, Facht M, Lüno M, Meyer-Lotz G, Frodl T, Hoeschen C. Breathomics profiling of metabolic pathways affected by major depression: Possibilities and limitations. *Frontiers in Psychiatry* 13: 1061326, **2022**. <https://doi.org/10.3389/fpsy.2022.1061326>. (WoS/Scopus)
- 7810.** Khalaj F. Aerosol chemistry of riparian shrub emissions and oxygenated terpenes, PhD Thesis, University of California, Irvine, **2022**. <https://escholarship.org/uc/item/6124q458>. [PhD Thesis]
- 7811.** Li S, Moller CA, Mitchell NG, Lee DK, Sacks EJ, Ainsworth EA. Testing unified theories for ozone response in C4 species. *Global Change Biology* 28 (10), 3379–3393, **2022**. <https://doi.org/10.1111/gcb.16108>. (WoS/Scopus)
- 7812.** Li S, Yuan X, Feng Z, Du Y, Agathokleous E, Paoletti E. Whole-plant compensatory responses of isoprene emission from hybrid poplar seedlings exposed to elevated ozone. *Science of the Total Environment* v. 806, Part 4, art. number 150949, **2022**. <https://doi.org/10.1016/j.scitotenv.2021.150949>. (WoS/Scopus)
- 7813.** Satta A. Understanding terpenoid metabolism in cyanobacteria. The University of Queensland, Australia, **2022**. [PhD thesis]
- 7814.** Ullah TL, Mahmood T, Elhddad S, Usman S. Identification of plants releasing isoprene causing smog. *MOJ Ecology & Environmental Sciences* 7(2):40–46, **2022**. <http://dx.doi.org/10.15406/mojes.2022.07.00245>.
- 7815.** Usai G, Vangelisti A, Simoni S, Mascagni F, Venturi F, Natali L, Giordani T, Palai G, Pugliesi C, D'Onofrio C, Cavallini A. Identification and expression analysis of furanocoumarins- and terpenoids-related genes of fig (*Ficus carica* L.). *Agrochimica* 66(2-3), 145–167, **2022**. <http://dx.doi.org/10.12871/000218572022234>. (WoS/Scopus)
- 7816.** Xu C, Ma Y, Tian Z, Q Luo, T Zheng, B Wang, Z Zuo. Monoterpene emissions and their protection effects on adult *Cinnamomum camphora* against high temperature. *Trees* 36, 711–721, **2022**. <https://doi.org/10.1007/s00468-021-02242-4>. (WoS/Scopus)
- 7817.** Yu H, Blande JD. A potential ozone defense in intercellular air space: Clues from intercellular BVOC concentrations and stomatal conductance. *Science of the Total Environment* v. 852, art. 158456, **2022**. <https://doi.org/10.1016/j.scitotenv.2022.158456>. (WoS/Scopus)
- 7818.** Akbari A, Ismaili A, Amirbakhtiar N, Pouresmael M, Z-S Shobbar. Genome-wide transcriptional profiling provides clues to molecular mechanisms underlying cold tolerance in chickpea. *Scientific Reports* vol. 13, art. 6279, **2023**. <https://doi.org/10.1038/s41598-023-33398-3>. (WoS/Scopus)
- 7819.** Bellucci M, Locato V, Sharkey TD, De Gara L, Loreto F. Isoprene emission by plants in polluted environments. *Journal of Plant Interactions* 18:1, art. 2266463, **2023**. <https://doi.org/10.1080/17429145.2023.2266463>. (WoS/Scopus) [Review]
- 7820.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855–1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 7821.** Cai Y, Xu C, Zheng T, Zuo Z. Thermal protection function of camphor on *Cinnamomum camphora* cell membrane by acting as a signaling molecule. *Plant Physiology and Biochemistry* vol. 198, art. 107672, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107672>. (WoS/Scopus)
- 7822.** Fouad R, Fouad H, El-Desoky AH, Omer EA. Secondary metabolism and its role in enhancing drought stress tolerance. In: Hasanuzzaman M (eds) *Climate-Resilient Agriculture*, Vol 2. Springer, Cham. pp. 603–640, **2023**. https://doi.org/10.1007/978-3-031-37428-9_26. [BOOK]
- 7823.** Halsey KH, Giovannoni SJ, Davie-Martin CL. Biological controls on marine volatile organic compound emissions: A balancing act at the sea-air interface. *Earth-Science Reviews* vol. 240, art. 104360, **2023**. <https://doi.org/10.1016/j.earscirev.2023.104360>. (WoS/Scopus)
- 7824.** Huang R, Zhang T, Ge X, Cao Y, Li Z, Zhou B. Emission trade-off between isoprene and other bvoc components in *Pinus massoniana* saplings may be regulated by content of chlorophylls, starch and NSCs under drought stress. *International Journal of Molecular Sciences* 24(10):8946, **2023**. <https://doi.org/10.3390/ijms24108946>. (WoS/Scopus)
- 7825.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful*

Conditions. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]

- 7826.** Leggett M, Ball DA. Evidence for the early origin of genes leading to the development of biogeochemical homeostasis at planetary scale. *Qeios*, art. ID: 52ZE92.4, **2023**. <https://doi.org/10.32388/52ZE92.4>.
- 7827.** Leggett M, Ball DA. Phylogenetic evidence for the early origin of the homeostatic influence of the biota on planetary-scale geophysical processes. *Qeios*, art. ID: 52ZE92.2, **2023**. <https://doi.org/10.32388/52ZE92.2>.
- 7828.** Li S, Agathokleous E, Li S, Yuan X, Du Y, Feng Z. Sensitivity of isoprene emission rate to ozone in greening trees is concurrently determined by isoprene synthesis capacity and stomatal conductance. *Science of the Total Environment* vol. 891, art. 164325, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.164325>. (WoS/Scopus)
- 7829.** Maurya R, Chaudhari H, Mansuri A, Gohil N, Bhattacharjee G, Khambhati K, Kumar V, Awasthi MK, Show PL, Singh V. Cell-free systems for sustainable production of biofuels. In: Singh V, Show PL (eds) *Biomanufacturing for Sustainable Production of Biomolecules*. Springer, Singapore. pp. 331-348, **2023**. https://doi.org/10.1007/978-981-19-7911-8_17. (WoS/Scopus) [BOOK]
- 7830.** Naik H, Maiti S, Amaresan N. Microbial volatile compounds (MVCs): an eco-friendly tool to manage abiotic stress in plants. *Environmental Science and Pollution Research* 30, 91746-91760, **2023**. <https://doi.org/10.1007/s11356-023-29010-w>. (WoS/Scopus) [Review]
- 7831.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. *Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. https://www.researchgate.net/profile/Humera-Aziz/publication/369742126_plant_secondary_metabolites_and_environmental_stress_An_overview_In_book_Biology_and_biotechnology_of_environmental_stress_tolerance_in_plants/links/642a60f266f8522c38f26bdd/plant-secondary-metabolites-and-environmental-stress-An-overview-In-book-Biology-and-biotechnology-of-environmental-stress-tolerance-in-plants.pdf#page=90. (WoS/Scopus) [BOOK]
- 7832.** Wang Y, Qian Q, Xu H, Zuo Z. Dynamic physiological responses of *Cinnamomum camphora* with monoterpene protection under high temperature shock. *Forests* 14(10):2005, **2023**. <https://doi.org/10.3390/f14102005>. (WoS/Scopus)
- 7833.** Weraduwege SM, Sahu A, Kulke M, Vermaas JV, Sharkey. Characterization of promoter elements of isoprene-responsive genes and the ability of isoprene to bind START domain transcription factors. *Plant Direct* 7(2), e483, **2023**. <https://doi.org/10.1002/pld3.483>. (WoS/Scopus)
- 7834.** Yahya RZ, Wellman GB, Overmans S, Lauersen KJ. Engineered production of isoprene from the model green microalga *Chlamydomonas reinhardtii*. *Metabolic Engineering Communications* vol. 16, art. e00221, **2023**. <https://doi.org/10.1016/j.mec.2023.e00221>. (WoS/Scopus)
- 7835.** Yu J, Khomenko I, Biasioli F, Li M, Varotto C. A novel isoprene synthase from the monocot tree *Copernicia prunifera* (Arecaceae) confers enhanced drought tolerance in transgenic *Arabidopsis*. *International Journal of Molecular Sciences* 24(20):15329, **2023**. <https://doi.org/10.3390/ijms242015329>. (WoS/Scopus)
- 7836.** Zhao D, Yang Y, Tham YJ, Zou S. Emission of marine volatile organic compounds (VOCs) by phytoplankton - a review. *Marine Environmental Research* v. 191, art. 106177, **2023**. <https://doi.org/10.1016/j.marenvres.2023.106177>. (WoS/Scopus)
- 7837.** Zhou H, Ashworth K, Dodd IC. Exogenous monoterpenes mitigate H₂O₂-induced lipid damage but do not attenuate photosynthetic decline during water deficit in tomato. *Journal of Experimental Botany* 74(17), 5327-5340, **2023**. <https://doi.org/10.1093/jxb/erad219>. (WoS/Scopus)
- 7838.** Ghirardo A, Brilli F. Analysis of volatile organic compounds. In: Carla António (Ed.) *Monitoring Forest Damage with Metabolomics Methods*. Chapter 6. Series: WILEY Series on mass spectrometry. pp. 127-186, **2024**. <https://doi.org/10.1002/9781119868750.ch6>. [BOOK]
- 7839.** Guo Y, Ma Y, Zhu Z, Tigabu M, Marshall P, Zhang Z, Lin H, Huang Z, Wang G, Guo F. Release of biogenic volatile organic compounds and physiological responses of two sub-tropical tree species to smoke derived from forest fire. *Ecotoxicology and Environmental Safety* 275, art. 116250, **2024**. <https://doi.org/10.1016/j.ecoenv.2024.116250>. (WoS/Scopus)
- 7840.** Lee H, Lee DG, Jo H, Heo YM, Baek C, Kim H-b, Park G, Kang S, Lee W, Mun S, Han K. Comparative whole genome analysis of face-derived *Streptococcus infantis* CX-4 unravels the functions related to skin barrier. *Genes & Genomics*, **2024**. <https://doi.org/10.1007/s13258-024-01495-w>. (WoS/Scopus)
- 7841.** Nguyen D-K, Nguyen T-P, Li Y-R, Ohme-Takagi M, Liu Z-H, Ly T-T, Nguyen V-A, Trinh N-N, Huang H-J. Comparative study of two indoor microbial volatile pollutants, 2-Methyl-1-butanol and 3-Methyl-1-butanol, on growth and antioxidant system of rice (*Oryza sativa*) seedlings. *Ecotoxicology and Environmental Safety* vol. 272, art. 116055, **2024**. <https://doi.org/10.1016/j.ecoenv.2024.116055>. (WoS/Scopus)
- 7842.** Xu Y, Schmiede SC, Sharkey TD. The oxidative pentose phosphate pathway in photosynthesis: a tale of two shunts. *New Phytologist*, **2024**. <https://doi.org/10.1111/nph.19730>. (WoS/Scopus)
- 7843.** Weraduwege SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)

[Velikova V, Tsonev T, Barta C, Centritto M, Koleva D, Stefanova M, Busheva M, Loreto F – BVOC emissions, photosynthetic characteristics and changes in chloroplast ultra-structure of *Platanus orientalis* L. exposed to elevated CO₂ and high temperature. *Environmental Pollution* 157: 2629-2637, 2009](#)

7844. Noe SM, Kimmel V, Hüve K, Copolovici L, Portillo-Estrada M, Püttsepp Ü, Jõgiste K, Niinemets Ü, Hörtnagl L, Wohlfahrt G - Ecosystem-scale biosphere-atmosphere interactions of a hemiboreal mixed forest stand at Järvselja, Estonia, *Forest Ecology and Management*, 262 (2), 71-81, **2011**. (WoS/Scopus)

7845. Flexas J, Barbour MM, Brendel O, Cabrera HM, Carriqui M, Diaz-Espejo A, Douthe C, Dreyer E, Ferrio JP, Gago J, Galle A, Galmés J, Kodama N, Medrano H, Niinemets Ü, Peguero-Pina JJ, Pou A, Ribas-Carbo M, Tomas M, Tosens T, Warren CR - *Mesophyll diffusion conductance to CO₂: An unappreciated central player in photosynthesis. Plant Science* 193:70-84, **2012**, (review) <http://dx.doi.org/10.1016/j.plantsci.2012.05.009> (WoS/Scopus)

7846. Grigorova B, Vassileva V, Klimchuk D, Vaseva I, Demirevska K, Feller U - Drought, high temperature, and their combination affect ultrastructure of chloroplasts and mitochondria in wheat (*Triticum aestivum* L.) leaves. *Journal of Plant Interactions* 7(3):204-213, **2012** DOI:10.1080/17429145.2011.654134 (WoS/Scopus)

7847. Hartikainen K, Riikonen J, Nerg AM, Kivimäenpää M, Ahonen V, Tervahauta A, Karenlampi S, Maenpää M, Rousi M, Kontunen-Soppela S, Oksanen E, Holopainen T - Impact of elevated temperature and ozone on the emission of volatile organic compounds and gas exchange of silver birch (*Betula pendula* Roth). *Environmental and Experimental Botany* 84: 33-43, DOI: 10.1016/j.envexpbot.2012.04.014, **2012**. (WoS/Scopus)

7848. Sun ZH, Niinemets U, Huve K, Noe SM, Rasulov B, Copolovici L, Vislap V - Enhanced isoprene emission capacity and altered light responsiveness in aspen grown under elevated atmospheric CO₂ concentration. *Global Change Biology* 18(11): 3423-3440, **2012** (review) (WoS/Scopus)

7849. Wang XP, Liu TX, Li CH - Characterization of biogenic volatile organic compounds and membrane lipid peroxidation during leaf ageing in maize (*Zea mays*). *Indian Journal of Agricultural Sciences* 82(5): 447-450, **2012** (WoS/Scopus)

7850. Zhang FF, Wang YL, Huang ZZ, Zhu XC, Zhang FJ, Chen FD, Fang WM, Teng NJ – Effects of CO₂ enrichment on growth and development of *Impatiens hawkeri*. *The Scientific World Journal* Volume 2012, Article ID 601263, **2012**, doi:10.1100/2012/601263 (WoS/Scopus)

7851. Flexas J, Scoffoni C, Gago J, Sack L - Leaf mesophyll conductance and leaf hydraulic conductance: an introduction to their measurement and coordination. *Journal of Experimental Botany* 64 (13), 3965–3981, **2013** (review). (WoS/Scopus)

7852. Joshi P, Nayak L, Misra AN, Biswal B - Response of Mature, Developing and Senescing Chloroplasts to Environmental Stress. In: *Plastid Development in Leaves during Growth and Senescence* (Editors: Basanti Biswal, Karin Krupinska, Udaya C. Biswal), *Advances in Photosynthesis and Respiration* Volume 36: pp 641-668, Springer, **2013** (book)

7853. Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>, **2013**

7854. Klaiber J, Najar-Rodriguez AJ, Piskorski R, Dorn S - Plant acclimation to elevated CO₂ affects important plant functional traits, and concomitantly reduces plant colonization rates by an herbivorous insect. *Planta* 237(1): 29-42, **2013**, DOI 10.1007/s00425-012-1750-7 (WoS/Scopus)

7855. Klaiber J. - *Brassica* plant acclimation to elevated CO₂: impacts on multitrophic plant-insect interactions. **PhD Thesis**, ETH Zurich, **2013**

7856. Saleem AR, Mahmood T, Waqar-un-Nisa, Aslam M. Emission and role of biogenic volatile organic compounds in biosphere, *Science Vision*, 19 (182), 69-77, **2013** (Review).

7857. Sun Z – Isoprene emission from aspen (*Populus sp.*) in relation to environmental drivers. Estonian University of Life Science, **2013** (PhD Thesis)

7858. Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM - Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* × *Populus tremuloides*). *New Phytologist* 198: 788-800, **2013**. (WoS/Scopus)

7859. Babenko L.M., Kosakivska I.V., Akimov Yu.A., Klymchuk D.O., Skaternya T.D. - Effect of temperature stresses on pigment content, lipoxygenase activity and cell ultrastructure of winter wheat seedlings, *Genetics and Plant Physiology*, 4 (1-2), 117-125, **2014**.

7860. Flexas J, Carriqui M, Coopman RE, Gago J, Galmés J, Martorell S, Morales F, Diaz-Espejo A - Stomatal and mesophyll conductances to CO₂ in different plant groups: underrated factors for predicting leaf photosynthesis responses to climate change? *Plant Science*, 226, 41-48, **2014** <http://dx.doi.org/10.1016/j.plantsci.2014.06.011>. (WoS/Scopus)

7861. Hartikainen K – Effects of elevated temperature and/or ozone on leaf structural characteristics and volatile organic compound emissions of northern deciduous tree and crop species. **PhD** in Forestry and Natural Sciences No 140, University of Eastern Finland, **2014** (PhD Thesis)

7862. Saldanha CW, Otoni CG, Rocha DI, Cavatte PC, Detmann KSC, Tanaka FAO, Dias LLC, DaMatta FM, Otoni WC - CO₂-enriched atmosphere and supporting material impact the growth, morphophysiology and ultrastructure of in vitro Brazilian-ginseng [*Pfaffia glomerata* (Spreng.) Pedersen] plantlets. *Plant Cell, Tissue and Organ Culture*, 118 (1), 87-99, **2014** DOI: 10.1007/s11240-014-0464-x (WoS/Scopus)

7863. Sharma N, Sinha PG, Bhatnagar AK. Effect of elevated [CO₂] on cell structure and function in seed plants. *Climate Change and Environmental Sustainability* 2(2): 69-104, **2014**, <https://DOI.org/10.5958/2320-642X.2014.00001.5> (Review)

- 7864.** Kask K, Kännaste A, Talts E, Copolovici L, Niinemets Ü - How specialized volatiles respond to chronic, and short-term physiological and shock heat stress in *Brassica nigra*: Responses of *Brassica nigra* to heat stress. *Plant Cell and Environment*, 39(9), 2027-2042, **2016**, DOI: [10.1111/pce.12775](https://doi.org/10.1111/pce.12775) (WoS/Scopus)
- 7865.** Panigrahi S, Pradhan MK, Panda DK, Panda SK, Joshi PN. Diminution of photosynthesis in rice (*Oryza sativa* L.) seedlings under elevated CO₂ concentration and increased temperature, *Photosynthetica* 54(3), 359-366, **2016**, <http://link.springer.com/article/10.1007/s11099-016-0190-1> (WoS/Scopus)
- 7866.** Cao Y, Jiang M, Xu F, Liu S, Meng F. The effects of elevated CO₂ (0.5%) on chloroplasts in the tetraploid black locust (*Robinia pseudoacacia* L.), *Ecology and Evolution*, 7(24), 10546-10555, DOI [10.1002/ece3.3046](https://doi.org/10.1002/ece3.3046), **2017** (WoS/Scopus)
- 7867.** Fu J, Hou D, Zhang C, Bao Z, Zhao H, Hu S. The emission of the floral scent of four *Osmanthus fragrans* cultivars in response to different temperatures, *Molecules*, 22, 430, 1-13, **2017** (WoS/Scopus)
- 7868.** Wen YM, Meng LY, Liu ST, Zhu CM, Liu YJ, Qu AJ. Ultrastructure effects of omethoate and cypermethrin insecticides on maize seedlings, *Chemistry and Ecology*, 33, 9, 883-892, **2017** (WoS/Scopus)
- 7869.** Водка МВ, Поліщук ОВ, Білявська НО, Золотарьова ОК. Вплив вуглекислого газу на структуру ізольованих хлоропластів шпинату, *Вісник Харківського Національного Аграрного Університету Серія Біологія*, 2017, 1, 40, 50-60, **2017**
- 7870.** Wu JG, Xu TY, Cui KQ, Shi Y. Effects of climate change on isoprene emission rate from leaves of *Phyllostachys pubescens* distributed in Wuyi nature reserve. *Acta Scientiae Circumstantiae* 28(4): 1653-1664, **2018** DOI:[10.13671/j.hjkxxb.2017.0398](https://doi.org/10.13671/j.hjkxxb.2017.0398) (WoS/Scopus)
- 7871.** Wu J-G, Xu T-Y. Effects of climate change on monoterpenes emission rate from leaves of *Pinus tabulaeformis* distributed in the middle of Taiyue Mountains. *China Environmental Science* 38(1): 1-13, **2018**. (WoS/Scopus)
- 7872.** Farouk S, EL-Metwally IM. Synergistic responses of drip-irrigated wheat crop to chitosan and/or silicon under different irrigation regimes. *Agricultural Water Management* 226, 105807, **2019**. <https://doi.org/10.1016/j.agwat.2019.105807> (WoS/Scopus)
- 7873.** Kubínová Z, Glanc N, Radochová B, Lhotáková Z, Janáček J, Kubínová L, Albrechtová J. Unbiased estimation of norway spruce (*Picea abies* L. Karst.) chloroplast structure: heterogeneity within needle mesophyll under different irradiance and [CO₂]. *Image Analysis and Stereology* 38(1):83-94, **2019**. doi: [10.5566/ias.2005](https://doi.org/10.5566/ias.2005). (WoS/Scopus)
- 7874.** Yiotis C, McElwain JC. A novel hypothesis for the role of photosynthetic physiology in shaping macroevolutionary patterns. *Plant Physiology* 181: 1148–1162, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.19.00749. (WoS/Scopus)
- 7875.** Zuo Z, Weraduwage SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. (WoS/Scopus)
- 7876.** Flexas J, Carriqui M. Photosynthesis and photosynthetic efficiencies along the terrestrial plant's phylogeny: lessons for improving crop photosynthesis. *The Plant Journal* 101, 964–978, **2020**. <https://doi.org/10.1111/tjp.14651>. (WoS/Scopus)
- 7877.** Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>. (PhD Thesis)
- 7878.** Ramos AAR. Tropospheric ozone uptake under drought conditions - A case study of the Urban Trees in Vienna, Austria. Department of Land, Environment Agriculture and Forestry, Università Degli Studi di Padova, Italy. PhD Thesis, **2020**. https://www.medfor.eu/sites/default/files/editor/master_thesis-1218566_-_alexandra_andrea_rivera_ramos.pdf. [PhD Thesis]
- 7879.** Mafakheri M, Kordrostami M, Al-Khayri JM. Abiotic stress in plants: socio-economic consequences and crops responses. In: Al-Khayri JM, Ansari MI, Singh AK (eds) *Nanobiotechnology*. Springer, Cham. pp. 1-28, **2021**. https://doi.org/10.1007/978-3-030-73606-4_1. (WoS/Scopus)
- 7880.** Nadal M, Carriqui M, Flexas J. Chapter 3. Mesophyll conductance to CO₂ diffusion in a climate change scenario: effects of elevated CO₂, temperature and water stress. In: Becklin KM, Ward JK, Way DA (eds) *Photosynthesis, Respiration, and Climate Change. Advances in Photosynthesis and Respiration (Including Bioenergy and Related Processes)*, vol 48, pp. 49-78, **2021**. Springer, Cham. https://doi.org/10.1007/978-3-030-64926-5_3. [BOOK]
- 7881.** Yang W, Cao J, Wu Y, Kong F, ngyu Li Li. Review on plant terpenoid emissions worldwide and in China. *Science of the Total Environment* 787, art. 147454, **2021**. <https://doi.org/10.1016/j.scitotenv.2021.147454>. (WoS/Scopus)
- 7882.** Perera-Castro AV, Waterman MJ, Robinson SA, Flexas J. Limitations to photosynthesis in bryophytes: certainties and uncertainties regarding methodology. *Journal of Experimental Botany* 73(13), 4592-4604, **2022**. <https://doi.org/10.1093/jxb/erac189>. (WoS/Scopus)
- 7883.** Bahamonde HA, Aranda I, Peri PL, Gyenge J, Fernández V. Leaf wettability, anatomy and ultra-structure of *Nothofagus antarctica* and *N. betuloides* grown under a CO₂ enriched atmosphere. *Plant Physiology and Biochemistry* vol. 194: 193-201, **2023**. <https://doi.org/10.1016/j.plaphy.2022.11.020>. (WoS/Scopus)

- 7884.** Cai Y, Xu C, Zheng T, Zuo Z. Thermal protection function of camphor on *Cinnamomum camphora* cell membrane by acting as a signaling molecule. *Plant Physiology and Biochemistry* vol. 198, art. 107672, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107672>. (WoS/Scopus)
- 7885.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, Part 2, art. 120693, **2023**. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 7886.** Stringari G, Villanueva J, Appolloni E, Orsini F, Villalba G, Durany XG. Measuring BVOC emissions released by tomato plants grown in a soilless integrated rooftop greenhouse. *Heliyon* 10, e23854, **2024**. [https://www.cell.com/heliyon/pdf/S2405-8440\(23\)11062-0.pdf](https://www.cell.com/heliyon/pdf/S2405-8440(23)11062-0.pdf). (WoS/Scopus)
- Velikova V, Salerno G, Frati F, Peri E, Conti E, Colazza S, Loreto F – Influence of feeding and oviposition by phytophagous pentatomids on photosynthesis of herbaceous plants. *Journal of Chemical Ecology* 36: 629-641, 2010**
- 7887.** Hilker M, Meiners T - Plants and insect eggs: How do they affect each other? *Phytochemistry* 72 (13) Special Issue: SI, 1612-1623, DOI: 10.1016/j.phytochem.2011.02.018, **2011 (review) (WoS/Scopus)**
- 7888.** Kim J, Quaghebeur H, Felton GW - Reiterative and interruptive signaling in induced plant resistance to chewing insects. *Phytochemistry* 72 (13): Special Issue: SI, 1624-1634, **2011 (review) (WoS/Scopus)**
- 7889.** Penaflor MFGV, Erb M, Robert CAM, Miranda LA, Werneburg AG, Dossi FCA, Turlings TCJ, Bento JMS - Oviposition by a moth suppresses constitutive and herbivore-induced plant volatiles in maize. *Planta* 234 (1), 207-215, **2011 (WoS/Scopus)**
- 7890.** Büchel K, McDowell E, Nelson W, Descour A, Gershenzon J, Hilker M, Soderlund C, Gang DR, Fenning T, Meiners T – An elm EST database for identifying leaf beetle egg-induced defense genes. *BMC Genomics* 13: 242, **2012 (WoS/Scopus)**
- 7891.** Fatouros NE, Lucas-Barbosa D, Weldegergis BT, Pashalidou FG, van Loon JJA, Dicke M, Harvey JA, Gols R, Huigens ME - Plant volatiles induced by herbivore egg deposition affect insects of different trophic levels. *PLoS ONE* 7(8), Article Number: e43607, DOI: 10.1371/journal.pone.0043607, **2012 (WoS/Scopus)**
- 7892.** Frier JPD, Hernández CVS, Tiessen A - Friend or Foe? Exploring the factors that determine the difference between positive and negative effects on photosynthesis in response to insect herbivory. In: *Artificial Photosynthesis*, Dr Mohammad Najafpour (Ed.), ISBN: 978-953-307- 966-0, InTech, **2012 (BOOK)**
- 7893.** Kerchev PI, Fenton B, Foyer CH, Hancock RD - Plant responses to insect herbivory: interactions between photosynthesis, reactive oxygen species and hormonal signalling pathways. *Plant, Cell and Environment* 35: 441-453, **2012 (WoS/Scopus)**
- 7894.** Šimpraga M – Understanding the link between photosynthesis, growth and emissions of biogenic volatile organic compounds (BVOC) in temperate trees. *PhD Thesis*, Ghent University, Belgium, **2012**
- 7895.** Büchel K. How elms respond to insect egg deposition: Investigations of an ecological phenomenon by chemical and molecular approaches. *PhD Thesis*, Freie Universität Berlin, Germany, **2013**
- 7896.** Grimm D, Heeg M, Thimme R - Hepatitis B virus: from immunobiology to immunotherapy. *Clinical Science* 124 (2): 77–85, **2013** (Printed in Great Britain) **(review) (WoS/Scopus)**
- 7897.** Martínez G, Soler R, Dicke M. Behavioral ecology of oviposition-site selection in herbivorous true bugs. *Advances in the Study of Behavior* 45, 175-207, **2013 (WoS/Scopus)**
- 7898.** Golan K, Rubinowska K, Kmiec K, Kot I, Górská-Drabik E, Łagowska B, Michałek W - Impact of scale insect infestation on the content of photosynthetic pigments and chlorophyll fluorescence in two host plant species. *Arthropod-Plant Interactions* 9 (1), pp. 55-65, **2014 (WoS/Scopus)**
- 7899.** Huang, TI; Reed, DA; Perring, TM; Palumbo, JC - Feeding damage by *Bagrada hilaris* (Hemiptera: Pentatomidae) and impact on growth and chlorophyll content of Brassicaceous plant species. *Arthropod-Plant Interactions* 8 (2), 89-100, **2014 (WoS/Scopus)**
- 7900.** Peiffer, M; Felton, GW - Insights into the Saliva of the Brown Marmorated Stink Bug *Halyomorpha halys* (Hemiptera: Pentatomidae). *PLOS ONE* 9 (2), Article Number: e88483, **2014 (WoS/Scopus)**
- 7901.** Wójcicka A. Changes in pigment content of triticale genotypes infested with grain aphid *Sitobion avenae* (Fabricius) (Homoptera: Aphididae). *Acta Biologica Cracoviensia Series Botanica*. 56 (1), 121-127, **2014 (WoS/Scopus)**
- 7902.** Golan K, Rubinowska K, Kmiec K, Kot I, Górská-Drabik E, Łagowska B, Michałek W. Impact of scale insect infestation on the content of photosynthetic pigments and chlorophyll fluorescence in two host plant species, *Arthropod-Plant Interactions* 9, 1, 55-65, **2015 (WoS/Scopus)**
- 7903.** Sulkiwicz M, Ciereszko I. 21. Odpowiedź lokalna lub systemiczna roślin na uszkodzenia przez fitofagi. In: *Polskie Towarzystwo Botaniczne, Różnorodność biologiczna – od komórki do ekosystemu*, (Eds. A Bajguz, I Ciereszko), pp: 279-291, **2015**
- 7904.** Walters DR. Physiological Responses of Plants to Attack. Wiley-Blackwell, ISBN: 978-1-444-33329-9, 248 pp, **2015**. DOI: 10.1002/9781118783054 **(BOOK) (WoS/Scopus)**
- 7905.** Zhou S, Lou Y-R, Tzin V, Jander G. Alteration of plant primary metabolism in response to insect herbivory **(Review)**, *Plant Physiology* 169(3):1488-1498, **2015 (WoS/Scopus)**

- 7906.** Büchel K, Fenning T, Gershenzon J, Hilker M, Meiners T. Elm defence against herbivores and pathogens: morphological, chemical and molecular regulation aspects, *Phytochemistry Reviews* 15(5), 961-983, **2016** (WoS/Scopus)
- 7907.** Kmiec K, Kot I, Golan K, Górka-Drabik E, Łagowska B, Rubinowska K, Michałek W. Physiological response of orchids to Mealybugs (Hemiptera: Pseudococcidae) infestation. *Journal of Economic Entomology*, 109, 6, 2489-2494, **2016** (WoS/Scopus)
- 7908.** Lomate PR, Bonning BC – Distinct properties of proteases and nucleases in the gut, salivary gland and saliva of southern green stink bug, *Nezara viridula*. *Scientific Reports* 6, art. No. 27587, **2016**, DOI: [10.1038/srep27587](https://doi.org/10.1038/srep27587) (WoS/Scopus)
- 7909.** Ramos YG, Gómez JR, Klingen I. Seeding Dates and Cultivars Effects on Stink Bugs Population and Damage on Common Bean *Phaseolus vulgaris* L., *Neotropical Entomology*, 46(6):701-710, **2017** (WoS/Scopus)
- 7910.** Adams WW III, Stewart JJ, Demmig-Adams B - Photosynthetic modulation in response to plant activity and environment. In: *The Leaf: A Platform for Performing Photosynthesis*, WW Adams III, I Terashima (Eds.), Chapter 18, pp. 493-563, **2018** (e-BOOK), Springer International Publishing AG, ISBN 978-3-319-93594-2. https://doi.org/10.1007/978-3-319-93594-2_18.
- 7911.** Almeida KEC, Silva JGS, Silva IMA, AL Costa, Laia ML. Ecophysiological analysis of *Eucalyptus camaldulensis* (DEHNH) submitted to attack from *Thaumastocoris peregrinus* (CARPINTERO & DELLAPE). *Revista Árvore* 42(1):e420120, **2018**, <http://dx.doi.org/10.1590/1806-90882018000100020>
- 7912.** Mäntylä E, Kleier S, Lindstedt C, Kipper S, Hilker M. Insectivorous birds are attracted by plant traits induced by insect egg deposition. *Journal of Chemical Ecology* 44(12):1127-1138, **2018**. doi: [10.1007/s10886-018-1034-1](https://doi.org/10.1007/s10886-018-1034-1). (WoS/Scopus)
- 7913.** Maoela MA, Esler KJ, Roets F, Jacobs SM. Physiological responses to folivory and phytopathogens in a riparian tree, *Brabejum stellatifolium*, native to the fynbos biome of South Africa. *African Journal of Ecology* 56(3): 477-487, **2018** <https://doi.org/10.1111/aje.12481> (WoS/Scopus)
- 7914.** Peschiutta ML, Scholz FG, Goldstein G, Bucci SJ. Oviposition by herbivorous insects induces changes in optical and mechanical properties of *Prunus avium* leaves. *Arthropod-Plant Interactions* 12(4):613-622, **2018**. <https://doi.org/10.1007/s11829-018-9609-x> (WoS/Scopus)
- 7915.** Lillian S, Redak RA, Daugherty MP. Assessing the role of differential herbivore performance among plant species in associational effects involving the invasive stink bug *Bagrada hilaris* (Hemiptera: Pentatomidae). *Environmental Entomology* 48(1): 114–121, **2019**. <https://doi.org/10.1093/ee/nvy181> (WoS/Scopus)
- 7916.** de Souza MWR, Ferreira EA, dos Santos JB, Soares MA, de Castro e Castro BM, Zanuncio JC. Fluorescence of chlorophyll a in transgenic maize with herbicide application and attacked by *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Phytoparasitica* 48, 567-573, **2020**. <https://doi.org/10.1007/s12600-020-00816-5>. (WoS/Scopus)
- 7917.** Guo L, Zhang S, Liu F, Kong X, Zhang Z. Effect of *Micromelalopha sieversi* (Staudinger) oviposition behavior on the transcriptome of two populus section aigeiros clones. *Forests* 11(9), 1021, **2020**. <https://doi.org/10.3390/f11091021>. (WoS/Scopus)
- 7918.** Khaling E, Agyei T, Jokinen S, Holopainen JK, Blande JD. The phytotoxic air-pollutant O₃ enhances the emission of herbivore-induced volatile organic compounds (VOCs) and affects the susceptibility of black mustard plants to pest attack. *Environmental Pollution* 265, Part A, art. 115030, **2020**. <https://doi.org/10.1016/j.envpol.2020.115030>. (WoS/Scopus)
- 7919.** Bergman ME, González-Cabanelas D, Wright LP, Walker BJ, Phillips MA. Isotope ratio-based quantification of carbon assimilation highlights the role of plastidial isoprenoid precursor availability in photosynthesis. *Plant Methods* 17, art. 32, **2021**. <https://doi.org/10.1186/s13007-021-00731-8>. (WoS/Scopus)
- 7920.** Moustaka J, Meyling NV, Hauser TP. Induction of a compensatory photosynthetic response mechanism in tomato leaves upon short time feeding by the chewing insect *Spodoptera exigua*. *Insects* 12(6):562, **2021**. <https://doi.org/10.3390/insects12060562>. (WoS/Scopus)
- 7921.** Pincebourde S, Ngao J. The impact of phloem feeding insects on leaf ecophysiology varies with leaf age. *Frontiers in Plant Science* 12:625689, **2021**. <https://doi.org/10.3389/fpls.2021.625689>. (WoS/Scopus)
- 7922.** Sperdoui I, Andreadis S, Moustaka J, Panteris E, Tsaballa A, Moustakas M. Changes in light energy utilization in Photosystem II and reactive oxygen species generation in potato leaves by the Pinworm *Tuta absoluta*. *Molecules* 26(10):2984, **2021**. <https://doi.org/10.3390/molecules26102984>. (WoS/Scopus)
- 7923.** Thompson MN, Lamp WO. Herbivory enhances legume-rhizobia symbioses function, increasing aboveground allocation of biologically fixed nitrogen, but only in soils without additional nitrate. *Plant and Soil* 465, 301-316, **2021**. <https://doi.org/10.1007/s11104-021-04999-6>. (WoS/Scopus)
- 7924.** Valadares NR, Soares MA, Ferreira EA, Mendes-Sá VG, Azevedo AM, Pires EM, Leite GLD. Behavior and development of *Tetranychus ludeni* Zacher, 1913 (Acari: Tetranychidae) and physiological stress in genetically modified cotton expressing Cry1F and Cry1Ac proteins. *Brazilian Journal of Biology* 81(2), March-May **2021**. <https://doi.org/10.1590/1519-6984.222652>. (WoS/Scopus)
- 7925.** Barker R, Johns S, Trane R, Gilroy S. Analysis of Plant Root Gravitropism. In: Duque P, Szakonyi D (eds) *Environmental Responses in Plants. Methods in Molecular Biology* – BOOK Series, vol 2494, pp 3-16, **2022**. Humana, New York, NY. https://doi.org/10.1007/978-1-0716-2297-1_1.

- 7926.** dos Santos MM, Reis LAC, Ferreira EA, de Souza MWR, Gomes JB, da Silva IM, Serrão JE, Soares MA, Zanuncio JC. Physiological aspects of *Olea europaea* (Oleaceae) attacked by *Saissetia oleae* (Hemiptera: Coccidae). *Florida Entomologist* 105(3):206-210, **2022**. <https://doi.org/10.1653/024.105.0305>. (WoS/Scopus)
- 7927.** Lavelly E, Iavorivska L, Uyi O, Eissenstat DM, Walsh B, Primka EJ IV, Harper J and Hoover K. Impacts of short-term feeding by spotted lanternfly (*Lycorma delicatula*) on ecophysiology of young hardwood trees in a common garden. *Frontiers in Insect Science* 2:1080124, **2022**. <https://doi.org/10.3389/finsc.2022.1080124>. (WoS/Scopus)
- 7928.** Manzoor M, Yang L, Wu S, El-Shafie H, Haider M, Ahmad J. Feeding preference of *Rhynchophorus ferrugineus* (Oliver) (Coleoptera: Curculionidae) on different date palm cultivars and host biochemical responses to its infestation. *Bulletin of Entomological Research* 112(4), 494-501, **2022**. <https://doi.org/10.1017/S0007485321001012>. (WoS/Scopus)
- 7929.** Mira AF, Marques L, Magalhães S, Rodrigues LR. A method to measure the damage caused by cell-sucking herbivores. In: *Environmental Responses in Plants* (pp. 299-312). Humana, New York, NY. **2022**. [BOOK] https://link.springer.com/protocol/10.1007/978-1-0716-2297-1_21.
- 7930.** Ojeda-Martinez D, Diaz I, Santamaria ME. Transcriptomic landscape of herbivore oviposition in Arabidopsis: A Systematic Review. *Frontiers in Plant Science* 12:772492, **2022**. <https://doi.org/10.3389/fpls.2021.772492>. (WoS/Scopus)
- 7931.** Samal I, Singh N, Bhoi TK, Dhillon MK. Elucidating effect of different photosynthetic pigments on *Lipaphis erysimi* preference and population build-up on diverse *Brassica juncea* genotypes. *Annals of Applied Biology* 181(2), 201-214, **2022**. <https://doi.org/10.1111/aab.12774>. (WoS/Scopus)
- 7932.** Sau AK, Dhillon MK. Photosynthetic pigments in maize (*Zea mays*) vis-à-vis biological performance and host selection by *Sesamia inferens*. *Indian Journal of Agricultural Sciences* 92 (3): 348–52, **2022**. <http://epubs.icar.org.in/ejournal/index.php/IJAgS/article/view/122684/0>. (WoS/Scopus)
- 7933.** Weeraddana CDS, Evenden ML. Oviposition by a specialist herbivore increases susceptibility of canola to herbivory by a generalist herbivore. *Environmental Entomology* 51(3), 605-612, **2022**. <https://doi.org/10.1093/ee/nvac028>. (WoS/Scopus)
- 7934.** Linghu W, Lu Z, Wang Y, Gao G. The Effects of globose scale (*Sphaerolecanium prunastri*) infestation on the growth of wild apricot (*Prunus armeniaca*) trees. *Forests* 14(10): 2032, **2023**. <https://doi.org/10.3390/f14102032>. (WoS/Scopus)
- 7935.** Luo M, Li B, Jander G, Zhou S. Non-volatile metabolites mediate plant interactions with insect herbivores. *The Plant Journal* 114(5), 1164-1177, **2023**. <https://doi.org/10.1111/tpl.16180>. (WoS/Scopus)
- 7936.** Shen W, Fu Y, Wang L, Yao Y, Zhang Y, Li M, Liu H, Su X, Zhao J. Transcriptomic analysis revealed that low-density aphid infestation temporarily changes photosynthesis and disease resistance but persistently promotes insect resistance in poplar leaves. *Forests* 14(9):1866, **2023**. <https://doi.org/10.3390/f14091866>. (WoS/Scopus)
- 7937.** Lebbink G, Risch AC, Schuetz M, Firn J. How plant traits respond to and affect vertebrate and invertebrate herbivores - Are measurements comparable across herbivore types? *Plant, Cell & Environment* 47(1), 5-23, **2024**. <https://doi.org/10.1111/pce.14738>. (WoS/Scopus) [Review]
- [Koleva D, Stefanova M, Ganeva TS, Velikova V, Tsonev T, Loreto F - Structural responses of *Platanus orientalis* L. leaves to elevated CO₂ concentration and high temperature. *Journal of Environmental Protection and Ecology* 11 \(1\), 122-129, 2010](#)
- 7938.** Adams WW III, Stewart JJ, Demmig-Adams B - Photosynthetic modulation in response to plant activity and environment. In: *The Leaf: A Platform for Performing Photosynthesis*, WW Adams III, I Terashima (Eds.), Chapter 18, pp. 493-563, **2018** (e-BOOK), Springer International Publishing AG, ISBN 978-3-319-93594-2. https://doi.org/10.1007/978-3-319-93594-2_18.
- 7939.** Sanusi R, Livesley SJ. London plane trees (*Platanus x acerifolia*) before, during and after a heatwave: Losing leaves means less cooling benefit. *Urban Forestry & Urban Greening* 54:126746, **2020**. <https://doi.org/10.1016/j.ufug.2020.126746> (WoS/Scopus)
- [Tsonev T, Velikova V, Yildiz-Aktas L, Gürel A, Edreva A - Effect of water deficit and potassium fertilization on photosynthetic activity in cotton plants. *Plant Biosystems* 145 \(4\), 841-847, 2011](#)
- 7940.** Oukarroum A, El Madidi S, Strasser RJ - Exogenous glycine betaine and proline play a protective role in heat-stressed barley leaves (*Hordeum vulgare* L.): A chlorophyll a fluorescence study. *Plant Biosystems* 146 (4), 1037-1043, **2012** (WoS/Scopus)
- 7941.** Wang M, Zheng QS, Shen QR, Guo SW - The critical role of potassium in plant stress response. *International Journal of Molecular Sciences* 14 (4): 7370-7390, DOI: 10.3390/ijms14047370, **2013** (WoS/Scopus)
- 7942.** Koller S, Jedmowski C, Kamm K, Brüggemann W. The South Hesse Oak Project (SHOP): Species- and site-specific efficiency of the photosynthetic apparatus of Mediterranean and Central European Oaks. *Plant Biosystems*. 148 (2), 237-248, **2014**. (WoS/Scopus)
- 7943.** Xia J.B., Zhang G.C., Zhang S.Y., Sun J.K., Zhao Y.Y., Shao H.B., Liu J.T. - Photosynthetic and water use characteristics in three natural secondary shrubs on Shell Islands, Shandong, China, *Plant Biosystems* 148 (1), 109-117, **2014**. (WoS/Scopus)
- 7944.** Zhang L, Yan K., Shao H. Photosynthetic characterization of three dominant plant species in the saline–

- alkaline soil of the Yellow River Delta, China. *Plant Biosystems*. 148 (6), 1247-1254, **2014**. (WoS/Scopus)
- 7945.** Zhang SY, Xia JB, Zhang GC, Zhao ZG, Zhao YY, Shao HB, Sun JK, Shao CY, Liu Q. Threshold effects of photosynthetic efficiency parameters of wild jujube in response to soil moisture variation on shell beach ridges, Shandong, China. (WoS/Scopus). 148 (1), 140-149, **2014**. (WoS/Scopus)
- 7946.** Zörb C, Senbayram M, Peiter E - Potassium in agriculture – Status and perspectives. *Journal of Plant Physiology* 171(3): 656-669 **2014**, <http://dx.doi.org/10.1016/j.jplph.2013.08.008> (review) (WoS/Scopus)
- 7947.** Erel R, Yermiyahu U, Ben-Gal A, Dag A, Shapira O, Schwartz A, Modification of non-stomatal limitation and photoprotection due to K and Na nutrition of olive trees, *Journal of Plant Physiology* 177, 2015, 1-10, **2015** (WoS/Scopus)
- 7948.** Zhang LH, Song LP, Zhang LW, Shao HB - Diurnal dynamics of CH₄, CO₂ and N₂O fluxes in the saline-alkaline soils of the Yellow River Delta, China, *Plant Biosystems* 149, 4, 797-805, **2015**, DOI: [10.1080/11263504.2013.870937](https://doi.org/10.1080/11263504.2013.870937) (WoS/Scopus)
- 7949.** Ali SA, Rab A - Effect of potash application on the growth and yield of Tomato crop grown in saline condition. *Pure and Applied Biology* 5, 2, 287-297, **2016**, <http://dx.doi.org/10.19045/bspab.2016.50037>
- 7950.** Chaoran Y – Effects of wheat straw incorporation in cotton-wheat double cropping system on nutrient status and growth in cotton. *Field Crops Research* 197, 39-51, **2016**, DOI: [10.1016/j.fcr.2016.08.003](https://doi.org/10.1016/j.fcr.2016.08.003) (WoS/Scopus)
- 7951.** Jákli B, M Tränkner, M Senbayram, Dittert K. Adequate supply of potassium improves plant water-use efficiency but not leaf water-use efficiency of spring wheat, *Journal of Plant Nutrition and Soil Science* 179(6), 733-745, **2016**, DOI: [10.1002/jpln.201600340](https://doi.org/10.1002/jpln.201600340) (WoS/Scopus)
- 7952.** Lu Z, Lu J, Pan Y, Li X, Cong R, Ren T. Genotypic variation in photosynthetic limitation responses to K deficiency of Brassica napus is associated with potassium utilisation efficiency, *Functional Plant Biology*, 43(9), 880-891, **2016**, DOI: [10.1071/FP16098](https://doi.org/10.1071/FP16098) (WoS/Scopus)
- 7953.** Yu C, Wang X, Hu, B, Yang C, Sui N, Liu R, Meng Y, Zhou Z. Effects of wheat straw incorporation in cotton-wheat double cropping system on nutrient status and growth in cotton, *Field Crop Research*, 197, 39-51., **2016** (WoS/Scopus)
- 7954.** Burke JJ, Uloa M. Stress responses of commercial cotton cultivars to reduced irrigation at flowering and maximization of yields under sub-optimal subsurface drip irrigation, *The Journal of Cotton Science*, 21, 229–241, **2017** (WoS/Scopus)
- 7955.** Chen S, Yan Z, Chen Q. Estimating the potential to reduce potassium surplus in intensive vegetable fields of China, *Nutrient Cycling in Agroecosystems*, 107, 2, 265-277, **2017** (WoS/Scopus)
- 7956.** Firmano RF. Efeito residual da adubação potássica nas formas do nutriente no solo, Master Thesis, Universidade de São Paulo., **2017**
- 7957.** Martineau E, Domec JC, Bosc A, Dannoura M, Gibon Y, Bénard C, Jordan-Meille, L. The role of potassium on maize leaf carbon exportation under drought condition, *Acta Physiologiae Plantarum*, 39(10), art. No. 219, **2017** (WoS/Scopus)
- 7958.** Rab A, Sajid M, Ahmad N, Nawab K, Ali SG. Foliar calcium application ameliorates salinity-induced changes of tomato crop grown in saline conditions, *Sarhad Journal of Agriculture* 33, 4, 540-548, **2017** (WoS/Scopus)
- 7959.** Verma P, Yadav AN, Khannam KS, Saxena AK, Suman A - Potassium-Solubilizing Microbes: Diversity, Distribution, and Role in Plant Growth Promotion. In: Panpatte D., Jhala Y., Vyas R., Shelat H. (eds) *Microorganisms for Green Revolution. Microorganisms for Sustainability*, vol 6. Springer, Singapore, pp.125-149, **2017**, https://doi.org/10.1007/978-981-10-6241-4_7 (BOOK)
- 7960.** Wang C, She HZ, Liu XB, Hu D, Ruan RW, Shao MB, Zhang LY, Zhou LB, Zhang GB, Wu DQ, Yi ZL. Effects of fertilization on leaf photosynthetic characteristics and grain yield in tartary buckwheat, *Photosynthetica*, 55(1):77-84, **2017** (WoS/Scopus)
- 7961.** Hu W, Snidera JL, Chastain DR, Slaton W, Tishchenko V. Sub-optimal emergence temperature alters thermotolerance of thylakoid component processes in cotton seedlings. *Environmental and Experimental Botany* 155: 360-367, **2018** <https://doi.org/10.1016/j.envexpbot.2018.07.020> (WoS/Scopus)
- 7962.** Ihtisham M, Fahad S, Luo T, Larkin RM, Yin S and Chen L. Optimization of nitrogen, phosphorus, and potassium fertilization rates for overseeded perennial ryegrass turf on dormant bermudagrass in a transitional climate. *Front. Plant Sci.* 9:487, **2018**. doi: [10.3389/fpls.2018.00487](https://doi.org/10.3389/fpls.2018.00487) (WoS/Scopus) <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5911507/>
- 7963.** Jákli B, Hauer-Jákli M, Böttcher F, Meyer zur Müdehorst J, Senbayram M, Dittert K. Leaf, canopy and agronomic water-use efficiency of field-grown sugar beet in response to potassium fertilization. *Journal of Agronomy and Crop Science* 204(1): 99-110, **2018**, <https://doi.org/10.1111/jac.12239> (WoS/Scopus)
- 7964.** El Sayed SAA, Hellal FA. *Potassium effectiveness of alleviating a biotic stress in plants*. LAP LAMBERT Academic Publishing, pp. 1-59, **2019**. [BOOK]
- 7965.** Shahzad AN, Rizwan M, Asghar MG, Qureshi MK, Bukhari SAH, Kiran A, Wakeel A. Early maturing Bt cotton requires more potassium fertilizer under water deficiency to augment seed-cotton yield but not lint quality. *Scientific Reports* 9:7378, **2019**. <https://doi.org/10.1038/s41598-019-43563> (WoS/Scopus)
- 7966.** Stoyanova A, Ivanova M, Valchev N. Effect of nutrition and water regime on the photosynthesis in tomato grown in plastic greenhouses. *Bulgarian Journal of Agricultural Science* 25 (3):19-23, **2019**. (WoS/Scopus)

- 7967.** Wang X, Mohamed I, Ali M, Abbas MHH, Shah GM, Chen F. Potassium distribution in root and non-root zones of two cotton genotypes and its accumulation in their organs as affected by drought and potassium stress conditions. *Journal of Plant Nutrition and Soil Science* 182(1):72-81, **2019**. <https://doi.org/10.1002/jpln.201800026>. (WoS/Scopus)
- 7968.** de Almeida EP, de Oliveira Freire AL, Bakke IA, Ferreira CD. Gas exchange and water use efficiency in seedlings of tree species from caatinga under water levels and potassium. *Revista Principia Divulgação Científica e Tecnológica do IFPB* N° 53: 218-230, **2020**. <http://dx.doi.org/10.18265/1517-0306a2020v1n53p218-230>.
- 7969.** Ihtisham M, Liu S, Shahid MO, Khan N, Lv B, Sarraf M, Ali S, Chen L, Liu Y, Chen Q. The optimized N, P, and K fertilization for bermudagrass integrated turf performance during the establishment and its importance for the sustainable management of urban green spaces. *Sustainability* 12(24), 10294, **2020**. <https://doi.org/10.3390/su122410294>. (WoS/Scopus)
- 7970.** Swoczyna T, Mojski J, Baczewska-Dąbrowska AH, Kalaji HM, Elsheery NI. Can we predict winter survival in plants using chlorophyll a fluorescence? *Photosynthetica* 58 (SI): 248-257, **2020**. <https://ps.ueb.cas.cz/pdfs/phs/2020/02/25.pdf>. (WoS/Scopus)
- 7971.** Bashandy SO, Abd El-Gayed SSh, Sarhan MGR. Water stress on cotton plants as affected by potassium and nano chitosan-NPK fertilizer. *Scientific Journal of Agricultural Sciences* 3 (2): 236-250, **2021**. <https://dx.doi.org/10.21608/sjas.2021.86571.1132>.
- 7972.** Bhattacharya A. Mineral nutrition of plants under soil water deficit condition: A Review, pp. 287-391. In: *Soil Water Deficit and Physiological Issues in Plants*. Springer, Singapore, , ISBN: 978-981-33-6275-8, ISBN: 978-981-33-6275-5 (eBook), 657 p., **2021**. https://doi.org/10.1007/978-981-33-6275-5_3. (WoS/Scopus) [e-BOOK]
- 7973.** Darmanov MM, Narmatov SE, Rahmatova NR, Akhmedov RR, Ubaydullaeva KhA, Imamkhadjieva AS, Ayubov MS, Buriev ZT. Effect of different ratios of chemical fertilizers on cotton yield (*Gossypium hirsutum* L.). *Ukrainian Journal of Ecology* 11 (3), 312-315, **2021**. <https://www.ujecology.com/articles/effect-of-different-ratios-of-chemical-fertilizers-on-cotton-yield-gossypium-hirsutum-l.pdf>.
- 7974.** Hu H, Hua W, Shen A, Zhou H, Sheng L, Lou W, Zhang G. Photosynthetic rate and chlorophyll fluorescence of barley exposed to simulated acid rain. *Environmental Science and Pollution Research* 28:42776-42786, **2021**. <https://doi.org/10.1007/s11356-021-13807-8>. (WoS/Scopus)
- 7975.** Singh PK, Singh S, Singh MP, Verma RK, Singh VB, Pandey SK. Beneficial effects of foliar application of potassium nitrate in late-sown wheat in village Gaurahi of district Sonbhadra. *The Pharma Innovation Journal* SP-10(4):95-97, **2021**. <https://www.thepharmajournal.com/archives/2021/vol10issue4S/PartB/S-10-4-8-938.pdf>.
- 7976.** Sun Y, Xu XM, Jia YH, Dong WQ, Du XM, Deng HQ, Tang CM. Evaluation of the photosynthetic characteristics of upland cotton (*Gossypium hirsutum* L.) germplasm based on chlorophyll a fluorescence. *Photosynthetica* 59 (4): 693-701, **2021**. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2608>. (WoS/Scopus)
- 7977.** Usman K, Ali N, Malik MWI, Hamza A, Saad M, Riaz M, Ghulam S. Response of Bt cotton (*Gossypium hirsutum* L.) to irrigation and potassium fertilization under two tillage systems in a silty clay soil. *Archives of Agronomy and Soil Science* 67(13):1859-1874, **2021**. <https://doi.org/10.1080/03650340.2020.1817397>. (WoS/Scopus)
- 7978.** Zia-ul-hassan, Kumar A, Talpur KH, Khoso FN, Wahocho NA, Afzal J, Talpur NA, Babar SK. 20. Potassium-induced resistance of cotton against boll-rottening, thrips and mealybugs. *Pure and Applied Biology* 10(1), 234-243, **2021**. <http://dx.doi.org/10.19045/bspab.2021.100024>.
- 7979.** Ajirloo AAR, Amiri E. Effects of nano-potassium fertilizer on yield and water use efficiency of soybean under water deficit conditions (case study: Moghan Plain, Iran). *Communications in Soil Science and Plant Analysis* 53(12): 1542-1551, **2022**. <https://doi.org/10.1080/00103624.2022.2060247>. (WoS/Scopus)
- 7980.** Malik MWI, K Usman, A Hamza, M Saad, S Ghulam, A Ullah. Cotton response to tillage and soil and foliar applied potassium fertilization. *Sarhad Journal of Agriculture* 38(3): 952-959, **2022**. <https://dx.doi.org/10.17582/journal.sja/2022/38.3.952.959>. (WoS/Scopus)
- 7981.** Sarhan MGR, Abd El-Gayed SSh. A supplementary potassium foliar spray enhanced cotton tolerance to water deficit. *Egyptian Journal of Agricultural Research* 100(4), 616-625, **2022**. https://ejar.journals.ekb.eg/article_268562.html.
- 7982.** Sousa RR de, Freire AL de O. Gas exchange of oiticica seedlings in response to potassium fertilization and water turning. *Journal of Experimental Agriculture International* 44(11), 35-46, **2022**. <https://doi.org/10.9734/jeai/2022/v44i1130906>.
- 7983.** Tavakol E, Jáklí B, Cakmak I, Dittert K, Senbayram M. Optimization of potassium supply under osmotic stress mitigates oxidative damage in barley. *Plants* 11(1):55, **2022**. <https://doi.org/10.3390/plants11010055>. (WoS/Scopus)
- 7984.** Akhtar MN, Akhtar MW, Rahi AA, ul Haq T. Enhancing water use efficiency by using potassium-efficient cotton cultivars based on morphological and biochemical characteristic. In: S Gürsoy, S Akin (Eds) *Best Crop Management and Processing Practices for Sustainable Cotton Production*, **2023**. <https://www.intechopen.com/online-first/88278>. IntechOpen; **2023**. Available from: <http://dx.doi.org/10.5772/intechopen.112606>. [eBOOK]
- 7985.** Akhtar MN, Haq Tu, Akhtar MW, Waseem AM, Ghulam A. Gene expression pattern of K transporter GhHAK5 gene of potassium efficient and in-efficient cotton cultivars based on morphological physiognomies as affected by potassium nutrition and reduced irrigation. *Journal of Cotton Research* v. 6, art. 14, **2023**. <https://doi.org/10.1186/s42397-023-00150-1>. (WoS/Scopus)

- 7986.** Rady MM, Mossa A-TH, Youssof AMA, Osman ASH, Ahmed SMA, Mohamed IAA. Exploring the reinforcing effect of nano-potassium on the antioxidant defense system reflecting the increased yield and quality of salt-stressed squash plants. *Scientia Horticulturae*, v. 308, art. 111609, **2023**. <https://doi.org/10.1016/j.scienta.2022.111609>. (WoS/Scopus)
- 7987.** Vasileva V. Potassium – critical nutrient for plant abiotic stress tolerance. A review. *Bulgarian Journal of Soil Science Agrochemistry and Ecology* 57(2): 12-28, **2023**. https://soilscience-bg.org/page/bg/details.php?article_id=350&tab=en.
- 7988.** Parkash V, Snider JL, Virk G, Dhillon KK, Lee JM. Diffusional and biochemical limitations to photosynthesis under water deficit for field-grown cotton. *Physiologia Plantarum* 176(2), e.14281, **2024**. <https://doi.org/10.1111/ppl.14281>. (WoS/Scopus)
- [Velikova V, Tsonev T, Loreto F, Centritto M - Changes in photosynthesis, mesophyll conductance to CO₂, and isoprenoid emissions in *Populus nigra* plants exposed to excess nickel. *Environmental Pollution* 159, 1058-1066, 2011](#)
- 7989.** Flexas J, Barbour MM, Brendel O, Cabrera HM, Carriqui M, Diaz-Espejo A, Douthe C, Dreyer E, Ferrio JP, Gago J, Galle A, Galmés J, Kodama N, Medrano H, Niinemets Ü, Peguero-Pina JJ, Pou A, Ribas-Carbo M, Tomas M, Tosens T, Warren CR - Mesophyll diffusion conductance to CO₂: An unappreciated central player in photo-synthesis. *Plant Science* 193: 70-84, **2012**, (review) <http://dx.doi.org/10.1016/j.plantsci.2012.05.009> (WoS/Scopus)
- 7990.** Lakhdar A, Slatni T, Iannelli MA, Debez A, Pietrini F, Jedidi N, Massacci A, Abdelly C - Risk of municipal solid waste compost and sewage sludge use on photosynthetic performance in common crop (*Triticum durum*). *Acta Physiologia Plantarum* 34(3):1017-1026, **2012**. (WoS/Scopus)
- 7991.** Le Guedard M, Faure O, Bessoule JJ - Early changes in the fatty acid composition of photosynthetic membrane lipids from *Populus nigra* grown on a metallurgical landfill. *Chemosphere* 88(6):693-698, **2012** (WoS/Scopus)
- 7992.** Pallozi E – BVOC emission responses to acute short-wave monochromatic radiations. **PhD Thesis**, Tuscia University, Viterbo (Italy), **2012**
- 7993.** Copaciu F, Opris O, Coman V, Ristoiu D, Niinemets U, Copolovici L - Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids and physiology in wheat (*Triticum aestivum*). *Water Air and Soil Pollution* 224(3), Article 1478, **2013** (WoS/Scopus)
- 7994.** Gajewska E, Niewiadomska E, Tokarz K, Slaba M, Sklodowska M - Nickel-induced changes in carbon metabolism in wheat shoots. *Journal of Plant Physiology* 170(4): 369-377, DOI: 10.1016/j.jplph.2012.10.012, **2013** (WoS/Scopus)
- 7995.** Hassan IA, Basahi JM, Ismail IM - Gas exchange, chlorophyll fluorescence and antioxidants as bioindicators of airborne heavy metal pollution in Jeddah, Saudi Arabia. *Current World Environment* 8 (2): 203-213, **2013**
- 7996.** Hussain MB, Ali S, Azam A, Hina S, Farooq MA, Ali B, Bharwana SA, Gill MB - Morphological, physiological and biochemical responses of plants to nickel stress: A review. *African Journal of Agricultural Research* 8(17), 1596-1602, **2013** (WoS/Scopus)
- 7997.** Li Y, Zhang X, Yang Y, Duan B - Soil cadmium toxicity and nitrogen deposition differently affect growth and physiology in *Toxicodendron vernicifluum* seedlings. *Acta Physiol Plant* 35(2), 529-540, **2013** (WoS/Scopus)
- 7998.** Nohomvich B - The effects of nickel chloride on freshwater cyanobacterium *Synechococcus* SF. IU 625, Department of Biological Sciences of Seton Hall University **2013**
- 7999.** Tognetti R, Coccozza C, Marchetti M - Shaping the multifunctional tree: the use of Salicaceae in environmental restoration. *iForest - Biogeosciences and Forestry* 6, 37-47, **2013** (review) (WoS/Scopus)
- 8000.** Chen L, Zhang L, Tu L, Xu Z, Zhang J, Gao S - Sex-related differences in physiological and ultrastructural responses of *Populus cathayana* to Ni toxicity, *Acta Physiologiae Plantarum*, 36 (7), 1937-1946, **2014**. (WoS/Scopus)
- 8001.** Elloumi N, Zouari M, Chaari L, Jomni C, Marzouk B, Ben Abdallah F - Effects of cadmium on lipids of almond seedlings (*Prunus dulcis*), *Botanical Studies*, 55:61, **2014** (WoS/Scopus)
- 8002.** Grote R., Morfopoulos C., Niinemets U., Sun Z., Keenan T.F., Pacifico F., Butler T. - A fully integrated isoprenoid emissions model coupling emissions to photosynthetic characteristics *Plant, Cell and Environment* 37 (8), 1965-1980, **2014**. (WoS/Scopus)
- 8003.** Romeo S, Trupiano D, Ariani A, Renzone G, Scippa GS, Scaloni A, Sebastiani L - Proteomic analysis of *Populus×euramericana* (clone I-214) roots to identify key factors involved in zinc stress response, *Journal of Plant Physiology* 171 (12), 1054-1063, **2014**. (WoS/Scopus)
- 8004.** Shahid M.A., Balal R.M., Pervez M.A., Abbas T., Aqeel M.A., Javaid M.M., Garsia-Sanchez F. - Exogenous proline and proline-enriched *Lolium perenne* leaf extract protects against phytotoxic effects of nickel and salinity in *Pisum sativum* by altering polyamine metabolism in leaves, *Turkish Journal of Botany*, 38 (5), 914-926, **2014**. (WoS/Scopus)
- 8005.** Shahid M., Sabir M., Ali M.A., Ghafoor A. - Effect of organic amendments on phytoavailability of nickel and growth of berseem (*Trifolium alexandrinum*) under nickel contaminated soil conditions, *Chemical Speciation and Bioavailability*, 26 (1), 37-42, **2014**. (WoS/Scopus)

- 8006.** Zhang X., Gao B., Xia H. - Effect of cadmium on growth, photosynthesis, mineral nutrition and metal accumulation of bana grass and vetiver grass, *Ecotoxicology and Environmental Safety*, 106, 102-108, **2014**. (WoS/Scopus)
- 8007.** Zhang X., Zhang X., Gao B., Li Z., Xia H., Li H., Li J. - Effect of cadmium on growth, photosynthesis, mineral nutrition and metal accumulation of an energy crop, king grass (*Pennisetum americanum* × *P. purpureum*), *Biomass and Bioenergy*, 67, 179-187, **2014** (WoS/Scopus)
- 8008.** Aziz H, Sabir M, Ahmad HR, Aziz T, Zia-ur-Rehman M, Hakeem KR, Ozturk M. Alleviating Effect of Calcium on Nickel Toxicity in Rice. *Clean Soil Air Water* 43, 901–909, **2015** (WoS/Scopus)
- 8009.** Bazihizina N, Redwan M, Taiti C, Giordano C, Monetti E, Masi E, Azzarello E, Mancuso S, Root based responses account for Psidium guajava survival at high nickel concentration, *Journal of Plant Physiology*, 174, 137-146, **2015** (WoS/Scopus)
- 8010.** Bhardwaj PR, Kaur R, Bali S, Kaur P, Sirhindi G, Thukral AK, Ohri P, Vig AP. Role of Various Hormones in Photosynthetic Responses of Green Plants Under Environmental Stresses, *Current Protein & Peptide Science* 16, 5, 435-449, **2015** (WoS/Scopus)
- 8011.** Delince W, Carmenate RV, Morgado OL, Izquierdo FG, Arias MIB. Riesgo agroambiental por metales pesados en suelos con Cultivares de *Oryza sativa* L y *Solanum tuberosum* L [Heavy metals agroenvironmental risk in soils with cultivate *Oryza sativa* L. and *Solanum tuberosum* L], *Revista Ciencias Técnicas Agropecuarias* 24, 1, 44-50, **2015**
- 8012.** Dover JW. *Green Infrastructure: Incorporating Plants and Enhancing Biodiversity in buildings and urban environments*, pp. 352, Routledge - Taylor & Francis Group., **2015** (Book) (WoS/Scopus)
- 8013.** Kayama M, Koike T. Differences in growth characteristics and dynamics of elements in seedlings of two birch species grown in serpentine soil in northern Japan, *Trees – Structure and Function* 29(1):171-184, **2015** (WoS/Scopus)
- 8014.** Khan A, Khan S, Khan MA, Qamar Z, Waqas M. - The uptake and bioaccumulation of heavy metals by food plants, their effects on plants nutrients, and associated health risk: a review, *Environmental Science and Pollution Research* 22, 18, 13772-13799, **2015** (WoS/Scopus)
- 8015.** Ma Y, Rajkumar M, Rocha I, Oliveira RS, Freitas H. Serpentine bacteria influence metal translocation and bioconcentration of brassica juncea and ricinus communis grown in multi-metal polluted soils. *Frontiers in Plant Science* 5, art. no. 757, 13 p., **2015**. DOI: [10.3389/fpls.2014.00757](https://doi.org/10.3389/fpls.2014.00757) (WoS/Scopus)
- 8016.** Poonam, Bhardwaj R, Kaur R, Bali S, Kaur P, Sirhindi G, Thukral AK, Ohri P, Vig AP. Role of various hormones in photosynthetic responses of green plants under environmental stresses. *Current Protein and Peptide Science* 16(5):435-449, **2015**. DOI: [10.2174/1389203716666150330125215](https://doi.org/10.2174/1389203716666150330125215) (WoS/Scopus)
- 8017.** Balal RM, Shahid MA, Javaid MM, Anjum MA, Ali HH, Mattson NS, Garcia-Sanchez F. Foliar treatment with *Lolium perenne* (Poaceae) leaf extract alleviates salinity and nickel-induced growth inhibition in pea, *Revista Brasileira de Botanica*, 39, 2, 453-463, **2016** (WoS/Scopus)
- 8018.** Begovic L, Mlinaric S, Antunovic Dunic J, Katanic Z, Loncaric Z, Lepedus H, Cesar V. Response of *Lemna minor* L. to short-term cobalt exposure: The effect on photosynthetic electron transport chain and induction of oxidative damage, *Aquatic Toxicology*, 175, 117-126, **2016** (WoS/Scopus)
- 8019.** Bernardini A, Salvatori E, Guerrini V, Fusaro L, Canepari S, Manes F. Effects of high Zn and Pb concentrations on *Phragmites australis* (Cav.) Trin. Ex. Steudel: photosynthetic performance and metal accumulation capacity under controlled conditions, *International Journal of Phytoremediation*, 18, 1, 16-24, **2016** (WoS/Scopus)
- 8020.** De Macedo FG, Bresolin JD, Santos EF, Furlan F, da Silva WTL, Polacco JC, Lavres J. Nickel availability in soil as influenced by liming and its role in soybean nitrogen metabolism. *Frontiers in Plant Science* 7, art. No. 1358, **2016** (WoS/Scopus)
- 8021.** Emami AS, Kouchaksaraei MT, Bahramifar N, Salehi AA. Gas exchange responses of two poplar clones (*Populus euramericana* (Dode) Guinier 561/41 and *Populus nigra* Linnaeus 63/135) to lead toxicity. *Journal of Forest Science* 62(9):422-428, **2016**. DOI: [10.17221/91/2016-JFS](https://doi.org/10.17221/91/2016-JFS) (WoS/Scopus)
- 8022.** Fourati E, Wali M, Vogel-Mikuš K, Abdelly C, Ghnaya T - Nickel tolerance, accumulation and subcellular distribution in the halophytes *Sesuvium portulacastrum* and *Cakile maritime*. *Plant Physiology and Biochemistry* 108, 295-303, **2016**, DOI: [10.1016/j.plaphy.2016.07.024](https://doi.org/10.1016/j.plaphy.2016.07.024) (WoS/Scopus)
- 8023.** Pérez-Romero JA, Redondo-Gómez S, Mateos-Naranjo E. Growth and photosynthetic limitation analysis of the Cd-accumulator *Salicornia ramosissima* under excessive cadmium concentrations and optimum salinity conditions, *Plant Physiology and Biochemistry*, 109, 103-113, **2016** (WoS/Scopus)
- 8024.** Polishchuk OV, Vodka MV, Belyavskaya NA, Khomochkin AP, Zolotareva EK. The effect of acid rain on ultrastructure and functional parameters of photosynthetic apparatus in pea leaves, *Cell and Tissue Biology*, 10, 3, 250-257, **2016** (WoS/Scopus)
- 8025.** Ramzani PMA, Khan W-u-D, Iqbal M, Kausar S, Ali S, Rizwan M, Virk ZA - Effect of different amendments on rice (*Oryza sativa* L.) growth, yield, nutrient uptake and grain quality in Ni-contaminated soil. *Environmental Science and Pollution Research* 23, 18, 18585-18595, **2016**, DOI [10.1007/s11356-016-7038-x](https://doi.org/10.1007/s11356-016-7038-x) (WoS/Scopus)
- 8026.** Roccotiello E, Serrano HC, Mariotti MG, Branquinho C. The impact of Ni on the physiology of a Mediterranean Ni-hyperaccumulating plant, *Environmental Science and Pollution Research*, 23, 12, 12414-12422, **2016** (WoS/Scopus)

- 8027.** Shweti, Kumar A, Chaudhry AK. Physiological responses and toxic effects of nickel (Ni) on cereals, *International Journal of Scientific Research*, 5, 3, 491-495, **2016**
- 8028.** Tang J-C, Liu P, Shi Z-M, Luo D, Liu S-R. Photosynthetic performance of five tree species seedlings in subtropical China. *Chinese Journal of Ecology* 35(9):2341-2347, **2016**. DOI: [10.13292/j.1000-4890.201609.027](https://doi.org/10.13292/j.1000-4890.201609.027) (WoS/Scopus)
- 8029.** Wang J, Wang Y, Liu H, Zhang J, Zhang C, Wang J. Sorption of Ni(II) by Fe(II) and EDTA-modified activated carbon derived from pyrophosphoric acid activation. *Desalination and Water Treatment*, 57, 8, 3700-3707, **2016**, DOI: [10.1080/19443994.2014.989917](https://doi.org/10.1080/19443994.2014.989917) (WoS/Scopus)
- 8030.** dos Reis AR, de Queiroz Barcelos JP, de Souza Osório CRW, Santos EF, Lisboa LAM, Santini JMK, dos Santos MJD, Junior EF, Campos M, de Figueiredo M, Lavres J, Gratao PL. A glimpse into the physiological, biochemical and nutritional status of soybean plants under Ni-stress conditions, *Environmental and Experimental Botany*, 144, 76-87, **2017** (WoS/Scopus)
- 8031.** Papazoglou EG, Fernando AL. Preliminary studies on the growth, tolerance and phytoremediation ability of sugarbeet (*Beta vulgaris* L.) grown on heavy metal contaminated soil, *Industrial Crops and Products*, 107, 463-471, **2017** (WoS/Scopus)
- 8032.** Prabhavati E, Vishnuvardhan Z, Mallaiah KV. Photosynthetic ability of Horse gram [*Macrotyloma uniflorum* (Lam.) Verdc] plants in response to metal stress, *Russian Agricultural Sciences*, 43, 2, 144-148, **2017**
- 8033.** Akhtar N, Hameed M, Hamid A, Nawaz F, Ahmad KS, Deng J, Mehmood A, Segovia-Salcedo C, Shahnaz MM, Khan AQ. Effects of nickel toxicity on morphological and physiological aspects of osmoregulation in *Typha domingensis* (Typhaceae) populations. *Limnology* 19(2): 185-197, **2018**. <https://doi.org/10.1007/s10201-017-0529-8> (WoS/Scopus)
- 8034.** Andresen E, Peiter E, Küpper H. Trace metal metabolism in plants. *Journal of Experimental Botany* 69(5):909-954, **2018**, <https://doi.org/10.1093/jxb/erx465> [Review] (WoS/Scopus)
- 8035.** Bibbiani S, Colzi I, Taiti C, Nissim WG, Papini A, Mancuso S, Gonnelli C. Smelling the metal: volatile organic compound emission under Zn excess in the mint *Tetradenia riparia*. *Plant Science* 271:1-8, **2018** <https://doi.org/10.1016/j.plantsci.2018.03.006>. (WoS/Scopus)
- 8036.** Kadhim RE, Razag MK. Effect of different concentrations of nickel chloride in biochemical and enzymatic parameters of *Cucumis sativus* L. imbibed seeds. *Mesopotamia Environmental Journal*, SI E; 49-57, **2018** Proceeding of 2nd International conference of science and Art University of Babylon and Liverpool John Moores University, UK.
- 8037.** Kulac S, Cikili Y, Samet H, Filiz E - Physiological, nutritional, and biochemical responses under nickel toxicity in black poplar (*Populus nigra*). *Journal of BioSci and Biotechnology* 7(2): 135-142, **2018**. <http://www.jbb.uni-plovdiv.bg>
- 8038.** Rashid I, Murtaza G, Zahir ZA, Farooq M. Effect of humic and fulvic acid transformation on cadmium availability to wheat cultivars in sewage sludge amended soil. *Environmental Science and Pollution Research* 25(16):16071-16079. **2018**. <https://doi.org/10.1007/s11356-018-1821-9> (WoS/Scopus)
- 8039.** Riaz U, Murtaza G, Saifullah, Farooq M. Influence of different sewage sludges and composts on growth, yield and trace elements accumulation in rice and wheat. *Land Degradation & Development* 29(5): 1343-1352, **2018**. <https://doi.org/10.1002/ldr.2925> (WoS/Scopus)
- 8040.** Shahzad B, Tanveer M, Rehman A, Cheema SA, Fahad S, Rehman S, Sharma A - Nickel; whether toxic or essential for plants and environment - A review. *Plant Physiology and Biochemistry* 132, 641-651, **2018** (WoS/Scopus)
- 8041.** Yamada M, Malambane G, Yamada S, Suharsono S, Tsujimoto H, Moseki B, Akashi K. Differential physiological responses and tolerance to potentially toxic elements in biodiesel tree *Jatropha curcas*. *Scientific Reports* 8(1): art. No. 1635, **2018**, DOI:10.1038/s41598-018-20188-5 (WoS/Scopus)
- 8042.** Alaoui H. Assessing electrical impedance spectroscopy as a non-invasive method in plant tissue. *Annals of Electrical and Electronic Engineering* 2(12): 1-6, **2019**. <https://doi.org/10.21833/AEEE.2019.12.001>.
- 8043.** Ameen N, Amjad M, Murtaza B, Abbas G, Shahid M, Imran M, Naeem MA, Niazi NK. Biogeochemical behavior of nickel under different abiotic stresses: toxicity and detoxification mechanisms in plants. *Environmental Science and Pollution Research* 26(11): 10496-10514, **2019**. <https://doi.org/10.1007/s11356-019-04540-4> WoS/Scopus
- 8044.** Baraldi R, Przybysz A, Facini O, Pierdonà L, Carriero G, Bertazza G, Neri L. Impact of drought and salinity on sweetgum tree (*Liquidambar styraciflua* L.): understanding tree ecophysiological responses in the urban context. *Forests* 10, 1032, **2019**. doi:10.3390/f10111032. (WoS/Scopus)
- 8045.** Chen J, Bi H, Yu X, Fu Y, Liao W. Influence of physiological and environmental factors on the diurnal variation in emissions of biogenic volatile compounds from *Pinus tabulaeformis*. *Journal of Environmental Sciences* 81:102-118, **2019**. <https://doi.org/10.1016/j.jes.2019.01.020>. (WoS/Scopus)
- 8046.** Dahunsi B, Adebayo AJ, Oguntimehin I. Susceptibility of cherry tomato (*Lycopersicon esculentum*) plant to simulated foliar cadmium and nickel exposures under controlled environment: plant health and environmental significances. *SF Journal of Environmental and Earth Science* 2(1): 1028, **2019**.
- 8047.** dos Santos MS, Sanglard LMPV, Martins SCV, Barbosa ML, de Melo DC, Gonzaga WF, DaMatta FM. Silicon alleviates the impairments of iron toxicity on the rice photosynthetic performance via alterations in leaf diffusive conductance with minimal impacts on carbon metabolism. *Plant Physiology and Biochemistry* 143:275-285, **2019**. <https://doi.org/10.1016/j.plaphy.2019.09.011>. (WoS/Scopus)

- 8048.** Khanna K, Kohli SK, Ohri P, Bhardwaj R, Al-Huqail AA, Siddiqui MH, Alosaimi GS, Ahmad P. Microbial fortification improved photosynthetic efficiency and secondary metabolism in *Lycopersicon esculentum* plants under Cd stress. *Biomolecules* 9, 581, **2019**. doi:10.3390/biom9100581. (WoS/Scopus)
- 8049.** Małkowski E, Sitko K, Zieleźnik-Rusinowska P, Gieroń Ż, Szopiński M. Heavy metal toxicity: Physiological Implications of metal toxicity in plants. In: Sablok G. (eds) *Plant Metabolomics and Functional Omics*. Springer, Cham, pp. 253-301, **2019**. e-BOOK
- 8050.** Bettarini I. The nickel hyperaccumulating plants of genus *Odontarrhena* (Brassicaceae): novel insights from molecular, physiological and biochemical analyses. **PhD Thesis**, Università Degli Studi Di Siena, **2020**. https://usiena-air.unisi.it/bitstream/11365/1128453/4/phd_unisi_569219.pdf.
- 8051.** Borowiak K, Budka A, Lisiak-Zielińska M, Hanć A, Zbierska J, Barańkiewicz D, Kayzer D, Gaj R, Szymczak-Graczyk A, Kancierz J. Accumulation of airborne toxic elements and photosynthetic performance of *Lolium multiflorum* L. leaves. *Processes* 8(9), 1013, **2020**. <https://doi.org/10.3390/pr8091013>. (WoS/Scopus)
- 8052.** Huang XH, Zhu F, He ZX, Chen XY, Wang GJ, Liu MS, Xu HY. Photosynthesis performance and antioxidative enzymes response of *Melia azedarach* and *Ligustrum lucidum* plants under Pb–Zn mine tailing conditions. *Frontiers in Plant Science* 11, art. num. 571157, **2020**. <https://doi.org/10.3389/fpls.2020.571157>. (WoS/Scopus)
- 8053.** Khan MIR, Jahan B, AlAjmi MF, Rehman MT, Khan NA. Ethephon mitigates nickel stress by modulating antioxidant system, glyoxalase system and proline metabolism in Indian mustard. *Physiology and Molecular Biology of Plants* 26, 1201-1213, **2020**. <https://doi.org/10.1007/s12298-020-00806-1>. (WoS/Scopus)
- 8054.** Ribeiro AT, de Oliveira VP, de Oliveira Barros Junior U, Serrão da Silva BR, Batista BL, da Silva Lobato AK. 24-Epibrassinolide mitigates nickel toxicity in young *Eucalyptus urophylla* S.T. Blake plants: nutritional, physiological, biochemical, anatomical and morphological responses. *Annals of Forest Science* 77:5, **2020**. <https://doi.org/10.1007/s13595-019-0909-9>. (WoS/Scopus)
- 8055.** Tanveer M. An overview of nickel toxicity in plants. Chapter 28. In: *Metal Toxicology Handbook* 1st Edition, D Bagchi and M Bagchi (Eds.), eBook ISBN9780429438004, **2020**. <https://doi.org/10.1201/9780429438004>.
- 8056.** Zhang S, Ni X, Arif M, Zheng J, Stubbs A, Li C. NaCl improved Cd tolerance of the euhalophyte *Suaeda glauca* but not the recretohalophyte *Limonium aureum*. *Plant and Soil* 449, 303-318, **2020**. <https://doi.org/10.1007/s11104-020-04475-7>. SOURCE:WoS and Scopus
- 8057.** Elferjani R, Benomar L, Momayyezi M, Tognetti R, Niinemets Ü, Soolanayakanahally RY, Thérroux-Rancourt G, Tosens T, Ripullone F, Bilodeau-Gauthier S, Lamhamedi MS, Calfapietra C, Lamara M. A meta-analysis of mesophyll conductance to CO₂ in relation to major abiotic stresses in poplar species. *Journal of Experimental Botany* 72(12):4384-4400, **2021**. <https://doi.org/10.1093/jxb/erab127>. (WoS/Scopus)
- 8058.** Hussain MI, El-Keblawy A, Akhtar N, Elwakil AS. Electrical impedance spectroscopy in plant biology. In: Lichtfouse E. (eds) *Sustainable Agriculture Reviews* vol 52, pp. 395-416, **2021**. Springer, Cham. https://doi.org/10.1007/978-3-030-73245-5_12. [BOOK]
- 8059.** Tipu MI, Ashraf MY, Sarwar N, Akhtar M, Shaheen MR, Ali S, Damalas CA. Growth and physiology of maize (*Zea mays* L.) in a nickel-contaminated soil and phytoremediation efficiency using EDTA. *Journal of Plant Growth Regulation* 40:774-786, **2021**. <https://doi.org/10.1007/s00344-020-10132-1>. (WoS/Scopus)
- 8060.** Altaf MA, Hao Y, He C, Mumtaz MA, Shu H, Fu H, Wang Z. Physiological and biochemical responses of pepper (*Capsicum annuum* L.) seedlings to nickel toxicity. *Frontiers in Plant Science* 13:950392, **2022**. <https://doi.org/10.3389/fpls.2022.950392>. (WoS/Scopus)
- 8061.** Baran U, Ekmekçi Y. Physiological, photochemical, and antioxidant responses of wild and cultivated *Carthamus* species exposed to nickel toxicity and evaluation of their usage potential in phytoremediation. *Environmental Science and Pollution Research* 29, 4446-4460, **2022**. <https://doi.org/10.1007/s11356-021-15493-y>. (WoS/Scopus)
- 8062.** Çetin ES, Umar AR. Heavy metal stress in plants. Chapter XIV. In: Bahşi N, Budak DB (Eds) *Agricultural Research in Nowadays*, Livre de Lyon, Lyon, France. pp. 225-254, **2022**.
- 8063.** Kastori RR, Putnik-Delić MI, Maksimović IV. Functions of nickel in higher plants: A review. *Acta Agriculturae Serbica* 27 (53), 89–101, **2022**. <https://scindeks-clanci.ceon.rs/data/pdf/0354-9542/2022/0354-95422253089K.pdf>.
- 8064.** Rehman S, Mansoor N, Al-Dhumri SA, Amjad SF, Al-Shammari WB, Almutari MM, Alhusayni FS, Al Bakre DA, Lalarukh I, Alshahri AH, Poczai P, Galal TM, Abdelhafez AA. Associative effects of activated carbon biochar and arbuscular mycorrhizal fungi on wheat for reducing nickel food chain bioavailability. *Environmental Technology & Innovation* vol. 26, art. 102539, **2022**. <https://doi.org/10.1016/j.eti.2022.102539>. (WoS/Scopus)
- 8065.** Sabir M, Naseem Z, Ahmad W, Usman M, Nadeem F, Saifullah, Ahmad HR. Alleviation of adverse effects of nickel on growth and concentration of copper and manganese in wheat through foliar application of ascorbic acid. *International Journal of Phytoremediation* 24(7), 695-703, **2022**. <https://doi.org/10.1080/15226514.2021.1962801>. (WoS/Scopus)
- 8066.** Salehi A, Calagari M, Ahmadloo F, Sayadi MHJ, Tafazoli M. Productivity of *Populus nigra* L. in two different soils over five rotations. *Acta Ecologica Sinica* 42(4):332-337, **2022**. <https://doi.org/10.1016/j.chnaes.2022.02.002>. (WoS/Scopus)
- 8067.** Scartazza A, Di Baccio D, Mariotti L, Bettarini I, Selvi F, Pazzagli L, Colzi I, Gonnelli C. Photosynthesizing while hyperaccumulating nickel: Insights from the genus *Odontarrhena* (Brassicaceae). *Plant Physiology and Biochemistry* vol. 176, 9-20, **2022**. <https://doi.org/10.1016/j.plaphy.2022.02.009>. (WoS/Scopus)

- 8068.** Wang D, Hu P, Tie N. Responses of photosynthesis and antioxidant activities in *Koeleria paniculata* young plants exposed to manganese stress. *South African Journal of Botany* 147, 340-348, **2022**. <https://doi.org/10.1016/j.sajb.2021.12.040>. (WoS/Scopus)
- 8069.** Ahmad MSA, Riffat A, Hussain M, M Hameed, AK Alvi. Toxicity and tolerance of nickel in sunflower (*Helianthus annuus* L.). *Environmental Science and Pollution Research* 30, 50346-50363, **2023**. <https://doi.org/10.1007/s11356-023-25705-2>. (WoS/Scopus)
- 8070.** Haokip IC, Devi MH, Mishra R, Kumar D, Dey P. Remediation of polluted soils for managing toxicity stress in crops of dryland ecosystems. In: Naorem A, Machiwal D (eds) *Enhancing Resilience of Dryland Agriculture Under Changing Climate*. Springer, Singapore. pp. 259-303, **2023**. https://doi.org/10.1007/978-981-19-9159-2_15.
- 8071.** Suleman D, Resman R, Syaf H, Namriah N, Suaib S, Alam S, Yusuf DN, Mbay WON. Change of soil chemical properties and the growth of *Pogostemon cablin* Benth on nickel-mined soil amended with rice husk charcoal. *Journal of Degraded and Mining Lands Management* 11(2), 5353–5360, **2024**. <https://doi.org/10.15243/jdmlm.2024.112.5353>. (WoS/Scopus)
- Velikova V, Várkonyi Z, Szabó M, Maslenkova L, Noguez I, Kovács L, Peeva V, Busheva M, Garab G, Sharkey TD, Loreto F - Increased thermostability of thylakoid membranes in isoprene-emitting leaves probed with three biophysical techniques. *Plant Physiology* 157, 905-916, 2011**
- 8072.** Ge X, d'Avignon DA, Ackerman JJH, Sammons RD - Observation and identification of 2-C-methyl-d-erythritol-2,4-cyclopyrophosphate in horseweed and ryegrass treated with glyphosate. *Pesticide Biochemistry and Physiology* 104 (3): 187-191, **2012 (WoS/Scopus)**
- 8073.** Yeh CH, Kaplinsky NJ, Hu C, Charng YY - Some like it hot, some like it warm: Phenotyping to explore thermotolerance diversity. *Plant Science* 195: 10-23, DOI: 10.1016/j.plantsci.2012.06.004, **2012 (Review)**. (WoS/Scopus)
- 8074.** Way DA, Pearcy RW - Sunflecks in trees and forests: from photosynthetic physiology to global change biology. *Tree Physiology* 32(9): 1066-1081, DOI: 10.1093/treephys/tps064, **2012 (Review) (WoS/Scopus)**
- 8075.** Welter S, Bracho-Nunez A, Mir C, Zimmer I, Kesselmeier J, Lumaret R, Schnitzler JP, Staudt M - The diversification of terpene emissions in Mediterranean oaks: lessons from a study of *Quercus suber*, *Quercus canariensis* and its hybrid *Quercus afares*. *Tree Physiology* 32(9): 1082-1091, DOI: 10.1093/treephys/tps069, **2012 (WoS/Scopus)**
- 8076.** Behnke K, Ghirardo A, Janz D, Kanawati B, Esperschütz J, Zimmer I, Schmitt-Kopplin P, Niinemets U, Polle A, Schnitzler JP, Rosenkranz M - Isoprene function in two contrasting poplars under salt and sunflecks. *Tree Physiology* 33(6), 562-578, **2013 (WoS/Scopus)**
- 8077.** Halahan JA – *In vitro* formation of isoprene derivatives in conditions simulating membranes of plants under heat stress. Sonoma State University, USA, **2013**
- 8078.** Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C - Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *Journal of Experimental Botany* 64(12), 3697-3709, **2013 (WoS/Scopus)**
- 8079.** Memari HR, Pazouki L, Niinemets Ü – The biochemistry and molecular biology of volatile messengers in trees. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 3: pp. 47-93, **2013 (book)**
- 8080.** Morfopoulos C, Prentice IC, Keenan TF, Friedlingstein P, Medlyn BE, Peñuelas J, Possell M - A unifying conceptual model for the environmental responses of isoprene emissions from plants. *Annals of Botany* 112: 1223–1238, **2013 (WoS/Scopus)**
- 8081.** Niinemets Ü, Monson RK – State-of-the art of BVOC Research: What do we have and what have we misses? A synthesis. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. *Tree Physiology* 5, DOI 10.1007/978-94-007-6606-8_10. Springer Science+Business Media Dordrecht, CHAPTER 18: pp. 509-528, **2013 (book)**
- 8082.** Sun Z – Isoprene emission from aspen (*Populus sp.*) in relation to environmental drives. Estonian University of Life Science, **2013 (PhD Thesis)**
- 8083.** Sun Z, Huve K, Vislap V, Niinemets U – Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *Journal of Experimental Botany* 64 (18): 5509-5523, **2013**, [doi:10.1093/jxb/ert318](https://doi.org/10.1093/jxb/ert318) (WoS/Scopus)
- 8084.** Sun Z, Niinemets Ü, Hüve K, Rasulov B, Noe SM - Elevated atmospheric CO₂ concentration leads to increased whole-plant isoprene emission in hybrid aspen (*Populus tremula* × *Populus tremuloides*). *New Phytologist* 198; 788-800, **2013 (WoS/Scopus)**
- 8085.** Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB, Schmitt-Kopplin P, Schnitzler J-P. Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytologist* 200(2), 534-546, **2013 (WoS/Scopus)**
- 8086.** Brunetti, C; Ferrini, F; Fini, A; Tattini, M - New evidence for the functional roles of volatile and non-volatile isoprenoids in stressed plants. *Agrochimica* 58, SI, 61-76, **2014 (WoS/Scopus)**
- 8087.** Dani KGS – On the physiology and evolution of volatile isoprenoid emission in plants. Macquarie University, Australia, **PhD Thesis, 2014**

- 8088.** Dani KGS, Jamie IM, Prentice IC, Atwell BJ - Evolution of isoprene emission capacity in plants. *Trends in Plant Science*, 19 (7), 439-446, **2014. (WoS/Scopus)**
- 8089.** Dani KGS, Jamie IM, Prentice IC, Atwell BJ. Increased ratio of electron transport to net assimilation rate supports elevated isoprenoid emission rate in Eucalypts under drought. *Plant Physiology* 166, 1059-1072, **2014. (WoS/Scopus)**
- 8090.** Di Ferdinando, M; Brunetti, C; Agati, G; Tattini - Multiple functions of polyphenols in plants inhabiting unfavorable Mediterranean areas. *Environmental and Experimental Botany* 103, SI, 107-116, **2014 (WoS/Scopus)**
- 8091.** Foster PN, Prentice IC, Morfopoulos C, Siddall M, van Weele M - Isoprene emissions track the seasonal cycle of canopy temperature, not primary production: evidence from remote sensing. *Biogeosciences* 11 (13), 3437-3451, **2014 (WoS/Scopus)**
- 8092.** Gauthier PPG, Crous KY, Ayub G, Duan H, Weerasinghe LK, Ellsworth DS, Tjoelker MG, Evans JR, Tissue DT, Atkin OK - Drought increases heat tolerance of leaf respiration in *Eucalyptus globulus* saplings grown under both ambient and elevated atmospheric [CO₂] and temperature. *Journal of Experimental Botany* 65 (22), 6471-6485, **2014 doi: 10.1093/jxb/eru367. (WoS/Scopus)**
- 8093.** Jardine K, Chambers J, Alves EG, Teixeira A, Garcia S, Holm J, Higuchi N, Manzi A, Abrell L, Fuentes JD, Nielsen LK, Torn MS, Vickers CE. Dynamic balancing of isoprene carbon sources reflects photosynthetic and photorespiratory responses to temperature stress. *Plant Physiology* 166 (4), 2051-2064, **2014. (WoS/Scopus)**
- 8094.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 8095.** Morfopoulos C, Sperlich D, Peñuelas J, Filella I, Llusà, Medlyn BE, Niinemets Ü, Possell M, Sun Z, Cubells IC - A model of plant isoprene emission based on available reducing power captures responses to atmospheric CO₂. *New Phytologist* 203 (1), 125-139 **2014, (WoS/Scopus)**
- 8096.** Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist* 201 (1), 206-216, **2014 doi: 10.1111/nph.12477 (WoS/Scopus)**
- 8097.** van Zanten M, Bours R, Pons TL, Proveniers MCG. Plant acclimation and adaptation to warm environments (**Review**). In: *Temperature and Plant Development* (Edited by Keara A. Franklin and Philip A. Wigge), Chapter 3, pp. 49-78. John Wiley & Sons, Inc, **2014**, Print ISBN: 9781118308202, Online ISBN: 9781118308240, **DOI: 10.1002/9781118308240 (book)**
- 8098.** Brunetti, C., Guidi, L., Sebastiani, F., Tattini, M. - Isoprenoids and phenylpropanoids are key components of the antioxidant defense system of plants facing severe excess light stress. *Environmental and Experimental Botany*, 119, pp. 54-62, **2015. DOI: 10.1016/j.envexpbot.2015.04.007 (WoS/Scopus)**
- 8099.** Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes, *Journal of Bioenergetics and Biomembranes* 47, 5, 419-429, **2015 (WoS/Scopus)**
- 8100.** Lahr EC, Schade GW, Crossett CC, Watson MR. Photosynthesis and isoprene emission from trees along an urban-rural gradient in Texas, *Global Change Biology* 21,11, 4221-4236, **2015 (WoS/Scopus)**
- 8101.** Niinemets Ü, Sun Z - How light, temperature, and measurement and growth [CO₂] interactively control isoprene emission in hybrid aspen. *Journal of Experimental Botany* 66 (3): 841-851, **2015, doi: 10.1093/jxb/eru443. (WoS/Scopus)**
- 8102.** Palmer-Young EC, Veit D, Gershenzon J, Schuman MC - The sesquiterpenes(E)-β-farnesene and (E)-α-bergamotene quench ozone but fail to protect the wild tobacco *Nicotiana attenuata* from ozone, UVB, and drought stresses. *PLoS ONE*, 10 (6), art. no. e0127296, **2015 (WoS/Scopus)**
- 8103.** Rasulov B, Bichele I, Hüve K, Vislap V, Niinemets Ü. Acclimation of isoprene emission and photosynthesis to growth temperature in hybrid aspen: resolving structural and physiological controls. *Plant, Cell & Environment* 38 (4), 751-766, **2015 DOI: 10.1111/pce.12435. (WoS/Scopus)**
- 8104.** Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel J, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P. Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology* 169, 1, 560-575, **2015 (WoS/Scopus)**
- 8105.** Arab L, Kreuzwieser J, Kruse J, Zimmer I, Ache P, Alfarraj S, Al-Rasheid KAS, Schnitzler JP, Hedrich R, Rennenberg, H - Acclimation to heat and drought—Lessons to learn from the date palm (*Phoenix dactylifera*). *Environmental and Experimental Botany*, 125, 20-30, **2016 (WoS/Scopus)**
- 8106.** Harvey CM, Sharkey TD. Exogenous isoprene modulates gene expression in unstressed Arabidopsis thaliana plants, *Plant, Cell and Environment*, 39, 1251–1263., **2016 (WoS/Scopus)**
- 8107.** Kaling M – Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technische Universität München, **2016, PhD Thesis**
- 8108.** Lin Y-P, Wu M-C, Charng Y-y. Identification of a chlorophyll dephytylase involved in chlorophyll turnover in Arabidopsis. *The Plant Cell* 28: 2974–2990, **2016. DOI: https://doi.org/10.1105/tpc.16.00478 (WoS/Scopus)**
- 8109.** Mutanda I, Inafuku M, Iwasaki H, Saitoh S, Fukuta M, Watanabe K, Oku H. Parameterization of G-93 isoprene emission formula for tropical trees *Casuarina equisetifolia* and *Ficus septica*. *Atmospheric Environment*, 141, 287-296, **2016 (WoS/Scopus)**
- 8110.** Mutanda I, Saitoh S, Inafuku M, Aoyama H, Takamine T, Satou K, Akutsu M, TeruyaK, Tamotsu H, Shimoji M, Sunagawa, H, Oku H. Gene expression analysis of disabled and re-induced isoprene emission by the tropical tree *Ficus septica* before and after cold ambient temperature exposure. *Tree physiology*, 36(7), 873-882, **2016 (WoS/Scopus)**

- 8111.** Slot M, Winter K - The effects of rising temperature on the ecophysiology of tropical forest trees. In: *Tropical Tree Physiology. Adaptations and Responses in a Changing Environment*, Tree Physiology 6, Edition: 1, Chapter: 18, Springer International Publishing, Guillermo Goldstein and Louis S Santiago (eds.), pp.385-412, March **2016** DOI: [10.1007/978-3-319-27422-5_18](https://doi.org/10.1007/978-3-319-27422-5_18) (**book**)
- 8112.** Ye L, Lv X, Yu H. Engineering microbes for isoprene production, Metabolic Engineering, Volume 38, November 2016, Pages 125-138 Engineering microbes for isoprene production. *Metabolic Engineering*, 38, 125-138, **2016** (**WoS/Scopus**)
- 8113.** Zenone T, Hendriks C, Brilli F, Fransen E, Gioli B, Portillo-Estrada M, Schaap M, Ceulemans R - Interaction between isoprene and ozone fluxes in a poplar plantation and its impact on air quality at the European level. *Scientific Repors* 6: 32676, **2016**, DOI: [10.1038/srep32676](https://doi.org/10.1038/srep32676) (**WoS/Scopus**)
- 8114.** Bamberger I, Ruehr NK, Schmitt M, Gast A, Wohlfahrt G, Arneth A. Isoprene emission and photosynthesis during heatwaves and drought in black locust, *Biogeosciences* 14, 3649-3667, **2017** (**WoS/Scopus**)
- 8115.** Murphy G – Isoprene degradation in the therrestrial environment. University of Essex, UK, **2017** **PhD Thesis**
- 8116.** O'Sullivan O S, Heskell MA, Reich PB, Tjoelker M G, Weerasinghe LK, Penillard A, Zhu L, Egerton JJG, Bloomfield KJ, Creek D, Bahar NH, Griffin KL, Hurry V, Mier P, Turnbull MH, Atkin OK. Thermal limits of leaf metabolism across biomes. *Global Change Biology* 23(1), 209-223., **2017**, doi: [10.1111/gcb.13477](https://doi.org/10.1111/gcb.13477) (**WoS/Scopus**)
- 8117.** Saunier A, Ormeño E, Wortham H, Temime-Roussel B, Lecareux C, Boissard C, Fernandez C - Chronic drought decreases anabolic and catabolic BVOC emissions of Quercus pubescens in a Mediterranean forest. *Frontiers in Plant Science* 8:71, **2017**, doi: [10.3389/fpls.2017.00071](https://doi.org/10.3389/fpls.2017.00071) (**WoS/Scopus**)
- 8118.** Saunier, A, Ormeno, E, Boissard, C, Wortham, H, Temime-Roussel, B, Lecareux, C, Armengaud, A, Fernandez, C. Effect of mid-term drought on Quercus rubescens BVOCs' emission seasonality and their dependency on light and/or temperature. *Atmospheric Chemistry and Physics* 17: 7555-7566, **2017**. (**WoS/Scopus**)
- 8119.** Sharkey TD, Monson RK – Isoprene research – 60 years later, the biology is still enigmatic. *Plant, Cell and Environment* 40(9), 1671-1678, **2017**, (**Review**) doi: [10.1111/pce.12930](https://doi.org/10.1111/pce.12930) (**WoS/Scopus**)
- 8120.** Zuo Z, Wang B, Ying B, Zhou Lv, Zhang R – Monoterpene emissions contribute to thermotolerance in Cinnamomum camphora. *Trees – Structure and Function* 31(6), 1759-1771, **2017**, DOI [10.1007/s00468-017-1582-y](https://doi.org/10.1007/s00468-017-1582-y). (**WoS/Scopus**)
- 8121.** Zuo Zhao-Jiang. The review of research advances in algal volatile organic compounds. *Acta Hydrobiologica Sinica*, 41(6), 1369-1379, **2017** (**WoS/Scopus**)
- 8122.** Cofer TM, Engelberth M, Engelberth J. Green leaf volatiles protect maize (*Zea mays*) seedlings against damage from cold stress. *Plant, Cell & Environment* 41(7):1673-1682, **2018**, doi: [10.1111/pce.13204](https://doi.org/10.1111/pce.13204). (**WoS/Scopus**)
- 8123.** de Souza VF, Niinemets Ü, Rasulov B, Vickers CE, Duvoisin Júnior S, Araújo WL, de Carvalho Gonçalves JF - Alternative carbon sources for isoprene emission. *Trends in Plant Science* 23(12):1081-1101, **2018**. <https://doi.org/10.1016/j.tplants.2018.09.012>. (**REVIEW**) (**WoS/Scopus**)
- 8124.** Haberstroh S, Kreuzwieser J, Lobo-do-Vale R, Caldeira MC, Dubbert M, Werner C. Terpenoid emissions of two mediterranean woody species in response to drought stress. *Frontiers in Plant Science* 9: art. no. 1071, **2018**. <https://doi.org/10.3389/fpls.2018.01071> (**WoS/Scopus**)
- 8125.** Saunier A, Ormeño E, Havaux M, Wortham H, Ksas B, Temime-Roussel B, Blande JD, Lecareux C, Mévy JP, Bousquet-Mélou A, Gauquelin T, Fernandez C. Resistance of native oak to recurrent drought conditions simulating predicted climatic changes in the Mediterranean region. *Plant, Cell & Environment* 41(10):2299-2312, **2018**. <https://doi.org/10.1111/pce.13331> (**WoS/Scopus**)
- 8126.** Wang J-Y, Wang X-D, Ma Y-D, Fu L-C, Zhou H-H, Wang B, Zhang R-M, Gao Y. Physiological and ecological responses to drought and heat stresses in *Osmanthus fragrans* 'Boyceingui'. *Chinese Journal of Plant Ecology* 42(6): 681-691, **2018**. DOI: [10.17521/cjpe.2018.0017](https://doi.org/10.17521/cjpe.2018.0017) (**WoS/Scopus**)
- 8127.** Zhu L, Bloomfield KJ, Hocart CH, Egerton JJG, O'Sullivan OS, Penillard A, Weerasinghe LK, Atkin OK. Plasticity of photosynthetic heat tolerance in plants adapted to thermally contrasting biomes. *Plant, Cell & Environment* 41(6): 1251-1262, **2018** doi: [10.1111/pce.13133](https://doi.org/10.1111/pce.13133) (**WoS/Scopus**)
- 8128.** Aspinwall MJ, Pfautsch S, Tjoelker MG, Vårhammar A, Possell M, Drake JE, Reich PB, Tissue DT, Atkin OK, Rymer PD, Dennison S, Van Sluyter SC. Range size and growth temperature influence Eucalyptus species responses to an experimental heatwave. *Global Change Biology* 25(5):1665-1684, **2019**. DOI: [10.1111/gcb.14590](https://doi.org/10.1111/gcb.14590) (**WoS/Scopus**)
- 8129.** Bennaoum Z, Benhassaini H. Chemical ecology of *Ruta* sp.: VOC, Chemotaxonomy and Allelochemistry. In: Ramawat K. (eds) *Biodiversity and Chemotaxonomy. Sustainable Development and Biodiversity* 24:295-318. Springer, Cham, **2019**. https://doi.org/10.1007/978-3-030-30746-2_13 (e-BOOK)
- 8130.** Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 8131.** Duan Q, Kleiber A, Jansen K, Junker LV, Kammerer B, Han G, Zimmer I, Rennenberg H, Schnitzler J-P, Ensminger I, Gessler A, Kreuzwieser J-F. Effects of elevated growth temperature and enhanced atmospheric vapour pressure deficit on needle and root terpenoid contents of two Douglas fir provenances. *Environmental and Experimental Botany* 166, art. number 103819, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103819>. (**WoS/Scopus**) and **WoS**

- 8132.** Engelberth M, Selman SM, Engelberth J. In-cold exposure to Z-3-hexenal provides protection against ongoing cold stress in *Zea mays*. *Plants* 8(6), 165, **2019**. <https://doi.org/10.3390/plants8060165> (WoS/Scopus)
- 8133.** Garcia S, Jardine K, de Souza VF, de Souza RAF, Duvoisin Junior S, de C. Gonçalves JF. Reassimilation of leaf internal CO₂ contributes to isoprene emission in the neotropical species *Inga edulis* Mart. *Forests* 10, 472, **2019**. doi:10.3390/f10060472 (WoS/Scopus)
- 8134.** Junker-Frohn LV, Kleiber A, Jansen K, Gessler A, Kreuzwieser J, Ensminger I. Differences in isoprenoid-mediated energy dissipation pathways between coastal and interior Douglas-fir seedlings in response to drought. *Tree Physiology* 39(10):1750-1766, **2019**. <https://doi.org/10.1093/treephys/tpz075>. (WoS/Scopus)
- 8135.** Lambrev PH, Akhtar P. Macroorganisation and flexibility of thylakoid membranes. *Biochemical Journal* 476 (20): 2981–3018, **2019**. <https://doi.org/10.1042/BCJ20190080>. (Review). (WoS/Scopus)
- 8136.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. doi:10.1111/pce.13629. (Review). (WoS/Scopus)
- 8137.** Saunier A, Blande JD. The effect of elevated ozone on floral chemistry of Brassicaceae species. *Environmental Pollution* v. 255, part 2, art. number 113257, **2019**. <https://doi.org/10.1016/j.envpol.2019.113257>. (WoS/Scopus)
- 8138.** Yáñez-Serrano AM, Mahlau L, Fasbender L, Byron J, Williams J, Kreuzwieser J, Werner C. Heat stress increases the use of cytosolic pyruvate for isoprene biosynthesis. *Journal of Experimental Botany* 70(20):5827-5838, **2019**. doi:10.1093/jxb/erz353 (WoS/Scopus)
- 8139.** Zuo Z. Why algae release volatile organic compounds – the emission and roles. *Frontiers in Microbiology* 10:491, **2019**. doi: 10.3389/fmicb.2019.00491. (WoS/Scopus)
- 8140.** Zuo Z, Weraduwege SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. (WoS/Scopus)
- 8141.** Amor AB, Chaira N, Elloumi N, Kechnebbou M, Yahia LB, Lachiheb B, Nagaz K. Role of calcium, magnesium and phosphorus to reduce fluoride toxicity on Pomegranate (*Punica granatum*) leaves. *Revue des Régions Arides* 46(1), 345-351, **2020**. https://www.researchgate.net/publication/351065951_Role_of_Calcium_Magnesium_and_phosphorus_to_reduce_fluoride_toxicity_on_Pomegranate_Punica_granatum_leaves.
- 8142.** Bianchetti R, De Luca B, de Haro LA, Rosado D, Demarco D, Conte M, Bermudez L, Freschi L, Fernie AR, Michaelson LV, Haslam RP, Rossi M, Carrari F. Phytochrome-dependent temperature perception modulates isoprenoid metabolism. *Plant Physiology* 183(3), 869-882, **2020**. <https://doi.org/10.1104/pp.20.00019>. (WoS/Scopus)
- 8143.** Chan RL, Trucco F, Otegui ME. Why are second-generation transgenic crops not yet available in the market? *Journal of Experimental Botany* 71(22):6876-6880, **2020**. <https://doi.org/10.1093/jxb/eraa412>. (WoS/Scopus)
- 8144.** Chatterjee P, Kanagendran A, Samaddar S, Pazouki L, Sa T-M, Niinemets U. Influence of *Brevibacterium linens* RS16 on foliage photosynthetic and volatile emission characteristics upon heat stress in *Eucalyptus grandis*. *Science of the Total Environment* v. 700, art. 134453, **2020**. <https://doi.org/10.1016/j.scitotenv.2019.134453>. (WoS/Scopus)
- 8145.** Faralli M, Li M, Varotto C. Shoot characterization of isoprene and ocimene-emitting transgenic arabidopsis plants under contrasting environmental conditions. *Plants* 9(4), 477, **2020**. <https://doi.org/10.3390/plants9040477>. (WoS/Scopus)
- 8146.** Jones LC. Behavioural adaptations of the generalist herbivore *Helicoverpa punctigera* (Lepidoptera: Noctuidae) with respect to primary and secondary hosts. PhD Thesis, School of Biological Sciences, The University of Queensland, Australia, **2020**. <https://doi.org/10.14264/6d36f67>. [PhD thesis]
- 8147.** Lawson CA. Gas powered reefs: exploring the nature and variability of the coral volatilome. University of Technology Sydney, Australia, PhD Thesis, **2020**. <https://opus.lib.uts.edu.au/bitstream/10453/140488/2/02whole.pdf>. [PhD Thesis]
- 8148.** Milner K. The price of heat stress: functional and resource constraints to thermal tolerance in arid zone plants. PhD Thesis, School of Life Sciences, University of Technology Sydney, Australia, **2020**. <http://hdl.handle.net/10453/142273>. [PhD Thesis]
- 8149.** Novello PFAM, Bonacina C, Stracieri J, Campos CF de AA, Gonçalves JE, Gazim ZC, Souza SGHde. Water deficit induces changes in grown, oxidative metabolism and phenylpropanoids biosynthesis in *Ocimum basilicum* L. *Research, Society and Development* 9(11), e74591110590, **2020**. <https://doi.org/10.33448/rsd-v9i11.10590>.
- 8150.** Palouš D. Emissions of isoprene by oil palm and their impacts on climate and composition of the atmosphere. Charles University, Praha, Czechia, PhD Thesis, **2020**. <http://hdl.handle.net/20.500.11956/119536>. [PhD Thesis]
- 8151.** Perreca E, Gershenzon J, Eberl F. Tree volatiles: effects of biotic and abiotic factors on emission and biological roles. Chapter 19. In E. Pichersky, & N. Dudareva (Eds.), *Biology of Plant Volatiles*, 2nd Edition, pp. 361-375. Boca Raton, FL, USA: CRC press, **2020**. <http://hdl.handle.net/21.11116/0000-0005-BA28-D>. [BOOK]
- 8152.** Saunier A, Ormeño E, Piga D, Armengaud A, Boissard C, Lathièrre J, Szopa S, Genard-Zielinski A-C, Fernandez C. Isoprene contribution to ozone production under climate change conditions in the French

Mediterranean area. *Regional Environmental Change* 20, Article number 111, 2020. <https://doi.org/10.1007/s10113-020-01697-4>. (WoS/Scopus)

8153. Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, 2020. <https://doi.org/10.1093/jxb/eraa415>. (WoS/Scopus)

8154. Tian Z, Luo Q, Li Y, Zuo Z. Terpinene and β -pinene acting as signaling molecules to improve *Cinnamomum camphora* thermotolerance. *Industrial Crops and Products* 154:112641, 2020. <https://doi.org/10.1016/j.indcrop.2020.112641>. (WoS/Scopus)

8155. Werner C, Fasbender L, Romek KM, Yáñez-Serrano AM, Kreuzwieser J. Heat waves change plant carbon allocation among primary and secondary metabolism altering CO₂ assimilation, respiration, and VOC emissions. *Frontiers in Plant Science* 11, article 1242, 2020. <https://doi.org/10.3389/fpls.2020.01242>. (WoS/Scopus)

8156. Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abiotic and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, 2020. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)

8157. Cook AM. Variation in the photosynthetic heat tolerance of plants from extreme environments: The influence of heat exposure and environmental context. University of Technology Sydney, Australia, **PhD Thesis**, 2021. <http://hdl.handle.net/10453/151368>.

8158. Dawson RA, Crombie AT, Pichon P, Steinke M, McGenity TJ, Murrell JC. The microbiology of isoprene cycling in aquatic ecosystems. *Aquatic Microbial Ecology* 87:79-98, 2021. <https://doi.org/10.3354/ame01972>. (WoS/Scopus)

8159. Guidi L, Tattini M. Antioxidant defenses in plants: A dated topic of current interest. *Antioxidants* 10(6):855, 2021. <https://doi.org/10.3390/antiox10060855>. (WoS/Scopus)

8160. Ho C-H, Yang M-H, Lin H-L. Temperature and different organs create volatile profile differences of edible gynura [*Gynura bicolor* (Roxb. ex Willd.) DC]. *HortScience* 1-8, 2021. <https://doi.org/10.21273/HORTSCI15851-21>. (WoS/Scopus)

8161. Li M, Xu J, Lyu F, Khomenko I, Biasioli F, Villani M, Baldan B, Varotto C. Evolution of isoprene emission in Arecaceae (palms). *Evolutionary Applications* 14(4):902-914, 2021. <https://doi.org/10.1111/eva.13169>. (WoS/Scopus)

8162. Maheshwari HS, Bharti A, Agnihotri R, Dukare A, Prabina BJ, Gangola S, Sharma MP. Chapter 4. Combating the abiotic stress through phytomicrobiome studies. In: *Phytomicrobiome Interactions and Sustainable Agriculture*, Book Editor(s): Amit Verma, Jitendra Kumar Saini, Abd El-Latif Hesham, Harikesh Bahadur Singh. Chapter 4, 45-65, 2021. <https://doi.org/10.1002/9781119644798.ch4>. (WoS/Scopus) **[BOOK]**

8163. Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, 2021. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. **(BOOK)**

8164. Sulaiman HY, Liu B, Kaurilind E, Niinemets Ü. Phloem-feeding insect infestation antagonizes volatile organic compound emissions and enhances heat stress recovery of photosynthesis in *Origanum vulgare*. *Environmental and Experimental Botany* 189, art. number 104551, 2021. <https://doi.org/10.1016/j.envexpbot.2021.104551>. (WoS/Scopus)

8165. Yang W, Cao J, Wu Y, Kong F, Ngyu Li Li. Review on plant terpenoid emissions worldwide and in China. *Science of the Total Environment* 787, art. 147454 2021. <https://doi.org/10.1016/j.scitotenv.2021.147454>. (WoS/Scopus) **(Review)**

8166. Zhang Y, Du W, Zhang Y, Z Wang, H Li, H Xia, S Fan, L Kong. Metabolic analysis reveals temporal changes in C/N metabolites and senescence of flag leaf in wheat during grain filling. *Acta Physiologiae Plantarum* 43, 104, 2021. <https://doi.org/10.1007/s11738-021-03272-8>. (WoS/Scopus)

8167. Abdulmajeed AM, Qari SH, Alnusaire TS, Soliman MH. Chapter 2. Abiotic stress-mediated regulation of photosynthesis and modulations in photosynthetic apparatus: Impact on photosynthetic genes and enzyme functioning. In: Roychoudhury, A. (Ed.) *Photosynthesis and Respiratory Cycles during Environmental Stress Response in Plants* (1st ed.). Apple Academic Press. eBook: ISBN9781003315162, pp. 13-45, 2022. <https://doi.org/10.1201/9781003315162>. **[BOOK chapter]**

8168. Khalaj F. Aerosol chemistry of riparian shrub emissions and oxygenated terpenes, PhD Thesis, University of California, Irvine, 2022. <https://escholarship.org/uc/item/6124q458>. **[PhD Thesis]**

8169. Lawson CA, Camp E, Davy SK, Ferrier-Pagès C, Matthews J, Suggett DJ. Informing coral reef conservation through metabolomic approaches. In: van Oppen MJH, Aranda Lastra M (eds) *Coral Relajef Conservation and Restoration in the Omics Age. Coral Reefs of the World*, vol 15. Springer, Cham, pp.179-202, 2022. https://doi.org/10.1007/978-3-031-07055-6_12. **[BOOK chapter]**

8170. Midzi J, Jeffery DW, Baumann U, Rogiers S, Tyerman SD, Pagay V. Stress-induced volatile emissions and signalling in inter-plant communication. *Plants* 11(19):2566, 2022. <https://doi.org/10.3390/plants11192566>. **[Review]**

8171. Murali-Baskaran RK, Mooventhnan P, Das D, Dixit A, Sharma KC, Senthil-Nathan S, Kaushal P, Ghosh PK. The future of plant volatile organic compounds (pVOCs) research: advances and applications for sustainable

- agriculture. *Environmental and Experimental Botany* vol. 200, art. 104912, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104912>. (WoS/Scopus)
- 8172.** Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. [BOOK]
- 8173.** Saunier A, Ormeño E, Moja S, Fernandez C, Robert E, Dupouyet S, Despinasse Y, Baudino S, Nicolè F, Bousquet-Mélou A. Lavender sensitivity to water stress: Comparison between eleven varieties across two phenological stages. *Industrial Crops and Products* v. 177, art. 114531, **2022**. <https://doi.org/10.1016/j.indcrop.2022.114531>. (WoS/Scopus)
- 8174.** Xu C, Ma Y, Tian Z, Q Luo, T Zheng, B Wang, Z Zuo. Monoterpene emissions and their protection effects on adult *Cinnamomum camphora* against high temperature. *Trees* 36, 711-721, **2022**. <https://doi.org/10.1007/s00468-021-02242-4>. (WoS/Scopus)
- 8175.** Xu C, Wang B, Luo Q, Ma Y, Zheng T, Wang Y, Cai Y, Zuo Z. The uppermost monoterpenes improving *Cinnamomum camphora* thermotolerance by serving signaling functions. *Frontiers in Plant Science* 13:1072931, **2022**. <https://doi.org/10.3389/fpls.2022.1072931>. (WoS/Scopus)
- 8176.** Abdulmajeed AM, Qari SH, Alnusaire TS, Soliman MH. Chapter 2. Abiotic stress-mediated regulation of photosynthesis and modulations in photosynthetic apparatus: Impact on photosynthetic genes and enzyme functioning. In: Roychoudhury A (Ed.) *Photosynthesis and Respiratory Cycles During Environmental Stress Response in Plants*. © CRC Press Taylor & Francis Group, Apple Academic Press, Inc. ISBN: 978-1-00331-516-2 (ebk). pp. 13-46, **2023** (First edition). [BOOK]
- 8177.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855-1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 8178.** Cai Y, Xu C, Zheng T, Zuo Z. Thermal protection function of camphor on *Cinnamomum camphora* cell membrane by acting as a signaling molecule. *Plant Physiology and Biochemistry* vol. 198, art. 107672, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107672>. (WoS/Scopus)
- 8179.** Ghosh S, Sarkar S, Garai S, Roy A, Saha S, Dey S, Santra SC, Moulick D, Mondal M, Brahmachari K. Climate change and global crop production: an inclusive insight. In: Hasanuzzaman M (eds) *Climate-Resilient Agriculture*, Vol 2. Springer, Cham. pp. 1-34, **2023**. https://doi.org/10.1007/978-3-031-37428-9_1. https://doi.org/10.1007/978-1-0716-3044-0_7. [BOOK]
- 8180.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition) [BOOK]
- 8181.** Nybakken L, Lee YK, Brede DA, Mageroy MH, Lind OC, Salbu B, Kashparov V, Olsen JE. Long term effects of ionising radiation in the Chernobyl Exclusion zone on DNA integrity and chemical defence systems of Scots pine (*Pinus sylvestris*). *Science of the Total Environment* vol. 904, art. 166844, **2023**. <https://doi.org/10.1016/j.scitotenv.2023.166844>. (WoS/Scopus)
- 8182.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. Secondary Metabolites in Environmental Stress Tolerance, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [BOOK]
- 8183.** Sobrino-Plata J, Cano FJ, Aranda I, de Simón MBF, Rodríguez-Calcerrada J. The impact of drought on plant metabolism in *Quercus* species – from initial response to recovery. In: António C (Ed.) *Monitoring Forest Damage with Metabolomics Methods*. Chapter 10, **2023**. <https://doi.org/10.1002/9781119868750.ch10>. [BOOK]
- 8184.** Wang Y, Qian Q, Xu H, Zuo Z. Dynamic physiological responses of *Cinnamomum camphora* with monoterpene protection under high temperature shock. *Forests* 14(10):2005, **2023**. <https://doi.org/10.3390/f14102005>. (WoS/Scopus)
- 8185.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, art. 120693, **2023**. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 8186.** Zhao D, Yang Y, Tham YJ, Zou S. Emission of marine volatile organic compounds (VOCs) by phytoplankton— a review. *Marine Environmental Research* v. 191, art. 106177, **2023**. <https://doi.org/10.1016/j.marenvres.2023.106177>. (WoS/Scopus)
- 8187.** Zhu F, Sun Y, Jadhav SS, Cheng Y, Alseekh S, Fernie AR. The plant metabolic changes and the physiological and signaling functions in the responses to abiotic stress. In: Couée I (eds) *Plant Abiotic Stress Signaling. Methods in Molecular Biology* vol. 2642, pp. 129-150, **2023**. Humana, New York, NY. https://doi.org/10.1007/978-1-0716-3044-0_7. [BOOK series]
- 8188.** Brown RW, Reay MK, Centler F, Chadwick DR, Bull ID, McDonald JE, Evershed RP, Jones DL. Soil metabolomics - current challenges and future perspectives. *Soil Biology and Biochemistry* v. 193, art. 109382, **2024**. <https://doi.org/10.1016/j.soilbio.2024.109382>. (WoS/Scopus)

- 8189.** Bryant C, Harris RJ, Brothers N, Bone C, Walsh N, Nicotra AB, Ball MC. Cross-tolerance: Salinity gradients and dehydration increase photosynthetic heat tolerance in mangrove leaves. *Functional Ecology* 38(4), 897-909, **2024**. <https://doi.org/10.1111/1365-2435.14508>. (WoS/Scopus)
- 8190.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- 8191.** Mleziva AD, Ngumbi EN. Comparative analysis of defensive secondary metabolites in wild teosinte and cultivated maize under flooding and herbivory stress. *Physiologia Plantarum* 176(1), e14216, **2024**. <https://doi.org/10.1111/ppl.14216>. (WoS/Scopus)
- 8192.** Moy A, Czajka K, Michael P, Nkongolo K. Gene expression profiling of Jack Pine (*Pinus banksiana*) under copper stress: Identification of genes associated with copper resistance. *PLoS ONE* 19(3): e0296027, **2024**. <https://doi.org/10.1371/journal.pone.0296027>. (WoS/Scopus)
- Krumova S, Zhiponova M, Dankov K, Rashkov G, Tsonev T, Russinova E, Velikova V, Busheva M – Effects of enhanced brassinosteroid perception on photosynthesis in *Arabidopsis thaliana* line BRIOE. *Compt. rend. Acad. Sci. Bulg.* 64 (7), 967-972, 2011
- 8193.** Holá D, Frimlová K, Kočová M, Marková H, Rothová O, Tůmová L. Effect of exogenously applied 20-hydroxyecdysone on the efficiency of primary photosynthetic processes substantially differs across plant species. *Photosynthetica* 58 (4): 961-973, **2020**. <https://ps.ueb.cas.cz/pdfs/phs/2020/04/08.pdf>. (WoS/Scopus)
- Velikova V, Sharkey TD, Loreto F - Stabilization of thylakoid membranes in isoprene-emitting plants reduces formation of reactive oxygen species. *Plant Signaling & Behavior* 7(1), 139-141, 2012
- 8194.** Jia L-Y, Feng H-Q, Sun K, Li Y, Zhang J-P- Effects of mitochondrial respiration on photosynthesis and emission of isoprene under various temperatures in leaves of *Populus alba* L. *Zhiwu Shengli Xuebao/Plant Physiology Journal* 48 (10), 965-970, **2012** (WoS/Scopus)
- 8195.** Agati G, Brunetti C, Di Ferdinando M, Ferrini F, Pollastri S, Tattini M - Functional roles of flavonoids in photoprotection: New evidence, lessons from the past. *Plant Physiology and Biochemistry* 72, Special Issue: SI: 35-45, **2013** (Review) (WoS/Scopus)
- 8196.** Ashraf M, Harris PJC - Photosynthesis under stressful environments: An overview. *Photosynthetica* 51 (2): 163-190, **2013** (Review) (WoS/Scopus)
- 8197.** Eccher G, Botton A, Dimauro M, Boschetti A, Ruperti B, Ramina A - Early induction of apple fruitlet abscission is characterized by an increase of both isoprene emission and abscisic acid content. *Plant Physiology* 161 (4): 1952-1969, **2013** (WoS/Scopus)
- 8198.** Jardine KJ, Meyers K, Abrell L, Alves EG, Serrano AM, Kesselmeier J, Karl T, Guenther A, Chambers JQ, Vickers C - Emissions of putative isoprene oxidation products from mango branches under abiotic stress. *Journal of Experimental Botany* 64(12), 3697-3709, **2013** (WoS/Scopus)
- 8199.** Morfopoulos C, Prentice IC, Keenan TF, Friedlingstein P, Medlyn BE, Peñuelas J, Possell M - A unifying conceptual model for the environmental responses of isoprene emissions from plants. *Annals of Botany* 112: 1223–1238, **2013**. (WoS/Scopus)
- 8200.** Way DA, Ghirardo A, Kanawati B, Esperschütz J, Monson RK, Jackson RB, Schmitt-Kopplin P, Schnitzler J-P - Increasing atmospheric CO₂ reduces metabolic and physiological differences between isoprene- and non-isoprene-emitting poplars. *New Phytologist* 200 (2), 534-546, **2013** (WoS/Scopus)
- 8201.** Dani KGS – On the physiology and evolution of volatile isoprenoid emission in plants. Macquarie University, Australia, **PhD Thesis, 2014**
- 8202.** Genard-Zielinski A-C, Ormeño E, Boissard C, Fernandez C. Isoprene emissions from downy oak under water limitation during an entire growing season: What cost for growth? *PLoS ONE*. 9 (11), e112418, **2014**. (WoS/Scopus)
- 8203.** Jardine K, Chambers J, Alves EG, Teixeira A, Garcia S, Holm J, Higuchi N, Manzi A, Abrell L, Fuentes JD, Nielsen LK, Torn MS, Vickers CE. Dynamic balancing of isoprene carbon sources reflects photosynthetic and photorespiratory responses to temperature stress. *Plant Physiol.* 166(4), 2051-2064, **2014**. (WoS/Scopus)
- 8204.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 8205.** Morfopoulos C, Sperlich D, Peñuelas J, Filella I, Llusià, Medlyn BE, Niinemets Ü, Possell M, Sun Z, Cubells IC - A model of plant isoprene emission based on available reducing power captures responses to atmospheric CO₂. *New Phytologist* 203 (1), 25-139, **2014**, (WoS/Scopus)
- 8206.** Ryan AC, Hewitt CN, Possell M, Vickers CE, Purnell A, Mullineaux PM, Davies WJ, Dodd IC. Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist* 201 (1), 205-216, **2014** doi: [10.1111/nph.12477](https://doi.org/10.1111/nph.12477) (WoS/Scopus)
- 8207.** Schollert M, Burchard S, Faubert P, Michelsen A, Rinnan R. Biogenic volatile organic compound emissions in four vegetation types in high arctic Greenland. *Polar Biology* 37(2): 237-249, **2014** DOI: [10.1007/s00300-013-1427-0](https://doi.org/10.1007/s00300-013-1427-0) (WoS/Scopus)
- 8208.** Bobik K, Burch-Smith TM. Chloroplast signaling within, between and beyond cells. *Frontiers in Plant Science* 6, 781, **2015** (WoS/Scopus)

- 8209.** Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes, *Journal of Bioenergetics and Biomembranes* 47, 5, 419-429, **2015** (WoS/Scopus)
- 8210.** Jardine AB, Jardine KJ, Fuentes JD, Martin ST, Martins G, Durgante F, Carneiro V, Higuchi N, Manzi AO, Chambers JQ - Highly reactive light-dependent monoterpenes in the Amazon. *Geophysical Research Letters* 42 (5), 1576-1583, **2015** (WoS/Scopus)
- 8211.** Jardine KJ, Chambers JQ, Holm J, Jardine AB, Fontes CG, Zorzanelli RF, Meyers KT, de Souza VF, Garcia S, Gimenez BO, Piva LRO, Higuchi N, Artaxo P, Martin S, Manzi AO. Green Leaf Volatile Emissions during High Temperature and Drought Stress in a Central Amazon Rainforest. *Plants* 4, 3, 678-690, **2015** (WoS/Scopus)
- 8212.** Nogués I, Medori M, Calfapietra C - Limitations of monoterpene emissions and their antioxidant role in *Cistus* sp. under mild and severe treatments of drought and warming. *Environmental and Experimental Botany* 119: 76-86, **2015**, <http://dx.doi.org/10.1016/j.envexpbot.2015.06.001> (WoS/Scopus)
- 8213.** Rasulov B, Bichele I, Hüve K, Vislap V, Niinemets U - Acclimation of isoprene emission and photosynthesis to growth temperature in hybrid aspen: Resolving structural and physiological controls. *Plant, Cell and Environment* 38 (4), 751-766, **2015** (WoS/Scopus)
- 8214.** Arab L, Kreuzwieser J, Kruse J, Zimmer I, Ache P, Alfarraj S, Al-Rasheid KAS, Schnitzler J-P, Hedrich R, Rennenberg H. Acclimation to heat and drought - Lessons to learn from the date palm (*Phoenix dactylifera*), *Environmental and Experimental Botany*, 125, 20-30, **2016** (WoS/Scopus)
- 8215.** Farooq M, Rehman A, Wahid A, Siddique KHM. Photosynthesis under heat stress. Chapter 38. In: *Handbook of Photosynthesis* (Ed. M. Pessarakli), Third Edition, Publisher: CRC Press Taylor & Francis Group, pp. 697-701, **2016**, (Book) (WoS/Scopus)
- 8216.** Kaling M – Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technische Universität München, **2016**, **PhD Thesis**
- 8217.** Maja MM, Kasurinen A, Holopainen T, Julkunen-Tiitto R, Holopainen JK. The effect of warming and enhanced ultraviolet radiation on gender-specific emissions of volatile organic compounds from European aspen, *Science of the Total Environment*, 547, 39-47, **2016** (WoS/Scopus)
- 8218.** Slot M, Winter K - The effects of rising temperature on the ecophysiology of tropical forest trees. In: *Tropical Tree Physiology. Adaptations and Responses in a Changing Environment*, Tree Physiology 6, Edition: 1, Chapter: 18, Springer International Publishing, Guillermo Goldstein and Louis S Santiago (eds.), pp.385-412, March **2016** DOI: 10.1007/978-3-319-27422-5_18 (book series)
- 8219.** Tiwari A, Grote R, Churkina G, Butler T – Ozone damage, detoxification and the role of isoprenoids – new impetus for integrated models. *Functional Plant Biology*, 43(4), 324-336, **2016**. <http://dx.doi.org/10.1071/FP15302> (WoS/Scopus)
- 8220.** Bamberger I, Ruehr NK, Schmitt M, Gast A, Wohlfahrt G, Arneth A. Isoprene emission and photosynthesis during heatwaves and drought in black locust. *Biogeosciences* 14 (15):3649-3667, **2017**. (WoS/Scopus)
- 8221.** Genard-Zielinski A-C, Boissard C, Ormeno E, Lathiere J, Reiter IM, Wortham H, Orts J-P, Temime-Roussel B, Guenet B, Bartsch S, Gauquelin T, Fernandez C - Simulating precipitation decline under a Mediterranean deciduous Oak forest: effects on isoprene seasonal emissions and predictions under climatic scenarios. *Biogeosciences Discussions*, **2017**, doi:10.5194/bg-2017-17 (WoS/Scopus)
- 8222.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrin E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L.*, Tree Physiology, vol 7. Springer, Cham., **2017** (book)
- 8223.** Souza VF. Interactions between temperature, intercellular CO₂ concentration, light and a unifying conceptual model response in controlling leaf isoprene emission rates. Instituto Nacional de Pesquisas da Amazonia – INPA, Manaus, Amazonas – AM, Brazil, **PhD Thesis**, **2017** http://bdtd.inpa.gov.br/bitstream/tede/2396/5/TESES_2.1.Vinicius.ATA_Ficha_Vers%c3%a3o%20final.pdf
- 8224.** Thioune E. Physiological and transcriptomic modifications induced by atmospheric and soil water deficits in robusta coffee, **PhD Thesis**, University College Dublin. School of Biology and Environmental Science., **2017**
- 8225.** Wani SH, Kapoor N, Mahajan R - Metabolic responses of medicinal plants to global warming, temperature and heat stress. In: *Medicinal Plants and Environmental Challenges*, Ghorbanpour M., Varma A. (eds), Springer, Cham, pp 69-80, **2017**, DOI: https://doi.org/10.1007/978-3-319-68717-9_4 (BOOK) (WoS/Scopus)
- 8226.** Zhuang X, Ou A, Klauda JB - Simulations of simple linoleic acid-containing lipid membranes and models for the soybean plasma membranes. *The Journal of Chemical Physics* 146: 215103, **2017**, <https://doi.org/10.1063/1.4983655> (WoS/Scopus)
- 8227.** Brini F. Photosynthesis under stressful environmental conditions: existing challenges. In: (Eds VP Singh, SSR Singh, PK Srivastava, SM Prasad) *Environment and Photosynthesis: A Future Prospect*, Chapter: 5, pp. 68-91, Studium Press India Pvt. Ltd, ISBN 13:9789385046209, **2018**
- 8228.** Filella I, Zhang C, Seco R, Potosnak M, Guenther A, Karl T, Gamon J, Pallardy S, Gu L, Kim S, Balzarolo M, Fernandez-Martinez M, Penuelas J. A MODIS Photochemical Reflectance Index (PRI) as an estimator of isoprene emissions in a temperate deciduous forest. *Remote Sensing* 10(4), art. No. 557, **2018**, <http://www.mdpi.com/2072-4292/10/4/557>. (WoS/Scopus)
- 8229.** Genard-Zielinski A-C, Boissard C, Ormeño E, Lathière J, Reiter IM, Wortham H, Orts J-P, Temime-Roussel B, Guenet B, Bartsch S, Gauquelin T, Fernandez C. Seasonal variations of *Quercus pubescens* isoprene

- emissions from an in natura forest under drought stress and sensitivity to future climate change in the Mediterranean area. *Biogeosciences* 15: 4711–4730, **2018** <https://doi.org/10.5194/bg-15-4711-2018>. (WoS/Scopus)
- 8230.** Haberstroh S, Kreuzwieser J, Lobo-do-Vale R, Caldeira MC, Dubbert M, Werner C. Terpenoid emissions of two mediterranean woody species in response to drought stress. *Frontiers in Plant Science* 9: art. No.1071, **2018**. <https://doi.org/10.3389/fpls.2018.01071> (WoS/Scopus)
- 8231.** McGenity TJ, Crombie AT, Murrell JC. Microbial cycling of isoprene, the most abundantly produced biological volatile organic compound on Earth. *The ISME Journal* 12(4):931-941, **2018**, (REVIEW), <https://doi.org/10.1038/s41396-018-0072-6>. (WoS/Scopus)
- 8232.** Niinemets Ü. What are plant-released biogenic volatiles and how they participate in landscape- to global-level processes? In: Perera A, Peterson U, Pastur G, Iverson L (eds) *Ecosystem Services from Forest Landscapes*. Springer, Cham, pp. 29-56, **2018** https://doi.org/10.1007/978-3-319-74515-2_3 (WoS/Scopus)
- 8233.** Tiwari S, Agrawal M. Effect of ozone on physiological and biochemical processes of plants. In: *Tropospheric Ozone and its Impacts on Crop Plants*. Springer, Cham, **Book Chapter**, pp. 65-113, **2018** https://doi.org/10.1007/978-3-319-71873-6_3. (WoS/Scopus)
- 8234.** Vanhatalo A. Long-term dynamics of BVOC production, storage and emission in boreal Scots pine [Haihtuvien orgaanisten yhdisteiden tuotannon, varastojen ja päästöjen pitkäaikaisdynamikka männyllä]. *Dissertationes Forestales* 253. 49 p, University of Helsinki, Finland, **2018**. <https://doi.org/10.14214/df.253> (PhD Thesis)
- 8235.** Yadav S, Shankar A, Rai S, Rai R, Singh S, Rai LC. Chlorophyll fluorescence and photosynthesis under abiotic stress. In: *Environment and Photosynthesis a Future Prospect*, Chapter 14, pp. 287-304, **2018**. https://www.researchgate.net/publication/326572672_Chlorophyll_Fluorescence_and_Photosynthesis_Under_Abiotic_Stress
- 8236.** Deakova T. Isoprene emission in Polytrichaceae mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 8237.** Duan Q, Kleiber A, Jansen K, Junker LV, Kammerer B, Han G, Zimmer I, Rennenberg H, Schnitzler J-P, Ensminger I, Gessler A, Kreuzwieser J-F. Effects of elevated growth temperature and enhanced atmospheric vapour pressure deficit on needle and root terpenoid contents of two Douglas fir provenances. *Environmental and Experimental Botany* 166, art. number 103819, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103819>. (WoS/Scopus)
- 8238.** Junker-Frohn LV, Kleiber A, Jansen K, Gessler A, Kreuzwieser J, Ensminger I. Differences in isoprenoid-mediated energy dissipation pathways between coastal and interior Douglas-fir seedlings in response to drought. *Tree Physiology* 39(10):1750-1766, **2019**. <https://doi.org/10.1093/treephys/tpz075>. (WoS/Scopus)
- 8239.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. doi:10.1111/pce.13629. (Review). (WoS/Scopus)
- 8240.** Larke-Mejía NL, Crombie AT, Pratscher J, McGenity TJ, Murrell JC. Novel Isoprene-Degrading Proteobacteria From Soil and Leaves Identified by Cultivation and Metagenomics Analysis of Stable Isotope Probing Experiments. *Frontiers in Microbiology* 10: art. 2700, **2019**. doi: 10.3389/fmicb.2019.02700. (WoS/Scopus)
- 8241.** Parveen S, Rashid MH, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**, <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
- 8242.** Paudel I, Bar-Tal A, Raveh E, Bernstein N, Cohen S. Tolerance of citrus rootstocks to poor water quality is improved by root zone aeration via selective uptake of ions, higher photosynthesis and carbon storage. *Scientia Horticulturae* 251: 9-19, **2019**. <https://doi.org/10.1016/j.scienta.2019.02.071>. (WoS/Scopus)
- 8243.** Jalil SU, Ansari MI. Isoprenoids in plant protection against abiotic stress. In: *Protective Chemical Agents in the Amelioration of Plant Abiotic Stress: Biochemical and Molecular Perspectives*, First Edition. Eds A Roychoudhury, DK Tripathi. John Wiley & Sons Ltd. Published 2020 by John Wiley & Sons Ltd. Chapter 21, pp.424-436, **2020**. <https://doi.org/10.1002/9781119552154.ch21>. (BOOK)
- 8244.** Ormeño E, Viros J, Mévy J-Ph, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2), 159, **2020**. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)
- 8245.** Sharma RK, Barot K, Archana G. Root colonization by heavy metal resistant *Enterobacter* and its influence on metal induced oxidative stress on *Cajanus cajan*. *Journal of the Science Food and Agriculture* 100(4), 1532-1540, **2020**. <https://doi.org/10.1002/jsfa.10161>. (WoS/Scopus)
- 8246.** Werner C, Fasbender L, Romek KM, Yáñez-Serrano AM, Kreuzwieser J. Heat waves change plant carbon allocation among primary and secondary metabolism altering CO₂ assimilation, respiration, and VOC emissions. *Frontiers in Plant Science* 11, article 1242, **2020**, <https://doi.org/10.3389/fpls.2020.01242>. (WoS/Scopus)
- 8247.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects ABA and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 8248.** Bukharina IL, Pashkova AS, Svetlakova OA. Characteristic of the state of spruce plantations in the area of southern taiga forests of the taiga zone in the Udmurt Republic. *Proceedings of the International Conference*

- Process Management and Scientific Developments* (Birmingham, United Kingdom, June 9, 2021). Part 1, **2021**. http://naukarus.ru/public_html/wp-content/uploads/2021/PMSD%20June%209%20-%20Part%201.pdf#page=97.
- 8249.** Ghirardo A, Nosenko T, Kreuzwieser J, Winkler JB, Kruse J, Albert A, Merl-Pham J, Lux T, Ache P, Zimmer I, Alfarraj S, Mayer KFX, Hedrich R, Rennenberg H, Schnitzler J-P. Protein expression plasticity contributes to heat and drought tolerance of date palm. *Oecologia* 197:903-919, **2021**. <https://doi.org/10.1007/s00442-021-04907-w>. (WoS/Scopus)
- 8250.** Gibson L, Crombie AT, McNamara NP, Murrell JC. Isoprene-degrading bacteria associated with the phyllosphere of *Salix fragilis*, a high isoprene-emitting willow of the Northern Hemisphere. *Environmental Microbiome* 16, art. number 17, **2021**. <https://doi.org/10.1186/s40793-021-00386-x>. (WoS/Scopus)
- 8251.** Muhammad I, Shalmani A, Ali M, Yang Q-H, Ahmad H and Li FB. Mechanisms regulating the dynamics of photosynthesis under abiotic stresses. *Frontiers in Plant Science* 11:615942, **2021**. <https://doi.org/10.3389/fpls.2020.615942>. (WoS/Scopus)
- 8252.** Pasquini D, Detti C, Ferrini F, Brunetti C, Gori A. Polyphenols and terpenes in Mediterranean plants: an overview of their roles and possible applications. *Italus Hortus* 28(1), 3-31, **2021**. <https://doi.org/10.26353/j.italhort/2021.1.0331>. (WoS/Scopus) (Review)
- 8253.** Peron A, Kaser L, Fitzky AC, Graus M, Halbwirth H, Greiner J, Wohlfahrt G, Rewald B, Sandén H, Karl T. Combined effects of ozone and drought stress on the emission of biogenic volatile organic compounds from *Quercus robur* L. *Biogeosciences* 18:535-556, **2021**. <https://doi.org/10.5194/bg-2020-260>. (WoS/Scopus)
- 8254.** Ren J, Zhang H, Shi X, Ai X, Dong J, Zhao X, Zhong C, Jiang C, Wang J, Yu H. Genome-wide identification of key candidate microRNAs and target genes associated with peanut drought tolerance. *DNA and Cell Biology* 40(2):373-383, **2021**. <https://doi.org/10.1089/dna.2020.6245>. (WoS/Scopus)
- 8255.** Zhan Z, Seager S, Petkowski JJ, Sousa-Silva C, Ranjan S, Huang J, Bains W. Assessment of isoprene as a possible biosignature gas in exoplanets with anoxic atmospheres. *Astrobiology* 21(7):765-792, **2021**. <https://doi.org/10.1089/ast.2019.2146>. (WoS/Scopus)
- 8256.** Zhan Z. Expanding plausible biosignature gas candidates for detection in habitable exoplanet atmospheres. Massachusetts Institute of Technology, USA. **PhD Thesis**, **2021**. <https://hdl.handle.net/1721.1/130756>.
- 8257.** Бухарина ИЛ, Пашкова АС, Удалов ДН, Старков МН, Светлакова ОА, Белоусова ОА. Состояние еловых насаждений в районе южнотаежных лесов таежной зоны в Удмуртской Республике. *Лесной вестник /Forestry Bulletin* 25(4), 34–43, **2021**. DOI: 10.18698/2542-146. <https://les-vest.msfu.ru/contents/2021/4/pdf/34-43.pdf>.
- 8258.** Старков МН, Бухарина ИЛ, Абсаямов РР. Изучение содержания антиоксидантных веществ в насаждениях ели в условиях Удмуртской республики. стр. 263-267. *Технологические тренды устойчивого функционирования и развития АПК: Материалы Международной научно-практической конференции, посвященной году науки и технологии в России, 24–26 февраля, г. Ижевск.* – Ижевск: ФГБОУ ВО Ижевская ГСХА, **2021**. Т.1, 275 с. <https://izhgsha.ru/images/DOCS/Nauka/Konferenc/24-26feb2021/TechTrend-tom1.pdf#page=263>.
- 8259.** Bhattacharya A. Effect of low temperature stress on photosynthesis and allied traits: **A Review**. In: *Physiological Processes in Plants Under Low Temperature Stress*. Springer, Singapore. pp. 199-297, **2022**. https://doi.org/10.1007/978-981-16-9037-2_3. (WoS/Scopus) [BOOK]
- 8260.** Li S, Feng Z, Yuan X, Wang M, Agathokleous E. Elevated ozone inhibits isoprene emission of a diploid and a triploid genotype of *Populus tomentosa* by different mechanisms. *Journal of Experimental Botany* 73(18), 6449-6462, **2022**. <https://doi.org/10.1093/jxb/erac288>. (WoS/Scopus)
- 8261.** Ncama K, Aremu OA, Sithole NJ. Plant adaptation to environmental stress: drought, chilling, heat, and salinity. In: Galanakis C.M. (eds) *Environment and Climate-smart Food Production*. Springer, Cham. Pp. 151-179, **2022**. https://doi.org/10.1007/978-3-030-71571-7_5. (WoS/Scopus) [BOOK]
- 8262.** Rissanen K, Aalto J, Gessler A, Hölttä T, Rigling A, Schaub M, Bäck J. Drought effects on volatile organic compound emissions from Scots pine stems. *Plant, Cell & Environment* 45(1), 23-40, **2022**. <https://doi.org/10.1111/pce.14219>. (WoS/Scopus)
- 8263.** Bernacki MJ, Rusaczek A, Gołębowska K, Majewska-Fala AB, Czarnocka W, Karpiński SM. METACASPASE8 (MC8) is a crucial protein in the LSD1-dependent cell death pathway in response to ultraviolet stress. *International Journal of Molecular Sciences* 25(6): 3195, **2024**. <https://doi.org/10.3390/ijms25063195> (WoS/Scopus)
- 8264.** Chaudhary MT, Majeed S, Rana IA, Z Ali, Y Jia, X Du, L Hinze, MT Azhar. Impact of salinity stress on cotton and opportunities for improvement through conventional and biotechnological approaches. *BMC Plant Biology* 24, art. 20, **2024**. <https://doi.org/10.1186/s12870-023-04558-4>. (WoS/Scopus)
- 8265.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- 8266.** Inayat H, Mehmood H, Danish S, Alharbi SA, Ansari MJ, Datta R. Impact of cobalt and proline foliar application for alleviation of salinity stress in radish. *BMC Plant Biology* 24, 287, **2024**. <https://doi.org/10.1186/s12870-024-04998-6>. (WoS/Scopus)
- 8267.** Portillo-Estrada M. Limitations of plant stress tolerance upon heat and CO₂ exposure in black poplar: assessment of photosynthetic traits and stress volatile emissions. *Plants* 13(8):1165, **2024**. <https://doi.org/10.3390/plants13081165> (WoS/Scopus)

[Velikova V, La Mantia T, Lauteri M, Michelozzi M, Nogues I, Loreto F - The impact of winter flooding with saline water on foliar carbon uptake and the volatile fraction of leaves and fruits of lemon \(*Citrus x limon* L. \(Burm. f.\) trees. *Functional Plant Biology* 39 \(3\), 199-213, 2012](#)

8268. Kreuzwieser J, Rennenberg H – Flooding-driven emissions from trees. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*³, eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI [10.1007/978-94-007-6606-8_10](#). Springer Science+Business Media Dordrecht, CHAPTER 9: pp. 237-252, **2013** (book)

8269. Ribeiro RV, Espinoza-Núñez E, Pompeu Junior J, Filho FAAM, Machado EC. Citrus rootstocks for improving the horticultural performance and physiological responses under constraining environments. In: *Improvement of Crops in the Era of Climatic Changes* (Editors: P Ahmad, MR Wani, MM Azooz, L-SP Tran). **2014**, 1-37, Springer. (WoS/Scopus)

8270. Syvertsen JP, Garcia-Sanchez F. Multiple abiotic stresses occurring with salinity stress in citrus. *Environmental and Experimental Botany*. 103, 128–137, **2014** (WoS/Scopus)

8271. Arimura G-i, Matsui K, Koeduka T, Holopainen JK. Biosynthesis and regulation of plant volatiles and their functional roles in ecosystem interactions and global environmental changes. In: *Plant Specialized Metabolism Genomics, Biochemistry, and Biological Functions*. Eds Gen-ichiro Arimura, Massimo Maffei, Chapter 9, 54 pages, **2016**. <https://www.taylorfrancis.com/books/e/9781315370453/chapters/10.1201/9781315370453-16>. [BOOK]

8272. Han X, Franssen H-JH, Jimenez-Bello MA, Rosolem R, Bogen HR, Alzamora FM, Chanzy A, Vereecken H - Simultaneous soil moisture and properties estimation for a drip irrigated field by assimilating cosmic-ray neutron intensity. *Journal of Hydrology* 539, 611-624, **2016**, DOI: [10.1016/j.jhydrol.2016.05.050](#) (WoS/Scopus)

8273. Bustamante MÁ, Michelozzi M, Caracciolo AB, Grenni P, Verbokkem J, Geerdink P, Safi C, Nogues I. Effects of soil fertilization on terpenoids and other carbon-based secondary metabolites in *Rosmarinus officinalis* plants: A comparative study. *Plants* 9(7), 830, **2020**. <https://doi.org/10.3390/plants9070830>. (WoS/Scopus)

8274. Lourkisti R, Froelicher Y, Herbet S, Morillon R, Tomi F, Gibernau M, Giannettini J, Berti L, Santini J. Triploid citrus genotypes have a better tolerance to natural chilling conditions of photosynthetic capacities and specific leaf volatile organic compounds. *Frontiers in Plant Science* 11, art. 30, **2020**, <https://doi.org/10.3389/fpls.2020.00330>. (WoS/Scopus)

8275. Luro F, Garcia Neves C, Costantino G, da Silva Gesteira A, Paoli M, Ollitrault P, Tomi F, Micheli F, Gibernau M. Effect of environmental conditions on the yield of peel and composition of essential oils from citrus cultivated in Bahia (Brazil) and Corsica (France). *Agronomy* 10(9), 1256, **2020**. <https://doi.org/10.3390/agronomy10091256>. (WoS/Scopus)

8276. Paul I, Bhadoria PBS, Mitra A. Seasonal and diel variations in scent composition of ephemeral *Murraya paniculata* (Linn.) Jack flowers are contributed by separate volatile components. *Biochemical Systematics and Ecology* 89, 104004, **2020**. <https://doi.org/10.1016/j.bse.2020.104004>. (WoS/Scopus)

8277. Khan S, Abdullah, Rehman K, Ijaz U, Ali S, Jehangir S, Rehman AU, Shehzadi S, Ahmad Z. Showcasing the internationally prioritized medicinal plants to counteract the pandemics – potential remedies for COVID-19 and other forms of SARS: Internationally Prioritized Medicinal Plants to Counteract the COVID-19. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*, 58(S), 55–67, **2021**. <http://ppaspk.org/index.php/PPAS-B/article/view/470>.

8278. Zhang Y, Liu G, Xu S, Dai J, Li W, Li Z, Zhang D, Cui Z, Li C, Dong H. Nitric oxide reduces the yield loss of waterlogged cotton by enhancing post-stress compensatory growth. *Field Crops Research* v. 283, art. 108524, **2022**. <https://doi.org/10.1016/j.fcr.2022.108524>. (WoS/Scopus)

8279. Fernandez C, Saunier A, Wortham H, Ormeño E, Proffit M, Lecareux C, Greff S, DV Tan, MSyTuan, HD Hoan, KBN The, D Dhaou, V Baldy, ABousquet-Mélou. Mangrove's species are weak isoprenoid emitters. *Estuarine, Coastal and Shelf Science* vol. 283, art. 108256, **2023**. <https://doi.org/10.1016/j.ecss.2023.108256>. (WoS/Scopus)

8280. González-Guzmán M, Gómez-Cadenas A, Arbona V. Citrus Responses under Waterlogging. In: *Citrus Production. Technological Advancements and Adaptation to Changing Climate* (Edited by S Hussain, MF Khalid, MA Ali, N Ahmed, M Hasanuzzaman, S Ahmad) (pp. 157-166). CRC Press. **2023**. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003119852-11/citrus-responses-waterlogging-miguel-gonz%C3%A1lez-guzm%C3%A1n-aurelio-g%C3%B3mez-cadenas-vicent-arbona>. [BOOK]

[Beckett M, Loreto F, Velikova V, Brunetti C, Di Ferdinando M, Tattini M, Calfapietra C, Farrant JM. Photosynthetic limitations and volatile and non-volatile isoprenoids in the poikilochlorophyllous resurrection plant *Xerophyta humilis* during dehydration and rehydration. *Plant, Cell & Environment*. 2012. 35\(12\), 2061-2074](#)

8281. Guenther, A.B., Jiang, X., Heald, C.L., Sakulyanontvittaya, T., Duhl, T., Emmons, L.K., Wang, X. - The model of emissions of gases and aerosols from nature version 2.1 (MEGAN2.1): An extended and updated framework for modeling biogenic emissions. *Geoscientific Model Development* 5 (6), 1471-1492, **2012**, DOI: [10.5194/gmd-5-1471-2012](#) (WoS/Scopus)

8282. Gil M, Bottini R, Berli F, Pontin M, Silva MF, Piccoli P. Volatile organic compounds characterized from grapevine (*Vitis vinifera* L. cv. Malbec) berries increase at pre-harvest and in response to UV-B radiation. *Phytochemistry* 96, 148–157, **2013** (WoS/Scopus)

8283. Piccoli P, Bottini R. Abiotic stress tolerance induced by endophytic PGPR. In: (Ed. Ricardo Aroca) *Symbiotic Endophytes. Soil Biology* Vol. 37, pp 151-163. Springer, **2013** (book)

- 8284.** Christ B, Egert A, Süßenbacher I, Kräutler B, Bartels D, Peters S, Hörtensteiner S. Water deficit induces chlorophyll degradation via the ‘PAO/phyllobilin’ pathway in leaves of homoio- (*Craterostigma pumilum*) and poikilochlorophyllous (*Xerophyta viscosa*) resurrection plants. *Plant, Cell & Environment*. 37 (11), 2521-2531, **2014**. (WoS/Scopus)
- 8285.** Dani KGS, Jamie IM, Prentice IC, Atwell BJ - Evolution of isoprene emission capacity in plants. *Trends in Plant Science* 19 (7), 439-446, **2014** (WoS/Scopus)
- 8286.** Gechev, TS; Hille, J; Woerdenbag, HJ; Benina, M; Mehterov, N; Toneva, V; Fernie, AR; Mueller-Roeber, B - Natural products from resurrection plants: Potential for medical applications. *Biotechnology Advances* 32 (6), SI, 1091-1101, **2014** (review) (WoS/Scopus)
- 8287.** Gil, M; Bottini, R; Pontin, M; Berli, FJ; Salomon, MV; Piccoli, P - Solar UV-B radiation modifies the proportion of volatile organic compounds in flowers of field-grown grapevine (*Vitis vinifera* L.) cv. Malbec. *Plant Growth Regulation* 74 (2), 193-197, **2014** (WoS/Scopus)
- 8288.** Li W, Xu F, Chen S, Zhang Z, Zhao Y, Jin Y, Li M, Zhu Y, Liu Y, Yang Y, Deng X. A comparative study on Ca content and distribution in two Gesneriaceae species reveals distinctive mechanisms to cope with high rhizospheric soluble calcium. *Frontiers in Plant Science* 5, 647, **2014**. (WoS/Scopus)
- 8289.** Potosnak MJ, LeSturgeon L, Pallardy SG, Hosman KP, Gu L, Karl T, Geron C, Guenther AB. Observed and modeled ecosystem isoprene fluxes from an oak-dominated temperate forest and the influence of drought stress. *Atmospheric Environment* 84, 314–322, **2014** (WoS/Scopus)
- 8290.** Ryan, AC; Hewitt, CN; Possell, M; Vickers, CE; Purnell, A; Mullineaux, PM; Davies, WJ; Dodd, IC - Isoprene emission protects photosynthesis but reduces plant productivity during drought in transgenic tobacco (*Nicotiana tabacum*) plants. *New Phytologist* 201 (1), 205-216, **2014** (WoS/Scopus)
- 8291.** Salomon, MV; Bottini, R; de Souza, GA; Cohen, AC; Moreno, D; Gil, M; Piccoli, P - Bacteria isolated from roots and rhizosphere of *Vitis vinifera* retard water losses, induce abscisic acid accumulation and synthesis of defense-related terpenes in in vitro cultured grapevine. *Physiologia Plantarum* 151 (4), 359-374, **2014** (WoS/Scopus)
- 8292.** Hura T, Hura K, Ostrowska A, Dziurka K. Rapid plant rehydration initiates permanent and adverse changes in the photosynthetic apparatus of triticale, *Plant and Soil* 397(1-2), 127-145, **2015** (WoS/Scopus)
- 8293.** McKiernan AB, Potts BM, Brodribb TJ, Hovenden MJ, Davies NW, McAdam SAM, Ross JJ, Rodemann T, O'Reilly-Wapstra JM. Responses to mild water deficit and rewatering differ among secondary metabolites but are similar among provenances within Eucalyptus species. *Tree Physiology* 36(2):133-147, **2015**. (WoS/Scopus)
- 8294.** Mladenov P, Finazzi G, Bligny R, Moyankova D, Zasheva D, Boisson A-M, Brugière S, Krasteva V, Alipieva K, Simova S, Tchobadjieva M, Goltsev V, Ferro M, Rolland N, Djilianov D - *In vivo* spectroscopy and NMR metabolite fingerprinting approaches to connect the dynamics of photosynthetic and metabolic phenotypes in resurrection plant *Haberlea rhodopensis* during desiccation and recovery. *Frontiers in Plant Science* art. no. 564, pp. 1-14, **2015** (WoS/Scopus)
- 8295.** Péli ER, Nagy-Déri H, Nagy Z - Histological study on the leaf rehydration of desiccation-tolerant plant *Xerophyta scabrida*. *South African Journal of Botany*, 100, 195-202, **2015** (WoS/Scopus)
- 8296.** Rapparini F, Neri L, Mihailova G, Petkova S, Georgieva K - Growth irradiance affects the photoprotective mechanisms of the resurrection angiosperm *Haberlea rhodopensis* Friv. in response to desiccation and rehydration at morphological, physiological and biochemical levels. *Environmental and Experimental Botany* 113, 67-79, **2015** (WoS/Scopus)
- 8297.** Challabathula D, Puthur JT, Bartels D - Surviving metabolic arrest: photosynthesis during desiccation and rehydration in resurrection plants. *Annals of the New York Academy of Sciences* 1365: 89-99, **2016**, DOI: [10.1111/nyas.12884](https://doi.org/10.1111/nyas.12884) (WoS/Scopus)
- 8298.** Fernández-Marín B, Holzinger A, Garcia-Plazaola JI. Photosynthetic strategies of desiccation-tolerant organisms. Chapter 36 in: *Handbook of Photosynthesis*, Third edition (Ed. M. Pessarakli) CRC Press., **2016** (BOOK) (WoS/Scopus)
- 8299.** Georgieva K, Mihailova G. Drought tolerance of photosynthesis. In: *Handbook of Photosynthesis*, Third Edition, pp. 683-695, **2016**. (WoS/Scopus)
- 8300.** Lyall R – Regulation of desiccation tolerance in *Xerophyta* seedlings and leaves. University of Cape Town, South Africa, **2016**, [PhD Thesis](#))
- 8301.** McKiernan AB, Potts BM, Brodribb TJ, Hovenden MJ, Davies NW, McAdam SA, Ross JJ, Rodemann MJ, O'Reilly-Wapstra JM. Responses to mild water deficit and rewatering differ among secondary metabolites but are similar among provenances within Eucalyptus species, *Tree Physiology*, 36, 2, 133-147, **2016** (WoS/Scopus)
- 8302.** Zhang Y, Wang Y. Climate-driven ground-level ozone extreme in the fall over the Southeast United States, *Proceedings of the National Academy of Sciences*, 113, 36, 10025-10030, **2016** (WoS/Scopus)
- 8303.** Gauslaa Y, Solhaug KA, Longinotti S. Functional traits prolonging *Photosynthetically* active periods in epiphytic cephalolichens during desiccation, *Environmental and Experimental Botany*, 141, 83-91, **2017** (WoS/Scopus)
- 8304.** Quinnell R, Howell D, Ritchie RJ. Photosynthesis of an epiphytic resurrection fern *Davallia angustata* (Wall. ex Hook. & Grev.), *Australian Journal of Botany*, 65, 4, 348-356, **2017** (WoS/Scopus)
- 8305.** Tan T, Sun Y, Luo S, Zhang C, Zhou H, Lin H. Efficient modulation of photosynthetic apparatus confers desiccation tolerance in the resurrection plant *Boea hygrometrica*, *Plant and Cell Physiology* 58(11):1976-1990, **2017** (WoS/Scopus)

- 8306.** Blomstedt CK, Griffiths CA, Gaff DF, Hamill JD, Neale AD. Plant desiccation tolerance and its regulation in the foliage of resurrection “flowering-plant” species. *Agronomy* 8(8), art. No. 146, **2018**, <https://doi.org/10.3390/agronomy8080146>, (Review) (WoS/Scopus)
- 8307.** Fernández-Marín B, Neuner G, Kuprian E, Laza JM, García-Plazaola JI, Verhoeven A. First evidence of freezing tolerance in a resurrection plant: insights into molecular mobility and zeaxanthin synthesis in the dark. *Physiologia Plantarum* 163(4):472-489, **2018** <http://onlinelibrary.wiley.com/doi/10.1111/ppl.12694/abstract> (WoS/Scopus)
- 8308.** Jiang X, Guenther A, Potosnak M, Geron C, Seco R, Karl T, Kim S, Gu L, Pallardy S. Isoprene emission response to drought and the impact on global atmospheric chemistry. *Atmospheric Environment* 183: 69-83, **2018**, <https://doi.org/10.1016/j.atmosenv.2018.01.026> (WoS/Scopus)
- 8309.** Mahmood A, Kataoka R. Potential of biopriming in enhancing crop productivity and stress tolerance. In: *Advances in Seed Priming*, Rakshit A, Singh H (eds), Springer, Singapore, Print ISBN 978-981-13-0031-8 Online ISBN 978-981-13-0032-5, **2018**, DOI: 10.1007/978-981-13-0032-5_9 (Book) (WoS/Scopus)
- 8310.** Niinemets Ü, Bravo LA, Copolovici L. Changes in photosynthetic rate and stress volatile emissions through desiccation-rehydration cycles in desiccation-tolerant epiphytic filmy ferns (*Hymenophyllaceae*). *Plant, Cell and Environment* 41(7):1605-1617, **2018**. <https://doi.org/10.1111/pce.13201> (WoS/Scopus)
- 8311.** Verhoeven A, García-Plazaola JI, Fernández-Marín B. Shared mechanisms of photoprotection in photosynthetic organisms tolerant to desiccation or to low temperature. *Environmental and Experimental Botany* 154: 66-79, **2018**, <https://doi.org/10.1016/j.envexpbot.2017.09.012> (WoS/Scopus)
- 8312.** Zhang Q, Bartels D. Molecular responses to dehydration and desiccation in desiccation-tolerant angiosperm plants. *Journal of Experimental Botany* 69(13):3211-3222, **2018**, <https://doi.org/10.1093/jxb/erx489> (WoS/Scopus)
- 8313.** Baraldi R, Przybysz A, Facini O, Pierdonà L, Carriero G, Bertazza G, Neri L. Impact of drought and salinity on sweetgum tree (*Liquidambar styraciflua* L.): understanding tree ecophysiological responses in the urban context. *Forests* 10, 1032, **2019**. doi:10.3390/f10111032. (WoS/Scopus)
- 8314.** Junker-Frohn LV, Kleiber A, Jansen K, Gessler A, Kreuzwieser J, Ensminger I. Differences in isoprenoid-mediated energy dissipation pathways between coastal and interior Douglas-fir seedlings in response to drought. *Tree Physiology* 39(10):1750-1766, **2019**. <https://doi.org/10.1093/treephys/tpz075>. (WoS/Scopus)
- 8315.** Trueba S, Pan R, Scoffoni C, John GP, Davis SD, Sack L. Thresholds for leaf damage due to dehydration: declines of hydraulic function, stomatal conductance and cellular integrity precede those for photochemistry. *New Phytologist* 223(1):134-149, **2019**. doi: 10.1111/nph.15779 (WoS/Scopus)
- 8316.** Zhang J, Gao F, Jia H, J Hu, Feng Z. Molecular response of poplar to single and combined ozone and drought. *Science of the Total Environment* 655:1364-1375, **2019** <https://doi.org/10.1016/j.scitotenv.2018.11.195> (WoS/Scopus)
- 8317.** Fang Y, Jiang Z, Zhao C, Li L, Ranvilage CIPM, Liu S, Wu Y, Huang X. Efficient heat dissipation and cyclic electron flow confer daily air exposure tolerance in the intertidal seagrass *Halophila beccarii* Asch. *Frontiers in Plant Science* 11, 571627, **2020**. <https://doi.org/10.3389/fpls.2020.571627>. (WoS/Scopus)
- 8318.** Fernández-Marín B, Nadal M, Gago J, Fernie AR, López-Pozo M, Artetxe U, García-Plazaola JI, Verhoeven A. Born to revive: molecular and physiological mechanisms of double tolerance in a paleotropical and resurrection plant. *New Phytologist* 226(3), 741-759, **2020**. <https://doi.org/10.1111/nph.16464>. (WoS/Scopus)
- 8319.** Nascimento A, Suguiyama VF, Sanches RFE, Braga MR, da Silva EA, Silva JPN, Centeno DC. *Barbacenia graminifolia*, a resurrection plant with high capacity of water retention. *Flora*, 267, art. number 151604, **2020**. <https://doi.org/10.1016/j.flora.2020.151604>. (WoS/Scopus)
- 8320.** Yathisha NS, Barbara P, Gügi B, Yogendra K, Jogaiah S, Azeddine D, Sharatchandra RG. Vegetative desiccation tolerance in *Eragrostiella brachyphylla*: biochemical and physiological responses. *Heliyon*, 6(9), e04948, **2020**. <https://doi.org/10.1016/j.heliyon.2020.e04948>. (WoS/Scopus)
- 8321.** Gechev T, Lyall R, Petrov V, Bartels D. Systems biology of resurrection plants. *Cellular and Molecular Life Sciences* 78:6365-6394, **2021**. <https://doi.org/10.1007/s00018-021-03913-8>. (WoS/Scopus)
- 8322.** Peron A, Kaser L, Fitzky AC, Graus M, Halbwirth H, Greiner J, Wohlfahrt G, Rewald B, Sandén H, Karl T. Combined effects of ozone and drought stress on the emission of biogenic volatile organic compounds from *Quercus robur* L. *Biogeosciences* 18:535-556, **2021**. <https://doi.org/10.5194/bg-2020-260>. in review. (WoS/Scopus)
- 8323.** Wang P, Liu Y, Dai J, Fu X, Wang X, Guenther A, Wang T. Isoprene emissions response to drought and the impacts on ozone and SOA in China. *Journal of Geophysical Research - Atmospheres* 126(10):e2020JD033263, **2021**. <https://doi.org/10.1029/2020JD033263>. (WoS/Scopus)
- 8324.** Wang Y, Tan X, Huang L, Wang Q, Li H, Zhang H, Zhang K, Liu Z, Traore D, Yaluk E, Fu JS, Li L. The impact of biogenic emissions on ozone formation in the Yangtze River Delta region based on MEGANv3.1. *Air Quality, Atmosphere & Health* 14:763-774, **2021**. <https://doi.org/10.1007/s11869-021-00977-0>. (WoS/Scopus)
- 8325.** Wong CKF, Teh C-Y. Chapter 2 Impact of Biofertilizers on Horticultural Crops. In: *Biofertilizers: Study and Impact*. Editor(s): Inamuddin, MI Ahamed, R Boddula, M Rezakazemi. Scrivener Publishing LLC, pp. 39-103, **2021**. Print ISBN:9781119724674 |Online ISBN:9781119724995. <https://doi.org/10.1002/9781119724995.ch2>. (WoS/Scopus) [BOOK]
- 8326.** Živković S, Skorić M, Ristić M, Filipović B, Milutinović M, Perišić M, Puač N. Rehydration process in rustyback fern (*Asplenium ceterach* L.): profiling of volatile organic compounds. *Biology* 10(7):574, **2021**. <https://doi.org/10.3390/biology10070574>. (WoS/Scopus)

- 8327.** Chang TW, Kosugi Y, Kume T, Katayama A, Okumura M, Chang KH. Dependence of isoprene emission flux on leaf mass per area of *Phyllostachys pubescens* (moso bamboo). *Journal of Agricultural Meteorology*. 78(1): 1-7, **2022**. <https://doi.org/10.2480/agrmet.D-21-00030>. (WoS/Scopus), **Scopus**
- 8328.** Han Z, Zhang Y, Zhang H, Ge X, Gu D, Liu X, Bai J, Ma Z, Tan Y, Zhu F, Xia S, Du J, Tan Y, Shu X, Tang J, Sun Y. Impacts of drought and rehydration cycles on isoprene emissions in *Populus nigra* seedlings. *International Journal of Environmental Research and Public Health* 19(21):14528, **2022**. <https://doi.org/10.3390/ijerph192114528>. (WoS/Scopus)
- 8329.** Marzougui A, Rajendran A, Mattinson DS, Ma Y, McGee RJ, Garcia-Perez M, Ficklin SP, Sankaran S. Evaluation of biogenic markers-based phenotyping for resistance to *Aphanomyces* root rot in field pea. *Information Processing in Agriculture* 9(1), 1-10, **2022**. <https://doi.org/10.1016/j.inpa.2021.01.007>. (WoS/Scopus)
- 8330.** Oliete B, Lubbers S, Fournier C, Jeandroz S, Saurel R. Effect of biotic stress on the presence of secondary metabolites in field pea grains. *Journal of the Science of Food and Agriculture* 102(11):4942-4948, **2022**. <https://doi.org/10.1002/jsfa.11861>. (WoS/Scopus)
- 8331.** Vieira EA, Silva KR, Rossi ML, Martinelli AP, Gaspar M, Braga MR. Water retention and metabolic changes improve desiccation tolerance in *Barbacenia graminifolia* (Velloziaceae). *Physiologia Plantarum* 174(5), e13783, **2022**. <https://doi.org/10.1111/ppl.13783>. (WoS/Scopus)
- 8332.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]
- 8333.** Morales-Sánchez JA, Mark K, Talts E, Rasulov B, Niinemets Ü. Improved monitoring of cryptogam gas-exchange and volatile emissions during desiccation-rehydration cycles with a within-chamber hydration method. *Plant Science* v. 333, art. 111745, **2023**. <https://doi.org/10.1016/j.plantsci.2023.111745>. (WoS/Scopus)
- 8334.** Nadal M, Carriqui M, Badel E, Cochard H, Delzon S, King A, Lamarque LJ, Flexas J, Torres-Ruiz JM. Photosynthesis, leaf hydraulic conductance and embolism dynamics in the resurrection plant *Barbacenia purpurea*. *Physiologia Plantarum* 175(5), e14035, **2023**. <https://doi.org/10.1111/ppl.14035>. (WoS/Scopus)
- 8335.** Qaderi MM, Martel AB, Strugnell CA. Environmental factors regulate plant secondary metabolites. *Plants* 12(3):447, **2023**. <https://doi.org/10.3390/plants12030447>. (WoS/Scopus)
- 8336.** Singh A, Roychoudhury A. Chapter 16. Protective chemicals and metabolites in stabilizing photosynthesis and respiration machinery during abiotic stresses. In: Roychoudhury A (Ed.) *Photosynthesis and Respiratory Cycles During Environmental Stress Response in Plants*. © CRC Press Taylor & Francis Group, Apple Academic Press, Inc. ISBN: 978-1-00331-516-2 (ebk). pp. 351-372, **2023** (First edition). [BOOK]
- 8337.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, part 2, art. 120693, **2023**. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 8338.** Kasbi EA, Taleei A, Amiri RM. Effect of drought stress on the expression pattern of genes involved in ABA biosynthesis in Desi-type chickpea (*Cicer arietinum* L.). *Molecular Biology Reports* 51, art. 469, **2024**. <https://doi.org/10.1007/s11033-024-09402-y>. (WoS/Scopus)
- 8339.** Vieira EA, Gaspar M, Caldeira CF, Munné-Bosch S, Braga MR. Desiccation tolerance in the resurrection plant *Barbacenia graminifolia* involves changes in redox metabolism and carotenoid oxidation. *Frontiers in Plant Science* 15:1344820, **2024**. <https://doi.org/10.3389/fpls.2024.1344820>. (WoS/Scopus)
- 8340.** Yu R, Song Q, Wang G, Wu L, Ruan J, Yang C, Li S, Wang J. Desiccation tolerance mechanisms of resurrection plant *Selaginella pulvinata*. *Environmental and Experimental Botany* 218, art. 105602, **2024**. <https://doi.org/10.1016/j.envexpbot.2023.105602>. (WoS/Scopus)
- [Brilli F., Tsonev T., Mahmood T., Velikova V., Loreto F., Centritto M. - Ultradian variation of isoprene emission, photosynthesis, mesophyll conductance, and optimum temperature sensitivity for isoprene emission in water-stressed *Eucalyptus citriodora* saplings. *J Exp Bot.* 64, 2013, 519–528.](#)
- 8341.** Aydin YM, Yaman B, Koca H, Dasdemir O, Kara M, Altioek H, Dumanoglu Y, Bayram A, Tolunay D, Odabasi M, Elbir T. Biogenic volatile organic compound (BVOC) emissions from forested areas in Turkey: Determination of specific emission rates for thirty-one tree species, *Science of the Total Environment*, 490 (15), 239–253, **2014**. (WoS/Scopus)
- 8342.** Dani KGS, Jamie IM, Prentice IC, Atwell BJ. Increased ratio of electron transport to net assimilation rate supports elevated isoprenoid emission rate in Eucalypts under drought. *Plant Physiology* 166(2): 1059-1072, **2014**. (WoS/Scopus)
- 8343.** Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel J, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P - Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology* 169(1):560-575, **2015**, DOI: [10.1104/pp.15.00871](https://doi.org/10.1104/pp.15.00871) (WoS/Scopus)
- 8344.** Bamberger I, Ruehr NK, Schmitt M, Gast A, Wohlfahrt G, Arneth A - Isoprene emission and photosynthesis during heatwaves and drought in black locust. *Biogeosciences*, 14(15):3649–3667, **2017**, (WoS/Scopus)
- 8345.** Barreto CF, Zandoná RR, Alberto CM, del Aguila JS, Seidel EJ. Morpho-physiological characteristics of Jaffa orange trees ('*Citrus sinensis*' L.) in response to soil water deficit. *Australian Journal of Crop Science*, 11(6):739-743, **2017** (WoS/Scopus)

- 8346.** Khedive E, Shirvany A, Assareh MH, Sharkey TD. In situ emission of BVOCs by three urban woody species, *Urban Forestry & Urban Greening* 21:153-157, **2017** (WoS/Scopus)
- 8347.** Sousa VF. Interactions between temperature, intercellular CO₂ concentration, light and a unifying conceptual model response in controlling leaf isoprene emission rates. Instituto Nacional de Pesquisas da Amazonia – INPA, Manaus, Amazonas – AM, Brazil, **PhD Thesis, 2017**
http://bdtd.inpa.gov.br/bitstream/tede/2396/5/TESES_2.1.Vinicius.ATA_Ficha_Vers%C3%A3o%20final.pdf
- 8348.** Flexas J, Carriqui M, Cano FJ, Coopman RE, Mizokami Y, Tholen D, Xiong D – CO₂ diffusion inside photosynthetic organs. In: *The Leaf: A Platform for Performing Photosynthesis, Advances in Photosynthesis and Respiration* 44, WW Adams III, I Terashima (Eds.), Chapter 7, pp. 163-208, **2018** (e-BOOK), Springer International Publishing AG, ISBN 978-3-319-93594-2
- 8349.** Nadal M, Flexas J. Chapter 17 - mesophyll conductance to CO₂ diffusion: effects of drought and opportunities for improvement. In: *Water Scarcity and Sustainable Agriculture in Semiarid Environment. Tools, Strategies, and Challenges for Woody Crops* (Eds I Francisco, G Tejero, V Hugo, D Zuazo), Academic Press, eBook ISBN: 9780128131657, Paperback ISBN: 9780128131640, **2018**, <https://doi.org/10.1016/B978-0-12-813164-0.00017-X> (BOOK) (WoS/Scopus)
- 8350.** Resco de Dios VR, Gessler A. Circadian regulation of photosynthesis and transpiration from genes to ecosystems, *Environmental and Experimental Botany* 152:37-48, **2018**, <https://doi.org/10.1016/j.envexpbot.2017.09.010> (WoS/Scopus)
- 8351.** Skinner DZ, Bellinger B, Hiscox W, Helms GL. Evidence of cyclical light/dark-regulated expression of freezing tolerance in young winter wheat plants. *PLoS ONE* 13(6): art. No. e0198042, **2018**
<https://doi.org/10.1371/journal.pone.0198042> (WoS/Scopus)
- 8352.** Gu Y, Yang L, Huo HQ, Zhou LZ, Wen RS, Zhu YJ. Essential oil yield in eucalyptus citriodora in relation to foliage age after pollarding and tree age. *Journal of Tropical Forest Science* 31(4):452-458, **2019**.
<https://www.jstor.org/stable/26804396>. (WoS/Scopus)
- 8353.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**.
<https://doi.org/10.1111/pce.13629>. (Review). (WoS/Scopus)
- 8354.** Pauraitė J, Byčėnienė S, Plauškaitė K, Augustaitis A, Marozas V, Mozgeris G, Pivoras A, Pivoras G, Ulevičius V. Abiotic stress impact on aerosol mass spectra over a forest site in Lithuania. *Lithuanian Journal of Physics* 59(3):169–178, **2019**. (WoS/Scopus)
- 8355.** Comparini D, Masi E, Pandolfi C, Sabbatini L, Dolfi M, Morosi S, Mancuso S. Stem electrical properties associated with water stress conditions in olive tree. *Agricultural Water Management* 234, art. number 106109, **2020**. <https://doi.org/10.1016/j.agwat.2020.106109>. (WoS/Scopus)
- 8356.** Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020**. <https://doi.org/10.1093/jxb/eraa415>. (WoS/Scopus)
- 8357.** Lyu J, Xiong F, Sun N, Li Y, Liu C, Yin S. Photosynthesis and related physiological parameters differences affected the isoprene emission rate among 10 typical tree species in subtropical metropolises. *International Journal of Environmental Research and Public Health* 18(3), 954, **2021**. <https://doi.org/10.3390/ijerph18030954>. (WoS/Scopus)
- 8358.** Ma WT, Tcherkez G, Wang XM, Schöufele R, Schnyder H, Yang Y, Gong XY. Accounting for mesophyll conductance substantially improves ¹³C-based estimates of intrinsic water-use efficiency. *New Phytologist* 229(3), 1326-1338, **2021**. <https://doi.org/10.1111/nph.16958>. (WoS/Scopus)
- 8359.** Zhang Y, Hu J, Gu D, Bo H, Fu Y, Wang Y, Li R. Simulation of isoprene emission with satellite microwave emissivity difference vegetation index as water stress factor in southeastern China during 2008. *Remote Sensing* 14(7):1740, **2022**. <https://doi.org/10.3390/rs14071740>. (WoS/Scopus)
- 8360.** de Medeiros RLS, de Souza JVO, Fernandes JPP, de Oliveira R, Grato PL, de Paula RC. How does water stress affect *Corymbia citriodora* (Hook.) K.D. Hill & L.A.S. Johnson throughout the initial growth phase? *Australian Journal of Crop Science* 17(5):414-422, **2023**.
https://www.cropj.com/medeiros_17_5_2023_414_422.pdf. (WoS/Scopus)
- 8361.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. Secondary Metabolites in Environmental Stress Tolerance, Apple Academic Press. Chapter 3: 67-100, **2023**. [BOOK] (WoS/Scopus)
- 8362.** Xing H, Wu J, Chen J, Shi Z. Research progress on limiting factors of plant photosynthesis and vegetation productivity. *Acta Ecologica Sinica* 43(12), 5186-5199, **2023**. <http://dx.doi.org/10.5846/stxb202203290780>. (WoS/Scopus)
- 8363.** Yu J, Khomenko I, Biasioli F, Li M, Varotto C. A novel isoprene synthase from the monocot tree *Copernicia prunifera* (Arecaceae) confers enhanced drought tolerance in transgenic *Arabidopsis*. *International Journal of Molecular Sciences* 24(20):15329, **2023**. <https://doi.org/10.3390/ijms242015329>. (WoS/Scopus)

Calfapietra C, Pallozzi E, Lusini I, Velikova V - Modification of BVOC emissions induced by changes in atmospheric CO₂ and air pollution levels. In: "Biology, Controls and Models of Tree Volatile Organic Compound Emissions", eds. Ü. Niinemets & R.K. Monson. Tree Physiology 5, DOI 10.1007/978-94-007-6606-8 10. Springer Science+Business Media Dordrecht, CHAPTER 10: pp. 253-284, 2013

- 8364.** Ashworth K, Boissard C, Folberth G, Lathière J, Schurgers G. Global modelling of volatile organic compound emissions. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 451-487. Springer, **2013** ([book](#))
- 8365.** Fineschi S, Loreto F, Staudt M, Peñuelas J. Diversification of volatile isoprenoid emissions from trees: Evolutionary and ecological perspectives. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 1-20. Springer, **2013** ([book](#))
- 8366.** Grote R, Monson RK, Niinemets Ü. Leaf-level models of constitutive and stress-driven volatile organic compound emissions. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 315-355. Springer, **2013** ([book](#))
- 8367.** Guenther A. Upscaling biogenic volatile compound emissions from leaves to landscapes. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 391-414. Springer, **2013** ([book](#))
- 8368.** Holopainen JK, Nerg A-M, Blande JD. Multitrophic signalling in polluted atmospheres. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 285-314. Springer, **2013** ([book](#))
- 8369.** Kask K, Kännaste A, Niinemets Ü. Emission of volatile organic compounds as a signal of plant stress. *Scientific Bulletin of ESCORENA* 8. <http://www.uav.ro/jour/index.php/sbe/article/view/168>, **2013**
- 8370.** Monson RK. Metabolic and gene expression controls on the production of biogenic volatile organic compounds. In: “*Biology, Controls and Models of Tree Volatile Organic Compound Emissions*”, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 153-179. Springer, **2013** ([book](#))
- 8371.** Niinemets Ü, Monson RK. State-of-the-art of BVOC research: What do we have and what have we missed? A synthesis. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 509-528. Springer, **2013** ([book](#))
- 8372.** Owen SM, Hewitt CN, Rowland CS. Scaling emissions from agroforestry plantations and urban habitats. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 415-450. Springer, **2013** ([book](#))
- 8373.** Possell M, Loreto F. The role of volatile organic compounds in plant resistance to abiotic stresses: Responses and mechanisms. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 209-235. Springer, **2013** ([book](#))
- 8374.** Rosenkranz M, Schnitzler J-P. Genetic engineering of BVOC emissions from trees. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 95-118. Springer, **2013** ([book](#))
- 8375.** Sun Z, Huve K, Vislap V, Niinemets Ü – Elevated [CO₂] magnifies isoprene emissions under heat and improves thermal resistance in hybrid aspen. *Journal of Experimental Botany* 64 (18): 5509-5523, **2013**, [doi:10.1093/jxb/ert318](https://doi.org/10.1093/jxb/ert318) ([WoS/Scopus](#))
- 8376.** Trowbridge AM, Stoy PC. BVOC-mediated plant-herbivore interactions. In: *Biology, Controls and Models of Tree Volatile Organic Compound Emissions*, eds. Ü. Niinemets & R.K. Monson. Tree Physiology Volume 5, pp. 21-46. Springer, **2013** ([book](#))
- 8377.** Blande JD, Holopainen JK, Niinemets Ü. Plant volatiles in polluted atmospheres: stress responses and signal degradation (Review). *Plant, Cell & Environment. Special Issue: Plant Volatiles*. 37 (8), 1892–1904, **2014**. ([WoS/Scopus](#))
- 8378.** Potosnak MJ, LeSturgeon L, Nunez O. Increasing leaf temperature reduces the suppression of isoprene emission by elevated CO₂ concentration. *Science of the Total Environment*. 481, 352-359, **2014**. ([WoS/Scopus](#))
- 8379.** Niinemets Ü, Sun Z - How light, temperature, and measurement and growth [CO₂] interactively control isoprene emission in hybrid aspen. *Journal of Experimental Botany* 66 (3): 841-851, **2015**, [doi: 10.1093/jxb/eru443](https://doi.org/10.1093/jxb/eru443). ([WoS/Scopus](#))
- 8380.** Ghirardo A, Xie J, Zheng X, Wang Y, Grote R, Block K, Wildt J, Mentel T, Kiendler-Scharr A, Hallquist M, Butterbach-Bahl K, Schnitzler J-P. Urban stress-induced biogenic VOC emissions and SOA-forming potentials in Beijing, *Atmospheric Chemistry and Physics*, 16, 5, 2901-2920, **2016** ([WoS/Scopus](#))
- 8381.** Khaling E, Li T, Holopainen JK, Blande JB - Elevated ozone modulates herbivore-induced volatile emissions of *Brassica nigra* and alters a tritrophic interaction. *Journal of Chemical Ecology* 42, 5, 368-381, **2016**, [DOI: 10.1007/s10886-016-0697-8](https://doi.org/10.1007/s10886-016-0697-8) ([WoS/Scopus](#))
- 8382.** Seifert A. Determination of seasonal and latitudinal variations in BVOC emissions in the case of the selected tree species. Ljubljana University, **2016**
- 8383.** Tiwari S, Grote R, Churkina G, Butler T. Ozone damage, detoxification and the role of isoprenoids—new impetus for integrated models, *Functional Plant Biology*, 43, 4, 324-336, **2016** ([WoS/Scopus](#))
- 8384.** Hantson S, Knorr W, Schurgers G, Pugh TAM, Arneth A – Global isoprene and monoterpene emissions under changing climate, vegetation, CO₂ and land use. *Atmospheric Environment* 155: 35-45, **2017** ([WoS/Scopus](#))
- 8385.** Li, S., Harley, P. C., and Niinemets, Ü. Ozone-induced foliar damage and release of stress volatiles is highly dependent on stomatal openness and priming by low-level ozone exposure in *Phaseolus vulgaris*. *Plant, Cell & Environment*, 40: 1984–2003, **2017**, [doi: 10.1111/pce.13003](https://doi.org/10.1111/pce.13003) ([WoS/Scopus](#))
- 8386.** Tiiva P, Tang J, Michelsen A, Rinnan R. Monoterpene emissions in response to long-term night-time warming, elevated CO₂ and extended summer drought in a temperate heath ecosystem, *Science of the Total Environment*, 580, 1056-1067, **2017**, <https://doi.org/10.1016/j.scitotenv.2016.12.060> ([WoS/Scopus](#))

- 8387.** Kanagendran A, Pazouki L, Li S, Liu B, Kännaste A, Niinemets Ü. Ozone-triggered surface uptake and stress volatile emissions in *Nicotiana tabacum* ‘Wisconsin’. *Journal of Experimental Botany* 69(3): 681–697, **2018** <https://doi.org/10.1093/jxb/erx431> (WoS/Scopus)
- 8388.** Kanagendran A, Pazouki L, Niinemets U – Differential regulation of volatile emission from Eucalyptus globulus leaves upon single and combined ozone and wounding treatments through recovery and relationships with ozone uptake. *Environmental and Experimental Botany* 145: 21-38, **2018**, <https://doi.org/10.1016/j.envexpbot.2017.10.012> (WoS/Scopus)
- 8389.** Niinemets Ü. What are plant-released biogenic volatiles and how they participate in landscape- to global-level processes?. In: Perera A, Peterson U, Pastur G, Iverson L (eds) *Ecosystem Services from Forest Landscapes*. Springer, Cham, pp. 29-56, **2018** (BOOK), https://doi.org/10.1007/978-3-319-74515-2_3 (WoS/Scopus)
- 8390.** Malik TG, Gajbhiye T, Pandey SK. Some insights into composition and monoterpene emission rates from selected dominant tropical tree species of Central India: Plant-specific seasonal variations. *Ecological Research* 1–14, **2019**. DOI: 10.1111/1440-1703.12058 (WoS/Scopus)
- 8391.** Agathokleous E, Feng Z, Oksanen E, Sicard P, Wang Q, Saitanis CJ, Araminiene V, Blande JD, Hayes F, Calatayud V, Domingos M, Veresoglou SD, Peñuelas J, Wardle DA, De Marco A, Li Z, Harmens H, Yuan X, Vitale M, Paoletti E. Ozone affects plant, insect, and soil microbial communities: A threat to terrestrial ecosystems and biodiversity. *Science Advances* 6 (33), eabc1176, **2020**. <http://dx.doi.org/10.1126/sciadv.abc1176>. (WoS/Scopus)
- 8392.** Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>. (PhD Thesis)
- 8393.** Tiwari S, Kate A, Mohapatra D, Tripathi MK, Ray H, Akuli A, Ghosh A, Modhera B. Volatile organic compounds (VOCs): Biomarkers for quality management of horticultural commodities during storage through e-sensing. *Trends in Food Science & Technology* 106, 417-433, **2020**. <https://doi.org/10.1016/j.tifs.2020.10.039>. (WoS/Scopus)
- 8394.** Liu C, Liu X, Tian X, Zhang J, Zhang Z, Shi J, Xu J, Ren X. Determination of volatile profiles inside apple fruit storage facilities using monotrapp™ monolithic silica adsorbent and GC–MS. *Horticultural Plant Journal* 7(4):267-274, **2021**. <https://doi.org/10.1016/j.hpj.2020.12.003>. (WoS/Scopus)
- 8395.** Srivastava AK, Mishra P, Mishra AK. 3 - Effect of climate change on plant secondary metabolism: An ecological perspective. In: *Evolutionary Diversity as a Source for Anticancer Molecules*, pp. 47-76, **2021**. <https://doi.org/10.1016/B978-0-12-821710-8.00003-5>. (WoS/Scopus) (BOOK)
- 8396.** Stoy PC, Trowbridge AM, Siqueira MB, Freire LS, Phillips RP, Jacobs L, Wiesner S, Monson RK, Novick KA. Vapor pressure deficit helps explain biogenic volatile organic compound fluxes from the forest floor and canopy of a temperate deciduous forest. *Oecologia* 197, 971-988, **2021**. <https://doi.org/10.1007/s00442-021-04891-1>. (WoS/Scopus)
- 8397.** Villagra C, Vera W, Lenitz S, Bergmann J. Differences in volatile emissions between healthy and gall-induced branches of *Haplopappus foliosus* (Asteraceae). *Biochemical Systematics and Ecology* 98, art. number 104309, **2021**. <https://doi.org/10.1016/j.bse.2021.104309>. (WoS/Scopus)
- 8398.** Kaser L, Peron A, Graus M, Striednig M, Wohlfahrt G, Jurán S, Karl T. Interannual variability of terpenoid emissions in an alpine city. *Atmospheric Chemistry and Physics* 22(8), 5603–5618, **2022**. <https://doi.org/10.5194/acp-22-5603-2022>. (WoS/Scopus)
- 8399.** Werrie PY. Essential oils as potential botanical insecticide against rosy apple aphid (*Dysaphis plantaginea* P.) by trunk injection. PhD Thesis. University of Liège, **2022**. <https://hdl.handle.net/2268/289893> [PhD thesis]
- 8400.** Park J, Mun J, Kim D, Lee HW, Kim C-H, Lee H-J, Jo H-Y, Koo J-Y, Choe H, Jeon W. Assessing the impact of shipping emissions on ozone concentrations in East Asia: Insights from KORUS-AQ and SIJAQ 2021 campaign periods. *Atmospheric Environment*, art. 120339, **2024**. <https://doi.org/10.1016/j.atmosenv.2024.120339>. (WoS/Scopus)
- 8401.** Stringari G, Villanueva J, Appolloni E, Orsini F, Villalba G, Durany XG. Measuring BVOC emissions released by tomato plants grown in a soilless integrated rooftop greenhouse. *Heliyon* 10, e23854, **2024**. [https://www.cell.com/heliyon/pdf/S2405-8440\(23\)11062-0.pdf](https://www.cell.com/heliyon/pdf/S2405-8440(23)11062-0.pdf). (WoS/Scopus)
- [Krumova S, Zhipinova M, Dankov K, Velikova V, Balashev K, Andreeva T, Russinova E, Taneva S. Brassinosteroids regulate the thylakoid membrane architecture and the photosystem II function. *Journal of Photochemistry and Photobiology B*. 126, 2013, 97-104. ISSN: 1011-1344.](#)
- 8402.** Rothová O, Holá D, Kočová M, Tůmová L, Hnilička F, Hniličková H, Kamlar M, Macek T. 24-Epibrassinolide and 20-hydroxyecdysone affect photosynthesis differently in maize and spinach. *Steroids* 85:44-57, **2014**. (WoS/Scopus)
- 8403.** Ahammed GJ, Li X, Xia X-J, Shi K, Zhou Y-H, Yu J-Q - Enhanced photosynthetic capacity and antioxidant potential mediate brassinosteroid-induced phenanthrene stress tolerance in tomato. *Environmental Pollution*, 201, 58-66, **2015** (WoS/Scopus)
- 8404.** Gururani MA, Mohanta TK, Bae H - Current understanding of the interplay between phytohormones and photosynthesis under environmental stress. *International Journal of Molecular Sciences* 16 (8): 19055-19085, **2015** (Review) (WoS/Scopus)
- 8405.** Gururani MA, Venkatesh J, Tran LSP - Regulation of photosynthesis during abiotic stress-induced photoinhibition. *Molecular Plant* 8(9):1304-1320, **2015** (WoS/Scopus)

- 8406.** Wang M, Xu X, Zhang X, Sun S, Wu C, Hou W, Wang Q, Han T - Functional analysis of GmCPDs and investigation of their roles in flowering. *PLoS ONE*, 10 (3), art. no. e0118476, **2015** (WoS/Scopus)
- 8407.** Abroskin DP, Fuentes M, García-Mina JM, Klyain OI, Senik SV, Volkov DS, Perminova IV, Kulikova NA. The effect of humic acids and their complexes with iron on the functional status of plants grown under iron deficiency, *Eurasian Soil Science*, 49(10):1099-1108, **2016** (WoS/Scopus)
- 8408.** Li XJ, Xie Guo, Yan-Hong Zhou, Kai Shi, Jie Zhou, Jing-Quan Yu, Xiao-Jian Xia. Overexpression of a brassinosteroid biosynthetic gene *Dwarf* enhances photosynthetic capacity through activation of Calvin cycle enzymes in tomato. *BMC Plant Biology* 16(1), art. No. 33, **2016** DOI: [10.1186/s12870-016-0715-6](https://doi.org/10.1186/s12870-016-0715-6) (WoS/Scopus)
- 8409.** Hola D – Photosynthetic characteristics in plant breeding: targets, options and limitations. Univerzita Karlova, Praha, **2017**, [DSci Habilitation Dissertation](#)
- 8410.** Shu HM, Guo SQ, Gong YY, Jiang L, Zhu JW, Ni WC. RNA-seq analysis reveals a key role of brassinolide-regulated pathways in NaI-stressed cotton, *Biologia Plantarum* 61(4):667-674, **2017** (WoS/Scopus)
- 8411.** Vardhini BV. Modifications of morphological and anatomical characteristics of plants by application of brassinosteroids under various abiotic stress conditions – [a review](#), *Plant Gene*, 11, part B, 70-89, **2017** (WoS/Scopus)
- 8412.** Ahanger MA, Ashraf M, Bajguz A, Ahmad P. Brassinosteroids regulate growth in plants under stressful environments and crosstalk with other potential phytohormones. *Journal of Plant Growth Regulation* 37(4): 1007-1024, **2018**. <https://doi.org/10.1007/s00344-018-9855-2> (WoS/Scopus)
- 8413.** Brini F. Photosynthesis under stressful environmental conditions: existing challenges. In: (Eds VP Singh, SSR Singh, PK Srivastava, SM Prasad) *Environment and Photosynthesis: A Future Prospect*, Chapter: 5, pp. 68-91, Studium Press India Pvt. Ltd, ISBN 13 : 9789385046209, **2018**
- 8414.** Li L, Gu W, Li J, Li C, Xie T, Qu D, Meng Y, Li C, Wei S. Exogenously applied spermidine alleviates photosynthetic inhibition under drought stress in maize (*Zea mays* L.) seedlings associated with changes in endogenous polyamines and phytohormones. *Plant Physiology and Biochemistry* 129: 35-55, **2018**, <https://doi.org/10.1016/j.plaphy.2018.05.017> (WoS/Scopus)
- 8415.** Siddiqui H, Hayat S, Bajguz A. Regulation of photosynthesis by brassinosteroids in plants. *Acta Physiologia Plantarum*, 40: art. No. 59, **2018** <https://doi.org/10.1007/s11738-018-2639-2> (Review) (WoS/Scopus)
- 8416.** Edupuganti S, Anusha, T Shahana, Lalitha R. Effect of 28-Homobrassinolide on photosynthesis and carbohydrate content of Maize under salt and cadmium stress. *Annals of Plant Sciences* 8.3, 3517-3533, **2019**. <https://annalsofplantsciences.com/index.php/aps/article/view/631>
- 8417.** Rozentsvet OA, Nesterov VN, Bogdanova ES, Tabalenkova GN, Zakhochiy IG, Popov AV. Effect of saline soils on the functional state of species of the genus *Artemisia*. *Biology Bulletin* 46: 294-301, **2019**. <https://doi.org/10.1134/S1062359019030099> (WoS/Scopus)
- 8418.** Holá D, Frimlová K, Kočová M, Marková H, Rothová O, Tůmová L. Effect of exogenously applied 20-hydroxyecdysone on the efficiency of primary photosynthetic processes substantially differs across plant species. *Photosynthetica* 58 (4): 961-973, **2020**. <https://ps.ueb.cas.cz/pdfs/phs/2020/04/08.pdf>. (WoS/Scopus)
- 8419.** Praveena J, Dash S, Behera L, Rout GR. Brassinosteroids: A multifunctional phytohormone of plant development and stress responses. *Current Journal of Applied Science and Technology* 39(25), 174-196, **2020**. <https://doi.org/10.9734/cjast/2020/v39i2530896>.
- 8420.** dos Santos LR, Paula LdS, Pereira YC, da Silva BRS, Batista BL, Alsahli AA, Lobato AKdS. Brassinosteroids-mediated amelioration of iron deficiency in soybean plants: Beneficial effects on the nutritional status, photosynthetic pigments and chlorophyll fluorescence. *Journal of Plant Growth Regulation* 40:1803-1823, **2021**. <https://doi.org/10.1007/s00344-020-10232-y>. (WoS/Scopus)
- 8421.** Muhammad I, Shalmani A, Ali M, Yang Q-H, Ahmad H and Li FB. Mechanisms regulating the dynamics of photosynthesis under abiotic stresses. *Frontiers in Plant Science* 11: 615942, **2021**. <https://doi.org/10.3389/fpls.2020.615942>. (WoS/Scopus)
- 8422.** Sadura I, Latowski D, Oklestkova J, Gruszka D, Chyc M, Janeczko A. Molecular dynamics of chloroplast membranes isolated from wild-type barley and a brassinosteroid-deficient mutant acclimated to low and high temperatures. *Biomolecules* 11(1), 27, **2021**. <https://doi.org/10.3390/biom11010027>. (WoS/Scopus)
- 8423.** Bashri G, Fatima A, Singh S, Prasad SM. Interplay of brassinosteroids and auxin for understanding of signaling pathway. In: Khan MTA, Yusuf M, Qazi F, Ahmad A (eds) *Brassinosteroids Signalling*. Springer, Singapore, pp. 137-154, **2022**. https://doi.org/10.1007/978-981-16-5743-6_8. [BOOK]
- 8424.** Dana Holá. Chapter 4 - Brassinosteroids and primary photosynthetic processes. In: Editor(s): Golam Jalal Ahammed, Anket Sharma, Jingquan Yu, *Brassinosteroids in Plant Developmental Biology and Stress Tolerance*, Academic Press, Pages 59-104, **2022**. <https://doi.org/10.1016/B978-0-12-813227-2.00015-1>. [BOOK]
- 8425.** Khan EA, Upadhyay TK, Prajapat RKr, Mathur M. Chapter 2 - Revisiting brassinosteroids signaling in plants: current advances and challenges. In: Editor(s): Golam Jalal Ahammed, Anket Sharma, Jingquan Yu, *Brassinosteroids in Plant Developmental Biology and Stress Tolerance*, Academic Press, Pages 15-41, **2022**. <https://doi.org/10.1016/B978-0-12-813227-2.00010-2>. [BOOK]
- 8426.** Rehman A, Shahzad B, Haider FU, Ahmed HAI, Lee D-J, Im SY, Khan I. Chapter 1 - An introduction to brassinosteroids: history, biosynthesis, and chemical diversity. In: Editor(s): Golam Jalal Ahammed, Anket Sharma, Jingquan Yu. *Brassinosteroids in Plant Developmental Biology and Stress Tolerance*, Academic Press, Pages 1-14, **2022**, <https://doi.org/10.1016/B978-0-12-813227-2.00006-0>. [BOOK]

8427. Rehman A, Shahzad B, Haider FU, Moeen-ud-din M, Ullah A, Khan I. Chapter 8 - Brassinosteroids in plant response to high temperature stress. In: Editor(s): Golam Jalal Ahammed, Anket Sharma, Jingquan Yu, *Brassinosteroids in Plant Developmental Biology and Stress Tolerance*, Academic Press, Pages 173-187, **2022**. <https://doi.org/10.1016/B978-0-12-813227-2.00014-X>. [BOOK]
8428. Stachurska J, Rys M, Pocięcha E, Kalaji HM, Dąbrowski P, Oklestkova J, Jurczyk B, Janeczko A. Deacclimation-induced changes of photosynthetic efficiency, brassinosteroid homeostasis and BRI1 expression in winter oilseed rape (*Brassica napus* L.) - Relation to frost tolerance. *International Journal of Molecular Sciences* 23(9):5224, **2022**. <https://doi.org/10.3390/ijms23095224>. (WoS/Scopus)
8429. dos Santos LA, Batista BL, Lobato AKdS. 24-Epibrasinolide delays chlorophyll degradation and stimulates the photosynthetic machinery in magnesium-stressed soybean plants. *Journal of Plant Growth Regulation* 42, 183-198, **2023**. <https://doi.org/10.1007/s00344-021-10539-4>. (WoS/Scopus)
8430. Gutkowska M, Buszewicz D, Zajbt-Łucznińska M, Radkiewicz M, Nowakowska J, Swieżewska E, Surmacz L. Medium-chain-length polyprenol (C45–C55) formation in chloroplasts of *Arabidopsis* is brassinosteroid-dependent. *Journal of Plant Physiology* art. 154126, **2023**. <https://doi.org/10.1016/j.jplph.2023.154126>. (WoS/Scopus)
8431. Ding Z, Yao Y, Yao K, Hou X, Zhang Z, Huang Y, Wang C, Liao W. SlSERK3B promotes tomato seedling growth and development by regulating photosynthetic capacity. *International Journal of Molecular Sciences* 25(2):1336, **2024**. <https://doi.org/10.3390/ijms25021336>. (WoS/Scopus)
8432. Jesus TFde, Rodrigues AA, do Santos LS, da Silva AA, da Costa AC, Sales JdeF. Physiological performance of brassinolide-conditioned green soybean seeds. *South African Journal of Botany* 165: 237-245, **2024**. <https://doi.org/10.1016/j.sajb.2023.12.024>. (WoS/Scopus)
- [Loreto F, Pollastri S, Fineschi S, Velikova V. Volatile isoprenoids and their importance for protection against environmental constraints in the Mediterranean area. *Environmental and Experimental Botany*. 103: 99-106, 2014. ISSN: 0098-8472.](#)
8433. Bowman DMJS, French BJ, Prior LD. Have plants evolved to self-immolate? *Frontiers in Plant Science*. 5, 590, **2014**. (WoS/Scopus)
8434. del Mármol María Cervera. Aceites esenciales en el género "Rosmarinus L." de la Península Ibérica. Universidad Complutense De Madrid, Spain, **2015**, **PhD Thesis**
8435. Despinasse Y. Diversité chimique et caractérisation de l'impact du stress hydrique chez les lavandes. Biologie végétale. Université Jean Monnet - Saint-Etienne, Français, **2015**, **PhD Thesis**
8436. Sánchez-Orsorio I, Domínguez L, López-Pantoja G, Tapias R - Antennal response of *Prinobius myardi* to synthetic tree volatiles. *Silva Fennica* 49 (3), 8 p, **2015** (WoS/Scopus)
8437. Khakdan F, Ranjbar M, Nasiri J, Ahmadi FS, Bagheri A, Alizadeh H – The relationship between antioxidant compounds and antioxidant enzymes under water-deficit stress in the three Iranian cultivars of basil (*Ocimum basilicum* L.). *Acta Physiologiae Plantarum* 38: 226, 1-15, **2016**, doi:10.1007/s11738-016-2241-4 (WoS/Scopus)
8438. Cervera del Mármol M. Aceites esenciales en el género" Rosmarinus L." de la Península Ibérica, **PhD Thesis**, Universidad Complutense de Madrid, Facultad de Ciencias Biológicas, Spain., **2016**
8439. Dadea C, Russo A, Tagliavini M, Mimo T, Zerbe S – Tree species as tools for biomonitoring and phytoremediation in urban environments: a review with special regard to heavy metals. *Arboriculture & Urban Forestry* 43(4): 155-167, **2017** (WoS/Scopus)
8440. Joffard N, Legendre L, Gibernau M, Pascal L. Differential accumulation of Volatile Organic Compounds (VOCs) by leaves and roots of two Guianese Philodendron species, *P. fragrantissimum* Kunth and *P. melinonii* Brongn, *Chemistry & Biodiversity*, 14(4), e1600415, **2017**, DOI: 10.1002/cbdv.201600415 (WoS/Scopus)
8441. Junker LV – Photoprotective isoprenoids as indicators for stress responses in forest trees. University of Toronto, **2017**, **PhD Thesis**
8442. Kleiber A, Duan Q, Jansen K, Junker LV, Kammerer B, Rennenberg H, Ensminger I, Gessler A, Kreuzwieser J – Drought effects on root and needle terpenoid content of a coastal and an interior Douglas fir provenance. *Tree Physiology* 37(12), 1648-1658, **2017**, <https://doi.org/10.1093/treephys/tpx113> (WoS/Scopus)
8443. Lu P-J, Wang C-y, Yin T-t, Grieson D, Chen K-s, Xu C-j – Cytological and molecular characterization of carotenoid accumulation in normal and high-lycopene mutant orange. *Scientific Reports* 7:761, **2017** (WoS/Scopus)
8444. Sousa VF. Interactions between temperature, intercellular CO₂ concentration, light and a unifying conceptual model response in controlling leaf isoprene emission rates. Instituto Nacional de Pesquisas da Amazonia – INPA, Manaus, Amazonas – AM, Brazil, **PhD Thesis**, **2017**. http://bdtd.inpa.gov.br/bitstream/tede/2396/5/TESES_2.1.Vinicius.ATA_Ficha_Vers%C3%A3o%20final.pdf
8445. Wang R, Deng S, Ding R, Zhao R, Zhang Y. The sequence and expression analysis of MdAFS gene in white winter Pearmain apple. *Biotechnology Bulletin*, 33(7):75-82, **2017**
8446. Bonn B, von Schneidmesser E, Butler T, Churkina G, Ehlers C, Grote R, Klemp D, Nothard R, Klaus Schäfer K, von Stülpnagel A, Kerschbaumer A, Yousefpour R, Fountoukis C, Lawrence MG. Impact of vegetative emissions on urban ozone and biogenic secondary organic aerosol: Box model study for Berlin, Germany, *Journal of Cleaner Production*, 176, 827-841, **2018**, DOI: 10.1016/j.jclepro.2017.12.164 (WoS/Scopus)
8447. Haberstroh S, Kreuzwieser J, Lobo-do-Vale R, Caldeira MC, Dubbert M, Werner C. Terpenoid emissions of two mediterranean woody species in response to drought stress. *Frontiers in Plant Science* 9, art. No. 1071, **2018**. <https://doi.org/10.3389/fpls.2018.01071> (WoS/Scopus)

- 8448.** Yáñez-Serrano AM, Fasbender L, Kreuzwieser J, Dubbert D, Haberstroh S, Lobo-do-Vale R, Caldeira MC, Werner C. Volatile diterpene emission by two Mediterranean Cistaceae shrubs. *Scientific Reports* 8(1), art. No. 6855, **2018**, DOI:10.1038/s41598-018-25056-w (WoS/Scopus)
- 8449.** Cardoso H, Figueiredo A, Serrazina S, Pires R, Peixe A. Genome modification approaches to improve performance, quality, and stress tolerance of important mediterranean fruit species (*Olea europaea* L., *Vitis vinifera* L., and *Quercus suber* L.). In: Sathishkumar R., Kumar S., Hema J., Baskar V. (eds) *Advances in Plant Transgenics: Methods and Applications*. Springer, Singapore. pp. 273-312, **2019**. https://doi.org/10.1007/978-981-13-9624-3_13. [e-BOOK]
- 8450.** Duan Q, Kleiber A, Jansen K, Junker LV, Kammerer B, Han G, Zimmer I, Rennenberg H, Schnitzler J-P, Ensminger I, Gessler A, Kreuzwieser J-F. Effects of elevated growth temperature and enhanced atmospheric vapour pressure deficit on needle and root terpenoid contents of two Douglas fir provenances. *Environmental and Experimental Botany* 166, art. number 103819, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.103819>. (WoS/Scopus)
- 8451.** Kigathi RN, Weisser WW, Reichelt MR, Gershenzon J, Unsicker SB. Plant volatile emission depends on the species composition of the neighboring plant community. *BMC Plant Biology* 19: 58, **2019**. <https://doi.org/10.1186/s12870-018-1541-9> (WoS/Scopus)
- 8452.** Alderotti F, Brunetti C, Marino G, Centritto M, Ferrini F, Giordano C, Tattini M, Moura BB, Gori A. Coordination of morpho-physiological and metabolic traits of *Cistus incanus* L. to overcome heatwave-associated summer drought: A two-year on-site field study. *Frontiers in Ecology and Evolution* 8:576296, **2020**. <https://doi.org/10.3389/fevo.2020.576296>. (WoS/Scopus)
- 8453.** Bustamante MÁ, Michelozzi M, Caracciolo AB, Grenni P, Verbokkem J, Geerdink P, Safi C, Nogues I. Effects of soil fertilization on terpenoids and other carbon-based secondary metabolites in *Rosmarinus officinalis* plants: A comparative study. *Plants* 9(7), 830, **2020**. <https://doi.org/10.3390/plants9070830>. (WoS/Scopus)
- 8454.** da Silva Pedrosa G, de Oliveira DP, Bison JVS, Bugarelli RM, Cruz LS, Souza SR. Biogenic volatile organic compounds emission of brazilian atlantic tree grown under elevated ozone in ambient controlled and field conditions. *Bulletin of Environmental Contamination and Toxicology* 105, 958-966, **2020**. <https://doi.org/10.1007/s00128-020-03056-9>. (WoS/Scopus)
- 8455.** Duan Q, Bonn B, Kreuzwieser J. Terpenoids are transported in the xylem sap of Norway spruce. *Plant, Cell & Environment* 43(7), 1766-1778, **2020**. <https://doi.org/10.1111/pce.13763>. (WoS/Scopus)
- 8456.** Kask K. The effects of heat stress severity on photosynthesis and volatile organic compound emissions in black mustard and tobacco. PhD Thesis, Estonian University of Life Sciences, Tartu, Estonia, **2020**. <http://hdl.handle.net/10492/5561>. (PhD Thesis)
- 8457.** Mochizuki T, Ikeda F, Sawakami K, Tani A. Monoterpene emissions and the geranyl diphosphate content of *Acer* and *Fagaceae* species. *Journal of Forest Research* 25(5), 339-346, **2020**. <https://doi.org/10.1080/13416979.2020.1779425>. (WoS/Scopus)
- 8458.** Sánchez-Orsorio I, López-Pantoja G, Tapias R, Pareja-Sánchez E, Domínguez L. First approach to the study of the physiological activity of *Quercus suber* with high presence of *Cerambyx welensi* Küster. *Cuadernos de la Sociedad Española de Ciencias Forestales* 46(1):57-70, **2020**. <https://doi.org/10.31167/csecfv0i46.19894>.
- 8459.** Wu C, Sun L, Lv Y, Cui H, Wang X, Gao P, Luan F. Functional characterization and in silico analysis of phytoene synthase family genes responsible for carotenoid biosynthesis in watermelon (*Citrullus lanatus* L.). *Agronomy* 10(8), 1077, **2020**. <https://doi.org/10.3390/agronomy10081077>. (WoS/Scopus)
- 8460.** de Simón BF, Aranda I, López-Hinojosa M, Miguel L, Cervera MT. Scion-rootstock interaction and drought systemic effect modulate the organ-specific terpene profiles in grafted *Pinus pinaster* Ait. *Environmental and Experimental Botany* v. 186, art. 104437, **2021**. <https://doi.org/10.1016/j.envexpbot.2021.104437>. (WoS/Scopus)
- 8461.** Jogawat A, Yadav B, Chhaya, Lakra N, Singh AK, Narayan OP. Crosstalk between phytohormones and secondary metabolites in the drought stress tolerance of crop plants: A review. *Physiologia Plantarum* 172(2):1106-1132, **2021**. <https://doi.org/10.1111/ppl.13328>. (WoS/Scopus)
- 8462.** Kreuzwieser J, Meischner M, Grun M, Yanez-Serrano AM, Fasbender L, Werner C. Drought affects carbon partitioning into volatile organic compound biosynthesis in Scots pine needles. *New Phytologist* 232(5):1930-1943, **2021**. <https://doi.org/10.1111/nph.17736>. (WoS/Scopus)
- 8463.** Ninkovic V, Markovic D, Rensing M. Plant volatiles as cues and signals in plant communication. *Plant, Cell & Environment* 44(4):1030–1043, **2021**. Review <https://doi.org/10.1111/pce.13910>. (WoS/Scopus)
- 8464.** Ninkuu V, Zhang L, Yan J, Fu Z, Yang T, Zeng H. Biochemistry of terpenes and recent advances in plant protection. *International Journal of Molecular Sciences* 22(11):5710, **2021**. <https://doi.org/10.3390/ijms22115710>. (WoS/Scopus) Review
- 8465.** Pasquini D, Gori A, Ferrini F, Brunetti C. An improvement of SPME-based sampling technique to collect volatile organic compounds from *Quercus ilex* at the environmental level. *Metabolites* 11(6):388, **2021**. <https://doi.org/10.3390/metabo11060388>. (WoS/Scopus)
- 8466.** Sánchez-Orsorio I, Tapias R, Domínguez L, López-Pantoja G, González MdM. Electroantennographic responses of *Cerambyx welensii* Küster to host-related volatiles. *Forests* 12(9):1168, **2021**. <https://doi.org/10.3390/f12091168>. (WoS/Scopus)
- 8467.** Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge

Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021**. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. (**BOOK**)

8468. Yadav B, Jogawat A, Rahman MdS, Narayan OP. Secondary metabolites in the drought stress tolerance of crop plants: a review. *Gene Reports* 23, apr. 101040, **2021**. <https://doi.org/10.1016/j.genrep.2021.101040>. (WoS/Scopus)

8469. Abbas F, Rothenberg D O'Neill, Zhou Y, Ke Y, Wang H-C. Volatile organic compounds as mediators of plant communication and adaptation to climate change. *Physiologia Plantarum* 174(6), art. e13840, **2022**. <https://doi.org/10.1111/ppl.13840>. (WoS/Scopus) [**Mini review**]

8470. Haberstroh S, Werner C, Grun M, Kreuzwieser J, Seifert T, Schindler D, Christen A. Central European 2018 hot drought shifts scots pine forest to istipping point. *Plant Biology* 24 (7), 1186-1197, **2022**. <https://doi.org/10.1111/plb.13455>. (WoS/Scopus)

8471. Kuttippurath J, Abhishek K, Gopikrishnan GS, Pathak M. Investigation of long-term trends and major sources of atmospheric HCHO over India. *Environmental Challenges* v. 7, art. 100477, **2022**. <https://doi.org/10.1016/j.envc.2022.100477>. (WoS/Scopus)

8472. Mansour-Gueddes SB, Saidana-Naija D, Flamini G, Cheraief I, Braham M. Assessment of the climatic condition's impact on volatiles, polyphenols and mineral contents in tunisian olive tree (*Olea europaea* L.). *Polish Journal of Environmental Studies* 31(1), 1-12, **2022**. <https://doi.org/10.15244/pjoes/133232>. (WoS/Scopus)

8473. Ram RM, Debnath A, Debbarma K, Devi YL, Pathma J. Tapping the role of plant volatiles inducing multi-trophic interactions for sustainable agricultural production. Chapter 15. In: *Plant-Microbe Interactions*, eBook ISBN 9781003171416. 324 pages, **2022**. <https://doi.org/10.1201/9781003171416>. (**BOOK**)

8474. Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. (**BOOK**)

8475. Alderotti F, Verdiani E. God save the queen! How and why the dominant evergreen species of the Mediterranean Basin is declining? *AoB Plants*, 15(5), plad051, **2023**. <https://doi.org/10.1093/aobpla/plad051>. (WoS/Scopus)

8476. Bueno M, Oya A, Carrasco R, Azorit C. Secondary metabolites and nutrients in wild olive in response to mediterranean seasonality and browsing intensity. *Annals of Forest Research* 66(1): 749-772, **2023**. <https://www.e-afr.org/article/view-2023/749.html>. (WoS/Scopus)

8477. Cao Y, Fang X, Liu S, Luan F. Isolation and activity analysis of phytoene synthase (CIPs1) gene promoter of canary-yellow and golden flesh-color watermelon. *Agronomy* 13(4):1080, **2023**. <https://doi.org/10.3390/agronomy13041080>. (WoS/Scopus)

8478. Fouad R, Fouad H, El-Desoky AH, Omer EA. Secondary metabolism and its role in enhancing drought stress tolerance. In: Hasanuzzaman M (eds) *Climate-Resilient Agriculture*, Vol 2. Springer, Cham. pp. 603-640, **2023**. https://doi.org/10.1007/978-3-031-37428-9_26. (**BOOK**)

8479. Thawtar MS, Kusano M, Yingtao L, Wunna, Thein MS, Tanaka K, Rivera M, Shi M, Watanabe KN. Exploring volatile organic compounds in rhizomes and leaves of *Kaempferia parviflora* Wall. Ex Baker using HS-SPME and GC-TOF/MS combined with multivariate analysis. *Metabolites* 13(5):651, **2023**. <https://doi.org/10.3390/metabo13050651>. (WoS/Scopus)

8480. Yadav P, Siddiqui ZH. Chapter 26. Role of secondary metabolites in stress management under changing climate conditions. In: Ansari MW, Singh AK, Tuteja N (Eds) *Global Climate Change and Plant Stress Management*. pp. 383-397, **2023**. <https://doi.org/10.1002/9781119858553.ch26>. (**BOOK**)

8481. Oku H, Iqbal A, Oogai S, Inafuku M, Mutanda I. Relationship between cumulative temperature and light intensity and G93 parameters of isoprene emission for the tropical tree *Ficus septica*. *Plants* 13(2):243, **2024**. <https://doi.org/10.3390/plants13020243>. (WoS/Scopus)

8482. Sánchez-Orsorio I, López-Pantoja G, Tapias R, Pareja-Sánchez E, Domínguez L. Physiological Activity of *Quercus suber* with a High Presence of *Cerambyx welensii*. *Forests* 15(2): 282, **2024**. <https://doi.org/10.3390/f15020282>. (WoS/Scopus)

[Sablok G, Fu Y, Bobbio V, Laura M, Rotino G, Bagnaresi P, Allavena A, Velikova V, Viola R, Loreto F, Li M, Varotto C. Fuelling genetic and metabolic exploration of C3 bioenergy crops through the first reference transcriptome of *Arundo donax* L. *Plant Biotechnology Journal*. 12\(5\), 2014, 554-567. ISSN: 1467-7652.](#)

8483. Hardion L, Verlaque R, Saltonstall K, Leriche A, Vila B. Origin of the invasive *Arundo donax* (Poaceae): a trans-Asian expedition in herbaria. *Annals of Botany* 114 (3), pp. 455-462, **2014**, doi: 10.1093/aob/mcu143 (WoS/Scopus)

8484. Barrero RA, Guerrero FD, Moolhuijzen P, Goolsby JA, Tidwell J, Bellgard SE, Bellgard MI - Shoot transcriptome of the giant reed, *Arundo donax*. *Data in Brief* 3, pp. 1-6, **2015**, doi:10.1016/j.dib.2014.12.007 (WoS/Scopus)

8485. Chakraborty A, Sarkar D, Satya P, Karmakar PG, Singh NK - Pathways associated with lignin biosynthesis in lignomaniac jute fibres. *Molecular Genetics and Genomics* 290 (4): 1523-1542, **2015**, DOI:10.1007/s00438-015-1013-y (WoS/Scopus)

- 8486.** Kamenetsky R, Faigenboim A, Shemesh Mayer E, Ben Michael T, Gershberg C, Kimhi S, Esquira I, Rohkin Shalom S, Eshel D, Rabinowitch HD, Sherman A - Integrated transcriptome catalogue and organ-specific profiling of gene expression in fertile garlic (*Allium sativum* L.). *BMC Genomics*, 16 (1), art. no. 12, **2015**, DOI: [10.1186/s12864-015-1212-2](https://doi.org/10.1186/s12864-015-1212-2) (WoS/Scopus)
- 8487.** Huang LK, Yan HD, Zhao XX, Zhang XQ, Wang J, Frazier T, Yin G, Huang X, Yan DF, Zang WJ, Ma X, Peng Y, Yan YH, Liu W. Identifying differentially expressed genes under heat stress and developing molecular markers in orchardgrass (*Dactylis glomerata* L.) through transcriptome analysis. *Molecular Ecology Resources*, 15, 6, **2015**, <https://doi.org/10.1111/1755-0998.12418> (WoS/Scopus)
- 8488.** Huang X, Yan H-D, Zhang X-Q, Zhang J, Frazier TP, Huang D-J, Lu L, Huang L-K, Liu W, Peng Y, Ma X, Yan Y-H. - De novo transcriptome analysis and molecular marker development of two *Hemarthria* species. *Frontiers in Plant Science* 7, 496, 1-14, **2016**. doi:10.3389/fpls.2016.00496 (WoS/Scopus)
- 8489.** Oustriere N - Plant assemblages to phytomanage metal (Cu and Zn/Pb/Cd)-contaminated soils, rhizofiltrate Cu-contaminated water, and deliver usable biomass for the bioeconomy. Soil study. Universit e de Bordeaux, **2016**, **PhD Thesis**
- 8490.** Torre S, Tattini M, Brunetti C, Guidi L, Gori A, Marzano C, Landi M, Sebastiani F. De novo assembly and comparative transcriptome analyses of red and green morphs of sweet basil grown in full sunlight. *PLoS ONE*, 11, 8, e0160370, **2016** (WoS/Scopus)
- 8491.** Babineau M, Mahmood K, Mathiassen SK, Kudsk P, Kristensen M – De novo transcriptome assembly analysis of weed *Apera spica-venti* from seven tissues and growth stages. *BMC Genomics* 18: 128, **2017** (WoS/Scopus)
- 8492.** Evangelistella C, Valentini A, Ludovisi R, Firrincieli A, Fabbrini F, Scalabrin S, Cattonaro F, Morgante M, Mugnozza GS, Keurentjes JB, Harfouche A – De novo assembly, functional, and analysis of the giant reed (*Arundo donax* L.) leaf transcriptome provide tools for the development of a biofuel feedstock. *Biotechnology for Biofuels* 10: 138, **2017**, <https://doi.org/10.1186/s13068-017-0828-7> (WoS/Scopus)
- 8493.** Oustriere N, Marchand L, Roulet E, Mench M – Rhizofiltration of a Bordeaux mixture effluent in pilot-scale constructed wetland using *Arundo donax* L. coupled with potential Cu-ecocatalyst production. *Ecological Engineering* 105: 296-305, **2017**, <https://doi.org/10.1016/j.ecoleng.2017.04.047> (WoS/Scopus)
- 8494.** Peña-Castro JM, del Moral S, Núñez-López L, Barrera-Figueroa BE, Amaya-Delgado L - Biotechnological strategies to improve plant biomass quality for bioethanol production. *BioMed Research International*, vol. 2017, Article ID 7824076, 10 pages, **2017**, doi:10.1155/2017/7824076 (WoS/Scopus)
- 8495.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrin E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L., Tree Physiology*, vol 7. Springer, Cham., **2017**
- 8496.** Valli F, Trebbi D, Zegada-Lizarazu W, Monti A, Tuberosa R, Salvi S – *In vitro* physical mutagenesis of giant reed (*Arundo donax* L.). *Global Change Biology Bioenergy* 9: 1380-1389, **2017**, doi: 10.1111/gcbb.12458 (WoS/Scopus)
- 8497.** Cosentino SL, Scordia D, Testa G, Monti A, Alexopoulou E, Christou M. The importance of perennial grasses as a feedstock for bioenergy and bioproducts. In: Alexopoulou E (Ed.), *Perennial Grasses for Bioenergy and Bioproducts. Production, Uses, Sustainability and Markets for Giant Reed, Miscanthus, Switchgrass, Reed Canary Grass and Bamboo*. Chapter 1, Pages 1-33, **2018**, Academic Press (BOOK) <https://doi.org/10.1016/B978-0-12-812900-5.00001-1> (WoS/Scopus)
- 8498.** Fu Q, Niu L, Chen M-S, Tao Y-B, Wang X, He H, Pan B-Z, Xu Z-F. De novo transcriptome assembly and comparative analysis between male and benzyladenine-induced female inflorescence buds of *Plukenetia volubilis*. *Journal of Plant Physiology* 221, 107-118, **2018** (WoS/Scopus)
- 8499.** Gomes TG, Hadi SIIA, Alves GSC, Mendonça S, De Siqueira FG, Miller RNG. Current strategies for the detoxification of *Jatropha curcas* seed cake: **A Review**. *Journal of Agricultural and Food Chemistry* 66 (11): 2510–2522, **2018**, DOI: 10.1021/acs.jafc.7b05691 (WoS/Scopus)
- 8500.** Xincun H, Xifeng F, Yi Z, Yuesen Y, Juying W. Sustainable utilization model of crop residues as biomass feedstock. *Journal of Agriculture* 8(4):32-38, **2018**
- 8501.** Lambertini C. Why are tall-statured energy grasses of polyploid species complexes potentially invasive? **A review** of their genetic variation patterns and evolutionary plasticity. *Biological Invasions* 21:3019-3041, **2019**. <https://doi.org/10.1007/s10530-019-02053-2> (WoS/Scopus)
- 8502.** Sicilia A, Testa G, Santoro DF, Cosentino SL, Lo Piero AR. RNASeq analysis of giant cane reveals the leaf transcriptome dynamics under longterm salt stress. *BMC Plant Biology* 19:355, **2019**. <https://doi.org/10.1186/s12870-019-1964-y>. (WoS/Scopus)
- 8503.** Docimo T, De Stefano R, De Palma M, Cappetta E, Villano C, Aversano R, Tucci M. Transcriptional, metabolic and DNA methylation changes underpinning the response of *Arundo donax* ecotypes to NaCl excess. *Planta* 251: 34, **2020**. <https://doi.org/10.1007/s00425-019-03325-w>. (WoS/Scopus)
- 8504.** Lambrechts IA, Gibango L, Chrysargyris A, Tzortzakis N, Lall N. Aquatic plants native to Europe. Chapter 5. In: *Aquatic Plants - Pharmaceutical and Cosmetic Applications*. Ed. Namrita Lall. CRC Press, Taylor & Francis Group, Boca Raton London, New York. pp. 241-290, **2020**. <https://www.taylorfrancis.com/books/aquatic-plants/10.1201/9780429429095?refId=29a60669-6856-4d16-b92c-8618591f66a2>. [BOOK]

- 8505.** Sicilia A, Santoro DF, Testa G, Cosentino SL, Lo Piero AR. Transcriptional response of giant reed (*Arundo donax* L.) low ecotype to long-term salt stress by unigene-based RNAseq. *Phytochemistry* 177, art. 112436, **2020**. <https://doi.org/10.1016/j.phytochem.2020.112436>. (WoS/Scopus)
- 8506.** Santoro DF, Sicilia A, Testa G, Cosentino SL, Lo Piero AR. Global leaf and root transcriptome in response to cadmium reveals tolerance mechanisms in *Arundo donax* L. *BMC Genomics* 23, 427, **2022**. <https://doi.org/10.1186/s12864-022-08605-6>. (WoS/Scopus)
- 8507.** Zhang Y, Wang X, Jin C, Xu F, Yang X, Jiang Y, Zhang L, Wang L, Su Y, Ma L, Wang J. Comparative transcriptome and proteome analysis of lily clones inoculated with *Fusarium oxysporum* f. sp. *lilii*. *Ornamental Plant Research* 2, Article number: 23, **2022**. <https://doi.org/10.48130/OPR-2022-0023>.
- 8508.** Mahmood A, Imran M, Jamshaid MU, Riaz U, Arif M, Ahmed W, Ul Haq T, Shahzad MA, Ur Rehman A, Hamed A, Riaz H, Khan MA. Integrated OMIC approaches for bioenergy crops. In: Aasim M, Baloch FS, Nadeem MA, Habyarimana E, Ahmed S, Chung G (eds) *Biotechnology and Omics Approaches for Bioenergy Crops*. Springer, Singapore. pp. 77-84, **2023**. https://doi.org/10.1007/978-981-99-4954-0_4. [BOOK]
- Velikova V, Ghirardo A, Vanzo E, Merl J, Hauck SM, Schnitzler J-P - The genetic manipulation of isoprene emissions in poplar plants remodels the chloroplast proteome. *Journal of Proteome Research* 13 (4), 2005-2018, 2014.**
- 8509.** Maxfield JC - Agricultural management decisions impact isoprene emission and physiology of *Arundo donax*, an emerging bioenergy crop, **2014**
- 8510.** Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes. *Journal of Bioenergetics and Biomembranes* 47(5):419-429, **2015 (WoS/Scopus)**
- 8511.** Tholl D - Biosynthesis and biological functions of terpenoids in plants. In: *Biotechnology of Isoprenoids, Advances in Biochemical Engineering/Biotechnology* (Eds J Schrader, J Bohlmann), Springer International Publishing Switzerland, 148, 63-106, **2015 (book)** https://doi.org/10.1007/10_2014_295
- 8512.** Harvey CM, Sharkey TD. Exogenous isoprene modulates gene expression in unstressed *Arabidopsis thaliana* plants, *Plant, Cell & Environment* 39(6):1251-1263, **2016 (WoS/Scopus)**
- 8513.** Kaling M. Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technical University, Munich, Germany, **2016, PhD Thesis**. <https://mediatum.ub.tum.de/doc/1292691/document.pdf>
- 8514.** Meng F, Luo Q, Wang Q, Zhang X, Qi Z, Xu F, Lei X, Cao Y, Chou WS, Sun G. Physiological and proteomic responses to salt stress in chloroplasts of diploid and tetraploid black locust (*Robinia pseudoacacia* L.), *Scientific reports*, 6, 23098, **2016 (WoS/Scopus)**
- 8515.** Sicard P, Augustaitis A, Belyazid S, Calfapietra C, de Marco A, Fenn M, Bytnerowicz A, Grulke N, He S, Matyssek R, Serengil Y, Wieser G, Paoletti E. Global topics and novel approaches in the study of air pollution, climate change and forest ecosystems, *Environmental Pollution* 213: 977-987, **2016 (WoS/Scopus)**
- 8516.** Tiwari A, Grote R, Churkina G, Butler T – Ozone damage, detoxification and the role of isoprenoids – new impetus for integrated models. *Functional Plant Biology* 43(3):324-336, **2016**. <http://dx.doi.org/10.1071/FP15302> (WoS/Scopus)
- 8517.** Fini A, Brunetti , Loreto F, Centritto M, Ferrini F, Tattini M – Isoprene responses and functions in plants challenged by environmental pressures associated to climate change. *Frontiers in Plant Science* 8:1281, **2017 (WoS/Scopus)**
- 8518.** Sainger M, Jaiwal A, Sainger PA, Chaudhary D, Jaiwal R, Jaiwal PK. Advances in genetic improvement of *Camelina sativa* for biofuel and industrial bio-products. *Renewable and Sustainable Energy Reviews*, 68, Part 1, 623-637, **2017 (WoS/Scopus)**
- 8519.** Taylor TC – Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests. The University of Arizona, **2017, PhD Thesis**, <http://hdl.handle.net/10150/623061>
- 8520.** Brunetti C, Loreto F, Ferrini F, Gori A, Guidi L, Remorini D, Centritto M, Fini A, Tattini M. Metabolic plasticity in the hygrophite *Moringa oleifera* exposed to water stress. *Tree Physiology* 38(11):1640-1654, **2018**. <https://doi.org/10.1093/treephys/tpy089> (WoS/Scopus)
- 8521.** Taylor TC, McMahon SM, Smith MN, Boyle B, Violle C, van Haren J, Simova I, Meir P, Ferreira LV, de Camargo PB, da Costa ACL, Enquist BJ, Saleska SR. Isoprene emission structures tropical tree biogeography and community assembly responses to climate. *New Phytologist* 220 (2): 435-446, **2018**, <https://doi.org/10.1111/nph.15304> (WoS/Scopus)
- 8522.** Arefian M, Vessal S, Malekzadeh-Shafaroudi S, Siddique KHM, Bagheri A. Comparative proteomics and gene expression analyses revealed responsive proteins and mechanisms for salt tolerance in chickpea genotypes. *BMC Plant Biology* 19:300, **2019**. <https://doi.org/10.1186/s12870-019-1793-z> (WoS/Scopus)
- 8523.** Deakova T. Isoprene emission in *Polytrichaceae* mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 8524.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. <https://doi.org/10.1111/pce.13629>. (Review). (WoS/Scopus)
- 8525.** Lantz AT, Solomon C, Gog L, McClain AM, Weraduwege SM, Cruz JA and Sharkey TD. Isoprene suppression by CO₂ is not due to triose phosphate utilization (TPU) limitation. *Frontiers in Forests and Global Change* 2:8, **2019**. <https://doi.org/10.3389/ffgc.2019.00008> (WoS/Scopus)

- 8526.** Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell and Environment* 42(8):2448-2457, **2019**. <https://doi.org/10.1111/pce.13564> (WoS/Scopus)
- 8527.** Parray JA, Mir MY, Shameem. Bioenergy: Plants and Products. Chapter 8. In: Sustainable Agriculture: Biotechniques in Plant Biology, Springer Nature Singapore Pte Ltd. **2019** 231, pp. 335-418. https://doi.org/10.1007/978-981-13-8840-8_5. **Book.** (WoS/Scopus)
- 8528.** Alicandri E, Paolacci AR, Osadolor S, Sorgonà A, Badiani M, Ciaffi M. On the evolution and functional diversity of terpene synthases in the pinus species: A Review. *Journal of Molecular Evolution* 88, 253-283, **2020**. <https://doi.org/10.1007/s00239-020-09930-8>. (WoS/Scopus)
- 8529.** Awana M, Jain N, Samota MK, Rani K, Kumar A, Ray M, Gaikwad K, Praveen S, Singh NK, Singh A. Protein and gene integration analysis through proteome and transcriptome brings new insight into salt stress tolerance in pigeonpea (*Cajanus cajan* L.). *International Journal of Biological Macromolecules* 164, 3589-3602, **2020**. <https://doi.org/10.1016/j.ijbiomac.2020.08.223>. (WoS/Scopus)
- 8530.** Lande NV, Barua P, Gayen D, Kumar S, Chakraborty S, Chakraborty N. Proteomic dissection of the chloroplast: Moving beyond photosynthesis. *Journal of Proteomics* 212, art. 103542, **2020**. <https://doi.org/10.1016/j.jprot.2019.103542>. (WoS/Scopus)
- 8531.** Lande NV, Barua P, Gayen D, Kumar S, Varshney S, Sengupta S, Chakraborty S, Chakraborty N. Dehydration-induced alterations in chloroplast proteome and reprogramming of cellular metabolism in developing chickpea delineate interrelated adaptive responses. *Plant Physiology and Biochemistry* 146, 337-348, **2020**. <https://doi.org/10.1016/j.plaphy.2019.11.034>. (WoS/Scopus)
- 8532.** Guidi L, Tattini M. Antioxidant defenses in plants: A dated topic of current interest. *Antioxidants* 10(6):855, **2021**. <https://doi.org/10.3390/antiox10060855>. (WoS/Scopus)
- 8533.** Mustafa G, Komatsu S. Plant proteomic research for improvement of food crops under stresses: a review. *Molecular Omics* 17, 860-880, **2021**. <https://doi.org/10.1039/D1MO00151E>. (WoS/Scopus)
- 8534.** Pollastri S, Baccelli I, Loreto F. Isoprene: An antioxidant itself or a molecule with multiple regulatory functions in plants? *Antioxidants* 10(5):684, **2021**. <https://doi.org/10.3390/antiox10050684>. (WoS/Scopus)
- 8535.** Tani A, Mochizuki T. Review: Exchanges of volatile organic compounds between terrestrial ecosystems and the atmosphere. *Journal of Agricultural Meteorology* Article 77(1): 66-80, **2021**. <https://doi.org/10.2480/agrmet.D-20-00025>. (WoS/Scopus)
- 8536.** Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021**. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. **(BOOK)**
- 8537.** Komatsu S, Mustafa G. Plant proteomics. In: *Plant Omics: Advances in Big Data Biology*, Chapter 12, CABI Library, **2022**. <https://doi.org/10.1079/9781789247534.0003>. **[eBOOK]**
- 8538.** Loreto F, D'Auria S. How do plants sense volatiles sent by other plants? *Trends in Plant Science* 27(1), 29-38, **2022**. <https://doi.org/10.1016/j.tplants.2021.08.009>. (WoS/Scopus)
- 8539.** Mancini I, Domingo G, Bracale M, Loreto F, Pollastri S. Isoprene emission influences the proteomic profile of Arabidopsis plants under well-watered and drought-stress conditions. *International Journal of Molecular Sciences* 23(7):3836, **2022**. <https://doi.org/10.3390/ijms23073836>. (WoS/Scopus)
- 8540.** Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. **[BOOK]**
- 8541.** Leggett M, Ball DA. Evidence for the early origin of genes leading to the development of biogeochemical homeostasis at planetary scale. *Qeios*, art. ID: 52ZE92.4, **2023**. <https://doi.org/10.32388/52ZE92.4>
- 8542.** Leggett M, Ball DA. Phylogenetic evidence for the early origin of the homeostatic influence of the biota on planetary-scale geophysical processes. *Qeios*, art. ID: 52ZE92.2, **2023**. <https://doi.org/10.32388/52ZE92.2>.
- 8543.** Oku H, Iqbal A, Oogai S, Inafuku M, Mutanda I. Relationship between cumulative temperature and light intensity and G93 parameters of isoprene emission for the tropical tree *Ficus septica*. *Plants* 13(2):243, **2024**. <https://doi.org/10.3390/plants13020243>. (WoS/Scopus)
- 8544.** Weraduwa SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)
- Tattini M, Velikova V, Vickers C, Brunetti C, Di Ferdinando M, Trivellini A, Fineschi S, Agati G, Ferrini F, Loreto F.** Isoprene production in transgenic tobacco alters isoprenoids, non-structural carbohydrates and phenylpropanoids metabolism, and protects photosynthesis from drought stress. *Plant, Cell and Environment* 37 (8), 1950-1964, **2014**. ISSN: 1365-3040
- 8545.** Lantz AT, Cardiello JF, Gee TA, Richards MG, Rosenstiel TN, Fisher AJ - Biochemical characterization of an isoprene synthase from *Campylopus introflexus* (heath star moss). *Plant Physiology and Biochemistry* 94, 209-215, **2015** (WoS/Scopus)

- 8546.** Vanzo E, Jud W, Li Z, Albert A, Domagalska MA, Ghirardo A, Niederbacher B, Frenzel J, Beemster GTS, Asard H, Rennenberg H, Sharkey TD, Hansel A, Schnitzler J-P - Facing the future: Effects of short-term climate extremes on isoprene-emitting and nonemitting poplar. *Plant Physiology*, 169 (1), 560-575, **2015** DOI: [10.1104/pp.15.00871](https://doi.org/10.1104/pp.15.00871) (WoS/Scopus)
- 8547.** Nguyen D, D'Agostino N, Tytgat TOG, Sun P, Lortzing T, Visses EJW, Cristescu SM, Steppuhn A, Mariani C, van Dam NM, Rieu I - Drought and flooding have distinct effects on herbivore-induced responses and resistance in *Solanum dulcamara*. *Plant, Cell and Environment* 39(7), 1485-1499, **2016** (WoS/Scopus)
- 8548.** Ye L, Lv X, Yu H - Engineering microbes for isoprene production. *Metabolic Engineering*, 38, 125-138 **2016**, DOI: [10.1016/j.ymben.2016.07.005](https://doi.org/10.1016/j.ymben.2016.07.005) (WoS/Scopus)
- 8549.** Peng L, Lang S, Wang Y, Pritchard HW, Wang X – Modulating role of ROS in re-establishing desiccation tolerance in germinating seeds of *Caragana korshinskii* Kom. *Journal of Experimental Botany* 68(13): 3585-3601, **2017** (WoS/Scopus)
- 8550.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrín E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L., Tree Physiology*, vol 7. Springer, Cham., **2017** (WoS/Scopus)
- 8551.** Staudt M, Morin X, Chuine I – Contrasting direct and indirect effects of warming and drought on isoprenoid emissions from Mediterranean oaks. *Regional Environmental Change* 17(7): 2121-2133, **2017**, <https://doi.org/10.1007/s10113-016-1056-6> (WoS/Scopus)
- 8552.** Baraldi R, Przybysz A, Facini O, Pierdonà L, Carriero G, Bertazza G, Neri L. Impact of drought and salinity on sweetgum tree (*Liquidambar styraciflua* L.): understanding tree ecophysiological responses in the urban context. *Forests* 10, 1032, **2019**. doi:[10.3390/f10111032](https://doi.org/10.3390/f10111032). (WoS/Scopus)
- 8553.** Ben-Abdallah S, Zorrig W, Amyot L, Renaud J, Hannoufa A, Lachâal M. Potential production of polyphenols, carotenoids and glycoalkaloids in *Solanum villosum* Mill. under salt stress. *Biologia* 74(3):309-324, **2019**. <https://doi.org/10.2478/s11756-018-00166-y> (WoS/Scopus)
- 8554.** Gardiner CEC, Glennon KL. Examining the polymorphic nature of flower color in a drakensberg near-endemic species, *Rhodohypoxis baurii* (Baker) Nel. var. *confecta* Hilliard & Burt. *International Journal of Plant Sciences* 180(9):965-973, **2019** (WoS/Scopus)
- 8555.** Huang J, Forkelov'a L, Unsicker SB, Forkel M, Griffith DWT, Trumbore S, Hartmann H. Isotope labeling reveals contribution of newly fixed carbon to carbon storage and monoterpenes production under water deficit and carbon limitation. *Environmental and Experimental Botany* 162:333-344, **2019**, <https://doi.org/10.1016/j.envexpbot.2019.03.010> (WoS/Scopus)
- 8556.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. <https://doi.org/10.1111/pce.13629>. (Review). (WoS/Scopus)
- 8557.** Li M, Liu C, Chen H, Deng L, Zhang H, Nian R, Xian M. Biochemical characterization of isoprene synthase from *Ipomoea batatas*. *Journal of Bioscience and Bioengineering* 127(2):138-144, **2019**. <https://doi.org/10.1016/j.jbiosc.2018.07.022> (WoS/Scopus)
- 8558.** Parveen S, Harun-Ur- Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**. <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
- 8559.** Marthandan V, Geetha R, Kumutha K, Renganathan VG, Karthikeyan A, Ramalingam J. Seed priming: A feasible strategy to enhance drought tolerance in crop plants. *International Journal of Molecular Sciences* 21(21), 8258, **2020**. <https://doi.org/10.3390/ijms21218258>. (WoS/Scopus) [Review]
- 8560.** Monson RK, Winkler B, Rosenstiel TN, Block K, Merl-Pham J, Strauss SH, Ault K, Maxfield J, Moore DJP, Trahan NA, Neice AA, Shiach I, Barron-Gafford GA, Ibsen P, McCorkel JT, Bernhardt J, Schnitzler J-P. High productivity in hybrid-poplar plantations without isoprene emission to the atmosphere. *Proceedings of the National Academy of Sciences of the United States of America* 117(3), 1596-1605, **2020**. <https://doi.org/10.1073/pnas.1912327117>. (WoS/Scopus)
- 8561.** Sharma A, Kumar V, Shahzad B, Ramakrishnan M, Sidhu GPS, Bali AS, Handa N, Kapoor D, Yadav P, Khanna K, Bakshi P, Rehman A, Kohli SK, Khan EA, Parihar RD, Yuan H, Thukral AK, Bhardwaj R, Zheng B. Photosynthetic response of plants under different abiotic stresses: A Review. *Journal of Plant Growth Regulation* 39, 509-531, **2020**. <https://doi.org/10.1007/s00344-019-10018-x>. (WoS/Scopus)
- 8562.** Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020**. <https://doi.org/10.1093/jxb/eraa415>. (WoS/Scopus)
- 8563.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abaaand drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 8564.** Bashyal BM, Parmar P, Zaidi NWand Aggarwal R. Molecular programming of drought-challenged *Trichoderma harzianum*-bioprimered rice (*Oryza sativa* L.). *Frontiers in Microbiology* 12:655165, **2021**. <https://doi.org/10.3389/fmicb.2021.655165>. (WoS/Scopus)

- 8565.** Hudson DA. Drought-tolerant mechanisms of *Solanum habrochaites*. University of Arkansas at Little Rock, **PhD Thesis**, **2021**. <https://www.proquest.com/openview/2263621e8d16d4d748e2047f9849914e/1?pq-origsite=gscholar&cbl=18750&diss=y>.
- 8566.** Monson RK, Weraduwa SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
- 8567.** Muhammad I, Shalmani A, Ali M, Yang Q-H, Ahmad H and Li FB. Mechanisms regulating the dynamics of photosynthesis under abiotic stresses. *Frontiers in Plant Science* 11:615942, **2021**. <https://doi.org/10.3389/fpls.2020.615942>. (WoS/Scopus)
- 8568.** Ren J, Zhang H, Shi X, Ai X, Dong J, Zhao X, Zhong C, Jiang C, Wang J, Yu H. Genome-wide identification of key candidate microRNAs and target genes associated with peanut drought tolerance. *DNA and Cell Biology* 40(2): 373-383, **2021**. <http://doi.org/10.1089/dna.2020.6245>. (WoS/Scopus)
- 8569.** Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021**. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. (BOOK)
- 8570.** Xiang J, Qian K, Zhang Y, Chew J, Liang J, Zhu J, Zhang Y, Fan X. OsLSD1.1 is involved in the photosystem II reaction and affects nitrogen allocation in rice. *Plant Physiology and Biochemistry* 166:246-257, **2021**. <https://doi.org/10.1016/j.plaphy.2021.06.004>. (WoS/Scopus)
- 8571.** Yang Z, Bai C, Wang P, Fu W, Wang L, Song Z, Xi X, Wu H, Zhang G, Wu J. Sandbur drought tolerance reflects phenotypic plasticity based on the accumulation of sugars, lipids, and flavonoid intermediates and the scavenging of reactive oxygen species in the root. *International Journal of Molecular Sciences* 22(23):12615, **2021**. <https://doi.org/10.3390/ijms222312615>. (WoS/Scopus)
- 8572.** Zhang Y, Zhou J, Wei F, Song T, Yu Y, Yu M, Fan Q, Yang Y, Xue G, Zhang X. Nucleoredoxin gene TaNRX1 positively regulates drought tolerance in transgenic wheat (*Triticum aestivum* L.). *Frontiers in Plant Science* 12:756338, **2021**. <https://doi.org/10.3389/fpls.2021.756338>. (WoS/Scopus)
- 8573.** Aslam MM, Okal EJ, Idris AL, Qian Z, Xu W, Karanja JK, Wani SH, Yuan W. Rhizosphere microbiomes can regulate plant drought tolerance. *Pedosphere* 32(1), 61-74, **2022**. [https://doi.org/10.1016/S1002-0160\(21\)60061-9](https://doi.org/10.1016/S1002-0160(21)60061-9). (WoS/Scopus)
- 8574.** Bano N, Fakhrah S, Mohanty CS, Bag SK. Transcriptome Meta-analysis associated targeting hub genes and pathways of drought and salt stress responses in cotton (*Gossypium hirsutum*): a network biology approach. *Frontiers in Plant Science* 13:818472, **2022**. <https://doi.org/10.3389/fpls.2022.818472>. (WoS/Scopus)
- 8575.** Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. [BOOK]
- 8576.** Abdulmajeed AM, Qari SH, Alnusaire TS, Soliman MH. Chapter 2. Abiotic stress-mediated regulation of photosynthesis and modulations in photosynthetic apparatus: Impact on photosynthetic genes and enzyme functioning. In: Roychoudhury A (Ed.) *Photosynthesis and Respiratory Cycles During Environmental Stress Response in Plants*. © CRC Press Taylor & Francis Group, Apple Academic Press, Inc. ISBN: 978-1-00331-516-2 (ebk). pp. 13-46, **2023** (First edition). [BOOK]
- 8577.** Ahmad S, Belwal V, Punia SS, Ram M, Dalip, Rajput SS, Kunwar R, Meena MK, Gupta D, Kumawat GL, Hussain T, Mohamed HI. Role of plant secondary metabolites and phytohormones in drought tolerance: A Review. *Gesunde Pflanzen* 75, 729-746, **2023**. <https://doi.org/10.1007/s10343-022-00795-z>. (WoS/Scopus)
- 8578.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855-1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 8579.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]
- 8580.** Kulke M, Weraduwa SM, Sharkey TD, Vermaas JV. Nanoscale simulation of the thylakoid membrane response to extreme temperatures. *Plant, Cell & Environment* 46(8), 2419-22431, **2023**. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/pce.14609>. (WoS/Scopus)
- 8581.** Naikwade PV. Plant responses to drought stress: morphological, physiological, molecular approaches, and drought resistance. In: NM Desai, M Patil, UR Pawar (Eds) *Plant Metabolites under Environmental Stress. Mechanisms, Responses, and Adaptation Strategies*. Apple Academic Press. Chapter 7, pp. 149-183, **2023**. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003304869-8/plant-responses-drought-stress-morphological-physiological-molecular-approaches-drought-resistance-pratap-vyankatrao-naikwade>. [BOOK]
- 8582.** Sachdev S, Ansari SA, Ansari MI. Photosynthetic Apparatus: Major Site of Oxidative Damage. In: *Reactive Oxygen Species in Plants. The Right Balance*, pp. 75-92, **2023**. Springer, Singapore. https://doi.org/10.1007/978-981-19-9884-3_5. [BOOK]

- 8583.** Sarwar AG. Chapter 9. Medicinal plant *Hibiscus sabdariffa* L. and its responses to various stresses. In: Lafet AAHA (Ed) *Medicinal Plant Responses to Stressful Conditions*. CRC Press. Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). **2023**. <https://books.google.com/books?hl=en&lr=&id=A9C5EAAAQBAJ&oi=fnd&pg=PT250&ots=FW2qJGrhi-&sig=iIJSUmYebkwQ8fIQRInmK5gJfYs>. [BOOK]
- 8584.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. Secondary Metabolites in Environmental Stress Tolerance, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [BOOK]
- 8585.** Weraduwege SM, Sahu A, Kulke M, Vermaas JV, Sharkey. Characterization of promoter elements of isoprene-responsive genes and the ability of isoprene to bind START domain transcription factors. *Plant Direct* 7(2), e483, **2023**. <https://doi.org/10.1002/pld3.483>. (WoS/Scopus)
- 8586.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, part 2, art. 120693, **2023**. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 8587.** Yao T, Ding C, Che Y, Zhang Z, Cui C, Ji G, Song J, Zhang H, Ao H, Zhang H. Heterologous expression of *Zygophyllum xanthoxylon* zinc finger protein gene (ZxZF) enhances the tolerance of poplar photosynthetic function to drought stress. *Plant Physiology and Biochemistry* vol. 199, art. 107748, **2023**. <https://doi.org/10.1016/j.plaphy.2023.107748>. (WoS/Scopus)
- 8588.** Yu J, Khomenko I, Biasioli F, Li M, Varotto C. A novel isoprene synthase from the monocot tree *Copernicia prunifera* (Arecaceae) confers enhanced drought tolerance in transgenic Arabidopsis. *International Journal of Molecular Sciences* 24(20):15329, **2023**. <https://doi.org/10.3390/ijms242015329>. (WoS/Scopus)
- 8589.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate pathway in poplar. *International Journal of Molecular Sciences* 25(8):4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)
- 8590.** Weraduwege SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)
- [Centritto M, Haworth M, Marino G, Pallozi E, Tsonev T, Velikova V, Nogues I, Loreto F - Isoprene emission aids recovery of photosynthetic performance in transgenic *Nicotiana tabacum* following high intensity acute UV-B exposure. *Plant Science* 226, 82-91, 2014, ISSN: 0168-9452](#)
- 8591.** Feller U. Drought stress and carbon assimilation in a warming climate: Reversible and irreversible impacts, *Journal of Plant Physiology*, 203, 84-94, **2016** (WoS/Scopus)
- 8592.** Guidolotti G, Rey A, Medori M, Calfapietra C. Isoprenoids emission in *Stipa tenacissima* L.: Photosynthetic control and the effect of UV light, *Environmental Pollution* 208, B, 336-344, **2016**. (WoS/Scopus)
- 8593.** Machado F, Dias MC, de Pinho PG, Araújo AM, Pinto D, Silva A, Correia C, Moutinho-Pereira J, Santos C. Photosynthetic performance and volatile organic compounds profile in *Eucalyptus globulus* after UVB radiation, *Environmental and Experimental Botany*, 140, 141-149, **2017** (WoS/Scopus)
- 8594.** Cofer TM, Engelberth M, Engelberth J. Green leaf volatiles protect maize (*Zea mays*) seedlings against damage from cold stress. *Plant Cell and Environment* 41(7):1673-1682, **2018**, <https://doi.org/10.1111/pce.13204>. (WoS/Scopus)
- 8595.** Engelberth M, Selman SM, Engelberth J. In-cold exposure to Z-3-hexenal provides protection against ongoing cold stress in *Zea mays*. *Plants* 8(6), 165, **2019**. <https://doi.org/10.3390/plants8060165> (WoS/Scopus)
- 8596.** Zuo Z, Weraduwege SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. <https://doi.org/10.1104/pp.18.01391>. (WoS/Scopus)
- 8597.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abaaand drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 8598.** Zhou Y, Zeng L, Hou X, Liao Y, Yang Z. Low temperature synergistically promotes wounding-induced indole accumulation by inducer of CBF expression-mediated alterations of jasmonic acid signaling in *Camellia sinensis*. *Journal of Experimental Botany* 71(6), 2172-2185, **2020**. <https://doi.org/10.1093/jxb/erz570>. (WoS/Scopus)
- 8599.** Kordyuma E, Hasenstein KH. Plant biology for space exploration – Building on the past, preparing for the future. *Life Sciences in Space Research* 29:1-7, **2021**. Review. <https://doi.org/10.1016/j.lssr.2021.01.003>. (WoS/Scopus)
- 8600.** Pinto DCGA, Silva AMS. Valorisation of portuguese natural resources. *Phytochemistry Reviews* 20, 249–258, **2021**. <https://doi.org/10.1007/s11101-020-09666-9>. (WoS/Scopus)
- 8601.** Ahmad N, Irfan A, Ahmad HR, Salma H, Tahir M, Tamimi SA, Sajid Z, Liaquat G, Nadeem M, Ali M, Abbasi GH, Ayub MA. Impact of changing abiotic environment on photosynthetic adaptation in plants. In: Aftab T (Ed.) *New Frontiers in Plant-Environment Interactions*. *Environmental Science and Engineering*. Springer, Cham. Chapter, pp. 385-423, **2023**. https://doi.org/10.1007/978-3-031-43729-8_14. [BOOK]

- 8602.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. *Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [BOOK]
- 8603.** Yu J, Khomenko I, Biasioli F, Li M, Varotto C. A novel isoprene synthase from the monocot tree *Copernicia prunifera* (Arecaceae) confers enhanced drought tolerance in transgenic *Arabidopsis*. *International Journal of Molecular Sciences* 24(20):15329, **2023**. <https://doi.org/10.3390/ijms242015329>. (WoS/Scopus)
- [Tattini M, Loreto F, Fini A, Guidi L, Brunetti C, Velikova V, Gori A, Ferrini F - Isoprenoids and phenylpropanoids are part of the antioxidant defense orchestrated daily by drought stressed *Platanus x acerifolia* plants during Mediterranean summers. *New Phytologist* 207, 613-626, 2015. ISSN - 0028-646X](#)
- 8604.** Nogués I, Medori M, Calfapietra C - Limitations of monoterpene emissions and their antioxidant role in *Cistus* sp. under mild and severe treatments of drought and warming. *Environmental and Experimental Botany* 119: 76-86, **2015**, <http://dx.doi.org/10.1016/j.envexpbot.2015.06.001> (WoS/Scopus)
- 8605.** Simontacchi M, Galatro A, Ramos-Artuso F, Santa-Maria GE - Plant survival in a changing environment: The role of nitric oxide in plant responses to abiotic stress. *Frontiers in Plant Science* 6(9), article number 977, **2015** (Review) <https://doi.org/10.3389/fpls.2015.00977> (WoS/Scopus)
- 8606.** Gao X, Li C, Tang Y-L, Zhang H, Chan S-W - Effect of *Hedyotis diffusa* water extract on protecting human hepatocyte cells (LO₂) from H₂O₂-induced cytotoxicity. *Pharmaceutical Biology* 54(7), 1148-1155, **2016** <https://doi.org/10.3109/13880209.2015.1056310> (WoS/Scopus)
- 8607.** Lirong W, Pengshan Z, Xin Z, Xiaopeng W, Xiaofei M, Yi L - Physiological adaptations to osmotic stress and characterization of a polyethylene glycol-responsive gene in *Braya humilis*. *Acta Societatis Botanicorum Poloniae* 85(1), article number 3487, **2016** (WoS/Scopus)
- 8608.** Matus JT – Transcriptomic and metabolomic networks in the grape berry illustrate that it takes more than flavonoids to fight against ultraviolet radiation. *Frontiers in Plant Science* 7, art. No. 1337, 1-8 (e109777), **2016**, DOI: 10.3389/fpls.2016.01337 (WoS/Scopus)
- 8609.** Dadea C, Russo A, Tagliavini M, Mimo T, Zerbe S. Tree species as tools for biomonitoring and phytoremediation in urban environments: a review with special regard to heavy metals, *Arboriculture & Urban Forestry* 43(4):155-167, **2017** (WoS/Scopus)
- 8610.** Escobar-Bravo R, Klinkhamer PGL, Leiss KA – Interactive effects of UV-B light with abiotic factors on plant growth and chemistry, and their consequences for defence against arthropod herbivores. *Frontiers in Plant Science* 8: 278, **2017**, doi: 10.3389/fpls.2017.00278 (WoS/Scopus)
- 8611.** Fierravanti A, Fierravanti E, Coccozza C, Tognetti R, Rossi S. Eligible reference cities in relation to BVOC-derived O₃ pollution, *Urban Forestry & Urban Greening*, 28, 73-80, **2017** (WoS/Scopus)
- 8612.** Kavitha CH, Murugan K. Evaluation of nitric oxide content and DNA damage of *Dicranopteris linearis* in Lieu of desiccation stress. *Trends in Biosciences* 10 (20): 3942-3948, **2017** [http://trendsinbiosciencesjournal.com/upload/59-7953_\(C_H_KAVITHA\).pdf](http://trendsinbiosciencesjournal.com/upload/59-7953_(C_H_KAVITHA).pdf)
- 8613.** Kim J, Lee WJ, Vu TT, Jeong CY, Hong S-W, Lee H. High acclimation of anthocyanins via the ectopic expression of AtDFR confers significant salt stress tolerance in *Brassica napus* L., *Plant Cell Reports*, 36(8):1215-1224, **2017** (WoS/Scopus)
- 8614.** Li X-M, Zhang X-J, Dong M-X – Isorhynchophylline attenuates MPP⁺-induced apoptosis through endoplasmic reticulum stress- and mitochondria-dependent pathways in PC12 cells: involvement of antioxidant activity. *NeuroMolecular Medicine* 19(4): 480-492, **2017**, <https://doi.org/10.1007/s12017-017-8462-x> (WoS/Scopus)
- 8615.** Penella C, Calatayud A, Melgar JC – Ascorbic acid alleviates water stress in young peach trees and improves their performance after rewatering. *Frontiers in Plant Science* 8: 1627, **2017**, <https://doi.org/10.3389/fpls.2017.01627> (WoS/Scopus)
- 8616.** Peng L, Lang S, Wang Y, Pritchard HW, Wang X. Modulating role of ROS in re-establishing desiccation tolerance in germinating seeds of *Caragana korshinskii* Kom., *Journal of Experimental Botany*, 68, 13, 3585-3601, **2017** (WoS/Scopus)
- 8617.** Shaar-Moshe L, Blumwald E, Peleg Z. Unique physiological and transcriptional shifts under combinations of salinity, drought, and heat, *Plant Physiology* 174:421-434, **2017** (WoS/Scopus)
- 8618.** Xin M, Wang L, Liu Y, Feng Z, Zhou X, Qin Z – Transcriptome profiling of cucumber genome expression in response to long-term low nitrogen stress. *Acta Physiologiae Plantarum* 39: 130, **2017**, <https://doi.org/10.1007/s11738-017-2429-2> (WoS/Scopus)
- 8619.** Kusunoki K, Kobayashi Y, Kobayashi Y, Koyama H. Comparative characterization of aluminum responsive transcriptome in *Arabidopsis* roots: comparison with other rhizotoxic ions at different stress intensities. *Soil Science and Plant Nutrition* 64(4): 469-481, **2018**, <https://doi.org/10.1080/00380768.2018.1454253> (WoS/Scopus)
- 8620.** Taylor TC, McMahon SM, Smith MN, Boyle B, Violle C, van Haren J, Simova I, Meir P, Ferreira LV, de Camargo PB, da Costa ACL, Enquist BJ, Saleska SR. Isoprene emission structures tropical tree biogeography and community assembly responses to climate. *New Phytologist* 220 (2): 435-446, **2018**, <https://doi.org/10.1111/nph.15304> (WoS/Scopus)

- 8621.** Telli A. Antioxidant, antimicrobial and antidiabetic activity of tow wild plants used in the treatment of diabetes in Ouargla region: *Amodaucus leucotrichuset Anvillea radiata*. KASDI Merbah-Ouargla University, Algeria, **2018** <http://dspace.univ-ouargla.dz/jspui/handle/123456789/16526> (PhD Thesis)
- 8622.** Visakorpi K, Gripenberg S, Malhi Y, Bolas C, Oliveras I, Harris N, Rifai S, Riutta T. Small-scale indirect plant responses to insect herbivory could have major impacts on canopy photosynthesis and isoprene emission. *New Phytologist* 220: 799–810, **2018**. <https://doi.org/10.1111/nph.15338> (WoS/Scopus)
- 8623.** Araya M, Seelenfreund D, Buscaglia M, Peña-Ahumada B, Vera J, Egas C and Préndez M. Assessment of anthropogenic volatile organic compounds in leaves of two urban tree species in Santiago de Chile. *Frontiers in Forests and Global Change* 2:42, **2019**. <https://doi.org/10.3389/ffgc.2019.00042>. (WoS/Scopus)
- 8624.** Ederli L, Bianchet C, Paolocci F, Alqurashi M, Gehring C, Pasqualini S. Drought stress induces a biphasic NO accumulation in *Arabidopsis thaliana*. *Plant Signaling & Behavior* art. No e1573098-2, **2019**. <https://doi.org/10.1080/15592324.2019.1573098> (WoS/Scopus)
- 8625.** Junker-Frohn LV, Kleiber A, Jansen K, Gessler A, Kreuzwieser J, Ensminger I. Differences in isoprenoid-mediated energy dissipation pathways between coastal and interior Douglas-fir seedlings in response to drought. *Tree Physiology* 39(10): 1750-1766, **2019**. <https://doi.org/10.1093/treephys/tpz075>. (WoS/Scopus)
- 8626.** Li X, Peng T, Mu L, Hu X. Phytotoxicity induced by engineered nanomaterials as explored by metabolomics: Perspectives and challenges. *Ecotoxicology and Environmental Safety* 184, art. number 109602, **2019**. <https://doi.org/10.1016/j.ecoenv.2019.109602>. (WoS/Scopus)
- 8627.** Liu B, dos Santos BM, Kanagendran A, Neilson EHJ, Niinemets Ü. Ozone and wounding stresses differently alter the temporal variation in formylated phloroglucinols in *Eucalyptus globulus* leaves. *Metabolites* 9, 46, **2019**. <https://doi.org/10.3390/metabo9030046>. (WoS/Scopus)
- 8628.** Parveen S, Harun-Ur- Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**. <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
- 8629.** Reshef N, Fait A, Agam N. Grape berry position affects the diurnal dynamics of its metabolic profile. *Plant, Cell & Environment* 42(6):1897-1912, **2019**. <https://doi.org/10.1111/pce.13522> (WoS/Scopus)
- 8630.** Smirnoff N, Arnaud D. Hydrogen peroxide metabolism and functions in plants. *New Phytologist* 221(3):1197-1214, **2019**, <https://doi.org/10.1111/nph.15488> (WoS/Scopus)
- 8631.** Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell and Environment* 42(8):2448-2457, **2019**. <https://doi.org/10.1111/pce.13564> (WoS/Scopus)
- 8632.** Zhang X, Zhang H, Lou X, Tang M. Mycorrhizal and non-mycorrhizal *Medicago truncatula* roots exhibit differentially regulated NADPH oxidase and antioxidant response under Pb stress. *Environmental and Experimental Botany* 164:10-19, **2019**. <https://doi.org/10.1016/j.envexpbot.2019.04.015> (WoS/Scopus)
- 8633.** Aliyeva DR, Aydinli LM, Zulfugarov IS, Huseynova IM. Diurnal changes of the ascorbate-glutathione cycle components in wheat genotypes exposed to drought. *Functional Plant Biology* 47(11), 998-1006, **2020**. <https://doi.org/10.1071/FP19375>. (WoS/Scopus)
- 8634.** Docimo T, De Stefano R, Cappetta E, Piccinelli AL, Celano R, De Palma M, Tucci M. Physiological, biochemical, and metabolic responses to short and prolonged saline stress in two cultivated cardoon genotypes. *Plants* 9(5), 554, **2020**. <https://doi.org/10.3390/plants9050554>. (WoS/Scopus)
- 8635.** Faralli M, Li M, Varotto C. Shoot characterization of isoprene and ocimene-emitting transgenic arabidopsis plants under contrasting environmental conditions. *Plants* 9(4), 477, **2020**. <https://doi.org/10.3390/plants9040477>. (WoS/Scopus)
- 8636.** Ferracci V, Bolas CG, Freshwater RA, Staniaszek Z, King T, Jaars K, Otu-Larbi F, Beale J, Malhi Y, Waine TW, Jones RL, Ashworth K, NRP Harris NRP. Continuous isoprene measurements in a UK temperate forest for a whole growing season: Effects of drought stress during the 2018 heatwave. *Geophysical Research Letters* 47 (15), e2020GL088885, **2020**. <https://doi.org/10.1029/2020GL088885>. (WoS/Scopus)
- 8637.** Geng D, Shen X, Xie Y, Yang Y, Bian R, Gao Y, Li P, Sun L, Feng H, Ma F, Guan Q. Regulation of phenylpropanoid biosynthesis by MdMYB88 and MdMYB124 contributes to pathogen and drought resistance in apple. *Horticulture Research* 7, art. num. 102, **2020**. <https://doi.org/10.1038/s41438-020-0324-2>. (WoS/Scopus)
- 8638.** Graziani G, Docimo T, Palma MD, Sparvoli F, Izzo L, Tucci M, Ritieni A. Changes in phenolics and fatty acids composition and related gene expression during the development from seed to leaves of three cultivated cardoon genotypes. *Antioxidants* 9(11), 1096, **2020**. <https://doi.org/10.3390/antiox9111096>. (WoS/Scopus)
- 8639.** Hao L, Liu X, Zhang X, Sun B, LIU C, Zhang D, Tang H, Li C, Li Y, Shi Y, Xie X, Song Y, Wang T, Li Y. Genome-wide identification and comparative analysis of drought related genes in roots of two maize inbred lines with contrasting drought tolerance by RNA sequencing. *Journal of Integrative Agriculture* 19(2): 449-464, **2020**. [https://doi.org/10.1016/S2095-3119\(19\)62660-2](https://doi.org/10.1016/S2095-3119(19)62660-2). (WoS/Scopus)
- 8640.** Koleva-Valkova L, Harizanova A. Deranged physiology of peach. In: Merillon JM., Ramawat K. (eds) *Co-Evolution of Secondary Metabolites. Reference Series in Phytochemistry*. Springer, Cham, pp. 377-401. **2020**. https://doi.org/10.1007/978-3-319-76887-8_31-1. (WoS/Scopus)
- 8641.** Kumar V, Hatan E, Bar E, Davidovich-Rikanati R, Doron-Faigenboim A, Spitzer-Rimon B, Elad Y, Alkan N, Lewinsohn E, Oren-Shamir M. Phenylalanine increases Chrysanthemum flower immunity against *Botrytis cinerea* attack. *The Plant Journal* 104(1), 226-240, **2020**. <https://doi.org/10.1111/tpj.14919>. (WoS/Scopus)

- 8642.** Libik-Konieczny M, Michalec-Warzecha Ż, Dziurka M, Zastawny O, Konieczny R, Rozpadek P, Pistelli L. Steviol glycosides profile in *Stevia rebaudiana* Bertoni hairy roots cultured under oxidative stress-inducing conditions. *Applied Microbiology and Biotechnology* 104, 5929-5941, **2020**. <https://doi.org/10.1007/s00253-020-10661-5>. (WoS/Scopus)
- 8643.** Mia MS, Liu H, Wang X, Zhang C, Yan G. Root transcriptome profiling of contrasting wheat genotypes provides an insight to their adaptive strategies to water deficit. *Scientific Reports* 10, 4854, **2020**. <https://doi.org/10.1038/s41598-020-61680-1>. (WoS/Scopus)
- 8644.** Moenga SM, Gai Y, Carrasquilla-Garcia N, Perilla-Henao LM, Cook DR. Gene co-expression analysis reveals transcriptome divergence between wild and cultivated chickpea under drought stress. *The Plant Journal* 104(5):1195-1214, **2020**. <https://doi.org/10.1111/tpj.14988> WoS and Scopus
- 8645.** Rai K, Agrawal SB. Effect on essential oil components and wedelolactone content of a medicinal plant *Eclipta alba* due to modifications in the growth and morphology under different exposures of ultraviolet-B. *Physiology and Molecular Biology of Plants* 26, 773-792, **2020**. <https://doi.org/10.1007/s12298-020-00780-8>. (WoS/Scopus)
- 8646.** Röhlen-Schmittgen S, Ellenberger J, Groher T, Hunsche M. Boosting leaf contents of rutin and solanesol in bio-waste of *Solanum lycopersicum*. *Plant Physiology and Biochemistry* 155, 888-897, **2020**. <https://doi.org/10.1016/j.plaphy.2020.08.035>. (WoS/Scopus)
- 8647.** Sun Z, Shen Y, Niinemets Ü. Responses of isoprene emission and photochemical efficiency to severe drought combined with prolonged hot weather in hybrid *Populus*. *Journal of Experimental Botany* 71(22), 7364-7381, **2020**. <https://doi.org/10.1093/jxb/eraa415>. (WoS/Scopus)
- 8648.** Xiao Y, Wu X, Sun M, Peng F. Hydrogen sulfide alleviates waterlogging-induced damage in peach seedlings via enhancing antioxidative system and inhibiting ethylene synthesis. *Frontiers in Plant Science* 11, art. number 696, **2020**. <https://doi.org/10.3389/fpls.2020.00696>. (WoS/Scopus)
- 8649.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects abaaand drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (WoS/Scopus)
- 8650.** Xu S, Sardans J, Zhang J, Peñuelas J. Variations in foliar carbon:nitrogen and nitrogen:phosphorus ratios under global change: a meta-analysis of experimental field studies. *Scientific Reports* 10, article number: 12156, **2020**. <https://doi.org/10.1038/s41598-020-68487-0>. (WoS/Scopus)
- 8651.** Zhao Y, Wei X, Long Y, Ji X. Transcriptional analysis reveals sodium nitroprusside affects alfalfa in response to PEG-induced osmotic stress at germination stage. *Protoplasma* 257, 1345-1358, **2020**. <https://doi.org/10.1007/s00709-020-01508-x>. (WoS/Scopus)
- 8652.** Askari-Khorasgani O, Rehmani MIA, Wani SH, Kumar A. Osmotic stress. an outcome of drought and salinity. In: M Pessarakli (Ed.) *Handbook of Plant and Crop Physiology*, 4th Edition, CRC Press, 1200 pp, **2021**. <https://doi.org/10.1201/9781003093640>. (eBook)
- 8653.** Bertamini M, Faralli M, Varotto C, Grando MS, Cappellin L. Leaf monoterpene emission limits photosynthetic downregulation under heat stress in field-grown grapevine. *Plants* 10(1), 181, **2021**. <https://doi.org/10.3390/plants10010181>. (WoS/Scopus)
- 8654.** Dong T, Sha Y, Liu H, Sun L. Altitudinal variation of metabolites, mineral elements and antioxidant activities of *Rhodiola crenulata* (Hook.f. & Thomson) H.Ohba. *Molecules* 26(23):7383, **2021**. <https://doi.org/10.3390/molecules26237383>. (WoS/Scopus)
- 8655.** Huang H-Y, Ren Q-Q, Lai Y-H, Peng M-Y, Zhang J, Yang L-T, Huang Z-R, Chen L-S. Metabolomics combined with physiology and transcriptomics reveals how *Citrus grandis* leaves cope with copper-toxicity. *Ecotoxicology and Environmental Safety* 223, 112579, **2021**. <https://doi.org/10.1016/j.ecoenv.2021.112579>. (WoS/Scopus)
- 8656.** Li M, Wang H, Zhao X, Lu Z, Sun X, Ding G. Role of *Suillus placidus* in improving the drought tolerance of masson pine (*Pinus massoniana* Lamb.) seedlings. *Forests* 12(3), 332, **2021**. <https://doi.org/10.3390/f12030332>. (WoS/Scopus)
- 8657.** Li N, Wang X, Ma B, Wu Z, Zheng L, Qi Z, Wang Y. A leucoanthocyanidin dioxygenase gene (RtLDOX2) from the feral forage plant *Reaumuria trigyna* promotes the accumulation of flavonoids and improves tolerance to abiotic stresses. *Journal of Plant Research* 134, 1121-1138, **2021**. <https://doi.org/10.1007/s10265-021-01315-2>. (WoS/Scopus)
- 8658.** Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
- 8659.** Otu-Larby F. Understanding the role of abiotic stress in biosphere-atmosphere exchange of reactive trace gases. Lancaster University, UK, **2021**. 227 p. <https://doi.org/10.17635/lancaster/thesis/1345>. (PhD Thesis)
- 8660.** Rahimi Y, Ingvarsson PK, Bihamta MR, Alipour H, Taleei A, Khoshnoodi Jabar Abadi S. Characterization of dynamic regulatory gene and protein networks in wheat roots upon perceiving water deficit through comparative transcriptomics survey. *Frontiers in Plant Science* 12:710867, **2021**. <https://doi.org/10.3389/fpls.2021.710867>. (WoS/Scopus)
- 8661.** Telagathoti A, Probst M, Khomenko I, Biasioli F, Peintner U. High Throughput Volatilome Fingerprint Using PTR-ToF-MS Shows Species-Specific Patterns in *Mortierella* and Closely Related Genera. *Journal of Fungi* 7, 66, **2021**. <https://doi.org/10.3390/jof7010066>. (WoS/Scopus)

- 8662.** Weng J, Li P, Rehman A, Wang L, Gao X, Niu Q. Physiological response and evaluation of melon (*Cucumis melo* L.) germplasm resources under high temperature and humidity stress at seedling stage. *Scientia Horticulturae* 288, 110317, **2021**. <https://doi.org/10.1016/j.scienta.2021.110317>. (WoS/Scopus)
- 8663.** Yang Z, Bai C, Wang P, Fu W, Wang L, Song Z, Xi X, Wu H, Zhang G, Wu J. Sandbur drought tolerance reflects phenotypic plasticity based on the accumulation of sugars, lipids, and flavonoid intermediates and the scavenging of reactive oxygen species in the root. *International Journal of Molecular Sciences* 22(23):12615, **2021**. <https://doi.org/10.3390/ijms222312615>. (WoS/Scopus)
- 8664.** González-Coria J, Lozano-Castellón J, Jaime-Rodríguez C, Olmo-Cunillera A, Laveriano-Santos EP, Pérez M, Lamuela-Raventós RM, Puig J, Vallverdú-Queralt A, Romanyà J. The effects of differentiated organic fertilization on tomato production and phenolic content in traditional and high-yielding varieties. *Antioxidants* 11(11): 2127, **2022**. <https://doi.org/10.3390/antiox11112127>. (WoS/Scopus)
- 8665.** Kaser L, Peron A, Graus M, Striednig M, Wohlfahrt G, Jurán S, Karl T. Interannual variability of terpenoid emissions in an alpine city. *Atmospheric Chemistry and Physics* 22(8), 5603–5618, **2022**. <https://doi.org/10.5194/acp-22-5603-2022>. (WoS/Scopus)
- 8666.** Lai N-W, Zheng Z-C, Hua D, Zhang J, Chen H-H, Ye X, Huang Z-R, Guo J, Yang L-T, Chen L-S. Molecular and physiological responses of citrus sinensis leaves to long-term low pH revealed by RNA-seq integrated with targeted metabolomics. *International Journal of Molecular Sciences* 23(10): 5844, **2022**. <https://doi.org/10.3390/ijms23105844>. (WoS/Scopus)
- 8667.** Li M, Zhang Y, Xu X, Chen Y, Chu J, Yao X. The combined treatments of brassinolide and zeaxanthin better alleviate oxidative damage and improve hypocotyl length, biomass, and the quality of radish sprouts stored at low temperature. *Food Chemistry: X*, Vol. 15, art. 100394, **2022**. <https://doi.org/10.1016/j.fochx.2022.100394>. (WoS/Scopus)
- 8668.** Lian WH, Sun R, Zhang LX, Sun TX, Hui F, Feng L, Zhao Y. PgLEA, a gene for late embryogenesis abundant protein from *Panax ginseng*, enhances drought and salt tolerance in transgenic *Arabidopsis thaliana*. *Biologia Plantarum* 66: 83-95, **2022**. <https://bp.ueb.cas.cz/pdfs/bpl/2022/01/17.pdf>. (WoS/Scopus)
- 8669.** Opacka B, Müller J-F, Stavrakou T, Miralles DG, Koppa A, Pagán BR, Potosnak MJ, Seco R, De Smedt I, Guenther AB. Impact of drought on isoprene fluxes assessed using field data, satellite-based GLEAM soil moisture and HCHO observations from OMI. *Remote Sensing* 14(9):2021, **2022**. <https://doi.org/10.3390/rs14092021>. (WoS/Scopus)
- 8670.** Ren Q-Q, Huang Z-R, Huang W-L, Huang W-T, Chen H-H, Yang L-T, Ye X, Chen L-S. Physiological and molecular adaptations of Citrus grandis roots to long-term copper excess revealed by physiology, metabolome and transcriptome. *Environmental and Experimental Botany* v. 203, art. 105049, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105049>. (WoS/Scopus)
- 8671.** Saraví Cisneros H, Bertiller MB, Furlong JJP, Carrera AL. Similar structural complexity of phenols in plant morphotypes with contrasting soluble phenol concentration and richness in arid rangelands of Patagonia. *Flora* vol. 295, art. 152134, **2022**. <https://doi.org/10.1016/j.flora.2022.152134>. (WoS/Scopus)
- 8672.** Sousa ARO, Silva EMA, Filho MAC, Costa MGC, Filho WSS, Micheli F, Maserti B, Gesteira AS. Metabolic responses to drought stress and rehydration in leaves and roots of three *Citrus scion*/rootstock combinations. *Scientia Horticulturae* v. 292, art. 110490, **2022**. <https://doi.org/10.1016/j.scienta.2021.110490>. (WoS/Scopus)
- 8673.** Wu B-S, Zhang J, Huang W-L, Yang L-T, Huang Z-R, Guo J, Wu J, Chen L-S. Molecular mechanisms for pH-mediated amelioration of aluminum-toxicity revealed by conjoint analysis of transcriptome and metabolome in *Citrus sinensis* roots. *Chemosphere* v. 299, art.134335, **2022**. <https://doi.org/10.1016/j.chemosphere.2022.134335>. (WoS/Scopus)
- 8674.** Zhang J, Chen X-F, Huang W-T, Chen H-H, Lai N-W, Yang L-T, Huang Z-R, Guo J, Ye X, Chen L-S. Mechanisms for increased pH-mediated amelioration of copper toxicity in *Citrus sinensis* leaves using physiology, transcriptomics and metabolomics. *Environmental and Experimental Botany* v. 196, art. 104812, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.104812>. (WoS/Scopus)
- 8675.** Akbari A, Ismaili A, Amirbakhtiar N, Pouresmael M, Z-S Shobbar. Genome-wide transcriptional profiling provides clues to molecular mechanisms underlying cold tolerance in chickpea. *Scientific Reports* vol. 13, art. 6279, **2023**. <https://doi.org/10.1038/s41598-023-33398-3>. (WoS/Scopus)
- 8676.** Bertić M, Zimmer I, Andrés-Montaner D, Rosenkranz M, Kangasjärvi J, Schnitzler J-P, Ghirardo A. Automatization of metabolite extraction for high throughput metabolomics: case study on transgenic isoprene-emitting birch. *Tree Physiology* 43(10), 1855-1869, **2023**. <http://dx.doi.org/10.1093/treephys/tpad087>. (WoS/Scopus)
- 8677.** Cregg B, Rouse R, Ellison-Smith D. Genotypic variation in water relations and gas exchange of urban trees in Detroit, Michigan, USA. *Urban Forestry & Urban Greening* vol. 81, art. 127858, **2023**. <https://doi.org/10.1016/j.ufug.2023.127858>. (WoS/Scopus)
- 8678.** Docherty EM, Gloor E, Sponchiado D, Gilpin M, Pinto CAD, Junior HM, I Coughlin, L Ferreira, JAS Junior, ACL da Costa, P Meir, D Galbraith. Long-term drought effects on the thermal sensitivity of Amazon forest trees. *Plant, Cell & Environment* 46(1), 185-198, **2023**. <https://doi.org/10.1111/pce.14465>. (WoS/Scopus)
- 8679.** Gömöry D, Ditmarová L, Hrivnák M, Jamnická G, Konôpková A, Krajmerová D, Kurjak D, Marešová J. Inconsistent phenotypic differentiation at physiological traits in Norway spruce (*Picea abies* Karst.) provenances under contrasting water regimes. *Central European Forestry Journal* 69(4), 214-223, **2023**. <https://doi.org/10.2478/forj-2023-0010>. (WoS/Scopus)

- 8680.** Huang J, Hartmann H, Ogaya R, Schöning I, Reichelt M, Gershenzon J, Peñuelas J. Hormone and carbohydrate regulation of defense secondary metabolites in a Mediterranean forest during drought. *Environmental and Experimental Botany* v. 209, art. 105298, **2023**. <https://doi.org/10.1016/j.envexpbot.2023.105298>. (WoS/Scopus)
- 8681.** Humaira, Wani S, Bashir N, Najeeb-ul-tarfeen, Dijoo ZK, Khair-ul-nisa. Interaction of ethylene and H₂S in plant stress management. In: Fatma M, Sehar Z, Khan NA (eds) *Gasotransmitters Signaling in Plant Abiotic Stress. Signaling and Communication in Plants*. Springer, Cham. pp. 197-221, **2023**. https://doi.org/10.1007/978-3-031-30858-1_10. ISSN 1867-9048 ISSN 1867-9056 (electronic). ISBN 978-3-031-30857-4 ISBN 978-3-031-30858-1 (eBook) [BOOK]
- 8682.** Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: Moringa oleifera under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). **2023** (First edition). [BOOK]
- 8683.** Naseer MA, Nengyan Z, Ejaz I, Hussain S, Asghar MA, Farooq M, Rui Q, Ullah A, Xiaoli C, Xiaolong R. Physiological mechanisms of grain yield loss under combined drought and shading stress at the post-silking stage in maize. *Journal of Soil Science and Plant Nutrition* 23, 1125-1137, **2023**. <https://doi.org/10.1007/s42729-022-01108-z>. (WoS/Scopus)
- 8684.** Patel MK, Maurer D, Feyngenberg O, Duanis-Assaf D, Sela N, Ovadia R, Oren-Shamir M, Alkan N. Revealing the mode of action of Phenylalanine application in inducing fruit resistance to fungal pathogens. *Postharvest Biology and Technology*, vol. 199, art. 112298, **2023**. <https://doi.org/10.1016/j.postharvbio.2023.112298>. (WoS/Scopus)
- 8685.** Rehman A, Weng J, Li P, Shah IH, ur Rahman S, Khalid M, Manzoor MA, Chang L, Niu Q. Green synthesized Zinc oxide nanoparticles confer drought tolerance in melon (*Cucumis melo* L.). *Environmental and Experimental Botany* vol. 212, art. 105384, **2023**. <https://doi.org/10.1016/j.envexpbot.2023.105384>. (WoS/Scopus)
- 8686.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants*, Volume 1. *Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. (WoS/Scopus) [BOOK]
- 8687.** Singh A, Roychoudhury A. Chapter 16. Protective chemicals and metabolites in stabilizing photosynthesis and respiration machinery during abiotic stresses. In: Roychoudhury A (Ed.) *Photosynthesis and Respiratory Cycles During Environmental Stress Response in Plants*. © CRC Press Taylor & Francis Group, Apple Academic Press, Inc. ISBN: 978-1-00331-516-2 (ebk). pp. 351-372, **2023** (First edition). [BOOK]
- 8688.** Tóth EG, Cseke K, Benke A, Lados BB, Tomov VT, Zhelev P, Kámpel JD, Borovics A, Köbölkuti ZA. Key triggers of adaptive genetic variability of sessile oak [*Q. petraea* (Matt.) Liebl.] from the Balkan refugia: outlier detection and association of SNP loci from ddRAD-seq data. *Heredity* 131, 130-144, **2023**. <https://doi.org/10.1038/s41437-023-00629-2>. (WoS/Scopus)
- 8689.** Wu B-S, Huang W-T, Rao R-Y, Chen W-S, Hua D, Lai N-W, Wu J, Yang L-T, Chen L-S. Integrated analysis of transcriptome, metabolome and physiology revealed the molecular mechanisms for elevated pH-mediated-mitigation of aluminum-toxicity in *Citrus sinensis* leaves. *Scientia Horticulturae* v. 322, art. 112391, **2023**. <https://doi.org/10.1016/j.scienta.2023.112391>. (WoS/Scopus)
- 8690.** Wu H, Li J, Pu Q, Mi C, Zeng G, Chen Y, Kong D, Zuo X, Hu X, Li O. Physiological and transcriptome analysis of *Dendrobium officinale* under low nitrogen stress. *Functional Plant Biology* 50(4), 314-334, **2023**. <https://doi.org/10.1071/FP22061>. (WoS/Scopus)
- 8691.** Wuerz M. The volatilome of the cnidarian-dinoflagellate symbiosis. **PhD Thesis** Victoria University of Wellington, USA. **2023**. https://openaccess.wgtn.ac.nz/articles/thesis/The_volatilome_of_the_cnidarian-dinoflagellate_symbiosis/22976435. [PhD Thesis]
- 8692.** Yang W, Zhang B, Wu Y, Liu S, Kong F, Li L. Effects of soil drought and nitrogen deposition on BVOC emissions and their O₃ and SOA formation for *Pinus thunbergii*. *Environmental Pollution* v. 316, part 2, art. 120693, **2023**. <https://doi.org/10.1016/j.envpol.2022.120693>. (WoS/Scopus)
- 8693.** Zhang B, Sun M, Liu W, M Lian, S Yang, F Peng, Y Xiao. Waterlogging resistance and evaluation of physiological mechanism of three peach (*Prunus persica*) rootstocks. *Protoplasma* 260, 1375-1388, **2023**. <https://doi.org/10.1007/s00709-023-01850-w>. (WoS/Scopus)
- 8694.** Afzal M, Muhammad S, Tan D, Kaleem S, Khattak AA, Wang X, Chen X, Ma L, Mo J, Muhammad N, Jan M, Tan Z. The effects of heavy metal pollution on soil nitrogen transformation and rice volatile organic compounds under different water management practices. *Plants* 13(6):871, **2024**. <https://doi.org/10.3390/plants13060871>. (WoS/Scopus)
- 8695.** Ghirardo A, Brilli F. Analysis of volatile organic compounds. In: Carla António (Ed.) *Monitoring Forest Damage with Metabolomics Methods*. Chapter 6. Series: *WILEY Series on mass spectrometry*. pp. 127-186, **2024**. <https://doi.org/10.1002/9781119868750.ch6>. [BOOK]
- 8696.** Jayaweera DP, Dambire C, Angelopoulou D, Munné-Bosch S, Swarup R, Ray RV. Physiological, molecular, and genetic mechanism of action of the biostimulant Quantis™ for increased thermotolerance of potato (*Solanum tuberosum* L.). *Chemical and Biological Technologies in Agriculture* 11, art. 9, **2024**. <https://doi.org/10.1186/s40538-023-00531-3>. (WoS/Scopus)

8697. Liu T, Xu H, Amanullah S, Du Z, Hu X, Che Y, Zhang L, Jiang Z, Zhu L, Wang D. Deciphering the enhancing impact of exogenous brassinolide on physiological indices of melon plants under downy mildew-induced stress. *Plants* 13(6):779, **2024**. <https://doi.org/10.3390/plants13060779>. (WoS/Scopus)
8698. Reinecke A, Flaig IC, Lozano YM, Rillig MC, Hilker M. Drought induces moderate, diverse changes in the odour of grassland species. *Phytochemistry* v. 221, art. 114040, **2024**. <https://doi.org/10.1016/j.phytochem.2024.114040>. (WoS/Scopus)
8699. Srikanth P, Maxton A, Masih SA, Sofo A, Khan NA. Isoprene: an antioxidant to guard plants against stress. *International Journal of Plant Biology* 15(1): 161-174, **2024**. <https://doi.org/10.3390/ijpb15010013>. (WoS/Scopus)
- [Ahrar M, Doneva D, Koleva D, Romano A, Rodeghiero M, Tsonev T, Biasioli F, Stefanova M, Peeva V, Wohlfahrt G, Loreto F, Varotto C, Velikova V - Isoprene emission in the monocot Arundineae tribe in relation to functional and structural organization of the photosynthetic apparatus. *Environmental and Experimental Botany* 119: 87-95, 2015](#)
8700. Karwasz GP. Aristotle's three souls in modern science: Re-reading de anima, *Cauriensia*, XIII, 429-458, **2018** <http://www.cauriensia.es/index.php/cauriensia/article/view/XIII-EM5> (WoS/Scopus)
8701. Docimo T, De Stefano R, De Palma M, Cappetta E, Villano C, Aversano R, Tucci M. Transcriptional, metabolic and DNA methylation changes underpinning the response of *Arundo donax* ecotypes to NaCl excess. *Planta* 251: 34, **2020**. <https://doi.org/10.1007/s00425-019-03325-w>. (WoS/Scopus)
8702. Zhang Y, Du W, Zhang Y, Z Wang, H Li, H Xia, S Fan, L Kong. Metabolic analysis reveals temporal changes in C/N metabolites and senescence of flag leaf in wheat during grain filling. *Acta Physiologiae Plantarum* 43, 104, **2021**. <https://doi.org/10.1007/s11738-021-03272-8>. (WoS/Scopus)
- [Velikova V, Müller C, Ghirardo A, Rock TM, Aichler M, Walch A, Schmitt-Kopplin P, Schnitzler JP - Knocking down isoprene emission modifies the lipid matrix of thylakoid membranes and influences the chloroplast ultrastructure in poplar. *Plant Physiology* 168: 859-870, 2015](#)
8703. Harvey CM, Li Z, Tjellström H, Blanchard GJ, Sharkey TD. Concentration of isoprene in artificial and thylakoid membranes, *Journal of Bioenergetics and Biomembranes* 47, 5, 419-429, **2015** (WoS/Scopus)
8704. Kaling M. Mass-spectrometric characterization of stress-induced metabolite profiles in poplar. Technical University, Munich, Germany, **2016**, **PhD Thesis** <https://mediatum.ub.tum.de/doc/1292691/document.pdf>
8705. Sicard P, Augustaitis A, Belyazid S, Calfapietra C, de Marco A, Fenn M, Bytnerowicz A, Grulke N, He S, Matyssek R, Serengil Y, Wieser G, Paoletti E. Global topics and novel approaches in the study of air pollution, climate change and forest ecosystems, *Environmental Pollution* 213, 977-987, **2016** (WoS/Scopus)
8706. Tiwari A, Grote R, Churkina G, Butler T – Ozone damage, detoxification and the role of isoprenoids – new impetus for integrated models. *Functional Plant Biology* 43(4), 324-336, **2016** <http://dx.doi.org/10.1071/FP15302> (WoS/Scopus)
8707. Fini A, Brunetti , Loreto F, Centritto M, Ferrini F, Tattini M – Isoprene responses and functions in plants challenged by environmental pressures associated to climate change. *Frontiers in Plant Science* 8:1281, **2017** (WoS/Scopus)
8708. Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrin E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L., Tree Physiology*, vol 7. Springer, Cham., **2017** **SOURCE: Web of Science**
8709. Sousa VF. Interactions between temperature, intercellular CO₂ concentration, light and a unifying conceptual model response in controlling leaf isoprene emission rates. Instituto Nacional de Pesquisas da Amazonia – INPA, Manaus, Amazonas – AM, Brazil, **PhD Thesis**, **2017** http://bdtd.inpa.gov.br/bitstream/tede/2396/5/TESES_2.1.Vinicius.ATA_Ficha_Vers%c3%a3o%20final.pdf
8710. Brunetti C, Loreto F, Ferrini F, Gori A, Guidi L, Remorini D, Centritto M, Fini A, Tattini M. Metabolic plasticity in the hydrophyte *Moringa oleifera* exposed to water stress. *Tree Physiology* 38(11):1640-1654, **2018**. <https://doi.org/10.1093/treephys/tpy089> (WoS/Scopus)
8711. Pichersky E, Raguso RA. Why do plants produce so many terpenoid compounds? *New Phytologist* 220 (3): 692–702, **2018**; <https://doi.org/10.1111/nph.14178> (Review) (WoS/Scopus)
8712. Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. <https://doi.org/10.1111/pce.13629>. (Review). (WoS/Scopus)
8713. Parveen S, Harun-Ur- Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**. <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
8714. Pollastri S, Jorba I, Hawkins TJ, Llusà J, Michelozzi M, Navajas D, Penuelas J, Hussey PJ, Knight MR, Loreto F. Leaves of isoprene-emitting tobacco plants maintain PSII stability at high temperatures. *New Phytologist* 223(3):1307-1318, **2019** (WoS/Scopus)
8715. Xie Y, Li X, Huang X, Han S, Amombo E, Wassie M, Chen L, Fu J. Characterization of the Cd-resistant fungus *Aspergillus aculeatus* and its potential for increasing the antioxidant activity and photosynthetic efficiency of rice. *Ecotoxicology and Environmental Safety* 171:373-381, **2019**. <https://doi.org/10.1016/j.ecoenv.2018.11.123>. (WoS/Scopus)

8716. Li J, Liu L-N, Meng Q, Fan H, Sui N. The roles of chloroplast membrane lipids in abiotic stress responses. *Plant Signaling & Behavior* 15(11), art. number 1807152, **2020**. <https://doi.org/10.1080/15592324.2020.1807152>. (WoS/Scopus) (**Review**)

8717. Ormeño E, Viros J, Mévy J-Ph, Tonetto A, Saunier A, Bousquet-Mélou A, Fernandez C. Exogenous isoprene confers physiological benefits in a negligible isoprene emitter (*Acer monspessulanum* L.) under water deficit. *Plants* 9(2), 159, **2020**. <https://doi.org/10.3390/plants9020159>. (WoS/Scopus)

8718. Giordano D, Facchiano A, D'Auria S, Loreto F. A hypothesis on the capacity of plant odorant-binding proteins to bind volatile isoprenoids based on in silico evidences. *eLife* 10:e66741, **2021**. DOI: <https://doi.org/10.7554/eLife.66741>. (WoS/Scopus)

8719. Guidi L, Tattini M. Antioxidant defenses in plants: A dated topic of current interest. *Antioxidants* 10(6):855, **2021**. <https://doi.org/10.3390/antiox10060855>. (WoS/Scopus)

8720. Liu B, Zhang L, Rusalepp L, Kaurilind E, Sulaiman HY, Püssa T, Niinemets Ü. Heat priming improved heat tolerance of photosynthesis, enhanced terpenoid and benzenoid emission and phenolics accumulation in *Achillea millefolium*. *Plant, Cell & Environment* 44(7):2365-2385, **2021**. <https://doi.org/10.1111/pce.13830>. (WoS/Scopus)

8721. Pollastri S, Baccelli I, Loreto F. Isoprene: An antioxidant itself or a molecule with multiple regulatory functions in plants? *Antioxidants* 10(5):684, **2021**. <https://doi.org/10.3390/antiox10050684>. (WoS/Scopus)

8722. Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, **2021**. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. (**BOOK**)

8723. Feng K, Kan X-Y, Li R, Yan Y-J, Zhao S-P, Wu P, Li L-J. Integrative analysis of long- and short-read transcriptomes identify the regulation of terpenoids biosynthesis under shading cultivation in *Oenanthе javanica*. *Frontiers in Genetics* 13:813216, **2022**. <https://doi.org/10.3389/fgene.2022.813216>. (WoS/Scopus)

8724. Loreto F, D'Auria S. How do plants sense volatiles sent by other plants? *Trends in Plant Science* 27(1), 29-38, **2022**. <https://doi.org/10.1016/j.tplants.2021.08.009>. (WoS/Scopus)

8725. Qiao Q, Wu C, Cheng T-T, Yan Y, Zhang L, Wan Y-L, Wang J-W, Liu Q-Z, Feng Z, Liu Y. Comparative analysis of the metabolome and transcriptome between the green and yellow-green regions of variegated leaves in a mutant variety of the tree species *Pteroceltis tatarinowii*. *International Journal of Molecular Sciences* 23(9):4950, **2022**. <https://doi.org/10.3390/ijms23094950>. (WoS/Scopus)

8726. Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, **2022**. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. [**BOOK**]

8727. Jadhav SS, Kumari R, Mahtha SK, Purama RK, Lamba V, Yadav G. Chapter 13 Metabolomics and molecular physiology perspective for drought and salinity stress tolerance. In: Choudhury S, Moulick D (Eds) *Response of field crops to abiotic stress. Current Status and Future Prospects*. pp. 153-166, **2023**. ISBN: 9781003258063 (ebk) DOI: 10.1201/9781003258063. (WoS/Scopus) [**BOOK**]

[Paunov M, Dankov K, Dimitrova S, Velikova V, Tsonev T, Strasser R, Kalaji H, Goltsev V – Effect of water stress on photosynthetic light phase in leaves of two ecotypes of *Platanus orientalis* L. plants. *J BioSci Biotechnology SE/ONLINE* 15-23, 2015](#)

8728. Pakdel P, Neamati SH, Tehranifar A, Kazemi F, Lakzian A. Effect of planting bed conditions on some growth characteristics of plane trees in north eastern part of Iran, IIOAB Journal, 8, suppl.2, 82-86, **2017**

8729. Chiango H, Figueiredo A, Sousa L, Sinclair T, Silva JM. Assessing drought tolerance of traditional maize genotypes of Mozambique using chlorophyll fluorescence parameters. *South African Journal of Botany* 138, 311-317, **2021**. <https://doi.org/10.1016/j.sajb.2021.01.005>. (WoS/Scopus)

[Dimitrova S, Dankov K, Paunov M, Pavlova B, Goltsev V, Velikova V, Tsonev T, Kalaji H, Strasser R – Dark drops of prompt chlorophyll fluorescence as a novel approach for evaluation of the photosynthetic machinery state. *J BioSci Biotechnology SE/ONLINE* 103-113, 2015](#)

8730. Chekanov K, Schastnaya E, Solovchenko A, Lobakova E – Effects of CO₂ enrichment on primary photochemistry, growth and astaxanthin accumulation in the chlorophyte *Haematococcus pluvialis*. *Journal of Photochemistry and Photobiology B: Biology* 171: 58-66, **2017**, <https://doi.org/10.1016/j.jphotobiol.2017.04.028>

[Vanzo E, Merl-Pham J, Velikova V, Ghirardo A, Lindermayr C, Hauck SM, Bernhardt J, Riedel K, Durner J, Schnitzler J-P – Modulation of protein S-nitrosylation by isoprene emission in poplar. *Plant Physiology* 170 \(4\), 1945-1961, 2016](#)

8731. Kasten D, Mithöfer A, Georgii E, Lang H, Durner J, Gaupels F. Nitrite is the driver, phytohormones are modulators while NO and H₂O₂ act as promoters of NO₂-induced cell death, *Journal of Experimental Botany*, 67, 22, 6337-6349, **2016** (WoS/Scopus)

8732. Grabsztunowicz M, Koskela MM, Mulo P – Post-translational modifications in regulation of chloroplast function: recent advances. *Frontiers in Plant Science* 8: 240, **2017**, doi: 10.3389/fpls.2017.00240 (WoS/Scopus)

- 8733.** Sharkey TD, Monson RK – Isoprene research – 60 years later, the biology is still enigmatic. *Plant, Cell and Environment* 40(9), 1671-1678, **2017**, (**Review**) doi: [10.1111/pce.12930](https://doi.org/10.1111/pce.12930) (**WoS/Scopus**)
- 8734.** Taylor TC. Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests, **PhD Thesis**, Department of Ecology and Evolutionary Biology, The University Of Arizona., **2017**
- 8735.** Salomón RL, Rodríguez-Calcerrada J, Staudt M. Carbon Losses from Respiration and Emission of Volatile Organic Compounds—The Overlooked Side of Tree Carbon Budgets, pp 327-359, In: Gil-Pelegrín E, Peguero-Pina J, Sancho-Knapik D. (eds) *Oaks Physiological Ecology. Exploring the Functional Diversity of Genus Quercus L., Tree Physiology*, vol 7. Springer, Cham., **2017** (**BOOK**)
- 8736.** Hasan M, Manavalan B, Khatun S, Kurata H. Prediction of S-nitrosylation sites by integrating support vector machines and random forest. *Molecular Omics* 15: 451-458, **2019**. <https://doi.org/10.1039/C9MO00098D>. (**WoS/Scopus**)
- 8737.** Jiménez A, Marti MC, Camejo D, Sevilla F. Hydrogen peroxide and nitric oxide metabolism in chloroplasts. In: *Nitric Oxide and Hydrogen Peroxide Signaling in Higher Plants*. Editors: Gupta DK, Palma J M, Corpas FJ (Eds.), Springer pp. 107-144, **2019**. ISBN 978-3-030-11129-8. (**BOOK**)
- 8738.** Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808-2826, **2019**. <https://doi.org/10.1111/pce.13629>. (**Review**). (**WoS/Scopus**)
- 8739.** Qiu C, Sun J, Wang Y, Sun L, Xie H, Ding Y, Qian W, Ding Z. First nitrosoproteomic profiling deciphers the cysteine S-nitrosylation involved in multiple metabolic pathways of tea leaves. *Scientific Reports* 9:17525, **2019**. <https://doi.org/10.1038/s41598-019-54077-2>. (**WoS/Scopus**)
- 8740.** Zuo Z, Weraduwege SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. <https://plantphysiol.org/cgi/doi/10.1104/pp.18.01391>. (**WoS/Scopus**)
- 8741.** Perreca E, Gershenzon J, Eberl F. Tree volatiles: effects of biotic and abiotic factors on emission and biological roles. Chapter 19. In E. Pichersky, & N. Dudareva (Eds.), *Biology of Plant Volatiles*, 2nd Edition, pp. 361-375. Boca Raton, FL, USA: CRC press, **2020**. <http://hdl.handle.net/21.11116/0000-0005-BA28-D>. [**BOOK**]
- 8742.** Xu J, Trainotti L, Li M, Varotto C. Overexpression of isoprene synthase affects ABA- and drought-related gene expression and enhances tolerance to abiotic stress. *International Journal of Molecular Sciences* 21(12), 4276, **2020**. <https://doi.org/10.3390/ijms21124276>. (**WoS/Scopus**)
- 8743.** Pollastri S, Baccelli I, Loreto F. Isoprene: An antioxidant itself or a molecule with multiple regulatory functions in plants? *Antioxidants* 10(5):684, **2021**. <https://doi.org/10.3390/antiox10050684>. (**WoS/Scopus**)
- 8744.** Rosenkranz M, Chen Y, Zhu, Vlot AC. Volatile terpenes – mediators of plant-to-plant communication. *The Plant Journal* 108(3): 617-631, **2021**. <https://doi.org/10.1111/tpj.15453>. (**WoS/Scopus**) [**Review**]
- 8745.** Willems P, Van Breusegem F, Huang J. Contemporary proteomic strategies for cysteine redoxome profiling. *Plant Physiology* 186(1), 110-124, **2021**. <https://doi.org/10.1093/plphys/kiab074> (**WoS/Scopus**)
- 8746.** BelénFernández M, Latorre L, Lukaszewicz G, Lamattina L, Cassia R. 32 - Nitric oxide-mediated regulation of the physiological and molecular responses induced by Ultraviolet-B (UV-B) radiation in plants. *Nitric Oxide in Plant Biology An Ancient Molecule with Emerging Roles* pp. 769-799, **2022**. <https://doi.org/10.1016/B978-0-12-818797-5.00017-0>. [**BOOK**]
- 8747.** Borges Araujo AJ, Cerruti GV, Zuccarelli R, Rodriguez Ruiz M, Freschi L, Singh R, Moerschbacher BM, Floh EIS, Wendt dos Santos AL. Proteomic analysis of S-nitrosylation sites during somatic embryogenesis in Brazilian pine, *Araucaria angustifolia* (Bertol.) Kuntze. *Frontiers in Plant Science* 13: 902068, **2022**. <https://doi.org/10.3389/fpls.2022.902068>. (**WoS/Scopus**)
- 8748.** Mancini I, Domingo G, Bracale M, Loreto F, Pollastri S. Isoprene emission influences the proteomic profile of Arabidopsis plants under well-watered and drought-stress conditions. *International Journal of Molecular Sciences* 23(7): 3836, **2022**. <https://doi.org/10.3390/ijms23073836>. (**WoS/Scopus**)
- 8749.** Krause T, Wiesinger P, González-Cabanelas D, Lackus N, Köllner TG, Klüpfel T, Williams J, Rohwer J, Gershenzon J, Schmidt A. HDR, the last enzyme in the MEP pathway, differently regulates isoprenoid biosynthesis in two woody plants. *Plant Physiology* 192(2), 767-788, **2023**. <https://doi.org/10.1093/plphys/kiad110>. (**WoS/Scopus**)
- 8750.** Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume 1. Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, **2023**. https://www.researchgate.net/profile/Humera-Aziz/publication/369742126_plant_secondary_metabolites_and_environmental_stress_An_overview_In_book_Biology_and_biotechnology_of_environmental_stress_tolerance_in_plants/links/642a60f266f8522c38f26bdd/plant-secondary-metabolites-and-environmental-stress-An-overview-In-book-Biology-and-biotechnology-of-environmental-stress-tolerance-in-plants.pdf#page=90. (**WoS/Scopus**) [**BOOK**]
- 8751.** Weraduwege SM, Sahu A, Kulke M, Vermaas JV, Sharkey. Characterization of promoter elements of isoprene-responsive genes and the ability of isoprene to bind START domain transcription factors. *Plant Direct* 7(2), e483, **2023**. <https://doi.org/10.1002/pld3.483>. (**WoS/Scopus**)
- 8752.** González-Cabanelas D, Perreca E, Rohwer JM, Schmidt A, Engl T, Raguschke B, Gershenzon J, Wright LP. Deoxyxylulose 5-phosphate synthase does not play a major role in regulating the methylerythritol 4-phosphate

pathway in poplar. *International Journal of Molecular Sciences* 25(8): 4181, **2024**. <https://doi.org/10.3390/ijms25084181>. (WoS/Scopus)

8753. Oku H, Iqbal A, Oogai S, Inafuku M, Mutanda I. Relationship between cumulative temperature and light intensity and G93 parameters of isoprene emission for the tropical tree *Ficus septica*. *Plants* 13(2):243, **2024**. <https://doi.org/10.3390/plants13020243>. (WoS/Scopus)

8754. Weraduwaage SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)

[Fu Y, Poli M, Sablok G, Wang B, Liang Y, La Porta N, Velikova V, Loreto F, Li M, Varotto C - Dissection of early transcriptional responses to water stress in *Arundo donax* L. by unigene-based RNA-Seq. *Biotechnology for Biofuels* 9, 54, 2016](#)

8755. Pigna G, Dhillon T, Dlugosz EM, Yuan JS, Gorman C, Morandini P, Lengan SC, Stewart CN. Methods for suspension culture, protoplast extraction, and transformation of high-biomass yielding perennial grass *Arundo donax*. *Biotechnology Journal*, 11, 12, 1657-1666, **2016** (WoS/Scopus)

8756. Wu Y, Mirzaei M, Pascovici D, Chick JM, Atwell BJ, Haynes PA. Quantitative proteomic analysis of two different rice varieties reveals that drought tolerance is correlated with reduced abundance of photosynthetic machinery and increased abundance of ClpD1 protease, *Journal of Proteomics*, 143, 73-82, **2016** (WoS/Scopus)

8757. Ahmad J, Bashir H, Bagheri R, Baig A, Al-Huqail A, Ibrahim MM, Qureshi MI –Drought and salinity induced changes in ecophysiology and proteomic profile of *Parthenium hysterophorus*. *PLoS ONE* 12(9): e0185118, **2017**, <https://doi.org/10.1371/journal.pone.0185118> (WoS/Scopus)

8758. Bai Z-y, Wang T, Wu Y-h, Wang K, Liang Q-y, Pan Y-z, Jiang B-b, Zhang L, Liu G-l, Jia Y, Liu Q-l – Whole-transcriptome sequence analysis of differentially expressed genes in *Phormium tenax* under drought stress. *Scientific Reports* 7: 41700, **2017**, doi:10.1038/srep41700 (WoS/Scopus)

8759. Evangelistella C, Valentini A, Ludovisi R, Firrincieli A, Fabbri F, Scalabrin S, Cattonaro F, Morgante M, Mugnozza GS, Keurentjes JB, Harfouche A – *De novo* assembly, functional, and analysis of the giant reed (*Arundo donax* L.) leaf transcriptome provide tools for the development of a biofuel feedstock. *Biotechnology for Biofuels* 10: 138, **2017**, <https://doi.org/10.1186/s13068-017-0828-7> (WoS/Scopus)

8760. Meng HL, Zhang W, Zhang GH, Wang JJ, Meng ZG, Long GQ, Yang SC. Unigene-based RNA-seq provides insights on drought stress responses in *Marsdenia tenacissima*. *PLoS ONE* 13(11): e0202848, **2018**; <https://doi.org/10.1371/journal.pone.0202848> (WoS/Scopus)

8761. Sicilia A, Testa G, Santoro DF, Cosentino SL, Lo Piero AR. RNASeq analysis of giant cane reveals the leaf transcriptome dynamics under longterm salt stress. *BMC Plant Biology* 19:355, **2019**. <https://doi.org/10.1186/s12870-019-1964-y>. (WoS/Scopus)

8762. Zuo Z, Weraduwaage SM, Lantz AT, Sanchez LM, Weise SE, Wang J, Childs KL, Sharkey TD. Isoprene acts as a signaling molecule in gene networks important for stress responses and plant growth. *Plant Physiology* 180:124-152, **2019**. www.plantphysiol.org/cgi/doi/10.1104/pp.18.01391. (WoS/Scopus)

8763. Danelli T, Laura M, Savona M, Landoni M, Adani F, Pilu R. Genetic improvement of *Arundo donax* L.: opportunities and challenges. *Plants* 9(11), 1584, **2020**. <https://doi.org/10.3390/plants9111584>. (WoS/Scopus)

8764. Docimo T, De Stefano R, De Palma M, Cappetta E, Villano C, Aversano R, Tucci M. Transcriptional, metabolic and DNA methylation changes underpinning the response of *Arundo donax* ecotypes to NaCl excess. *Planta* 251: 34, **2020**. <https://doi.org/10.1007/s00425-019-03325-w>. (WoS/Scopus)

8765. Ma L, Yi D, Gong W, Gong P, Wang Z. *De novo* transcriptome characterisation of two auxin-related genes associated with plant growth habit in *Astragalus adsurgens* Pall. *Plant Biology* 22(1):3-12, **2020**. <https://doi.org/10.1111/plb.13052>. (WoS/Scopus)

8766. Min X, Lin X, NDAYAMBAZA B, Wang Y, Liu W. Coordinated mechanisms of leaves and roots in response to drought stress underlying full-length transcriptome profiling in *Vicia sativa* L. *BMC Plant Biology* 20, art. num. 165, **2020**. <https://doi.org/10.1186/s12870-020-02358-8>. (WoS/Scopus)

8767. Sáez M. Growth and water deficit resistance of a Peruvian ecotype of *Arundo donax* L. *South Sustainability* 1(1), e010. **2020**. <https://doi.org/10.21142/SS-0101-2020-010>.

8768. Sicilia A, Santoro DF, Testa G, Cosentino SL, Lo Piero AR. Transcriptional response of giant reed (*Arundo donax* L.) low ecotype to long-term salt stress by unigene-based RNAseq. *Phytochemistry* 177, art. number 112436, **2020**. <https://doi.org/10.1016/j.phytochem.2020.112436>. (WoS/Scopus)

8769. Li C, Wang Z, Nong Q, Lin L, Xie J, Mo Z, Huang X, Song X, Malviya MK, Solanki MK, Li Y. Physiological changes and transcriptome profiling in *Saccharum spontaneum* L. leaf under water stress and re-watering conditions. *Scientific Reports* volume 11, Article number: 5525, **2021**. <https://doi.org/10.1038/s41598-021-85072-1>. (WoS/Scopus)

8770. Santoro DF, Sicilia A, Testa G, Cosentino SL, Lo Piero AR. Global leaf and root transcriptome in response to cadmium reveals tolerance mechanisms in *Arundo donax* L. *BMC Genomics* 23, 427, **2022**. <https://doi.org/10.1186/s12864-022-08605-6>. (WoS/Scopus)

8771. Thanmalagan RR, Jayaprakash A, Roy A, Arunachalam A, Lakshmi PTV. A review on applications of plant network biology to understand the drought stress response in economically important cereal crops. *Plant Gene* v. 29, art. number 100345, **2022**. <https://doi.org/10.1016/j.plgene.2021.100345>. (WoS/Scopus)

Arena C, Tsonev T, Doneva D, De Micco V, Michelozzi M, Brunetti C, Centritto M, Fineschi S, **Velikova V**, Loreto F - The effect of light quality on growth, photosynthesis, leaf anatomy and secondary metabolites of a monoterpene-emitting herbaceous species (*Solanum lycopersicum* L.) and an isoprene-emitting tree (*Platanus orientalis* L.). *Environmental and Experimental Botany* 130, 122-132, 2016

8772. Song Y, Jiang C, Gao L. Polychromatic supplemental lighting from underneath canopy is more effective to enhance tomato plant development by improving leaf photosynthesis and stomatal regulation, *Frontiers in Plant Science* 7: 1832, **2016**, doi: [10.3389/fpls.2016.01832](https://doi.org/10.3389/fpls.2016.01832) (WoS/Scopus)

8773. Chengyao J. Study on periodic alteration of plant density and inter supplemental lighting to enhance growth and fruit production of single-truss tomato. **PhD Thesis**. Chiba University, **2017**. https://opac.ll.chiba-u.jp/da/curator/103666/HMA_0090.pdf

8774. Falcioni R, Moriwaki T, Bonato CM, de Souza LA, Nanni MR, Antunes WC. Distinct growth light and gibberellin regimes alter leaf anatomy and reveal their influence on leaf optical properties, *Environmental and Experimental Botany*, 140, 86-95, **2017**. <http://dx.doi.org/10.1016/j.envexpbot.2017.06.001>. (WoS/Scopus)

8775. Lalge A, Cerny , Trojan V, Vyhnanek T. The effects of red, blue and white light on the growth and development of *Cannabis sativa* L. *Conference Paper In Mendel Net 24 years, November 8-9 2017, Brno, Czech Republic*, pp. 646-651, **2017**

8776. Rodrigues AA, Vasconcelos-Filho SC, Mendes GC, Rehn LS, Rodrigues DA, Rodrigues CL, Muller C – Fluoride in simulated rain affects the morphoanatomy and physiology of *Eugenia dysenterica* (Mart.) DC. *Ecological Indicators* 82(2017): 189-195, **2017**, <https://doi.org/10.1016/j.ecolind.2017.07.005> (WoS/Scopus)

8777. Wang Y, Tong Y, Chu H, Chen X, Guo H, Yuan H, Yan D, Zheng B - Effects of different light qualities on seedling growth and chlorophyll fluorescence parameters of *Dendrobium officinale*. *Biologia* 72(7): 735-744, **2017**, doi:10.1515/biolog-2017-0081 (WoS/Scopus)

8778. Batista DS, Felipe SHS, Silva TD, de Castro K, Mamedes-Rodrigues TC, Miranda NA, Rios-Rios AM, Faria DV, Fortini EA, Chagas K, Torres-Silva G, Xavier A, Arencibia AD, Otoni WC. Light quality in plant tissue culture: does it matter? *In Vitro Cellular & Developmental Biology – Plant* 54(3)195-215, **2018**, <https://doi.org/10.1007/s11627-018-9902-5> (Review) (WoS/Scopus)

8779. Dias GP, Rodrigues AA, Costa AM, Carlos L, Vasconcelos Filho SC, Batista PF. Morphological, anatomical and physiological characteristics of *Acrocarpus fraxinifolius* Wight & Arn seedlings according to containers and fertilization. *CERNE* 24(4), 430-438, **2018**. <http://dx.doi.org/10.1590/01047760201824042589>. (WoS/Scopus)

8780. Holopainen JK, Kivimäenpää M, Tiitto RJ. New light for phytochemicals. *Trends in Biotechnology* 36(1): 7-10, **2018**, <https://doi.org/10.1016/j.tibtech.2017.08.009> (WoS/Scopus)

8781. Mamedes-Rodrigues TC, Batista DS, Napoleão TA, Cruz ACF, Fortini EA, Nogueira FTS, Romanel E, Otoni WC. Lignin and cellulose synthesis and antioxidative defense mechanisms are affected by light quality in *Brachypodium distachyon*. *Plant Cell, Tissue and Organ Culture* 133(1):1-14, **2018**. <https://doi.org/10.1007/s11240-017-1356-7> (WoS/Scopus)

8782. Marondedze C, Liu X, Huang S, Wong C, Zhou X, Pan X, An H, Xu N, Tian X, Wong A. Towards a tailored indoor horticulture: a functional genomics guided phenotypic approach. *Horticulture Research* 5: 68, **2018**. <https://www.nature.com/articles/s41438-018-0065-7> DOI 10.1038/s41438-018-0065-7 (WoS/Scopus)

8783. Tokarz K, Makowski W, Banasiuk R, Krolicka A, Piwowarczyk B. Response of *Dionaea muscipula* J. Ellis to light stress *in vitro*: physiological study. *Plant Cell, Tissue and Organ Culture* (PCTOC) 134(1):65-77, **2018** <https://doi.org/10.1007/s11240-018-1400-2> (WoS/Scopus)

8784. Yao H, Zhang Y, Yi X, Zhang X, Fan D, Chow WS, Zhang W. Diaheliotropic leaf movement enhances leaf photosynthetic capacity and photosynthetic use efficiency of light and photosynthetic nitrogen via optimizing nitrogen partitioning among photosynthetic components in cotton (*Gossypium hirsutum* L.), *Plant Biology* 20(2): 213-222, **2018** <https://doi.org/10.1111/plb.12678> (WoS/Scopus)

8785. Ajdanian L, Babaei M, Aroiee H. The growth and development of cress (*Lepidium sativum*) affected by blue and red light. *Heliyon* 5, e02019, **2019**. <https://doi.org/10.1016/j.heliyon.2019.e02109> (WoS/Scopus)

8786. Cho KH, Laux VY, Wallace-Springer N, Clark DG, Folta KM, Colquhoun TA. Effects of light quality on vegetative cutting and in vitro propagation of coleus (*Plectranthus scutellarioides*). *HortScience* 54(5), 926-935, **2019**. <https://doi.org/10.21273/HORTSCI13903-19>. (WoS/Scopus)

8787. Cordeiro Júnior JJ, Pandorfi H, Barbosa Filho JAD, Moraes AS, de Almeida Neto LA, Guiselini C. Photo-selective shade nets on the production and quality of sugarcane plantlets. *Revista Brasileira de Engenharia Agrícola e Ambiental* 23(5), 366-371, **2019**. <http://dx.doi.org/10.1590/1807-1929/agriambi.v23n5p366-371> 23(5), 366-371, 2019. DOI: <http://dx.doi.org/10.1590/1807-1929/agriambi.v23n5p366-371> (WoS/Scopus)

8788. Kılıç S, Taraklı O. Phytochemical accumulation in photomorphogenesis of peppermint. *Advances in Agricultural Science* 7(1), 116-131, **2019**. <https://www.cabdirect.org/cabdirect/abstract/20203103390>.

8789. Kim YM, Sung JK, Lee YJ, Lee DB, Yoo CH, Lee SB. Varying effects of artificial light on plant functional metabolites. *Korean Journal of Environmental Agriculture* 38(1):61-67, **2019**. <https://doi.org/10.5338/KJEA.2019.38.1.7> Review (WoS/Scopus)

8790. Liu K, Li Y, Han T, Yu X, Ye H, Hu H, Hu Z. Evaluation of grain yield based on digital images of rice canopy. *Plant Methods* 15:28, **2019**. <https://doi.org/10.1186/s13007-019-0416-x> (WoS/Scopus)

8791. Makowski W, Tokarz B, Banasiuk R, Krolicka A, Dziurka M, Wojciechowska R, Tokarz KM. Is a blue–red light a good elicitor of phenolic compounds in the family Droseraceae? A comparative study. *Journal of*

- Photochemistry and Photobiology B: Biology* 201, art. 111679, **2019**. <https://doi.org/10.1016/j.jphotobiol.2019.111679>. (WoS/Scopus)
- 8792.** Mditshwa A, Magwaza LS, Tesfay SZ. Shade netting on subtropical fruit: Effect on environmental conditions, tree physiology and fruit quality. *Scientia Horticulturae* 256, art. number 108556, **2019**. <https://doi.org/10.1016/j.scienta.2019.108556>. (WoS/Scopus)
- 8793.** Mohammad S, Khan MA, Ali A, Khan L, Khana MS, Mashwani Z-ur-R. Feasible production of biomass and natural antioxidants through callus cultures in response to varying light intensities in olive (*Olea europaea* L.) cult. Arbosana. *Journal of Photochemistry & Photobiology, B: Biology* 193:140-147, **2019**. <https://doi.org/10.1016/j.jphotobiol.2019.03.001> (WoS/Scopus)
- 8794.** Xu Y, Liang Y, Yang M. Effects of composite led light on root growth and antioxidant capacity of *Cunninghamia lanceolata* tissue culture seedlings. *Scientific Reports* 9: 9766, **2019**. <https://doi.org/10.1038/s41598-019-46139-2> (WoS/Scopus)
- 8795.** Yang J, Liang T, Liu L, Pan T, Zou Z. Stomatal opening and growth in tomato seedlings treated with different proportions of red and blue light. *Canadian Journal of Plant Science* 99(5): 688-700, **2019**. <https://doi.org/10.1139/cjps-2018-0241>. (WoS/Scopus)
- 8796.** Zheng L, He H, Song W. Application of Light-emitting Diodes and the effect of light quality on horticultural crops: A Review. *HortScience* 54(10), 1656-1661, **2019**. <https://doi.org/10.21273/HORTSCI14109-19>. (WoS/Scopus)
- 8797.** Çakaloğullari U, Bilgin K, Uçar E, Tatar Ö. Accurate and practical method to detect phototropic leaf movement of cotton: digital imaging. *Scientific Papers. Series A. Agronomy* LXIII(2), 67-72, **2020**. http://agronomyjournal.usamv.ro/pdf/2020/issue_2/Art9.pdf.
- 8798.** Falcioni R, Moriwaki T, Perez-Llorca M, Munné-Bosch S, Gibin MS, Sato F, Pelozo A, Pattaro MC, Giacomelli ME, Rüggeberg M, Antunes WC. Cell wall structure and composition is affected by light quality in tomato seedlings. *Journal of Photochemistry & Photobiology, B: Biology* 203, art. No 111745, **2020**. <https://doi.org/10.1016/j.jphotobiol.2019.111745>. (WoS/Scopus)
- 8799.** Gao S, Liu X, Liu Y, Cao B, Chen Z, Xu K. Photosynthetic characteristics and chloroplast ultrastructure of welsh onion (*Allium fistulosum* L.) grown under different LED wavelengths. *BMC Plant Biology* 20, art. number 78, **2020**. <https://doi.org/10.1186/s12870-020-2282-0>. (WoS/Scopus)
- 8800.** Hrebien V, Deschaseaux E, Eickhoff W, Swan HB, Eyre BD. Quantification of isoprene in coastal ecosystems by gas chromatography–mass spectrometry using cumulative headspace injections. *Limnology and Oceanography: Methods* 18(7), 374-382, **2020**. <https://doi.org/10.1002/lom3.10363>. (WoS/Scopus)
- 8801.** Khan I, Khan MA, Shehzad MA, Ali A, Moham
- 8802.** mad S, Ali H, Alyemeni MN, Ahmad P. Micropropagation and production of health promoting lignans in *Linum usitatissimum*. *Plants* 9(6), 728, **2020**, <https://doi.org/10.3390/plants9060728>. (WoS/Scopus)
- 8803.** Li Y, Shi R, Jiang H, Wu L, Zhang Y, Song S, Su W, Liu H. End-of-day LED lightings influence the leaf color, growth and phytochemicals in two cultivars of lettuce. *Agronomy* 10(10), 1475, **2020**. <https://doi.org/10.3390/agronomy10101475>. (WoS/Scopus)
- 8804.** Li Y, Xin G, Liu C, Shi Q, Yang F, Wei M. Effects of red and blue light on leaf anatomy, CO₂ assimilation and the photosynthetic electron transport capacity of sweet pepper (*Capsicum annuum* L.) seedlings. *BMC Plant Biology* 20:318, **2020**. <https://doi.org/10.1186/s12870-020-02523-z>. (WoS/Scopus)
- 8805.** Li Y, Zheng Y, Zheng D, Zhang Y, Song S, Su W, Liu H. Effects of supplementary blue and UV-A LED lights on morphology and phytochemicals of *Brassicaceae* baby-leaves. *Molecules* 25(23), 5678, **2020**. <https://doi.org/10.3390/molecules25235678>. (WoS/Scopus)
- 8806.** Lopes EM, Guimarães-Dias F, Gama TSS, Macedo AL, Valverde AL, de Moraes MC, de Aguiar-Dias ACA, Bizzo HR, Alves-Ferreira M, Tavares ES, Macedo AF. *Artemisia annua* L. and photoresponse: from artemisinin accumulation, volatile profile and anatomical modifications to gene expression. *Plant Cell Reports* 39, 101-117, **2020**. <https://doi.org/10.1007/s00299-019-02476-0>. (WoS/Scopus)
- 8807.** Palmitessa OD, Leoni B, Montesano FF, Serio F, Signore A, Santamaria P. Supplementary Far-Red light did not affect tomato plant growth or yield under mediterranean greenhouse conditions. *Agronomy* 10(12), 1849, **2020**. <https://doi.org/10.3390/agronomy10121849>. (WoS/Scopus)
- 8808.** Peng X, Wang B, Wang X, Ni B, Zuo Z. Effects of different colored light-quality selective plastic films on growth, photosynthetic abilities, and fruit qualities of strawberry. *Journal of Horticultural Science & Technology* 38(4), 462-473, **2020**. <https://www.dbpia.co.kr/Journal/articleDetail?nodeId=NODE09416185#>. (WoS/Scopus)
- 8809.** Peng X, Wang B, Wang X, Ni B, Zuo Z. Variations in aroma and specific flavor in strawberry under different colored light-quality selective plastic film. *Flavour and Fragrance Journal* 35(3), 350-359, **2020**. <https://doi.org/10.1002/ffj.3569>. (WoS/Scopus)
- 8810.** Samuolienė G, Viršilė A, Haimi P, Miliauskienė J. Photoresponse to different lighting strategies during red leaf lettuce growth. *Journal of Photochemistry and Photobiology B: Biology* 202, 111726, **2020**. <https://doi.org/10.1016/j.jphotobiol.2019.111726>. (WoS/Scopus)
- 8811.** Xu Y, Yang M, Cheng F, Liu S, Liang Y. Effects of LED photoperiods and light qualities on in vitro growth and chlorophyll fluorescence of *Cunninghamia lanceolata*. *BMC Plant Biology* 20, 269, **2020**. <https://doi.org/10.1186/s12870-020-02480-7>. (WoS/Scopus)

8812. Yang L, Zhang JC, Li WC, Qu JT, Yu HQ, Jiang FX, Fu FL. Cloning and characterization of Farnesyl pyrophosphate synthase gene from *Anoectochilus*. *Pakistan Journal of Botany* 52(3925-934, 2020. [http://dx.doi.org/10.30848/PJB2020-3\(14\)](http://dx.doi.org/10.30848/PJB2020-3(14)). (WoS/Scopus)
8813. Zhou C, Zhang Y, Liu W, Zha L, Shao M, Li B. Light quality affected the growth and root organic carbon and autotoxin secretions of hydroponic lettuce. *Plants* 9(11), 1542, 2020. <https://doi.org/10.3390/plants9111542>. (WoS/Scopus)
8814. Addo PW, Brousseau VD, Morello V, MacPherson S, Paris M, Lefsrud M. Cannabis chemistry, post-harvest processing methods and secondary metabolite profiling: A review. *Industrial Crops and Products* 170, 113743, 2021. <https://doi.org/10.1016/j.indcrop.2021.113743>. (WoS/Scopus)
8815. Calibo MKT, Tinio CE, Combalicer MS, Maldia LSJ. Leaf traits of *Calophyllum inophyllum* L. (Calophyllaceae) in different locations suggest suitability for planting outside of natural habitat. *Philippine Journal of Science* 150 (4): 643-655, 2021. https://philjournalsci.dost.gov.ph/images/pdf/pjs_pdf/vol150no4/leaf_traits_of_calophyllum_inophyllum.pdf. (WoS/Scopus)
8816. Desaulniers Brousseau V, Wu B-S, MacPherson S, Morello V, Lefsrud M. Cannabinoids and terpenes: how production of photo-protectants can be manipulated to enhance *Cannabis sativa* L. phytochemistry. *Frontiers in Plant Science* 12: 620021, 2021. <https://doi.org/10.3389/fpls.2021.620021>. (WoS/Scopus)
8817. Gabr AMM, Ebrahim HS, El-Ashry AA, El-Bahr MK. Chapter 13 - Importance of artificial environment conditions on plant biotechnology, plant growth, and secondary metabolites. In: Abd El-Kader, S. M., & Mohammad El-Basioni, B. M. (Ed.), *Precision Agriculture Technologies for Food Security and Sustainability*, pp. 292-319, 2021. IGI Global. <http://doi:10.4018/978-1-7998-5000-7.ch013>. [BOOK]
8818. Izzo LG, Mickens MA, Aronne G, Gómez C. Spectral effects of blue and red light on growth, anatomy, and physiology of lettuce. *Physiologia Plantarum* 172(4):2191-2202, 2021. <https://doi.org/10.1111/ppl.13395>. (WoS/Scopus)
8819. Konzen ER, Saudade de Aguiar N, Navroski MC, Mota CS, Miranda L, Estopa RA, TonettEL, de Oliveira Pereira M. Artificial light improves productivity of mini-cuttings in a clonal minigarden of *Eucalyptus benthamii* and *E. dunnii*. *Southern Forests: a Journal of Forest Science* 83(4), 310-320, 2021. <https://doi.org/10.2989/20702620.2021.2000326>. (WoS/Scopus)
8820. Le LT, Dinh HT, Watanabe K, Ureshino K, Yamamoto M, Kawamitsu Y. Improvement of growth and fruit sugar accumulation in strawberry under plant factory conditions through manipulation of phosphorus and light spectrum applications. *Tropical Agriculture and Development* 65: 29-40, 2021. <https://doi.org/10.11248/jsta.65.29>.
8821. Li Y, Liu Z, Shi Q, Yang F, Wei M. Mixed red and blue light promotes tomato seedlings growth by influencing leaf anatomy, photosynthesis, CO₂ assimilation and endogenous hormones. *Scientia Horticulturae* 290, art. number 110500, 2021. <https://doi.org/10.1016/j.scienta.2021.110500>. (WoS/Scopus)
8822. Ma X, Du M, Liu P, Tang Y, Li H, Yuan Q, Ruan Y, Meng L, Zhang J, Lin M, Liu Z. Alternation of soil bacterial and fungal communities by tomato-rice rotation in Hainan Island in Southeast of China. *Archives of Microbiology* 203: 913-925, 2021. <https://doi.org/10.1007/s00203-020-02086-5>. (WoS/Scopus)
8823. Ma Y, Xu A, Cheng Z-M (Max). Effects of light emitting diode lights on plant growth, development and traits a Meta-analysis. *Horticultural Plant Journal* 7(6): 552-564, 2021. <https://doi.org/10.1016/j.hpj.2020.05.007>. (WoS/Scopus)
8824. Musiolková M, Huszár P, Navrátil M, Špunda V. Impact of season, cloud cover, and air pollution on different spectral regions of ultraviolet and visible incident solar radiation at the surface. *Quarterly Journal of the Royal Meteorological Society* 147(738):2834-2849, 2021. <https://doi.org/10.1002/qj.4102>. (WoS/Scopus)
8825. Nery LA, Batista DS, Rocha DI, SHS Felipe, M da Costa Queiroz, PO Silva, MC Ventrella, WC Otoni. Leaf development and anatomy of in vitro-grown *Polygala paniculata* L. are affected by light quality, gelling agents, and sucrose. *Vegetos* 34: 19-28, 2021. <https://doi.org/10.1007/s42535-021-00192-3>. (WoS/Scopus)
8826. Parrine D, Greco TM, Muhammad B, Wu B-S, Zhao X, Lefsrud M. Color-specific recovery to extreme high-light stress in plants. *Life* 11(8):812, 2021. <https://doi.org/10.3390/life11080812>. (WoS/Scopus)
8827. Zhang H, Tu Y, Kang J, Song W, Zheng L. Blue light dosage affects photosynthesis, chlorophyll, and antioxidant properties of *Mesembryanthemum crystallinum*. *Photosynthetica* 59 (4): 547-556, 2021. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-2759>. (WoS/Scopus)
8828. Zhang Y, Tian C, Yu T, Dayananda B, Fu B, Senaratne SL, Wu C, Li J. Differential effects of acid rain on photosynthetic performance and pigment composition of the critically endangered *Acer amplum* subsp. *catalpifolium*. *Global Ecology and Conservation* v.30, e01773, 2021. <https://doi.org/10.1016/j.gecco.2021.e01773>. (WoS/Scopus)
8829. Falcioni R, Moriwaki T, Gibin MS, Vollmann A, Pattaro MC, Giacomelli ME, Sato F, Nanni MR, Antunes WC. Classification and prediction by pigment content in lettuce (*Lactuca sativa* L.) varieties using machine learning and ATR-FTIR spectroscopy. *Plants* 11(24):3413, 2022. <https://doi.org/10.3390/plants11243413>. (WoS/Scopus)
8830. Ganeva TG, Stefanova MA. Comparative study of the leaf surface micromorphology and mesophyll of *Platanus orientalis* (Platanaceae) plants originated from two localities. *Phytologia Balcanica* 28 (3):319-326, 2022. http://www.bio.bas.bg/~phytolbalcan/PDF/28_3/PhytolBalcan_28-3_2022_04_Ganeva_&_Stefanova.pdf.
8831. Gao Q, Liao Q, Li Q, Yang Q, Wang F, Li J. Effects of LED red and blue light component on growth and photosynthetic characteristics of coriander in plant factory. *Horticulturae* 8(12):1165, 2022. <https://doi.org/10.3390/horticulturae8121165>. (WoS/Scopus)

- 8832.** Han JN, Li T, Wang XL, Zhang X, Bai XN, Shao HH, Wang SJ, Hu ZH, Wu J, Leng PS. AmMYB24 regulates floral terpenoid biosynthesis induced by blue light in snapdragon flowers. *Frontiers in Plant Science* 13:885168, **2022**. <https://doi.org/10.3389/fpls.2022.885168>. (WoS/Scopus)
- 8833.** Kondratovičs T, Zeps M, Rupeika D, Zeltniš P, Gailis A, Matisons R. Morphological and physiological responses of hybrid aspen (*Populus tremuloides* Michx. × *Populus tremula* L.) clones to light in vitro. *Plants* 11(20):2692, **2022**. <https://doi.org/10.3390/plants11202692>. (WoS/Scopus)
- 8834.** Kumar D, Singh H, Bhatt U, Sharma J, Sharma S, Soni V. Physiological performance of *Mimosa pudica* L. under different light quality and photoperiods. *Physiologia* 2(4):132-153, **2022**. <https://doi.org/10.3390/physiologia2040012>.
- 8835.** Orlando M, Trivellini A, Puccinelli M, Ferrante A, Incrocci L, Mensuali-Sodi A. Increasing the functional quality of *Crocus sativus* L. by-product (tepals) by controlling spectral composition. *Horticulture, Environment and Biotechnology* 63, 363-373, **2022**. <https://doi.org/10.1007/s13580-021-00407-1>. (WoS/Scopus)
- 8836.** Paixão AC, Netto RAC, Marengo RA. Severity of target spot and gas-exchange in tomato cultivated under colored films. *Plant Health* (Revista Ceres) 69 (5), 553-558, **2022**. <https://doi.org/10.1590/0034-737X202269050008>. (WoS/Scopus)
- 8837.** Paradiso R, Proietti S. Light-quality manipulation to control plant growth and photomorphogenesis in greenhouse horticulture: The state of the art and the opportunities of modern LED systems. *Journal of Plant Growth Regulation* 41, 742-780, **2022**. <https://doi.org/10.1007/s00344-021-10337-y>. (WoS/Scopus) [Review]
- 8838.** Prinzenberg AE, van der Schoot H, van Deth O, Ouzounis T, Gabriëls S, Meijer-Dekens F, Marcelis LFM, Visser RGF, Heuvelink E, Schouten HJ. Does tomato breeding for improved performance under LED supplemental lighting make sense?. *Euphytica* 218, art. number 30, **2022**. <https://doi.org/10.1007/s10681-022-02981-6>. (WoS/Scopus)
- 8839.** Pu L, Li Y, Gao P, Zhang H, Hu J. A photosynthetic rate prediction model using improved RBF neural network. *Scientific Reports* 12, art. 9563, **2022**. <https://doi.org/10.1038/s41598-022-12932-9>. (WoS/Scopus)
- 8840.** Sankhuan D, Niramolyanun G, Kangwanransan N, Nakano M, Supaibulwatana K. Variation in terpenoids in leaves of *Artemisia annua* grown under different LED spectra resulting in diverse antimalarial activities against *Plasmodium falciparum*. *BMC Plant Biology* 22, art. 128, **2022**. <https://doi.org/10.1186/s12870-022-03528-6>. (WoS/Scopus)
- 8841.** Theparod T, Harnsoongnoen S. Narrow-band light-emitting diodes (LEDs) effects on sunflower (*Helianthus annuus*) sprouts with remote monitoring and recording by internet of things device. *Sensors* 22(4):1503, **2022**. <https://doi.org/10.3390/s22041503>. (WoS/Scopus)
- 8842.** Wang G, Zhang L, Wang G, Cao F. Growth and flavonol accumulation of *Ginkgo biloba* leaves affected by red and blue light. *Industrial Crops and Products* vol. 187, Part B, art. 115488, **2022**. <https://doi.org/10.1016/j.indcrop.2022.115488>. (WoS/Scopus)
- 8843.** Wang X, Zhang Y, Tan Y, Tan Y, Bai J, Gu D, Ma Z, Du J, Han Z. Effects of light on the emissions of biogenic isoprene and monoterpenes: A review. *Atmospheric Pollution Research* 13(5), art. 101397, **2022**. <https://doi.org/10.1016/j.apr.2022.101397>. (WoS/Scopus)
- 8844.** Zeps M, Kondratovičs T, Grigžde E, Jansons Ā, Zeltniš P, Samsone I, Matisons R. Plantlet anatomy of silver birch (*Betula pendula* Roth.) and hybrid aspen (*Populus tremuloides* Michx. × *Populus tremula* L.) shows intraspecific reactions to illumination in vitro. *Plants* 11(8): 1097, **2022**. <https://doi.org/10.3390/plants11081097>. (WoS/Scopus)
- 8845.** Zhou C, Wang Q, Liu W, Li B, Shao M, Zhang Y. Effects of red/blue versus white LED light of different intensities on the growth and organic carbon and autotoxin secretion of hydroponic lettuce. *Horticulture, Environment and Biotechnology* 63, 195-205, **2022**. <https://doi.org/10.1007/s13580-021-00394-3>. (WoS/Scopus)
- 8846.** Arimarsetiowati R, Setiadi Daryono B, Theresia Maria Astuti Y, Semiarti E. Anatomical studies and evaluation of genetic stability in plantlets derived from somatic embryos of arabica coffee. *HAYATI Journal of Biosciences*, 30(3), 510-521, **2023**. <https://doi.org/10.4308/hjb.30.3.510-521>. (WoS/Scopus)
- 8847.** Duan C, Wu Z, Liao H, Ren Y. Interaction processes of environment and plant ecophysiology with BVOC emissions from dominant greening trees. *Forests* 14, no. 3: 523, **2023**. <https://doi.org/10.3390/f14030523>. (WoS/Scopus)
- 8848.** Falcioni R, Moriwaki T, Rodrigues M, de Oliveira KM, Furlanetto RH, dos Reis AS, dos Santos GLAA, Mendonça WA, Crusiol LGT, Gonçalves JVF, Chicati ML, de Oliveira RB, Nanni MR, Antunes WC. Nutrient deficiency lowers photochemical and carboxylation efficiency in tobacco. *Theoretical and Experimental Plant Physiology* 35, 81-97, **2023**. <https://doi.org/10.1007/s40626-023-00268-2>. (WoS/Scopus)
- 8849.** Cabral NN, Pescador R, Pinheiro MVM, TS Ornellas, RG Rizzolo, SU Bordallo, SM Guterres, T Gris, MI Schvambach, PF de Souza. Different spectral qualities do not influence the in vitro and ex vitro survival of *Epidendrum denticulatum* Barb. Rod.: a Brazilian orchid. *Vegetos* 36, 427-441, **2023**. <https://doi.org/10.1007/s42535-022-00440-0>. (WoS/Scopus)
- 8850.** Guo S, Zhang S, Wang S, lv X, Chen H, Hu X, Ma Y. Potamogeton crispus restoration increased the epiphytic microbial diversity and improved water quality in a micro-polluted urban river. *Environmental Pollution* vol. 326, art. 121485, **2023**. <https://doi.org/10.1016/j.envpol.2023.121485>. (WoS/Scopus)
- 8851.** Ji T, Du Y, Wei M, D Gu, J Li, H Wang, F Yang. Adding different proportions of red/blue = 3/1 to white light affects eggplant seedling quality by regulating leaf morphology and photosynthetic system. *Plant Growth Regulation* 100, 593-607, **2023**. <https://doi.org/10.1007/s10725-022-00955-1>. (WoS/Scopus)

- 8852.** Li W, Zhang J, Sun J, Chen K, Guan X, Zhang K, Fang Y. Light irradiation with different wavelengths modifies the quality traits and monoterpenes biosynthesis of postharvest grape berries during the shelf life. *LWT - Food Science and Technology* vol. 185, art. 115164, **2023**. <https://doi.org/10.1016/j.lwt.2023.115164>. (WoS/Scopus)
- 8853.** Narjesi V, Fatahi Moghadam J, Ghasemi-Soloklui AA. Effects of photo-selective shade net color and shading percentage on reducing sunburn and increasing the quantity and quality of pomegranate fruit. *International Journal of Horticultural Science and Technology* Vol. 10, Special Issues, 25-38, **2023**. <http://dx.doi.org/10.22059/ijhst.2022.343648.567>. (WoS/Scopus)
- 8854.** Pashkin MO, Pobedonostsev RV, Kazantseva DV, Simakin AV, Gorudko IV, Yanykin DV, Gudkov SV. The influence of composite luminescent materials based on graphene oxide on the growth and development of *Solanum lycopersicum* in greenhouses. *Journal of Composites Science* 7(11): 474, **2023**. <https://doi.org/10.3390/jcs7110474>. (WoS/Scopus)
- 8855.** Valle JRE-del, Chávez-Cruz IL, Rodríguez-Ortiz G, Campos-Angeles GV. Vitroplants of *Agave angustifolia* HAW obtained in contrasting incubation environments, acclimated on different substrates. *Revista Fitotecnia Mexicana* 46(3), art. 298, **2023**. <https://doi.org/10.35196/rfm.2023.3.298>. (WoS/Scopus)
- 8856.** Zhang LX, Chang QS, Guo QS, Hou XG, Liu L, Zhu ZB, Chen SD. Different light-quality colored films affect growth, photosynthesis, chloroplast ultrastructure, and triterpene acid accumulation in *Glechoma longituba* plants. *Photosynthetica* 61 (1): 1-11, **2023**. <https://ps.ueb.cas.cz/getrevsrc.php?identification=public&mag=phs&raid=2927&type=fin&ver=4>. (WoS/Scopus)
- 8857.** Bao Y, Liu X, Feng C-H, Niu M-X, Liu C, Wang H-L, Yin W, Xia X. Light and light signals regulate growth and development in woody plants. *Forests* 15(3):523, **2024**. <https://doi.org/10.3390/f15030523>. (WoS/Scopus)
- 8858.** Karimi M, Roozban M, Seifikalhor M, Mohammadian M, Mokhtarpour Z, Hasan Mousavi S, Aliniaiefard S. Effects of different light spectra on the performance of lettuce in a closed vertical system. *Acta Horticulturae* 1391, 185-190, **2024**. <https://doi.org/10.17660/ActaHortic.2024.1391.25>. (WoS/Scopus)
- 8859.** Lu Y, Gong M, Li J, Ma J. Investigating the effects of full-spectrum LED lighting on strawberry traits using correlation analysis and time-series prediction. *Plants* 13(2): 149, **2024**. <https://doi.org/10.3390/plants13020149>. (WoS/Scopus)
- 8860.** Stringari G, Villanueva J, Appolloni E, Orsini F, Villalba G, Durany XG. Measuring BVOC emissions released by tomato plants grown in a soilless integrated rooftop greenhouse. *Heliyon* 10, e23854, **2024**. [https://www.cell.com/heliyon/pdf/S2405-8440\(23\)11062-0.pdf](https://www.cell.com/heliyon/pdf/S2405-8440(23)11062-0.pdf). (WoS/Scopus)
- Velikova V, Brunetti C, Tattini M, Doneva D, Ahrar M, Tsonev T, Stefanova M, Ganeva T, Gori A, Ferrini F, Varotto C, Loreto F - Physiological significance of isoprenoids and phenylpropanoids in drought response of *Arundinoideae* species with contrasting habitats and metabolism. *Plant, Cell & Environment* 39, 2185-2197, 2016**
- 8861.** Bamberger I, Ruehr NK, Schmitt M, Gast A, Wohlfahrt G, Arneith A - Isoprene emission and photosynthesis during heatwaves and drought in black locust. *Biogeosciences*, 14, 3649–3667, **2017**, <https://doi.org/10.5194/bg-14-3649-2017> (WoS/Scopus)
- 8862.** Taylor TC – Leaf volatile emissions structure tree community assembly and mediate climate feedbacks in tropical forests. The University of Arizona, **2017**, **PhD Thesis**, <http://hdl.handle.net/10150/623061>
- 8863.** Taylor TC, McMahon SM, Smith MN, Boyle B, Violle C, van Haren J, Simova I, Meir P, Ferreira LV, de Camargo PB, da Costa ACL, Enquist BJ, Saleska SR. Isoprene emission structures tropical tree biogeography and community assembly responses to climate. *New Phytologist* 220 (2): 435-446, **2018**, <https://doi.org/10.1111/nph.15304> (WoS/Scopus)
- 8864.** Vita F, Franchina FA, Taiti C, Locato V, Pennazza G, Santonico M, Purcaro G, De Gara L, Mancuso S, Mondello L, Alpi A. Environmental conditions influence the biochemical properties of the fruiting bodies of *Tuber magnatum* Pico. *Scientific Reports* 8: 7243, **2018** <https://DOI:10.1038/s41598-018-25520-7> (WoS/Scopus)
- 8865.** Deakova T. Isoprene emission in *Polytrichaceae* mosses. **PhD Thesis**. Portland State University, USA, **2019**.
- 8866.** Junker-Frohn LV, Kleiber A, Jansen K, Gessler A, Kreuzwieser J, Ensminger I. Differences in isoprenoid-mediated energy dissipation pathways between coastal and interior Douglas-fir seedlings in response to drought. *Tree Physiology* 39(10), 1750-1766, **2019**. <https://doi.org/10.1093/treephys/tpz075>. (WoS/Scopus)
- 8867.** Parveen S, Harun-Ur- Rashid M, Inafuku M, Iwasaki H, Oku H. Molecular regulatory mechanism of isoprene emission under short-term drought stress in the tropical tree *Ficus septica*. *Tree Physiology* 39(3):440-453, **2019**. <https://doi.org/10.1093/treephys/tpy123> (WoS/Scopus)
- 8868.** Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell and Environment* 42(8): 2448-2457, **2019**. <https://doi.org/10.1111/pce.13564>. (WoS/Scopus)
- 8869.** Jia H, Wang L, Li J, Sun P, Lu M, Hu J. Physiological and metabolic responses of *Salix sinopurpurea* and *Salix suchowensis* to drought stress. *Trees* 34, 563-577, **2020**. <https://doi.org/10.1007/s00468-019-01937-z>. (WoS/Scopus)
- 8870.** Novello PFAM, Bonacina C, Stracieri J, Campos CF de AA, Gonçalves JE, Gazim ZC, Souza SGHde. Water deficit induces changes in grown, oxidative metabolism and phenylpropanoids biosynthesis in *Ocimum*

basilicum L. *Research, Society and Development* 9(11), e74591110590, 2020. <https://doi.org/10.33448/rsd-v9i11.10590>.

8871. Pescheck F, Bilger W. UV-B Resistance of plants grown in natural conditions. *Annual Plant Reviews online* 3(3), 2020. <https://doi.org/10.1002/9781119312994.apr0733>. (Review) (WoS/Scopus)

8872. Lu Y, Bo Z, Li L, Zeng F, Li X. Negative effects of long-term exposure to salinity, drought and combined stresses on halophyte *Haloxylon glomeratus*. *Physiologia Plantarum* 173(4), 2307-2322, 2021. <https://doi.org/10.1111/ppl.13581>. (WoS/Scopus)

8873. Monson RK, Weraduwaage SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197: 885-902, 2021. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)

8874. Sánchez E, Rivera-Vargas P, Serrat X, Nogués S. *Arundo donax* L.: how high photosynthetic capacity is maintained under water scarcity conditions. *Agronomy* 11(6): 1089, 2021. <https://doi.org/10.3390/agronomy11061089>. (WoS/Scopus)

8875. Sicard P, Agathokleous E, Anav A, Araminiené V, Carrari E, De Marco A, Hoshika Y, Paoletti E, Proietti C. Chapter two: Tropospheric ozone, formation, distribution, and trends over time. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. Eds SB Agrawal, Madhoolika Agrawal, Anita Singh. Cambridge Scholars Publishing, ISBN (10): 1-5275-7057-6, ISBN (13): 978-1-5275-7057-3. Pp 102-127, 2021. <https://www.cambridgescholars.com/product/978-1-5275-7057-3>. (BOOK)

8876. Yang Z, Bai C, Wang P, Fu W, Wang L, Song Z, Xi X, Wu H, Zhang G, Wu J. Sandbur drought tolerance reflects phenotypic plasticity based on the accumulation of sugars, lipids, and flavonoid intermediates and the scavenging of reactive oxygen species in the root. *International Journal of Molecular Sciences* 22(23): 12615, 2021. <https://doi.org/10.3390/ijms222312615>. (WoS/Scopus)

8877. Zhao H, Ni S, Cai S, Zhang G. Comprehensive dissection of primary metabolites in response to diverse abiotic stress in barley at seedling stage. *Plant Physiology and Biochemistry* 161, 54–64, 2021. <https://doi.org/10.1016/j.plaphy.2021.01.048>. (WoS/Scopus)

8878. Han Z, Zhang Y, Zhang H, Ge X, Gu D, Liu X, Bai J, Ma Z, Tan Y, Zhu F, Xia S, Du J, Tan Y, Shu X, Tang J, Sun Y. Impacts of drought and rehydration cycles on isoprene emissions in *Populus nigra* seedlings. *International Journal of Environmental Research and Public Health* 19(21): 14528, 2022. <https://doi.org/10.3390/ijerph192114528>. (WoS/Scopus)

8879. Sahoo A, Tiwari S. Isoprene emission in plants: a tool to handle ozone stress. Chapter 14. In: *Tropospheric Ozone: A Hazard for Vegetation and Human Health*. SB Agrawal, M Agrawal, A Singh (Eds). Cambridge Scholars Publishing, pp. 483-514, 2022. https://www.researchgate.net/publication/362812911_ISOPRENE_EMISSION_IN_PLANTS_A_TOOL_TO_HANDLE_OZONE_STRESS/references. [BOOK]

8880. Docherty EM, Gloor E, Sponchiado D, Gilpin M, Pinto CAD, Junior HM, I Coughlin, L Ferreira, JAS Junior, ACL da Costa, P Meir, D Galbraith. Long-term drought effects on the thermal sensitivity of Amazon forest trees. *Plant, Cell & Environment* 46(1), 185–198, 2023. <https://doi.org/10.1111/pce.14465>. (WoS/Scopus)

8881. Islam S, Ali M, Banerjee A, Shah HM, Sadikur Rahman SK, Ahammad F, Hossain A. Chapter 11: *Moringa oleifera* under stressful conditions. In: Arafat Abdel Hamed Abdel Latef (E.) *Medicinal Plant Responses to Stressful Conditions*. CRC Press, Boca Raton, FL 33487-2742. ISBN: 9781032151960 (hbk), ISBN: 9781032151984 (pbk), ISBN: 9781032151964 (ebk). 2023 (First edition). [BOOK]

8882. Iwuala E, Unung O, Adekoya M, Abiodun I, Odjegba V, Ajiboye A, Phiri E, Alam A. Drought and salinity synergistically modulate the physiology and growth pattern of the facultative halophyte red mangrove (*Rhizophora mangle*). *Acta Physiologiae Plantarum* 45, 131, 2023. <https://doi.org/10.1007/s11738-023-03609-5>. (WoS/Scopus)

8883. Sathee L, Malini MK, Kumar P, Kumar S. Terpenoid production through mevalonate and methylerythritol phosphate pathway and regulation of environmental stress tolerance. In: Roychoudhury A (ed) *Biology and Biotechnology of Environmental Stress Tolerance in Plants, Volume I. Secondary Metabolites in Environmental Stress Tolerance*, Apple Academic Press. Chapter 3: 67-100, 2023. (WoS/Scopus) [BOOK]

8884. Rehman M, Shahid M, Mahmood S, Ali Q, Azeem M. Modulation of growth and antioxidative defense mechanism in wheat (*Triticum aestivum* L.) mediated by plant-beneficial strain *Pseudomonas veronii* MR-15 under drought conditions. *Applied Sciences* 14(1): 128, 2024. <https://doi.org/10.3390/app14010128>. (WoS/Scopus)

Astier J, Loake G, Velikova V, Gaupels F – Editorial: Interplay between NO signalling, ROS and the antioxidant system in plants. *Frontiers in Plant Science, section Plant Physiology* 7: 1731, 2016

8885. Guo L, Xi F, Yu Y, Wang Z, Zhang G, Guo D. Studies of the riboflavin treatment for promoting the early ripening of 'Kyoho' Grape berry. *Acta Horticulturae Sinica* 44 (10): 1861-1870, 2017. DOI: 10.16420/j.issn.0513-353x.2017-0386 (WoS/Scopus)

8886. Arnao MB, Hernandez-Ruiz J. Melatonin and its relationship to plant hormones. *Annals of Botany*, 121(2), 195-207, 2018, <https://doi.org/10.1093/aob/mcx114> (Review) (WoS/Scopus)

8887. Hernández-Ruiz J, Arnao MB. Relationship of melatonin and salicylic acid in biotic/abiotic plant stress responses. Review. *Agronomy* 8(4): 33, 2018 <https://doi.org/10.3390/agronomy8040033>. (Review) (WoS/Scopus)

8888. Mukherjee S. Novel perspectives on the molecular crosstalk mechanisms of serotonin and melatonin in plants. *Plant Physiology and Biochemistry* 132: 33-45, 2018. <https://doi.org/10.1016/j.plaphy.2018.08.031> (Review) (WoS/Scopus)

- 8889.** Liu J, Yang J, Zhang H, Cong L, Zhai R, Yang C, Wang Z, Ma F, Xu L. Melatonin inhibits ethylene synthesis via nitric oxide regulation to delay postharvest senescence in pears. *Journal of Agricultural Food Chemistry* 67(8): 2279-2288, **2019**. <https://doi.org/10.1021/acs.jafc.8b06580>. (WoS/Scopus)
- 8890.** Meng J, Yu P, Tong J, Sun W, Jiang H, Wang Y, Xue K, Xie F, Qian H, Liu N, Zhao J, Bao N. Hydrogen treatment reduces tendon adhesion and inflammatory response. *Journal of Cellular Biochemistry* 120(2): 1610-1619, **2019**, <https://doi.org/10.1002/jcb.27441> (WoS/Scopus)
- 8891.** Santisree P, Adimulam SS, Sharma K, Bhatnagar-Mathur P, Sharma KK. Insights into the nitric oxide mediated stress tolerance in plants. In: *Plant Signaling Molecules. Role and Regulation under Stressful Environments*, Eds: MIR Khan, PS Reddy, A Ferrante, N Khan, Elsevier Inc., eBook ISBN: 9780128164525, Paperback ISBN: 9780128164518. Chapter 25, pp. 385-406, **2019**. <https://doi.org/10.1016/B978-0-12-816451-8.00024-1> (BOOK) (WoS/Scopus)
- 8892.** Bhuyan MHMB, Hasanuzzaman M, Parvin K, Mohsin SM, Mahmud J, Nahar K, Fujita M. Nitric oxide and hydrogen sulfide: two intimate collaborators regulating plant defense against abiotic stress. *Plant Growth Regulation* 90, 409-424, **2020**. <https://doi.org/10.1007/s10725-020-00594-4>. (WoS/Scopus)
- 8893.** Parankusam S, Sanivarapu H, Gundavarapu S, Sharma KK, Bhatnagar-Mathur P. Nitric oxide as a signal in inducing secondary metabolites during plant stress. In: *Co-Evolution of Secondary Metabolites. Reference Series in Phytochemistry*. Eds: J-M Mérillon, KG Ramawat. Springer International Publishing, Print ISBN 978-3-319-96396-9, Series ISSN 2511-834X, 1100 p., **2020** (BOOK)
- 8894.** Zhao D, Wang H, Chen S, Yu D, Reiter RJ. Phytemelatonin: An emerging regulator of plant biotic stress resistance. *Trends in Plant Science* 26(1), 70-82, **2020**. <https://doi.org/10.1016/j.tplants.2020.08.009>. (Review) (WoS/Scopus)
- 8895.** Tan CY, Dodd IC, Chen JE, S-M Phang, CF Chin, Y-Y Yow, S Ratnayeke. Regulation of algal and cyanobacterial auxin production, physiology, and application in agriculture: an overview. *Journal of Applied Phycology* 33:2995-3023, **2021**. <https://doi.org/10.1007/s10811-021-02475-3>. (WoS/Scopus)
- 8896.** Zhao D, Wang H, Chen S, Yu D, Reiter RJ. Phytemelatonin: An emerging regulator of plant biotic stress resistance. *Trends in Plant Science* 26(1): 70-82, **2021**. <https://doi.org/10.1016/j.tplants.2020.08.009>. (WoS/Scopus) [Review]
- 8897.** Aslam MM, Waseem M, Felix A, Shaheen I. Nitrogen uptake and utilization toward sustainable agriculture development: Role of Nitric Oxide. Chapter 5. In: Editor(s): Mohammad Abass Ahanger, Parvaiz Ahmad. *Nitric Oxide in Plants: A Molecule with Dual Roles*. Online ISBN: 9781119800156 |DOI:10.1002/9781119800156, John Wiley & Sons, Ltd., pp. 78-94, **2022**. <https://doi.org/10.1002/9781119800156.ch5>. [BOOK]
- 8898.** Badiani E, Pasqualini S, Ciaffi M, Paolacci AR, Sorgonà A, Badiani M. Nitric oxide and reactive oxygen species interaction for stress signaling. Chapter 7. In: Editor(s): Mohammad Abass Ahanger, Parvaiz Ahmad. *Nitric Oxide in Plants: A Molecule with Dual Roles*. Online ISBN: 9781119800156 |DOI:10.1002/9781119800156, John Wiley & Sons, Ltd., pp. 118-146, **2022**. <https://doi.org/10.1002/9781119800156.ch7>. [BOOK]
- 8899.** López-Gómez P, Smith EN, Bota P, Cornejo A, Urra M, Buezo J, Moran JF. Tryptophan levels as a marker of auxins and nitric oxide signaling. *Plants* 11(10):1304, **2022**. <https://doi.org/10.3390/plants11101304>. (WoS/Scopus)
- 8900.** Wang M, Tang D, Xiong Q, Chen J, Xu X, Zhang Q, Li J, Zhou X, Yin Z. Mechanism of molecules crosstalk and the critical role of jasmonic acid on triterpenoid synthesis in *Cyclocarya paliurus* cells under *Aspergillus niger* elicitor. *Journal of Plant Biochemistry and Biotechnology* 31, 864-879, **2022**. <https://doi.org/10.1007/s13562-021-00764-z>. (WoS/Scopus)
- 8901.** Bhatt A, Mangal V, Rajotia MS, Sharma A, Sood S, Kashyap S, Verma LK. Reactive nitrogen species (RNS) and melatonin interaction in plant. In: Kumar R, Altaf MA, Lal MK, Tiwari RK (eds) *Melatonin in Plants: A Regulator for Plant Growth and Development*. Springer, Singapore. Chapter, pp. 173-201, **2023**. https://doi.org/10.1007/978-981-99-6745-2_8. [BOOK]
- 8902.** López-Gómez P, Buezo J, Urra M, Marino D, Martínez-Merino V, Moran JF. A new oxidative pathway of nitric oxide production from oximes in plants. *Molecular Plant* 17(1), 178-198, **2024**. <https://doi.org/10.1016/j.molp.2023.12.009>. (WoS/Scopus)
- Tatar Ö, Konakchiev A, Tsonev T, Velikova V, Gesheva E, Bayram E, Vitkov A, Edreva. A Plant-soil water status-induced changes in physiological and biochemical properties of yarrow. *Journal of Essential Oil Bearing Plants* 19 (7): 1776-1787, 2016**
- 8903.** Ahmed AMA, Talaat IM, Khalid KA. Soil moisture and glutamic acid affect yield, volatile oil and proline contents of oregano herb (*Origanum vulgare* L.). *International Journal of Botany* 13(1): 43-51, **2017**. (WoS/Scopus)
- 8904.** Inderaja BM, Pradhita O, Hanifah R, Manurung R, Abduh MY - Factors affecting biomass growth and production of essential oil from leaf and flower of *Salvia leucantha* Cav. *Journal of Essential Oil Bearing Plants* 21(4), 1021-1029, **2018**, <https://doi.org/10.1080/0972060X.2018.1506711> (WoS/Scopus)
- 8905.** Odongo GA, Schlotz N, Baldermann S, Neugart S, Huyskens-Keil S, Ngwene B, Trierweiler B, Schreiner M, Lamy E - African nightshade (*Solanum scabrum* mill.): impact of cultivation and plant processing on its health promoting potential as determined in a human liver cell model. *Nutrients* 10(10), art. No. 1532, **2018**; [doi:10.3390/nu10101532](https://doi.org/10.3390/nu10101532) (WoS/Scopus)

- Baldacchini C, Castanheiro A, Maghakyan N, Sgrigna G, Verhelst J, Alonso R, Amorim J, Bellan P, Breuste J, Bühler O, Cântar I, Cariñanos P, Carriero G, Churkina G, Dinca L, Esposito R, Gawronski S, Kern M, Le Thiec D, Moretti M, Ningal T, Rantzoudi E, Sinjur I, Stojanova B, Aničić Urošević M, Velikova V, Zivojinovic I, Sahakyan L, Calfapietra C, Samson R - How does the amount and composition of PM deposit on *Platanus acerifolia* leaves change across different cities in Europe? *Environmental Science & Technology* 51 (3), 1147–1156, 2017
- 8906.** Gawronski SW, Gawronska H, Lomnicki S, Sæbo A, Vangronsveld J. Chapter Eight - Plants in Air Phytoremediation. *Advances in Botanical Research* 83: 319-346, 2017. <https://doi.org/10.1016/bs.abr.2016.12.008> (WoS/Scopus)
- 8907.** Rantzoudi EC, Georgi JN – Correlation between the geometrical characteristics of streets and morphological features of trees for the formation of tree lines in urban design of the city of Orestiada, Greece. *Urban Ecosystems* 20(5): 1081-1093, 2017, <https://doi.org/10.1007/s11252-017-0655-4> (WoS/Scopus)
- 8908.** Uni D, Katra I – Airborne dust absorption by semi-arid forests reduces PM pollution in nearby urban environments. *Science of Total Environment* 598: 984-992, 2017, <https://doi.org/10.1016/j.scitotenv.2017.04.162> (WoS/Scopus)
- 8909.** Wei X, Lyu S, Yu Y, Wang Z, Liu H, Pan D, Chen J – Phylloremediation of air pollutants: exploiting the potential of plant leaves and leaf associated microbes. *Frontiers in Plant Science* 8: 1328, 2017, doi: 10.3389/fpls.2017.01318 (WoS/Scopus)
- 8910.** Wójcik M, Gonnelli C, Selvi F, Dresler S, Rostański A, Vangronsveld J. Metallophytes of serpentine and calamine soils – their unique ecophysiology and potential for phytoremediation. *Advances in Botanical Research* 83: 1-42, 2017 <https://doi.org/10.1016/bs.abr.2016.12.002> (WoS/Scopus)
- 8911.** Кураев ВН, Виноградова СВ Современные достижения в применении нанотехнологий для научных исследований в области охраны окружающей среды: Обзор. *Научные и Технические Аспекты Охраны Окружающей Среды* 6: 101-140, 2017
- 8912.** Wang L, Gong H, Peng N, Zhang JZ. Molecular adsorption mechanism of elemental carbon particles on leaf surface. *Environmental Science and Technology* 52 (9): 5182-5190, 2018, <https://pubs.acs.org/doi/10.1021/acs.est.7b06088> (WoS/Scopus)
- 8913.** Akopov A, Beklaryan L, Belyaeva O, Saghatelian A, Sahakyan L, Tepanosyan G. Agent-based modelling of mutual influence between horizontal-vertical greenery systems and air pollutants with the use of the city of Yerevan, Armenia as a case study. *Artificial societies* 15(1), 2020. <https://doi.org/10.18254/S207751800008317-7>.
- 8914.** Sillars-Powell L, Tallis MJ, Fowler M. Road verge vegetation and the capture of particulate matter air pollution. *Environments* 2020, 7(10), 93; <https://doi.org/10.3390/environments7100093>. (WoS/Scopus)
- 8915.** Witters K, Plusquin M, Slenders E, Aslam I, Ameloot M, Roeffaers MJB, Vangronsveld J, Nawrot TS, Bové H. Monitoring indoor exposure to combustion-derived particles using plants. *Environmental Pollution* 266, Part 1, 115261, 2020. <https://doi.org/10.1016/j.envpol.2020.115261>. (WoS/Scopus)
- 8916.** Kanakidou M, Sfakianaki M, Probst A. Impact of air pollution on terrestrial ecosystems. In: Dulac F, Sauvage S, Hamonou E, Eds, *Atmospheric Chemistry in the Mediterranean Region: From Air Pollutant Sources to Impacts*, HAL-03377002, v. 2, 1-31, 2021. (WoS/Scopus) [BOOK]
- 8917.** Korneykova MV, Soshina AS, Novikov AI, Ivashchenko KV, Sazonova OI, Slukovskaya MV, Shirokaya AA, Vasenev VI, Vetrova AA, Gavrichkova O. Microscopic fungi in big cities: Biodiversity, source, and relation to pollution by potentially toxic metals. *Atmosphere* 12(11): 1471, 2021. <https://doi.org/10.3390/atmos12111471>. (WoS/Scopus)
- 8918.** Prasad MNV. Phylloremediation for mitigating air pollution. In: Majeti Narasimha Vara Prasad (Ed), *Handbook of Ecological and Ecosystem Engineering*, Chapter 22, 2021. <https://doi.org/10.1002/9781119678595.ch22>. (WoS/Scopus) [BOOK]
- 8919.** Vrinceanu D, Berghi ON, Cergan R, Dumitru M, Ciuluvica RC, Giurcaneanu C, Neagos A. Urban allergy review: Allergic rhinitis and asthma with plane tree sensitization (Review). *Experimental and Therapeutic Medicine* 21(3), 275, 2021. <https://doi.org/10.3892/etm.2021.9706>. (WoS/Scopus)
- 8920.** Wróblewski K, Jeong BR. Effectiveness of plants and green infrastructure utilization in ambient particulate matter removal. *Environmental Sciences Europe* 33, 110, 2021. <https://doi.org/10.1186/s12302-021-00547-2>. (WoS/Scopus) [Review]
- 8921.** Yue C, Cui K, Duan J, Wu X, Yan P, Rodriguez C, Fu H, Deng T, Zhang S, Liu J, Guo Z, Xi B, Cao Z. The retention characteristics for water-soluble and water-insoluble particulate matter of five tree species along an air pollution gradient in Beijing, China. *Science of the Total Environment* 767, 145497, 2021. <https://doi.org/10.1016/j.scitotenv.2021.145497>. (WoS/Scopus)
- 8922.** Cao Z, Wu X, Wang T, Zhao Y, Zhao Y, Wang D, Chang Y, Wei Y, Yan G, Fan Y, Yue C, Duan J, Xi B. Characteristics of airborne particles retained on conifer needles across China in winter and preliminary evaluation of the capacity of trees in haze mitigation. *Science of the Total Environment* 806, Part 2, art. number 150704, 2022. <https://doi.org/10.1016/j.scitotenv.2021.150704>. (WoS/Scopus)
- 8923.** Frigerio J, Capotorti G, Del Vico E, Ouled Larbi M, Grassi F, Blasi C, Labra M, Guidi Nissim W. Tree tracking: species selection and traceability for sustainable and biodiversity-friendly urban reforestation. *Plant Biosystems* 157(4): 920-934, 2023. <https://doi.org/10.1080/11263504.2023.2234907>. (WoS/Scopus)
- 8924.** Guo K, Yan L, He Y, Li H, Lam SS, Peng W, Sonne C. Phytoremediation as a potential technique for vehicle hazardous pollutants around highways. *Environmental Pollution* 21: 121130, 2023. <https://doi.org/10.1016/j.envpol.2023.121130>. (WoS/Scopus)

8925. Lovynska V, Holoborodko K, Ivanko I, Sytnyk S, Zhukov O, Loza I, Wiche O, Heilmeier H. Heavy metal accumulation by *Acer platanoides* and *Robinia pseudoacacia* in an industrial city (Northern Steppe of Ukraine). *Biosystems Diversity* 31(2): 246-253, 2023. <https://doi.org/10.15421/012327>. (WoS/Scopus)
8926. Turfan N. Measurement of macronutrients and heavy metal concentrations in certain tree species exposed to pollution in Karabük. *Eurasian Journal of Forest Science* 10(3): 233-243, 2023. <https://dergipark.org.tr/en/pub/ejefs/issue/72643/1185457>.
8927. Vetrova AA, Sazonova OI, Ivanova AA, Streletskii RA, Sarzhanov DA, Korneykova MV, Novikov AI, Vasenev VI, Ivashchenko KV, Slukovskaya MV, Gavrichkova O. Diversity of microbial communities, PAHs, and metals in road and leaf dust of functional zones of Moscow and Murmansk. *Microorganisms* 11(2): 526, 2023. <https://doi.org/10.3390/microorganisms11020526>. (WoS/Scopus)
- Doneva D, Ahrar M, Tsonev T, Loreto F, Varotto C, Velikova V - The role of isoprene in two *Arundineae* species exposed to progressive drought. *Compt. rend. Acad. bulg. Sci.* 70(2):203-212, 2017
8928. Banks JM. Chlorophyll fluorescence as a tool to identify drought stress in *Acer* genotypes. *Environmental and Experimental Botany* 155: 118-127, 2018. <https://doi.org/10.1016/j.envexpbot.2018.06.022> (WoS/Scopus)
- Ahrar M, Doneva D, Tattini M, Brunetti C, Gori A, Rodeghiero M, Wohlfart G, Biasioli F, Varotto C, Loreto F, Velikova V – Phenotypic differences determine drought stress responses in ecotypes of *Arundo donax* adapted to different environments. *Journal of Experimental Botany* 68(9): 2439-2451, 2017
8929. Zegada-Lizarazu W, Della Rocca G, Centritto M, Parenti A, Monti A. Giant reed genotypes from temperate and arid environments show different response mechanisms to drought. *Physiologia Plantarum* 163(4): 490-501, 2018. <http://onlinelibrary.wiley.com/doi/10.1111/ppl.12701/abstract> (WoS/Scopus)
8930. Guarino F, Cicatelli A, Brundu G, Improta G, Triassi M, Castiglione S. The use of MSAP reveals epigenetic diversity of the invasive clonal populations of *Arundo donax* L. *PLoS ONE* 14(4): e0215096, 2019. <https://doi.org/10.1371/journal.pone.0215096> (WoS/Scopus)
8931. Jinhang L, Chengyang X, Jiyu Z, Kai Z. Resource trade-off in *Cotinus coggygia* seedlings under drought conditions—phenotypic plasticity of leaf and fine root functional traits. *International Journal of Agriculture & Biology*, 2019. DOI: 10.17957/IJAB/15.1116. (WoS/Scopus)
8932. Taylor TC, Smith MN, Slot M, Feeley KJ. The capacity to emit isoprene differentiates the photosynthetic temperature responses of tropical plant species. *Plant, Cell & Environment* 42(8):2448-2457, 2019. <https://doi.org/10.1111/pce.13564> (WoS/Scopus)
8933. Zegada-Lizarazu W, Monti A. Deep root growth, ABA adjustments and root water uptake response to soil water deficit in giant reed. *Annals of Botany* 124:605–615, 2019. doi: 10.1093/aob/mcz001. (WoS/Scopus)
8934. Maesano M, Khoury S, Nakhle F, Firrincieli A, Gay A, Tauro F, Harfouche A. UAV-based LiDAR for High-Throughput determination of plant height and above-ground biomass of the bioenergy grass *Arundo donax*. *Remote Sensing* 12(20), 3464, 2020. <https://doi.org/10.3390/rs12203464>. (WoS/Scopus)
8935. Moenga SM, Gai Y, Carrasquilla-Garcia N, Perilla-Henao LM, Cook DR. Gene co-expression analysis reveals transcriptome divergence between wild and cultivated chickpea under drought stress. *The Plant Journal* 104(5), 1195-1214, 2020. <https://doi.org/10.1111/tpj.14988>. (WoS/Scopus)
8936. Sáez M. Growth and water deficit resistance of a Peruvian ecotype of *Arundo donax* L. *South Sustainability* 1(1), e010. 2020. <https://doi.org/10.21142/SS-0101-2020-010>.
8937. da Silva, Hana Karina Pereira. Comparative analysis of metabolic responses to water restriction and rehydration in leaves of two commercial clones of *Eucalyptus*. Escola Superior de Agricultura Luiz de Queiroz, Piracicaba, Brazil. PhD Thesis, 2020. <https://doi.org/10.11606/T.11.2020.tde-05062020-093234>. (PhD Thesis)
8938. Xu SY, Weng J-K. Climate change shapes the future evolution of plant metabolism. *Advanced Genetics* 1(1), e10022, 2020. <https://doi.org/10.1002/ggn2.10022>. (WoS/Scopus)
8939. Ye Z-P, Ling Y, Yu Q, Duan H-L, Kang H-J, Huang G-M, Duan S-H, Chen X-M, Liu Y-G and Zhou S-X. Quantifying light response of leaf-scale water-use efficiency and its interrelationships with photosynthesis and stomatal conductance in C3 and C4 species. *Frontiers in Plant Science* 11: 374, 2020. <https://doi.org/10.3389/fpls.2020.00374>. (WoS/Scopus)
8940. Acuña-Acosta DM, Castellanos-Villegas AE, Llano-Sotelo JM, Romo-León JR. Responses of photosynthetic and stoichiometric traits to aridity in species and functional types of two sonoran desert plant communities. *Botanical Sciences* 99(2), 257-278, 2021. <https://doi.org/10.17129/botsci.2708>. (WoS/Scopus)
8941. Giroto L, Franco AC, Nunez CV, Oliveira SC, Scheffer de Souza MC, Fachin-Espinar MT, Ferreira CS. Phytotoxicity and allelopathic potential of extracts from rhizomes and leaves of *Arundo donax*, an invasive grass in neotropical savannas. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 49(3), 12440, 2021. <https://doi.org/10.15835/nbha49312440>. (WoS/Scopus)
8942. Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, 2021. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)
8943. Diethelm AC, Reichelt M, Dilts TE, Farlin JP, Marlar A, Pringle EG. Climatic history, constraints, and the plasticity of phytochemical traits under water stress. *Ecosphere*, 13(8): e4167, 2022. <https://doi.org/10.1002/ecs2.4167> (WoS/Scopus)

8944. Shams H, Omid H, Sahandi MS. The impact of phytochemical, morpho-physiological, and biochemical changes of *Lallemantia royleana* (Benth.) on drought tolerance. *Plant Production Science* 25(4), 440-457, **2022**. <https://doi.org/10.1080/1343943X.2022.2150660>. (WoS/Scopus)
8945. Lino G, Espigul P, Nogués S, Serrat X. *Arundo donax* L. growth potential under different abiotic stress. *Heliyon* 9, e15521, **2023**. <https://doi.org/10.1016/j.heliyon.2023.e15521>. (WoS/Scopus) [Review]
8946. Srikanth P, Maxton A, Masih SA, Sofo A, Khan NA. Isoprene: an antioxidant to guard plants against stress. *International Journal of Plant Biology* 15(1): 161-174, **2024**. <https://doi.org/10.3390/ijpb15010013>. (WoS/Scopus)
- [Li M, Xu J, Alarcon AA, Carlin S, Barbaro E, Cappellin L, Velikova V, Vorska U, Loreto F, Varotto C – In planta recapitulation of isoprene synthases evolution from ocimene synthases. *Molecular Biology and Evolution* 34\(10\): 2583-2599, 2017](#)
8947. de Souza VF, Niinemets Ü, Rasulov B, Vickers CE, Duvoisin Júnior S, Araújo WL, de Carvalho Gonçalves JF. Alternative carbon sources for isoprene emission. *Trends in Plant Science* 23(12): 1081-1101, **2018**. <https://doi.org/10.1016/j.tplants.2018.09.012> (REVIEW) (WoS/Scopus)
8948. Yeom S-J, Kim M, Kim SK, Dae-Hee Lee D-H, Kwon KK, Hyewon Lee H, Kim H, Dong-Myung Kim D-M, Lee S-G. Molecular and biochemical characterization of a novel isoprene synthase from *Metrosideros polymorpha*. *BMC Plant Biology* 18: 118, **2018**, <https://doi.org/10.1186/s12870-018-1315-4> (WoS/Scopus)
8949. Lantz AT, Allman J, Weraduwege SM, Sharkey TD. Isoprene: New insights into the control of emission and mediation of stress tolerance by gene expression. *Plant Cell and Environment* 42:2808–2826, **2019**. <https://doi.org/10.1111/pce.13629>. (Review) (WoS/Scopus)
8950. Ding G, Zhang S, Ma B, Liang J, Li H, Luo Y, He N. Origin and functional differentiation of (E)- β -ocimene synthases reflect the expansion of monoterpenes in angiosperms. *Journal of Experimental Botany* 71(20), 6571–6586, **2020**. <https://doi.org/10.1093/jxb/eraa353>. (WoS/Scopus)
8951. Nagegowda DA, Gupta P. Advances in biosynthesis, regulation, and metabolic engineering of plant specialized terpenoids. *Plant Science* 294, art. number 110457, **2020**. <https://doi.org/10.1016/j.plantsci.2020.110457>. (Review) (WoS/Scopus)
8952. Neumann KH, Kumar A, Imani J. Secondary Metabolism. In: *Plant Cell and Tissue Culture – A Tool in Biotechnology*. Eds KH Neumann, A Kumar, J Imani, Springer, Cham. Pp. 233-308, **2020**. https://doi.org/10.1007/978-3-030-49098-0_10. (WoS/Scopus) (BOOK)
8953. Ghirardo A, Nosenko T, Kreuzwieser J, Winkler JB, Kruse J, Albert A, Merl-Pham J, Lux T, Ache P, Zimmer I, Alfarraj S, Mayer KFX, Hedrich R, Rennenberg H, Schnitzler J-P. Protein expression plasticity contributes to heat and drought tolerance of date palm. *Oecologia* 197, 903-919, **2021**. <https://doi.org/10.1007/s00442-021-04907-w>. (WoS/Scopus)
8954. Czinkóczy R, Németh Á. Chapter 12 - Bioproduction of isoprene and isoprenoids. In: VK Gupta (Ed) *Valorization of Biomass to Bioproducts*, Elsevier. pp. 265-277, **2023**. ISBN 9780128228876. <https://doi.org/10.1016/B978-0-12-822887-6.00021-8>. (WoS/Scopus) [BOOK]
8955. Kumar A, Sharma P, Srivastava R, Verma PC. Chapter 11 - Demystifying the role of transcription factors in plant terpenoid biosynthesis. In: Editor(s): V Srivastava, S Mishra, S Mehrotra, SK Upadhyay, *Plant Transcription Factors*. Academic Press, Pages 233-249, **2023**. <https://doi.org/10.1016/B978-0-323-90613-5.00016-9>. (WoS/Scopus) [BOOK]
8956. Oku H, Mutanda I, Inafuku, M. Molecular characteristics of isoprene synthase and its control effects on isoprene emissions from tropical trees. *Journal of Plant Research* 136, 63-82, **2023**. <https://doi.org/10.1007/s10265-022-01418-4>. (WoS/Scopus)
8957. Weraduwege SM, Sahu A, Kulke M, Vermaas JV, Sharkey. Characterization of promoter elements of isoprene-responsive genes and the ability of isoprene to bind START domain transcription factors. *Plant Direct* 7(2), e483, **2023**. <https://doi.org/10.1002/pld3.483>. (WoS/Scopus)
- [Hristozkova M, Geneva M, Stancheva I, Velikova V – LED spectral composition effects on mycorrhizal symbiosis formation with tomato plants. *Applied Soil Ecology* 120, 189-196, 2017](#)
8958. Vitale L, Vitale E, Guercia G, Turano M, Arena C. Effects of different light quality and biofertilizers on structural and physiological traits of spinach plants. *Photosynthetica* 58 (4): 932-943, **2020**. <https://ps.ueb.cas.cz/pdfs/phs/2020/04/05.pdf>. SOURCE:WoS and/or Scopus
8959. Wei H, Zhao H, Chen X, He X. Secondary metabolites, carbohydrate accumulation, and nutrient uptake in *Aralia elata* (Miq.) Seem seedlings exposed to shoot cutting and different LED spectra. *Acta Physiologiae Plantarum* 42, article number: 162, **2020**. <https://doi.org/10.1007/s11738-020-03149-2>. (WoS/Scopus)
8960. Abdolmaleki AK, Pirdashti H, Yaghoobian Y, Abbasian A, Shiade SRG. Endophytic fungi improve growth and yield of wheat (*Triticum aestivum* L.) under limited light conditions. *Gesunde Pflanzen* 75, 1517-1529, **2023**. <https://doi.org/10.1007/s10343-022-00816-x>. (WoS/Scopus)
8961. Xie J, Lou X, Lu Y, Huang H, Yang Q, Zhang Z, Zhao W, Li Z, Liu H, Du S, Fang Z. Suitable light combinations enhance cadmium accumulation in *Bidens pilosa* L. by regulating the soil microbial communities. *Environmental and Experimental Botany* v. 205, art. 105128, **2023**. <https://doi.org/10.1016/j.envexpbot.2022.105128>. (WoS/Scopus)

8962. Yang J, Blondeel H, Boeckx P, Verheyen K, De Frenne P. Responses of the soil microbial community structure to multiple interacting global change drivers in temperate forests. *Plant and Soil* 496: 641-656, **2024**. <https://doi.org/10.1007/s11104-023-06388-7>. (WoS/Scopus)

Petrova N, Koleva P, **Velikova V**, Tsonev T, Andreeva T, Taneva S, Krumova S, Danova K – Relations between photosynthetic performance and polyphenolics productivity of *Atemisia alba* Turra in in vitro tissue culture. *International Journal Bioautomation* 22(1), 73-82, 2018

8963. Pieracci Y, Vento M, Pistelli L, Lombardi T, Pistelli L. Halophyte *Artemisia caerulescens* L.: Metabolites from in vitro shoots and wild plants. *Plants* 11(8):1081, **2022**. <https://doi.org/10.3390/plants11081081>. (WoS/Scopus)

Hristozkova M, Gigova L, Geneva M, Stancheva I, **Velikova V**, Marinova G - Influence of mycorrhizal fungi and microalgae dual inoculation on basil plants performance. *Gesunde Pflanzen* 70(2): 99-107, 2018

8964. Adeleke RA, Nunthkumar B, Roopnarain A, Obi L. Applications of plant-microbe interactions in agroecosystems. In: Kumar V, Prasad R, Kumar M, Choudhary D (eds) *Microbiome in Plant Health and Disease*. Pp. 1-34, **2019**. Springer, Singapore. https://doi.org/10.1007/978-981-13-8495-0_1. (BOOK) (WoS/Scopus)

8965. Chookalaii H, Riahi H, Shariatmadari Z, Mazarei Z, Seyed Hashtroudi M. Enhancement of total flavonoid and phenolic contents in *Plantago major* L. with plant growth promoting Cyanobacteria. *Journal of Agricultural Science and Technology* 22(2): 505-518, **2020**. <http://journals.modares.ac.ir/article-23-21403-en.html>. (WoS/Scopus)

8966. Santos EL dos, Falcão EL, Silva FSB da. Mycorrhizal technology as a bioinspiration to produce phenolic compounds of importance to the herbal medicine industry. *Research, Society and Development* [S. l.], 10(2), p. e54810212856, **2021**. <https://doi.org/10.33448/rsd-v10i2.12856>.

8967. Álvarez-González A, Uggetti E, Serrano L, Gorchs G, Ferrer I, Díez-Montero R. Can microalgae grown in wastewater reduce the use of inorganic fertilizers? *Journal of Environmental Management* 323, art. 116224, **2022**. <https://doi.org/10.1016/j.jenvman.2022.116224>. (WoS/Scopus)

8968. Günsan Can B, Yildiz M, Şensoy S. Effect of microalgae use on plant growth in spinach. *Journal of the Institute of Science and Technology* 12 (4), 1884-1895, **2022**. <https://doi.org/10.21597/jist.1110614>.

8969. Qi B, Zhang K, Qin S, Lyu D, He J. Glucose addition promotes C fixation and bacteria diversity in C-poor soils, improves root morphology, and enhances key N metabolism in apple roots. *PLoS ONE* 17(1): e0262691, **2022**. <https://doi.org/10.1371/journal.pone.0262691>. (WoS/Scopus)

8970. Shariatmadari Z, Ghorbani Nohooji M, Riahi H, Heidary F. Optimization of essential oils production in *Mentha longifolia* L. using plant growth promoting cyanobacteria. *Journal of Medicinal Plants* 21 (83): 47-59, **2022**. <http://jmp.ir/article-1-3314-en.html>. (WoS/Scopus)

8971. Turhan AS, Can BG, Kabay T, Şensoy S. The effect of use of microalgae [*Chlorella vulgaris* Beyerinck (Beijerinck)] in different fertilizer applications on plant growth of garden rocket (*Eruca vesicaria* ssp. sativa Mill.). *Turkish Journal of Agriculture - Food Science and Technology*, 10(2): 323-329, **2022**. <https://doi.org/10.24925/turjaf.v10i2.323-329.4909>.

8972. Yilmaz A, Karik Ü. AMF and PGPR enhance yield and secondary metabolite profile of basil (*Ocimum basilicum* L.). *Industrial Crops and Products* 176, art. 114327, **2022**. <https://doi.org/10.1016/j.indcrop.2021.114327>. (WoS/Scopus)

8973. Yilmaz A. Mixed consortium of microbial inoculants improves yield and essential oil profile of coriander. *Journal of Bioscience and Bioengineering* 134 (5): 462-470, **2022**. <https://doi.org/10.1016/j.jbiosc.2022.07.016>. (WoS/Scopus)

8974. Yuan M-L, Zhang M-H, Shi Z-Y, Yang S, Zhang M-G, Wang Z, Wu S-W and Gao J-K. Arbuscular mycorrhizal fungi enhance active ingredients of medicinal plants: a quantitative analysis. *Frontiers in Plant Science* 14: 1276918, **2023**. <https://doi.org/10.3389/fpls.2023.1276918>. (WoS/Scopus)

8975. Kaur M, Saxena R. Chapter 7 - Review on plant-microbe interactions, applications and future aspects. In: V Kumar, S Iram (Eds) *Microbial Technology for Agro-Ecosystems*. Academic Press, pp. 133-151, **2024**. <https://doi.org/10.1016/B978-0-443-18446-8.00005-X>. (Book chapter)

8976. Marín Marín C, Estrada JA, Delgado Naranjo JM, Zapata Ocampo PA, Peñuela Vásquez M. Cyanobacteria and microalgae as potential sources of biofertilizers: a review. *Actualidades Biológicas*, 46(120), e4606, **2024**. <https://doi.org/10.17533/udea.acbi/v46n120a06>. (Review)

8977. Shariatmadari Z, Zarezadeh S, Riahi H, Ghotbi-Ravandi AA, Hashtroudi MS, Shahrudi E. Cyanobacterial elicitor enhances the biomass of *Mentha piperita* L. and improves the production of high-value rosmarinic acid under in vitro culture of apical meristem. *BMC Plant Biology* 24, 190, **2024**. <https://doi.org/10.1186/s12870-024-04876-1>. (WoS/Scopus)

8978. Zhang Z, Xu M, Fan Y, Zhang L, Wang H. Using microalgae to reduce the use of conventional fertilizers in hydroponics and soil-based cultivation. *Science of the Total Environment* vol. 912, art. 169424, **2024**. <https://doi.org/10.1016/j.scitotenv.2023.169424>. (WoS/Scopus)

Velikova V, Tsonev T, Tattini M, Arena C, Krumova S, Koleva D, Peeva V, Stojchev S, Todinova S, Izzo LG, Brunetti C, Stefanova M, Taneva S, Loreto F. Physiological and structural adjustments of two

[ecotypes of *Platanus orientalis* L. from different habitats in response to drought and re-watering. *Conservation Physiology* 6\(1\):coy073. 2018](#)

8979. Zeng R, Chen L, Wang X, Cao J, Li X, Xu X, Xia Q, Chen T, Zhang L. Effect of waterlogging stress on dry matter accumulation, photosynthesis characteristics, yield, and yield components in three different ecotypes of peanut (*Arachis hypogaea* L.). *Agronomy* 10(9), 1244, **2020**. <https://doi.org/10.3390/agronomy10091244>. (WoS/Scopus)

8980. Al-Zubaidi AIH. Assessment of population structure and improvement of germination, seedlings quality and tolerance to drought of *Acacia tortilis* (Forssk.) Hayne in Makkah region (Doctoral dissertation, KING Abdulaziz University Jeddah). (PhD Thesis)

8981. Monson RK, Weraduwege SM, Rosenkranz M, Schnitzler J-P, Sharkey TD. Leaf isoprene emission as a trait that mediates the growth-defense tradeoff in the face of climate stress. *Oecologia* 197(4):885-902, **2021**. <https://doi.org/10.1007/s00442-020-04813-7>. (WoS/Scopus)

8982. Wang Y, Ni F, Yin D, L Chen, Y Li, L He, Y Zhang. Physiological response of *Lagerstroemia indica* (L.) Pers. seedlings to drought and rewatering. *Tropical Plant Biology* 14, 360-370, **2021**. <https://doi.org/10.1007/s12042-021-09294-3>. (WoS/Scopus)

8983. Yang W, Cao J, Wu Y, Kong F, ngyu Li Li. Review on plant terpenoid emissions worldwide and in China. *Science of the Total Environment* 787, art. 147454, **2021**. <https://doi.org/10.1016/j.scitotenv.2021.147454>. (WoS/Scopus)

8984. Zhao C, Guo H, Wang J, Wang Y and Zhang R. Melatonin enhances drought tolerance by regulating leaf stomatal behavior, carbon and nitrogen metabolism, and related gene expression in maize plants. *Frontiers in Plant Science* 12: 779382, **2021**. <https://doi.org/10.3389/fpls.2021.779382>. (WoS/Scopus)

8985. Kamer Aksoy Ö. Predicting the potential distribution area of the *Platanus orientalis* L. in Turkey today and in the future. *Sustainability* 14(18):11706, **2022**. <https://doi.org/10.3390/su141811706>. (WoS/Scopus)

8986. Mazer SJ, Hunter DJ, Hove AA, Dudley LS. Context-dependent concordance between physiological divergence and phenotypic selection in sister taxa with contrasting phenology and mating systems. *American Journal of Botany* 109(11), 1757-1779, **2022**. <https://doi.org/10.1002/ajb2.16016>. (WoS/Scopus)

8987. Wei C, Wang Q, Han H, Gan X. Low soil moisture improved shading tolerance by regulating leaf functional traits in *Tetracentron sinense* Oliv. seedlings. *Global Ecology and Conservation* vol. 48, art. e02757, **2023**. <https://doi.org/10.1016/j.gecco.2023.e02757>. (WoS/Scopus)

8988. Wang D, Wang YS, Li ZZ, Xiao JW. Estimating the morphological and physiological plasticity of *Ligustrum obtusifolium* seedlings in response to drought stress and subsequent rewatering. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-023-11208-4>. (WoS/Scopus)

[Brunetti C, Tattini M, Guidi L, Velikova V, Ferrini F, Fini A. An integrated overview of physiological and biochemical responses of *Celtis australis* to drought stress. *Urban Forestry & Urban Greening* 46, art. No 126480. 2019.](#)

8989. Wang X, Xia J, Cao X. Physiological and ecological characteristics of *Periploca sepium* Bunge under drought stress on shell sand in the Yellow River Delta of China. *Scientific Reports* 10, art. number 9567, **2020**. <https://doi.org/10.1038/s41598-020-66717-z>. (WoS/Scopus)

8990. Meriem S, Mulyah E, Angio MH, Triadiati T. The physiological responses of *Zea mays* L. and *Cucumis sativus* L. on drought stress and re-watering. *Jurnal Biodjati* 6(2), **2021**. <https://doi.org/10.15575/biodjati.v6i2.12572>.

8991. Tang C, Xie J, Lv J, Li J, Zhang J, Wang C, Liang G. Alleviating damage of photosystem and oxidative stress from chilling stress with exogenous zeaxanthin in pepper (*Capsicum annuum* L.) seedlings. *Plant Physiology and Biochemistry* 162, 395-409, **2021**. <https://doi.org/10.1016/j.plaphy.2021.03.010>. (WoS/Scopus)

8992. Li M, Zhang Y, Xu X, Chen Y, Chu J, Yao X. The combined treatments of brassinolide and zeaxanthin better alleviate oxidative damage and improve hypocotyl length, biomass, and the quality of radish sprouts stored at low temperature. *Food Chemistry: X*, Vol. 15, art. 100394, **2022**. <https://doi.org/10.1016/j.fochx.2022.100394>. (WoS/Scopus)

8993. Mumtaz MZ, Ahmad M, Mehmood K, Sheikh AS, Malik A, Hussain A, Nadeem SM, Zahir ZA. Role of Plant Growth-Promoting Rhizobacteria in Combating Abiotic and Biotic Stresses in Plants. In: Arora, N.K., Bouizgarne, B. (eds) *Microbial BioTechnology for Sustainable Agriculture* Volume 1. (pp. 43-104). *Microorganisms for Sustainability* Book series), vol 33. Springer, Singapore, **2022**. https://doi.org/10.1007/978-981-16-4843-4_2. [BOOK]

8994. Song YG, Hwang JE, An J, Kim PB, Park HB, Park HJ, Kim S, Lee CW, Lee BD, Kim NY, Lee KC. The growth and physiological characteristics of the endangered cam plant, nadopungnan (*Sedirea japonica*), under drought and climate change scenarios. *Forests* 13(11): 1823, **2022**. <https://doi.org/10.3390/f13111823>. (WoS/Scopus)

8995. Laoué J, Havaux M, Ksas B, Tuccio B, Lecareux C, Fernandez C, Ormeño E. Long-term rain exclusion in a Mediterranean forest: response of physiological and physico-chemical traits of *Quercus pubescens* across seasons. *The Plant Journal* 116(5), 1293-1308, **2023**. <https://doi.org/10.1111/tpj.16424>. (WoS/Scopus)

8996. Ulloa-Inostroza EM, Córdova C, Campos M, Reyes-Díaz M. Methyl jasmonate improves antioxidants, protecting photosynthetic apparatus in blueberry plants under water deficit. *Horticulturae* 10(3):259, **2024**. <https://doi.org/10.3390/horticulturae10030259>. (WoS/Scopus)

Bowditch E, Santopuoli G, Binder F, del Rio M, La Porta N, Kluvankova T, Lesinski J, Motta R, Pach M, Panzacchi P, Pretzsch H, Temperli C, Tonon G, Smith M, Velikova V, Weatherall A, Tognetti R. What is Climate-Smart Forestry? A definition from a multinational collaborative process focused on mountain regions of Europe. *Ecosystem Services* 43, art. number 101113, 2020.

8997. Brundu G, Pauchard A, Pyšek P, Pergl J, Bindewald AM, Brunori A, Canavan S, Campagnaro T, Celesti-Grapow L, de Sá Dechoum M, Dufour-Dror J-M, Essl F, Flory SL, Genovesi P, Guarino F, Guangzhe L, Hulme PE, Jäger H, Kettle CJ, Krumm F, Langdon B, Lapin K, Lozano V, Le Roux JJ, Novoa A, Nuñez MA, Porté AJ, Silva JS, Schaffner U, Sitzia T, Tanner R, Tshidada N, Vítková M, Westergren M, Wilson JR, Richardson DM. Global guidelines for the sustainable use of non-native trees to prevent tree invasions and mitigate their negative impacts. *NeoBiota* 61, 65-116, 2020. <https://doi.org/10.3897/neobiota.61.58380>. [Review] (WoS/Scopus)

8998. Dincă L, Vechiu E. Intelligent pubescent oak forests (*Quercus pubescens* Wild.) from dobroudja plateau, Romania. *Sustainable Development Research* 2(1), 2020. <https://doi.org/10.30560/sdr.v2n2p1>.

8999. Erni M, Burg V, Bont L, Thees O, Ferretti M, Stadelmann G, Schweier J. Current (2020) and long-term (2035 and 2050) sustainable potentials of wood fuel in Switzerland. *Sustainability* 12(22), 9749, 2020. <https://doi.org/10.3390/su12229749>. (WoS/Scopus)

9000. Lerink B, Hassegawa M, Kryshen A, Kovalev A, Kurbanov E, Nabuurs G-J, Moshnikov S, Verkerk PJ. Climate-Smart Forestry in Russia and potential climate change mitigation benefits. In: Leskinen P, Lindner M, Verkerk PJ, Nabuurs GJ, Van Brusselen J, Kulikova E, Hassegawa M, Lerink B (eds.), *Russian Forests and Climate Change. What Science Can Tell Us* 11. European Forest Institute. Chapter 5, pp. 73-103, 2020. <https://doi.org/10.36333/wsctul1>. [BOOK]

9001. Szmyt J. Hodowla lasu wobec zmian klimatycznych – wyzwania, ograniczenia, perspektywa (Silviculture and climate change – challenges, limitations and perspective). *Sylvan* 164 (11), 881–895, 2020. DOI: <https://doi.org/10.26202/sylvan.2020080>. (WoS/Scopus)

9002. Wieding J, Stubenrauch J, Ekardt F. Human rights and precautionary principle: Limits to Geoengineering, SRM, and IPCC scenarios. *Sustainability* 12(21), 8858, 2020. <https://doi.org/10.3390/su12218858>. (WoS/Scopus)

9003. Леринк Б, Хассегава М, Крышень А, Ковалев А, Курбанов Э, Набуурс Г-Я, Мошников С, Веркерк ПЙ. Климатически оптимизированное ведение лесного хозяйства в России и потенциальные выгоды от смягчения последствий изменения климата. В: П Лескинен, М Линднер, П-Й Веркерк, Г-Я Набуурс, Й ван Брусселен, Е Куликова, М Хассегава и Б Леринк (редкол.), *Леса России и изменение климата. Что нам может сказать наука* 11, стр.73-106, 2020. https://www.researchgate.net/profile/George-Safonov/publication/349811722_Rol_bioekonomiki_v_smagcenii_posledstvij_izmenenia_klimata_v_Rossii/links/60421d3992851c077f18be44/Rol-bioekonomiki-v-smagcenii-posledstvij-izmenenia-klimata-v-Rossii.pdf#page=73. [BOOK]

9004. Garms M. Perception of climate-induced forest dieback and silvicultural adaptation to climate change in mountain forests – The case of the Bavarian Forest, Germany. Universität Greifswald, Germany, 2021. https://epub.ub.uni-greifswald.de/files/4563/Diss_Forest_dieback.pdf. [PhD Thesis]

9005. Jocher G, Kowalska N, Acosta M, Krejza J, Marková I, Marshall JD, Uchytlová T, Pavelka M, Marek MV. Potential of typical highland and mountain forests in the Czech Republic for climate-smart forestry: ecosystem-scale drought responses. *Canadian Journal of Forest Research* 51(12), 2021. <https://doi.org/10.1139/cjfr-2020-0286>. (WoS/Scopus)

9006. Kašanin-Grubin M, Burton PJ. Some options for Climate-Smart Forestry in Europe's mountain regions. *Canadian Journal of Forest Research* 51(12), 2021. <https://doi.org/10.1139/cjfr-2021-0308>. (WoS/Scopus)

9007. Kostić S, Orlović S, Karaklić V, Kesić L, Zorić M, Stojanović DB. Allometry and post-drought growth resilience of pedunculate oak (*Quercus robur* L.) varieties. *Forests* 12(7):930, 2021. <https://doi.org/10.3390/f12070930>. (WoS/Scopus)

9008. Niță MD. Testing forestry digital twinning workflow based on mobile LiDAR scanner and AI platform. *Forests* 12(11):1576, 2021. <https://doi.org/10.3390/f12111576>. (WoS/Scopus)

9009. Repo A, Rajala T, Henttonen HM, Lehtonen A, Peltoniemi M, Heikkinen J. Age-dependence of stand biomass in managed boreal forests based on the Finnish National Forest Inventory data. *Forest Ecology and Management* 498, art. number 119507, 2021. <https://doi.org/10.1016/j.foreco.2021.119507>. (WoS/Scopus)

9010. Schirpke U, Wang G, Padoa-Schioppa E. Editorial: Mountain landscapes: Protected areas, ecosystem services, and future challenges. *Ecosystem Services* 49, art. 101302, 2021. <https://doi.org/10.1016/j.ecoser.2021.101302>. (WoS/Scopus)

9011. Sterck F, Vos MAE, Hannula SE, de Goede SPC, de Vries W, den Ouden J, Nabuurs GJ, van der Putten WH, Veen GF. Optimizing stand density for climate-smart forestry: a way forward towards resilient forests with enhanced carbon storage under extreme climate events. *Soil Biology and Biochemistry* v. 162, art. 108396, 2021. <https://doi.org/10.1016/j.soilbio.2021.108396>. (WoS/Scopus)

9012. Suratman M, Hitam M. Examining the influence of forestry value added dimensions on climate change in Thailand. *International Journal of Energy Economics and Policy* 11(6), 122-129, 2021. <https://doi.org/10.32479/ijee.10934>. (WoS/Scopus)

9013. Verkerk PJ, Hassegawa M, Van Brusselen J, Cramm M, Chen X, Imparato Maximo Y, Koç M, Lovrić M, Tekle Tegegne Y. The role of forest products in the global bioeconomy – Enabling substitution by wood-based products and contributing to the Sustainable Development Goals. Rome, FAO on behalf of the Advisory Committee

on Sustainable Forestbased Industries (ACSFI), 168 pages, ISBN: 978-92-5-135151-2, 2021. <https://doi.org/10.4060/cb7274en>.

9014. Andrea V. Climate change impacts and the role of forestry: insights from the mediterranean region. In: Leal Filho W, Manolas E (eds) *Climate Change in the Mediterranean and Middle Eastern Region. Climate Change Management* – book series. Springer, Cham. Pp. 119-132, 2022. https://doi.org/10.1007/978-3-030-78566-6_5. (WoS/Scopus) [BOOK]

9015. Campos JC, Rodrigues S, Sil Â, Hermoso V, Freitas T, Santos J, Fernandes PM, Azevedo JC, Honrado JP, Regos A. Climate regulation ecosystem services and biodiversity conservation are enhanced differently by climate- and fire-smart landscape management. *Environmental Research Letters* 17, 054014, 2022. <https://doi.org/10.1088/1748-9326/ac64b5>. (WoS/Scopus)

9016. Chaki A, Sinha B, Bisaria J, Srivastava P. Need for a comprehensive monitoring framework of Indian Forests. *Economic and Political Weekly* 57(2): 25-28, 2022. <https://www.epw.in/journal/2022/2/commentary/need-comprehensive-monitoring-framework-indian.html>. (WoS/Scopus)

9017. Donoso PJ, Promis Á, Loguercio GA, Beltrán HA, Caselli M, Chauchard LM, Cruz G, Peñalba MG, Pastur GM, Navarro C, Núñez P, Salas-Eljatib C, Soto DP, Vásquez-Grandón A. Silviculture of South American temperate native forests. *New Zealand Journal of Forestry Science* 52: 2, 1-32, 2022. <https://doi.org/10.33494/nzjfs522022x173x>. (WoS/Scopus) [Review].

9018. Gómez-González S, Paniw M, Blanco-Pastor JL, García-Cervigón AI, Godoy O, Herrera JM, Lara A, Miranda A, Ojeda F, Ochoa-Hueso R. Moving towards the ecological intensification of tree plantations. *Trends in Plant Science* 27(7), 637-645, 2022. <https://doi.org/10.1016/j.tplants.2021.12.009>. (WoS/Scopus)

9019. Hallberg-Sramek I, Reimerson E, Priebe J, Nordström E-M, Mårald E, Sandström C, Nordin A. Bringing “Climate-Smart Forestry” down to the local level—identifying barriers, pathways and indicators for its implementation in practice. *Forests* 13(1):98, 2022. <https://doi.org/10.3390/f13010098>. (WoS/Scopus) Hernández-Morcillo M, Torralba M, Baiges T, Bernasconi A, Bottaro G, Brogaard S, Bussola F, Díaz-Varela E, Geneletti D, Grossmann CM, Kister J, Klingler M, Loft L, Lovric M, Mann C, Pipart N, Rocas-Díaz JV, Sorge S, Tiebel M, Tyrväinen L, Varela E, Winkel G, Plieninger T. Scanning the solutions for the sustainable supply of forest ecosystem services in Europe. *Sustainability Science* 17: 2013-2029, 2022. <https://doi.org/10.1007/s11625-022-01111-4>. (WoS/Scopus)

9020. Iglesias MC, Hermoso V, Campos JC, Carvalho-Santos C, Fernandes PM, Freitas TR, Honrado JP, Santos JA, Sil Â, Regos A, Azevedo JC. Climate- and fire-smart landscape scenarios call for redesigning protection regimes to achieve multiple management goals. *Journal of Environmental Management* v. 322, art. 116045, 2022. <https://doi.org/10.1016/j.jenvman.2022.116045>. (WoS/Scopus)

9021. Kebert M, Vuksanović V, Stefels J, Bojović M, Horák R, Kostić S, Kovačević B, Orlović S, Neri L, Magli M, Rapparini F. Species-level differences in osmoprotectants and antioxidants contribute to stress tolerance of *Quercus robur* L., and *Q. cerris* L. seedlings under water deficit and high temperatures. *Plants* 11(13):1744, 2022. <https://doi.org/10.3390/plants11131744>. (WoS/Scopus)

9022. Lavorel S, Grigulis K, Richards DR, TR Etherington, RM Law, A Herzig. Templates for multifunctional landscape design. *Landscape Ecology* 37, 913-934, 2022. <https://doi.org/10.1007/s10980-021-01377-6>. (WoS/Scopus)

9023. Newton PF. Potential utility of a climate-sensitive structural stand density management model for red pine crop planning. *Forests* 13(10):1695, 2022. <https://doi.org/10.3390/f13101695>. (WoS/Scopus)

9024. Pappas C, N Bélanger, Y Bergeron, O Blarquez, HYH Chen, PG Comeau, L De Grandpré, S Delagrangé, A DesRochers, A Diochon, L D’Orangeville, P Drapeau, L Duchesne, E Filotas, F Gennaretti, D Houle, B Lafleur, D Langor, SL Desrosiers, F Lorenzetti, R Man, C Messier, MM Girona, C Nock, BR Thomas, T Work, D Kneeshaw. Smartforests Canada: A network of monitoring plots for forest management under environmental change. In: Tognetti R., Smith M., Panzacchi P. (eds) *Climate-Smart Forestry in Mountain Regions. Managing Forest Ecosystems*, vol 40, pp.521-543, 2022. Springer, Cham. https://doi.org/10.1007/978-3-030-80767-2_16. [BOOK]

9025. Sargıncı M, Beyazyüz F. İklim değişikliğinin ormanlar üzerindeki etkisi: iklim akilci ormancılık bakış açisi. *Anadolu Orman Araştırmaları Dergisi* 8(2): 142-149, 2022. <https://doi.org/10.53516/ajfr.1139640>.

9026. Shephard NT, Narine L, Peng Y, Maggard A. Climate Smart Forestry in the Southern United States. *Forests* 13(9): 1460, 2022. <https://doi.org/10.3390/f13091460>. (WoS/Scopus)

9027. Sultan H, Zhan J, Rashid W, Chu X, Bohnett E. Systematic review of multi-dimensional vulnerabilities in the himalayas. *International Journal of Environmental Research and Public Health* 19(19): 12177, 2022. <https://doi.org/10.3390/ijerph191912177>. (WoS/Scopus) [Review]

9028. Yoshii T, Matsumura N, Lin C. Integrating UAV-SfM and airborne lidar point cloud data to plantation forest feature extraction. *Remote Sensing* 14(7): 1713, 2022. <https://doi.org/10.3390/rs14071713>. (WoS/Scopus)

9029. Yousefpour R. Climate-smart forestry - potential and practicalities. *CABI Reviews* 17, 005, 1-3, 2022. Publisher CABI, Wallingford, UK <http://dx.doi.org/10.1079/cabireviews202217005>. [BOOK]

9030. Verkerk PJ, Delacote P, Hurmekoski E, Kunttu J, Matthews R, Mäkipää R, Mosley F, Perugini L, Reyer CPO, Roe S, Trømborg E. Forest-based climate change mitigation and adaptation in Europe. From Science to Policy 14. *European Forest Institute*. 2022. <https://doi.org/10.36333/fs14>.

9031. Bhadouria R, Singh S, Tripathi S, Singh P. (Eds.). *Understanding Soils of Mountainous Landscapes: Sustainable Use of Soil Ecosystem Services and Management*. Elsevier, 400 pp, 2023. https://books.google.com/books?hl=en&lr=&id=x3qAEAAQBAJ&oi=fnd&pg=PP1&ots=ch35jEfVoc&sig=W TvTaW-KMHDFNYlb5Nj_MQHIZkk. (WoS/Scopus) [BOOK]

- 9032.** Blattert C, Mönkkönen M, Burgas D, Di Fulvio F, Caicoya AT, Vergarechea M, Klein J, Hartikainen M, Antón-Fernández C, Astrup R, Emmerich M, Forsell N, Lukkarinen J, Lundström J, Pitzén S, Poschenrieder W, Primmer E, Snäll T, Eyvindson K. Climate targets in European timber-producing countries conflict with goals on forest ecosystem services and biodiversity. *Communications Earth & Environment* vol. 4, art. 119, **2023**. <https://doi.org/10.1038/s43247-023-00771-z>. (WoS/Scopus)
- 9033.** Bonan G. BOOK: Seeing the Forest for the Trees Forests, Climate Change, and Our Future. Cambridge University Press. pp. 256 - 307, **2023**. <https://doi.org/10.1017/9781108601559.021>. [BOOK]
- 9034.** Bréda N. Vulnerability, hazards, adaptation, resilience: useful concepts for analysing, understanding and managing sanitary crises in forests. *ReGeFor workshops 2020. Forests under crisis, let's take up the challenge!* Vol. 74(2): 109-120, **2023**. <https://doi.org/10.20870/revforfr.2023.7585>.
- 9035.** Buksha IF, Pyvovar TS, Bondaruk MA, Pasternak VP, Krakovska SV. Vulnerability assessment of Ukrainian forests as the basis of nature-based solutions for mitigation and adaptation to climate change. *Proceedings of the Forestry Academy of Sciences of Ukraine* vol. 25, 138-145, **2023**. <https://doi.org/10.15421/412300>.
- 9036.** Chudy R, Cabbage F, Mei B, Siry J. The Journal of Forest Business Research to support sustainable forest investments for economic, social, and environmental benefits. *BioResources* 18(3), 4373-4376. **2023**. https://media.proquest.com/media/hms/PFT/1/PNfaU?_s=bt%2FM2Tuj%2B37ZasZ6Fvy%2FHldJmY%3D. (WoS/Scopus)
- 9037.** Cooper L, MacFarlane D. Climate-Smart Forestry: Promise and risks for forests, society, and climate. *PLOS Climate* 2(6): e0000212, **2023**. <https://doi.org/10.1371/journal.pclm.0000212>. [Review]
- 9038.** Dar MA, Singh R, Ahmad M, Kaur S, Singh HP, Batish DR. Chapter 19 - Socioeconomic and ecological sustainability of agroforestry in mountain regions. In: Bhadouria R, Singh S, Tripathi S, Singh P (Eds) *Understanding Soils of Mountainous Landscapes*. Elsevier, pp. 375-394, **2023**. ISBN 9780323959254. <https://doi.org/10.1016/B978-0-323-95925-4.00009-1>. (WoS/Scopus) [BOOK]
- 9039.** Diers M, Weigel R, Leuschner C. Both climate sensitivity and growth trend of European beech decrease in the North German Lowlands, while Scots pine still thrives, despite growing sensitivity. *Trees* 37, 523-543, **2023**. <https://doi.org/10.1007/s00468-022-02369-y>. (WoS/Scopus)
- 9040.** Gołos P, Wysocka-Fijorek E, Ukalska J. Preferences of private forest owners regarding membership in Forest Owner Associations (FOAs). *Sylvan* 167 (11): 755–771, **2023**. <https://doi.org/10.26202/sylvan.2023082>. (WoS/Scopus)
- 9041.** Gonçalves AC. Chapter 6. Impact of Continuous Cover Forestry on Forest Systems. In: Raj A, Jhariya MK, Banerjee A, Nema S, Bargali K (Eds) *Land and Environmental Management through Forestry*. Print ISBN:9781119910404, |Online ISBN:9781119910527, |DOI:10.1002/9781119910527. pp. 133-159, **2023**. <https://doi.org/10.1002/9781119910527.ch6>. [BOOK]
- 9042.** Hallberg-Sramek I, Nordström E-M, Priebe J, Reimerson E, Mårald E, Nordin A. Combining scientific and local knowledge improves evaluating future scenarios of forest ecosystem services. *Ecosystem Services* vol. 60, art. 101512, **2023**. <https://doi.org/10.1016/j.ecoser.2023.101512>. (WoS/Scopus)
- 9043.** Hallberg-Sramek I. Tailoring forest management to local socio-ecological contexts: Addressing climate change and local stakeholders' expectations of forests. Swedish University of Agricultural Sciences, Umeå, **2023**. <https://dx.doi.org/10.54612/a.60s9e6ei21>. [PhD Thesis].
- 9044.** Imbrenda V, Coluzzi R, Mariani F, Nosova B, Cudlinova E, Salvia R, Quaranta G, Salvati L, Lanfredi M. Working in (slow) progress: socio-environmental and economic dynamics in the forestry sector and the contribution to sustainable development in Europe. *Sustainability* 15(13): 10271, **2023**. <https://doi.org/10.3390/su151310271>. (WoS/Scopus) [Review]
- 9045.** Lanfredi M, Coluzzi R, Imbrenda V, Nosova B, Giacalone M, Turco R, Prokopová M, Salvati L. In-between environmental sustainability and economic viability: an analysis of the state, regulations, and future of Italian forestry sector. *Land* 12(5):1001, **2023**. <https://doi.org/10.3390/land12051001>. (WoS/Scopus)
- 9046.** Lebedev AV. Changes in the growth of Scots pine (*Pinus sylvestris* L.) stands in an urban environment in European Russia since 1862. *Journal of Forestry Research* 34, 1279-1287, **2023**. <https://doi.org/10.1007/s11676-022-01569-z>. (WoS/Scopus)
- 9047.** Nagel R, Meyer P, Blaschke M, Feldmann E. Strict forest protection: A meaningful contribution to Climate-Smart Forestry? An evaluation of temporal trends in the carbon balance of unmanaged forests in Germany. *Frontiers in Forests and Global Change* 6: 1099558, **2023**. <https://doi.org/10.3389/ffgc.2023.1099558>. (WoS/Scopus)
- 9048.** Oktoyoki H, Pratama B, Safnizar S, Himawan R. Performansi kelompok tani hutan (kth) dalam pengelolaan hutan kemasyarakatan: dimensi kelola kelembagaan, kawasan, dan usaha. [the performance of forest farmer groups (KTH) in community forest management: dimensions of institutional arrangements, forest area management, and enterprises]. *Jurnal Hutan Pulau-Pulau Kecil* 7(2), 210-220, **2023**. <https://doi.org/10.30598/jhppk.v7i2.10824>.
- 9049.** Papa CC, DeLyser K, Clay K, Gadoth-Goodman D, Cooper L, Kurz WA, Magnan M and Ontl T. Modeling climatesmart forest management and wood use for climate mitigation potential in Maryland and Pennsylvania. *Frontiers in Forest and Global Change* 6: 1259010, **2023**. <https://doi.org/10.3389/ffgc.2023.1259010>. (WoS/Scopus)
- 9050.** Rybar J, Bosela M. Trade-offs or complementarity between biomass production and biodiversity in European forests: a review. *Central European Forestry Journal* 69(4): 201-213, **2023**. <https://doi.org/10.2478/forj-2023-0019>. (WoS/Scopus)

- 9051.** Scherrer D, Allgaier Leuch B, Fischer C, Frehner M and Wohlgemuth T. Maintaining the protective function of mountain forests under climate change by the concept of naturalness in tree species composition. *Frontiers in Forests and Global Change* 6: 1191639, **2023**. <https://doi.org/10.3389/ffgc.2023.1191639>. (WoS/Scopus)
- 9052.** Scherrer D, Baltensweiler A, Bürgi M, Fischer C, Stadelmann G, Wohlgemuth T. Low naturalness of Swiss broadleaf forests increases their susceptibility to disturbances. *Forest Ecology and Management* vol. 532, art. 120827, **2023**. <https://doi.org/10.1016/j.foreco.2023.120827>. (WoS/Scopus)
- 9053.** Tomaszewski L, Kołakowski R. Mobile services for smart agriculture and forestry, biodiversity monitoring, and water management: challenges for 5G/6G networks. *Telecom* 4(1): 67-99, **2023**. <https://doi.org/10.3390/telecom4010006>. (WoS/Scopus)
- 9054.** Triviño M, Potterf M, Tijerín J, Ruiz-Benito P, Burgas D, Eyvindson K, Blattert C, Mönkkönen M, Duflot R. Enhancing resilience of boreal forests through management under global change: a Review. *Current Landscape Ecology Reports* 8, 103–118, **2023**. <https://doi.org/10.1007/s40823-023-00088-9>.
- 9055.** Yuan X, Liang Y, Feng W, Li J, Ren H, Han S, Liu M. Classification of coniferous and broad-leaf forests in China based on high-resolution imagery and local samples in google earth engine. *Remote Sensing* 15(20): 5026, **2023**. <https://doi.org/10.3390/rs15205026>. (WoS/Scopus)
- 9056.** Adesina OS, Ayetan O, Otokit, KV, Ojotu O. Harnessing nature to address climate change: agri-environmental approaches for adaptation and mitigation. In: Leal Filho W, Nagy GJ, Ayal DY (eds) *Handbook of Nature-Based Solutions to Mitigation and Adaptation to Climate Change*. Springer, Cham. **2024**. https://doi.org/10.1007/978-3-030-98067-2_95-1. (Book chapter)
- 9057.** Amirteimoori A, Zadmirzaei M, Susaeta A, Amirteimoori A. Efficiency analysis and CO₂ emission reduction strategies in the US forest sector: a data envelopment analysis approach. *European Journal of Forest Research*, **2024**. <https://doi.org/10.1007/s10342-024-01663-3>. (WoS/Scopus)
- 9058.** Cienciala E, Melichar J. Forest carbon stock development following extreme drought-induced dieback of coniferous stands in Central Europe: a CBM-CFS3 model application. *Carbon Balance and Management* 19, 1, **2024**. <https://doi.org/10.1186/s13021-023-00246-w>. (WoS/Scopus)
- 9059.** Diers M, Leuschner C, Dulamsuren C, TC Schulz, R Weigel. Increasing winter temperatures stimulate scots pine growth in the North German lowlands despite stationary sensitivity to summer drought. *Ecosystems*, **2024**. <https://doi.org/10.1007/s10021-023-00897-3>. (WoS/Scopus)
- 9060.** Islam MdR, Jönsson AM, Bergkvist J, Lagergren F, Lindeskog M, Mölder M, Scholze M, Kljun N. Projected effects of climate change and forest management on carbon fluxes and biomass of a boreal forest. *Agricultural and Forest Meteorology* vol. 349, art. 109959, **2024**. <https://doi.org/10.1016/j.agrformet.2024.109959>. (WoS/Scopus)
- 9061.** Kholiavchuk D, Gurgiser W, Mayr S. Carpathian Forests: past and recent developments. *Forests* 15(1):65, **2024**. <https://doi.org/10.3390/f15010065>. (WoS/Scopus)
- 9062.** Noormets A, Miao G, Kim D, Ono M, McNulty SG. Chapter 5 - Mitigation potential of forests: challenges to carbon accrual in the ecosystem. In: McNulty SG (Ed.). *Future Forests*, pp. 75-94. **2024**. <https://doi.org/10.1016/B978-0-323-90430-8.00013-7>. (Book)
- 9063.** Qiao D, Zhang Z, Li H. How Does carbon trading impact China's forest carbon sequestration potential and carbon leakage? *Forests* 15(3):497, **2024**. <https://doi.org/10.3390/f15030497>. (WoS/Scopus)
- 9064.** Reimerson E, Priebe J, Hallberg-Sramek I, de Boon A, Sandström C. Local articulations of climate action in Swedish forest contexts. *Environmental Science & Policy* vol. 151, art. 103626, **2024**. <https://doi.org/10.1016/j.envsci.2023.103626>. (WoS/Scopus)
- 9065.** Spathelf P, Lavnyy V, Matysevych O, Danchuk O. German-Ukrainian efforts towards building climate resilient forests in western Ukraine – first results of alternative regeneration systems. *South-East European Forestry* 15(1): early view, **2024**. <https://doi.org/10.15177/see-for.24-04>. (WoS/Scopus)
- 9066.** van den Bosch M, Bartolomeu ML, Williams S, Basnou C, Hamilton I, Nieuwenhuijsen M, Pino J, Tonne C. A scoping review of human health co-benefits of forest-based climate change mitigation in Europe. *Environment International*, art. 108593, **2024**. <https://doi.org/10.1016/j.envint.2024.108593>. (WoS/Scopus)
- 9067.** Zandebasiri M, Sagheb-Talebi K, Jahanbazi Goujani H, M Talebi, Y Iranmanesh, ZM Ghahfarokhi, T Mokhtarpour, ŠP Malovrh, P Grošelj. Assessment of the stand structure of protective forest monitoring based on statistical models in Irano-Turanian phytogeographical regions of Iran. *Environmental Monitoring and Assessment* 196, art. 18, **2024**. <https://doi.org/10.1007/s10661-023-12140-6>. (WoS/Scopus)
- [Dimitrova S, Paunov M, Pavlova B, Dankov K, Kouzmanova M, Velikova V, Tsonev T, Kalaji HM, Goltsev V. Photosynthetic efficiency of two *Platanus orientalis* L. ecotypes exposed to moderately high temperature – JIP-test analysis. *Photosynthetica* 58 \(SI\): 657-670, 2020. DOI: 10.32615/ps.2020.012.](#)
- 9068.** Sun H, Shi Q, Zhang S-B, Huang W. Coordination of cyclic electron flow and water–water cycle facilitates photoprotection under fluctuating light and temperature stress in the epiphytic orchid *dendrobium officinale*. *Plants* 10(3), 606, **2021**. <https://doi.org/10.3390/plants10030606>. (WoS/Scopus)
- 9069.** Todorenko D, Volgusheva A, Timofeev N, Kovalenko I, Matorin D, Antal T. Multiple *in vivo* effects of cadmium on photosynthetic electron transport in pea plants. *Photochemistry and Photobiology* 97(6), 1516-1526, **2021**. <https://doi.org/10.1111/php.13469>. (WoS/Scopus)

- 9070.** de Souza GAR, de Andrade Neves D, Ruas KF, Baroni DF, dos Santos KD, de Paula Bernado W, de Miranda RMSN, de Almeida CM, Santos AR, Rodrigues WP, Rakocovic M, Campostrini E. Supra-optimal temperatures induce photochemical leaf damage and reduce photosynthetic O₂ evolution in *Carica papaya* L. *Environmental and Experimental Botany* vol. 203, art. 105051, **2022**. <https://doi.org/10.1016/j.envexpbot.2022.105051>. (WoS/Scopus)
- 9071.** Ji W, Luo H, Song Y, Hong E, Li Z, Lin B, Fan C, Wang H, Song X, Jin S, Chen X, Zhu X. Changes in photosynthetic characteristics of *Paeonia suffruticosa* under high temperature stress. *Agronomy* 12(5):1203, **2022**. <https://doi.org/10.3390/agronomy12051203>. (WoS/Scopus)
- 9072.** Li Xy, Lin ML, Hu Pp, N-w Lai, Z-rong Huang, Li-s Chen. Copper toxicity differentially regulates the seedling growth, copper distribution, and photosynthetic performance of *Citrus sinensis* and *Citrus grandis*. *Journal of Plant Growth Regulation* 41, 3333-3344, **2022**. <https://doi.org/10.1007/s00344-021-10516-x>. (WoS/Scopus)
- 9073.** Li Y, Tian B, Wang Y, Wang J, Zhang H, Wang L, Sun G, Yu Y, Zhang H. The transcription factor MYB37 positively regulates photosynthetic inhibition and oxidative damage in *Arabidopsis* leaves under salt stress. *Frontiers in Plant Science* 13: 943153, **2022**. <https://doi.org/10.3389/fpls.2022.943153>. (WoS/Scopus)
- 9074.** Šrajcar Gajdošik M, Vicić A, Gvozdić V, Galić V, Begović L, Mlinarić S. Effect of prolonged photoperiod on light-dependent photosynthetic reactions in cannabis. *International Journal of Molecular Sciences* 23(17):9702, **2022**. <https://doi.org/10.3390/ijms23179702>. (WoS/Scopus)
- 9075.** Wu P, Ma Y, Ahammed GJ, Hao B, Chen J, Wan W, Zhao Y, Cui H, Xu W, Cui J, Liu H. Insights into melatonin-induced photosynthetic electron transport under low temperature stress in cucumber. *Frontiers in Plant Science* 13:1029854, **2022**. <https://doi.org/10.3389/fpls.2022.1029854>. (WoS/Scopus)
- 9076.** El-Mejjaouy Y, Belmrhar L, Zeroual Y, Dumont B, Mercatoris B, Oukarroum A. PCA-based detection of phosphorous deficiency in wheat plants using prompt fluorescence and 820 nm modulated reflection signals. *PLoS ONE* 18(5): e0286046, **2023**. <https://doi.org/10.1371/journal.pone.0286046>. (WoS/Scopus)
- 9077.** Jin C, Zhou Z, Zhu Y, Liu Q, Zhou X. Photosynthetic activity and astaxanthin production of *Haematococcus pluvialis* regulated by manipulated light quality. *Aquaculture International*, **2023**. <https://doi.org/10.1007/s10499-023-01341-y>. (WoS/Scopus)
- 9078.** Mihaljević I, Viljevac Vuletić M, Tomaš V, Zdunić Z, Vuković D. Photosynthetic responses of heat-stressed apple leaves to foliar application of salicylic and ascorbic acid. *Photosynthetica* 62 (1): 79-89, **2024**. <https://ps.ueb.cas.cz/corproof.php?tartkey=phs-000000-3072>. (WoS/Scopus)
- 9079.** Ren H, Lu Y, Tang Y, Ren P, Tang H, Chen Q, Kuang P, Huang R, Zhu W, Chen K. Photosynthetic responses of *Racomitrium japonicum* L. to strontium stress evaluated through chlorophyll a fluorescence OJIP transient analysis. *Plants* 13(5):591, **2024**. <https://doi.org/10.3390/plants13050591>. (WoS/Scopus)
- Velikova V, Arena C, Izzo LG, Tsonev T, Koleva D, Tattini M, Roeva O, De Maio A, Loreto F. Functional and structural leaf plasticity determine photosynthetic performances during drought stress and recovery in two *Platanus orientalis* populations from contrasting habitats. *International Journal of Molecular Sciences* 21(11), 3912, 2020.** <https://doi.org/10.3390/ijms21113912>.
- 9080.** Li X, Han XL, Zhai JT, Zhang SH, Li ZJ. Effects of carbohydrate and endogenous hormone content on morphological structural of heteromorphic leaves of *Populus pruinosa* Schrenk. *Applied Ecology and Environmental Research* 19(6): 5059-5081, **2021**. http://dx.doi.org/10.15666/aeer/1906_50595081. (WoS/Scopus)
- 9081.** Liu X, Chen H, Sun T, Li D, Wang X, Mo W, Wang R, Zhang S. Variation in woody leaf anatomical traits along the altitudinal gradient in Taibai Mountain, China. *Global Ecology and Conservation* 26, e01523, **2021**. <https://doi.org/10.1016/j.gecco.2021.e01523>. (WoS/Scopus)
- 9082.** Nadal-Sala D, Grote R, Birami B, Knüver T, Rehschuh R, Schwarz S, Ruehr NK. Leaf shedding and non-stomatal limitations of photosynthesis mitigate hydraulic conductance losses in scots pine saplings during severe drought stress. *Frontiers in Plant Science* 12: 715127, **2021**. <https://doi.org/10.3389/fpls.2021.715127>. (WoS/Scopus)
- 9083.** Biruk LN, Fernández ME, González CV, A Guevara, E Rovida-Kojima, CV Giordano. High and diverse plastic responses to water availability in four desert woody species of South America. *Trees* 36, 1881-1894, **2022**. <https://doi.org/10.1007/s00468-022-02335-8>. (WoS/Scopus)
- 9084.** Feng J-Q, Wang J-H, Zhang S-B. Leaf physiological and anatomical responses of two sympatric *Paphiopedilum* species to temperature. *Plant Diversity* 44(1), 101-108, **2022**. <https://doi.org/10.1016/j.pld.2021.05.001>. (WoS/Scopus)
- 9085.** Guo Xin-wei, Liu Shi-rong, Wang Hui, Chen Zhi-cheng, Nie Xiu-qing, Zhang Jing-lei, Ming An-gang, Chen Lin. The Response of Leaf Anatomical Structure and Photosynthetic Physiology of *Pinus massoniana* Lamb. and *Castanopsis hystrix* Miq. to Throughfall Reduction[J]. *Forest Research* 35(6): 1-11, **2022**. <http://dx.doi.org/10.13275/j.cnki.lykxyj.2022.006.001> (WoS/Scopus)
- 9086.** Hu Y, Yang L, Gao C, Liao D, Long L, Qiu J, Wei H, Deng Q, Zhou Y. A comparative study on the leaf anatomical structure of *Camellia oleifera* in a low-hot valley area in Guizhou Province, China. *PLoS ONE* 17(1): e0262509, **2022**. <https://doi.org/10.1371/journal.pone.0262509>. (WoS/Scopus)
- 9087.** Hu Y, Zhang H, Qian Q, Lin G, Wang J, Sun J, Li Y, Jang J-C, Li W. The potential roles of unique leaf structure for the adaptation of *Rheum tanguticum* Maxim. ex Balf. in Qinghai-Tibetan plateau. *Plants* 11(4):512, **2022**. <https://doi.org/10.3390/plants11040512>. (WoS/Scopus)

- 9088.** Kang D, Yin C, Liu S, Chen L, Zou S, Zhu D. Multiscale regulation of leaf traits in woody plants as an adaptation to a post-earthquake environment in broadleaved forests of southwestern China. *Forests* 13(8):1323, **2022**. <https://doi.org/10.3390/f13081323>. (WoS/Scopus)
- 9089.** Khan R, Ma X, Hussain Q, Asim M, Iqbal A, Ren X, Shah S, Chen K, Shi Y. Application of 2,4-epibrassinolide improves drought tolerance in tobacco through physiological and biochemical mechanisms. *Biology* 11(8): 1192, **2022**. <https://doi.org/10.3390/biology11081192>. (WoS/Scopus)
- 9090.** Leite GLD, Veloso RVS, Soares MA, Silva LF, Guanãbens PFS, Munhoz EJM, Pereira WR, Silva RS, Fernandes GW, Zanuncio JC. Changes in galling insect community on *Caryocar brasiliense* trees mediated by soil chemical and physical attributes. *Brazilian Journal of Biology* vol. 82, e261227, **2022**. <https://doi.org/10.1590/1519-6984.261227>. (WoS/Scopus)
- 9091.** Silva VA, Abrahão JCdR, Reis AM, Santos MdO, Pereira AA, Botelho CE, Carvalho GR, Castro EMD, Barbosa JPRAD, Botega GP, Oliveira ACBd. Strategy for selection of drought-tolerant arabica coffee genotypes in brazil. *Agronomy* 12(9): 2167, **2022**. <https://doi.org/10.3390/agronomy12092167>. (WoS/Scopus)
- 9092.** Song Y, Liu T, Wang J, Lu Y, Guo J, Dong Z, Wen Y, Pei Z. The responses of three dominant species to increased rainfall under different grazing systems in a desert steppe. *Hydrological Processes* 36(6), e14632, **2022**. <https://doi.org/10.1002/hyp.14632>. (WoS/Scopus)
- 9093.** Ferreira VM, de Andrade JR, dos Santos CM, de Oliveira Maia Júnior S, de Araújo Neto JC, da Silva Santos AF, da Silva VM, Bezerra LT, Endres L. Physiological plasticity in eucalyptus clones in the vegetative stage contributes to drought tolerance. *Journal of Forestry Research* 34, 1549-1561, **2023**. <https://doi.org/10.1007/s11676-022-01571-5>. (WoS/Scopus)
- 9094.** Huihui XU, Xiaojuan LI, Mengke WA, Quanxin BI, Libing WA, Haiyan YU. Leaf anatomical structure and evaluation of drought resistance of different germplasm resources of *Xanthoceras sorbifolium*. *Journal of Zhejiang A&F University* 40(2): 348-355, **2023**. <http://dx.doi.org/10.11833/j.issn.2095-0756.20220202>.
- 9095.** Khan R, Ma X, Hussain Q, Chen K, Farooq S, Asim M, Ren X, Shah S, Shi Y. Transcriptome and anatomical studies reveal alterations in leaf thickness under long-term drought stress in tobacco. *Journal of Plant Physiology* vol. 281, art. 153920, **2023**. <https://doi.org/10.1016/j.jplph.2023.153920>. (WoS/Scopus)
- 9096.** Lertngim N, Ruangsiri M, Klinsawang S, Raksatikan P, Thunnom B, Siangliw M, Toojinda T, Siangliw JL. Photosynthetic plasticity and stomata adjustment in chromosome segment substitution lines of rice cultivar KDML105 under drought stress. *Plants* 12(1): 94, **2023**. <https://doi.org/10.3390/plants12010094>. (WoS/Scopus)
- 9097.** McNichol BH, Russo SE. Plant Species' Capacity for range shifts at the habitat and geographic scales: A trade-off-based framework. *Plants* 12(6): 1248, **2023**. <https://doi.org/10.3390/plants12061248>. (WoS/Scopus) [Review]
- 9098.** Zahra N, Hafeez MB, Kausar A, Al Zeidi M, Asekova S, Siddique KHM, Farooq M. Plant photosynthetic responses under drought stress: Effects and management. *Journal of Agronomy and Crop Science* 209(5), 651-672, **2023**. <https://doi.org/10.1111/jac.12652>. (WoS/Scopus)
- 9099.** Vennam RR, Bheemanahalli R, Reddy KR, Dhillion J, Zhang X, Adeli A. Early-season maize responses to salt stress: Morpho-physiological, leaf reflectance, and mineral composition. *Journal of Agriculture and Food Research*, art. 100994, **2024**. <https://doi.org/10.1016/j.jafr.2024.100994>. (WoS/Scopus)
- 9100.** Yavas I, Jamal MA, Ul Din K, Ali S, Hussain S, Farooq M. Drought-induced changes in leaf morphology and anatomy: Overview, implications and perspectives. *Polish Journal of Environmental Studies* 33(2), 1-14, **2024**. <https://mail.bio21.bas.bg/src/webmail.php>. (WoS/Scopus) [Review]
- [Doneva D, Pál M, Brankova L, Szalai G, Taiti J, Khalil R, Ivanovska B, Velikova V, Misheva S, Janda T, Peeva V. The effects of putrescine pre-treatment on osmotic stress responses in drought-tolerant and drought-sensitive wheat seedlings. *Physiologia Plantarum* 171\(2\): 200-216, 2021. <https://doi.org/10.1111/ppl.13150>.](#)
- 9101.** Das A, Karwa S, Taunk J, RN Bahuguna, AK Chaturvedi, P Kumar, V Chinnusamy, M Pal. Putrescine exogenous application alleviates oxidative stress in reproductive tissue under high temperature in rice. *Plant Physiology Reports* 26, 381-391, **2021**. <https://doi.org/10.1007/s40502-021-00590-4>. (WoS/Scopus)
- 9102.** Farhat W, Khedr R, Shaaban S. Response of some agronomic, physiological and anatomical characters for some bread wheat genotypes under water deficit in north delta region. *Scientific Journal of Agricultural Sciences* 3(2), 145-160, **2021**. <https://dx.doi.org/10.21608/sjas.2021.97378.1156>.
- 9103.** Kéri-Schmidthoffer I. A szárazságstressz biológiai hátterének vizsgálata sörárpa fajtákban és vonalakban [Investigation of the biological background of drought stress in malting barley varieties and lines]. Széchenyi István University (SZE) Mosonmagyaróvár, Hungary, **2021**. https://wamdi.sze.hu/images/2021/K%C3%A9ri-Schmidthoffer%20Ildik%C3%B3_angol_t.pdf. **PhD Thesis**
- 9104.** Rozali NL, Tahir NI, Hassan H, Othman A, Ramli US. Identification of amines, amino and organic acids in oil palm (*Elaeis guineensis* Jacq.) spear leaf using GC- and LC/Q-TOF MS metabolomics platforms. *Biocatalysis and Agricultural Biotechnology* v. 37, art. number 102165, **2021**. <https://doi.org/10.1016/j.cbab.2021.102165>. (WoS/Scopus)
- 9105.** Zhang H, Sun X, Dai M. Improving crop drought resistance with plant growth regulators and rhizobacteria: Mechanisms, applications, and perspectives. *Plant Communications* 2, art. number 100228, **2021**. <https://doi.org/10.1016/j.xplc.2021.100228>. (WoS/Scopus)

- 9106.** Zhao J, Wang X, Pan X, Jiang Q and Xi Z. Exogenous putrescine alleviates drought stress by altering reactive oxygen species scavenging and biosynthesis of polyamines in the seedlings of cabernet sauvignon. *Frontiers in Plant Science* 12: 767992, **2021**. <https://doi.org/10.3389/fpls.2021.767992>. (WoS/Scopus)
- 9107.** Lai C, Zhou X, Zhang S, Zhang X, Liu M, Zhang C, Xu X, Xu X, Chen X, Chen Y, Lin W, Lai Z, Lin Y. PAs regulate early somatic embryo development by changing the gene expression level and the hormonal balance in *Dimocarpus longan* Lour. *Genes* 13(2): 317, **2022**. <https://doi.org/10.3390/genes13020317>. (WoS/Scopus)
- 9108.** Lu S, Wang P, Nai G, Li Y, Su Y, Liang G, Chen B, Mao J. Insight into *VvGH3* genes evolutionary relationship from monocotyledons and dicotyledons reveals that *VvGH3-9* negatively regulates the drought tolerance in transgenic *Arabidopsis*. *Plant Physiology and Biochemistry* 172, 70-86, **2022**. <https://doi.org/10.1016/j.plaphy.2022.01.005>. (WoS/Scopus)
- 9109.** Na C, Ziwen Z, Yeyun L, Xianchen Z. Exogenously applied Spd and Spm enhance drought tolerance in tea plants by increasing fatty acid desaturation and plasma membrane H⁺-ATPase activity. *Plant Physiology and Biochemistry* 170, 225-233, **2022**. <https://doi.org/10.1016/j.plaphy.2021.12.008>. (WoS/Scopus)
- 9110.** Nai G, Liang G, Ma W, Lu S, Li Y, Gou H, Guo L, Chen B, Mao J. Overexpression *VaPYL9* improves cold tolerance in tomato by regulating key genes in hormone signaling and antioxidant enzyme. *BMC Plant Biology* 22, art. number 344, **2022**. <https://doi.org/10.1186/s12870-022-03704-8>. (WoS/Scopus)
- 9111.** Tian J, Zhao Y, Pan Y, Chen X, Wang Y, Lin J, Wang J, Yang Q. Exogenous applications of spermidine improve drought tolerance in seedlings of the ornamental grass *Hordeum jubatum* in Northeast China. *Agronomy* 12(5): 1180, **2022**. <https://doi.org/10.3390/agronomy12051180>. (WoS/Scopus)
- 9112.** Urrea M, Buezo J, Royo B, Cornejo A, López-Gómez P, Cerdán D, Esteban R, Martínez-Merino V, Gogorcena Y, Tavladoraki P, Moran JF. The importance of the urea cycle and its relationships to polyamine metabolism during ammonium stress in *Medicago truncatula*. *Journal of Experimental Botany* 73(16): 5581-5595, **2022**. <https://doi.org/10.1093/jxb/erac235>. (WoS/Scopus)
- 9113.** Wahab A, Abdi G, Saleem MH, Ali B, Ullah S, Shah W, Mumtaz S, Yasin G, Muresan CC, Marc RA. Plants' physio-biochemical and phyto-hormonal responses to alleviate the adverse effects of drought stress: A comprehensive review. *Plants* 11(13): 1620, **2022**. <https://doi.org/10.3390/plants11131620>. (WoS/Scopus)
- 9114.** George NM, Abdelhaliem E, Ali GH, Bolbol AA. Drought stress impacts and the role of endophytic fungi combating abiotic stress on wheat. *Bulletin of Faculty of Science, Zagazig University* 2023(4), pp. 93-108, **2023**. <https://dx.doi.org/10.21608/bfszu.2023.199664.1263>.
- 9115.** Hussein H-AA, Alshammari SO, Abd El-Sadek ME, Kenawy SKM, Badawy AA. The promotive effect of putrescine on growth, biochemical constituents, and yield of wheat (*Triticum aestivum* L.) plants under water stress. *Agriculture* 13(3): 587, **2023**. <https://doi.org/10.3390/agriculture13030587>. (WoS/Scopus)
- 9116.** Memon S, Abro AA, Jakhro MI, Farid A, Habib M, Ahmed M, Bhutto LA, Memon SA, Farooq M. Polyethylene glycol mediated osmotic stress impacts on growth and biochemical aspects of wheat under artificial osmotic stress condition. *Journal of Innovative Sciences* 9(1): 44-50, **2023**. <https://dx.doi.org/10.17582/journal.jis/2023/9.1.44.50>.
- 9117.** Petrov P, Dimitrov I. Evaluation of membrane stability of leaf cells of cynodon (*Cynodon dactylon*) and four wheat genotypes after exposure to ethanol. *Proc. 19th International Scientific Conference Space, Ecology, Safety* (SES2023), 24-26.10.2023, Sofia, Bulgaria, pp 136-141, **2023**. http://www.space.bas.bg/SES/archive/SES%202023_DOKLADI/2_Aerospace%20Technologies/5_Petrov.pdf.
- 9118.** Santos MC, da Silva Soares JM, de Jesus Rocha A, dos Santos Oliveira WD, de Souza Ramos AP, Amorim EP, dos Santos-Serejo JA, Ferreira CF. Correlation between gene expression and antioxidant enzyme activity in plants tolerant to water stress: a systematic review. *Plant Molecular Biology Reporter* 41, 512-525, **2023**. <https://doi.org/10.1007/s11105-023-01373-x>. (WoS/Scopus) [Review]
- 9119.** Zhao X, Zhang Y, Zhang X, Shan C. Putrescine improves salt tolerance of wheat seedlings by regulating ascorbate and glutathione metabolism, photosynthetic performance, and ion homeostasis. *Plant Soil and Environment* 69(11): 512-521, **2023**. <https://doi.org/10.17221/312/2023-PSE>. (WoS/Scopus)
- 9120.** Ahlawat OP, Yadav D, Walia N, PL Kashyap, P Sharma, R Tiwari. Root exudates and their significance in abiotic stress amelioration in plants: A Review. *Journal of Plant Growth Regulation*, **2024**. <https://doi.org/10.1007/s00344-024-11237-7>. (WoS/Scopus)
- 9121.** Chaouachi L, Marín-Sanz M, F Barro, Karmous C. Study of the genetic variability of durum wheat (*Triticum durum* Desf.) in the face of combined stress: water and heat. *AoB Plants* 16(1), art. plad085, **2024**. <https://doi.org/10.1093/aobpla/plad085>. (WoS/Scopus)
- 9122.** Cui X, Gu J, Liu P, Fu H, Wang F, Qi M, Sun Z, Liu Y, Li T. Genome-wide identification and expression analysis of the UPF0016 family in tomato (*Solanum lycopersicum*) under drought stress. *Environmental and Experimental Botany* vol. 219, art. 105607, **2024**. <https://doi.org/10.1016/j.envexpbot.2023.105607>. (WoS/Scopus)
- 9123.** El-Beltagi HS, Alwutayd KM, Rasheed U, Sattar A, Ali Q, Alharbi BM, Al-Hawas GH, Abbas ZK, Darwish DBE, Mahmoud SF, Al-Shaqhaa MA, El-Yazied AA, Hamada MMA. Sole and combined foliar application of silicon and putrescine alleviates the negative effects of drought stress in maize by modulating the morpho-physiological and antioxidant defence mechanisms. *Plant, Soil and Environment*, **2024**. <https://doi.org/10.17221/423/2023-PSE>. (WoS/Scopus)
- 9124.** Fu X, Liu Z, Du X, Duan H, Zhen W, Zhang Y, Shi Z, He M, Li R. Transcriptomic and metabolomic analyses reveal the response to short-term drought stress in bread wheat (*Triticum aestivum* L.). *Agronomy* 14(4):704, **2024**. <https://doi.org/10.3390/agronomy14040704>. (WoS/Scopus)

- 9125.** Toledo CC, Da Silva ACC, Del Peloso MC, Leite MA, Bressanin LAA, Esteves G, Magalhães PC, De Souza TC, Dos Santos-Filho PR. Putrescine priming effects on chlorophyll fluorescence, antioxidant enzyme activity, and primary metabolite accumulation in maize seedlings under water deficit. *Biologia Plantarum* 68, 22-30, **2024**. <https://bp.ueb.cas.cz/pdfs/bpl/2024/01/03.pdf>. (WoS/Scopus)
- 9126.** Zhao P, Chen X, Xu, X, Wang Y, Wang Y, Li H, Xue R, Li Y. Improvement of polyamine synthesis maintains photosynthetic function in wheat during drought stress and rewatering at the grain filling stage. *Plant Growth Regulation* 102: 497-513, **2024**. <https://doi.org/10.1007/s10725-023-01075-0>. (WoS/Scopus)
- [Vitale E, Velikova V, Tsonev T, Ferrandino I, Capriello T, Arena C. The interplay between light quality and biostimulant application affects the antioxidant capacity and photosynthetic traits of soybean \(*Glycine max* L.\). *Plants* 10\(5\), 861. 2021.](#)
- 9127.** Adak MK. Molecular priming of plants with biostimulants: an effective strategy for alleviation of environmental stresses in crop plants. Chapter, pp.253-264. In: *Biostimulants for Crop Production and Sustainable Agriculture*. Hasanuzzaman M, Hawrylak-Nowak B, Islam T, Fujita M (Eds.). ISBN : 978-1-78924-807-4, 544 pages. **2022**. <https://doi.org/10.1079/9781789248098.0016>. [BOOK]
- 9128.** Gnasekaran P, Rahman ZA, Chew BL, Uddain J, Mariappan V, Appalasamy S, Subramaniam S. Regulation of chloroplast ultrastructure, adventitious bud anatomy and clonal fidelity of in vitro *Zingiber officinale* var. *rubrum* Theilade plantlets in response to LED spectral quality. *Industrial Crops and Products* 181, art. 114825, **2022**. <https://doi.org/10.1016/j.indcrop.2022.114825>. (WoS/Scopus)
- 9129.** Kisvarga S, Farkas D, Boronkay G, Neményi A, Orlóci L. Effects of biostimulants in horticulture, with emphasis on ornamental plant production. *Agronomy* 12(5): 1043, **2022**. <https://doi.org/10.3390/agronomy12051043>. (WoS/Scopus)
- 9130.** Martínez-Zamora L, Castillejo N, Cano-Lamadrid M, Artés-Hernández F. State of the art and elucidation of postharvest LED lighting on the metabolism of brassica sprouts. *Horticulturae* 8(11): 1065, **2022**. <https://doi.org/10.3390/horticulturae8111065>. (WoS/Scopus)
- 9131.** Vaseva II, Simova-Stoilova L, Kostadinova A, Yuperlieva-Mateeva B, Karakicheva T, Vassileva V. Heat-stress-mitigating effects of a protein-hydrolysate-based biostimulant are linked to changes in protease, DHN, and HSP gene expression in maize. *Agronomy* 12(5): 1127, **2022**. <https://doi.org/10.3390/agronomy12051127>. (WoS/Scopus)
- 9132.** Faraloni C, Giordano C, Arcidiaco L, Benelli C, Di Lonardo S, Anichini M, Stefani F, Petruccielli R. Effective microorganisms and olive mill wastewater used as biostimulants to improve the performance of *Tanacetum balsamita* L., a medicinal plant. *Applied Sciences* 13(2): 722, **2023**. <https://doi.org/10.3390/app13020722>. (WoS/Scopus)
- 9133.** Sowmya RS, Vishal G, Warke, Girish B, Mahajan, Uday S, Annapure. Effect of amino acids on growth, elemental content, functional groups, and essential oils composition on hydroponically cultivated coriander under different conditions. *Industrial Crops and Products* v. 197, art. 116577, **2023**. <https://doi.org/10.1016/j.indcrop.2023.116577>. (WoS/Scopus)
- 9134.** Talha M, Shani MY, Ashraf MY, De Mastro F, Brunetti G, Khan MKR, Gillani SWuHS, Khan A, Abbas S, Coccozza C. Lead toxicity-mediated growth and metabolic alterations at early seedling stages of maize (*Zea mays* L.). *Plants* 12(18):3335, **2023**. <https://doi.org/10.3390/plants12183335>. (WoS/Scopus)
- 9135.** Zuyasna, Mayani N, Maulina D, Iriani F. Using NPK fertilizer on several soybean mutant in sub-optimal land. *IOP Conference Series: Earth and Environmental Science* vol. 1192, art. 012007, **2023**. <https://iopscience.iop.org/article/10.1088/1755-1315/1192/1/012007>.
- 9136.** Rehman M, Pan J, Mubeen S, W Ma, D Luo, S Cao, W Saeed, G Jin, R Li, T Chen, P Chen. Morpho-physio-biochemical, molecular, and phytoremedial responses of plants to red, blue, and green light: a review. *Environmental Science and Pollution Research*, 31, 20772–20791, **2024**. <https://doi.org/10.1007/s11356-024-32532-6>. (WoS/Scopus)
- 9137.** Yousaf W, Shah AA, Afzal MB, Nisaa Z-un, Ali N, Ashraf MY, Elansary HO, Ahmad A. Supplementation of nano-biochar improved growth and physiological attributes in wheat seedlings exposed to salt stress through enhanced activity of hydrolysing and nitrogen metabolic enzymes and regulation of crucial metabolites. *South African Journal of Botany* 167: 500-508, **2024**. <https://doi.org/10.1016/j.sajb.2024.02.039>. (WoS/Scopus)
- [Velikova V, Petrova N, Kovács L, Petrova A, Koleva D, Tsonev T, Taneva S, Petrov P, Krumova S. Single-walled carbon nanotubes modify leaf micromorphology, chloroplast ultrastructure and photosynthetic activity of pea plants. *International Journal of Molecular Sciences* 22\(9\):4878, 2021. https://doi.org/10.3390/ijms22094878.](#)
- 9138.** Cangussú LVdS. Humic acids and Serendipita indica: effects on bean growth, nutrition, physiology and production. Federal University of the Jequitinhonha and Mucuri Valleys, Diamantina, **2022**. [PhD thesis]
- 9139.** Gieczewska KB, Myśliwa-Kurdziel B, Grzyb J. Photosynthetic reactions: from molecules to function, and from simple models to complex systems. *International Journal of Molecular Sciences* 23(19): 11180, **2022**. <https://doi.org/10.3390/ijms231911180>. (WoS/Scopus)
- 9140.** Irsad, Talreja N, Chauhan D, Mangalaraja RV, Rizvi PQ, Ashfaq M. Chapter: Polymeric Composites: A promising tool for enhancing photosynthetic efficiency of crops. In: Aftab T, Hakeem KR (eds) *Metabolic Engineering in Plants*. Springer, Singapore. pp. 341-357, **2022**. https://doi.org/10.1007/978-981-16-7262-0_15. (WoS/Scopus) [BOOK]

9141. Lira-Saldivar RH, Vera-Reyes I, Méndez-Arguello B, Cardiel-Alanís A, de los Santos-Villarreal G. Physiological responses of crop plants to metal and carbon nanoparticles. *Journal of Engineering Research* 2(4), 1-26, **2022**. <http://dx.doi.org/10.22533/at.ed.317242203032>. (WoS/Scopus)
9142. Mousavi SF, Roein Z, Hekmatara SH. Multi-walled carbon nanotubes wrapped with polyvinylpyrrolidone can control the leaf yellowing of *Alstroemeria* cut flowers. *Scientific Reports* 12, 14232, **2022**. <https://doi.org/10.1038/s41598-022-18642-6>. (WoS/Scopus)
9143. Bhaskar R, Pandey SP, Narayanan KB, Gupta MK, Han SS. Nanobionics in plant production: a novel approach to regulate plant functions. In: Seena S, Rai A, Kumar S (Eds) *Nanoparticles and Plant-Microbe Interactions*. Academic Press, Elsevier. Chapter 4, pp. 111-134, **2023**. <https://doi.org/10.1016/B978-0-323-90619-7.00007-2>. (WoS/Scopus) [BOOK]
9144. Chen J, Zhu Y, Song K, Ding W. Research progress on effects of engineered nanomaterials on higher plant growth. *Chinese Bulletin of Botany* 58(5): 813-830, **2023**. <https://doi.org/10.11983/CBB22130>.
9145. Cheng J, Li X, Ding C, Feng Y, Hou P, Xue L, Yang L, He S. g-C₃N₄ promotes agro-ecosystem productivity: a case study for rice. *Environmental Science: Nano* 10, 2132-2140, **2023**. <https://doi.org/10.1039/D3EN00253E>. (WoS/Scopus)
9146. Dehghanian Z, Lajayer BA, Atigh ZBQ, Nayeri S, Ahmadabadi M, Taghipour L, Senapathi V, Astatkie T, Price GW. Micro (nano) plastics uptake, toxicity and detoxification in plants: Challenges and prospects. *Ecotoxicology and Environmental Safety* vol. 268, art. 115676, **2023**. <https://doi.org/10.1016/j.ecoenv.2023.115676>. (WoS/Scopus)
9147. Komarova T, Ilina I, Taliansky M, Ershova N. Nanoplatforms for the delivery of nucleic acids into plant cells. *International Journal of Molecular Sciences* 24(23): 16665, **2023**. <https://doi.org/10.3390/ijms242316665>. (WoS/Scopus) [Review]
9148. Lei Y, Huang D, Zhou W, Wang G, Xiao R, Xu W, Huang H, Li S, Shen L, Ren Y. Combining phytoremediation with carbon-based materials under carbon neutral background: Is it a close step to sustainable restoration? *Critical Reviews in Environmental Science and Technology*, **2023** <https://doi.org/10.1080/10643389.2023.2290947>. (WoS/Scopus) [Review]
9149. Oliveira HC, Seabra AB, Kondak S, Adedokun OP, Kolbert Z. Multilevel approach to plant–nanomaterial relationships: from cells to living ecosystems. *Journal of Experimental Botany* 74(12), 3406-3424, **2023**. <https://doi.org/10.1093/jxb/erad107>. (WoS/Scopus) [Darwin Review]
9150. Roy I. Chapter 7 - Interactions of Nanoparticles with Plants. Accumulation and Effects. In: M Sen, M Mukherjee (Eds) *Bioinspired and Green Synthesis of Nanostructures: A Sustainable Approach*, Scrivener Publishing LLC. pp. 157-188, **2023**. <https://doi.org/10.1002/9781394174928.ch7>. [BOOK]
9151. Sławski J, Maciejewski J, Szukiewicz R, Gieczewska K, Grzyb J. quantum dots assembled with photosynthetic antennae on a carbon nanotube platform: A nanohybrid for the enhancement of light energy harvesting. *ACS Omega* 8(44): 41991-42003, **2023**. <https://doi.org/10.1021/acsomega.3c07673>. (WoS/Scopus)
9152. Upadhayay VK, Naitam MG, Ghosh S, Patel VK, Sharma A, Chandra AK, Taj G., Ch.2: Techniques for Integrating Nanotechnology. In: *Advances in Nanotechnology for Smart Agriculture: Techniques and Applications* (Parul Chaudhary, Anuj Chaudhary, Ashok Kumar Nadda, Priyanka Khati, eds.). Jun 15, 19-40, **2023**. <https://www.taylorfrancis.com/books/edit/10.1201/9781003345565/advances-nanotechnology-smart-agriculture-parul-chaudhary-ashok-kumar-nadda-anuj-chaudhary-priyanka-khati>. [BOOK]
9153. Wu M, Su H, Li C, Fu Z, Wu F, Yang J, Wang L. Effects of foliar application of single-walled carbon nanotubes on carbohydrate metabolism in crabapple plants. *Plant Physiology and Biochemistry* 194, 214-222, **2023**. <https://doi.org/10.1016/j.plaphy.2022.11.023>. (WoS/Scopus)
9154. Wu Q, Fan C, Wang H, Han Y, Tai F, Wu J, Li H, He R. Biphasic impacts of graphite-derived engineering carbon-based nanomaterials on plant performance: Effectiveness vs. nanotoxicity. *Advanced Agrochem* 2(2), 113-126, **2023**. <https://doi.org/10.1016/j.aac.2023.01.001>. (WoS/Scopus)
9155. Bakry BA, Sadak MS, Al Ashkar NM, Ibrahim OM, Okla MK, El-Tahan AM. the role of carbon nanotubes in improving drought tolerance via upregulation of the physiological processes of peanut plants grown in sandy soils. *Agronomy* 14(3):611, **2024**. <https://doi.org/10.3390/agronomy14030611>. (WoS/Scopus)
9156. Cota-Ungson D, González-García Y, Pérez-Alvarez M, Cadenas-Pliego G, Alpuche-Solís ÁG, Juárez-Maldonado A. Graphene-copper nanocomposites improve fruit quality and the content of bioactive compounds in tomato. *Scientia Horticulturae* vol. 330, art. 113080, **2024**. <https://doi.org/10.1016/j.scienta.2024.113080>. (WoS/Scopus)
9157. Cui Y, Wang K, Zhang C. Carbon nanomaterials for plant priming through mechanostimulation: emphasizing the role of shape. *ACS Nano*, **2024**. <https://doi.org/10.1021/acsnano.4c00557>. (WoS/Scopus)
9158. Wani AK, Khan Z, Sena S, Akhtar N, Alreshdi M A, Yadav KK, Alkahtani AM, Wani AW, Rahayu F, Tafakresnanto C, Latifah E, Hariyono B, Arifin Z, Eltayeb L B. Carbon nanotubes in plant dynamics: Unravelling multifaceted roles and phytotoxic implications. *Plant Physiology and Biochemistry* vol. 210, art. 108628, **2024**. <https://doi.org/10.1016/j.plaphy.2024.108628>. (WoS/Scopus) [Review]

Vitale E, Vitale L, Costanzo G, Velikova V, Tsonev T, Simoniello P, De Micco V, Arena C. Light spectral composition influences structural and eco-physiological traits of *Solanum lycopersicum* L. cv. 'Microtom' in response to High-LET Ionizing Radiation. *Plants* 10(8),1752, 2021. <https://doi.org/10.3390/plants10081752>.

- 9159.** Martínez-Zamora L, Castillejo N, Cano-Lamadrid M, Artés-Hernández F. State of the art and elucidation of postharvest LED lighting on the metabolism of *Brassica sprouts*. *Horticulturae*. 8(11): 1065, **2022**. <https://doi.org/10.3390/horticulturae8111065>. (WoS/Scopus)
- 9160.** Гринберг МА. Влияние хронического облучения на электрические сигналы растений и их роль в формировании устойчивости к стресс-факторам. Диссертация на соискание учёной степени кандидата биологических наук, Нижний Новгород – **2023**. Национальный исследовательский Нижегородский государственный университет им. Н. И. Лобачевского. <https://diss.unn.ru/files/2023/1383/diss-Grinberg-1383.pdf> [PhD Thesis]
- [Petrova N, Paunov M, Petrov P, Velikova V, Goltsev V, Krumova S. Polymer-modified single-walled carbon nanotubes affect photosystem II photochemistry, intersystem electron transport carriers and photosystem I end acceptors in pea plants. *Molecules* 26\(19\):5958, 2021. <https://doi.org/10.3390/molecules26195958>.](#)
- 9161.** Shanker AK, Amirineni S, Bhanu D, Yadav SK, Jyothilakshmi N, Vanaja M, Singh J, Sarkar B, Maheswari M, Singh VK. High-resolution dissection of photosystem II electron transport reveals differential response to water deficit and heat stress in isolation and combination in pearl millet [*Pennisetum glaucum* (L.) R. Br.]. *Frontiers in Plant Science* 13: 892676, **2022**. <https://doi.org/10.3389/fpls.2022.892676>. (WoS/Scopus)
- 9162.** Bhaskar R, Pandey SP, Narayanan KB, Gupta MK, Han SS. Nanobionics in plant production: a novel approach to regulate plant functions. In: Seena S, Rai A, Kumar S (Eds) *Nanoparticles and Plant-Microbe Interactions*. Academic Press, Elsevier. Chapter 4, pp. 111-134, **2023**. <https://doi.org/10.1016/B978-0-323-90619-7.00007-2>. (WoS/Scopus) [BOOK]
- 9163.** Wu M, Su H, Li C, Fu Z, Wu F, Yang J, Wang L. Effects of foliar application of single-walled carbon nanotubes on carbohydrate metabolism in crabapple plants. *Plant Physiology and Biochemistry* 194, 214-222, **2023**. <https://doi.org/10.1016/j.plaphy.2022.11.023>. (WoS/Scopus)
- 9164.** Zharmukhamedov SK, Shabanova MS, Huseynova IM, Karacan MS, Karacan N, Akar H, Kreslavski VD, Alharby HF, Bruce BD, Allakhverdiev SI. Probing the influence of novel organometallic copper(II) complexes on spinach PSII Photochemistry using OJIP fluorescence transient measurements. *Biomolecules* 13(7): 1058, **2023**. <https://doi.org/10.3390/biom13071058>. (WoS/Scopus)
- [Weatherall A, Nabuurs G-J, Velikova V, Santopuoli G, Neroj B, Bowditch E, Temperli C, Binder F, Ditmarová L, Jamnická G, Lesinski J, La Porta N, Pach M, Panzacchi P, Sarginci M, Serengil Y, Tognetti R. Chapter 2 - Defining Climate-Smart Forestry. In: *Managing Forest Ecosystems, Vol. 40*, Tognetti R, Smith M, Panzacchi P \(Eds\): *Climate-Smart Forestry in Mountain Regions*. Springer Nature, Switzerland, AG. ISBN 978-3-030-80766-5, ISBN 978-3-030-80767-2. pp. 35-58, 2022. \(eBook\). <https://doi.org/10.1007/978-3-030-80767-2>.](#)
- 9165.** Larsen JB, Angelstam P, Bauhus J, Carvalho JF, Diaci J, Dobrowolska D, Gazda A, Gustafsson L, Krumm F, Knoke T, Konczal A, Kuuluvainen T, Mason B, Motta R, Pötzelsberger E, Rigling A, Schuck A. Closer-to-Nature Forest Management. From Science to Policy 12. European Forest Institute, **2022**. Editor in chief: Helga Püzl. ISSN 2343-1237 (online), ISBN 978-952-7426-19-7 (online). <https://doi.org/10.36333/fs12>.
- 9166.** Sarginci M, Beyazyüz F. İklim değişikliğinin ormanlar üzerindeki etkisi: iklim akilci ormancılık bakiş açisi. *Anadolu Orman Araştırmaları Dergisi* 8(2): 142-149, **2022**. <https://doi.org/10.53516/ajfr.1139640>.
- 9167.** Çomaklı E. Soil carbon and nitrogen stocks in scots pine (*Pinus sylvestris* L.) afforestation areas of the alpine belts of Turkey. *Journal of Animal and Plant Sciences* 33(1), 117-124, **2023**. <https://doi.org/10.36899/JAPS.2023.1.0601>. (WoS/Scopus)
- 9168.** Cooper L, MacFarlane D. Climate-Smart Forestry: Promise and risks for forests, society, and climate. *PLOS Climate* 2(6): e0000212, **2023**. <https://doi.org/10.1371/journal.pclm.0000212>. [Review]
- 9169.** Jamaluddin NB, Abdullah YA, Yakob H, Nasrudin N, Hassan MA, Zainudin K. Low Carbon City (LCC) Governance through Administrative and Operational Approaches by Malaysian Local Government. IOP Conference Series: *Earth and Environmental Science* v. 1217, 012026, **2023**. *The 6th International Conference on Research Methodology for Built Environment and Engineering 2023 (ICRMBEE2023)* 28/02/2023 - 02/03/2023 Bangkok, Thailand. <https://iopscience.iop.org/article/10.1088/1755-1315/1217/1/012026/pdf>.
- 9170.** Kurichev NK, Ptichnikov AV, Shvarts EA, Krenke AN. Nature-based offsets in Russia: key challenges and conditions for success. *Regional Research of Russia* 13(4): 595-608, **2023**. <https://doi.org/10.1134/S2079970523701009>. (WoS/Scopus)
- 9171.** Muys B, Messier C. Climate-smart forest management caught between a rock and a hard place. *Annals of Forest Science* 80(1): 43, **2023**. <https://doi.org/10.1186/s13595-023-01208-5>. (WoS/Scopus)
- 9172.** Sharma S, Sharma C, Asenso E, Sharma K. Research constituents and trends in smart farming: an analytical retrospection from the lens of text mining. *Journal of Sensors* vol. 2023, Article ID 6916213, 21 pages, **2023**. <https://doi.org/10.1155/2023/6916213>. (WoS/Scopus)
- 9173.** Tyagi AK, Sreenath N. Intelligent transportation system: Need, Working, and Tools. In: *Intelligent Transportation Systems: Theory and Practice. Disruptive Technologies and Digital Transformations for Society 5.0*. Springer, Singapore, pp. 201-228, **2023**. https://doi.org/10.1007/978-981-19-7622-3_9. [BOOK]
- 9174.** Vacek Z, Cukor J, Vacek S, Gallo J, Bažant V, Zeidler A. Role of black pine (*Pinus nigra* J. F. Arnold) in European forests modified by climate change. *European Journal of Forest Research* 142, 1239–1258, **2023**. <https://doi.org/10.1007/s10342-023-01605-5>. (WoS/Scopus)

9175. Vacek Z, Vacek S, Cukor J. European forests under global climate change: Review of tree growth processes, crises and management strategies. *Journal of Environmental Management* vol. 332, art. 117353, **2023**. <https://doi.org/10.1016/j.jenvman.2023.117353>. (WoS/Scopus)

9176. Carbone F, Portoghesi L, Romagnoli M, Barbarese F, Grassi T. Production of chestnut coppice biomass in a framework of low mechanization and high expectations to combat climate change and other social expectations. *Forests* 15(3): 412, **2024**. <https://doi.org/10.3390/f15030412>. (WoS/Scopus)

Walter GM, Clark J, Cristaudo A, Terranova D, Nevado B, Catara S, Paunov M, Velikova V, Filatov D, Cozzolino S, Hiscock SJ, Bridle JR. Adaptive divergence generates distinct plastic responses in two closely related *Senecio* species. *Evolution* 76(6):1229-1245, 2022. <https://doi.org/10.1111/evo.14478>.

9177. Klemeshova KV, Gabuyeva TY. Analysis of variance for quantitative traits in garden chrysanthemum leaves depending on growing conditions. *Subtropical and Ornamental Horticulture* 82, 133-145, **2022**. <http://journal.vniisubtrop.ru/en/archive/82/11/>.

9178. Zhou S, Hunter LE. Digest: Evolution of plasticity and its potential role in the decline of specialists. *Evolution* 76(12), 3067-3070, **2022**. <https://doi.org/10.1111/evo.14633>. (WoS/Scopus)

9179. Buckley J, Widmer A, Mescher MC, De Moraes CM. Experimental warming increases the vulnerability of high-elevation plant populations to a specialist herbivore. *Functional Ecology* 37(6), 1536-1552, **2023**. <https://doi.org/10.1111/1365-2435.14324>. (WoS/Scopus)

9180. Riley CL, Oostra V, Plaistow SJ. Does the definition of a novel environment affect the ability to detect cryptic genetic variation? *Journal of Evolutionary Biology* 36(11), 1618-1629, **2023**. <https://doi.org/10.1111/jeb.14238>. (WoS/Scopus)

9181. Stull GW, Pham KK, Soltis PS, Soltis DE. Deep reticulation: the long legacy of hybridization in vascular plant evolution. *The Plant Journal* 114(4), 743-766, **2023**. <https://doi.org/10.1111/tpj.16142>. (WoS/Scopus)

9182. Wang Y-L, Li L, Paudel BR, Zhao J-L. Genomic insights into high-altitude adaptation: a comparative analysis of *Roscoea alpina* and *R. purpurea* in the Himalayas. *International Journal of Molecular Sciences* 25(4): 2265, **2024**. <https://doi.org/10.3390/ijms25042265>. (WoS/Scopus)

Popova AV, Vladkova R, Borisova P, Georgieva K, Mihailova G, Velikova V, Tsonev T, Ivanov AG. Photosynthetic response of lutein deficient mutant *lut2* of *Arabidopsis thaliana* to low temperature at high light. *Photosynthetica* 60(S1): 108-118, 2022. <https://ps.ueb.cas.cz/getrevsrc.php?identification=public&mag=phs&raid=2811&type=fin&ver=3>.

9183. Yagoubi A, Mahjoubi Y, Giannakis S, Rzigui T, Djebali W, Chouari R. The silver lining of antibiotic resistance: Bacterial-mediated reduction of tetracycline plant stress via antibiogenesis. *Plant Physiology and Biochemistry* v. 204, art. 108093, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108093>. (WoS/Scopus)

Vitale E, Velikova V, Tsonev T, Costanzo G, Paradiso R, Arena C. Manipulation of light quality is an effective tool to regulate photosynthetic capacity and fruit antioxidant properties of *Solanum lycopersicum* L. cv. 'Microtom' in a controlled environment. *PeerJ* 10: e13677, 2022. <https://doi.org/10.7717/peerj.13677>.

9184. He X, He R, Li Y, Liu K, Tan J, Chen Y, Liu X, Liu H. Effect of ratios of red and white light on the growth and quality of pak choi. *Agronomy* 12(10): 2322, **2022**. <https://doi.org/10.3390/agronomy12102322>. (WoS/Scopus)

9185. Pepe M, Marie TRJG, Leonardos ED, Hesami M, Rana N, Jones AMP, Grodzinski B. Tissue culture coupled with a gas exchange system offers new perspectives on phenotyping the developmental biology of *Solanum lycopersicum* L. cv. 'MicroTom'. *Frontiers in Plant Science* 13: 1025477, **2022**. <https://doi.org/10.3389/fpls.2022.1025477>. (WoS/Scopus)

9186. Lin K-H, Chen Y-C, Wu Q-E, Lin H-H. Effects of red and blue light ratio on the morphological traits and flower sex expression in *Cucurbita moschata* Duch. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 51(2), 13123, **2023**. <https://doi.org/10.15835/nbha51213123>. (WoS/Scopus)

9187. Liu M, Zhao Y, Fan P, Kong J, Wang Y, Xu X, Xu M, Wang L, Li S, Liang Z, Duan W, Dai and Z. Grapevine plantlets respond to different monochromatic lights by tuning photosynthesis and carbon allocation. *Horticulture Research* 10(9), art. uhad160, **2023**. <https://doi.org/10.1093/hr/uhad160>. (WoS/Scopus)

9188. Sawatdee S, Jarunglumlert T, Pavasant P, Y Sakihama, AE Flood, C Prommuak. Effect of mixed light emitting diode spectrum on antioxidants content and antioxidant activity of red lettuce grown in a closed soilless system. *BMC Plant Biology* 23, art. 351, **2023**. <https://doi.org/10.1186/s12870-023-04364-y>. (WoS/Scopus)

Delfine S, Velikova VB, Mastrodonato F. Soil mulching influence spearmint yield, eco-physiological activities and essential oil content in rainfed environment of Southern Italy. *Agronomy* 12, art. 1521, 2022. <https://doi.org/10.3390/agronomy12071521>.

9189. Ďúranová H, Valková V, Galovičová L, Vukovic N, Vukic M, Kačániová M. Antifungal activities of essential oil obtained from *Mentha spicata* var. Crispa against selected penicillium species. *Bilge International Journal of Science and Technology Research* 7(1), 1-8, **2023**. <https://doi.org/10.30516/bilgesci.1208483>.

9190. Sayarer M, Aytaç Z, Kürkçüoğlu M. The effect of irrigation and humic acid on the plant yield and quality of sweet basil (*Ocimum basilicum* L.) with mulching application under semi-arid ecological conditions. *Plants* 12(7): 1522, **2023**. <https://doi.org/10.3390/plants12071522>. (WoS/Scopus)

9191. Singh R, Ahmed S, Luxmi S, Rai G, Gupta AP, Bhanwaria R, Gandhi SG. An assessment of the physicochemical characteristics and essential oil composition of *Mentha longifolia* (L.) Huds. exposed to different salt stress conditions. *Frontiers in Plant Science* 14: 1165687, **2023**. <https://doi.org/10.3389/fpls.2023.1165687>. (WoS/Scopus)

9192. Van Haute S, Nikkhah A, Malavi D, Kiani S. Prediction of essential oil content in spearmint (*Mentha spicata*) via near-infrared hyperspectral imaging and chemometrics. *Scientific Reports* 13(1):4261, **2023**. <https://doi.org/10.1038/s41598-023-31517-8>. (WoS/Scopus)

[Vitale E, Izzo LG, Amitrano C, Velikova V, Tsonev T, Simoniello P, De Micco V, Arena C. Light quality modulates photosynthesis and antioxidant properties of *B. vulgaris* L. plants from seeds irradiated with high-energy heavy ions: Implications for cultivation in space. *Plants* 11 \(14\), art. 1816, 2022. <https://doi.org/10.3390/plants11141816>.](#)

9193. Kumar D, Singh H, Bhatt U, Sharma J, Sharma S, Soni V. Physiological performance of *Mimosa pudica* L. under different light quality and photoperiods. *Physiologia* 2(4): 132-153, **2022**. <https://doi.org/10.3390/physiologia2040012>.

9194. Braddock, M. Potential for Lunar and Martian regolith to support agriculture. In: Seedhouse E, Shayler DJ (eds) *Handbook of Life Support Systems for Spacecraft and Extraterrestrial Habitats*. Springer, Cham. Pp. 1-17, **2023**. https://doi.org/10.1007/978-3-319-09575-2_219-1. [BOOK]

9195. Ren M, Liu S, Tang C, Mao G, Gai P, Guo X, Zheng H, Tang Q. Photomorphogenesis and photosynthetic traits changes in rice seedlings responding to red and blue light. *International Journal of Molecular Sciences* 24(14): 11333, **2023**. <https://doi.org/10.3390/ijms241411333>. (WoS/Scopus)

9196. Гринберг МА. Влияние хронического облучения на электрические сигналы растений и их роль в формировании устойчивости к стресс-факторам. Диссертация на соискание учёной степени кандидата биологических наук, Нижний Новгород – **2023**. Национальный исследовательский Нижегородский государственный университет им. Н. И. Лобачевского. <https://diss.unn.ru/files/2023/1383/diss-Grinberg-1383.pdf> [PhD Thesis]

[Velikova V, Dani KGS, Loreto F. Origin, evolution, and future of isoprene and nitric oxide interactions within leaves. *Journal of Experimental Botany* 74\(3\), 688-706, 2023, *Darwin Review*. <https://doi.org/10.1093/jxb/erac459>.](#)

9197. Weraduwaage SM, Whitten D, Kulke M, Sahu A, Vermaas JV, Sharkey TD. The isoprene-responsive phosphoproteome provides new insights into the putative signalling pathways and novel roles of isoprene. *Plant, Cell & Environment* 47(4), 1099-1117, **2024**. <https://doi.org/10.1111/pce.14776>. (WoS/Scopus)

[Pollastri S, Velikova V, Castaldini M, Fineschi S, Ghirardo A, Renaut J, Schnitzler J-P, Sergeant K, Winkler B, Zorzan S, Loreto F. Isoprene-emitting tobacco plants are less affected by moderate water deficit under future climate change scenario and show adjustments of stress-related proteins in actual climate. *Plants* 12 \(2\), 333, 2023. <https://doi.org/10.3390/plants12020333>.](#)

9198. Yagoubi A, Mahjoubi Y, Giannakis S, Rzigui T, Djebali W, Chouari R. The silver lining of antibiotic resistance: Bacterial-mediated reduction of tetracycline plant stress via antibiopathy. *Plant Physiology and Biochemistry* v. 204, art. 108093, **2023**. <https://doi.org/10.1016/j.plaphy.2023.108093>. (WoS/Scopus)

9199. Du B, Haensch R, Alfarraj S, Rennenberg H. Strategies of plants to overcome abiotic and biotic stresses. *Biological Reviews*, **2024**. <https://doi.org/10.1111/brv.13079>. (WoS/Scopus)

9200. Oku H, Iqbal A, Oogai S, Inafuku M, Mutanda I. Relationship between cumulative temperature and light intensity and G93 parameters of isoprene emission for the tropical tree *Ficus septica*. *Plants* 13(2): 243, **2024**. <https://doi.org/10.3390/plants13020243>. (WoS/Scopus)

[Teneva I, Velikova V, Belkinova D, Moten D, Dzhambazov B. Allelopathic potential of the cyanotoxins Microcystin-LR and Cylindrospermopsin on green algae. *Plants* 12\(6\), 1403, 2023. <https://doi.org/10.3390/plants12061403>.](#)

9201. Javed MR, Shafiq S, Allah EFA, Salman M, Perver N, Anwar A, tul Zahra F. Cyanobacteria-based green synthesis of nanoparticles for industrial applications. In: Mehmood MA, Verma P, Shah MP, Betenbaugh MJ (eds) *Pharmaceutical and Nutraceutical Potential of Cyanobacteria*. Springer, Cham., pp. 195-213, **2024**. https://doi.org/10.1007/978-3-031-45523-0_8. [BOOK chapter]

[Krumova S, Petrova A, Petrova N, Stoichev S, Ilkov D, Tsonev T, Petrov P, Koleva D, Velikova V. Seed priming with single-walled carbon nanotubes grafted with pluronic p85 preserves the functional and structural characteristics of pea plants. *Nanomaterials* 13\(8\): 1332, 2023. <https://doi.org/10.3390/nano13081332>.](#)

9202. Liang L, Veksha A, Lisak G. Nanoprimer using plastic-derived carbon nanomaterials: boosting growth and salt tolerance of pea (*Pisum sativum* L.). *ACS Agricultural Science & Technology* 3(11), 1081-1091, **2023**. <https://doi.org/10.1021/acsagscitech.3c00351>. (WoS/Scopus)

9203. Kim DY, Kim M, Sung JS, JR Koduru, SH Nile, A Syed, AH Bahkali, CS Seth, GS Ghodake. Extracellular synthesis of silver nanoparticle using yeast extracts: antibacterial and seed priming applications. *Applied Microbiology and Biotechnology* 108, 150, **2024**. <https://doi.org/10.1007/s00253-023-12920-7>. (WoS/Scopus)

9204. Prokisch J, Törös G, Nguyen DHH, Neji C, Ferroudj A, Sári D, Muthu A, Brevik EC, El-Ramady H. Nano-food farming: toward sustainable applications of proteins, mushrooms, nano-nutrients, and nanofibers. *Agronomy* 14(3): 606, **2024**. <https://doi.org/10.3390/agronomy14030606>. (WoS/Scopus) [Review]

9205. Thiruvengadam M, Chi HY, Kim S-H. Impact of nanopollution on plant growth, photosynthesis, toxicity, and metabolism in the agricultural sector: An updated **review**. *Plant Physiology and Biochemistry*, art. 108370, 2024. <https://doi.org/10.1016/j.plaphy.2024.108370>. (WoS/Scopus)

[Krumova S, Petrova A, Koleva D, Petrova S, Stoichev S, Petrova N, Tsonev T, Petrov P, Velikova V. Priming of *Pisum sativum* seeds with stabilized Pluronic P85 nanomicelles. Effects on seedling development and photosynthetic function. *Photosynthetica* 61 \(SI\): 432-440, 2023. <https://ps.ueb.cas.cz/pdfs/phs/2023/04/03.pdf>.](#)

9206. Lambrev P, Janda T. Editorial, *Photosynthetica*, Special issue in honor of Prof. Győző Garab. 61 (SI): 398-404, 2023. <https://doi.org/10.32615/ps.2023.044>. (WoS/Scopus)

27.05.2024

София

Изготвил:

/проф. дн В. Великова/