

Documents

- 1) La Paglia, L., Vazzana, M., Mauro, M., Urso, A., Arizza, V., Vizzini, A.

Bioactive Molecules from the Innate Immunity of Ascidians and Innovative Methods of Computational Approach Based on Artificial Intelligence

(2024) *Marine Drugs*, 22 (1), art. no. 6, .

- 2) Adiga, R.

Benchmarking datasets from malaria cytotoxic t-cell epitopes using machine learning

(2021) *Avicenna Journal of Medical Biotechnology*, 13 (2), pp. 87-91.

- 3) Li, Y., Niu, M., Zou, Q.

ELM-MHC: An Improved MHC Identification Method with Extreme Learning Machine Al

(2019) *Journal of Proteome Research*, 18 (3), pp. 1392-1401.

- 4) Andreatta, M., Trolle, T., Yan, Z., Greenbaum, J.A., Peters, B., Nielsen, M.

An automated benchmarking platform for MHC class II binding prediction methods

(2018) *Bioinformatics*, 34 (9), pp. 1522-1528.

- 5) Kar, P., Ruiz-Perez, L., Arooj, M., Mancera, R.L.

Current methods for the prediction of T-cell epitopes

(2018) *Peptide Science*, 110 (2), art. no. e24046, .

- 6) Moghram, B.A., Nabil, E., Badr, A.

Ab-initio conformational epitope structure prediction using genetic algorithm and SVM

(2018) *Computer Methods and Programs in Biomedicine*, 153, pp. 161-170.

7) Luo, H., Ye, H., Ng, H.W., Shi, L., Tong, W., Mendrick, D.L., Hong, H.

Machine learning methods for predicting HLA–peptide binding activity

(2015) *Bioinformatics and Biology Insights*, 9, pp. 21-29.

8) Andreatta, M., Karosiene, E., Rasmussen, M., Stryhn, A., Buus, S., Nielsen, M.

Accurate pan-specific prediction of peptide-MHC class II binding affinity with improved

(2015) *Immunogenetics*, 67 (11-12), pp. 641-650.

9) Yu, C., Liu, W., Liu, T., Song, Z., Zhu, M.

Prediction of Th cell epitopes based on ISC-SVR method

(2013) *Acta Chimica Sinica*, 71 (4), pp. 670-678.

10) Saha, I., Mazzocco, G., Plewczynski, D.

Consensus classification of human leukocyte antigen class II proteins

(2013) *Immunogenetics*, 65 (2), pp. 97-105.

11) Khan, J.M., Kumar, G., Ranganathan, S.

In silico prediction of immunogenic T cell epitopes for HLA-DQ8

(2012) *Immunome Research*, 8 (1), .

12) Cong, C., Sun, P., Ma, Z.

Predicting binding affinity using differential evolution

(2012) *2012 5th International Conference on Biomedical Engineering and Informatics, BMEI* no. 6513124, pp. 906-909.

13) He, J., Yang, G., Rao, H., Li, Z., Ding, X., Chen, Y.

Prediction of human major histocompatibility complex class II binding peptides by co discrimination method

(2012) *Artificial Intelligence in Medicine*, 55 (2), pp. 107-115.

14) Niu, Y.

Predicting class-II MHC binding peptide using global representation of peptides

(2011) *Proceedings - 2011 International Conference on Intelligent Computation and Bio-Medical 2011*, art. no. 6131770, pp. 308-312.

15) El-Manzalawy, Y., Dobbs, D., Honavar, V.

Predicting MHC-II binding affinity using multiple instance regression

(2011) *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 8 (4), art. no.

16) Nielsen, M., Justesen, S., Lund, O., Lundegaard, C., Buus, S.

NetMHCIIpan-2.0 - Improved pan-specific HLA-DR predictions using a novel concurrent optimization training procedure

(2010) *Immunome Research*, 6 (1), art. no. 9, .

17) Zhang, W., Liu, J., Niu, Y., Li, Q., Hui, Z.

Predicting cleavage sites in exogenous antigen using weighted SVM

(2010) *ICCET 2010 - 2010 International Conference on Computer Engineering and Technology*, no. 5486025, pp. V1478-V1482.

18) Zhang, W., Liu, J., Niu, Y.

Quantitative prediction of MHC-II binding affinity using particle swarm optimization

(2010) *Artificial Intelligence in Medicine*, 50 (2), pp. 127-132.

19) Wullner, D., Zhou, L., Bramhall, E., Kuck, A., Goletz, T.J., Swanson, S., Chirmule, N., Jawa, R.

Considerations for optimization and validation of an in vitro PBMC derived T cell assay for the prediction of biotherapeutics

(2010) *Clinical Immunology*, 137 (1), pp. 5-14.

20) Nielsen, M., Lund, O., Buus, S., Lundegaard, C.

MHC Class II epitope predictive algorithms

(2010) *Immunology*, 130 (3), pp. 319-328.

21) Liu, J., Li, Q.-J., Zhang, W.

A novel locally linear embedding and wavelet transform based encoding method for predicting MHC-II binding affinity

(2010) *Interdisciplinary Sciences – Computational Life Sciences*, 2 (2), pp. 145-150.

22) Ivanciuc, O.

Machine learning quantitative structure-activity relationships (QSAR) for peptides binding to the amphipathic alpha1 SH3 domain

(2009) *Current Proteomics*, 6 (4), pp. 289-302.

23) Lafuente, E.M., Reche, P.A.

Prediction of MHC-peptide binding: A systematic and comprehensive overview

(2009) *Current Pharmaceutical Design*, 15 (28), pp. 3209-3220.

24) Zhang, W., Liu, J., Niu, Y.

Quantitative prediction of MHC-II peptide binding affinity using relevance vector machines

(2009) *Applied Intelligence*, 31 (2), pp. 180-187.

25) Toussaint, N.C., Kohlbacher, O.

Towards in silico design of epitope-based vaccines

(2009) *Expert Opinion on Drug Discovery*, 4 (10), pp. 1047-1060.

26) Nielsen, M., Lund, O.

NN-align. An artificial neural network-based alignment algorithm for MHC class II peptide sequences

(2009) *BMC Bioinformatics*, 10, art. no. 296, p. 296.

27) Wang, L., Pan, D., Hu, X., Xiao, J., Gao, Y., Zhang, H., Zhang, Y., Liu, J., Zhu, S.

BiodMHC: an online server for the prediction of MHC class II-peptide binding affinity

(2009) *Journal of Genetics and Genomics*, 36 (5), pp. 289-296.

28) Mizutori, Y., Nagayama, Y., Flower, D., Misharin, A., Aliesky, H.A., Rapoport, B., McLachlan, A.

Role of the transgenic human thyrotropin receptor A-subunit in thyroiditis induced by regulatory T cell depletion

(2008) *Clinical and Experimental Immunology*, 154 (3), pp. 305-315.

29)

Zhang, W., Liu, J., Niu, Y.Q., Wang, L., Hu, X.

A Bayesian regression approach to the prediction of MHC-II binding affinity
(2008) *Computer Methods and Programs in Biomedicine*, 92 (1), pp. 1-7.

30) Zhang, W., Liu, J., Niu, Y., Wang, L., Zhang, Z.

Quantitative prediction of MHC-II peptide binding affinity using global description of p
(2008) *BioMedical Engineering and Informatics: New Development and the Future - Proceedings of the Conference on BioMedical Engineering and Informatics, BMEI 2008*, 1, art. no. 4548691, pp.

31) Tong, J.C., Tammi, M.T.

Prediction of protein allergenicity using local description of amino acid sequence
(2008) *Frontiers in Bioscience*, 13 (16), pp. 6072-6078.

32) Zhou, P., Tian, F., Wu, Y., Li, Z., Shang, Z.

Quantitative sequence-activity model (QSAM): Applying QSAR strategy to model and function of peptides, proteins and nucleic acids
(2008) *Current Computer-Aided Drug Design*, 4 (4), pp. 311-321.

33) Nielsen, M., Lundegaard, C., Blicher, T., Peters, B., Sette, A., Justesen, S., Buus, S., Lund, C.

Quantitative predictions of peptide binding to any HLA-DR molecule of known sequence
(2008) *PLoS Computational Biology*, 4 (7), art. no. e1000107, .

34) Karpenko, O., Huang, L., Dai, Y.

A probabilistic meta-predictor for the MHC class II binding peptides
(2008) *Immunogenetics*, 60 (1), pp. 25-36.

35) Rajapakse, M., Schmidt, B., Feng, L., Brusic, V.

Predicting peptides binding to MHC class II molecules using multi-objective evolutionary computation
(2007) *BMC Bioinformatics*, 8, art. no. 459, .

36) Ivanciuc, O., Braun, W.

Robust quantitative modeling of peptide binding affinities for MHC molecules using protein structure
(2007) *Protein and Peptide Letters*, 14 (9), pp. 903-916.

37) Holm, L., Frech, K., Dzhambazov, B., Holmdahl, R., Kihlberg, J., Linusson, A.

Quantitative structure-activity relationship of peptides binding to the class II major histocompatibility molecule Aq associated with autoimmune arthritis

(2007) *Journal of Medicinal Chemistry*, 50 (9), pp. 2049-2059.

38) Nielsen, M., Lundegaard, C., Lund, O.

Prediction of MHC class II binding affinity using SMM-align, a novel stabilization matrix

(2007) *BMC Bioinformatics*, 8, art. no. 238, .

39) Kirschner, D.E., Chang, S.T., Riggs, T.W., Perry, N., Linderman, J.J.

Toward a multiscale model of antigen presentation in immunity

(2007) *Immunological Reviews*, 216 (1), pp. 93-118.

40) Li, S., Yao, X., Liu, H., Li, J., Fan, B.

Prediction of T-cell epitopes based on least squares support vector machines and amino acid composition

(2007) *Analytica Chimica Acta*, 584 (1), pp. 37-42.

41) Pissurlenkar, R.R.S., Malde, A.K., Khedkar, S.A., Coutinho, E.C.

Encoding type and position in peptide QSAR: Application to peptides binding to class II MHC

(2007) *QSAR and Combinatorial Science*, 26 (2), pp. 189-203.

42) Flower, D., Timmis, J.

In silico immunology

(2007) *In Silico Immunology*, pp. 1-450.

43) Rajapakse, M., Feng, L.

Predicting peptide binders of flexible lengths with genetic annealing algorithm

(2007) *2007 IEEE Symposium on Computational Intelligence and Bioinformatics and Computational Biology*, art. no. 4221231, pp. 262-267.

44)

Yu, H., Huang, M., Zhu, X., Guo, Y.

A novel kernel-based approach for predicting binding peptides for HLA class II molecules
(2007) *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 4463 LNBI, pp. 418-429.

45) Anishetty, S., Pennathur, G.

Distribution of tripeptides in MHC binding peptides
(2007) *Protein and Peptide Letters*, 14 (6), pp. 552-556.

46) Dingfang, L., Wenchao, H.

A relevance vector machine based quantitative prediction method for mouse class I MHC binding peptides
(2006) *ICBPE 2006 - Proceedings of the 2006 International Conference on Biomedical and Bioinformatics*, no. 4155921, pp. 344-353.

47) Chang, S.T., Ghosh, D., Kirschner, D.E., Linderman, J.J.

Peptide length-based prediction of peptide - MHC class II binding
(2006) *Bioinformatics*, 22 (22), pp. 2761-2767.

48) Salomon, J., Flower, D.R.

Predicting Class II MHC-Peptide binding: A kernel based approach using similarity scores
(2006) *BMC Bioinformatics*, 7, art. no. 501, .

49) Wan, J., Liu, W., Xu, Q., Ren, Y., Flower, D.R., Li, T.

SVRMHC prediction server for MHC-binding peptides
(2006) *BMC Bioinformatics*, 7, art. no. 463, .

50) Tong, J.C., Zhang, G.L., Tan, T.W., August, J.T., Brusic, V., Ranganathan, S.

Prediction of HLA-DQ3.2 β ligands: Evidence of multiple registers in class II binding peptides
(2006) *Bioinformatics*, 22 (10), pp. 1232-1238.

51) Liu, W., Meng, X., Xu, Q., Flower, D.R., Li, T.

Quantitative prediction of mouse class I MHC peptide binding affinity using support vector machines

(SVR) models

(2006) *BMC Bioinformatics*, 7, art. no. 182, .

52) Xiao, Y., Segal, M.R.

Prediction of genomewide conserved epitope profiles of HIV-1: Classifier choice and
(2005) *Statistical Applications in Genetics and Molecular Biology*, 4 (1), art. no. 25, pp. i-34.

ELSEVIER

Copyright © 2024 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.