

Documents

- 1) Kalmár, E., Kormányos, B., Szakonyi, G., Dombi, G.

Validated HPLC determination of 4-dimethylaminoantipyrine in different suppository bases
(2014) *Indian Journal of Pharmaceutical Sciences*, 76 (1), pp. 31-37.

- 2) Gimenes, D.T., Cunha, R.R., Ribeiro, M.M.A.D.C., Pereira, P.F., Muñoz, R.A.A., Richter, E.M.

Two new electrochemical methods for fast and simultaneous determination of codeine and morphine
(2013) *Talanta*, 116, pp. 1026-1032.

- 3) Siddiqui, F.A., Arayne, M.S., Sultana, N., Qureshi, F.

Development and validation of stability-indicating HPLC method for the simultaneous determination of paracetamol, tizanidine, and diclofenac in pharmaceuticals and human serum
(2011) *Journal of AOAC International*, 94 (1), pp. 150-158.

- 4) Petruczynik, A.

Optimization of Chromatographic Systems for Determination of Lipophilicity for Selected Compounds
(2009) *Journal of Liquid Chromatography and Related Technologies*, 32 (15), pp. 2265-2280.

- 5) De Luca, M., Oliverio, F., Ioele, G., Ragno, G.

Multivariate calibration techniques applied to derivative spectroscopy data for the analysis of complex mixtures
(2009) *Chemometrics and Intelligent Laboratory Systems*, 96 (1), pp. 14-21.

- 6) Xu, Z., Yue, Q., Zhuang, Z., Xiao, D.

Flow injection amperometric determination of acetaminophen at a gold nanoparticle modified electrode
(2009) *Microchimica Acta*, 164 (3-4), pp. 387-393.

7) Fathi-Azarbayjani, A., Jouyban, A., Chan, S.Y.

Impact of surface tension in pharmaceutical sciences

(2009) *Journal of Pharmacy and Pharmaceutical Sciences*, 12 (2), pp. 218-228.

8) Dinç, E., Baleanu, D., Ioele, G., De Luca, M., Ragno, G.

Multivariate analysis of paracetamol, propiphenazone, caffeine and thiamine in quaternary and ANN calibrations applied on wavelet transform data

(2008) *Journal of Pharmaceutical and Biomedical Analysis*, 48 (5), pp. 1471-1475.

9) Kobarfard, F., Khalaj, A., Daryaei, F., Ardeshir Larijani, Z., Rezaei, S.

Correlation between different lipophilicity parameters and antimycobacterial activities

(2008) *Daru*, 16 (2), pp. 55-59.

10) Kraemer, T., Maurer, H.H.

Chapter 6 Sedatives and hypnotics

(2008) *Handbook of Analytical Separations*, 6, pp. 243-286.

11) Mitić, S., Miletić, G., Pavlović, A., Tošić, S., Pecev, E.

Determination of diclofenac sodium in commercial pharmaceutical formulations and kinetic-spectrophotometric method

(2007) *Chemical and Pharmaceutical Bulletin*, 55 (10), pp. 1423-1426.

12) Özyazici, M., Gökçe, E., Hizarcioğlu, S.Y., Taner, M.S., Köseoglu, K., Ertan, G.

Dissolution and vaginal absorption characteristics of metronidazole and ornidazole

(2006) *Pharmazie*, 61 (10), pp. 855-861.

13) Odaci, D., Timur, S., Pazarlioğlu, N., Kirgöz, Ü.A., Telefoncu, A.

Effects of mediators on the laccase biosensor response in paracetamol detection

(2006) *Biotechnology and Applied Biochemistry*, 45 (1), pp. 23-28.

14) Tubino, M., De Souza, R.L.

Determination of diclofenac in pharmaceutical preparations by diffuse reflectance photometry
(2006) *Talanta*, 68 (3), pp. 776-780.

15) Gocan, S., Cimpan, G., Comer, J.

Lipophilicity measurements by liquid chromatography
(2006) *Advances in Chromatography*, 44, pp. 79-176.

16) Padula, C., Sartori, F., Marra, F., Santi, P.

The influence of iontophoresis on acyclovir transport and accumulation in rabbit ear skin
(2005) *Pharmaceutical Research*, 22 (9), pp. 1519-1524.

17) Hanyšová, L., Mokry, M., Kastner, P., Klimeš, J.

HPLC evaluation of diclofenac in the various forms of therapeutic preparations
(2005) *Chemical Papers*, 59 (2), pp. 103-108.

18) Castellano, P.M., Vignaduzzo, S.E., Maggio, R.M., Kaufman, T.S.

Application of a chemometric method for simultaneous determination of acetaminophen and diclofenac in pharmaceutical preparations: uniformity and drug-dissolution studies
(2005) *Analytical and Bioanalytical Chemistry*, 382 (7), pp. 1711-1714.

19) Gao, X., Yu, C.H., Tam, K.Y., Tsang, S.C.

New magnetic nano-absorbent for the determination of n-octanol/water partition coefficient of diclofenac
(2005) *Journal of Pharmaceutical and Biomedical Analysis*, 38 (2), pp. 197-203.

20) De Souza, R.L., Tubino, M.

Spectrophotometric determination of diclofenac in pharmaceutical preparations
(2005) *Journal of the Brazilian Chemical Society*, 16 (5), pp. 1068-1073.

21) Tubino, M., De Souza, R.L.

Gravimetric method for the determination of diclofenac in pharmaceutical preparations
(2005) *Journal of AOAC International*, 88 (6), pp. 1684-1687.

22) Shi, Z., He, J., Yao, T., Chang, W.

RP-HPLC Determination of Octanol-Water Partition Coefficients for Bioactive Compounds and Medicines

(2004) *Journal of Liquid Chromatography and Related Technologies*, 27 (3), pp. 465-479.

23) Prodan, M., Gere-Paszti, E., Farkas, O., Forgacs, E.

Validation and Simultaneous Determination of Paracetamol and Caffeine in Pharmaceutical Formulations by HPLC

(2003) *Chemia Analityczna*, 48 (6), pp. 901-907.

24) Van Staden, J.F., Tsanwani, M.

Determination of paracetamol in pharmaceutical formulations using a sequential injection method

(2002) *Talanta*, 58 (6), pp. 1095-1101.

25) Hudecova, T., Havranek, E.

Use of high performance liquid chromatography in the solution of research problems in the testing of drugs [Využitie vysokoúčinnnej kvapalinovej chromatografie pri riešení výskumných problémov pri testovaní liekov]

(2002) *Farmaceutický Obzor*, 71 (9-10), pp. 256-260.

ELSEVIER

Copyright © 2024 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.