

1.3. ЦИТИРАНИЯ НА НАУЧНИ ТРУДОВЕ (БЕЗ АВТОЦИТАТИ) В НАУЧНИ ПУБЛИКАЦИИ И В ПАТЕНТИ ЗА ИЗОБРЕТЕНИЯ

Забелязаните цитирания (*без автоцитати*) на трудове на проф. д-р Иво Цветанов Илиев са общо 327, от които 319 са в чужбина и 8 в България. Цитиранията са представени като за всяка цитирана публикация, от списъци 1.1 и 1.4., е даден списък на трудове (публикации и патенти), в които тя е цитирана.

Забелязаните цитирания, през последните 5 години, са 143 - всичките в чужбина.

Броят на откритите цитирания в Scopus е 220. Броят на откритите цитирания в WoS е 186.

Цитирания в международни научни списания, сборници от международни научни форуми, национални форуми с чуждестранно участие и патенти.

[C.1]. I. Iliev (1996).). [*Improvements of the long-term noninvasive blood pressure recording.*](#) Journal of Clinical Engineering, vol. 21, No 5, pp 392-397, ISSN:0363-8855, IF 0.304

1. JJ Wang, CT Lin, SH Liu, ZC Wen, *Model-based synthetic fuzzy logic controller for indirect blood pressure measurement*, IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics) Vol,32, Issue: 3, 2002, DOI: 10.1109/TSMCB.2002.999807. (WoS), (Scopus)
2. Wang J., Liu S., Iuan C., Hsieh J. *Development of an arterial applanation tonometer for detecting arterial blood pressure and volume*. Biomedical Engineering - Applications, Basis and Communications. Vol. 16 No. 6 December 2004, pp. 322-330, ISSN:1016-2372 DOI:10.4015/S101623720400044X. (Scopus)

[C.2]. Moyanova S., Kortenska L., Kirov R., Iliev I. (1998). [*Quantative Electroencephalographic Changes due to Middle Cerebral Artery Occlusion by Endothelin 1 in Concious Rats.*](#) Archives of Physiology and Biochemistry, vol. 106, No. 5, pp. 384-391. IF 4.676.

3. Lu, X.-C.M., Williams, A.J., Tortella, F.C. *Quantitative electroencephalography spectral analysis and topographic mapping in a rat model of middle cerebral artery occlusion*. Neuropathology and Applied Neurobiology 27 (6), pp. 481-495, 2001. DOI:10.1046/j.1365-2990.2001.00357.x. (WoS), (Scopus)
4. Karhunen, H., Jolkkonen, J., Sivenius, J., Pitkänen, A. *Epileptogenesis after experimental focal cerebral ischemia*. Neurochemical Research, 30(12), pp. 1529–1542, 2005. DOI:10.1007/s11064-005-8831-y (WoS), (Scopus)
5. Saito, T., Watanabe, Y., Nemoto, T., Kasuya, E., Sakumoto, R. *Radiotelemetry recording of electroencephalogram in piglets during rest*. Physiology and Behavior 84 (5), pp. 725-731; 2005. DOI:10.1016/j.physbeh.2005.02.018. (WoS), (Scopus)
6. Lämmer, A.B. , Beck, A. , Grummich, B. , Förchler, A. , Krügel, T. , Kahn, T. , Schneider, D. , Illes, P. , Franke, H. , Krügel, U. *The P2 receptor antagonist PPADS supports recovery from experimental stroke in vivo*. PLoS ONE Volume 6, Issue 5, 2011, Article number e19983. DOI:10.1371/journal.pone.0019983. (WoS), (Scopus)
7. Le, H.T.a , Hirko, A.C.b , Thinschmidt, J.S.b , Grant, M.b , Li, Z.c , Peris, J.c , King, M.A.bd , Hughes, J.A.e , Song, S.a, *The protective effects of plasma gelsolin on stroke outcome in rats*. Experimental and Translational Stroke Medicine. Volume 3, Issue 1, 2 November 2011. DOI:10.1186/2040-7378-3-13. (Scopus)
8. Moldthan, H.L., Hirko, A.C., Thinschmidt, J.S., Grant, M.B., Li, Z, Peris, J., Lu, Y. Elshikha, A.S., King, M.A., Hughes, J.A., Song, S, *Alpha 1-antitrypsin therapy mitigated ischemic stroke damage in rats*. Journal of Stroke and Cerebrovascular Diseases. 23(5), pp.E355-E363, DOI:10.1016/j.jstrokecerebrovasdis.2013.12.029, (WoS), (Scopus)
9. Rabiller, G., He, J.-W. Nishijima, Y., Wong, A. Liu, J. *Perturbation of brain oscillations after ischemic stroke: A potential biomarker for post-stroke function and therapy*.

International Journal of Molecular Sciences, 16(10), pp. 25605–25640, DOI:10.3390/ijms161025605. (WoS), (Scopus)

10. Christopher MC., Mariana A., Emma R., Mhairi M. *Animal models of ischaemic stroke and characterisation of the ischaemic penumbra*. Neuropharmacology, 134, pp.169-177. September 2017. DOI: 10.1016/j.neuropharm.2017.09.022. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

11. Baccetto, S.L., Lehmann, C., *Microcirculatory changes in experimental models of stroke and CNS-injury induced immunodepression*. International Journal of Molecular Sciences. 20(20),5184, 2019. DOI: 10.3390/ijms20205184. (WoS), (Scopus)

[C.3]. Krasteva V., **Iliev I.**, Cansell A., Daskalov I. (2000). [*Automatic adjustment of biphasic pulse duration in transthoracic defibrillation*](#). Journal of Medical Engineering & Technology. Vol. 24, No 5, pp. 210-214, 2000

12. Kostov, J., Mudrov, T., Dotsinsky, I., Mudrov, N. *Comparison between two defibrillation waveforms*. Journal of Medical Engineering and Technology, Volume 34, Issue 7-8, , Pages 429-436, October 2010. DOI: 10.3109/03091902.2010.514975, (Scopus)
13. Malkin, R.A., Jackson, S.R., Nguyen, J., Yang, Z., Guan, D. *Experimental verification of theoretical predictions concerning the optimum defibrillation waveform*. IEEE Transactions on Biomedical Engineering 53 (8), art. no. 1658143, pp. 1492-1498, 2006. DOI: 10.1109/TBME.2006.876643. (WoS)
14. Dosdall, D.J. Sweeney, J.D. *Extended charge banking model of dual path shocks for implantable cardioverter defibrillators*. BioMedical Engineering Online. Volume 7, Article number 22, 2008, DOI: 10.1186/1475-925X-7-22. (WoS)
15. Barbieri E., Eberth J., Attarzadeh F. *On Optimal Defibrillating Pulse Synthesis*, Proc. American Control Conference ACC 2011 San Francisco, CA, USA, ISBN: 978-1-4577-0079-8, IEEE Catalog Number: CFP11ACC-CDR. (2011). doi: 978-1-4577-0079-8/11, pp.4781-4786; (WoS)
16. Carranza G. *Desfibrilación: Hacia la forma de onda óptima. (Defibrillation: Toward the optimal waveform shape.)*, Revista de la federacion Argentina de Cardiología, Vol. 43(4), ISSN: 1666-5694; (2014). (WoS)
17. Long H., Yang G., Ma K., Xiao Z., Ren X. *Effect of different electrical stimulation waves on orientation and alignment of adipose derived mesenchymal stem cells*, Chinese Journal of Reparative and Reconstructive Surgery, vol. 31(7), pp. 853-861, doi: 10.7507/1002-1892.201702027.(2017) <http://www.rrsurg.com/article/10.7507/1002-1892.201702027>

През последните 5 години (от 2019 г.)

18. Gorbunov, B.B. *Evaluation of the Effect of Chopping Modulation of a Defibrillation Pulse on Its Energy Efficiency Based on the Hypothesis of Guaranteed Defibrillation*. Biomedical Engineering. 55(3), pp. 199-203, (2021). DOI: 10.1007/s10527-021-10101-2. (WoS), (Scopus)

[C.4]. **Iliev I.**, Krasteva V., Tabakov S. (2007) [*Real-time detection of pathological cardiac events in the electrocardiogram*](#). Physiological Measurement, 28, pp.259-276, II, 2007

19. Dailiyudenko V.F. *Comparative Analysis of Electrocardiogram Data by Means of Temporal Locality Approach with Additional Normalization*, Transactions on Computational Science, 4750, 115-127; (2008). (WoS) https://link.springer.com/chapter/10.1007/978-3-540-79299-4_6
20. Valenza G., Lanata A., Ferro M., Scilingo E.P. *Real-Time Discrimination of Multiple Cardiac Arrhythmias for Wearable Systems Based on Neural Networks*, Computers in Cardiology

- (CinC'08), 35,4749226, pp. 1053-1056. (2008) DOI: 10.1109/CIC.2008.4749226. (**WoS**), (**Scopus**)
21. Guanhao, S. , Erping, L. , Lihua, L. , Qiaoling, X. , Xiaoming, W. *New method of designing digital notch filter of mains frequency*. 3rd International Conference on Bioinformatics and Biomedical Engineering, iCBBE 2009; Beijing. (2009). Category number CFP0929C; Code 79013. <https://ieeexplore.ieee.org/document/5163103/references#references>
 22. Guanhao Shen, Kangning X., Lihua L., Qiaoling X., Xiaoming W., Erping L., Zheng C. *Design and application of a digital filter of mains frequency*. 2009 WRI World Congress on Computer Science and Information Engineering CSIE 2009, Los Angeles, CA, vol. 7, pp. 325-327. DOI:10.1109/ICBBE.2009.5163103. (**WoS**), (**Scopus**)
 23. Faezipour M, Saeed A, Bulusu SC, Nourani M, Minn H, Tamil L. *A patient-adaptive profiling scheme for ECG beat classification*. IEEE Transactions on Information Technology in Biomedicine, 14 (5), pp. 1153-1165, (2010). DOI: 10.1109/TITB.2010.2055575. (**WoS**), (**Scopus**)
 24. Lanatá A., Valenza G., Scilingo E.P. *The contribution of the phase spectrum in automatic multiple cardiac arrhythmias recognition in wearable systems*. Proc. 3rd International Symposium on Applied Sciences in Biomedical and Communication Technologies, ISABEL 2010, Roma, Italy, ISBN: 978-142448132-3, DOI: 10.1109/ISABEL.2010.5702855, Article number 5702855. (**Scopus**)
 25. Lanatá A., Valenza G., Mancuso C., Scilingo E.P., *Robust multiple cardiac arrhythmia detection through bispectrum analysis*. Expert Systems with Applications, Volume 38, Issue 6, (2011), pp. 6798-6804. DOI: 10.1016/j.eswa.2010.12.066. (**WoS**), (**Scopus**)
 26. Chaves A., Encarnacao P., Valchinov E., Pallikarakis N., (2011), *Real-Time Detection of Pathological Cardiac Events for a Wearable Wireless ECG Monitor*, 5th European Conference of the International Federation for Medical and Biological Engineering 14–18 September 2011, Budapest, Hungary, IFMBE Proceedings, (2012), Volume 37, Part 1, Part 9, pp. 921-924, doi: 10.1007/978-3-642-23508-5_239. (**WoS**), (**Scopus**)
 27. Antonio M., David C., Pau M., Sandra O., Mateo A. *Influence of QRS complex detection errors on entropy algorithms. Application to heart rate variability discrimination*. Computer methods and programs in biomedicine, 110(1), (2013), pp. 2–1. DOI:10.1016/j.cmpb.2012.10.014, (**WoS**)
 28. Stoyan T. *Ventricular Beat Detection and Classification in Long Term ECG Recordings*. Int. J. Bioautomation, (2012), 16(4), 273-290. ISSN 13142321. (**Scopus**)
 29. Bakhshi A., MaudM., Aamir K., Loan A. *Aggregate spectrogram based classification of Holter ECG signals for wireless sensor networks*. Proceedings of International Conference on Emerging Technologies, ICET 2012 Pages 108 – 113, (2012), Article number 6375455. DOI:10.1109/ICET.2012.6375455. (**Scopus**)
 30. Choi, C. , Kim, Y. , Shin, K., *A PD control-based QRS detection algorithm for wearable ECG applications*. Article number 6347273, Pages 5638-5641. 34th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS (2012), San Diego, CA;28, Code94236. DOI: 10.1109/EMBC.2012.6347273 (**WoS**), (**Scopus**)
 31. Kholkhal M, Reguig FB. *A new approach based on the median filter to T-wave detection in ECG signal*. J. Medical Engineering & Technology, Volume 38, Issue 5, Pages 286 – 289, (2015) doi: 10.3109/03091902.2014.921251. (**Scopus**)
 32. Brajos R, Beretta I, Ansaloni G, Atienza D, *Early Classification of Pathological Heartbeats on Wireless Body Sensor Nodes*. Sensors, 14, pp. 22532-22551. (2014), doi:10.3390/s141222532, ISSN 1424-8220. (**WoS**), (**Scopus**)

33. Valchinov E., Antoniou A., Rotas K., Pallikarakis N. *Wearable ECG System for Health and Sports Monitoring, 4th Internat. Conference on Wireless Mobile Communication and Healthcare. MOBIHEALTH 2014*, November 3–5, 2014, Athens, Greece, doi: 10.13140/2.1.2281.4406. (**WoS**), (**Scopus**)
34. Alek-Uthai A., Ittaturut S., Teeramongkonrasmee A. *Algorithm development for real-time detection of premature ventricular contraction. IEEE Region 10 Annual International Conference, TENCON, Bangkok. (2015), Article number 7022418. DOI:10.1109/TENCON.2014.7022418. (WoS), (Scopus)*
35. Sharmila V., Ashoka K. *Identification of PVCs based on Peak detection with Teager Energy Operator. International Journal of Computer Applications, Vol. 103(16), pp.38-43, (2014), ISSN: (0975 – 8887, <http://research.ijcaonline.org/volume103/number16/pxc3899387.pdf>.*
36. Batista D. Fred A. *Spectral and time domain parameters for the classification of atrial fibrillation, Proc. 8th Internat. Conference on Bio-Inspired Systems and Signal Processing (BIOSIGNALS'2015), Lisbon, Portugal, (2015), pp. 329-337, ISBN: 978-989758069-7. DOI: 10.5220/0005283403290337. (Scopus)*
37. Carlos Hernando-Ramiro, Manuel Blanco-Velasco, Lisandro Lovisolo, Fernando Cruz-Roldán, *Consistent quality control in ECG compression by means of direct metrics. Physiological Measurement, 36, pp. 1981-1994, (2015), doi: <http://iopscience.iop.org/0967-3334/36/9/1981>. (WoS), (Scopus)*
38. Chandrakar C. Sharma M. *A real time approach for QRS detection of ECG signal using network intrusion detection technique, Proc. of 2015 IEEE Internat. Conf. on Electrical, Computer and Communication Technologies, ICECCT 2015, Article No: 7226131, 5-7 (2015). SVS College of Engineering, Coimbatore, India, ISBN: 978-147996084-2, DOI: 10.1109/ICECCT.2015.7226131. (Scopus)*
39. Chandrakar C., Sharma M. *A real time approach for classification of ECG beats using repetition-based pattern detection and cardiac profiling scheme. Proc. 2015 IEEE Int. Conf. on Computer, Communication and Control (IC4), (2015), Indore, India, Article number 7375607, pp. 1-6, ISBN: 978-1-4799-8163-2, doi: 10.1109/IC4.2015.7375607. (WoS), (Scopus)*
40. Chandrakar C., Sharma M. *A real time approach of cardiac profiling scheme for ECG beat classification using shared counters. Proc. 2015 IEEE Int. Conf. on Computer, Communication and Control (IC4), 10-12 Sept., Indore, India, pp. 1-6, (2015), ISBN: 978-1-4799-8163-2, doi: 10.1109/IC4.2015.7375735. (WoS), (Scopus)*
41. Chandrakar C, Sharma M, (2015), *A real time approach for classification of ECG beats using repetition-based pattern detection and cardiac profiling scheme. Proc. 2015 IEEE Int. Conf. on Computing, Communication and Security, (ICCCS 2015), 4-5, 2015, Le Meridien Pointe aux Piments, Pamplemousses, Mauritius, Article number 7374203, ISBN: 978-146739354-6, DOI: 10.1109/CCCS.2015.7374203. (WoS), (Scopus)*
42. Mateo J, Torres AM, Aparicio A, Santos JL, *An efficient method for ECG beat classification and correction of ectopic beats, Computers & Electrical Engineering, Volume 53, pp. 219-229 (2016). doi:10.1016/j.compeleceng.2015.12.015. (WoS), (Scopus)*
43. Bera P, Gupta R, *Hybrid Encoding Algorithm for Real Time Compressed Electrocardiogram Acquisition, Measurement. Volume 91, pp. 651 – 660, (2016), doi: 10.1016/j.measurement.2016.05.085, ISSN: 0263-2241. (WoS), (Scopus)*
44. Chandrakar C, Sharma M. *Qualitative features selection techniques by profiling statistical features of ECG. 12th IEEE India Internat. Conf: Electronics, Energy, Environment, Communication, Computer, Control, (E3-C3), New Delhi, India, 6 pages, (2016), ISBN: 978-146737399-9, doi: 10.1109/INDICON.2015.7443145. (WoS), (Scopus)*
45. Chien-Hung Lin, Jen-Chien Chien, Koichi Haraikawa, Yu-Shun Huang, Han-Wen Guo, Jiann-Shing Shieh, *A modular integrating algorithm for multiple arrhythmia detection, Internat. Conf. on Communication Problem-Solving (ICCP), (2016), Taipei, Taiwan, DOI: 10.1109/ICCP.2016.7751112, Electronic ISBN: 978-1-5090-1383-8. (Scopus)*

46. Chandrakar C., Sharma M. *Qualitative features selection techniques by profiling statistical features of ECG for classification of heart beats*. Biomedical Research, vol. 28 (2), pp. 571-576, (2017). ISSN 0970-938X. (WoS), (Scopus)
47. Chandrakar C, Sharma M. *Approach for design of early warning monitoring system for detection of the abnormal cardiac behaviour of any individual*, Biomedical Research, Volume 28, Issue 1, Pages 81 - 86. (2017), ISSN 0970-938X. (WoS), (Scopus)
48. George BP., Dubois R., Ramanathan C., Wodlinger H. *Signal averaging*, US Patent Application US9504427 B2, Date of publication: 2016-11-29, Application number US 14/115,235, Also published as: EP2704628A2, EP2704628A4, US20140067279, WO2012151498A2, WO2012151498A3, <https://www.google.com/patents/US9504427>
49. Sharmila V., Ashoka R. *Identification of Premature Ventricular Contraction in ECG Signals – A Review*, International Journal for Research in Applied Science & Engineering Technology (IJRASET), vol. 6 (II), pp. 204-213, (2018), ISSN: 0970-938X(Print) | 0976-1683 (Electronic). <http://www.ijraset.com/files/serve.php?FID=13459>.
50. Chandrakar C, Sharma M. *System design approach for heartbeat detection and classification of individuals irrespective of their physical condition*. Current Science, 112, (9), pp. 1915-1920, (2017). DOI: 10.18520/cs/v112/1915-1920. (WoS), (Scopus)
51. HT Hsin, YK Lee, CW Lu, TY Lin, JS Shieh, *Heart Rate Variability of a Heart Reviving from Extracorporeal Circulation*. International Journal of Gerontology, Volume 12, Issue 3, pp. 271 – 273, (2018), DOI: 10.1016/j.ijge.2017.08.002. (WoS), (Scopus)
52. A. Kumar, R. Komaragiri, M. Kumar, *Heart rate monitoring and therapeutic devices: A wavelet transform based approach for the modeling and classification of congestive heart failure*, ISA Transactions, Volume 79, Pages 239 – 250, (2018). DOI: 10.1016/j.isatra.2018.05.003. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

53. Jayanta Saha, Rajarshi Gupta, Priyanka Bera, *Preserving Abnormal Beat Morphology in Long-term ECG Recording: An Efficient Hybrid Compression Approach*. IEEE Transactions on Instrumentation and Measurement, Volume 69, Issue 5, Pages 2084 – 2092, (2020). DOI: 10.1109/TIM.2019.2922054. (WoS), (Scopus)
54. Hamada S, Sasaki K, Kito H, Tooyama Y, Ihara K, Aoyagi E, Ichimura N, Tohda S, Sasano T. *Effect of Early Ventricular Identification on the quality of a single-lead electrocardiogram*. Heart and Vessels, Volume 37, Issue 6, Pages 1010 – 1026, (2022). doi: 10.1007/s00380-021-01991-z. (WoS), (Scopus)
55. Stoyanov T., *Web-Based Software Tool for Electrocardiogram Annotation*, Lecture Notes in Networks and Systems, Volume 374 LNNS, pp. 322 - 331, (2022). DOI: 10.1007/978-3-030-96638-6_34. (WoS), (Scopus)
56. D Pal, S Mukhopadhyay, R Gupta, *Two-stage Classifier for Resource Constrained On-board Cardiac Arrhythmia Detection*. IEEE Transactions on Instrumentation and Measurement, Volume 72, Article number 2502810. (2023) DOI: 10.1109/TIM.2022.3224535. (WoS), (Scopus)
57. Kumar, A., Kumar, M., Komaragiri, R.S., *ECG Signal Detection and Lossless Data Compression Techniques for Implantable Cardiac Pacemaker Systems*, Energy Systems in Electrical Engineering. Volume Part F2141, pp. 79 – 110, (2023). DOI:10.1007/978-981-19-5303-3_4. (Scopus)
58. Luis M. Vela, Henry Crandall, Taehwan Lim, Fu Zhang, Austin Gibbs, Andrew R. J. Mitchell, Adrian Condon, Lisa M. Diamond, Huanan Zhang, and Benjamin Sanchez, *IoMT-enabled stress monitoring in a virtual reality environment and at home*, IEEE INTERNET OF THINGS JOURNAL, Volume 10, Issue 12, Pages 10649 – 10661, (2023). DOI: 10.1109/JIOT.2023.3240099, (WoS), (Scopus)

59. Nejati-Koshki, K., Fathi, F., Arabzadeh, A., Mohammadzadeh, A., *Biomarkers and optical based biosensors in cardiac disease detection: early and accurate diagnosis*. Analytical Methods, 15(41), pp. 5441-5458 (2023), DOI: 10.1039/d3ay01414b. (WoS), (Scopus)
- [C.5]. Tabakov S., **Iliev I.**, Krasteva V. (2008). [Online Digital Filter and QRS Detector Applicable in Low Resource ECG Monitoring Systems](#). Annals of Biomedical Engineering, Vol. 36, No 11, IX, pp. 1805-1815, 2008
60. Querellou E, Meyran D, Petitjean F, Le Dreff P, Maurin O *Ventricular fibrillation diagnosed with trans-thoracic echocardiography*. Resuscitation, 80 pp. 1211-1213, (2009), DOI: 10.1016/j.resuscitation.2009.06.033. (WoS), (Scopus)
61. Guanhao, S. , Kangning, X. , Lihua, L. , Qiaoling, X. , Xiaoming, W. , Erping, L. , Zheng, C. *Design and application of a digital filter of mains frequency*. 2009 WRI World Congress on Computer Science and Information Engineering, CSIE 2009 7,5170335, pp. 325-327, (2009). DOI: 10.1109/CSIE.2009.121. (Scopus)
62. Yang G.Y., Yang S.X., Wang S.X., Wang F., (2009), *A New Method of ECG Pulse Calculation Based on LABVIEW*. ETP/ IITA World Congress in Applied Computing, Computer Science and Computer Engineering (ACC 2009), pp. 263-266, ISBN: 978-9-88182-421-9. (WoS), (Scopus)
63. Yan J., Lu Y., Liu J., Wu X., Xu Y., (2009), *Model-based feature extraction of electrocardiogram using mean shift*. Proc. 31st Annual Internat. Conf. IEEE Engineering in Medicine and Biology Society: Engineering the Future of Biomedicine, EMBC 2009, Minneapolis, USA; (2009), ISBN: 978-142443296-7, DOI: 10.1109/IEMBS.2009.5332401, Article number 5332401, pp. 1339-1342. (WoS), (Scopus)
64. Jingyu Yan, Yan Lu, Jia Liu, Xinyu Wu, Yangsheng Xu. *Self-adaptive model-based ECG denoising using features extracted by mean shift algorithm*. Biomedical Signal Processing and Control, 5(2), pp. 103-113, (2010), doi:10.1016/j.bspc.2010.01.003. (WoS), (Scopus)
65. Kang-Ming Chang, Keng-Ming Chang. *Pulse Rate Derivation and its Correlation with Heart Rate*. Journal of Medical and Biomedical Engineering, 29(3) pp 132-137, 2009, ISSN 16090985. (WoS), (Scopus)
66. Shen Z, Hu C, Liao J, Meng MQ-H. *An algorithm of premature contraction detection based on wavelet method*. IEEE International Conference on Information and Automation, ICIA 2010, Harbin, Heilongjiang, China, art. no. 5512157, pp. 1053-1058, (2010). DOI: 10.1109/ICINFA.2010.5512157. (Scopus)
67. LU Yan. *An Approach to Diagnose Cardiac Conditions from Electrocardiogram Signals*. A Thesis for PhD Degree in Mechanical and Automation Engineering, The Chinese University of Hong Kong, (2101). <https://core.ac.uk/download/pdf/48550399.pdf>
68. Wei Zheng, Hongxing Liu, Aijun He, Xinbao Ning, Jianchun Cheng. *Single-lead fetal electrocardiogram estimation by means of combining R-peak detection, resampling and comb filter*. Medical Engineering & Physics, 32 (7), pp. 708-719; (2010). DOI: 10.1016/j.medengphy.2010.04.012. (WoS), (Scopus)
69. Jingyu Y., Yan Lu, Yangsheng Xu, Xinyu Wu. *Intelligent Diagnosis of Cardiovascular Diseases Utilizing ECG Signals*. International Journal of Information Acquisition, 7(02):81-97, (2010), DOI:10.1142/S0219878910002087
70. Current Opinion in Cardiology. 25(1): pp.65-75, doi: 10.1097/HCO.0b013e328334b307, (2010). <http://journals.lww.com/co-cardiology/toc/2010/01000>.
71. XU Xiaowen, ZENG Chao, CUI Songye, WANG Wei. *Research on resampling of ECG data from MIT-BIH database*. Computer Engineering and Applications, 47(8), pp.245-248. (2011). doi:10.3778/j.issn.1002-8331.2011.08.071.
72. Dotsinsky I., Mihov G. *Simple Approach for Tremor Suppression in Electrocardiograms*, INT. J. BIOAUTOMATION, 2010, 14(2), 129-138.
https://biomed.bas.bg/bioautomation/2010/vol_14.2/files/14.2_04.pdf, (Scopus)

73. Neycheva T., Dobrev D. *Integer Coefficient Comb Filter for Mains Interference Extraction*. Annual Journal of Electronics, vol. 4, No 2, pp. 130-133, 2010, ISSN 1313-1842.
74. Zivanovic M, González-Izal M. *Simultaneous powerline interference and baseline wander removal from ECG and EMG signals by sinusoidal modeling*. Medical Engineering & Physics (2013), ISSN: 1350-4533; DOI: 10.1016/j.medengphy.2013.03.015. (WoS), (Scopus)
75. D Bansal, *Computer Based Model to Filter Real Time Acquired Human Carotid Pulse*. Signal Processing: An International Journal (SPIJ), Volume (7) : Issue (1) : 2013, pp. 1431-1441. <http://www.cscjournals.org/csc/manuscript/Journals/SPIJ/volume7/Issue1/SPIJ-216.pdf>
76. Huang Xiang-Dong, Zhang Yuan-Jun, Wang Ling, Li Hai-Liang, Li Guo-Hui, Zhang Yu, (2013), *A weak electric physiological signal of the filter design method and filtering method*. PRC Invention Application Publication, Patent Application No: CN 201210498628 A 29-Nov-2012, Date of publication: 27-Feb-2013, Publication No: CN 102940489 A.
77. Ghasemzadeh, H., Ostadabbas, S., Guenterberg, E., Pantelopoulos, A. *Wireless Medical-Embedded Systems: A Review of Signal-Processing Techniques for Classification*, IEEE Sensors Journal, Volume 13, Issue 2, Pages 423 – 437, (2013) Article number 6320605. (WoS), (Scopus)
78. Bansal D, (2013), *Design of 50 Hz notch filter circuits for better detection of online ECG*. International Journal of Biomedical Engineering and Technology (IJBET), Vol. 13 (1), pp. 30-48, doi: 10.1504/IJBET.2013.057712, ISSN: 1752-6418. (WoS), (Scopus)
79. Dongxin Lu, Qi Teng, Ye Li. *The detection of QRS in ECG based on wavelets*, 2013 Internat. Symposium on Signal Processing, Biomedical Engineering and Informatics (SPBEI 2013), 16-18 (2013), Hangzhou, China, pp. 1231-1241, ISBN: 978-1-60595-163-8. https://books.google.bg/books?id=VbJgAwAAQBAJ&pg=PT1257&lpg=PT1257&dq=Krasteva,+QRS+Complex+Detection+Algorithm&source=bl&ots=4zMRWZaT7m&sig=2_CyB25odpQ5ZyedfNtW0LmM0qw&hl=bg&sa=X&ved=0ahUKEwjO7LSjz5LKAhVJBywKHxfpDxI4UBDoAQhiMAk#v=onepage&q=Krasteva%20C%20QRS%20Complex%20Detection%20Algorithm&f=false
80. Peng Li, Chengyu Liu, Xinpei Wang, Dingchang Zheng, Yuanyang Li, Changchun Liu. *A low-complexity data-adaptive approach for premature ventricular contraction recognition*. Signal Image and Video Processing. (2014). 8(1):111-120. DOI:10.1007/s11760-013-0478-6. (WoS), (Scopus)
81. Taralunga DD, Ungureanu GM, Gussi I, Strungaru R, Wolf W, (2014), *Fetal ECG Extraction from Abdominal Signals: A Review on Suppression of Fundamental Power Line Interference Component and Its Harmonics*. Computational and Mathematical Methods in Medicine, Volume (2014), Article ID 239060, DOI: <http://dx.doi.org/10.1155/2014/239060>. (WoS), (Scopus)
82. Zidelmal Z, Amirou A, Ould-Abdeslam D, Moukadem A, Dieterlen A. *QRS detection using S-Transform and Shannon Energy*, Computer Methods and Programs in Biomedicine, Volume 116, Issue 1, pp. 1 – 9, (2014). DOI: 10.1016/j.cmpb.2014.04.008, ISSN: 0169-2607. (WoS), (Scopus)
83. He DD, Sodini CG. *Circuit for heartbeat detection and beat timing extraction*, World Patent Application WO 2014089414 A1, Date of publication: 2014-06-12, Application No: PCT/US2013/073538, <http://www.google.com/patents/WO2014089414A1?cl=tr>.
84. Lee J, Finkelstein J. *Evaluation of a portable stress management device*. Studies in Health Technology and Informatics. Volume 208 (Driving Quality in Informatics: Fulfilling the Promise); pp. 248-252, (2015). doi: 10.3233/978-1-61499-488-6-248. (WoS), (Scopus)
85. H.-Y. Zhoua, J. Lia, D.-C. Zuo, K.-M. Hou and C. de Vault. *A piecewise geometric analysis method for real-time ambulatory ECG detection*. Technology and Health Care, 23 S335–S342, (2015). DOI 10.3233/THC-150970, IOS Press. (WoS), (Scopus)
86. Agarwal S, Rani A, Singh V, Mittal AP. *Performance Evaluation and Implementation of FPGA Based SGSF in Smart Diagnostic Applications*, J Med Syst, pp. 40-63, (2016), doi: 10.1007/s10916-015-0404-2. (WoS), (Scopus)

87. Jinkwon Kim, Hangsik Shin. *Simple and Robust Realtime QRS Detection Algorithm Based on Spatiotemporal Characteristic of the QRS Complex*. PLOS ONE, vol. 11(3), Article number e0150144, (2016). DOI: 10.1371/journal.pone.0150144. (WoS), (Scopus)
88. Daniel R., Andre L., Ines A., Joao L. *How Trustworthy are ECG Monitors? The Filter Selection Dilemma*. Rev Soc Port Anesthesiol, Vol. 25/2, pp, 84-90, (2016). https://www.researchgate.net/publication/307634117_How_trustworthy_are_ECG_monitors_The_filter_selection_dilemma.
89. Zivanovic, M., Niegowski, M., Lecumberri, P., Gómez, M. A low-rank matrix factorization approach for joint harmonic and baseline noise suppression in biopotential signals. Computer Methods and Programs in Biomedicine, vol. 141, pp.59-71, (2017), ISSN: 0169-2607, DOI: 10.1016/j.cmpb.2017.01.008. (WoS), (Scopus)
90. Biswal B. *ECG Signal Analysis Using Modified S-Transform*, Healthcare Technology Letters, vol.4(2), pp. 68-72, (2017). doi: 10.1049/htl.2016.0078. (WoS), (Scopus)
91. Naganjaneyulu G. V. S. S. K. R. Basheeruddin Shah Shaik, Narasimhadhan A.V., (2016), *R peak delineation in ECG signal based on polynomial chirplet transform using adaptive threshold*, Proc. 11th Internat. Conf. on Industrial and Information Systems (ICIIS'2016), 3-4 (2016), Roorkee, India, DOI: 10.1109/ICIINFS.2016.8263058. (WoS), (Scopus)
92. Huiquan Zhang, Chengqun Ma, Zhangyong Li, *ECG Signal De-Noising Using EEMD Based on White Noise Decomposition*. 6th International Conference on Bioinformatics and Computational Biology, ICBCB 2018, pp. 60-64, Code 136137, (2018). DOI: 10.1145/3194480.3194500. (WoS), (Scopus)
93. Choi Chang-mok, Kim Youn-ho, Shin Kun-soo, (2018), *Apparatus and Method of Controlling Threshold for Detecting Peaks of Physiological Signals*, US Patent US9936889 B2, Date of publication: 2018-04-10, Application No: US 13/782,483; [Citation in Page 2], <http://www.freepatentsonline.com/US9936889.pdf>

През последните 5 години (от 2019 г.)

94. Koshiro Kido, Toshiyo Tamura, Naoaki Ono, MD. Altaf-Ul-Amin, Masaki Sekine, Shigehiko Kanaya and Ming Huang. *A Novel CNN-Based Framework for Classification of Signal Quality and Sleep Position from a Capacitive ECG Measurement*, Sensors 2019, 19, 1731; doi:10.3390/s19071731. (WoS), (Scopus)
95. Kido K, Ono N, Ul-Amin A, Kanaya S, Huang M. *The feasibility of arrhythmias detection from a capacitive ECG measurement using convolutional neural network*, Proc. 41st Annual Internat. Conf. of the IEEE Engineering in Medicine and Biology Society (EMBC), 23-27 July 2019, Berlin, Germany, doi: 10.1109/EMBC.2019.8856867, ISSN: 1558-4615, <https://ieeexplore.ieee.org/document/8856867/>. (WoS), (Scopus)
96. Henry I, McCombie D, Elmschig N. (2020), *Method and system for monitoring a patient for atrial fibrillation and/or asystole*. US Patent Application number: 16/580958, Publication Number: US20200093389, Date of Publication 03/26/2020, <https://www.freepatentsonline.com/20200093389.pdf>; [0283, page12].
97. Uwaechia AN, Ramli DA. *A Comprehensive Survey on ECG signals as New Biometric Modality for Human Authentication: Recent Advances and Future Challenges*. IEEE Access, doi: 10.1109/ACCESS.2021.3095248, ISSN: 2169- 3536, (2021). (WoS), (Scopus)
98. Dobromir P. Dobrev, Emad Alnasser and Tatyana D. Neycheva, *Application of Active Biased Integrators for Biosignal Processing*. XXX International Scientific Conference Electronics (ET), 2021, pp. 1-5, doi: 10.1109/ET52713.2021.9580163. (Scopus)
99. Stoyanov T., *Web-Based Software Tool for Electrocardiogram Annotation*. Lecture Notes in Networks and Systems, Volume 374 LNNS, pp. 322 - 331, (2022). DOI: 10.1007/978-3-030-96638-6_34. (WoS), (Scopus)
100. Dobrev, D.P., Neycheva, T.D. *High-quality biopotential acquisition without a reference electrode: power-line interference reduction by adaptive impedance balancing in a mixed*

- analog–digital design. Med Biol Eng Comput* **60**, 1801–1814 (2022). <https://doi.org/10.1007/s11517-022-02586-0>. (WoS), (Scopus)
101. Neycheva, T.D., Dobrev, D.P. *Design of Fractional Filters for Power-line Interference Suppression in ECG Signals*. 31st International Scientific Conference Electronics, ET 2022 – Proceedings, DOI: 10.1109/ET55967.2022.9920330. (Scopus)
 102. Nikolova, E., Dimitrov, V., Hranov, T., Gieva, E. *Remote Tracking System for ECG Signal with Textile Electrodes*. Proceedings of the International Spring Seminar on Electronics Technology (2022), DOI: 10.1109/ISSE54558.2022.9812840. (WoS), (Scopus)
 103. Luis M. Vela; Henry Crandall; Taehwan Lim; Fu Zhang; Austin Gibbs; Andrew R. J. Mitchell; Adrian Condon; Lisa M. Diamond. *IoMT-enabled stress monitoring in a virtual reality environment and at home*. IEEE Internet of Things Journal, olume 10, Issue 12, Pages 10649 – 10666, (2023). DOI: 10.1109/JIOT.2023.3240099. (WoS), (Scopus)
 104. Esposito, D., Centracchio, J., Bifulco, P. et al. *A smart approach to EMG envelope extraction and powerful denoising for human–machine interfaces*. Sci Rep **13**, 7768, Volume 13, Issue 1 (2023). <https://doi.org/10.1038/s41598-023-33319-4>. (WoS), (Scopus)
 105. Gautham J., Ashwin N., Vishal VK., Dr. Suresh. *Standardized, Enhanced and Robust Automated Fingerprint Recognition using CNN*. International Journal for Research in Applied Science and Engineering Technology (IJRASET), 11(9):1217-1221, (2023). DOI:10.22214/ijraset.2023.55816, 203
 106. D Zhai, X Bao, X Long, T Ru, G Zhou. *Precise detection and localization of R-peaks from ECG signals, Mathematical Biosciences and Engineering*. MBE, 20(11): 19191–19208, (2023). DOI: 10.3934/mbe.2023848, <http://www.aimspress.com/journal/MBE>. (WoS), (Scopus)
 107. Добрев Д., Нейчева, Добрева Т., Патент BG67598B1, 2023
 108. Jha CK, , *Automated cardiac arrhythmia detection techniques: a comprehensive review for prospective approach*. Computer Methods in Biomechanics and Biomedical Engineering, doi: 10.1080/10255842.2024.2332942, ISSN: 1476-8259, <https://www.tandfonline.com/doi/abs/10.1080/10255842.2024.2332942>.

[C.6]. **Iliev I.** (2009) [*Ultra Low-power Acoustic Detector Applicable in Ambient Assistive Living Systems*](#). Int. J. BIOautomation, vol. 13/4, pp. 72-78, ISSN 1314-1902

109. S. Zhou, L. Zong. *Research of Wireless Sensor Monitoring Network of Melon Fly under Different Temperatures and Other Environmental Conditions*. INT.J. BIOAUTOMATION, 20(1), 125-134 (2016), https://biomed.bas.bg/bioautomation/2016/vol_20.1/files/20.1_10.pdf

През последните 5 години (от 2019 г.)

110. I. Ganchev, N.M. Garcia, C. Dobre, C.X. Mavromoustakis, R. Goleva (Eds.), *Enhanced Living Environments - Algorithms, Architectures, Platforms, and Systems*, Lecture Notes in Computer Science Enhanced Living Environments, SpringerLink pp. 226-262, (2019). ISBN 978-3-030-10751-2, DOI: <https://doi.org/10.1007/978-3-030-10752-9>. (WoS)
- [C.7]. Nenova B., **I. Iliev**. (2010). [*An Automated Algorithm for Fast Pulse Wave Detection.*](#), Int. J. BIOautomation, 14, pp. 203-216, ISSN 1314-1902
111. H F Posada-Quintero, D Delisle-Rodríguez, M B Cuadra-Sanz, R R Fernández de la Vara-Prieto. *Evaluation of pulse rate variability obtained by the pulse onsets of the photoplethysmographic signal*. Physiol. Meas. 34(2), pp. 179–187, (2013). DOI:10.1088/0967-3334/34/2/179, (WoS), (Scopus)
112. A. Orjuela-Cañón, H. Posada-Quintero, D. Delisle-Rodríguez, M. Cuadra-Sanz, R. Fernández de la Vara-Prieto, and A. López-Delis. *Onset and Peak Detection over Pulse Wave Using Supervised SOM Network*. International Journal of Bioscience, Biochemistry and Bioinformatics, Vol. 3, No. 2, 133-137, (2013), DOI: 10.7763/IJBBB.2013.V3.181

113. Alvaro D. Orjuela-Cañón, Denis Delisle-Rodríguez, Alberto López-Delis, Ramón Fernandez de la Vara-Prieto, Manuel B. Cuadra-Sanz, Onset and Peak Pattern Recognition on Photoplethysmographic Signals Using Neural Networks, *Progress in Pattern Recognition, Image Analysis, Computer Vision, and Applications. Lecture Notes in Computer Science Volume 8258*, 2013, pp 543-550 (2013). DOI: 10.1007/978-3-642-41822-8_68. (**Scopus**)
114. Szakacs-Simon, P., Moraru, S.A., Perniu, L. *Pulse oximeter based monitoring system for people at risk*. CINTI2012 13th IEEE International Symposium on Computational Intelligence and Informatics, Proceedings, pp. 415–419, (2012), Article number 6496802. DOI: 10.1109/CINTI.2012.6496802. (**WoS**), (**Scopus**)
115. Raju, D.S., Manikandan, M.S., Barathram, R. *An automated method for detecting systolic peaks from arterial blood pressure signals*. IEEE TechSym 2014 - 2014 IEEE Students' Technology Symposium, pp. 41–46, 6807911 (2014). DOI: 10.1109/TechSym.2014.6807911. (**WoS**), (**Scopus**)
116. Kuntamalla, Srinivas, Gopal Reddy, and L. Ram. *An Efficient and Automatic Systolic Peak Detection Algorithm for Photoplethysmographic Signals*. International Journal of Computer Applications 97(19):18-23, (2014), DOI: 10.5120/17115-7686
117. Kerr E, McGinnity TM, Coleman S, Shepherd A, (2015), Towards Pulse Detection and Rhythm Analysis using a Biomimetic Fingertip, 2015 IEEE Internat. Joint Conference on Neural Networks (IJCNN), INSPEC Accession Number: 15503766, 8 pages, (2015). DOI: 10.1109/IJCNN.2015.7280690. (**WoS**), (**Scopus**)
118. Fischer, C., Domer, B., Wibmer, T., Penzel, T. *An Algorithm for Real-Time Pulse Waveform Segmentation and Artifact Detection in Photoplethysmograms*. IEEE Journal of Biomedical and Health Informatics, 21(2), pp. 372–381, 7384413, (2017). DOI: 10.1109/JBHI.2016.2518202, (**WoS**), (**Scopus**)
119. L.J. Martínez V. Molina, M. Cuadra, , H.V. Robles. *Analysis through Dynamic Temporal Sequence Alignment in SpO2 Signals*. TECCIENCIA 11(21), (2016). DOI: 10.18180/tecciencia.2016.21.7
120. G. Lissorgues, A. Bongrain, L. Rousseau, N. Madaoui, A. Testi, L., S. Moussay, P-A Chapon. *Pulse Wave Monitoring for Arterial Stiffness Detection Using a Simple Portable Tonometer*, Eurosensors 2017 Conference, Paris, France, Proceedings 2017, 1, 370. doi:10.3390/proceedings1040370
121. Madhan Mohan, V. Nagarajan, J. C. Vignesh, Real-Time Automatic Peaks and Onsets Detection of Photoplethysmographic Signals, *Lecture Notes in Electrical Engineering*, ICNETS2 2017, Volume 469, Pages 79 - 90 2018 (2018). DOI:10.1007/978-981-10-7251-2_9. (**Scopus**)
122. F. Foroozan, M. Mohan, JS Wu. *Robust Beat-To-Beat Detection Algorithm for Pulse Rate Variability Analysis from Wrist Photoplethysmography Signals*. ICASSP 2018 - 2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), (2018). DOI: 10.1109/ICASSP.2018.8462286. (**WoS**), (**Scopus**)
123. H. Liu, D. Fujita, L. Zhang, A. Suzuki. *Real-Time Pulse Waveform Profiling Algorithm for Wearable Applications*. (2018), IEEE Access PP(99):1-1, DOI:10.1109/ACCESS.2018.2875548. (**WoS**), (**Scopus**)
124. K. Cheshmedzhiev, G. Georgieva-Tsaneva. *Obtaining the Physiological Data Using the Photoplethysmographic Method*. CBU International Conference on Innovations in Science and Education, Prague 2018, 6:881, (2018). DOI: 10.12955/cbup.v6.1265

През последните 5 години (от 2019 г.)

125. M. Gospodinov, G. Nikolova, E. Gospodinova, K. Cheshmedzhiev, *Photoplethysmographic Sensors in Automatized Diagnosis of the Cardiovascular System*, book: *Advances in Systems Analysis, Software Engineering, and High Performance Computing*, (2019). DOI:10.4018/978-1-5225-7879-6.ch011

- 126.I. Dotsinsky, T. Stoyanov, *Continuously Tested and Used QRS Detection Algorithm: Free Access to the MATLAB Code*, INT. J. BIOAUTOMATION, 2019, 23(1), 61-70. doi: 10.7546/ijba.2019.23.1.61-70, (**Scopus**)
- 127.Chieh-Ju T., Po-Yang L., Yi-Hsiang C., Chih-Chung H. *Measurement of local pulse wave velocity for carotid artery by using an ultrasound-based method*. Ultrasonics, Available online (2020), doi: 10.1016/j.ultras.2020.106064. (**WoS**), (**Scopus**)
- 128.Mohammed S M. *Autodetection Algorithm of PPG and ECG Peaks Based on 2 Moving Windows*. EJUA-BA Vol. 2 No. 1 (2021), <https://doi.org/10.47372/ejua-ba.2021.1.84>
- 129.Peter H Charlton, Panicos A. Kyriacou, Jonathan Mant, Jordi Alastruey, *Wearable Photoplethysmography for Cardiovascular Monitoring*, March 2022, Proceedings of the IEEE 110(3):355-381, DOI: 10.1109/JPROC.2022.3149785. (**WoS**), (**Scopus**)
- 130.MBC, Lopez-Delis A, Novo CD. *A novel approach to detecting pulse onset in photoplethysmographic signal using an automatic non assisted method*. MOJ App Bio Biomech. 2023;7(1):31–39. DOI: 10.15406/mojabb.2023.07.00173

[C.8]. **Iliev I.**, Dotsinsky I. (2011), [*Assisted Living Systems for Elderly and Disabled People: Short Review*](#), Int. J. BIOautomation, 15/2, pp.131-139, ISSN 1314-1902

131. Memon M, Wagner SR, Pedersen CF, Femina Hassan Aysha Beevi, Finn Overgaard Hansen FO. *Ambient Assisted Living Healthcare Frameworks, Platforms, Standards, and Quality Attributes*. Sensors, 14, pp. 4312-4341, (2014). doi:10.3390/s140304312 ISSN 1424-8220. (**WoS**), (**Scopus**)
- 132.R Vardasca, A Costa, PM Mendes, P Novais. *Information and technology implementation issues in AAL solutions*. International Journal of E-Health and Medical Communications 4(2):1-17, (2013). DOI: 10.4018/jehmc.2013040101. (**WoS**), (**Scopus**)
- 133.Bruno Bouchard, Kevin Bouchard, Abdenour Bouzouane. *A Smart Range Helping Cognitively-Impaired Persons Cooking*. Proceedings of the Twenty-Sixth Annual Conference on Innovative Applications of Artificial Intelligence, Association for the Advancement of Artificial Intelligence pp. 2960-2965 (2014),. DOI: 978-157735680-6. (**WoS**), (**Scopus**)
- 134.Corinne Belley, Sebastien Gaboury, Bruno Bouchard, Abdenour Bouzouane. *Nonintrusive system for assistance and guidance in smart homes based on electrical devices identification*. Expert Systems with Applications 42(19), pp. 6552–6577 (2015). DOI: 10.1016/j.eswa.2015.04.024.
- 135.Ben Hmida H, Braun A, Wichert, R, Mand, B. *Enabling an Internet of Things Framework for Ambient Assisted Living*. 9th Congress on Ambient Assisted Living (AAL), pp.181-196, (2017). DOI: 10.1007/978-3-319-52322-4_13. (**WoS**)
- 136.M Hudec, Z Smutny. *RUDO: A Home Ambient Intelligence System for Blind People*. Sensors, 17(8), 1926; (2017). <https://doi.org/10.3390/s17081926>. (**WoS**), (**Scopus**)
- 137.Mika Immonen, Merja Tepponen, Tarja ViitikkoMinna-Maria Behm. *Uudistuva palvelukokonaisuus – kuntouttava kotihoito ja asiakaslähtöinen kotona asumisen tuki: Kuntouttavat toimintamallit iäkkäiden palveluissa (TEAS) -hankkeen loppuraportti*, Valtioneuvoston kanslia, (2017). ISBN: 978-952-287-456-6
- 138.S. Sankar1, Dr. P. Srinivasan, Dr. R. Saravanakumar. *Internet of Things based Ambient assisted living for Elderly People Health Monitoring*. Research J. Pharm. and Tech. 11(9), Pages 3900 – 3904. (2018). DOI: 10.5958/0974-360X.2018.00715.1. (**Scopus**)

През последните 5 години (от 2019 г.)

- 139.I. Ganchev, N.M. Garcia, C. Dobre, C.X. Mavromoustakis, R. Goleva (Eds.). *Enhanced Living Environments - Algorithms, Architectures, Platforms, and Systems*, Lecture Notes in Computer Science Enhanced Living Environments, SpringerLink pp. 226-262, (2019). ISBN 978-3-030-10751-2, DOI: <https://doi.org/10.1007/978-3-030-10752-9>. (**WoS**)
- 140.Aneela Mazhar, Irfan Hussain, Abdul Manan. *Can Automated Homes be used as Assistants for Elderly?* International Journal of Computer Applications 181(46):34-38, DOI:

10.5120/ijca2019918616, (2019), <https://www.semanticscholar.org/paper/Can-Automated-Homes-be-used-as-Assistants-for-Mazhar-Hussain/5658c50036c9e2998bc4b8aecaf95fal1c561ee22>

141. Laura XF, Dia Rahman, Hållne V, Paul B, Tania D, Plinio PM, *Overview of Policies, Guidelines, and Standards for Active Assisted Living Data Exchange: Thematic Analysis*. JMIR Mhealth Uhealth 8(6):e15923, (2020). doi: 10.2196/15923. (WoS), (Scopus)
142. Zdenek Smutny. *Discourse of Social Informatics: Methodological Backgrounds, Schools of Thought and Thematic Conceptualization*. Publisher: Professional Publishing, ISBN: 978-80-88260-46-2
143. Huan Liu. *Research on Disability Grading Based on ICF Functional Framework: Empirical Evidence From Zhejiang Province*. China, Frontiers in Public Health | Volume 9, Article 616180, (2021). DOI: 10.3389/fpubh.2021.616180. (WoS), (Scopus)
144. Mehmet Akif Karan, Mustafa Cankurtaran, Sevnaz Şahin, et al. *In book: TÜRKİYE YAŞLI SAĞLIĞI RAPORU: GÜNCEL DURUM, SORUNLAR ve KISA-ORTA VADELİ ÇÖZÜMLER*. Publisher: BAYT Bilimsel Araştırmalar Basın Yayın ve Tanıtım Ltd. (2021). https://www.researchgate.net/publication/357434360_YASLI_YASLANMA_VE_YASLILIK/references
145. Kamran Hameed, Uzma Ali. *An Approach to design Keyboard and Mouse assisting device for handicap users*, Conference: IEEE International IOT, Electronics and Mechatronics Conference (IEMTRONICS), (2022), DOI: 10.1109/IEMTRONICS55184.2022.9795791. (WoS), (Scopus)

[C.9]. **Iliev I.**, Tabakov S., Dotsinsky I. (2011). [Automatic fall detection of elderly living alone at home environment](#), Global Journal of Medical research, Volume 11, Issue 4, Version 1.0, pp. 48-54

146. Ojetola, O. *Detection of human falls using wearable sensors*. Coventry University, (2013). https://pure.coventry.ac.uk/ws/portalfiles/portal/40391885/Ojetola_2013.pdf
147. Md. Shahiduzzaman, *Fall Detection by Accelerometer and Heart Rate Variability Measurement*, Global Journal of Computer Science and Technology, 15(3-G), (2015). Online ISSN: 0975-4172 & Print ISSN: 0975-4350
148. Yu-Jung. *Continuous Insulin Releasing and Blood Sugar Monitoring via Dental Implant Supported Semi-Implanted Device*. Int J Diabetes Clin Res, Volume 3(2), (2016). ISSN: 2377-3634.
149. <https://pdfs.semanticscholar.org/b409/7ab03a3a5fe391c0fb624d6703741a838e19.pdf> Ramachandran, A., Adarsh, R., Pahwa, P., Anupama, K.R. *Machine Learning-based Fall Detection in Geriatric Healthcare Systems*. International Symposium on Advanced Networks and Telecommunication Systems, ANTS, (2018), 8710132. DOI:10.1109/ANTS.2018.8710132. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

150. Anita Ramachandran and Anupama Karupiah. *A Survey on Recent Advances in Wearable Fall Detection Systems*. BioMed Research International, Volume 2020, Article ID 2167160. DOI: 10.1155/2020/2167160. (WoS), (Scopus)
151. A. Alaoui, Y. Tabii, R. Oulad, M. Daoudi, S. Berretti, P. Pala. *Fall Detection of Elderly People Using the Manifold of Positive Semidefinite Matrices*. J. Imaging 2021, 7(7), ID:109, pp 1- 19, (2021) DOI: 10.3390/jimaging7070109. (WoS), (Scopus)
152. J Alizadeh, M Bogdan, J Classen, C Fricke. *Support Vector Machine Classifiers Show High Generalizability in Automatic Fall Detection in Older Adults*. Sensors 2021, 21, 7166. <https://doi.org/10.3390/s21217166>. (WoS), (Scopus)
153. Guo, K., Quan, Y., Zhou, H., Yang, P., Li, X.-Y. *FD-Band: A ubiquitous fall detection system using low-cost COTS smart band*. Proceedings 16th International Conference on Mobility, Sensing and Networking, MSN 2020, pp. 220–227, (2020). DOI: 10.1109/MSN50589.2020.00047. (WoS), (Scopus)

- 154.Oleksandr Yuhai, Hyunggun Kim, Ahnryul Choi, Joung Hwan Mun. *Deep learning-based slip-trip falls and near-falls prediction model using a single inertial measurement unit sensor for construction workplace*. Conference: 2023 4th International Conference on Big Data Analytics and Practices (IBDAP), DOI:10.1109/IBDAP58581.2023.10271959. (Scopus)

[C.10]. Spasova V., **Iliev I.** (2012). [Computer Vision and Wireless Sensor Networks in Ambient Assisted Living: State of the Art and Challenges](#), Journal of Emerging Trends in Computing and Information Sciences, vol. 3, No. 4, pp. 585-595, ISSN 2079-8407

- 155.Nashwa El-Bendary, Qing Tan, Frédérique C. Pivot, Anthony Lam. *Fall detection and prevention for the elderly: A review of trends and challenges*. International Journal on Smart Sensing and Intelligent Systems, Volume 6, Issue 3, Pages 1230 - 1266, (2013). DOI: 10.21307/ijssis-2017-588. (WoS), (Scopus)
- 156.GM Revel, M Arnesano, F Pietroni. *A Low-Cost Sensor for Real-Time Monitoring of Indoor Thermal Comfort for Ambient Assisted Living*. 4th Italian Forum on Ambient Assisted Living (AAL), pp. 3-12, (2014), Springer, Cham. https://doi.org/10.1007/978-3-319-01119-6_1. (WoS)
- 157.Daher M., MEB Diab A., Khalil M. *Towards a usable and an efficient elder fall detection system*. Advances in Biomedical Engineering (ICABME), pp. 93-96, ID 7323259 (2015). DOI: 10.1109/ICABME.2015.7323259. (WoS), (Scopus)
- 158.M Daher, MEB Najjar, M Khalil, A Diab. *Automatic Fall Detection System using Sensing Floors*. International Journal of Computing & Information Sciences, Vol. 12, No. 1, pp. 75-82, (2016). DOI:10.21700/ijcis.2016.110
- 159.M Daher, A Diab, MEB Najjar, M Khalil, F Charpillet. *Elder Tracking and Fall Detection System using Smart Tiles*. IEEE Sensors Journal, 17, Issue 2, pp. 469 – 479, ID 77331272016, (2017). DOI: 10.1109/JSEN.2016.2625099. (WoS), (Scopus)
- 160.V Angayarkanni, V Akshaya, S Radha. *Design of a Compressive Sensing Based Fall detection System for Elderly Using WSN*. Wireless Personal Communications, Volume 98, Issue 1, pp. 421 – 437 (2017). DOI: 10.1007/s11277-017-4876-x. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

- 161.N.M. Garcia, C. Dobre, I. Ganchev, C.X. Mavromoustakis, R. Goleva (Eds.). *Enhanced Living Environments - Algorithms, Architectures, Platforms, and Systems*, Lecture Notes in Computer Science Enhanced Living Environments, SpringerLink pp. 226-262, (2019). ISBN 978-3-030-10751-2, DOI: <https://doi.org/10.1007/978-3-030-10752-9>. (WoS)
- 162.G. Uma Devi, Rupayan Das and V. Malathy, *Analysis of Computation Time in Fall Detection System Embedded with Wheel Chairs*. ICTACT JOURNAL ON MICROELECTRONICS, APRIL 2020, vol. 06(01), (2020). ISSN: 2395-1680 (ONLINE), DOI: 10.21917/ijme.2020.0158
- 163.C. Chang, P. Huang, *Computer Vision-Base Action Monitoring System in Assembly Lines*. ANNALS of Faculty Engineering Hunedoara – International Journal of Engineering. Tome XX (2020). ISSN 1584 – 2665 (printed version); ISSN 2601 – 2332 (online)

[C.11]. Spasova V., **Iliev I.** (2014). [A Survey on Automatic Fall Detection in the Context of Ambient Assisted Living Systems](#), International Journal of Advanced Computer Research (ISSN (print): 2249-7277 ISSN (online): 2277-7970), Vol. 4 1/14, pp. 94-109

- 164.H Wang, D Zhang, Y Wang, J Ma, Y Wang, S L. RT-Fall: *A Real-time and Contactless Fall Detection System with Commodity WiFi Devices*. IEEE Transactions on Mobile Computing, Vol.16 (2, pp. 511 – 5262016. (2017).DOI: 10.1109/TMC.2016.2557795. (WoS), (Scopus)
- 165.Shehroz S. Khan, Jesse Hoey. *Review of Fall Detection Techniques: A Data Availability Perspective*. Medical Engineering & Physics, Volume 39, pp. 12 - 22 (2017). DOI: 10.1016/j.medengphy.2016.10.014. (WoS), (Scopus)

- 166.Ramin Madarshahian, Juan M. Caicedo, Diego Arocha Zambrana, *Benchmark problem for human activity identification using floor vibrations*, *Expert Systems with Applications*, Volume 62(15), pp. 263–272, (2016). DOI: 10.1016/j.eswa.2016.06.027. (WoS), (Scopus)
- 167.Gregory A. Koshmak ; Maria Linden ; Amy Loutfi. *Fall risk probability estimation based on supervised feature learning using public fall datasets*. Engineering in Medicine and Biology Society (EMBC), 2016 IEEE 38th Annual International Conference, N 12., GoogleScholar
- 168.Giovanni Diraco, Alessandro, Leone and Pietro Siciliano. *A Radar-Based Smart Sensor for Unobtrusive Elderly Monitoring in Ambient Assisted Living Applications*. Biosensors, vol.7(4) ID 55, (2017). DOI: 10.3390/bios7040055. (WoS), (Scopus)
- 169.Georgios Mastorakis , Tim Ellis, Dimitrios Makris. *Fall Detection without People: A Simulation Approach Tackling Video Data Scarcity*. Expert Systems with Applications, Vol. 112, pp. 125 – 137, (2018). DOI: 10.1016/j.eswa.2018.06.019. (WoS), (Scopus)
- 170.Velumani, R. and Vijayakumar, M. *Prudent Automatic Falls Detection by Analyzing the Carrier State Information Signal Using Wi-Fi Devices*. Journal of Testing and Evaluation, <https://doi.org/10.1520/JTE20170433>. ISSN 0090-3973. (WoS), (Scopus)
- 171.Jianfei Shen, Yiqiang Chen, Zhiqi Shen, Siyuan Liu. *A Two-Stage Incremental Update Method for Fall Detection with Wearable Device*. 2018 IEEE SmartWorld, Ubiquitous Intelligence & Computing, Advanced & Trusted Computing, Scalable Computing & Communications, Cloud & Big Data Computing, Internet of People and Smart City Innovation (SmartWorld/SCALCOM/UIC/ATC/CBDCOM/IOP/SCI), ID 8560071, pp. 364-371, (2018). DOI: 10.1109/SmartWorld.2018.00093, (WoS), (Scopus)

През последните 5 години (от 2019 г.)

- 172.R. Velumani, M. Vijayakumar. *IoT based Prudent Automatic Falls Detection for Elders by Analyzing Carrier State Information (CSI) Employing Wi-Fi Devices*. Wireless Personal Communications, 113 (4), pp.2747-2748, (2020). DOI: 10.1007/s11277-019-06168-6. (WoS)
- 173.Tong Wu, Yang Gu, Yiqiang Chen, Yunlong Xiao, and Jiwei Wang. *A Mobile Cloud Collaboration Fall Detection System Based on Ensemble Learning*. ASSETS 2020 - 22nd International ACM SIGACCESS Conference on Computers and Accessibility, ID 3417010, (2020). DOI: 10.1145/3373625.3417010. (WoS), (Scopus)
- 174.S Tikur, S Pasricha. *Overcoming Security Vulnerabilities in Deep Learning--based Indoor Localization Frameworks on Mobile Devices*. ACM Transactions on Embedded Computing Systems (TECS), Volume 18(6), (2019). DOI: 10.1145/3362036. (WoS), (Scopus)
- 175.Tuan-Duy H. Nguyen, Huu-Nghia H. Nguyen. *Towards a Robust WiFi-based Fall Detection with Adversarial Data Augmentation*. 54th Annual Conference on Information Sciences and Systems (CISS), Code 159710, (2020). DOI:10.1109/CISS48834.2020.1570617398. (WoS), (Scopus)
- 176.Thanos G. Stavropoulos, Asterios Papastergiou, Lampros Mpaltadoros, Spiros Nikolopoulos and Ioannis Kompatsiaris. *IoT Wearable Sensors and Devices in Elderly Care: A Literature Review*. Sensors 2020, 20, 2826; doi:10.3390/s20102826. (WoS), (Scopus)
- 177.Daohua Pan, Hongwei Liu, Dongming Qu and Zhan Zhang, *CNN-Based Fall Detection Strategy with Edge Computing Scheduling in Smart Cities*, Electronics 2020, 9, 1780; doi:10.3390/electronics9111780. (WoS), (Scopus)
- 178.N Garau, D Fruet, A Luchetti, F De Natale, N Conci. *A multimodal framework for the evaluation of patients' weaknesses, supporting the design of customized AAL solutions*. Expert Systems with Applications, Volume 20215 Article number 117172, (2022). DOI: 10.1016/j.eswa.2022.117172. (WoS), (Scopus)
- 179.Md Arif Reza Anwar, Md Arafatur Rahman, Abu Jafar Md Muzahid. *Deep Learning enabled Fall Detection exploiting Gait Analysis*. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS, 2022-July, pp. 4683–4686, (2022). DOI: 10.1109/EMBC48229.2022.9871964. (Scopus)

180. Manal Almalki, Majid H. Alsulami, Abdulrahman A. Alshdadi, Amine Choukou. *Delivering Digital Healthcare for Elderly: A Holistic Framework for the Adoption of Ambient Assisted Living*. International Journal of Environmental Research and Public Health, 19(24), 16760, (2022). DOI: 10.3390/ijerph192416760. (WoS), (Scopus)
 181. Alsulami, M.H., Alsaqer, M.S., Atkins, A.S. *Decision-making framework for using ambient assisted living*. International Journal of Pervasive Computing and Communications, 18(2), pp. 195–210. DOI: 10.1108/IJPCC-09-2019-0066. (WoS), (Scopus)
 182. Guo R, Li H, Han D, Liu R. *Feasibility Analysis of Using Channel State Information (CSI) Acquired from Wi-Fi Routers for Construction Worker Fall Detection*. International Journal of Environmental Research and Public Health. 2023; 20(6):4998. <https://doi.org/10.3390/ijerph20064998>. (WoS), (Scopus)
 183. M. M. Kabir, Shin J., Mridha M.: *Secure Your Steps: A Class-Based Ensemble Framework for Real-Time Fall Detection*. IEEE Access, 11, pp. 64097–64113, (2023). DOI:10.1109/ACCESS.2023.3289402. (WoS), (Scopus)
 184. Amaranta Soledad Orejel Bustos, Marco Tramontano, Giovanni Morone, Irene Ciancarelli, Giuseppe Panza, Andrea Minnetti, Alessandro Picelli, Nicola Smania, Marco Iosa & Giuseppe Vannozzi, *Ambient assisted living systems for falls monitoring at home*, *Expert Review of Medical Devices*, Taylor and Francis Online, (2023) <https://doi.org/10.1080/17434440.2023.2245320>. (WoS)
- [C.12]. Jekova I., Tsibulko V., **Iliev I.** (2014). [ECG Database Applicable for Development and Testing of Pace Detection Algorithms](#), Int. J. BIOautomation, 18 (4), pp. 377-388, ISSN 1314-1902
185. AK Bhoi, KS Sherpa, BK, *Classification Probability Analysis for Arrhythmia and Ischemia Using Frequency Domain Features of QRS Complex*, INT. J. BIOAUTOMATION, 19(4), 531-542, (2015). ISSN: 1314-2321(on-line) 1314-1902(print)
 186. Jurco, J., Plesinger, F., Halamek, J., Jurak, P., Matejkova, M., Lipoldova, J., Leinveber, P. *Precise pacing artefact detection*. Computing in Cardiology, Volume 43(1), Article number 7868854, Pages 761-764, (2017). (WoS)
 187. Liu, S., Zhang, B.-Y., Liu, C., *Research on the application of GSR and ECG in the usability testing of an aggregation reading App*. International Journal Bioautomation Volume 20, Issue 3, Pages 359-372, (2016). ISSN: 1314-2321(on-line) 1314-1902(print), (Scopus)
 188. Srinivas Pinisetty, Partha S Roop, Vidula Sawant, Gerardo Schneider. *Security of Pacemakers using Runtime Verification*. 2018 16th ACM/IEEE International Conference on Formal Methods and Models for System Design (MEMOCODE), Beijing, China, Article number 8556922, DOI: 10.1109/MEMCOD.2018.8556922. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

189. I Dotsinsky, T Stoyanov, G Mihov. *Power-line interference removal from high sampled ECG signals using modified version of the subtraction procedure*. INT. J. BIOAUTOMATION, 24(4), 381-392, (2020). doi: 10.7546/ijba.2020.24.4.000802. (Scopus)
190. Gabriel Nallathambi, Nandakumar Selvaraj, and Paurakh L. Rajbhandary, *An innovative hybrid approach for detection of pacemaker pulses at low sampling frequency*, 42nd Annual International Conferences of the IEEE Engineering in Medicine and Biology Society in conjunction with the 43rd Annual Conference of the Canadian Medical and Biological Engineering Society, (2020) pp. 5012-5015, DOI: 10.1109/EMBC44109.2020.9176390. (WoS), (Scopus)
191. Mohammed Assam Ouali, Asma Tinouna, Mouna Ghanai, Kheireddine Chafaa. *Electrocardiogram Signal Denoising by Hilbert Transform and Synchronous Detection*. INT. J. BIOAUTOMATION, 24(4), 323-336, (2020). doi: 10.7546/ijba.2020.24.4.000549. (Scopus)
192. Durmus Umutcan Uguz, Rosalia Dettori, Andreas Napp, Marian Walter, Nikolaus Marx, Steffen Leonhardt and Christoph Hoog Antink, *Car Seats with Capacitive ECG Electrodes Can*

Detect Cardiac Pacemaker Spikes, Sensors 2020, 20, 6288; doi:10.3390/s20216288. (WoS), (Scopus)

193. Georgieva-Tsaneva, G. *Body Sensors System for Physiological Data Long-term Monitoring*. ACM International Conference Proceeding Series, International Conference on Computer Systems and Technologies, CompSysTech 2020, pp. 19–26, (2020). DOI: 10.1145/3407982.3408009. (Scopus)
194. Georgy S. Mihov, Dimiter Badarov. *Combined Filter for Rejection of 1st and 3rd Powerline Interference Harmonic from ECG signals*. XXX International Scientific Conference Electronics (ET), pp. 1-5, (2021). doi: 10.1109/ET52713.2021.9580163. (Scopus)
195. Ivan Dotsinsky. *An Approach to Successful Power-line Interference Suppression in ECG Signals*. INT.J. BIOAUTOMATION, 26(1), 83-92, (2022). DOI: 10.7546/ijba.2022.26.1.000848. (Scopus)

[C.13]. Tsibulko V., **Iliev I.**, Jekova I. (2014). [*A Review on Pacemakers: Device Types, Operating Modes and Pacing Pulses. Problems Related to the Pacing Pulses Detection*](#), Int. J. BIOautomation, 18 (2), pp. 89-100, ISSN 1314-1902

196. Tabakov S. *Real time detecting of pacemaker artifacts*. Annual Journal of Electronics, vol. 8, pp 74-76, (2014). ISSN 1314-0078
197. Mihov G. *Subtraction procedure for power-line interference removal from ECG signals with high sampling rate*, International Journal Bioautomation, 22(2), pp. 147-158, 2018. DOI:10.7546/ijba.2018.22.2.147-158. (Scopus)

През последните 5 години (от 2019 г.)

198. Zlatkova K. *Creating a Protocol for the Testing of Patients with Implanted Pacemaker for the Need of Kinesitherapy*. KNOWLEDGE – International Journal, vol. 35(4), (2019). ISSN: 2545-4439 (Online)
199. Gabriel Nallathambi, Nandakumar Selvaraj, and Paurakh L. Rajbhandary, *An innovative hybrid approach for detection of pacemaker pulses at low sampling frequency*, 42nd Annual International Conferences of the IEEE Engineering in Medicine and Biology Society in conjunction with the 43rd Annual Conference of the Canadian Medical and Biological Engineering Society, (2020) pp. 5012-5015, DOI: 10.1109/EMBC44109.2020.9176390. (WoS), (Scopus)
200. Uwanuruochi K., Shah R. A. *Complications following cardiac pacemaker insertions*. Ibom Medical Journal, Vol.16(3), pp. 308 – 311, (2023). DOI: 10.61386/imj.v16i3.351
201. Hueros V., Barrado A., Lázaro A., Fernández C. *A Review of Wireless Charging Systems for Cardiac Pacemakers*. 2023 IEEE 17th International Conference on Compatibility, Power Electronics and Power Engineering (CPE-POWERENG), Tallinn, Estonia, 2023, pp. 1-6, (2023), doi: 10.1109/CPE-POWERENG58103.2023.10227381. (Scopus)

[C.14]. **Iliev I.**, Tabakov S., Spasova V. (2014). [*Multipoint video control and fall detection system applicable in assistance of the elderly and people with disabilities*](#), Int. J. Reasoning-based Intelligent Systems, pp. 34-39, Vol. 6, No. ½

202. Koshmak, G., Loutfi, A., Linden, M. *Challenges and issues in multisensor fusion approach for fall detection: Review paper*. Journal of Sensors, Article number 6931789 (2016). DOI: 10.1155/2016/6931789. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

203. Ganchev, N.M. Garcia, C. Dobre, C.X. Mavromoustakis, R. Goleva (Eds.). *Enhanced Living Environments - Algorithms, Architectures, Platforms, and Systems*, Lecture Notes in Computer Science Enhanced Living Environments, SpringerLink pp. 226-262, (2019). ISBN 978-3-030-10751-2, DOI: <https://doi.org/10.1007/978-3-030-10752-9>. (WoS)

[C.15]. V Spasova, **I. Iliev**, G. Petrova. (2016). [*Privacy Preserving Fall Detection based on Simple Silhouette Extraction and a Linear Support Vector Machines*](#), Int. J. BIOautomation, vol. 20, Issue 1, pp. 237-252

204.Zhang, S., Li, Z., Wei, Z., Wang, S. *An automatic human fall detection approach using RGBD cameras*. Proceedings of 5th International Conference on Computer Science and Network Technology, ICCSNT 2016, pp. 781 – 78416, Article number 8070265, (2017). DOI: 10.1109/ICCSNT.2016.8070265. (**WoS**), (**Scopus**)

205.Xi Wang. *The Application of Genetic Algorithms in the Biological Medical Diagnostic Research*, INT.J.BIOAUTOMATION, 20(4), 493-504, (2016). ISSN 13141902. (**Scopus**)

През последните 5 години (от 2019 г.)

206.Xueyi Wang, Joshua Ellul, George Azzopardi. *Elderly Fall Detection Systems: A Literature Survey*, *Frontiers in Robotics and AI*, www.frontiersin.org, published: (2020). doi: 10.3389/frobt.2020.00071. (**WoS**), (**Scopus**)

207.Xeferis, V.-R., Tsanousa, A., Meditskos, G., Vrochidis, S., Kompatsiaris, I. *Performance, Challenges, and Limitations in Multimodal Fall Detection Systems: A Review*. IEEE Sensors Journal, Volume 21, Issue 17, Pages 18398 - 184091 Article number 9459770, (2021). DOI: 10.1109/JSEN.2021.3090454. (**WoS**), (**Scopus**)

208.Zhao, Y., Gao, Y., Zhai, J., Li, D. *A Data Augmentation Strategy for Skeleton-Based Fall Detection*. Proceeding - 2021 China Automation Congress, CAC 2021, pp. 7188–7193. DOI: 10.1109/CAC53003.2021.9728415. (**Scopus**)

209.Guerra BMV, Torti E, Marenzi E, Schmid M, Ramat S, Leporati F, Danese G. *Ambient assisted living for frail people through human activity recognition: state-of-the-art, challenges and future directions*. Front. Neurosci. 17:1256682, (2023). doi: 10.3389/fnins.2023.1256682. (**WoS**), (**Scopus**)

210.Chen D., Wong A.B., Wu K. *Fall Detection Based on Fusion of Passive and Active Acoustic Sensing*. IEEE Internet of Things Journal 11(7), pp. 11566-11578, (2024), doi: 10.1109/JIOT.2023.3331698. (**Scopus**)

[C.16]. Semerdzhieva V, Raykova R, Marinkova D, Yaneva S, Chernev G and **Iliev I.** (2018). [*Layer-By-Layer Assembly of Enzymes and Nanoparticles onto Cellulose Support*](#), Biosens Bioelectron, 9:4, DOI: 10.4172/2155-6210.1000263

През последните 5 години (от 2019 г.)

211.Abosadeh, D.J., Kashanian, S., Nazari, M., Parnianchi, F. *Fabrication of a Novel Phenolic Compound Biosensor Using Laccase Enzyme and Metal-organic Coordination Polymers*. Analytical and Bioanalytical Chemistry Research, 8(4), pp. 467–480 (2021). DOI: 10.22036/abcr.2021.263737.1574. (**WoS**), (**Scopus**)

212.Bruna B. Pinheiro, Sabrina Saibi, Lounès Haroune, Hubert Cabana, Genipin and glutaraldehyde based laccase two-layers immobilization with improved properties: new biocatalysts with high potential for enzymatic removal of trace organic contaminants, Enzyme and Microbial Technology, May 2023. DOI:10.1016/j.enzmictec.2023.110261. (**WoS**), (**Scopus**)

[C.17]. Spaska Yaneva, Vera Semerdzhieva, Raya Raykova, Dessislava Marinkova, Georgi Chernev, **Ivo Iliev**, Lyubov Yotova. (2018). [*Synthesis and investigation of the properties of hybrid materials for enzyme immobilization*](#), Journal of Chemical Technology and Metallurgy, 53(6), pp. 1211-1216

През последните 5 години (от 2019 г.)

213.R. Davletshina, Alexey N., Ivanov, R. Shamagsumova, Gennady A Evtugyn. *Electrochemical Biosensor Based on Polyelectrolyte Complexes with Dendrimer for the Determination of Reversible Inhibitors of Acetylcholinesterase*. Analytical Letters, 54 (11), pp.1709-1728, (2021). (**WoS**), (**Scopus**)

[C.19]. I. Jekova, **I. Iliev**, S. Tabakov. (2020). [Application of stockwell transform and shannon energy for pace pulses detection in a single-lead ecg corrupted by emg artifacts..](#) Applied Sciences (Switzerland), issue 21, pp. 1-14, ISSN 20763417

През последните 5 години (от 2019 г.)

- 214.O.J. Ramos-Negrón, R.F. Escobar-Jiménez, J.H. Arellano Pérez, Da Hai Xia. *Corrosion analysis in the Al6061-T6 alloy exposed to anhydrous ethanol-gasoline blends using the Stockwell Transform and the Shannon Energy*. Journal of Alloys and Compounds, 902, 163892, (2022). DOI: 10.1016/j.jallcom.2022.163802. (**WoS**), (**Scopus**)
- 215.Stoyanov T., *Web-Based Software Tool for Electrocardiogram Annotation*. Lecture Notes in Networks and Systems, Volume 374 LNNS, pp. 322 - 331, (2022). DOI: 10.1007/978-3-030-96638-6_34. (**WoS**), (**Scopus**)
- 216.Aghaomidi P, Mohammadisarab A, Mazloum J, Akbarzadeh M A, Orooji M, Mokari N, Yanikomeroğlu H. *DeepRTSNet: Deep Robust Two-Stage Networks for ECG Denoising in Practical Use Case*. IEEE Access, vol. 4 2022, pp. 1-19, (2022). DOI: 10.1109/ACCESS.2022.3225899. (**WoS**), (**Scopus**)

[C.21]. V. Tomov, **I. Iliev**, V. Krasteva. (2020). [High resolution FPGA pulse width modulation control of full-bridge DC–DC converters](#). IET Circuits, Devices and Systems, issue 6, pp. 1010-1016, ISSN 1751858X

През последните 5 години (от 2019 г.)

- 217.Zhao G. *Research on teaching effect of power electronics experiment simulating engineering application system*. IET Power Electronics, 15(16), pp. 1956–1963, (2022). doi: 10.1049/pel2.12346. (**WoS**), (**Scopus**)
- 218.Feng Y, Kong D. *Quasi-fixed frequency controlled phase modulation LCC resonant converter with a wide power range*, IET Circuits, Devices & Systems, pp. 1–14, (2023). doi: 10.1049/pel2.12346. (**WoS**), (**Scopus**)
- 219.Cirstea M., Benkrid K., Dinu A., Ghiriti R., Petreus D. *Digital Electronic System-on-Chip Design: Methodologies, Tools, Evolution, and Trends*. Micromachines 15, 247. (2024). DOI: 10.3390/mi15020247. (**WoS**), (**Scopus**)

[C.24]. **Ivo Iliev**, Bistra Nenova, Irena Jekova, Vessela Krasteva. (2012). [Algorithm for Real-Time Pulse Wave Detection Dedicated to Non-Invasive Pulse Sensing](#). Computing in Cardiology 2012; 39:777-780. ISSN 0276-6574

- 220.Rahul Dhod, Swati. *Design and Development of Low Cost Real Time Heart Rate Monitoring System*. Internat. Journal of Research in Electronics and Computer Engineering (IJRECE), Vol. 3 (2), pp. 49-52, (2015). ISSN: 2393-9028. <http://nebula.wsimg.com/91a1fd647e6530fb9664701dbe34df40?AccessKeyId=DFB1BA3CED7E7997D5B1&disposition=0&alloworigin=1>
- 221.Kerr E, McGinnity TM, Coleman S, Shepherd A. *Towards Pulse Detection and Rhythm Analysis using a Biomimetic Fingertip*. IEEE Internat. Joint Conference on Neural Networks (IJCNN), INSPEC Accession Number: 15503766, (2015). Killarney, Ireland, DOI: 10.1109/IJCNN.2015.7280690. (**WoS**), (**Scopus**)
- 222.Vadrevu S, Manikandan MS. *Effective systolic peak detection algorithm using variational mode decomposition and center of gravity*. 2016 IEEE Region 10 Conference (TENCON), pp.2711-2715, 22-25 Singapore., (2017). DOI: 10.1109/TENCON.2016.7848532. (**WoS**), (**Scopus**)
- 223.Thang Viet Tran, Wan-Young Chung. *A Robust Peak Detection Algorithm for Photoplethysmographic Waveforms in Mobile Devices*. Journal of Medical Imaging and Health

Informatics, Vol. 7(7), pp. 1617-1623(7), (2017), DOI:
<https://doi.org/10.1166/jmihi.2017.2175>. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

224. Vadrevu, S., Sabarimalai Manikandan. *A Robust Pulse Onset and Peak Detection Method for Automated PPG Signal Analysis System*. IEEE Transactions on Instrumentation and Measurement Volume 68, Issue 3, March 2019, Article number 8434227, Pages 807-817. DOI: 10.1109/TIM.2018.2857878. (WoS), (Scopus)
225. Manikandan MS, Vadrevu S. *Use of Zero-Frequency Resonator for Automatically Detecting Systolic Peaks of Photoplethysmogram Signal*. Healthcare Technology Letters, 6(3), pp. 53–58, (2019). DOI: 10.1049/htl.2018.5026. (WoS), (Scopus)
226. Simhadri Vadrevu, M. Sabarimalai Manikandan. *Use of zero-frequency resonator for automatically detecting systolic peaks of photoplethysmogram signal*, Healthcare Technology Letters, (2019), Vol. 6, Iss. 3, pp. 53–58 doi: 10.1049/htl.2018.5026. (WoS), (Scopus)
227. Li S, Wang S. *An automatic recognition algorithm for feature points of photoplethysmography*, Yiyong Shengwu Lixue (Journal of Medical Biomechanics), vol. 34(4), pp. 358-364, (2019). DOI: 10.16156/j.1004-7220.2019.04.004. (Scopus)
228. Chou Y, Zhang A, Gu J, Liu J, Gu Y. *A recognition method for extreme bradycardia by arterial blood pressure signal modeling with curve fitting*. Physiological Measurement, 41(7), 074002 (2020). doi: 10.1088/1361-6579/ab998d. (WoS), (Scopus)
229. Hu Q, Deng X, Liu X, Wang A, Yang C. *A Robust Beat-to-Beat Artifact Detection Algorithm for Pulse Wave*. Mathematical Problems in Engineering, vol. 2020, 5691805, (2020). doi: 10.1155/2020/5691805. (WoS), (Scopus)
230. Dobromir P. Dobrev, Emad Alnasser and Tatyana D. Neycheva. *Application of Active Biased Integrators for Biosignal Processing*. XXX International Scientific Conference Electronics (ET), pp. 1-5, (2021). doi: 10.1109/ET52713.2021.9580163. (Scopus)
231. Kianoosh Kazemi, Juho Laitala. *Robust PPG Peak Detection Using Dilated Convolutional Neural Networks*. August 2022, Sensors 22(16):6054, N 29. (WoS), (Scopus)
232. Dazhou Li; Xingchi Chen; Qing Li; Fa Zhu; Xiaoyang Lu; Sidheswar Routray; Uttam Ghosh; Mohammed AL-Numay, *Intelligent Biomedical Photoplethysmography Signal Cycle Division With Digital Twin in Metaverse for Consumer Health*, IEEE Transactions on Consumer Electronics, (2024), DOI: 10.1109/TCE.2024.3375920. (Scopus)
233. Li D, Chen X, Li Q, Zhu F, Lu X, Routray S, Ghosh U, Al-Numay M, *Intelligent Biomedical Photoplethysmography Signal Cycle Division With Digital Twin in Metaverse for Consumer Health*, IEEE Transactions on Consumer Electronics, vol. 70 (1), pp. 2116-2128, (2024), doi: 10.1109/TCE.2024.3375920., ISSN: 0098-3063, (Scopus)

[C.25]. Irena Jekova, Serafim Tabakov, **Ivo Iliev**, Valentin Tsibulko, Krasimira Kostikova. (2018). [Real-time Detection of Pace Pulses in a Single Lead ECG](#). Computing in Cardiology, 2018; Vol. 45. DOI: 10.22489/CinC.2018.052

През последните 5 години (от 2019 г.)

234. Hoyland, P., Hammache, N., Battaglia, A., De Chillou, C., Odille, F. *A Paced-ECG Detector and Delineator for Automatic Multi-Parametric Catheter Mapping of Ventricular Tachycardia*. IEEE Access 8,9288662, pp. 223952-223960, (2020). DOI: 10.1109/ACCESS.2020.3043542. (WoS), (Scopus)

Krasteva V., **Iliev I.**, Tabakov S. (2024). [Application of Convolutional Neural Network for Decoding of 12-Lead Electrocardiogram from a Frequency-Modulated Audio Stream \(Sonified ECG\)](#), Sensors 2024, 24(6), 1883. <https://doi.org/10.3390/s24061883>.

През последните 5 години (от 2019 г.)

235. Huang C, Chen L, *The Impact of Short Video Live Broadcast on the Sales of Sports Machinery and Equipment*. International Journal of e-Collaboration, vol. 20(1), pp.1-16, doi: 10.4018/IJeC.344027, ISSN: 1548-3673, (2024). <https://www.igi-global.com/gateway/article/full-text-html/344027> (WoS), (Scopus)

[C.28]. И. Илиев. Измерване на електрическите параметри на дефибрилатори. сп. “Електротехника и Електроника”, бр. 7-8, стр. 37-41, (1999). ISSN 0861-4717

236. Mudrov, T. *Joulemeter - instrument for measuring the delivered energy by defibrillators*. сп. “Електротехника и Електроника”, бр. 3-4, 45-48, 2011. ISSN 0861-4717

[C.36]. Илиев I., Tabakov S. System for Adjustmen and Test of Algorithms for ECG-data Processing. Proceedings of the Technical University – Sofia, vol. 56, book 1, pp. 202-205. ISSN 1311-0829.

237. Tatyana Neycheva, Todor Stoyanov, Roger Abächerli, Ivaylo Christov. *High Resolution 16-channels ECG Tester Simulator for Online Digital-to-Analogue Conversion of Data from PC*. Computing in Cardiology, 40, pp. 457–460, 6713412, (2013). ISBN 978-147990884-4. (WoS), (Scopus)

[C.38]. Krasteva V., I. Илиев. (2007). Automatic analysis and visualization of multilead long-term ECG recordings. Proceedings of the Technical University – Sofia, vol. 57, book 2, pp. 106-112. ISSN 1311-0829

238. Mihov S., Levkov C., Mihov G. *Algorithm for optimal linear transformation of 4 Holter leads for emphasizing difference between typical and atypical QRS complexes*. XLIV Int. Conf on Information, Communication and Energy Systems and Technologies ICEST-2009, B.2, pp. 403-406; cvt.tu-sofia.bg/ICEST2009_2_23.pdf.

239. Levkov C., Mihov S. *Multilead signal processing by linear transformation to derive an ECG lead where the atypical beats are enhanced: Matlab implementation*. Proceedings of the Technical University - Sofia, vol. 58, book 2, pp. 14-20, (2008). ISSN 1311-0829.

240. Levkov C. *Multilead signal processing by linear transformation to derive an ECG lead where the atypical beats are enhanced*. Proceedings of 17-th Internat. Sci. Conf. “Electronics’2008”, Sozopol, Sept.24-26, book1, 67-71, (2008). ISSN 1313-1842. https://ecad.tu-sofia.bg/et/2008/ET2008_Book1/Electronic%20Medical%20Equipment/67-Paper-C_Levkov.pdf

[C.42]. Илиев И., Табаков С. (2008). 12-канален мултифункционален симулатор на електрокардиографски сигнали. Сп. “Електротехника и Електроника”, бр. 7-8, стр. 36-40, 2008. ISSN 0861-4717

241. Tatyana Neycheva, Todor Stoyanov, Roger Abächerli, Ivaylo Christov. *High Resolution 16-channels ECG Tester Simulator for Online Digital-to-Analogue Conversion of Data from PC*. Computing in Cardiology, 40, pp. 457–460, 6713412, (2013). ISBN 978-147990884-4. (WoS), (Scopus)

[C.43]. Илиев I., Tabakov S., Krasteva V. (2008). Combined High-pass and Power-line Interference Rejecter Filter for ECG Signal Processing. Proceedings of the Technical University – Sofia, vol. 58, book 2, pp. 7-13. ISSN 1311-0829

242. Dobrev D., Neycheva T., Mudrov N. *Simple high-Q comb filter for mains interference and base line drift suppression*. Annual Journal of Electronics, vol. 3, No 1, pp. 50-52, (2009). ISSN 1313-1842

243. Mihov G., Dotsinsky I. *Subtraction Procedure for Removing the Baseline Drift from ECG Signals*. Annual Journal of Electronics, vol. 4, No 2, pp. 118-122, (2010). ISSN 1313-1842.

244. Neycheva T., Dobrev D. *Integer Coefficient Comb Filter for Mains Interference Extraction*. Annual Journal of Electronics, vol. 4, No 2, pp. 130-133, (2010). ISSN 1313-1842.

245. Chi Kin Lao, U Kin Che, Wei Chen, Sio Hang Pun, Peng Un Mak, Feng Wan, Mang I Vai. *Portable heart rate detector based on photoplethysmography with android programmable devices*. Proc. 35th Internat. Conf. on Telecommunications and Signal Processing (TSP), 3-4 July 2012, Prague, pp. 605-609, 2012). doi: 10.1109/TSP.2012.6256368. (WoS)
246. Seung-Won Shin, Kyeong-Seop Kim, Chul-Gyu Song, Jeong-Wan Lee, Jeong-Hwan Kim, Gyeo-Wun Jeung, (2015), *Removal of baseline wandering in ECG signal by improved detrending method*, Bio-Medical Materials and Engineering 26 (2015) S1087–S1093, DOI 10.3233/BME-151405. (Scopus)
247. Hasan R, Sarker MRA, Ul-Amin F, Rahman MZ. *A Low Cost ECG Monitoring System with ECG Data Filtering*. International Journal of Computer Science and Information Security (IJCSIS), vol. 16(4), pp. 200-204, (2018). ISSN: 1947-5500. https://www.academia.edu/36566899/A_Low_Cost_ECG_Monitoring_System_with_ECG_Data_Filtering

През последните 5 години (от 2019 г.)

248. Mihov G, Badarov D. *Application of a Reduced Band-pass Filter in the Extraction of Power-line Interference from ECG Signals*. Proc. IEEE XXIX International Scientific Conference Electronics (ET'2020), 16-18, (2020). Sozopol, Bulgaria, DOI: 10.1109/ET50336.2020.9238202. (Scopus)
249. Georgy S. Mihov, Dimiter Badarov. *Combined Filter for Rejection of 1st and 3rd Powerline Interference Harmonic from ECG signals*. XXX International Scientific Conference Electronics (ET), (2021), pp. 1-5, doi: 10.1109/ET52713.2021.9580163. (Scopus)
250. GS Mihov, DH Badarov. *Approach of Successive Suppression of Mains Interference and Baseline Drift in ECG Signals*. XXXII International Scientific Conference Electronics (ET), (2023). DOI: 10.1109/ET59121.2023.10278666. (Scopus)
251. Bima Sena Bayu Dewantara, Dewi Mutiara Sari, Ahmad Nur Fahmi. *Detection and Classification of Cardiac Arrhythmia from Photoplethysmography Signal*. Conference: 2023 IEEE International Conference on Internet of Things and Intelligence Systems (IoTaIS), DOI: 10.1109/IoTaIS60147.2023.10346042. (Scopus)
252. Zhao Y, Zhao L, Xiao Z, Li J, Liu C. *Enhancing Electrocardiogram Identity Recognition using Convolutional Neural Networks with a Multi-Similarity Loss Model*. IEEE Transactions on Instrumentation and Measurement, vol. 73, 2512008, (2024). doi: 10.1109/TIM.2024.3368481. (Scopus)

[C.47]. Nenova B., Илиев И. [Noninvasive Methods of Peripheral Pulse Detection: Advantages and Disadvantages](#). Annual Journal of Electronics, vol. 3, No 1, pp. 57-60, 2009. ISSN 1313-1842

253. Janjua, G.M.W., Hadia, R., Guldenring, D., Finlay, D.D., McLaughlin, J.A.D. *Heartrate variability comparison between electrocardiogram, photoplethysmogram and ballistic pulse waveforms at fiducial points*. IFMBE Proceedings, 66, pp. 171–177, (2018). DOI: 10.1007/978-981-10-7419-6_29. (Scopus)

През последните 5 години (от 2019 г.)

254. Hashim ZQ, Constantinou L, Triantis IF. *Modelling Dynamically Re-Sizeable Electrodes (DRE) for Targeted Transcutaneous Measurements in Impedance Plethysmography*. IEEE TRANSACTIONS ON BIOMEDICAL CIRCUITS AND SYSTEMS, 14 (1), pp.104-112, (2020). DOI: 10.1109/TBCAS.2019.2959437. (WoS)
255. E. Karaseva. *Development of a hardware-software measurement system for the collection, detection, and processing of photoplethysmograms*. J. Opt. Technol. 87, 36-39 (2020). DOI: 10.1364/JOT.87.000036. (WoS), (Scopus)
256. Залуская В.С., Карасева Е.А., Луцив В.Р. *Автоматическое оценивание давления крови человека на основе совместного анализа морфологических и спектральных параметров фотоплетизмограммы*. Оптический журнал, Т. 87. № 12. С. 67 –75, (2020).

DOI: 10.17586/1023-5086-2020-87-12-67-75. <https://opticjourn.ru/ru/abstract/2020-87-12-67-75>

257. S. Zaluskaya, E. A. Karaseva, and V. R. Lutsiv. *Automatic estimation of human blood pressure based on the joint analysis of morphological and spectral parameters of the photoplethysmogram*. J. Opt. Technol. 87, 750-755 (2020). DOI: 10.1364/JOT.87.000750. (WoS), (Scopus)
258. Pramendra Kumar, Vijay Kumar Sharma. *Cardiac Signals Based Methods For Recognizing Heart Disease: A Review*. Proceedings of the 3rd International Conference on Intelligent Communication Technologies and Virtual Mobile Networks, ICICV 2021, pp. 1375–1377, (2021). DOI: 10.1109/ICICV50876.2021.9388448. (Scopus)
259. Baek S., Lee Y., Baek J., Ko H., Jung, S. *Spatiotemporal Measurement of Arterial Pulse Waves Enabled by Wearable Active-Matrix Pressure Sensor Arrays*. ACS Nano, 16(1), pp. 368–377, (2022). DOI: 10.1021/acsnano.1c06695. (WoS), (Scopus)
260. Enayetur R., Panos L., Zaheer Q.H., Panayotis A. *A Quadruple-Sweep Bioimpedance Sensing Method for Arterial Stenosis Detection*, IEEE Access, Vol. (4), 2024, DOI 10.1109/ACCESS.2024.3356564. (WoS), (Scopus)

[C. 49]. Dobrev D., Neycheva T., Krasteva V., **Iliev I.**, [High_Q Comb FIR Filter for Mains Interference Elimination](#). Annual Journal of Electronics, vol. 4, No 2, pp. 126-129, ISSN 1313-1842, 2010

През последните 5 години (от 2019 г.)

261. Rizwan A, Zoha A, Mabrouk I, Sabbour H, Al-Sumaiti A, Alomaniy A, Imran M, Abbasi Q. *A review on the state of the art in atrial fibrillation detection enabled by machine learning*. IEEE Reviews in Biomedical Engineering, 14, pp. 219–239, 9016113 (2021), doi: 10.1109/RBME.2020.2976507. (WoS), (Scopus)
262. Mihov, G.S., Badarov, D.H. *Combined Filter for Rejection of 1st and 3rd Powerline Interference Harmonic from ECG signals*. 2021 30th International Scientific Conference Electronics, ET 2021 – Proceedings, (2021). DOI: 10.1109/ET52713.2021.9579715. (Scopus)
263. Brilian Aulia Ananditya. *Analisis Sederhana. Simulasi Op-Amp HPF dan LPF sebagai Filter*. Tugas Akhir Mata Kuliah Elektronika Analog (SVIK214105), (2021). https://www.researchgate.net/publication/357803097_Analisis_Sederhana_Simulasi_Op-Amp_HPFP_dan_LPF_sebagai_Filter_Pengolahan_Isyarat_Digital
264. Chang Y, Dong M, Wang B, Ren M, Fan L. *Review of Ex Vivo Cardiac Electrical Mapping and Intelligent Labeling of Atrial Fibrillation Substrates*. Chinese Journal of Electrical Engineering, vol. 9 (1), pp. 93-103, (2023). doi: 10.23919/CJEE.2023.000008. (Scopus)
265. Khan Mamun, M.M.R.; Elfouly, T. *AI-Enabled Electrocardiogram Analysis for Disease Diagnosis*. Appl. Syst. Innov. 2023, 6(5), 95, (2023). DOI:10.1038/s41746-023-00993-7. (WoS), (Scopus)

[C.52]. **Iliev I.**, Tabakov S., Dotsinsky I. [Two steps approach for falls detection in the elderly](#). Annual Journal of Electronics, vol. 5, No 2, pp. 46-48, 2011, ISSN 1313-1842.

266. Spasova V., *Experimental evaluation of keypoints detector and descriptor algorithms for indoor person localization*, Annual Journal of Electronics, vol. 8, pp 85-87, 2014. ISSN 1314-0078

През последните 5 години (от 2019 г.)

267. Maurizio Capra, Stefano Sapienza, Paolo Motto Ros, Danilo Demarchi. *Assessing the Feasibility of Augmenting Fall Detection Systems by Relying on UWB-Based Position Tracking and a Home Robot*, September. 2020, Sensors 20(18), DOI:10.3390/s20185361. (WoS), (Scopus)

- 268.Koh Zhen Long, H. Haron, M. Ibrahim, Z. D. Eri. *An Image-based Fall Detection System using You Only Look Once (YOLO) Algorithm to Monitor Elders' Fall Events*. Knowledge Management International Conference (KMICE) 2021, <http://www.kmice.cms.net.my/ProcKMICE/KMICE2021/index.html>

[C.58]. Tsibulko V., **Илиев И.**, Jekova I., [*Methods for Detecting Pacemaker Pulses in ECG Signal: A Review*](#), Annual Journal of Electronics, pp. 77-80, 2014, ISSN 1314-0078

- 269.Alexander N Kalinichenko, Maria K Chaykovskaya, Daria A Danilova. *Paced ECG Analysis in Mobile Cardiac Monitor*. Computing in Cardiology, 43, pp. 649–652, 7868826, (2016). DOI: 10.22489/cinc.2016.A190-202. (**WoS**), (**Scopus**)
- 270.Alexander Kalinichenko, Svetlana Motorina, Alexey Uskov. *Algorithms for ECG Analysis in Mobile Cardiac Monitoring System*. 20th Conference of Open Innovations Association (FRUCT), (2017). DOI:10.23919/FRUCT.2017.8071300
- 271.Abdelakram Hafid, Sara Benouar, Malika Kedir–Talha, Farhad Abtahi, Mokhtar Attari and Fernando Seoane, *Full Impedance Cardiography measurement device using Raspberry PI3 and System-on-Chip biomedical Instrumentation Solutions*. IEEE Journal of Biomedical and Health Informatics, DOI 10.1109/JBHI.2017.2783949, (2018). (**WoS**), (**Scopus**)
- 272.Моргунова Т.В., Бабчина П.И., Петрова Е.М. *ОПРЕДЕЛЕНИЕ ПОЛОЖЕНИЯ ИМПУЛЬСОВ ЭЛЕКТРОКАРДИОСТИМУЛЯТОРА И ИХ КЛАСТЕРИЗАЦИЯ В ПРОГРАММНОЙ СРЕДЕ МАТЛАВ. ИННОВАЦИИ В ОБРАЗОВАНИИ И МЕДИЦИНЕ, МАТЕРИАЛЫ IV ВСЕРОССИЙСКОЙ НАУЧНО-ПРАКТИЧЕСКОЙ КОНФЕРЕНЦИИ С МЕЖДУНАРОДНЫМ УЧАСТИЕМ, 27 МАЯ 2017 ГОДА, УДК 616:378.1 ББК 53/57:74.58 И-67.* https://dgm.ru/wp-content/uploads/2018/04/Tom_2.-IV-Vseros.konferentsiya-Innovatsii-v-obrazovanii-i-meditsine.pdf#page=31

През последните 5 години (от 2019 г.)

- 273.JuliánPalacios-Rubio, Juan JoséGonzález-Ferrer, NicasioPérez-Castellano. *Advanced pacing algorithms resembling device malfunction: A comprehensive review*. REC: CardioClinics, 54(2), pp. 111–126, (2019). DOI: 10.1016/j.rccl.2019.02.002. (**Scopus**)
- 274.Gabriel Nallathambi, Nandakumar Selvaraj, and Paurakh L. Rajbhandary, *An innovative hybrid approach for detection of pacemaker pulses at low sampling frequency*. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS, pp. 5012–5015, 9176390, (2020). DOI: 10.1109/EMBC44109.2020.9176390. (**WoS**), (**Scopus**)
- 275.Jiang, H., Hu, M., Hong, J., Li, Y., He, X. *A Real-Time Digital Pacemaker Pulse Detection Algorithm*. Computing in Cardiology, (2021). DOI: 10.23919/CinC53138.2021.9662885. (**WoS**), (**Scopus**)
276. Patrick Gampp, Christian Uhle, Sascha Disch , Antonios Karampourniotis, Julia Havenstein, Oliver Hellmuth, Juergen Herre, Peter Prokein, *APPARATUS AND METHOD FOR DETERMINING A PREDETERMINED CHARACTERISTIC RELATED TO A SPECTRAL ENHANCEMENT PROCESSING OF AN AUDIO SIGNAL*. Patent No .: US 11,170,794 B2, Date of Patent : Nov. 9 , 2021

[M.3]. S. Aleksic, M. Atanasov, J. Calleja Agius, K. Camilleri, A. Čartolovni, P. Climent-Pérez, S. Colantonio, ... I. Илиев et al. [*State of the Art of Audio- and Video-Based Solutions for AAL*](#), March 2022, DOI:10.13140/RG.2.2.35629.56802

През последните 5 години (от 2019 г.)

- 277.Mohamad Reza Shahabian Alashti, Mohammad Hossein Bamorovat Abadi, Patrick Holthaus, Catherine Menon and Farshid Amirabdollahian, *RHM-HAR-SK: A Multiview Dataset with Skeleton Data for Ambient Assisted Living Research*. ACHI 2023: The Sixteenth International Conference on Advances in Computer-Human Interactions

278. Guerra, B.M.V.; Ramat, S.; Beltrami, G.; Schmid, M. Recurrent Network Solutions for Human Posture Recognition Based on Kinect Skeletal Data. *Sensors* 2023, 23, 5260. <https://doi.org/10.3390/s23115260>. (WoS), (Scopus)

[Д.4]. Илиев И., Тsvetanov D., Matveev M., Naydenov S., Krasteva V., Mudrov N. (2005). [Implementation of high resolution wireless ECG data acquisition system in intensive coronary care unit](#). The International Conference “Advanced Information and Telemedicine Technologies for Health” AITTH’2005, Minsk, Belarus, pp. 79-84, XI, 2005

279. Dingfei G., Lihui S., Jiayin Z., Yuquan S. *Discrimination of myocardial infarction stages by subjective feature extraction*. *Computer Methods and Programs in Biomedicine*, 95(3), pp. 270–279, DOI: 10.1016/j.cmpb.2009.03.008 ((Scopus))
280. Shopov M., Kakanakov N., Spasov G. *Distributed system for monitoring of physiological parameters in Web-based personal health system*. *Annual Journal of Electronics*, vol. 3, No 1, pp. 35-38, (2009). ISSN 1313-1842.
281. Shopov M., Kakanakov N., Petrova G. *Profile based protocol for data interactions in body sensor networks*. *Annual Journal of Electronics*, vol. 3, No 1, pp. 39-42, 2009, ISSN 1313-1842.
282. Shopov M., Petrova G., Spasov G. *On the use of Bluetooth in Body Sensor Networks*. *Annual Journal of Electronics*, vol. 4, No 2, pp. 154-157, (2010), ISSN 1313-1842

[Д.5]. Andreev A., Andonova A., Илиев И. (2008). [Measurement of IR temperature deviation in bio-medicine](#). 3rd International Conference on Communications, Electromagnetics and Medical Applications (CEMA’08), pp. 45-50, Athens, Greece

283. C Spulber, Ş Voloacă. *Aspects regarding the disc brake's thermal stress simulation by using Infrared Thermography*. *Advanced Materials Research*, 463-464, pp. 1197–1201, (2012), DOI: 10.4028/www.scientific.net/AMR.463-464.1197. (WoS), (Scopus)

През последните 5 години (от 2019 г.)

284. Terziev, V., Valkovski, T., Dimitrov, K., Damyanov, I. *Monitoring of disk brakes vs drum brakes using infrared thermography*. 2021 56th International Scientific Conference on Information, Communication and Energy Systems and Technologies, ICEST 2021 – Proceedings 9483495, pp. 205-208, (2021). DOI: 10.1109/ICEST52640.2021.9483495. (WoS), (Scopus)

[Д.7]. Илиев И., Jekova I., Tabakov S., Koshtikova K., Runev N., Manov E. (2020). [High-risk cardiac patients' follow-up via portable telemonitoring personal analyzer: Applicability, Reliability and Accuracy](#). *Contemporary Methods in Bioinformatics and Biomedicine and Their Applications*. *BioInfoMed* 2020. *Lecture Notes in Networks and Systems*, vol 374. Springer, Cham. https://doi.org/10.1007/978-3-030-96638-6_32. ISSN 2367-3389

През последните 5 години (от 2019 г.)

285. An efficient Preserving abnormal G.S. Mihov, D.H. Badarov. *Improved Adaptive Approach for Suppression of 1st and 3th Harmonic of Mains Interference in ECG Signals*. 31st International Scientific Conference Electronics, ET 2022 – Proceedings, Code 183785. DOI: 10.1109/ET55967.2022.9920311. (Scopus)
286. Pulcinelli M., Pinnelli M., Massaroni C., Lo Presti D., Fortino G., Schena E. 2023, *Wearable Systems for Unveiling Collective Intelligence in Clinical Settings*, *Sensors*, 23, 9777, <https://doi.org/10.3390/s23249777>, (WoS), (Scopus)

[Д.8]. Илиев И., Kanev I., Krasteva V. [A Survey on the Application of Mobile Communication Devices in Remote Cardiac Monitoring Systems](#). (2020). *Contemporary Methods in Bioinformatics and*

Biomedicine and Their Applications. BioInfoMed 2020. Lecture Notes in Networks and Systems, vol 374. Springer, Cham. https://doi.org/10.1007/978-3-030-96638-6_32

През последните 5 години (от 2019 г.)

287. Palumbo A, Gramigna V, Calabrese B, Ielpo N, Fragomeni G. *A Real-Time Remote Monitoring System for Cardiovascular Diseases*. International Journal of Engineering Trends and Technology, vol. 70(11), pp. 117-128, (2022). doi: 10.14445/22315381/IJETT-V70I11P212. (Scopus)
288. Ahmad Mousa, Khalid Elgazzar, *Six Leads Are All You Need for Efficient Cardiac Analysis*. IEEE Global Conference on Artificial Intelligence and Internet of Things, GCAIoT, pp. 153–160, (2023). DOI: 10.1109/GCAIoT61060.2023.10385116. (Scopus)

Илиев, И., Петрова, Г. (2022). [An Approach for Improving the Older people's Perception of Video-Based Applications in AAL Systems – Initial Study](https://doi.org/10.1007/978-3-031-13321-3_9). In: Mazzeo, P.L., Frontoni, E., Sclaroff, S., Distant, C. (eds) Image Analysis and Processing. ICIAP International Workshops, Lecce, Italy, May 23–27, 2022, Revised Selected Papers, Part I. Lecture Notes in Computer Science, vol 13373. Springer, Cham., https://doi.org/10.1007/978-3-031-13321-3_9; https://link.springer.com/chapter/10.1007/978-3-031-13321-3_9

През последните 5 години (от 2019 г.)

289. Tamara M., Anton F., Kooshan H., Pau C., Francisco F-R. *"I Don't Want to Become a Number": Examining Different Stakeholder Perspectives on a Video-Based Monitoring System for Senior Care with Inherent Privacy Protection (by Design)*. In Proceedings of the CHI Conference on Human Factors in Computing Systems (CHI '24), May 11–16, 2024, Honolulu, HI, USA. ACM, New York, NY, USA, 19 pages. <https://doi.org/10.1145/3613904.3642164>

[Д.18]. Dotsinsky I., I. Daskalov, **I. Илиев**, [Detection of Peripheral ECG Electrodes Misplacement](https://ecad.tu-sofia.bg/et/1998/ET-98.htm), PROCEEDINGS ELECTRONICS 1998, <https://ecad.tu-sofia.bg/et/1998/ET-98.htm>

290. Jekova, I., Krasteva, V., Christov, I., Abächerli, R. Recognition of diagnostically useful ECG recordings: Alert for corrupted or interchanged leads. Computing in Cardiology, 38, pp. 429–432, 6164594 (2011). ISBN 978-145770612-7
291. I Jekova, V Krasteva, R Abacherli. *Detection of electrode interchange in precordial and orthogonal ECG leads*. Computing in Cardiology, 40, pp. 519–522, 6713428, (2013). ISBN 978-147990884-4. (WoS), (Scopus)
292. Jekova, I., Krasteva, V., Leber, R., Reichlin, T., Abächerli, R. *Inter-lead correlation analysis for automated detection of cable reversals in 12/16-lead ECG*. Computer Methods and Programs in Biomedicine, 134, pp. 31–41, (2016). DOI: 10.1016/j.cmpb.2016.06.003. (Scopus)
293. Krasteva, V., Jekova, I., Schmid, R. *Simulating arbitrary electrode reversals in standard 12-lead ECG*. Sensors (Switzerland), 19(13), 2920, (2019). DOI: 10.3390/s19132920. (WoS), (Scopus)

[Д.26]. Cvetanov D., **Илиев И.** (2003), [Implementation of Communicational Interfaces in Biomedical Signal Registration –Advantages and Disadvantages](https://doi.org/10.1007/978-3-030-96638-6_32). PROCEEDINGS ELECTRONICS ET'2003, Book 1. ISBN 954-438-374-3

294. Spasov G., Petrova G., Estimation of Bluetooth channel behaviour in presence of different sources of interference in medical environment. ELECTRONIKA'2004,

[Д.44]. Irena Jekova, **Ivo Илиев**, Valentin Tsibulko, Serafim Tabakov. [Algorithm for Pace Pulses Detection in a Single Lead ECG: Performance in Case of EMG Artifacts](https://doi.org/10.1109/ET.2018.8549603), XXVII International Scientific Conference Electronics (ET), 2018. DOI: 10.1109/ET.2018.8549603

През последните 5 години (от 2019 г.)

295. Philip Hoyland, Nefissa Hammache, Alberto Battaglia, Julien Oster, Jacques Felblinger, A Paced-ECG Detector and Delineator for Automatic Multi-Parametric Catheter Mapping of Ventricular Tachycardia, IEEE Access 8, 9288662, pp. 223952-223960 (2020). DOI 10.1109/ACCESS.2020.3043542. (WoS), (Scopus)

[Д.45]. **Илев И**, Georgi N, Serafim T, Boriana Tz. [Experimental Investigation of Textile Planar Capacitive Sensors](#), IEEE 27th International Scientific Conference Electronics, ET 2018 - Proceedings, 8549653 DOI: 10.1109/ET.2018.8549653

През последните 5 години (от 2019 г.)

296. Josue Ferri, Raúl Llinares Llopis, Gabriel Martinez, José Vicente Lidon Roger, Eduardo Garcia-Breijo. *Comparison of E-Textile Techniques and Materials for 3D Gesture Sensor with Boosted Electrode Design*, Sensors 2020, 20, 2369; doi:10.3390/s20082369. (WoS), (Scopus)
297. Nikolova-Hadzhigenova, E. S. (2019). *Application of textile electrodes in medical telemetry*. 10th National Conference with International Participation, ELECTRONICA 2019 - Proceedings, doi:10.1109/ELECTRONICA.2019.8825637. (Scopus)
298. Dobromir Dobrev, Emad Alnasser, Tatyana Neycheva. *Application of Active Biased Integrators for Biosignal Processing*. XXX International Scientific Conference Electronics (ET), 2021, pp. 1-5, doi: 10.1109/ET52713.2021.9580163. (Scopus)

[Д.47]. Kanev, I.K., **Илев, I.T.**, Krasteva, V.T. [Sonification - An alternative presentation of the electrocardiogram: A systematic literature review](#). 2019 28th International Scientific Conference Electronics, ET (2019). DOI: 10.1109/ET.2019.8878650

През последните 5 години (от 2019 г.)

299. Emma Fridl, Michele Orini, Giampaolo Martinelli, Elaine Chew. *Mapping Inter-Cardiovascular Time-Frequency Coherence to Harmonic Tension in Sonification of Ensemble Interaction Between a COVID-19 Patient and the Medical Team*. The 26th International Conference on Auditory Display (ICAD 2021), (2021), Virtual Conference. DOI:10.21785/icad2021.020.
300. Enge K, Elmquist E, Caiola V, Rönnerberg N, Rind A, Iber M, Lenzi S, Lan F, Höldrich R, Aigner W. *Open Your Ears to Take a Look: A State-of-the-Art Report on the Integration of Sonification and Visualization*, Preprint, arXiv:2402.16558v1 [cs.HC] (2024), doi: 10.48550/arXiv.2402.1655, <https://arxiv.org/pdf/2402.16558.pdf>;

[Д.48]. **И. Илев**, I. I. Jekova, S. D. Tabakov, K. G. Koshtikova, and S. T. Iovchev. [Telemetry of hospitalized high-risk patients with cardiovascular diseases](#). IEEE XXVIII International Scientific Conference Electronics (ET), pp. 1-4, (2019). DOI: 10.1007/978-3-030-96638-6_33

През последните 5 години (от 2019 г.)

301. FC Bauer, DR Muir, G Indiveri. *Real-Time Ultra-Low Power ECG Anomaly Detection Using an Event-Driven Neuromorphic Processor*. IEEE TRANSACTIONS ON BIOMEDICAL CIRCUITS AND SYSTEMS 13 (6), pp.1575-1582, (2019). (WoS)
302. Pulcinelli M., Pinnelli M., Massaroni C., Lo Presti D., Fortino G., Schena E. *Wearable Systems for Unveiling Collective Intelligence in Clinical Settings*, Sensors, 23, 9777, (2023). <https://doi.org/10.3390/s23249777>. (WoS), (Scopus)

[Д.49]. **Илиев И.**, Ganey B., Kanev I. [Study of the audio characteristics of mobile phones in the context of transmission of biomedical signals converted into sound](#). IEEE Proc. XI National Conference with International Participation "Electronica 2020", (2020). DOI: 10.1109/ELECTRONICA50406.2020.9305147

През последните 5 години (от 2019 г.)

303. Anastas I. *Nonlinear oscillations of a pendulum wrapped around a cylinder*. X International Conference "Heavy Machinery-HM 2021", 27(4):105-112, Vrnjačka Banja (2021). DOI: 10.5937/IMK2103105I

304. Nikolova, E., Dimitrov, V., Hranov, T., Gieva, E. *Remote Tracking System for ECG Signal with Textile Electrodes*. Proceedings of the 45-th International Spring Seminar on Electronics Technology, ISSE 2022, Vienna 2022-May. DOI: 10.1109/ISSE54558.2022.9812840. (WoS), (Scopus)

[Д.50]. **Илиев И.**, Badarov D., Tabakov S., Ganey B., Kanev I. [Fully Analogue ECG Front-end Applicable in Remote Patient Monitoring](#). 29-th International Scientific Conference Electronics, ET 2020 – Proceedings (2020). DOI: 10.1109/ET50336.2020.9238247

През последните 5 години (от 2019 г.)

305. Nikolova, E., Dimitrov, V., Hranov, T., Gieva, E. *Remote Tracking System for ECG Signal with Textile Electrodes*. Proceedings of the 45-th International Spring Seminar on Electronics Technology, ISSE 2022, Vienna 2022-May. DOI: 10.1109/ISSE54558.2022.9812840. (WoS), (Scopus)

306. Suleski, T., Ahmed, M. *A Data Taxonomy for Adaptive Multifactor Authentication in the Internet of Health Care Things*. Journal of Medical Internet Research 25,e44114, (2023). DOI: 10.2196/44114. (WoS), (Scopus)

[Д.51]. Petrova, G., Spasov, G., **Илиев И.** [A Review on Applications of Low-resolution IR Array Sensors in Ambient-Assisted Living](#). 30-th International Scientific Conference Electronics, ET 2021 – Proceedings, (2021). DOI 10.1109/ET52713.2021.9579477

През последните 5 години (от 2019 г.)

307. Guerrero-Rodriguez, J.-M.; Cifredo-Chacon, M.-A.; Cobos Sánchez, C.; Perez-Peña, F. *Exploiting the PIR Sensor Analog Behavior as Thermoreceptor: Movement Direction Classification Based on Spiking Neurons*. Sensors 2023, 23, 5816. <https://doi.org/10.3390/s23135816>. (WoS), (Scopus)

308. Amini, S., Zhu, T., Biswas, A., Dauphin, Y., Fratzl, P. *Calcitic Prisms of The Giant Seashell Pinna Nobilis Form Light Guide Arrays*. Advanced Materials, 35(39), 2304166, (2023). DOI: 10.1002/adma.202304166. (WoS), (Scopus)

[Д.54]. **Илиев И.**, Tabakov S., Tomchev N., [An Adjustable Amplifier for Capacitive ECG Registration](#), XXXI International Scientific Conference Electronics - ET2022, September 13 - 15, 2022, Sozopol, Bulgaria, DOI:10.1109/ET55967.2022.9920286

През последните 5 години (от 2019 г.)

309. Pengbo Xu, *Analog Front-End Pre-Amplifiers for Portable Capacitive ECG Monitoring Applications Analysis*. Highlights in Science, Engineering and Technology TPCEE 2023, Volume 72 (2023). DOI: 10.54097/p6p03x62. <https://www.semanticscholar.org/paper/Analog-Front-End-Pre-Amplifiers-for-Portable-ECG-Xu/5999fabf144b415831508134671b5aaf5c474663#cited-papers>

[Д.55]. Ganev, B.T., Iliev, I.T., Jekova, I.I., Krasteva, V.T. [*LabVIEW ECG and Noise Simulator for Advanced Synthesis of Machine Learning Databases*](#). 31st International Scientific Conference Electronics, ET 2022. DOI: 10.1109/ET55967.2022.9920258

През последните 5 години (от 2019 г.)

310.Jiayu Guo, Wangze Li, Huichun Huang. *An ECG detection device based on Convolutional Neural Network*. Conference: 8th International Conference on Intelligent Computing and Signal Processing (ICSP), (2023). DOI: 10.1109/ICSP58490.2023.10248472. (**Scopus**)

П.1. **Iliev I**, Tabakov S, Cansell A, Daskalov I (2003). [*Détecteur photoélectrique des pulsations du coeur ou des vaisseaux*](#). Demande brevet France, No 2855039/26.11.2004

311.Neycheva T.D., D.P. Dobrev, [*Photoplethysmographic detector for peripheral pulse registration*](#). PROCEEDINGS ELECTRONICS 2005, book 4, ISBN 954 438 520 7. https://ecad.tu-sofia.bg/et/2005/pdf/Paper043-T_Neycheva.pdf

[K.1]. Valery Tchacarski, Rumyana Krasteva, Emilia Mincheva, Anelia Boueva, **Ivo Iliev**, Dimitar Popov, [*Atlas of Diagnostic Ultrasound \[Kindle Edition\]*](#). Edited by Valery Tchacarski, (2014). ASIN:B00OVGJ4JW http://www.amazon.com/Atlas-Diagnostic-Ultrasound-Valery-Tchacarski-ebook/dp/B00OVGJ4JW/ref=sr_1_3?s=digital-text&ie=UTF8&qid=1431344664&sr=1-3&keywords=ultrasound+atlas#reader_B00OVGJ4JW

312.Borreani, G., Biagini, C., Pesce, R., Bombino, L., Forzoni, L. (2017). *Intuitive Real-Time Multidimensional Diagnostic Ultrasound Image Optimization Technology*. In: Stephanidis, C. (eds) HCI International 2017 – Posters' Extended Abstracts. HCI 2017. Communications in Computer and Information Science, vol 713. Springer, Cham. https://doi.org/10.1007/978-3-319-58750-9_71

313.Borreani, G., Biagini, C., Pesce, R., Bombino, L., Forzoni, L. *Intuitive Real-Time Multidimensional Diagnostic Ultrasound Image Optimization*. Technology Journal of Diagnostic Medical Sonography, Vol. 34(2), pp. 98-104, (2018). DOI: 10.1177/8756479317743745 2017. (**WoS**)

314.J Ferrer, T Chaumont, L Trujillo, I Fernandez, J Guerrero, P Stewart, G Garra, M Fernanda. *New tele-diagnostic model using volume sweep imaging for rural areas*. 39th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC), pp. 2622-2625, (2017). (**WoS**)

315.Shuangyi W. *Development of a Robotic Trans-oesophageal Ultrasound System and Its Application in Automatic Acquisition*. King's College London, (2017). https://www.researchgate.net/publication/320169892_Development_of_a_Robotic_Trans-oesophageal_Ultrasound_System_and_Its_Application_in_Automatic_Acquisition

316.Igor Gunas, Sergiy Prokopenko, Marina Melnik. *Sonographic parameters of the pancreas and gall bladder in healthy men from Podillya region of Ukraine of different somatotypes*. Curr. Issues Pharm. Med. Sci., Vol. 29, No. 2, Pages 94-96, (2016). DOI:10.1515/cipms-2016-0019. (**WoS**)

317.Y Zhou, J Liang, LV Wang. *Cuffing-based photoacoustic flowmetry in humans in the optical diffusive regime*. Journal of biophotonics, 9(3), pp. 208-212, (2016). (**WoS**)

318.Igor Gunas, Marina Melnik, Olexandr Majewskyi, Yuriy Shevchuk, *Features of sonographic parameters of liver in practically healthy men of different somatotypes, in the Podilski region of Ukraine*. Curr. Issues Pharm. Med. Sci., Vol. 30, No. 2, Pages 86-89, (2017). DOI: 10.1515/cipms-2017-0017

319.Dochshanova A.M., Shegenov G.A., Tuletova A.S. *Clinical efficiency of using selective progesterone receptor modulators in the treatment of symptomatic uterine fibroids*.

Цитирания в български научни издания и научни трудове:

[C.1]. **I. Iliev** (1996). [*Improvements of the long-term noninvasive blood pressure recording*](#). Journal of Clinical Engineering, vol. 21, No 5, pp 392-397, ISSN:0363-8855

320. Танев С. (2014). *Продължително наблюдение на важни параметри на сърдечно-съдовата система в екстремални условия*. Дисертационен труд за присъждане на образователна и научна степен “Доктор”. София, ИКИТ-БАН, цитиране под N 3

[Д.29]. **Iliev I.**, Tabakov S. [*Implementation of Class-D Amplifier in High Performance System for Electrostimulation*](#). The 14-th International Scientific and Applied Science Conference “Electronics ET’2005”, book 4, pp. 21-25, 2005. ISBN 954 438 520 7

321. Петрова Г. *Медицинска електронна апаратура*. (2015). Издателство ТУ-София, ISBN: 978-619-167-174-8

[C.39]. Vasileva D., **Iliev I.**, Dimitrov E. [*Muscle effort degree measurement*](#). The 16-th International Scientific and Applied Science Conference “Electronics ET’2007”, book2, pp. 15-19, 2007. ISSN 1313 – 1842.

322. Петрова Г. *Медицинска електронна апаратура*. (2015). Издателство ТУ-София, ISBN: 978-619-167-174-8

[C.41]. **Iliev I.**, Vasileva D., Tabakov S., Arabadjiev T, Dimitrov G., [*Portable system for estimation of muscle fatigue*](#), E+E, vol 9-10, pp. 24-28, 2008.

323. Петрова Г. *Медицинска електронна апаратура*. (2015). Издателство ТУ-София, ISBN:978-619-167-174-8

М.2. **Илиев, И.** (2011). [*Методи, устройства и системи за телеметрично мониториране на високорискови пациенти със сърдечносъдови заболявания*](#). Дисертация за научна степен „Доктор на техническите науки”, ТУ-София

324. Михов Г. (2013). Изследване и усъвършенстване на субтракционния метод за отстраняване на смущения от електрокардиографски сигнали, Дисертация за присъждане на научна степен „доктор на науките”. ТУ-София, цитиране под N 13

[C.7]. Nenova B., **I. Iliev**. (2010). [*An Automated Algorithm for Fast Pulse Wave Detection*](#), Int. J. BIOautomation, 14, pp. 203-216, ISSN 1314-1902

325. Галя ГТ, Красимир Ч. *Фотоплетизмографски метод за отчитане работата на сърцето*. Международна научна конференция “УНИТЕХ’17” – Габрово, стр. 244-249, (2017). https://www.unitech-selectedpapers.tugab.bg/images/papers/2017/Unitech_2017_SP.pdf

[М.2А]. **Илиев, И.** (2011). [*Методи, устройства и системи за телеметрично мониториране на високорискови пациенти със сърдечносъдови заболявания*](#). Дисертация за научна степен „Доктор на техническите науки” - Автореферат, ТУ-София

326. Галя ГТ, Красимир Ч. *Фотоплетизмографски метод за отчитане работата на сърцето*. Международна научна конференция “УНИТЕХ’17” – Габрово, стр. 244-249, (2017). https://www.unitech-selectedpapers.tugab.bg/images/papers/2017/Unitech_2017_SP.pdf

- 327.K. Cheshmedzhiev, G. Georgieva-Tsaneva. *Obtaining the Physiological Data Using the Photoplethysmographic Method*. CBU International Conference on Innovations in Science and Education, Prague 2018, 6:881, (2018). DOI: 10.12955/cbup.v6.1265